



Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE80 5290 MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	5269.20	102.37	1.42	103.79	68.20	35.59	PEAK
2	5350.00	56.98	1.23	58.21	74.00	-15.79	PEAK
3	5351.28	57.97	1.25	59.22	74.00	-14.78	PEAK

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE80 5290 MHz		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	5263.68	101.46	1.45	102.91	68.20	34.71	PEAK
2	5350.00	55.49	1.23	56.72	74.00	-17.28	PEAK
3	5352.48	56.06	1.26	57.32	74.00	-16.68	PEAK

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE80 5530 MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	5452.72	59.95	1.75	61.70	74.00	-12.30	PEAK
2	5460.00	59.56	1.79	61.35	74.00	-12.65	PEAK
3	5461.60	61.08	1.80	62.88	68.20	-5.32	PEAK
4	5470.00	59.84	1.84	61.68	68.20	-6.52	PEAK
5	5543.44	100.64	2.12	102.76	68.20	34.56	PEAK

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE80 5530 MHz		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	5456.32	57.64	1.77	59.41	74.00	-14.59	PEAK
2	5460.00	54.73	1.79	56.52	74.00	-17.48	PEAK
3	5466.16	59.81	1.81	61.62	68.20	-6.58	PEAK
4	5470.00	56.20	1.84	58.04	68.20	-10.16	PEAK
5	5515.60	100.53	2.04	102.57	68.20	34.37	PEAK

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE80 5610 MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	5418.85	54.08	1.69	55.77	74.00	-18.23	PEAK
2	5460.00	52.99	1.79	54.78	74.00	-19.22	PEAK
3	5470.00	51.63	1.84	53.47	68.20	-14.73	PEAK
4	5616.05	100.44	2.43	102.87	68.20	34.67	PEAK
5	5725.00	51.92	2.92	54.84	68.20	-13.36	PEAK
6	5758.85	54.14	3.27	57.41	68.20	-10.79	PEAK

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE80 5610 MHz		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	5388.25	53.42	1.57	54.99	74.00	-19.01	PEAK
2	5460.00	51.06	1.79	52.85	74.00	-21.15	PEAK
3	5464.33	52.32	1.81	54.13	68.20	-14.07	PEAK
4	5470.00	51.68	1.84	53.52	68.20	-14.68	PEAK
5	5595.23	99.85	2.37	102.22	68.20	34.02	PEAK
6	5725.00	51.04	2.92	53.96	68.20	-14.24	PEAK
7	5762.25	53.21	3.29	56.50	68.20	-11.70	PEAK

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE80 5775 MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	5626.63	54.26	2.44	56.70	68.20	-11.50	PEAK
2	5650.00	52.30	2.51	54.81	68.20	-13.39	PEAK
3	5700.00	54.24	2.63	56.87	105.20	-48.33	PEAK
4	5720.00	54.70	2.86	57.56	110.80	-53.24	PEAK
5	5725.00	56.52	2.92	59.44	150.00	-90.56	PEAK
6	5754.13	102.12	3.24	105.36	150.00	-44.64	PEAK
7	5850.00	53.48	3.31	56.80	122.20	-65.41	PEAK
8	5855.00	54.19	3.30	57.49	110.80	-53.31	PEAK
9	5875.00	53.48	3.26	56.74	105.20	-48.46	PEAK
10	5925.00	53.50	3.15	56.65	68.20	-11.55	PEAK
11	5937.13	54.54	3.12	57.67	68.20	-10.54	PEAK

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE80 5775 MHz		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	5618.00	53.32	2.44	55.77	68.20	-12.44	PEAK
2	5650.00	50.95	2.51	53.46	68.20	-14.74	PEAK
3	5700.00	52.81	2.63	55.44	105.20	-49.76	PEAK
4	5720.00	53.61	2.86	56.47	110.80	-54.33	PEAK
5	5725.00	53.23	2.92	56.15	150.00	-93.85	PEAK
6	5803.25	99.45	3.48	102.93	150.00	-47.07	PEAK
7	5850.00	51.87	3.31	55.18	122.20	-67.02	PEAK
8	5855.00	51.36	3.30	54.66	110.80	-56.14	PEAK
9	5875.00	52.24	3.26	55.50	105.20	-49.70	PEAK
10	5925.00	51.46	3.15	54.61	68.20	-13.59	PEAK
11	5940.50	53.63	3.11	56.74	68.20	-11.46	PEAK

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE160 5250 MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	5148.00	58.08	1.64	59.73	74.00	-14.28	PEAK
2	5150.00	56.06	1.64	57.70	74.00	-16.30	PEAK
3	5196.00	97.70	1.77	99.48	68.20	31.28	PEAK
4	5350.00	53.43	1.23	54.66	74.00	-19.34	PEAK
5	5409.12	54.76	1.68	56.44	74.00	-17.56	PEAK

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE160 5250 MHz		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	5122.08	56.77	1.69	58.46	74.00	-15.54	PEAK
2	5150.00	55.43	1.64	57.07	74.00	-16.93	PEAK
3	5252.64	97.89	1.49	99.38	68.20	31.18	PEAK
4	5350.00	52.38	1.23	53.61	74.00	-20.39	PEAK
5	5393.76	54.11	1.62	55.73	74.00	-18.27	PEAK

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE160 5570 MHz		
Polarization:	Horizontal		
Remark:			



ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	5452.43	61.61	1.75	63.36	74.00	-10.64	PEAK
2	5460.00	59.96	1.79	61.75	74.00	-12.25	PEAK
3	5463.05	62.72	1.80	64.52	68.20	-3.68	PEAK
4	5470.00	60.44	1.84	62.28	68.20	-5.93	PEAK
5	5554.00	98.08	2.16	100.24	68.20	32.04	PEAK
6	5725.00	53.21	2.92	56.13	68.20	-12.07	PEAK
7	5736.75	53.91	3.06	56.97	68.20	-11.23	PEAK


Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE160 5570 MHz		
Polarization:	Vertical		
Remark:			



ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	5454.98	60.47	1.76	62.23	74.00	-11.77	PEAK
2	5460.00	56.87	1.79	58.66	74.00	-15.34	PEAK
3	5466.45	58.58	1.82	60.40	68.20	-7.80	PEAK
4	5470.00	57.44	1.84	59.28	68.20	-8.92	PEAK
5	5556.98	97.09	2.18	99.27	68.20	31.07	PEAK
6	5725.00	52.33	2.92	55.25	68.20	-12.95	PEAK
7	5758.43	53.31	3.26	56.57	68.20	-11.63	PEAK


Average

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11a 5180 MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	5150.00	41.49	1.64	43.13	54.00	-10.87	AVG

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11a 5180 MHz		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	5070.00	41.58	1.68	43.26	54.00	-10.75	AVG
2	5150.00	40.91	1.64	42.55	54.00	-11.45	AVG

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11a 5320 MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	5350.00	40.18	1.23	41.41	54.00	-12.59	AVG
2	5444.64	40.37	1.72	42.09	54.00	-11.91	AVG

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11a 5320 MHz		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	5350.00	39.93	1.23	41.16	54.00	-12.84	AVG
2	5423.76	39.99	1.70	41.69	54.00	-12.31	AVG

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11a 5500 MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	5444.32	40.31	1.72	42.03	54.00	-11.97	AVG
2	5460.00	39.86	1.79	41.65	54.00	-12.35	AVG

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11a 5500 MHz		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	5446.00	40.10	1.72	41.82	54.00	-12.18	AVG
2	5460.00	39.77	1.79	41.56	54.00	-12.44	AVG

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11n HT20 5180 MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	5044.92	43.69	1.63	45.32	54.00	-8.68	AVG
2	5150.00	43.28	1.64	44.92	54.00	-9.08	AVG

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11n HT20 5180 MHz		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	5078.36	43.66	1.69	45.35	54.00	-8.65	AVG
2	5150.00	43.14	1.64	44.78	54.00	-9.22	AVG

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11n HT20 5320 MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	5350.00	41.47	1.23	42.70	54.00	-11.30	AVG

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11n HT20 5320 MHz		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	5350.00	41.26	1.23	42.49	54.00	-11.51	AVG

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11n HT20 5500 MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	5460.00	44.26	1.79	46.05	54.00	-7.95	AVG

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11n HT20 5500 MHz		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	5460.00	44.20	1.79	45.99	54.00	-8.01	AVG

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11n HT40 5190 MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	5150.00	44.88	1.64	46.52	54.00	-7.48	AVG

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11n HT40 5190 MHz		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	5150.00	44.56	1.64	46.20	54.00	-7.80	AVG

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11n HT40 5310 MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	5350.00	41.85	1.23	43.08	54.00	-10.92	AVG

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11n HT40 5310 MHz		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	5350.00	42.46	1.23	43.69	54.00	-10.31	AVG

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11n HT40 5510 MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	5460.00	41.25	1.79	43.04	54.00	-10.96	AVG

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11n HT40 5510 MHz		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	5460.00	41.58	1.79	43.37	54.00	-10.63	AVG

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11n VHT80 5210 MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	5149.04	47.36	1.64	49.00	54.00	-5.00	AVG
2	5150.00	47.22	1.64	48.86	54.00	-5.14	AVG

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11n VHT80 5210 MHz		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	5150.00	44.53	1.64	46.17	54.00	-7.83	AVG

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11n VHT80 5290 MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	5350.00	43.29	1.23	44.52	54.00	-9.48	AVG

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11n VHT80 5290 MHz		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	5350.00	41.82	1.23	43.05	54.00	-10.95	AVG

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11n VHT80 5530 MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	5460.00	46.33	1.79	48.12	54.00	-5.88	AVG

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11n VHT80 5530 MHz		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	5452.48	42.52	1.75	44.27	54.00	-9.73	AVG
2	5460.00	42.66	1.79	44.45	54.00	-9.55	AVG

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11n VHT80 5610 MHz		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	5460.00	42.12	1.79	43.91	54.00	-10.09	AVG

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11n VHT80 5610 MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	5460.00	41.88	1.79	43.67	54.00	-10.33	AVG

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11n VHT160 5250 MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	5138.40	46.86	1.66	48.52	54.00	-5.49	AVG
2	5150.00	46.42	1.64	48.06	54.00	-5.94	AVG
3	5350.00	44.20	1.23	45.43	54.00	-8.57	AVG
4	5357.28	44.58	1.30	45.88	54.00	-8.12	AVG

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11n VHT160 5250 MHz		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	5144.16	46.52	1.65	48.17	54.00	-5.83	AVG
2	5150.00	46.01	1.64	47.65	54.00	-6.35	AVG
3	5350.00	43.64	1.23	44.87	54.00	-9.13	AVG
4	5373.60	44.26	1.44	45.70	54.00	-8.30	AVG

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11n VHT160 5570 MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	5452.00	49.52	1.75	51.27	54.00	-2.73	AVG
2	5460.00	49.51	1.79	51.30	54.00	-2.70	AVG

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11n VHT160 5570 MHz		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	5460.00	47.66	1.79	49.45	54.00	-4.55	AVG

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE20 5180 MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	5069.24	41.23	1.68	42.91	54.00	-11.09	AVG
2	5150.00	41.08	1.64	42.72	54.00	-11.28	AVG

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE20 5180 MHz		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	5150.00	43.35	1.64	44.99	54.00	-9.01	AVG

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE20 5320 MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	5350.00	40.12	1.23	41.35	54.00	-12.65	AVG
2	5454.48	40.08	1.76	41.85	54.00	-12.16	AVG

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE20 5320 MHz		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	5350.00	41.75	1.23	42.98	54.00	-11.02	AVG

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE20 5500 MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	5450.56	40.26	1.74	42.00	54.00	-12.00	AVG
2	5460.00	39.90	1.79	41.69	54.00	-12.31	AVG

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE20 5500 MHz		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	5460.00	41.01	1.79	42.80	54.00	-11.20	AVG

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE40 5190 MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	5147.52	44.71	1.65	46.36	54.00	-7.64	AVG
2	5150.00	44.47	1.64	46.11	54.00	-7.89	AVG

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE40 5190 MHz		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	5150.00	44.61	1.64	46.25	54.00	-7.75	AVG

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE40 5310 MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	5350.00	44.18	1.23	45.41	54.00	-8.59	AVG

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE40 5310 MHz		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	5350.00	43.54	1.23	44.77	54.00	-9.23	AVG

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE40 5510 MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	5460.00	42.25	1.79	44.04	54.00	-9.96	AVG

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE40 5510 MHz		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	5460.00	42.22	1.79	44.01	54.00	-9.99	AVG

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE80 5210 MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	5139.92	45.10	1.66	46.76	54.00	-7.24	AVG
2	5150.00	45.92	1.64	47.56	54.00	-6.44	AVG

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE80 5210 MHz		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	5150.00	46.61	1.64	48.25	54.00	-5.75	AVG

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE80 5290 MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	5350.00	43.27	1.23	44.50	54.00	-9.50	AVG
2	5358.48	42.65	1.32	43.97	54.00	-10.03	AVG

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE80 5290 MHz		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	5350.00	42.67	1.23	43.90	54.00	-10.10	AVG

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE80 5530 MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	5452.72	44.57	1.75	46.32	54.00	-7.68	AVG
2	5460.00	44.99	1.79	46.78	54.00	-7.22	AVG

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE80 5530 MHz		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	5456.56	46.00	1.77	47.77	54.00	-6.23	AVG
2	5460.00	44.52	1.79	46.31	54.00	-7.69	AVG

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE80 5610 MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	5404.83	40.13	1.68	41.81	54.00	-12.19	AVG
2	5460.00	39.85	1.79	41.64	54.00	-12.36	AVG

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE80 5610 MHz		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	5460.00	42.06	1.79	43.85	54.00	-10.15	AVG

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE160 5250 MHz		
Polarization:	Horizontal		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	5148.00	47.09	1.64	48.73	54.00	-5.27	AVG
2	5150.00	46.83	1.64	48.47	54.00	-5.53	AVG
3	5350.00	44.51	1.23	45.74	54.00	-8.26	AVG
4	5379.36	44.45	1.49	45.94	54.00	-8.06	AVG

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE160 5250 MHz		
Polarization:	Vertical		
Remark:			




ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	5124.00	46.58	1.68	48.26	54.00	-5.74	AVG
2	5150.00	46.33	1.64	47.97	54.00	-6.03	AVG
3	5350.00	43.69	1.23	44.92	54.00	-9.08	AVG
4	5372.64	44.47	1.43	45.90	54.00	-8.10	AVG

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE160 5570 MHz		
Polarization:	Horizontal		
Remark:			



ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	5453.28	50.17	1.75	51.92	54.00	-2.08	AVG
2	5460.00	49.83	1.79	51.62	54.00	-2.38	AVG

Test Site:	96603-WG	Standard:	Part 15.407
Test Mode:	802.11ax HE160 5570 MHz		
Polarization:	Vertical		
Remark:			



ID	Frequency MHz	Reading dBuV	Correct Factor dB/m	Result dBuV/m	Limit dBuV/m	Margin dB	Remark
1	5456.68	49.45	1.77	51.22	54.00	-2.78	AVG
2	5460.00	48.31	1.79	50.10	54.00	-3.90	AVG

5.3. Conducted Test Results

Duty cycle

Reference Appendix A / Appendix B

Maximum Conducted Output Power Measurement

Reference Appendix A

26 dB RF Bandwidth Measurement & 99 % Occupied Bandwidth Measurement

Reference Appendix A / Appendix B

6 dB RF Bandwidth Measurement

Reference Appendix A / Appendix B

Maximum Power Spectral Density Measurement

Reference Appendix A / Appendix B

---END---