

4

3

2

1

REVISIONS				
REV	EC	BY	DATE	APPROVED
A	00631	T.MOXHAM	4/18/2005	W.CLARK


NOTES:

1. MATL: TT731 (TOPCOATED GLOSSY CLEAR POLYESTER FILM),  
ADHESIVE BACKED OR EQUIVALENT.
2. FINISH: USE RIBBON TTRR-N, BLACK TEXT AND GRAPHICS  
ON CLEAR BACKGROUND.
3. COMPANY LOGO: USE FLARION\_LOGO.TIF
4. FONT STYLE AND SIZE: SEE SHEET 2 OF 2
5. THE MINIMUM HEIGHT OF THE REGISTERED  
TRADEMARK SYMBOL SHALL BE 3/64 OF AN INCH.
6. UL LOGO: USE ULMARK.TIF

COMPANY LOGO (NOTE 3)

SEE NOTE 5

UL LOGO (NOTE 6)



REV.	REV STATUS
1 SHT.	OF SHEETS

UNLESS OTHERWISE SPECIFIED	MATERIAL:	DRAWN BY T.MOXHAM	FLARION TECHNOLOGIES  Bedminster, NJ 07921		
DIMENSIONS ARE IN INCHES AND ARE IN ACCORDANCE WITH ANSI Y14.5M		DATE 4/18/2005			
TOLERANCES .XX ±.01 ANG .XXX ±.005 ±1°	FINISH:	CHECKED BY J.FELIX	TITLE  LABEL,UL BS  700 MHZ IND 1S AC 110V		
		DATE 4/18/2005			
This dwg. is confidential property of Flarion Technologies. Any reproduction or use of this dwg. is prohibited except as authorized in writing by Flarion. Dwg. must be returned to Flarion on demand on completion of order or other purposes for which it is furnished.		APPROVED BY J.FELIX	SIZE B	DWG NO. 48-0376-001	REV A
		DATE 4/18/2005	SCALE: 2 : 1		SHEET 1 OF 2

