









JASPER ELECTRONICS
MODEL: DPCI305-M1128/24
REV: A DATE: 1803A
PART NO.: 02833-901
SERIAL NO.: 152
CUSTOMER PART NO.:
OUTPUT: 300W MAX
DC 21-28V
25.0A MAX
INPUT:
V1: 5.0V @ 18.0A
V2: 5.75V @ 15.0A
V3: 3.3V @ 15.0A
V4: +12.0V @ 5.0A
V5: -12.0V @ 0.5A

us
C



Board type	PCS 2x4
Rev or subtype	REV B
Board number	3180011R
CPLD version	15
RF test date	5/6/03
RF test person	P.J.
Calibration date/time	06/05/03
Calibration person	A.P.
Specific mods	
Delivered to	
Delivery date and time	

Comments

72-0134-002 REV A

COPYRIGHT © 2003 FLARION TECHNOLOGIES


ALL RIGHTS RESERVED

TM-001 944-B

100%

8065C15 ENVI 064785

8106-02 ENVI 044081



COPYRIGHT © 2003 FLARION TECHNOLOGIES
ALL RIGHTS RESERVED

Board type	PCS 7X4
Rev or subtype	REV B
Board number	31800147
CPLD version	94
RF test date	5/18/03
RF test person	PL
Calibration date/time	06/05/03
Calibration person	PL
Specific mods	
Delivered to	
Delivery date and time	

Comments

TEMP FILTER INSTALLED FOR
USE IN G BLOCK 11974.21112

73-0135-002 REV A

73-0135-002 REV B

E106-87
EMIT 044581

B065C15
E001 064785

E106-87
EMIT 044581