




3DH5\_Ant1\_2441\_30~1000




3DH5\_Ant1\_2441\_1000~26500




3DH5\_Ant1\_2480\_0~Reference



3DH5\_Ant1\_2480\_30~1000



3DH5\_Ant1\_2480\_1000~26500




## Appendix I: Duty Cycle

### Test Result


TestMode	Antenna	Channel	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]	1/T
DH5	Ant1	2402	2.88	3.73	77.21	0.35
		2441	2.89	3.73	77.48	0.35
		2480	2.89	3.73	77.48	0.35
2DH5	Ant1	2402	2.89	3.74	77.27	0.35
		2441	2.89	3.73	77.48	0.35
		2480	2.89	3.74	77.27	0.35
3DH5	Ant1	2402	2.89	3.73	77.48	0.35
		2441	2.89	3.74	77.27	0.35
		2480	2.89	3.73	77.48	0.35

Test Graphs


DH5\_Ant1\_2402




DH5\_Ant1\_2441




DH5\_Ant1\_2480




2DH5\_Ant1\_2402




2DH5\_Ant1\_2441




2DH5\_Ant1\_2480




3DH5\_Ant1\_2402



3DH5\_Ant1\_2441



3DH5\_Ant1\_2480



## Appendix J: Emissions in Restricted Bands


### Test Result

TestMode	Antenna	ChName	Channel	Detector	Freq(MHz)	Result(dBm)	Limit(dBm)	Verdict
DH5	Ant1	Low	2402	AV	2310.000	-49.54	≤-41.20	PASS
				AV	2389.670	-49.03	≤-41.20	PASS
				AV	2390.000	-49.14	≤-41.20	PASS
				Peak	2310.000	-42.32	≤-21.20	PASS
				Peak	2382.215	-38.53	≤-21.20	PASS
				Peak	2390.000	-44.15	≤-21.20	PASS
		High	2480	AV	2483.500	-48.18	≤-41.20	PASS
				AV	2483.520	-48.18	≤-41.20	PASS
				AV	2500.000	-48.44	≤-41.20	PASS
				Peak	2483.500	-41.99	≤-21.20	PASS
				Peak	2484.320	-39.25	≤-21.20	PASS
				Peak	2500.000	-42.2	≤-21.20	PASS
2DH5	Ant1	Low	2402	AV	2310.000	-49.51	≤-41.20	PASS
				AV	2386.310	-49.08	≤-41.20	PASS
				AV	2390.000	-49.23	≤-41.20	PASS
				Peak	2310.000	-43.05	≤-21.20	PASS
				Peak	2315.435	-39.52	≤-21.20	PASS
				Peak	2390.000	-43.09	≤-21.20	PASS
		High	2480	AV	2483.500	-48.32	≤-41.20	PASS
				AV	2483.520	-48.32	≤-41.20	PASS
				AV	2500.000	-48.36	≤-41.20	PASS
				Peak	2483.500	-40.93	≤-21.20	PASS
				Peak	2486.320	-38.56	≤-21.20	PASS
				Peak	2500.000	-41.15	≤-21.20	PASS
3DH5	Ant1	Low	2402	AV	2310.000	-49.48	≤-41.20	PASS
				AV	2385.995	-48.98	≤-41.20	PASS
				AV	2390.000	-49.23	≤-41.20	PASS
				Peak	2310.000	-41.77	≤-21.20	PASS
				Peak	2385.680	-39.28	≤-21.20	PASS
				Peak	2390.000	-41.91	≤-21.20	PASS
		High	2480	AV	2483.500	-48.32	≤-41.20	PASS
				AV	2483.520	-48.32	≤-41.20	PASS
				AV	2500.000	-48.45	≤-41.20	PASS
				Peak	2483.500	-42.3	≤-21.20	PASS
				Peak	2497.360	-38.55	≤-21.20	PASS
				Peak	2500.000	-41.24	≤-21.20	PASS


#### Note:

1. The Antenna Gain is compensated in the graph with 2dBi and Antenna Gain which is Higher.
2. The limit in dBm for average detector is conversion from 54dBuV/m, according to 15.209(a). The limit in


**Test Graphs**









DH5\_Ant1\_High\_2480\_Peak




2DH5\_Ant1\_Low\_2402\_AV




2DH5\_Ant1\_Low\_2402\_Peak




2DH5\_Ant1\_High\_2480\_AV




2DH5\_Ant1\_High\_2480\_Peak




3DH5\_Ant1\_Low\_2402\_AV



3DH5\_Ant1\_Low\_2402\_Peak



3DH5\_Ant1\_High\_2480\_AV



3DH5\_Ant1\_High\_2480\_Peak

