

---

---

**ATTACHMENT      P:      SAR TEST PLOTS**

---

---

# SXP-800T

SAM(835MHz) Phantom; Flat Section; Probe: ET3DV6 - SN1702; ConvF(6.30,6.30,6.30);

835 MHz Body:  $\sigma = 0.98$  mho/m  $\epsilon_r = 54.9$   $\rho = 1.00$  g/cm<sup>3</sup>; Crest factor: 1.0;


SAR (1g): 1.12 mW/g, SAR (10g): 0.771 mW/g;

FCC ID: R2NSXP-800T :

CDMA Mode, Ch.1013[824.70MHz]; With Charger; Ambient Temp = 21 °C/Meas. Tissue Temp. = 22 °C

Conducted Power = 24dBm; Spacing = 2.5cm From antenna to flat phantom; Antenna Fixed

Test Date -- August 30, 2004 [FCC/OET Bulletin65 - Supplement C, July 2001]



# SXP-800T

SAM(835MHz) Phantom; Flat Section; Probe: ET3DV6 - SN1702; ConvF(6.30,6.30,6.30);

835 MHz Body:  $\sigma = 0.98$  mho/m  $\epsilon_r = 54.9$   $\rho = 1.00$  g/cm<sup>3</sup>; Crest factor: 1.0;


SAR (1g): 0.783 mW/g, SAR (10g): 0.536 mW/g;

FCC ID: R2NSXP-800T :

CDMA Mode, Ch.0384[836.52MHz]; With Charger; Ambient Temp = 21 °C/Meas. Tissue Temp. = 22 °C

Conducted Power = 24dBm; Spacing = 2.5cm From antenna to flat phantom; Antenna Fixed

Test Date -- August 30, 2004 [FCC/OET Bulletin65 - Supplement C, July 2001]



# SXP-800T

SAM(835MHz) Phantom; Flat Section; Probe: ET3DV6 - SN1702; ConvF(6.30,6.30,6.30);

835 MHz Body:  $\sigma = 0.98$  mho/m  $\epsilon_r = 54.9$   $\rho = 1.00$  g/cm<sup>3</sup>; Crest factor: 1.0;


SAR (1g): 0.517 mW/g, SAR (10g): 0.362 mW/g;

FCC ID: R2NSXP-800T :

CDMA Mode, Ch.0777[848.31MHz]; With Charger; Ambient Temp = 21 °C/Meas. Tissue Temp. = 22 °C

Conducted Power = 24dBm; Spacing = 2.5cm From antenna to flat phantom; Antenna Fixed

Test Date -- August 30, 2004 [FCC/OET Bulletin65 - Supplement C, July 2001]



# SXP-800T

SAM(835MHz) Phantom; Section; Probe: ET3DV6 - SN1702; ConvF(6.30,6.30,6.30);

835 MHz Body:  $\sigma = 0.98$  mho/m  $\epsilon_r = 54.9$   $\rho = 1.00$  g/cm<sup>3</sup>; Crest factor: 1.0;


;

FCC ID: R2NSXP-800T :

CDMA Mode, Ch.1013[824.70MHz]; With Charger; Ambient Temp = 21 °C/Meas. Tissue Temp. = 22 °C

Conducted Power = 24dBm; Spacing = 2.5cm From antenna to flat phantom; Antenna Fixed

Test Date -- August 30, 2004 [FCC/OET Bulletin65 - Supplement C, July 2001]



# SXP-800T

SAM(835MHz) Phantom; Flat Section; Probe: ET3DV6 - SN1702; ConvF(6.30,6.30,6.30);

835 MHz Body:  $\sigma = 0.98$  mho/m  $\epsilon_r = 54.9$   $\rho = 1.00$  g/cm<sup>3</sup>; Crest factor: 1.0;


SAR (1g): 0.931 mW/g, SAR (10g): 0.655 mW/g;

FCC ID: R2NSXP-800T :

CDMA Mode, Ch.1013[824.7MHz]; Standard Battery; Ambient Temp = 21 °C/Meas. Tissue Temp. = 22 °C

Conducted Power = 24dBm; Spacing = 2.5cm From antenna to flat phantom; Antenna Fixed

Test Date -- August 30, 2004 [FCC/OET Bulletin65 - Supplement C, July 2001]



# SXP-800T

SAM(835MHz) Phantom; Flat Section; Probe: ET3DV6 - SN1702; ConvF(6.30,6.30,6.30);

835 MHz Body:  $\sigma = 0.98$  mho/m  $\epsilon_r = 54.9$   $\rho = 1.00$  g/cm<sup>3</sup>; Crest factor: 1.0;


SAR (1g): 0.664 mW/g, SAR (10g): 0.466 mW/g;

FCC ID: R2NSXP-800T :

CDMA Mode, Ch.0384[836.52MHz]; Standard Battery; Ambient Temp = 21 °C/Meas. Tissue Temp. = 22 °C

Conducted Power = 24dBm; Spacing = 2.5cm From antenna to flat phantom; Antenna Fixed

Test Date -- August 30, 2004 [FCC/OET Bulletin65 - Supplement C, July 2001]



## SXP-800T

SAM(835MHz) Phantom; Flat Section; Probe: ET3DV6 - SN1702; ConvF(6.30,6.30,6.30);

835 MHz Body:  $\sigma = 0.98$  mho/m  $\epsilon_r = 54.9$   $\rho = 1.00$  g/cm<sup>3</sup>; Crest factor: 1.0;


SAR (1g): 0.449 mW/g, SAR (10g): 0.316 mW/g;

FCC ID: R2NSXP-800T :

CDMA Mode, Ch.0777[848.31MHz]; Standard Battery; Ambient Temp = 21 °C/Meas. Tissue Temp. = 22 °C

Conducted Power = 24dBm; Spacing = 2.5cm From antenna to flat phantom; Antenna Fixed

Test Date -- August 30, 2004 [FCC/OET Bulletin65 - Supplement C, July 2001]



# SXP-800T

SAM(835MHz) Phantom; Section; Probe: ET3DV6 - SN1702; ConvF(6.30,6.30,6.30);

835 MHz Body:  $\sigma = 0.98$  mho/m  $\epsilon_r = 54.9$   $\rho = 1.00$  g/cm<sup>3</sup>; Crest factor: 1.0;

;

FCC ID: R2NSXP-800T :

CDMA Mode, Ch.1013[824.7MHz]; Standard Battery; Ambient Temp = 21 °C/Meas. Tissue Temp. = 22 °C

Conducted Power = 24dBm; Spacing = 2.5cm From antenna to flat phantom; Antenna Fixed

Test Date -- August 30, 2004 [FCC/OET Bulletin65 - Supplement C, July 2001]

