Onity Inc.

SERENE WALL READER

Regulatory Model Number (RMN): 10108350P1, WALL READER, RFID, BLE5
Commercial Model Number (CMN): 10108351P1, WALL READER, RFID, BLE5

FCC 15.247:2024

RSS-247 Issue 3:2023

RSS-Gen Issue 5:2018+A1:2019+A2:2021

Bluetooth Low Energy (DTS) Radio

Report: ONIT0116.2 Rev. 0, Issue Date: April 18, 2024



ACCREDITED
CERT #3310.02

TABLE OF CONTENTS

element
2023.04.17

Section	Page Number

CERTIFICATE OF TEST

Last Date of Test: February 9, 2024
Onity Inc.
EUT: SERENE WALL READER
Regulatory Model Number (RMN): 10108350P1, WALL READER, RFID, BLE5
Commercial Model Number (CMN): 10108351P1, WALL READER, RFID, BLE5

Radio Equipment Testing

Standards

Specification	Method
FCC 15.247:2024	ANSI C63.10:2013
RSS-247 Issue 3:2023	ANSI C63.10:2013
RSS-Gen Issue 5:2018+A1:2019+A2:2021	ANSI C63.10:2013

Guidance

FCC KDB 558074 v05r02:2019
Notice 2021 - CEB0001

Results

Test Description	Result	FCC Section(s)	RSS Section(s)	ANSI C63.10 Section(s)	Comments
Powerline Conducted Emissions	Pass	15.207	RSS-Gen 8.8	6.2	
Occupied Bandwidth (99%)	Pass	KDB 558074 -2.1	RSS-Gen 6.7	6.9.3	
Duty Cycle	N/A	KDB 558074 -6.0	RSS-Gen 3.2	11.6	Characterization of radio operation.
DTS Bandwidth (6 dB)	Pass	15.247(a)(2), KDB 558074 -8.2	RSS-247 5.2(a)	11.8.2	
Output Power	Pass	15.247(b)(3), KDB 558074 -8.3.1	RSS-247 5.4(d, f), RSS-Gen 6.12	11.9.1.1	
Equivalent Isotropic Radiated Power	Pass	15.247(b)(3), KDB 558074 -8.3.1	RSS-247 5.4(d, f), RSS-Gen 6.12	11.9.1.1	
Power Spectral Density	Pass	15.247(e), KDB 558074 -8.4	RSS-247 5.2(b)	11.10.2	
Band Edge Compliance	Pass	15.247(d), KDB 558074 -8.5	RSS-247 5.5	11.11	
Spurious Conducted Emissions	Pass	15.247(d), KDB 558074 -8.5	RSS-247 5.5	11.11	

Product compliance is the responsibility of the client; therefore, the tests and equipment modes of operation represented in this report were agreed upon by the client, prior to testing. The results of this test pertain only to the sample(s) tested. The specific description is noted in each of the individual sections of the test report supporting this certificate of test. This report reflects only those tests from the referenced standards shown in the certificate of test. It does not include inspection or verification of labels, identification, marking or user information. As indicated in the Statement of Work sent with the quotation, Element's standard process is to always use the latest published version of the test methods even when earlier versions are cited in the test specification. Issuance of a purchase order was de facto acceptance of this approach. Otherwise, the client would have advised Element in writing of the specific version of the test methods they wanted applied to the subject testing.

CERTIFICATE OF TEST

Spurious Radiated Emissions	Pass	15.247(d), KDB 558074 - 8.6, 8.7	RSS-247 5.5, RSS-Gen 6.13, 8.10	11.12.1, 11.13.2, 6.5, 6.6	

Deviations From Test Standards

None

Approved By:

Cole Ghizzone, Operations Manager

Product compliance is the responsibility of the client; therefore, the tests and equipment modes of operation represented in this report were agreed upon by the client, prior to testing. The results of this test pertain only to the sample(s) tested. The specific description is noted in each of the individual sections of the test report supporting this certificate of test. This report reflects only those tests from the referenced standards shown in the certificate of test. It does not include inspection or verification of labels, identification, marking or user information. As indicated in the Statement of Work sent with the quotation, Element's standard process is to always use the latest published version of the test methods even when earlier versions are cited in the test specification. Issuance of a purchase order was de facto acceptance of this approach. Otherwise, the client would have advised Element in writing of the specific version of the test methods they wanted applied to the subject testing.

REVISION HISTORY

Revision Number	Description	Date (yyyy-mm-dd)	Page Number
00	None		

ACCREDITATIONS AND AUTHORIZATIONS

element
2021.09.01

United States

FCC - Designated by the FCC as a Telecommunications Certification Body (TCB). Certification chambers, Open Area Test Sites, and conducted measurement facilities are listed with the FCC.

A2LA - Each laboratory is accredited by A2LA to ISO / IEC 17025, and as a product certifier to ISO / IEC 17065 which allows Element to certify transmitters to FCC and IC specifications.

Canada

ISED - Recognized by Innovation, Science and Economic Development Canada as a Certification Body (CB) and as a CAB for the acceptance of test data.

European Union

European Commission – Recognized as an EU Notified Body validated for the EMCD and RED Directives.

United Kingdom

BEIS – Recognized by the UK as an Approved Body under the UK Radio Equipment and UK EMC Regulations.

Australia/New Zealand

ACMA - Recognized by ACMA as a CAB for the acceptance of test data.

Korea

MSIT / RRA - Recognized by KCC's RRA as a CAB for the acceptance of test data.

Japan

VCCI - Associate Member of the VCCI. Conducted and radiated measurement facilities are registered.

Taiwan

BSMI – Recognized by BSMI as a CAB for the acceptance of test data.

NCC - Recognized by NCC as a CAB for the acceptance of test data.

Singapore

IDA – Recognized by IDA as a CAB for the acceptance of test data.

Israel

MOC – Recognized by MOC as a CAB for the acceptance of test data.

Hong Kong

OFCA – Recognized by OFCA as a CAB for the acceptance of test data.

Vietnam

MIC – Recognized by MIC as a CAB for the acceptance of test data.

SCOPE

For details on the Scopes of our Accreditations, please visit:

California Minnesota Oregon Texas Washington

FACILITIES

element
2023.09.21

Testing was performed at the following location(s)

	Location	Labs (1)	Address	A2LA (2)	ISED (3)	BSMI (4)	VCCI (5)	CAB (6)	FDA (7)
☐	California	OC01-17	41 Tesla Irvine, CA 92618 (949) 861-8918	3310.04	2834B	SL2-IN-E-1154R	A-0029	US0158	TL-55
☐	Minnesota	MN01-11	9349 W Broadway Ave. Brooklyn Park, MN 55445 (612) 638-5136	3310.05	2834E	SL2-IN-E-1152R	A-0109	US0175	TL-57
☒	Oregon	EV01-12	6775 NE Evergreen Pkwy #400 Hillsboro, OR 97124 (503) 844-4066	3310.02	2834D	SL2-IN-E-1017	A-0108	US0017	TL-56
☐	Texas	TX01-09	3801 E Plano Pkwy Plano, TX 75074 (469) 304-5255	3310.03	2834G	SL2-IN-E-1158R	A-0201	US0191	TL-54
☐	Washington	NC01-05	19201 120th Ave NE Bothell, WA 98011 (425) 984-6600	3310.06	2834F	SL2-IN-E-1153R	A-0110	US0157	TL-67
☐	Offsite	N/A	See Product Description	N/A	N/A	N/A	N/A	N/A	N/A

See data sheets for specific labs

(1) The lab designations denote individual rooms within each location. (OC01, OC02, OC03, etc.)
(2) A2LA Certificate No.
(3) ISED Company No.
(4) BSMI No.
(5) VCCI Site Filing No.
(6) CAB Identifier. Recognized Phase I CAB for ISED, ACMA, BSMI, IDA, KCC/RRA, MIC, MOC, NCC, OFCA
(7) FDA ASCA No.







MEASUREMENT UNCERTAINTY

element
TMU.2015.07.10

Measurement Uncertainty

When a measurement is made, the result will be different from the true or theoretically correct value. The difference is the result of tolerances in the measurement system that cannot be completely eliminated. To the extent that technology allows us, it has been our aim to minimize this error. Measurement uncertainty is a statistical expression of measurement error qualified by a probability distribution.

A measurement uncertainty estimation has been performed for each test per our internal quality document QM205.4.6. The estimation is used to compare the measured result with its "true" or theoretically correct value. The expanded measurement uncertainty (K=2) can be found in the table below. A lab specific value may also be found in the applicable test description section. Our measurement data meets or exceeds the measurement uncertainty requirements of the applicable specification; therefore, the test data can be compared directly to the specification limit to determine compliance. The calculations for estimating measurement uncertainty are based upon ETSI TR 100 028 (or CISPR 16-4-2 as applicable), and are available upon request.

The following table represents the Measurement Uncertainty (MU) budgets for each of the tests that may be contained in this report.

Test	+ MU	- MU
Frequency Accuracy	0.0007%	-0.0007%
Amplitude Accuracy (dB)	1.2 dB	-1.2 dB
Conducted Power (dB)	1.2 dB	-1.2 dB
Radiated Power via Substitution (dB)	0.7 dB	-0.7 dB
Temperature (degrees C)	0.7°C	-0.7°C
Humidity (% RH)	2.5% RH	-2.5% RH
Voltage (AC)	1.0%	-1.0%
Voltage (DC)	0.7%	-0.7%
Field Strength (dB)	5.2 dB	-5.2 dB
AC Powerline Conducted Emissions (dB)	3.2 dB	-3.2 dB

TEST SETUP BLOCK DIAGRAMS

Measurement Bandwidths

Frequency Range (MHz)	Peak Data (kHz)	Quasi-Peak Data (kHz)	Average Data (kHz)
0.01 - 0.15	1.0	0.2	0.2
0.15 - 30.0	10.0	9.0	9.0
30.0 - 1000	100.0	120.0	120.0
Above 1000	1000.0	N/A	1000.0

Unless otherwise stated, measurements were made using the bandwidths and detectors specified. No video filter was used.

Antenna Port Conducted Measurements



Sample Calculation (logarithmic units)

Measured Value		Measured Level		Reference Level Offset
71.2	=	42.6	+	28.6

Near Field Test Fixture Measurements



Sample Calculation (logarithmic units)

Measured Value		Measured Level		Reference Level Offset
71.2	=	42.6	+	28.6

TEST SETUP BLOCK DIAGRAMS

Emissions Measurements



Sample Calculation (logarithmic units)

Radiated Emissions:

Measured Level (Amplitude)		Factor: Antenna Factor		Factor: Cable Factor		Factor: Amplifier Gain		Distance Adjustment Factor		External Attenuation		Field Strength
42.6	+	28.6	+	3.1	-	40.8	+	0.0	+	0.0	=	**33.5**

Conducted Emissions:

Measured Level (Amplitude)		Factor: Transducer Factor		Factor: Cable Factor		External Attenuation		Adjusted Level
26.7	+	0.3	+	0.1	+	20.0	=	**47.1**

Radiated Power (ERP/EIRP) – Substitution Method:

Measured Level into Substitution Antenna (Amplitude dBm)		Substitution Antenna Factor (dBi)		EIRP to ERP (if applicable)		Measured power (dBm ERP/EIRP)
10.0	+	6.0	-	2.15	=	**13.9/16.0**

TEST SETUP BLOCK DIAGRAMS

Bore Sighting (>1GHz)

The diameter of the illumination area is the dimension of the line tangent to the EUT formed by 3 dB beamwidth of the measurement antenna at the measurement distance. At a 3 meter test distance, the diameter of the illumination area was 3.8 meters at 1 GHz and greater than 2.1 meters up to 6 GHz. Above 1 GHz, when required by the measurement standard, the antenna is pointed for both azimuth and elevation to maintain the receive antenna within the cone of radiation from the EUT. The specified measurement detectors were used for comparison of the emissions to the peak and average specification limits.



PRODUCT DESCRIPTION

Client and Equipment under Test (EUT) Information

Company Name:	Onity Inc.
Address:	4001 Fairview Industrial Drive
City, State, Zip:	Salem, OR 97302-1142
Test Requested By:	Troy Klopfenstein
EUT:	SERENE WALL READER Regulatory Model Number (RMN): 10108350P1, WALL READER, RFID, BLE5 Commercial Model Number (CMN): 10108351P1, WALL READER, RFID, BLE5
First Date of Test:	February 7, 2024
Last Date of Test:	February 9, 2024
Receipt Date of Samples:	February 7, 2024
Equipment Design Stage:	Prototype
Equipment Condition:	No Damage
Purchase Authorization:	Verified

Information Provided by the Party Requesting the Test

Functional Description of the EUT:
Key Reader

Testing Objective:
To demonstrate compliance of the Bluetooth radio to FCC 15.247/RSS-247 requirements.

POWER SETTINGS AND ANTENNAS

The power settings, antenna gain value(s) and cable loss (if applicable) used for the testing contained in this report were provided by the customer and will affect the validity of the results. Element assumes no responsibility for the accuracy of this information. The power settings below reflect the maximum power that the EUT is allowed to transmit at during normal operation.

ANTENNA GAIN (dBi)

Type	Provided by:	Frequency Range (MHz)	Gain (dBi)
Ceramic Edge Mount	Johansen	2400 - 2480	1.5

The EUT was tested using the power settings provided by the manufacturer which were based upon:

☒ Test software settings Test software/firmware installed on EUT: 2.0.1

☐ Rated power settings

SETTINGS FOR ALL TESTS IN THIS REPORT

Modulation Types / Data Rates	Type	Channel	Frequency (MHz)	Power Setting (dBm)
BLE GFSK 1 Mbps, 2 Mbps	DTS	37	2402	5
		17	2440	5
		39	2480	5

CONFIGURATIONS

Configuration ONIT0116-2

Software/Firmware Running During Test	
Description	**Version**
BT Excel Program	1.0

EUT			
Description	**Manufacturer**	**Model/Part Number**	**Serial Number**
RFID reader with BLE	Onity Inc.	Serene Wall Reader	70000037

Remote Equipment Outside of Test Setup Boundary			
Description	**Manufacturer**	**Model/Part Number**	**Serial Number**
Tablet	Venturer	10.1 inch display	GDLD8Z0035W0

Cables					
Cable Type	**Shield**	**Length (m)**	**Ferrite**	**Connection 1**	**Connection 2**
DC / IO Cable	No	5.5	No	RFID reader with BLE	DC Power

Configuration ONIT0116-3

Software/Firmware Running During Test	
Description	**Version**
BT Excel Program	1.0

EUT			
Description	**Manufacturer**	**Model/Part Number**	**Serial Number**
RFID reader with BLE	Onity Inc.	Serene Wall Reader	70000037

Peripherals in Test Setup Boundary			
Description	**Manufacturer**	**Model/Part Number**	**Serial Number**
Power Supply/Charger	Onity Inc.	AL120T	None

Remote Equipment Outside of Test Setup Boundary			
Description	**Manufacturer**	**Model/Part Number**	**Serial Number**
Tablet	Venturer	10.1 inch display	GDLD8Z0035W0

Cables					
Cable Type	**Shield**	**Length (m)**	**Ferrite**	**Connection 1**	**Connection 2**
DC / IO Cable	No	5.5	No	Power Supply/Charger	RFID reader with BLE
AC Power	No	1.8	No	AC Mains	Power Supply/Charger

CONFIGURATIONS

Configuration ONIT0116-4

Software/Firmware Running During Test	
Description	**Version**
BT Excel Program	1.0

EUT			
Description	**Manufacturer**	**Model/Part Number**	**Serial Number**
RFID reader with BLE	Onity Inc.	Serene Wall Reader	70000039

Remote Equipment Outside of Test Setup Boundary			
Description	**Manufacturer**	**Model/Part Number**	**Serial Number**
Tablet	Venturer	10.1 inch display	GDLD8Z0035W0
BLE Dongle	Bluegiga	BLED112	None

Cables					
Cable Type	**Shield**	**Length (m)**	**Ferrite**	**Connection 1**	**Connection 2**
DC / IO Cable	No	5.5	No	RFID reader with BLE	DC Power

MODIFICATIONS

Equipment Modifications

Item	Date	Test	Modification	Note	Disposition of EUT
1	2024-02-07	Spurious Radiated Emissions	Tested as delivered to test Station.	No EMI suppression devices were added or modified during this test.	EUT remained at Element following the test.
2	2024-02-08	Powerline Conducted Emissions	Tested as delivered to test Station.	No EMI suppression devices were added or modified during this test.	EUT remained at Element following the test.
3	2024-02-09	DTS Bandwidth (6 dB)	Tested as delivered to test Station.	No EMI suppression devices were added or modified during this test.	EUT remained at Element following the test.
4	2024-02-09	Equivalent Isotropic Radiated Power	Tested as delivered to test Station.	No EMI suppression devices were added or modified during this test.	EUT remained at Element following the test.
5	2024-02-09	Occupied Bandwidth (99%)	Tested as delivered to test Station.	No EMI suppression devices were added or modified during this test.	EUT remained at Element following the test.
6	2024-02-09	Output Power	Tested as delivered to test Station.	No EMI suppression devices were added or modified during this test.	EUT remained at Element following the test.
7	2024-02-09	Power Spectral Density	Tested as delivered to test Station.	No EMI suppression devices were added or modified during this test.	EUT remained at Element following the test.
8	2024-02-09	Spurious Conducted Emissions	Tested as delivered to test Station.	No EMI suppression devices were added or modified during this test.	EUT remained at Element following the test.
9	2024-02-09	Band Edge Compliance	Tested as delivered to test Station.	No EMI suppression devices were added or modified during this test.	Scheduled testing was completed.

POWERLINE CONDUCTED EMISSIONS

element
WTD.2023.11.13.0
EmiR5 2023.08.29.0
PSA-ESCI 2023.04.25.0

TEST DESCRIPTION

Using the mode of operation and configuration noted within this report, conducted emissions tests were performed. The frequency range investigated (scanned), is also noted in this report. Conducted power line measurements are made, unless otherwise specified, over the frequency range from 150 kHz to 30 MHz to determine the line-to-ground radio-noise voltage that is conducted from the EUT power-input terminals that are directly (or indirectly via separate transformer or power supplies) connected to a public power network. Per the standard, an insulating material was also added to ground plane between the EUT's power and remote I/O cables. Equipment is tested with power cords that are normally used or that have electrical or shielding characteristics that are the same as those cords normally used. Typically those measurements are made using a LISN (Line Impedance Stabilization Network), the 50ohm measuring port is terminated by a 50ohm EMI meter or a 50ohm resistive load. All 50ohm measuring ports of the LISN are terminated by 50ohm. The test data represents the configuration / operating mode/ model that produced the highest emission levels as compared to the specification limit.

TEST EQUIPMENT

Description	Manufacturer	Model	ID	Last Cal.	Cal. Due
LISN	Solar Electronics	9252-50-R-24-BNC	LIR	2023-09-11	2024-09-11
Cable - Conducted Cable Assembly	Northwest EMC	EVG, HHD, RKT, VAB	EVGA	2023-05-16	2024-05-16
Receiver	Gauss Instruments	TDEMI 30M	ARN	2023-05-08	2024-05-08

MEASUREMENT UNCERTAINTY

Description		
Expanded k=2	3.2 dB	-3.2 dB

CONFIGURATIONS INVESTIGATED

ONIT0116-3

MODES INVESTIGATED

Transmitting BLE, 1 Mbps, Mid Ch = 2440 MHz

POWERLINE CONDUCTED EMISSIONS

element
WTD.2023.11.13.0
EmiR5 2023.08.29.0
PSA-ESCI 2023.04.25.0

EUT:	SERENE WALL READER	Work Order:	ONIT0116
Serial Number:	70000037	Date:	2024-02-08
Customer:	Onity Inc.	Temperature:	21.8°C
Attendees:	Ali Elmi	Relative Humidity:	37.9%
Customer Project:	None	Bar. Pressure (PMSL):	1016 mb
Tested By:	Christopher Ladwig and Jeff Alcoke	Job Site:	EV07
Power:	12 VDC via 110VAC/60Hz	Configuration:	ONIT0116-3

TEST SPECIFICATIONS

Specification:	Method:
FCC 15.207:2024	ANSI C63.10:2013
RSS-Gen Issue 5:2018+A1:2019+A2:2021	ANSI C63.10:2013

TEST PARAMETERS

Run #:	5	Line:	Neutral	Add. Ext. Attenuation (dB):	0

COMMENTS

None

EUT OPERATING MODES

Transmitting BLE, 1 Mbps, Mid Ch = 2440 MHz

DEVIATIONS FROM TEST STANDARD

None

Quasi Peak Data - vs - Quasi Peak Limit



Average Data - vs - Average Limit



POWERLINE CONDUCTED EMISSIONS

element
WTD.2023.11.13.0
EmiR5 2023.08.29.0
PSA-ESCI 2023.04.25.0

RESULTS - Run #5

Quasi Peak Data - vs - Quasi Peak Limit

Freq (MHz)	Amp. (dBuV)	Factor (dB)	Adjusted (dBuV)	Spec. Limit (dBuV)	Margin (dB)
0.902	13.5	20.0	33.5	56.0	-22.5
0.150	22.5	20.1	42.6	66.0	-23.4
0.490	12.7	19.9	32.6	56.2	-23.6
0.597	12.2	20.0	32.2	56.0	-23.8
1.804	11.9	20.1	32.0	56.0	-24.0
0.742	11.8	20.0	31.8	56.0	-24.2
2.704	11.3	20.1	31.4	56.0	-24.6
0.402	13.2	19.9	33.1	57.8	-24.7
1.116	11.3	20.0	31.3	56.0	-24.7
1.320	11.1	20.1	31.2	56.0	-24.8
1.961	10.9	20.1	31.0	56.0	-25.0
3.159	10.7	20.2	30.9	56.0	-25.1
3.591	10.7	20.2	30.9	56.0	-25.1
0.184	19.1	20.0	39.1	64.3	-25.2
4.326	10.6	20.2	30.8	56.0	-25.2
0.332	13.6	19.9	33.5	59.4	-25.9
0.223	16.3	20.0	36.3	62.7	-26.4
0.272	14.5	20.0	34.5	61.1	-26.6
28.422	10.8	21.8	32.6	60.0	-27.4
17.018	10.8	21.0	31.8	60.0	-28.2
20.674	10.4	21.3	31.7	60.0	-28.3
16.897	10.6	21.0	31.6	60.0	-28.4
11.145	10.3	20.7	31.0	60.0	-29.0
13.690	10.2	20.8	31.0	60.0	-29.0
5.406	10.6	20.3	30.9	60.0	-29.1

Average Data - vs - Average Limit

Freq (MHz)	Amp. (dBuV)	Factor (dB)	Adjusted (dBuV)	Spec. Limit (dBuV)	Margin (dB)
0.902	8.3	20.0	28.3	46.0	-17.7
0.525	6.4	19.9	26.3	46.0	-19.7
0.597	6.0	20.0	26.0	46.0	-20.0
1.804	5.9	20.1	26.0	46.0	-20.0
0.739	5.8	20.0	25.8	46.0	-20.2
2.706	5.4	20.1	25.5	46.0	-20.5
1.156	5.2	20.0	25.2	46.0	-20.8
1.320	5.0	20.1	25.1	46.0	-20.9
0.402	6.8	19.9	26.7	47.8	-21.1
2.059	4.8	20.1	24.9	46.0	-21.1
3.162	4.6	20.2	24.8	46.0	-21.2
3.508	4.5	20.2	24.7	46.0	-21.3
4.328	4.4	20.2	24.6	46.0	-21.4
0.358	7.1	19.9	27.0	48.8	-21.8
28.397	4.7	21.8	26.5	50.0	-23.5
0.272	7.4	20.0	27.4	51.1	-23.7
17.001	4.6	21.0	25.6	50.0	-24.4
20.867	4.3	21.3	25.6	50.0	-24.4
16.902	4.5	21.0	25.5	50.0	-24.5
0.223	7.8	20.0	27.8	52.7	-24.9
5.409	4.5	20.3	24.8	50.0	-25.2
11.140	4.1	20.7	24.8	50.0	-25.2
11.442	4.1	20.7	24.8	50.0	-25.2
6.568	4.3	20.4	24.7	50.0	-25.3
8.078	4.2	20.5	24.7	50.0	-25.3

CONCLUSION

Pass

Tested By

POWERLINE CONDUCTED EMISSIONS

element
WTD.2023.11.13.0
EmiR5 2023.08.29.0
PSA-ESCI 2023.04.25.0

EUT:	SERENE WALL READER	Work Order:	ONIT0116
Serial Number:	70000037	Date:	2024-02-08
Customer:	Onity Inc.	Temperature:	21.8°C
Attendees:	Ali Elmi	Relative Humidity:	37.9%
Customer Project:	None	Bar. Pressure (PMSL):	1016 mb
Tested By:	Christopher Ladwig and Jeff Alcoke	Job Site:	EV07
Power:	12 VDC via 110VAC/60Hz	Configuration:	ONIT0116-3

TEST SPECIFICATIONS

Specification:	Method:
FCC 15.207:2024	ANSI C63.10:2013
RSS-Gen Issue 5:2018+A1:2019+A2:2021	ANSI C63.10:2013

TEST PARAMETERS

Run #:	6	Line:	High Line	Add. Ext. Attenuation (dB):	0

COMMENTS

None

EUT OPERATING MODES

Transmitting BLE, 1 Mbps, Mid Ch = 2440 MHz

DEVIATIONS FROM TEST STANDARD

None

Quasi Peak Data - vs - Quasi Peak Limit



Average Data - vs - Average Limit



POWERLINE CONDUCTED EMISSIONS

element
WTD.2023.11.13.0
EmiR5 2023.08.29.0
PSA-ESCI 2023.04.25.0

RESULTS - Run #6

Quasi Peak Data - vs - Quasi Peak Limit

Freq (MHz)	Amp. (dBuV)	Factor (dB)	Adjusted (dBuV)	Spec. Limit (dBuV)	Margin (dB)
0.150	23.7	20.1	43.8	66.0	-22.2
0.902	13.7	20.0	33.7	56.0	-22.3
0.493	12.7	19.9	32.6	56.1	-23.5
0.597	12.0	20.0	32.0	56.0	-24.0
1.804	11.8	20.1	31.9	56.0	-24.1
0.185	20.1	20.0	40.1	64.3	-24.2
0.736	11.7	20.0	31.7	56.0	-24.3
0.402	13.4	19.9	33.3	57.8	-24.5
2.706	11.4	20.1	31.5	56.0	-24.5
1.082	11.3	20.0	31.3	56.0	-24.7
1.326	11.1	20.1	31.2	56.0	-24.8
1.999	10.9	20.1	31.0	56.0	-25.0
2.881	10.9	20.1	31.0	56.0	-25.0
3.652	10.7	20.2	30.9	56.0	-25.1
4.433	10.6	20.2	30.8	56.0	-25.2
0.223	17.5	20.0	37.5	62.7	-25.2
0.336	13.9	19.9	33.8	59.3	-25.5
0.272	14.9	20.0	34.9	61.1	-26.2
26.992	11.1	21.6	32.7	60.0	-27.3
17.061	11.2	21.0	32.2	60.0	-27.8
16.888	11.0	21.0	32.0	60.0	-28.0
24.496	10.5	21.5	32.0	60.0	-28.0
5.626	10.7	20.3	31.0	60.0	-29.0
13.139	10.2	20.8	31.0	60.0	-29.0
6.430	10.5	20.4	30.9	60.0	-29.1

Average Data - vs - Average Limit

Freq (MHz)	Amp. (dBuV)	Factor (dB)	Adjusted (dBuV)	Spec. Limit (dBuV)	Margin (dB)
0.902	8.3	20.0	28.3	46.0	-17.7
1.804	6.0	20.1	26.1	46.0	-19.9
0.493	6.3	19.9	26.2	46.1	-19.9
0.597	5.9	20.0	25.9	46.0	-20.1
0.736	5.7	20.0	25.7	46.0	-20.3
2.706	5.5	20.1	25.6	46.0	-20.4
1.076	5.1	20.0	25.1	46.0	-20.9
1.313	5.0	20.1	25.1	46.0	-20.9
0.402	6.8	19.9	26.7	47.8	-21.1
1.952	4.8	20.1	24.9	46.0	-21.1
2.881	4.7	20.1	24.8	46.0	-21.2
3.511	4.5	20.2	24.7	46.0	-21.3
4.273	4.4	20.2	24.6	46.0	-21.4
0.358	7.1	19.9	27.0	48.8	-21.8
26.989	5.0	21.6	26.6	50.0	-23.4
0.274	7.4	20.0	27.4	51.0	-23.6
16.908	4.9	21.0	25.9	50.0	-24.1
16.963	4.9	21.0	25.9	50.0	-24.1
24.470	4.3	21.5	25.8	50.0	-24.2
0.223	7.9	20.0	27.9	52.7	-24.8
5.411	4.6	20.3	24.9	50.0	-25.1
11.720	4.1	20.7	24.8	50.0	-25.2
6.380	4.3	20.4	24.7	50.0	-25.3
8.058	4.2	20.5	24.7	50.0	-25.3
9.917	4.1	20.6	24.7	50.0	-25.3

CONCLUSION

Pass

Tested By

OCCUPIED BANDWIDTH (99%)

element
TbtTx 2023.08.15.2
WTD.2023.11.13.0

TEST DESCRIPTION

Testing was performed using the mode(s) of operation and configuration(s) noted within the report. The individuals and/or the organization requesting the test provided the modes, configurations and settings used to complete the evaluation. The actual test parameters are specified in the test data, this includes items such as investigated frequency range (scanned) and test levels. The testing methods and performance specifications, as well as the test site used for the evaluation are indicated in the test data.

The measurement was made using a direct connection between the RF output of the EUT and a spectrum analyzer.

The 99% occupied bandwidth was measured with the EUT configured for continuous modulated operation.

Per ANSI C63.10:2013, 6.9.3, the spectrum analyzer was configured as follows:

The span of the analyzer shall be set to capture all products of the modulation process, including the emission skirts.

The resolution bandwidth (RBW) of the spectrum analyzer was set to the range of 1% to 5% of the occupied bandwidth (OBW) and video bandwidth (VBW) bandwidth was set to at least 3 times the resolution bandwidth. The analyzer sweep time was set to auto to prevent video filtering or averaging. A sample detector was used unless the device was not able to be operated in a continuous transmit mode, in which case a peak detector was used.

The spectrum analyzer occupied bandwidth measurement function was used to sum the power of the transmission in linear terms to obtain the 99% bandwidth.

TEST EQUIPMENT

Description	Manufacturer	Model	ID	Last Cal.	Cal. Due
Analyzer - Spectrum Analyzer	Agilent	E4440A	AFD	2023-11-29	2024-11-29
Generator - Signal	Agilent	N5181A	TIG	2023-04-18	2026-04-18
Block - DC	Fairview Microwave	SD3379	AMW	2023-03-13	2024-03-13
Attenuator	S.M. Electronics	SA26B-20	AUY	2023-03-13	2024-03-13
Cable	Micro-Coax	UFD150A-1-0720-200200	EVH	2023-03-13	2024-03-13
Meter - Multimeter	Tektronix	DMM912	MMH	2023-04-03	2024-04-03
Power Supply - DC	Topward	TPS-2000	TPD	NCR	NCR

OCCUPIED BANDWIDTH (99%)

element
TbtTx 2023.08.15.2
WTD.2023.11.13.0

EUT:	SERENE WALL READER	Work Order:	ONIT0116
Serial Number:	70000039	Date:	2024-02-09
Customer:	Onity Inc.	Temperature:	22.1°C
Attendees:	Ali Elmi	Relative Humidity:	37.7%
Customer Project:	None	Bar. Pressure (PMSL):	1022 mbar
Tested By:	Christopher Ladwig and Jeff Alcoke	Job Site:	EV06
Power:	12 VDC	Configuration:	ONIT0116-4

TEST SPECIFICATIONS

Specification:	Method:
FCC 15.247:2024	ANSI C63.10:2013
RSS-Gen Issue 5:2018+A1:2019+A2:2021	ANSI C63.10:2013

COMMENTS

Reference level offset includes: DC block, 20 dB attenuator, patch cable and measurement cable.

DEVIATIONS FROM TEST STANDARD

None

CONCLUSION

N/A

Tested By

TEST RESULTS

	Value	Limit	Result
BLE/GFSK 1 Mbps			
Low Channel, 2402 MHz	1.086 MHz	N/A	N/A
Mid Channel, 2440 MHz	1.092 MHz	N/A	N/A
High Channel, 2480 MHz	1.084 MHz	N/A	N/A
BLE/GFSK 2 Mbps			
Low Channel, 2402 MHz	2.053 MHz	N/A	N/A
Mid Channel, 2440 MHz	2.071 MHz	N/A	N/A
High Channel, 2480 MHz	2.047 MHz	N/A	N/A

OCCUPIED BANDWIDTH (99%)

element
TbtTx 2023.08.15.2
WTD.2023.11.13.0



BLE/GFSK 1 Mbps
Low Channel, 2402 MHz



BLE/GFSK 1 Mbps
Mid Channel, 2440 MHz



BLE/GFSK 1 Mbps
High Channel, 2480 MHz



BLE/GFSK 2 Mbps
Low Channel, 2402 MHz

OCCUPIED BANDWIDTH (99%)

element
TbtTx 2023.08.15.2
WTD.2023.11.13.0



BLE/GFSK 2 Mbps
Mid Channel, 2440 MHz



BLE/GFSK 2 Mbps
High Channel, 2480 MHz

DUTY CYCLE

element
2023/09/26

TEST DESCRIPTION

The Duty Cycle (x) of the single channel operation of the radio as controlled by the provided test software was measured for each of the EUT operating modes.

There is no compliance requirement to be met by this test, so therefore no Pass / Fail criteria.

The measurements were made using a zero span on the spectrum analyzer to see the pulses in the time domain. The transmit power was set to its default maximum.

The test software provided for operation in a fixed, single channel mode allows the EUT to operate continuously at 100% Duty Cycle.

DTS BANDWIDTH (6 dB)

element
TbtTx 2023.08.15.2
WTD.2023.11.13.0

TEST DESCRIPTION

Testing was performed using the mode(s) of operation and configuration(s) noted within the report. The individuals and/or the organization requesting the test provided the modes, configurations and settings used to complete the evaluation. The actual test parameters are specified in the test data, this includes items such as investigated frequency range (scanned) and test levels. The testing methods and performance specifications, as well as the test site used for the evaluation are indicated in the test data.

The measurement was made using a direct connection between the RF output of the EUT and a spectrum analyzer.

The EUT was set to the channels and modes listed in the datasheet.

The 6dB DTS bandwidth was measured using 100 kHz resolution bandwidth and 300 kHz video bandwidth. The span of the analyzer shall be set to capture all products of the modulation process, including the emission skirts.

TEST EQUIPMENT

Description	Manufacturer	Model	ID	Last Cal.	Cal. Due
Analyzer - Spectrum Analyzer	Agilent	E4440A	AFD	2023-11-29	2024-11-29
Generator - Signal	Agilent	N5181A	TIG	2023-04-18	2026-04-18
Block - DC	Fairview Microwave	SD3379	AMW	2023-03-13	2024-03-13
Attenuator	S.M. Electronics	SA26B-20	AUY	2023-03-13	2024-03-13
Cable	Micro-Coax	UFD150A-1-0720-200200	EVH	2023-03-13	2024-03-13
Meter - Multimeter	Tektronix	DMM912	MMH	2023-04-03	2024-04-03
Power Supply - DC	Topward	TPS-2000	TPD	NCR	NCR

DTS BANDWIDTH (6 dB)

element
TbtTx 2023.08.15.2
WTD.2023.11.13.0

EUT:	SERENE WALL READER	Work Order:	ONIT0116
Serial Number:	70000039	Date:	2024-02-09
Customer:	Onity Inc.	Temperature:	22.1°C
Attendees:	Ali Elmi	Relative Humidity:	37.7%
Customer Project:	None	Bar. Pressure (PMSL):	1022 mbar
Tested By:	Christopher Ladwig and Jeff Alcoke	Job Site:	EV06
Power:	12 VDC	Configuration:	ONIT0116-4

TEST SPECIFICATIONS

Specification:	Method:
FCC 15.247:2024	ANSI C63.10:2013
RSS-247 Issue 3:2023	ANSI C63.10:2013

COMMENTS

Reference level offset includes: DC block, 20 dB attenuator, patch cable and measurement cable.

DEVIATIONS FROM TEST STANDARD

None

CONCLUSION

Pass

Tested By

TEST RESULTS

	Value	Limit (≥)	Result
BLE/GFSK 1 Mbps			
Low Channel, 2402 MHz	688.709 kHz	500 kHz	Pass
Mid Channel, 2440 MHz	705.675 kHz	500 kHz	Pass
High Channel, 2480 MHz	711.034 kHz	500 kHz	Pass
BLE/GFSK 2 Mbps			
Low Channel, 2402 MHz	1.281 MHz	500 kHz	Pass
Mid Channel, 2440 MHz	1.299 MHz	500 kHz	Pass
High Channel, 2480 MHz	1.284 MHz	500 kHz	Pass

DTS BANDWIDTH (6 dB)

element
TbtTx 2023.08.15.2
WTD.2023.11.13.0



BLE/GFSK 1 Mbps
Low Channel, 2402 MHz



BLE/GFSK 1 Mbps
Mid Channel, 2440 MHz



BLE/GFSK 1 Mbps
High Channel, 2480 MHz



BLE/GFSK 2 Mbps
Low Channel, 2402 MHz

DTS BANDWIDTH (6 dB)

element
TbtTx 2023.08.15.2
WTD.2023.11.13.0



BLE/GFSK 2 Mbps
Mid Channel, 2440 MHz



BLE/GFSK 2 Mbps
High Channel, 2480 MHz

OUTPUT POWER

element
TbtTx 2023.08.15.2
WTD.2023.11.13.0

TEST DESCRIPTION

Testing was performed using the mode(s) of operation and configuration(s) noted within the report. The individuals and/or the organization requesting the test provided the modes, configurations and settings used to complete the evaluation. The actual test parameters are specified in the test data, this includes items such as investigated frequency range (scanned) and test levels. The testing methods and performance specifications, as well as the test site used for the evaluation are indicated in the test data.

The measurement was made using a direct connection between the RF output of the EUT and a spectrum analyzer.

The transmit frequency was set to the required channels in each band. The transmit power was set to its default maximum.

Prior to measuring peak transmit power the DTS bandwidth (B) was measured.

The method found in ANSI C63.10:2013 Section 11.9.1.1 was used because the RBW on the analyzer was greater than the DTS Bandwidth of the radio.

TEST EQUIPMENT

Description	Manufacturer	Model	ID	Last Cal.	Cal. Due
Analyzer - Spectrum Analyzer	Agilent	E4440A	AFD	2023-11-29	2024-11-29
Generator - Signal	Agilent	N5181A	TIG	2023-04-18	2026-04-18
Block - DC	Fairview Microwave	SD3379	AMW	2023-03-13	2024-03-13
Attenuator	S.M. Electronics	SA26B-20	AUY	2023-03-13	2024-03-13
Cable	Micro-Coax	UFD150A-1-0720-200200	EVH	2023-03-13	2024-03-13
Meter - Multimeter	Tektronix	DMM912	MMH	2023-04-03	2024-04-03
Power Supply - DC	Topward	TPS-2000	TPD	NCR	NCR

OUTPUT POWER

element
TbtTx 2023.08.15.2
WTD.2023.11.13.0

EUT:	SERENE WALL READER	Work Order:	ONIT0116
Serial Number:	70000039	Date:	2024-02-09
Customer:	Onity Inc.	Temperature:	22.1°C
Attendees:	Ali Elmi	Relative Humidity:	37.7%
Customer Project:	None	Bar. Pressure (PMSL):	1022 mbar
Tested By:	Christopher Ladwig and Jeff Alcoke	Job Site:	EV06
Power:	12 VDC	Configuration:	ONIT0116-4

TEST SPECIFICATIONS

Specification:	Method:
FCC 15.247:2024	ANSI C63.10:2013
RSS-247 Issue 3:2023	ANSI C63.10:2013
RSS-Gen Issue 5:2018+A1:2019+A2:2021	ANSI C63.10:2013

COMMENTS

Reference level offset includes: DC block, 20 dB attenuator, patch cable and measurement cable.

DEVIATIONS FROM TEST STANDARD

None

CONCLUSION

Pass

Tested By

TEST RESULTS

	Out Pwr (dBm)	Limit (dBm)	Result
BLE/GFSK 1 Mbps			
Low Channel, 2402 MHz	2.214	30	Pass
Mid Channel, 2440 MHz	1.989	30	Pass
High Channel, 2480 MHz	1.824	30	Pass
BLE/GFSK 2 Mbps			
Low Channel, 2402 MHz	2.292	30	Pass
Mid Channel, 2440 MHz	2.062	30	Pass
High Channel, 2480 MHz	1.688	30	Pass

OUTPUT POWER

element
TbtTx 2023.08.15.2
WTD.2023.11.13.0



BLE/GFSK 1 Mbps
Low Channel, 2402 MHz



BLE/GFSK 1 Mbps
Mid Channel, 2440 MHz



BLE/GFSK 1 Mbps
High Channel, 2480 MHz



BLE/GFSK 2 Mbps
Low Channel, 2402 MHz

OUTPUT POWER

element
TbtTx 2023.08.15.2
WTD.2023.11.13.0



BLE/GFSK 2 Mbps
Mid Channel, 2440 MHz



BLE/GFSK 2 Mbps
High Channel, 2480 MHz

EQUIVALENT ISOTROPIC RADIATED POWER (EIRP)

element
TbtTx 2023.08.15.2
WTD.2023.11.13.0

TEST DESCRIPTION

Testing was performed using the mode(s) of operation and configuration(s) noted within the report. The individuals and/or the organization requesting the test provided the modes, configurations and settings used to complete the evaluation. The actual test parameters are specified in the test data, this includes items such as investigated frequency range (scanned) and test levels. The testing methods and performance specifications, as well as the test site used for the evaluation are indicated in the test data.

The measurement was made using a direct connection between the RF output of the EUT and a spectrum analyzer.

The transmit frequency was set to the required channels in each band. The transmit power was set to its default maximum.

Prior to measuring peak transmit power the DTS bandwidth (B) was measured.

The method found in ANSI C63.10:2013 Section 11.9.1.1 was used because the RBW on the analyzer was greater than the DTS Bandwidth of the radio.

Equivalent Isotropic Radiated Power (EIRP) = Max Measured Power + Antenna gain (dBi)

TEST EQUIPMENT

Description	Manufacturer	Model	ID	Last Cal.	Cal. Due
Analyzer - Spectrum Analyzer	Agilent	E4440A	AFD	2023-11-29	2024-11-29
Generator - Signal	Agilent	N5181A	TIG	2023-04-18	2026-04-18
Block - DC	Fairview Microwave	SD3379	AMW	2023-03-13	2024-03-13
Attenuator	S.M. Electronics	SA26B-20	AUY	2023-03-13	2024-03-13
Cable	Micro-Coax	UFD150A-1-0720-200200	EVH	2023-03-13	2024-03-13
Meter - Multimeter	Tektronix	DMM912	MMH	2023-04-03	2024-04-03
Power Supply - DC	Topward	TPS-2000	TPD	NCR	NCR

EQUIVALENT ISOTROPIC RADIATED POWER (EIRP)

element
TbtTx 2023.08.15.2
WTD.2023.11.13.0

EUT:	SERENE WALL READER	Work Order:	ONIT0116
Serial Number:	70000039	Date:	2024-02-09
Customer:	Onity Inc.	Temperature:	22.1°C
Attendees:	Ali Elmi	Relative Humidity:	37.7%
Customer Project:	None	Bar. Pressure (PMSL):	1022 mbar
Tested By:	Christopher Ladwig and Jeff Alcoke	Job Site:	EV06
Power:	12 VDC	Configuration:	ONIT0116-4

TEST SPECIFICATIONS

Specification:	Method:
FCC 15.247:2024	ANSI C63.10:2013
RSS-247 Issue 3:2023	ANSI C63.10:2013
RSS-Gen Issue 5:2018+A1:2019+A2:2021	ANSI C63.10:2013

COMMENTS

Reference level offset includes: DC block, 20 dB attenuator, patch cable and measurement cable.

DEVIATIONS FROM TEST STANDARD

None

CONCLUSION

Pass

Tested By

TEST RESULTS

	Out Pwr (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP Limit (dBm)	Result
BLE/GFSK 1 Mbps					
Low Channel, 2402 MHz	2.214	1.5	3.7	36	Pass
Mid Channel, 2440 MHz	1.989	1.5	3.5	36	Pass
High Channel, 2480 MHz	1.824	1.5	3.3	36	Pass
BLE/GFSK 2 Mbps					
Low Channel, 2402 MHz	2.292	1.5	3.8	36	Pass
Mid Channel, 2440 MHz	2.062	1.5	3.6	36	Pass
High Channel, 2480 MHz	1.688	1.5	3.2	36	Pass

POWER SPECTRAL DENSITY

element
TbtTx 2023.08.15.2
WTD.2023.11.13.0

TEST DESCRIPTION

Testing was performed using the mode(s) of operation and configuration(s) noted within the report. The individuals and/or the organization requesting the test provided the modes, configurations and settings used to complete the evaluation. The actual test parameters are specified in the test data, this includes items such as investigated frequency range (scanned) and test levels. The testing methods and performance specifications, as well as the test site used for the evaluation are indicated in the test data.

The measurement was made using a direct connection between the RF output of the EUT and a spectrum analyzer.

The maximum power spectral density measurements was measured using the channels and modes as called out on the following data sheets.

Per the procedure outlined in ANSI C63.10 the peak power spectral density was measured in a 3 kHz RBW.

TEST EQUIPMENT

Description	Manufacturer	Model	ID	Last Cal.	Cal. Due
Analyzer - Spectrum Analyzer	Agilent	E4440A	AFD	2023-11-29	2024-11-29
Generator - Signal	Agilent	N5181A	TIG	2023-04-18	2026-04-18
Block - DC	Fairview Microwave	SD3379	AMW	2023-03-13	2024-03-13
Attenuator	S.M. Electronics	SA26B-20	AUY	2023-03-13	2024-03-13
Cable	Micro-Coax	UFD150A-1-0720-200200	EVH	2023-03-13	2024-03-13
Meter - Multimeter	Tektronix	DMM912	MMH	2023-04-03	2024-04-03
Power Supply - DC	Topward	TPS-2000	TPD	NCR	NCR

POWER SPECTRAL DENSITY

element
TbtTx 2023.08.15.2
WTD.2023.11.13.0

EUT:	SERENE WALL READER	Work Order:	ONIT0116
Serial Number:	70000039	Date:	2024-02-09
Customer:	Onity Inc.	Temperature:	22.1°C
Attendees:	Ali Elmi	Relative Humidity:	37.4%
Customer Project:	None	Bar. Pressure (PMSL):	1022 mbar
Tested By:	Christopher Ladwig and Jeff Alcoke	Job Site:	EV06
Power:	12 VDC	Configuration:	ONIT0116-4

TEST SPECIFICATIONS

Specification:	Method:
FCC 15.247:2024	ANSI C63.10:2013
RSS-247 Issue 3:2023	ANSI C63.10:2013

COMMENTS

Reference level offset includes: DC block, 20 dB attenuator, patch cable and measurement cable.

DEVIATIONS FROM TEST STANDARD

None

CONCLUSION

Pass

Tested By

TEST RESULTS

	Value dBm/3kHz	Limit ≤ (dBm/3kHz)	Results
BLE/GFSK 1 Mbps			
Low Channel, 2402 MHz	-7.225	8	Pass
Mid Channel, 2440 MHz	-8.813	8	Pass
High Channel, 2480 MHz	-7.676	8	Pass
BLE/GFSK 2 Mbps			
Low Channel, 2402 MHz	-11.799	8	Pass
Mid Channel, 2440 MHz	-10.945	8	Pass
High Channel, 2480 MHz	-12.169	8	Pass

POWER SPECTRAL DENSITY

element
TbtTx 2023.08.15.2
WTD.2023.11.13.0



BLE/GFSK 1 Mbps
Low Channel, 2402 MHz



BLE/GFSK 1 Mbps
Mid Channel, 2440 MHz



BLE/GFSK 1 Mbps
High Channel, 2480 MHz



BLE/GFSK 2 Mbps
Low Channel, 2402 MHz

POWER SPECTRAL DENSITY

element
TbtTx 2023.08.15.2
WTD.2023.11.13.0



BLE/GFSK 2 Mbps
Mid Channel, 2440 MHz



BLE/GFSK 2 Mbps
High Channel, 2480 MHz

BAND EDGE COMPLIANCE

element
TbtTx 2023.08.15.2
WTD.2023.11.13.0

TEST DESCRIPTION

Testing was performed using the mode(s) of operation and configuration(s) noted within the report. The individuals and/or the organization requesting the test provided the modes, configurations and settings used to complete the evaluation. The actual test parameters are specified in the test data, this includes items such as investigated frequency range (scanned) and test levels. The testing methods and performance specifications, as well as the test site used for the evaluation are indicated in the test data.

The measurement was made using a direct connection between the RF output of the EUT and a spectrum analyzer.

The spurious RF conducted emissions at the edges of the authorized bands were measured with the EUT set to low and high transmit frequencies in each available band. The channels closest to the band edges were selected. The EUT was transmitting at the data rate(s) listed in the datasheet.

The spectrum was scanned below the lower band edge and above the higher band edge. The analyzer screen captures for this test show an example of the emission mask for the test mode also used during the radiated spurious emissions at the restricted band edges test.

TEST EQUIPMENT

Description	Manufacturer	Model	ID	Last Cal.	Cal. Due
Analyzer - Spectrum Analyzer	Agilent	E4440A	AFD	2023-11-29	2024-11-29
Generator - Signal	Agilent	N5181A	TIG	2023-04-18	2026-04-18
Block - DC	Fairview Microwave	SD3379	AMW	2023-03-13	2024-03-13
Attenuator	S.M. Electronics	SA26B-20	AUY	2023-03-13	2024-03-13
Cable	Micro-Coax	UFD150A-1-0720-200200	EVH	2023-03-13	2024-03-13
Meter - Multimeter	Tektronix	DMM912	MMH	2023-04-03	2024-04-03
Power Supply - DC	Topward	TPS-2000	TPD	NCR	NCR

BAND EDGE COMPLIANCE

element
TbtTx 2023.08.15.2
WTD.2023.11.13.0

EUT:	SERENE WALL READER	Work Order:	ONIT0116
Serial Number:	70000039	Date:	2024-02-09
Customer:	Onity Inc.	Temperature:	22.1°C
Attendees:	Ali Elmi	Relative Humidity:	37.6%
Customer Project:	None	Bar. Pressure (PMSL):	1022 mbar
Tested By:	Christopher Ladwig and Jeff Alcoke	Job Site:	EV06
Power:	12 VDC	Configuration:	ONIT0116-4

TEST SPECIFICATIONS

Specification:	Method:
FCC 15.247:2024	ANSI C63.10:2013
RSS-247 Issue 3:2023	ANSI C63.10:2013

COMMENTS

Reference level offset includes: DC block, 20 dB attenuator, patch cable and measurement cable.

DEVIATIONS FROM TEST STANDARD

None

CONCLUSION

Pass

Tested By

TEST RESULTS

	Value (dBc)	Limit ≤ (dBc)	Result
BLE/GFSK 1 Mbps			
Low Channel, 2402 MHz	-49.75	-20	Pass
High Channel, 2480 MHz	-60.6	-20	Pass
BLE/GFSK 2 Mbps			
Low Channel, 2402 MHz	-33.29	-20	Pass
High Channel, 2480 MHz	-55.8	-20	Pass

BAND EDGE COMPLIANCE

element
TbtTx 2023.08.15.2
WTD.2023.11.13.0



BLE/GFSK 1 Mbps
Low Channel, 2402 MHz



BLE/GFSK 1 Mbps
High Channel, 2480 MHz



BLE/GFSK 2 Mbps
Low Channel, 2402 MHz



BLE/GFSK 2 Mbps
High Channel, 2480 MHz

SPURIOUS CONDUCTED EMISSIONS

element
TbtTx 2023.08.15.2
WTD.2023.11.13.0

TEST DESCRIPTION

Testing was performed using the mode(s) of operation and configuration(s) noted within the report. The individuals and/or the organization requesting the test provided the modes, configurations and settings used to complete the evaluation. The actual test parameters are specified in the test data, this includes items such as investigated frequency range (scanned) and test levels. The testing methods and performance specifications, as well as the test site used for the evaluation are indicated in the test data.

The measurement was made using a direct connection between the RF output of the EUT and a spectrum analyzer.

The spurious RF conducted emissions were measured with the EUT set to low, medium and high transmit frequencies. The EUT was transmitting at the data rate(s) listed in the datasheet. For each transmit frequency, the fundamental was measured with a 100 kHz resolution bandwidth and the highest value was recorded. The rest of the spectrum was then measured with a 100 kHz resolution bandwidth and the highest value was found. The difference between the value found on the fundamental and the rest of the spectrum was compared against the limit to determine compliance.

The reference level offset for the fundamental screen capture was based on a measured value of the loss between the spectrum analyzer and the EUT which was verified at the time of test. The remaining screen capture(s) use an internal transducer factor on the analyzer to correct the displayed trace based on the cable loss over frequency. The reference level offset for the additional screen capture(s) is then based on the expected attenuator value and any other losses.

Fundamental Offset = Ref Lvl Offset showing measured composite factor of all losses

Remaining Screen capture(s) Offset = “Internal” cable loss factor not shown on screen capture + Ref Lvl Offset showing expected attenuator value and any other losses

TEST EQUIPMENT

Description	Manufacturer	Model	ID	Last Cal.	Cal. Due
Analyzer - Spectrum Analyzer	Agilent	E4440A	AFD	2023-11-29	2024-11-29
Generator - Signal	Agilent	N5181A	TIG	2023-04-18	2026-04-18
Block - DC	Fairview Microwave	SD3379	AMW	2023-03-13	2024-03-13
Attenuator	S.M. Electronics	SA26B-20	AUY	2023-03-13	2024-03-13
Cable	Micro-Coax	UFD150A-1-0720-200200	EVH	2023-03-13	2024-03-13
Meter - Multimeter	Tektronix	DMM912	MMH	2023-04-03	2024-04-03
Power Supply - DC	Topward	TPS-2000	TPD	NCR	NCR

SPURIOUS CONDUCTED EMISSIONS

element
TbtTx 2023.08.15.2
WTD.2023.11.13.0

EUT:	SERENE WALL READER	Work Order:	ONIT0116
Serial Number:	70000039	Date:	2024-02-09
Customer:	Onity Inc.	Temperature:	22.1°C
Attendees:	Ali Elmi	Relative Humidity:	37.7%
Customer Project:	None	Bar. Pressure (PMSL):	1022 mbar
Tested By:	Christopher Ladwig and Jeff Alcoke	Job Site:	EV06
Power:	12 VDC	Configuration:	ONIT0116-4

TEST SPECIFICATIONS

Specification:	Method:
FCC 15.247:2024	ANSI C63.10:2013
RSS-247 Issue 3:2023	ANSI C63.10:2013

COMMENTS

None

DEVIATIONS FROM TEST STANDARD

None

CONCLUSION

Pass

Tested By

TEST RESULTS

	Frequency Range	Measured Freq (MHz)	Max Value (dBc)	Limit ≤ (dBc)	Result
BLE/GFSK 1 Mbps					
Low Channel, 2402 MHz	Fundamental	2401.77	N/A	N/A	N/A
	30 MHz - 12.5 GHz	7205.1	-47.85	-20	Pass
	12.5 GHz - 25 GHz	24505.6	-54.26	-20	Pass
Mid Channel, 2440 MHz	Fundamental	2440.28	N/A	N/A	N/A
	30 MHz - 12.5 GHz	7320.8	-47.99	-20	Pass
	12.5 GHz - 25 GHz	13684.2	-54.1	-20	Pass
High Channel, 2480 MHz	Fundamental	2480.29	N/A	N/A	N/A
	30 MHz - 12.5 GHz	4961.1	-48.29	-20	Pass
	12.5 GHz - 25 GHz	24952.7	-52.82	-20	Pass
BLE/GFSK 2 Mbps					
Low Channel, 2402 MHz	Fundamental	2402.22	N/A	N/A	N/A
	30 MHz - 12.5 GHz	7205.1	-47.54	-20	Pass
	12.5 GHz - 25 GHz	24546.8	-52.74	-20	Pass
Mid Channel, 2440 MHz	Fundamental	2440.02	N/A	N/A	N/A
	30 MHz - 12.5 GHz	7319.3	-47.86	-20	Pass
	12.5 GHz - 25 GHz	24931.3	-53.46	-20	Pass
High Channel, 2480 MHz	Fundamental	2479.5	N/A	N/A	N/A
	30 MHz - 12.5 GHz	4961.1	-47.19	-20	Pass
	12.5 GHz - 25 GHz	14366.4	-51.74	-20	Pass

SPURIOUS CONDUCTED EMISSIONS

element
TbtTx 2023.08.15.2
WTD.2023.11.13.0



BLE/GFSK 1 Mbps
Low Channel, 2402 MHz



BLE/GFSK 1 Mbps
Low Channel, 2402 MHz



BLE/GFSK 1 Mbps
Low Channel, 2402 MHz



BLE/GFSK 1 Mbps
Mid Channel, 2440 MHz

SPURIOUS CONDUCTED EMISSIONS

element
TbtTx 2023.08.15.2
WTD.2023.11.13.0



BLE/GFSK 1 Mbps
Mid Channel, 2440 MHz



BLE/GFSK 1 Mbps
Mid Channel, 2440 MHz



BLE/GFSK 1 Mbps
High Channel, 2480 MHz



BLE/GFSK 1 Mbps
High Channel, 2480 MHz

SPURIOUS CONDUCTED EMISSIONS

element
TbtTx 2023.08.15.2
WTD.2023.11.13.0



BLE/GFSK 1 Mbps
High Channel, 2480 MHz



BLE/GFSK 2 Mbps
Low Channel, 2402 MHz



BLE/GFSK 2 Mbps
Low Channel, 2402 MHz



BLE/GFSK 2 Mbps
Low Channel, 2402 MHz

SPURIOUS CONDUCTED EMISSIONS

element
TbtTx 2023.08.15.2
WTD.2023.11.13.0



BLE/GFSK 2 Mbps
Mid Channel, 2440 MHz



BLE/GFSK 2 Mbps
Mid Channel, 2440 MHz



BLE/GFSK 2 Mbps
Mid Channel, 2440 MHz



BLE/GFSK 2 Mbps
High Channel, 2480 MHz

SPURIOUS CONDUCTED EMISSIONS

element
TbtTx 2023.08.15.2
WTD.2023.11.13.0



BLE/GFSK 2 Mbps
High Channel, 2480 MHz



BLE/GFSK 2 Mbps
High Channel, 2480 MHz

SPURIOUS RADIATED EMISSIONS

element
WTD.2023.11.13.0
EmiR5 2023.08.29.0
PSA-ESCI 2023.04.25.0

TEST DESCRIPTION

The highest gain antenna of each type to be used with the EUT was tested. The EUT was configured for the required transmit frequencies and the modes as showed in the data sheets.

For each configuration, the spectrum was scanned throughout the specified range as part of the exploratory investigation of the emissions. These “pre-scans” are not included in the report. Final measurements on individual emissions were then made and included in this test report.

The individual emissions from the EUT were maximized by rotating the EUT on a turntable, adjusting the position of the EUT and EUT antenna in three orthogonal axis if required, and adjusting the measurement antenna height and polarization (per ANSI C63.10). A preamp and high pass filter (and notch filter) were used for this test in order to provide sufficient measurement sensitivity.

Measurements were made with the required detectors and annotated on the data for each individual point using the following annotation:

QP = Quasi-Peak Detector
PK = Peak Detector
AV = RMS Detector

Measurements were made to satisfy the specific requirements of the test specification for out of band emissions as well as the restricted band requirements.

If there are no detectable emissions above the noise floor, the data included may show noise floor measurements for reference only.

TEST EQUIPMENT

Description	Manufacturer	Model	ID	Last Cal.	Cal. Due
Analyzer - Spectrum Analyzer	Keysight	N9010A	AFO	2023-10-04	2024-10-04
Antenna - Loop	EMCO	6502	AOA	2022-07-13	2024-07-13
Antenna - Biconilog	Teseq	CBL 6141B	AXR	2022-11-01	2024-11-01
Antenna - Double Ridge	ETS Lindgren	3115	AIZ	2022-03-02	2024-03-02
Antenna - Standard Gain	ETS Lindgren	3160-07	AHU	NCR	NCR
Antenna - Standard Gain	ETS Lindgren	3160-08	AHV	NCR	NCR
Antenna - Standard Gain	ETS Lindgren	3160-09	AIV	NCR	NCR
Amplifier - Pre-Amplifier	Miteq	AM-1616-1000	AOL	2023-11-05	2024-11-05
Amplifier - Pre-Amplifier	Miteq	AMF-3D-00100800-32-13P	PAG	2023-03-26	2024-03-26
Amplifier - Pre-Amplifier	L-3 Narda-MITEQ	AMF-6F-08001200-30-10P	PAO	2023-10-31	2024-10-31
Amplifier - Pre-Amplifier	Miteq	AMF-6F-12001800-30-10P	AVD	2023-10-31	2024-10-31
Amplifier - Pre-Amplifier	Miteq	AMF-6F-18002650-25-10P	AVU	2023-07-10	2024-07-10
Cable	N/A	Bilog Cables	EVA	2023-11-05	2024-11-05
Cable	N/A	Double Ridge Horn Cables	EVB	2023-03-26	2024-03-26
Cable	None	Standard Gain Horn Cables	EVF	2023-10-31	2024-10-31
Cable	ESM Cable Corp.	TTBJ141-KMKM-72	EVY	2023-07-10	2024-07-10
Filter - High Pass	Micro-Tronics	HPM50111	HFO	2023-11-06	2024-11-06
Filter - Low Pass	Micro-Tronics	LPM50004	LFD	2023-02-10	2024-02-10
Attenuator	Coaxicom	3910-10	AWX	2023-02-10	2024-02-10

MEASUREMENT UNCERTAINTY

Description		
Expanded k=2	+ 5.2	- 5.2

FREQUENCY RANGE INVESTIGATED

9 kHz TO 26.5 GHz

SPURIOUS RADIATED EMISSIONS

element
WTD.2023.11.13.0
EmiR5 2023.08.29.0
PSA-ESCI 2023.04.25.0

POWER INVESTIGATED

12 VDC

CONFIGURATIONS INVESTIGATED

ONIT0116-2

MODES INVESTIGATED

Transmitting BLE:
Low Ch = 2402 MHz, Mid Ch = 2440 MHz, High Ch = 2480 MHz

SPURIOUS RADIATED EMISSIONS

element
WTD.2023.11.13.0
EmiR5 2023.08.29.0
PSA-ESCI 2023.04.25.0

EUT:	SERENE WALL READER	Work Order:	ONIT0116
Serial Number:	70000037	Date:	2024-02-07
Customer:	Onity Inc.	Temperature:	21.9°C
Attendees:	Ali Elmi	Relative Humidity:	39.9%
Customer Project:	None	Bar. Pressure (PMSL):	1007 mb
Tested By:	Christopher Ladwig and Jeff Alcoke	Job Site:	EV01
Power:	12 VDC	Configuration:	ONIT0116-2

TEST SPECIFICATIONS

Specification:	Method:
FCC 15.247:2024	ANSI C63.10:2013
RSS-247 Issue 3:2023	ANSI C63.10:2013
RSS-Gen Issue 5:2018+A1:2019+A2:2021	ANSI C63.10:2013

TEST PARAMETERS

Run #:	15	Test Distance (m):	3	Ant. Height(s) (m):	1 to 4(m)

COMMENTS

Please reference data comments below for EUT orientation, Data Rate, and Channel

EUT OPERATING MODES

Transmitting BLE
Low Ch = 2402 MHz, Mid Ch = 2440 MHz, High Ch = 2480 MHz

DEVIATIONS FROM TEST STANDARD

None



Run #: 15 ■ PK ◆ AV ● QP

SPURIOUS RADIATED EMISSIONS

element
WTD.2023.11.13.0
EmiR5 2023.08.29.0
PSA-ESCI 2023.04.25.0

RESULTS - Run #15

Freq (MHz)	Amplitude (dBuV)	Factor (dB/m)	Antenna Height (meters)	Azimuth (degrees)	Test Distance (meters)	External Attenuation (dB)	Polarity/ Transducer Type	Detector	Distance Adjustment (dB)	Adjusted (dBuV/m)	Spec. Limit (dBuV/m)	Compared to Spec. (dB)	Comments
7320.220	27.7	15.4	1.5	304.0	3.0	0.0	Horz	AV	0.0	43.1	54.0	-10.9	EUT Vert, 1 Mbps, Mid Ch
7439.807	27.4	15.6	1.5	289.0	3.0	0.0	Horz	AV	0.0	43.0	54.0	-11.0	EUT Vert, 1 Mbps, High Ch
7206.072	27.9	15.0	1.5	341.0	3.0	0.0	Horz	AV	0.0	42.9	54.0	-11.1	EUT Vert, 1 Mbps, Low Ch
7439.850	27.2	15.6	1.5	360.0	3.0	0.0	Vert	AV	0.0	42.8	54.0	-11.2	EUT Vert, 1 Mbps, High Ch
7320.033	27.4	15.4	1.72	155.0	3.0	0.0	Vert	AV	0.0	42.8	54.0	-11.2	EUT Vert, 1 Mbps, Mid Ch
7440.233	27.1	15.6	1.5	120.0	3.0	0.0	Horz	AV	0.0	42.7	54.0	-11.3	EUT On Side, 1 Mbps, High Ch
7440.075	27.1	15.6	1.5	162.0	3.0	0.0	Vert	AV	0.0	42.7	54.0	-11.3	EUT On Side, 1 Mbps, High Ch
7439.680	27.1	15.6	1.5	57.0	3.0	0.0	Horz	AV	0.0	42.7	54.0	-11.3	EUT Horz, 1 Mbps, High Ch
7440.135	27.1	15.6	3.76	53.0	3.0	0.0	Vert	AV	0.0	42.7	54.0	-11.3	EUT Horz, 1 Mbps, High Ch
7206.155	27.6	15.0	1.5	356.0	3.0	0.0	Vert	AV	0.0	42.6	54.0	-11.4	EUT Vert, 1 Mbps, Low Ch
4804.043	34.5	7.7	1.68	51.0	3.0	0.0	Horz	AV	0.0	42.2	54.0	-11.8	EUT Vert, 1 Mbps, Low Ch
4803.193	32.6	7.7	1.09	56.0	3.0	0.0	Horz	AV	0.0	40.3	54.0	-13.7	EUT Vert, 2 Mbps, Low Ch
4960.097	31.2	7.7	3.85	33.0	3.0	0.0	Horz	AV	0.0	38.9	54.0	-15.1	EUT Vert, 1 Mbps, High Ch
4880.038	29.3	7.7	1.5	212.0	3.0	0.0	Horz	AV	0.0	37.0	54.0	-17.0	EUT Vert, 1 Mbps, Mid Ch
4803.360	28.7	7.7	1.5	223.0	3.0	0.0	Vert	AV	0.0	36.4	54.0	-17.6	EUT Vert, 2 Mbps, Low Ch
4803.545	28.5	7.7	1.0	252.0	3.0	0.0	Vert	AV	0.0	36.2	54.0	-17.8	EUT Vert, 1 Mbps, Low Ch
4959.987	28.4	7.7	3.01	40.0	3.0	0.0	Vert	AV	0.0	36.1	54.0	-17.9	EUT Vert, 1 Mbps, High Ch
4880.150	28.3	7.7	1.5	218.0	3.0	0.0	Vert	AV	0.0	36.0	54.0	-18.0	EUT Vert, 1 Mbps, Mid Ch
7440.115	39.4	15.6	1.5	360.0	3.0	0.0	Vert	PK	0.0	55.0	74.0	-19.0	EUT Vert, 1 Mbps, High Ch
7320.413	39.4	15.4	1.5	304.0	3.0	0.0	Horz	PK	0.0	54.8	74.0	-19.2	EUT Vert, 1 Mbps, Mid Ch
7319.990	39.4	15.4	1.72	155.0	3.0	0.0	Vert	PK	0.0	54.8	74.0	-19.2	EUT Vert, 1 Mbps, Mid Ch
7319.500	39.3	15.4	1.5	357.0	3.0	0.0	Vert	PK	0.0	54.7	74.0	-19.3	EUT Vert, 1 Mbps, Mid Ch
7440.388	39.0	15.6	1.5	289.0	3.0	0.0	Horz	PK	0.0	54.6	74.0	-19.4	EUT Vert, 1 Mbps, High Ch
7440.043	38.7	15.6	1.5	120.0	3.0	0.0	Horz	PK	0.0	54.3	74.0	-19.7	EUT On Side, 1 Mbps, High Ch
7440.185	38.6	15.6	3.76	53.0	3.0	0.0	Vert	PK	0.0	54.2	74.0	-19.8	EUT Horz, 1 Mbps, High Ch
7439.563	38.4	15.6	1.5	162.0	3.0	0.0	Vert	PK	0.0	54.0	74.0	-20.0	EUT On Side, 1 Mbps, High Ch
7439.677	38.4	15.6	1.5	57.0	3.0	0.0	Horz	PK	0.0	54.0	74.0	-20.0	EUT Horz, 1 Mbps, High Ch
7206.460	39.0	15.0	1.5	356.0	3.0	0.0	Vert	PK	0.0	54.0	74.0	-20.0	EUT Vert, 1 Mbps, Low Ch
7206.095	38.9	15.0	1.5	341.0	3.0	0.0	Horz	PK	0.0	53.9	74.0	-20.1	EUT Vert, 1 Mbps, Low Ch
12010.150	30.4	0.6	1.43	0.0	3.0	0.0	Vert	AV	0.0	31.0	54.0	-23.0	EUT Vert, 1 Mbps, Low Ch
12200.180	30.0	0.8	1.11	37.0	3.0	0.0	Horz	AV	0.0	30.8	54.0	-23.2	EUT Vert, 1 Mbps, Mid Ch
4803.962	42.9	7.7	1.68	51.0	3.0	0.0	Horz	PK	0.0	50.6	74.0	-23.4	EUT Vert, 1 Mbps, Low Ch
12399.940	29.1	1.3	1.5	125.0	3.0	0.0	Horz	AV	0.0	30.4	54.0	-23.6	EUT Vert, 1 Mbps, High Ch
4803.067	42.7	7.7	1.09	56.0	3.0	0.0	Horz	PK	0.0	50.4	74.0	-23.6	EUT Vert, 2 Mbps, Low Ch
12010.210	29.6	0.6	1.5	92.0	3.0	0.0	Horz	AV	0.0	30.2	54.0	-23.8	EUT Vert, 1 Mbps, Low Ch
12399.550	28.8	1.3	1.5	126.0	3.0	0.0	Vert	AV	0.0	30.1	54.0	-23.9	EUT Vert, 1 Mbps, High Ch
12200.070	29.1	0.8	1.5	323.0	3.0	0.0	Vert	AV	0.0	29.9	54.0	-24.1	EUT Vert, 1 Mbps, Mid Ch
4960.240	41.3	7.7	3.85	33.0	3.0	0.0	Horz	PK	0.0	49.0	74.0	-25.0	EUT Vert, 1 Mbps, High Ch
4803.277	40.7	7.7	1.5	223.0	3.0	0.0	Vert	PK	0.0	48.4	74.0	-25.6	EUT Vert, 2 Mbps, Low Ch
4880.163	40.3	7.7	1.5	212.0	3.0	0.0	Horz	PK	0.0	48.0	74.0	-26.0	EUT Vert, 1 Mbps, Mid Ch

SPURIOUS RADIATED EMISSIONS

element
WTD.2023.11.13.0
EmiR5 2023.08.29.0
PSA-ESCI 2023.04.25.0

Freq (MHz)	Amplitude (dBuV)	Factor (dB/m)	Antenna Height (meters)	Azimuth (degrees)	Test Distance (meters)	External Attenuation (dB)	Polarity/ Transducer Type	Detector	Distance Adjustment (dB)	Adjusted (dBuV/m)	Spec. Limit (dBuV/m)	Compared to Spec. (dB)	Comments
4804.380	40.0	7.7	1.0	252.0	3.0	0.0	Vert	PK	0.0	47.7	74.0	-26.3	EUT Vert, 1 Mbps, Low Ch
4959.798	39.8	7.7	3.01	40.0	3.0	0.0	Vert	PK	0.0	47.5	74.0	-26.5	EUT Vert, 1 Mbps, High Ch
4880.397	39.5	7.7	1.5	218.0	3.0	0.0	Vert	PK	0.0	47.2	74.0	-26.8	EUT Vert, 1 Mbps, Mid Ch
12200.000	41.5	0.8	1.11	37.0	3.0	0.0	Horz	PK	0.0	42.3	74.0	-31.7	EUT Vert, 1 Mbps, Mid Ch
12399.980	40.7	1.3	1.5	125.0	3.0	0.0	Horz	PK	0.0	42.0	74.0	-32.0	EUT Vert, 1 Mbps, High Ch
12199.700	41.0	0.8	1.5	323.0	3.0	0.0	Vert	PK	0.0	41.8	74.0	-32.2	EUT Vert, 1 Mbps, Mid Ch
12010.330	41.2	0.6	1.5	92.0	3.0	0.0	Horz	PK	0.0	41.8	74.0	-32.2	EUT Vert, 1 Mbps, Low Ch
12399.980	40.3	1.3	1.5	126.0	3.0	0.0	Vert	PK	0.0	41.6	74.0	-32.4	EUT Vert, 1 Mbps, High Ch
12009.860	41.0	0.6	1.43	0.0	3.0	0.0	Vert	PK	0.0	41.6	74.0	-32.4	EUT Vert, 1 Mbps, Low Ch

CONCLUSION

Pass

Tested By

SPURIOUS RADIATED EMISSIONS

element
WTD.2023.11.13.0
EmiR5 2023.08.29.0
PSA-ESCI 2023.04.25.0

EUT:	SERENE WALL READER	Work Order:	ONIT0116
Serial Number:	70000037	Date:	2024-02-07
Customer:	Onity Inc.	Temperature:	21.9°C
Attendees:	Ali Elmi	Relative Humidity:	39.9%
Customer Project:	None	Bar. Pressure (PMSL):	1007 mb
Tested By:	Christopher Ladwig and Jeff Alcoke	Job Site:	EV01
Power:	12 VDC	Configuration:	ONIT0116-2

TEST SPECIFICATIONS

Specification:	Method:
FCC 15.247:2024	ANSI C63.10:2013
RSS-247 Issue 3:2023	ANSI C63.10:2013
RSS-Gen Issue 5:2018+A1:2019+A2:2021	ANSI C63.10:2013

TEST PARAMETERS

Run #:	23	Test Distance (m):	3	Ant. Height(s) (m):	1 to 4(m)

COMMENTS

Please reference data comments below for EUT orientation, Data Rate, and Channel

EUT OPERATING MODES

Transmitting BLE
Low Ch = 2402 MHz, High Ch = 2480 MHz

DEVIATIONS FROM TEST STANDARD

None



Run #: 23 ■ PK ◆ AV ● QP

SPURIOUS RADIATED EMISSIONS

element
WTD.2023.11.13.0
EmiR5 2023.08.29.0
PSA-ESCI 2023.04.25.0

RESULTS - Run #23

Freq (MHz)	Amplitude (dBuV)	Factor (dB/m)	Antenna Height (meters)	Azimuth (degrees)	Test Distance (meters)	External Attenuation (dB)	Polarity/ Transducer Type	Detector	Distance Adjustment (dB)	Adjusted (dBuV/m)	Spec. Limit (dBuV/m)	Compared to Spec. (dB)	Comments
2484.170	31.1	-2.3	1.5	76.0	3.0	10.0	Horz	AV	0.0	38.8	54.0	-15.2	EUT Vert, 2 Mbps, High Ch
2483.563	31.0	-2.3	2.0	161.0	3.0	10.0	Vert	AV	0.0	38.7	54.0	-15.3	EUT Vert, 2 Mbps, High Ch
2484.250	31.0	-2.3	1.5	23.0	3.0	10.0	Horz	AV	0.0	38.7	54.0	-15.3	EUT On Side, 2 Mbps, High Ch
2483.637	31.0	-2.3	1.5	122.0	3.0	10.0	Vert	AV	0.0	38.7	54.0	-15.3	EUT On Side, 2 Mbps, High Ch
2483.537	31.0	-2.3	1.5	242.0	3.0	10.0	Horz	AV	0.0	38.7	54.0	-15.3	EUT Horz, 2 Mbps, High Ch
2483.603	31.0	-2.3	1.5	265.0	3.0	10.0	Vert	AV	0.0	38.7	54.0	-15.3	EUT Horz, 2 Mbps, High Ch
2483.890	30.9	-2.3	3.7	50.0	3.0	10.0	Horz	AV	0.0	38.6	54.0	-15.4	EUT Vert, 1 Mbps, High Ch
2483.927	30.9	-2.3	1.5	66.0	3.0	10.0	Vert	AV	0.0	38.6	54.0	-15.4	EUT Vert, 1 Mbps, High Ch
2388.957	31.1	-2.6	1.5	334.0	3.0	10.0	Horz	AV	0.0	38.5	54.0	-15.5	EUT Vert, 2 Mbps, Low Ch
2388.640	31.1	-2.6	1.5	167.0	3.0	10.0	Vert	AV	0.0	38.5	54.0	-15.5	EUT Vert, 2 Mbps, Low Ch
2389.927	31.1	-2.6	1.5	101.0	3.0	10.0	Horz	AV	0.0	38.5	54.0	-15.5	EUT Vert, 1 Mbps, Low Ch
2388.923	31.1	-2.6	3.9	25.0	3.0	10.0	Vert	AV	0.0	38.5	54.0	-15.5	EUT Vert, 1 Mbps, Low Ch
2483.903	42.8	-2.3	2.0	161.0	3.0	10.0	Vert	PK	0.0	50.5	74.0	-23.5	EUT Vert, 2 Mbps, High Ch
2484.650	42.8	-2.3	3.7	50.0	3.0	10.0	Horz	PK	0.0	50.5	74.0	-23.5	EUT Vert, 1 Mbps, High Ch
2388.910	43.0	-2.6	1.5	334.0	3.0	10.0	Horz	PK	0.0	50.4	74.0	-23.6	EUT Vert, 2 Mbps, Low Ch
2389.287	42.9	-2.6	1.5	101.0	3.0	10.0	Horz	PK	0.0	50.3	74.0	-23.7	EUT Vert, 1 Mbps, Low Ch
2484.070	42.5	-2.3	1.5	76.0	3.0	10.0	Horz	PK	0.0	50.2	74.0	-23.8	EUT Vert, 2 Mbps, High Ch
2484.660	42.4	-2.3	1.5	23.0	3.0	10.0	Horz	PK	0.0	50.1	74.0	-23.9	EUT On Side, 2 Mbps, High Ch
2484.787	42.4	-2.3	1.5	66.0	3.0	10.0	Vert	PK	0.0	50.1	74.0	-23.9	EUT Vert, 1 Mbps, High Ch
2485.403	42.3	-2.3	1.5	122.0	3.0	10.0	Vert	PK	0.0	50.0	74.0	-24.0	EUT On Side, 2 Mbps, High Ch
2483.997	42.3	-2.3	1.5	265.0	3.0	10.0	Vert	PK	0.0	50.0	74.0	-24.0	EUT Horz, 2 Mbps, High Ch
2388.830	42.5	-2.6	3.9	25.0	3.0	10.0	Vert	PK	0.0	49.9	74.0	-24.1	EUT Vert, 1 Mbps, Low Ch
2485.283	42.0	-2.3	1.5	242.0	3.0	10.0	Horz	PK	0.0	49.7	74.0	-24.3	EUT Horz, 2 Mbps, High Ch
2389.113	42.3	-2.6	1.5	167.0	3.0	10.0	Vert	PK	0.0	49.7	74.0	-24.3	EUT Vert, 2 Mbps, Low Ch

CONCLUSION

Pass

Tested By

SPURIOUS RADIATED EMISSIONS

element
WTD.2023.11.13.0
EmiR5 2023.08.29.0
PSA-ESCI 2023.04.25.0

PRESCAN DATA

Radiated spurious emissions from the EUT are initially reviewed with Pre-scans (Preview scans). Pre-scans are performed, with the EUT transmitting on the lowest applicable data rate, for both vertical and horizontal polarizations. The Pre-scan plots below are shown with a peak detector and RBW for the following frequency ranges: 9 kHz RBW (< 30 MHz); 120 kHz RBW (30 - 1000 MHz); 1 MHz RBW (> 1 GHz). In the case where unintentional emissions are observed, an ambient or idle pre-scan with the radio off, will be shown for comparison.

0.009-0.49 MHz, Run 43



0.49-30 MHz, Run 44



1000-3000 MHz, Run 15



3000-8200 MHz, Run 2



8200-12400 MHz, Run 3

12400-18000 MHz, Run 4

SPURIOUS RADIATED EMISSIONS

element
WTD.2023.11.13.0
EmiR5 2023.08.29.0
PSA-ESCI 2023.04.25.0





18000-26500 MHz, Run 31



End of Test Report