




**Label, FCC Compliance, Black w/White Text, H=1.000" x W=1.750" x
Rmax=0.125", Polyester, Gloss, Perm Adh, UL
Specification
Control4 P/N 22-3012
Rev A**

1. Size: H=1.000" x W=1.750" label with 0.125" max radius on each corner
2. Base Material: 2.0 mil (0.002") white polyester, 3M 7871 or equivalent (UL)
3. Laminate Overlay: 2.0 mil (0.002") clear gloss polyester, 3M 7861 or equivalent (UL)
4. Adhesive: 2.0 mil (0.002") permanent acrylic, 3M #350 or equivalent (UL)
5. Liner: 50# bleached white kraft paper
6. Printing: Flexopress
7. Ink: Reverse print, black, Akzo Nobel 4000 Series or equivalent (UL)
8. Art: See graphic below
9. Font: Arial 6.5 pt.
10. Wording: See paragraph below


This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

REVISION HISTORY			
Date	Rev	Description	Person
5 Mar 2005	A	Initial design specification and production release.	Roger Johnsen



11-2253-01 Rev A



11-2250-01 Rev B

