

ALARM

STATUS

+ - + -
5-24V 5W

SEL-3022

WIRELESS ENCRYPTING
TRANSCEIVER



SCHWEITZER
ENGINEERING
LABORATORIES


MADE IN PULLMAN, WASHINGTON USA



USE REVERSE-POLARITY SMA
PLUG FOR CONNECTION TO
EXTERNAL ANTENNA JACK.

DCE
EIA-232

802.11b
EXTERNAL
ANTENNA





802.11b
EXTERNAL
ANTENNA

DCE
EIA-232

USE REVERSE-POLARITY SMA
PLUG FOR CONNECTION TO
EXTERNAL ANTENNA JACK.

MADE IN PULLMAN, WASHINGTON USA

SEL
SCHWEITZER
ENGINEERING
LABORATORIES

SEL-3022
WIRELESS ENCRYPTING
TRANSCEIVER

ALARM STATUS

+ - + -

5-24V 5W





ALARM

STATUS

+ - + -
5-24V 5W

SEL-3022

WIRELESS ENCRYPTING
TRANSCEIVER



SCHWEITZER
ENGINEERING
LABORATORIES

MADE IN PULLMAN, WASHINGTON USA



USE REVERSE-POLARITY SMA
PLUG FOR CONNECTION TO
EXTERNAL ANTENNA JACK.

802.11b
EXTERNAL
ANTENNA

DCE
EIA-232



Designation Codes
FCC ID: R345EL3K22
IC: 4460A-5EL3K22

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference from authorized licensed operations.

This device is a digital transmitter operating with frequency 11.25 MHz.
This equipment complies with the CE marking & may be marketed & used in Europe & in certain states of the U.S.A.

