

**LTE Band 12**

Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization	Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization
3493.00	-42.40	-13.00	-29.40	Horizontal	3493.00	-41.74	-13.00	-28.74	Horizontal
4195.00	-31.46	-13.00	-18.46	Horizontal	4195.00	-32.62	-13.00	-19.62	Horizontal
4897.00	-40.80	-13.00	-27.80	Horizontal	4897.00	-41.93	-13.00	-28.93	Horizontal
6004.00	-44.26	-13.00	-31.26	Horizontal	5752.00	-44.62	-13.00	-31.62	Horizontal
7003.00	-44.02	-13.00	-31.02	Horizontal	6004.00	-43.64	-13.00	-30.64	Horizontal
7255.00	-43.91	-13.00	-30.91	Horizontal	7003.00	-43.50	-13.00	-30.50	Horizontal
Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization	Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization
3493.00	-43.47	-13.00	-30.47	Vertical	3493.00	-41.69	-13.00	-28.69	Vertical
4195.00	-32.43	-13.00	-19.43	Vertical	4195.00	-32.43	-13.00	-19.43	Vertical
4897.00	-41.49	-13.00	-28.49	Vertical	4897.00	-42.86	-13.00	-29.86	Vertical
5500.00	-45.03	-13.00	-32.03	Vertical	5500.00	-45.40	-13.00	-32.40	Vertical
6004.00	-44.31	-13.00	-31.31	Vertical	6004.00	-43.91	-13.00	-30.91	Vertical
7003.00	-44.52	-13.00	-31.52	Vertical	7003.00	-44.05	-13.00	-31.05	Vertical
LTE B12 QPSK-1.4M-Low					LTE B12 QPSK-1.4M-Mid				
Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization	Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization
2395.00	-48.32	-13.00	-35.32	Horizontal	2395.00	-49.14	-13.00	-36.14	Horizontal
3493.00	-39.54	-13.00	-26.54	Horizontal	3493.00	-41.56	-13.00	-28.56	Horizontal
4195.00	-32.02	-13.00	-19.02	Horizontal	4195.00	-32.45	-13.00	-19.45	Horizontal
4897.00	-39.45	-13.00	-26.45	Horizontal	4897.00	-41.65	-13.00	-28.65	Horizontal
6004.00	-45.32	-13.00	-32.32	Horizontal	4996.00	-45.27	-13.00	-32.27	Horizontal
7498.00	-44.17	-13.00	-31.17	Horizontal	7255.00	-45.41	-13.00	-32.41	Horizontal
Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization	Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization
1495.00	-50.31	-13.00	-37.31	Vertical	1396.00	-50.86	-13.00	-37.86	Vertical
3493.00	-41.26	-13.00	-28.26	Vertical	3493.00	-39.92	-13.00	-26.92	Vertical
4195.00	-33.74	-13.00	-20.74	Vertical	4195.00	-34.80	-13.00	-21.80	Vertical
4897.00	-38.21	-13.00	-25.21	Vertical	4897.00	-41.25	-13.00	-28.25	Vertical
6004.00	-44.72	-13.00	-31.72	Vertical	6004.00	-44.06	-13.00	-31.06	Vertical
7255.00	-43.95	-13.00	-30.95	Vertical	7255.00	-44.97	-13.00	-31.97	Vertical
LTE B12 QPSK-1.4M-High					LTE B12 16QAM-1.4M-Low				
Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization	Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization
1396.00	-50.86	-13.00	-37.86	Horizontal	2395.00	-48.92	-13.00	-35.92	Horizontal
3493.00	-39.92	-13.00	-26.92	Horizontal	3493.00	-41.40	-13.00	-28.40	Horizontal
4195.00	-34.80	-13.00	-21.80	Horizontal	4195.00	-32.32	-13.00	-19.32	Horizontal
4897.00	-41.25	-13.00	-28.25	Horizontal	4897.00	-40.88	-13.00	-27.88	Horizontal
6004.00	-44.06	-13.00	-31.06	Horizontal	6004.00	-46.88	-13.00	-33.88	Horizontal
7255.00	-44.97	-13.00	-31.97	Horizontal	7498.00	-43.80	-13.00	-30.80	Horizontal
Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization	Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization
2395.00	-51.93	-13.00	-38.93	Vertical	3493.00	-41.97	-13.00	-28.97	Vertical
3493.00	-42.31	-13.00	-29.31	Vertical	4195.00	-35.43	-13.00	-22.43	Vertical
4195.00	-34.32	-13.00	-21.32	Vertical	4897.00	-40.31	-13.00	-27.31	Vertical
4897.00	-39.92	-13.00	-26.92	Vertical	6004.00	-43.63	-13.00	-30.63	Vertical
6004.00	-44.16	-13.00	-31.16	Vertical	7498.00	-43.95	-13.00	-30.95	Vertical
7498.00	-45.04	-13.00	-32.04	Vertical	8506.00	-47.34	-13.00	-34.34	Vertical
LTE B12 16QAM-1.4M-Mid					LTE B12 16QAM-1.4M-High				
Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization	Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization
2395.00	-49.22	-13.00	-36.22	Horizontal	3511.00	-46.70	-13.00	-33.70	Horizontal
3493.00	-40.41	-13.00	-27.41	Horizontal	4213.00	-37.24	-13.00	-24.24	Horizontal
4195.00	-31.80	-13.00	-18.80	Horizontal	4915.00	-44.77	-13.00	-31.77	Horizontal
4897.00	-41.69	-13.00	-28.69	Horizontal	4996.00	-45.89	-13.00	-32.89	Horizontal
4996.00	-45.08	-13.00	-32.08	Horizontal	6004.00	-45.87	-13.00	-32.87	Horizontal
7255.00	-43.74	-13.00	-30.74	Horizontal	7255.00	-45.77	-13.00	-32.77	Horizontal
Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization	Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization
1495.00	-51.04	-13.00	-38.04	Vertical	2395.00	-49.33	-13.00	-36.33	Vertical
3493.00	-41.43	-13.00	-28.43	Vertical	3511.00	-47.47	-13.00	-34.47	Vertical
4195.00	-34.59	-13.00	-21.59	Vertical	4213.00	-37.96	-13.00	-24.96	Vertical
4897.00	-39.47	-13.00	-26.47	Vertical	4996.00	-45.37	-13.00	-32.37	Vertical
6004.00	-44.83	-13.00	-31.83	Vertical	6004.00	-46.56	-13.00	-33.56	Vertical
7003.00	-45.45	-13.00	-32.45	Vertical	7255.00	-45.95	-13.00	-32.95	Vertical
LTE B12 QPSK-10M-Low					LTE B12 QPSK-10M-Mid				
Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization	Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization
2395.00	-48.83	-13.00	-35.83	Horizontal	2395.00	-49.13	-13.00	-36.13	Horizontal
3529.00	-41.04	-13.00	-28.04	Horizontal	3493.00	-41.91	-13.00	-28.91	Horizontal
4240.00	-31.37	-13.00	-18.37	Horizontal	4195.00	-34.47	-13.00	-21.47	Horizontal
4942.00	-46.39	-13.00	-33.39	Horizontal	4897.00	-41.28	-13.00	-28.28	Horizontal
7255.00	-45.29	-13.00	-32.29	Horizontal	6004.00	-46.60	-13.00	-33.60	Horizontal
8109.00	-43.36	-13.00	-30.36	Horizontal	7255.00	-45.75	-13.00	-32.75	Horizontal
Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization	Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization
1495.00	-49.00	-13.00	-36.00	Vertical	2395.00	-48.91	-13.00	-35.91	Vertical
3529.00	-43.70	-13.00	-30.70	Vertical	3493.00	-41.83	-13.00	-28.83	Vertical
4240.00	-32.45	-13.00	-19.45	Vertical	4195.00	-33.47	-13.00	-20.47	Vertical
4942.00	-43.48	-13.00	-30.48	Vertical	4897.00	-41.96	-13.00	-28.96	Vertical
5752.00	-44.76	-13.00	-31.76	Vertical	4996.00	-44.94	-13.00	-31.94	Vertical
7255.00	-44.72	-13.00	-31.72	Vertical	7255.00	-45.42	-13.00	-32.42	Vertical
LTE B12 QPSK-10M-High					LTE B12 16QAM-10M-Low				

Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization	Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization
2395.00	-48.94	-13.00	-35.94	Horizontal	2395.00	-48.57	-13.00	-35.57	Horizontal
3511.00	-46.89	-13.00	-33.89	Horizontal	3529.00	-40.46	-13.00	-27.46	Horizontal
4213.00	-38.13	-13.00	-25.13	Horizontal	4240.00	-32.11	-13.00	-19.11	Horizontal
4996.00	-44.90	-13.00	-31.90	Horizontal	6004.00	-46.01	-13.00	-33.01	Horizontal
7498.00	-45.19	-13.00	-32.19	Horizontal	7255.00	-45.13	-13.00	-32.13	Horizontal
8029.00	-45.78	-13.00	-32.78	Horizontal	7498.00	-46.22	-13.00	-33.22	Horizontal
Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization	Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization
1495.00	-51.01	-13.00	-38.01	Vertical	3097.00	-45.86	-13.00	-32.86	Vertical
3511.00	-49.08	-13.00	-36.08	Vertical	3529.00	-43.51	-13.00	-30.51	Vertical
4222.00	-38.79	-13.00	-25.79	Vertical	4240.00	-31.54	-13.00	-18.54	Vertical
5752.00	-45.71	-13.00	-32.71	Vertical	4942.00	-43.48	-13.00	-30.48	Vertical
6004.00	-45.46	-13.00	-32.46	Vertical	5752.00	-44.92	-13.00	-31.92	Vertical
7003.00	-45.59	-13.00	-32.59	Vertical	7003.00	-45.57	-13.00	-32.57	Vertical
LTE B12 16QAM-10M-Mid					LTE B12 16QAM-10M-High				

**LTE Band 13**

Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization
1495.00	-50.29	-13.00	-37.29	Horizontal
2395.00	-49.11	-13.00	-36.11	Horizontal
4996.00	-42.30	-13.00	-29.30	Horizontal
6004.00	-41.08	-13.00	-28.08	Horizontal
7255.00	-38.48	-13.00	-25.48	Horizontal
8506.00	-42.13	-13.00	-29.13	Horizontal
Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization
1207.00	-38.36	-13.00	-23.36	Vertical
1567.00	-38.14	-13.00	-25.14	Vertical
4996.00	-41.41	-13.00	-28.41	Vertical
6004.00	-38.31	-13.00	-25.31	Vertical
7498.00	-41.33	-13.00	-28.33	Vertical
10000.00	-37.62	-13.00	-24.62	Vertical

  

Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization
1495.00	-51.60	-13.00	-38.60	Horizontal
2395.00	-48.80	-13.00	-35.80	Horizontal
4996.00	-43.97	-13.00	-30.97	Horizontal
6004.00	-41.37	-13.00	-28.37	Horizontal
7255.00	-39.53	-13.00	-26.53	Horizontal
8506.00	-42.36	-13.00	-29.36	Horizontal
Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization
1135.00	-39.09	-13.00	-26.09	Vertical
1513.00	-32.04	-13.00	-19.04	Vertical
1963.00	-39.62	-13.00	-26.62	Vertical
3187.00	-40.80	-13.00	-27.80	Vertical
3736.00	-38.88	-13.00	-25.88	Vertical
6004.00	-38.81	-13.00	-25.81	Vertical

  

LTE B13 QPSK-5M-Low					LTE B13 QPSK-5M-Mid				
Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization	Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization
1495.00	-49.78	-13.00	-36.78	Horizontal	1495.00	-51.33	-13.00	-38.33	Horizontal
2395.00	-48.99	-13.00	-35.99	Horizontal	2395.00	-49.53	-13.00	-36.53	Horizontal
4996.00	-43.60	-13.00	-30.60	Horizontal	4996.00	-42.61	-13.00	-29.61	Horizontal
6004.00	-40.51	-13.00	-27.51	Horizontal	6004.00	-41.11	-13.00	-28.11	Horizontal
7255.00	-37.88	-13.00	-24.88	Horizontal	7255.00	-37.51	-13.00	-24.51	Horizontal
8506.00	-41.94	-13.00	-28.94	Horizontal	8506.00	-42.10	-13.00	-29.10	Horizontal
Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization	Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization
1495.00	-47.05	-13.00	-34.05	Vertical	1495.00	-46.07	-13.00	-33.07	Vertical
4996.00	-41.78	-13.00	-28.78	Vertical	4996.00	-42.83	-13.00	-29.83	Vertical
5500.00	-41.71	-13.00	-28.71	Vertical	5500.00	-41.07	-13.00	-28.07	Vertical
5752.00	-40.35	-13.00	-27.35	Vertical	5752.00	-39.81	-13.00	-26.81	Vertical
6004.00	-38.64	-13.00	-25.64	Vertical	6004.00	-38.75	-13.00	-25.75	Vertical
7498.00	-41.78	-13.00	-28.78	Vertical	7255.00	-40.30	-13.00	-27.30	Vertical

  

LTE B13 QPSK-5M-High					LTE B13 16QAM-5M-Low				
Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization	Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization
1495.00	-49.72	-13.00	-36.72	Horizontal	1495.00	-51.37	-13.00	-38.37	Horizontal
2395.00	-49.26	-13.00	-36.26	Horizontal	2395.00	-49.88	-13.00	-36.88	Horizontal
4996.00	-42.75	-13.00	-29.75	Horizontal	4996.00	-42.38	-13.00	-29.38	Horizontal
6004.00	-41.83	-13.00	-28.83	Horizontal	6004.00	-41.32	-13.00	-28.32	Horizontal
7255.00	-38.48	-13.00	-25.48	Horizontal	7255.00	-39.11	-13.00	-26.11	Horizontal
8506.00	-41.69	-13.00	-28.69	Horizontal	8506.00	-41.08	-13.00	-28.08	Horizontal
Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization	Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization
1495.00	-46.12	-13.00	-33.12	Vertical	1495.00	-46.96	-13.00	-33.96	Vertical
4996.00	-41.29	-13.00	-28.29	Vertical	4996.00	-42.24	-13.00	-29.24	Vertical
5500.00	-41.67	-13.00	-28.67	Vertical	5500.00	-40.75	-13.00	-27.75	Vertical
5752.00	-41.39	-13.00	-28.39	Vertical	5752.00	-40.44	-13.00	-27.44	Vertical
6004.00	-39.47	-13.00	-26.47	Vertical	6004.00	-39.13	-13.00	-26.13	Vertical
7255.00	-40.94	-13.00	-27.94	Vertical	7498.00	-41.96	-13.00	-28.96	Vertical
10000.00	-38.25	-13.00	-25.25	Vertical					

  

LTE B13 16QAM-5M-Mid					LTE B13 16QAM-5M-High				
Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization	Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization
1495.00	-49.36	-13.00	-36.36	Horizontal	1495.00	-50.84	-13.00	-37.84	Horizontal
2395.00	-49.44	-13.00	-36.44	Horizontal	2395.00	-49.75	-13.00	-36.75	Horizontal
4996.00	-43.63	-13.00	-30.63	Horizontal	4996.00	-43.98	-13.00	-30.98	Horizontal
6004.00	-40.49	-13.00	-27.49	Horizontal	5500.00	-43.76	-13.00	-30.76	Horizontal
7255.00	-38.73	-13.00	-25.73	Horizontal	6004.00	-41.30	-13.00	-28.30	Horizontal
8506.00	-40.87	-13.00	-27.87	Horizontal	7255.00	-39.87	-13.00	-26.87	Horizontal
Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization	Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization
1495.00	-44.34	-13.00	-31.34	Vertical	1495.00	-43.76	-13.00	-30.76	Vertical
3502.00	-51.60	-13.00	-38.60	Vertical	2395.00	-50.12	-13.00	-37.12	Vertical
4996.00	-41.91	-13.00	-28.91	Vertical	4996.00	-41.60	-13.00	-28.60	Vertical
6004.00	-40.29	-13.00	-27.29	Vertical	6004.00	-40.55	-13.00	-27.55	Vertical
7255.00	-41.42	-13.00	-28.42	Vertical	7255.00	-40.52	-13.00	-27.52	Vertical
9253.00	-43.54	-13.00	-30.54	Vertical	9001.00	-44.33	-13.00	-31.33	Vertical

  

LTE B13 QPSK-10M-Mid					LTE B13 QPSK-15M-Mid				
----------------------	--	--	--	--	----------------------	--	--	--	--

**LTE Band 25**

Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization	Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization
1206.00	-33.13	-13.00	-20.13	Horizontal	1010.00	-31.65	-13.00	-18.65	Horizontal
1690.00	-30.91	-13.00	-17.91	Horizontal	1530.00	-31.17	-13.00	-18.17	Horizontal
1850.00	20.47	-13.00	/	Horizontal	1882.00	22.83	-13.00	/	Horizontal
1930.00	-18.32	-13.00	-5.32	Horizontal	1962.00	-11.08	-13.00	/	Horizontal
2562.00	-26.22	-13.00	-13.22	Horizontal	2566.00	-26.10	-13.00	-13.10	Horizontal
2984.00	-24.52	-13.00	-11.52	Horizontal	2766.00	-24.64	-13.00	-11.64	Horizontal
1206.00	-33.13	-13.00	-20.13	Horizontal	5640.00	-43.42	-13.00	-30.42	Horizontal
1690.00	-30.91	-13.00	-17.91	Horizontal	6000.00	-41.75	-13.00	-28.75	Horizontal
1850.00	20.47	-13.00	/	Horizontal	6990.00	-42.86	-13.00	-29.86	Horizontal
1930.00	-18.32	-13.00	-5.32	Horizontal	8505.00	-43.45	-13.00	-30.45	Horizontal
2562.00	-26.22	-13.00	-13.22	Horizontal	10005.00	-38.59	-13.00	-25.59	Horizontal
2984.00	-24.52	-13.00	-11.52	Horizontal	17715.00	-43.01	-13.00	-30.01	Horizontal
Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization	Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization
1310.00	-32.58	-13.00	-19.58	Vertical	1010.00	-31.65	-13.00	-18.65	Vertical
1634.00	-31.29	-13.00	-18.29	Vertical	1530.00	-31.17	-13.00	-18.17	Vertical
1850.00	24.01	-13.00	/	Vertical	1882.00	22.83	-13.00	/	Vertical
1930.00	-12.09	-13.00	/	Vertical	1962.00	-11.08	-13.00	/	Vertical
2342.00	-27.09	-13.00	-14.09	Vertical	2566.00	-26.10	-13.00	-13.10	Vertical
2808.00	-24.90	-13.00	-11.90	Vertical	2766.00	-24.64	-13.00	-11.64	Vertical
4995.00	-41.49	-13.00	-28.49	Vertical	4995.00	-41.97	-13.00	-28.97	Vertical
5550.00	-39.23	-13.00	-26.23	Vertical	5745.00	-38.68	-13.00	-25.68	Vertical
5745.00	-39.33	-13.00	-26.33	Vertical	6000.00	-37.71	-13.00	-24.71	Vertical
6000.00	-37.27	-13.00	-24.27	Vertical	10005.00	-39.28	-13.00	-26.28	Vertical
10005.00	-38.49	-13.00	-25.49	Vertical	16005.00	-45.09	-13.00	-32.09	Vertical
17655.00	-43.11	-13.00	-30.11	Vertical	17895.00	-42.66	-13.00	-29.66	Vertical
LTE B25 QPSK-1.4M-Low					LTE B25 QPSK-1.4M-Mid				
Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization	Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization
1450.00	-32.58	-13.00	-19.58	Horizontal	1352.00	-32.38	-13.00	-19.38	Horizontal
1740.00	-29.98	-13.00	-16.98	Horizontal	1576.00	-31.53	-13.00	-18.53	Horizontal
1914.00	17.94	-13.00	/	Horizontal	1850.00	21.02	-13.00	/	Horizontal
1994.00	-20.04	-13.00	-7.04	Horizontal	1930.00	-18.49	-13.00	-5.49	Horizontal
2452.00	-26.35	-13.00	-13.35	Horizontal	2548.00	-25.99	-13.00	-12.99	Horizontal
2818.00	-25.19	-13.00	-12.19	Horizontal	2824.00	-24.10	-13.00	-11.10	Horizontal
3825.00	-39.30	-13.00	-26.30	Horizontal	5550.00	-41.86	-13.00	-28.86	Horizontal
5730.00	-40.72	-13.00	-27.72	Horizontal	6000.00	-41.52	-13.00	-28.52	Horizontal
7245.00	-40.13	-13.00	-27.13	Horizontal	6990.00	-43.30	-13.00	-30.30	Horizontal
9570.00	-35.67	-13.00	-22.67	Horizontal	10005.00	-39.27	-13.00	-26.27	Horizontal
16005.00	-41.92	-13.00	-28.92	Horizontal	16005.00	-42.73	-13.00	-29.73	Horizontal
17805.00	-42.08	-13.00	-29.08	Horizontal	17775.00	-42.55	-13.00	-29.55	Horizontal
Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization	Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization
1252.00	-32.34	-13.00	-19.34	Vertical	1708.00	-30.56	-13.00	-17.56	Vertical
1540.00	-31.16	-13.00	-18.16	Vertical	1850.00	24.40	-13.00	/	Vertical
1914.00	20.63	-13.00	/	Vertical	1930.00	-12.76	-13.00	/	Vertical
1994.00	-12.46	-13.00	/	Vertical	2450.00	-26.49	-13.00	-13.49	Vertical
2644.00	-25.50	-13.00	-12.50	Vertical	2768.00	-24.91	-13.00	-11.91	Vertical
2982.00	-24.53	-13.00	-11.53	Vertical	2836.00	-24.79	-13.00	-11.79	Vertical
3825.00	-42.89	-13.00	-29.89	Vertical	4995.00	-41.95	-13.00	-28.95	Vertical
5730.00	-36.67	-13.00	-23.67	Vertical	5550.00	-40.43	-13.00	-27.43	Vertical
6000.00	-36.79	-13.00	-23.79	Vertical	5745.00	-40.16	-13.00	-27.16	Vertical
9570.00	-39.79	-13.00	-26.79	Vertical	6000.00	-36.46	-13.00	-23.46	Vertical
10005.00	-37.97	-13.00	-24.97	Vertical	10005.00	-38.70	-13.00	-25.70	Vertical
17700.00	-42.33	-13.00	-29.33	Vertical	17700.00	-42.71	-13.00	-29.71	Vertical
LTE B25 QPSK-1.4M-High					LTE B25 16QAM-1.4M-Low				
Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization	Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization
1408.00	-32.68	-13.00	-19.68	Horizontal	1618.00	-31.14	-13.00	-18.14	Horizontal
1704.00	-31.48	-13.00	-18.48	Horizontal	1914.00	17.56	-13.00	/	Horizontal
1882.00	18.52	-13.00	/	Horizontal	1994.00	-21.63	-13.00	-8.63	Horizontal
1962.00	-21.30	-13.00	-8.30	Horizontal	2418.00	-25.82	-13.00	-12.82	Horizontal
2570.00	-26.01	-13.00	-13.01	Horizontal	2752.00	-24.42	-13.00	-11.42	Horizontal
2838.00	-24.50	-13.00	-11.50	Horizontal	2978.00	-24.47	-13.00	-11.47	Horizontal
5490.00	-44.32	-13.00	-31.32	Horizontal	3825.00	-38.56	-13.00	-25.56	Horizontal
6000.00	-42.89	-13.00	-29.89	Horizontal	5730.00	-39.83	-13.00	-26.83	Horizontal
6990.00	-42.09	-13.00	-29.09	Horizontal	7245.00	-41.91	-13.00	-28.91	Horizontal
10005.00	-37.71	-13.00	-24.71	Horizontal	9570.00	-39.62	-13.00	-26.62	Horizontal
11505.00	-41.03	-13.00	-28.03	Horizontal	10005.00	-38.96	-13.00	-25.96	Horizontal
17850.00	-42.71	-13.00	-29.71	Horizontal	17880.00	-42.43	-13.00	-29.43	Horizontal
Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization	Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization
1308.00	-32.72	-13.00	-19.72	Vertical	1224.00	-32.62	-13.00	-19.62	Vertical
1650.00	-31.44	-13.00	-18.44	Vertical	1770.00	-30.04	-13.00	-17.04	Vertical
1882.00	19.94	-13.00	/	Vertical	1914.00	21.00	-13.00	/	Vertical
1962.00	-11.92	-13.00	/	Vertical	1994.00	-11.63	-13.00	/	Vertical
2478.00	-25.59	-13.00	-12.59	Vertical	2666.00	-26.27	-13.00	-13.27	Vertical
2868.00	-24.76	-13.00	-11.76	Vertical	2818.00	-24.62	-13.00	-11.62	Vertical
5490.00	-42.23	-13.00	-29.23	Vertical	3825.00	-39.35	-13.00	-26.35	Vertical
5640.00	-41.85	-13.00	-28.85	Vertical	5730.00	-36.60	-13.00	-23.60	Vertical
6000.00	-39.37	-13.00	-26.37	Vertical	9570.00	-37.32	-13.00	-24.32	Vertical
6990.00	-41.48	-13.00	-28.48	Vertical	10005.00	-37.68	-13.00	-24.68	Vertical
10005.00	-38.70	-13.00	-25.70	Vertical	16440.00	-44.68	-13.00	-31.68	Vertical
17790.00	-42.75	-13.00	-29.75	Vertical	17850.00	-42.55	-13.00	-29.55	Vertical
LTE B25 16QAM-1.4M-Mid					LTE B25 16QAM-1.4M-High				

Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization	Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization
1232.00	-33.37	-13.00	-20.37	Horizontal	1200.00	-32.62	-13.00	-19.62	Horizontal
1544.00	-32.88	-13.00	-19.88	Horizontal	1604.00	-31.20	-13.00	-18.20	Horizontal
1850.00	17.06	-13.00	/	Horizontal	1874.00	21.87	-13.00	/	Horizontal
1868.00	-18.93	-13.00	-5.93	Horizontal	2384.00	-27.05	-13.00	-14.05	Horizontal
2568.00	-26.60	-13.00	-13.60	Horizontal	2812.00	-24.02	-13.00	-11.02	Horizontal
2912.00	-25.74	-13.00	-12.74	Horizontal	5610.00	-40.29	-13.00	-27.29	Horizontal
5550.00	-41.66	-13.00	-28.66	Horizontal	6000.00	-42.35	-13.00	-29.35	Horizontal
6000.00	-41.71	-13.00	-28.71	Horizontal	10005.00	-39.76	-13.00	-26.76	Horizontal
8505.00	-43.28	-13.00	-30.28	Horizontal	10995.00	-42.40	-13.00	-29.40	Horizontal
10005.00	-39.37	-13.00	-26.37	Horizontal	16005.00	-43.43	-13.00	-30.43	Horizontal
10995.00	-40.85	-13.00	-27.85	Horizontal	17910.00	-41.97	-13.00	-28.97	Horizontal
17040.00	-42.96	-13.00	-29.96	Horizontal	0.00	-95.20	-13.00	-82.20	Horizontal
Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization	Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization
1324.00	-33.78	-13.00	-20.78	Vertical	1212.00	-32.99	-13.00	-19.99	Vertical
1850.00	16.89	-13.00	/	Vertical	1874.00	23.24	-13.00	/	Vertical
1868.00	-18.43	-13.00	-5.43	Vertical	1892.00	-12.66	-13.00	/	Vertical
1938.00	-25.41	-13.00	-12.41	Vertical	1970.00	-23.45	-13.00	-10.45	Vertical
2500.00	-27.22	-13.00	-14.22	Vertical	2336.00	-27.94	-13.00	-14.94	Vertical
2840.00	-25.69	-13.00	-12.69	Vertical	2842.00	-25.76	-13.00	-12.76	Vertical
4995.00	-41.57	-13.00	-28.57	Vertical	4995.00	-40.17	-13.00	-27.17	Vertical
5745.00	-40.11	-13.00	-27.11	Vertical	5490.00	-41.61	-13.00	-28.61	Vertical
6000.00	-37.35	-13.00	-24.35	Vertical	5745.00	-40.66	-13.00	-27.66	Vertical
10005.00	-39.14	-13.00	-26.14	Vertical	6000.00	-37.40	-13.00	-24.40	Vertical
11505.00	-43.40	-13.00	-30.40	Vertical	10005.00	-38.29	-13.00	-25.29	Vertical
16965.00	-42.48	-13.00	-29.48	Vertical	17775.00	-41.89	-13.00	-28.89	Vertical
LTE B25 QPSK-20M-Low					LTE B25 QPSK-20M-Mid				
Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization	Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization
1294.00	-33.93	-13.00	-20.93	Horizontal	1002.00	-33.30	-13.00	-20.30	Horizontal
1666.00	-31.62	-13.00	-18.62	Horizontal	1850.00	17.15	-13.00	/	Horizontal
1896.00	17.24	-13.00	/	Horizontal	1868.00	-19.12	-13.00	-6.12	Horizontal
2344.00	-28.48	-13.00	-15.48	Horizontal	1944.00	-27.32	-13.00	-14.32	Horizontal
2520.00	-26.62	-13.00	-13.62	Horizontal	2496.00	-26.78	-13.00	-13.78	Horizontal
2906.00	-26.19	-13.00	-13.19	Horizontal	2844.00	-25.23	-13.00	-12.23	Horizontal
3790.00	-44.54	-13.00	-31.54	Horizontal	5550.00	-41.75	-13.00	-28.75	Horizontal
4995.00	-44.27	-13.00	-31.27	Horizontal	6000.00	-42.33	-13.00	-29.33	Horizontal
6000.00	-41.30	-13.00	-28.30	Horizontal	8505.00	-43.38	-13.00	-30.38	Horizontal
10005.00	-39.30	-13.00	-26.30	Horizontal	10005.00	-38.62	-13.00	-25.62	Horizontal
16005.00	-42.01	-13.00	-29.01	Horizontal	16005.00	-42.50	-13.00	-29.50	Horizontal
17895.00	-42.44	-13.00	-29.44	Horizontal	17805.00	-42.61	-13.00	-29.61	Horizontal
Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization	Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization
1018.00	-33.06	-13.00	-20.06	Vertical	1306.00	-33.47	-13.00	-20.47	Vertical
1576.00	-32.48	-13.00	-19.48	Vertical	1850.00	19.17	-13.00	/	Vertical
1896.00	13.88	-13.00	/	Vertical	1868.00	-15.66	-13.00	-2.66	Vertical
1992.00	-26.02	-13.00	-13.02	Vertical	1946.00	-26.75	-13.00	-13.75	Vertical
2372.00	-27.17	-13.00	-14.17	Vertical	2522.00	-27.01	-13.00	-14.01	Vertical
2850.00	-25.35	-13.00	-12.35	Vertical	2954.00	-25.54	-13.00	-12.54	Vertical
4995.00	-40.50	-13.00	-27.50	Vertical	4995.00	-41.34	-13.00	-28.34	Vertical
5745.00	-39.76	-13.00	-26.76	Vertical	5550.00	-39.43	-13.00	-26.43	Vertical
6000.00	-38.55	-13.00	-25.55	Vertical	6000.00	-37.39	-13.00	-24.39	Vertical
9480.00	-41.04	-13.00	-28.04	Vertical	6750.00	-43.41	-13.00	-30.41	Vertical
10005.00	-38.49	-13.00	-25.49	Vertical	10005.00	-39.29	-13.00	-26.29	Vertical
16845.00	-42.69	-13.00	-29.69	Vertical	17700.00	-43.18	-13.00	-30.18	Vertical
LTE B25 QPSK-20M-High					LTE B25 16QAM-20M-Low				
Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization	Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization
1288.00	-33.05	-13.00	-20.05	Horizontal	1302.00	-31.96	-13.00	-18.96	Horizontal
1442.00	-31.72	-13.00	-18.72	Horizontal	1772.00	-30.48	-13.00	-17.48	Horizontal
1874.00	16.66	-13.00	/	Horizontal	1896.00	1.41	-13.00	/	Horizontal
2506.00	-26.22	-13.00	-13.22	Horizontal	2390.00	-27.18	-13.00	-14.18	Horizontal
2740.00	-25.14	-13.00	-12.14	Horizontal	2656.00	-25.29	-13.00	-12.29	Horizontal
2862.00	-24.86	-13.00	-11.86	Horizontal	2852.00	-25.07	-13.00	-12.07	Horizontal
5610.00	-39.92	-13.00	-26.92	Horizontal	6000.00	-41.82	-13.00	-28.82	Horizontal
7245.00	-40.87	-13.00	-27.87	Horizontal	7500.00	-43.91	-13.00	-30.91	Horizontal
10005.00	-39.12	-13.00	-26.12	Horizontal	10005.00	-39.65	-13.00	-26.65	Horizontal
14010.00	-44.24	-13.00	-31.24	Horizontal	11505.00	-44.00	-13.00	-31.00	Horizontal
16005.00	-42.08	-13.00	-29.08	Horizontal	17070.00	-43.32	-13.00	-30.32	Horizontal
17805.00	-41.72	-13.00	-28.72	Horizontal	17925.00	-42.85	-13.00	-29.85	Horizontal
Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization	Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization
1010.00	-33.33	-13.00	-20.33	Vertical	1016.00	-32.95	-13.00	-19.95	Vertical
1706.00	-30.65	-13.00	-17.65	Vertical	1544.00	-32.18	-13.00	-19.18	Vertical
1874.00	20.16	-13.00	/	Vertical	1896.00	20.36	-13.00	/	Vertical
1962.00	-23.97	-13.00	-10.97	Vertical	1988.00	-22.27	-13.00	-9.27	Vertical
2702.00	-26.22	-13.00	-13.22	Vertical	2496.00	-26.74	-13.00	-13.74	Vertical
2990.00	-25.55	-13.00	-12.55	Vertical	2820.00	-24.27	-13.00	-11.27	Vertical
4995.00	-40.57	-13.00	-27.57	Vertical	5490.00	-41.95	-13.00	-28.95	Vertical
6000.00	-35.67	-13.00	-22.67	Vertical	5745.00	-40.11	-13.00	-27.11	Vertical
7245.00	-41.20	-13.00	-28.20	Vertical	6000.00	-37.96	-13.00	-24.96	Vertical
10005.00	-37.39	-13.00	-24.39	Vertical	10005.00	-38.33	-13.00	-25.33	Vertical
14430.00	-44.75	-13.00	-31.75	Vertical	11505.00	-42.78	-13.00	-29.78	Vertical
17885.00	-42.32	-13.00	-29.32	Vertical	17610.00	-42.28	-13.00	-29.28	Vertical
LTE B25 16QAM-20M-Mid					LTE B25 16QAM-20M-High				

**LTE Band 26**

Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization	Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization
1126.00	-43.63	-13.00	-30.63	Horizontal	1657.00	-50.49	-13.00	-37.49	Horizontal
2125.00	-42.49	-13.00	-29.49	Horizontal	2395.00	-49.85	-13.00	-36.85	Horizontal
2737.00	-42.47	-13.00	-29.47	Horizontal	5500.00	-45.22	-13.00	-32.22	Horizontal
4753.00	-38.16	-13.00	-25.16	Horizontal	6004.00	-42.47	-13.00	-29.47	Horizontal
5140.00	-35.65	-13.00	-22.65	Horizontal	7255.00	-42.14	-13.00	-29.14	Horizontal
7255.00	-41.80	-13.00	-28.80	Horizontal	8506.00	-43.34	-13.00	-30.34	Horizontal
Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization	Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization
1495.00	-46.18	-13.00	-33.18	Vertical	1126.00	-40.15	-13.00	-27.15	Vertical
5500.00	-42.46	-13.00	-29.46	Vertical	1423.00	-36.61	-13.00	-23.61	Vertical
6004.00	-40.96	-13.00	-27.96	Vertical	6004.00	-40.01	-13.00	-27.01	Vertical
7003.00	-39.24	-13.00	-26.24	Vertical	7003.00	-42.17	-13.00	-29.17	Vertical
9253.00	-44.71	-13.00	-31.71	Vertical	9253.00	-45.15	-13.00	-32.15	Vertical
10000.00	-39.75	-13.00	-26.75	Vertical	10000.00	-38.97	-13.00	-25.97	Vertical
<b>LTE B26 QPSK-1.4M-Low</b>					<b>LTE B26 QPSK-1.4M-Mid</b>				
Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization	Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization
1693.00	-50.15	-13.00	-37.15	Horizontal	1495.00	-51.29	-13.00	-38.29	Horizontal
4240.00	-46.21	-13.00	-33.21	Horizontal	2395.00	-49.90	-13.00	-36.90	Horizontal
6004.00	-42.87	-13.00	-29.87	Horizontal	4996.00	-44.39	-13.00	-31.39	Horizontal
7498.00	-43.45	-13.00	-30.45	Horizontal	6004.00	-42.81	-13.00	-29.81	Horizontal
8749.00	-45.48	-13.00	-32.48	Horizontal	7255.00	-42.82	-13.00	-29.82	Horizontal
10000.00	-39.38	-13.00	-26.38	Horizontal	7498.00	-42.33	-13.00	-29.33	Horizontal
Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization	Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization
2107.00	-42.85	-13.00	-29.85	Vertical	1495.00	-45.38	-13.00	-32.38	Vertical
2260.00	-35.04	-13.00	-22.04	Vertical	2494.00	-50.59	-13.00	-37.59	Vertical
4132.00	-37.97	-13.00	-24.97	Vertical	4996.00	-44.70	-13.00	-31.70	Vertical
6004.00	-42.94	-13.00	-29.94	Vertical	5500.00	-42.81	-13.00	-29.81	Vertical
9208.00	-43.02	-13.00	-30.02	Vertical	6004.00	-41.09	-13.00	-28.09	Vertical
10000.00	-39.28	-13.00	-26.28	Vertical	7255.00	-42.69	-13.00	-29.69	Vertical
<b>LTE B26 QPSK-1.4M-High</b>					<b>LTE B26 16QAM-1.4M-Low</b>				
Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization	Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization
2035.00	-38.65	-13.00	-25.65	Horizontal	2395.00	-49.76	-13.00	-36.76	Horizontal
2152.00	-37.97	-13.00	-24.97	Horizontal	4240.00	-46.57	-13.00	-33.57	Horizontal
2485.00	-42.43	-13.00	-29.43	Horizontal	4996.00	-44.52	-13.00	-31.52	Horizontal
6004.00	-43.13	-13.00	-30.13	Horizontal	6004.00	-43.35	-13.00	-30.35	Horizontal
8506.00	-42.33	-13.00	-29.33	Horizontal	7003.00	-42.67	-13.00	-29.67	Horizontal
10000.00	-39.77	-13.00	-26.77	Horizontal	8506.00	-41.68	-13.00	-28.68	Horizontal
Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization	Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization
1495.00	-45.18	-13.00	-32.18	Vertical	1270.00	-34.82	-13.00	-21.82	Vertical
4996.00	-44.64	-13.00	-31.64	Vertical	3763.00	-40.22	-13.00	-27.22	Vertical
5500.00	-42.11	-13.00	-29.11	Vertical	4735.00	-39.65	-13.00	-26.65	Vertical
6004.00	-40.32	-13.00	-27.32	Vertical	5347.00	-38.57	-13.00	-25.57	Vertical
7255.00	-42.28	-13.00	-29.28	Vertical	6004.00	-40.69	-13.00	-27.69	Vertical
10000.00	-39.25	-13.00	-26.25	Vertical	7255.00	-43.32	-13.00	-30.32	Vertical
<b>LTE B26 16QAM-1.4M-Mid</b>					<b>LTE B26 16QAM-1.4M-High</b>				
Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization	Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization
1630.00	-51.25	-13.00	-38.25	Horizontal	1648.00	-48.06	-13.00	-35.06	Horizontal
2395.00	-49.28	-13.00	-36.28	Horizontal	2809.00	-46.96	-13.00	-33.96	Horizontal
5500.00	-45.78	-13.00	-32.78	Horizontal	3898.00	-46.35	-13.00	-33.35	Horizontal
6004.00	-42.92	-13.00	-29.92	Horizontal	6004.00	-43.10	-13.00	-30.10	Horizontal
7003.00	-44.13	-13.00	-31.13	Horizontal	7255.00	-42.68	-13.00	-29.68	Horizontal
8506.00	-45.23	-13.00	-32.23	Horizontal	8506.00	-44.76	-13.00	-31.76	Horizontal
Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization	Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization
1495.00	-46.79	-13.00	-33.79	Vertical	1495.00	-46.09	-13.00	-33.09	Vertical
4996.00	-44.97	-13.00	-31.97	Vertical	4996.00	-45.07	-13.00	-32.07	Vertical
5500.00	-42.64	-13.00	-29.64	Vertical	5500.00	-42.96	-13.00	-29.96	Vertical
6004.00	-41.05	-13.00	-28.05	Vertical	6004.00	-40.59	-13.00	-27.59	Vertical
7255.00	-42.44	-13.00	-29.44	Vertical	7255.00	-42.79	-13.00	-29.79	Vertical
8506.00	-45.46	-13.00	-32.46	Vertical	8254.00	-43.54	-13.00	-30.54	Vertical
<b>LTE B26 QPSK-15M-Low</b>					<b>LTE B26 QPSK-15M-Mid</b>				
Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization	Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization
1486.00	-37.53	-13.00	-24.53	Horizontal	2395.00	-49.54	-13.00	-36.54	Horizontal
3916.00	-40.64	-13.00	-27.64	Horizontal	3043.00	-41.04	-13.00	-28.04	Horizontal
4411.00	-36.89	-13.00	-23.89	Horizontal	4861.00	-42.18	-13.00	-29.18	Horizontal
5500.00	-44.16	-13.00	-31.16	Horizontal	6004.00	-43.39	-13.00	-30.39	Horizontal
6913.00	-41.04	-13.00	-28.04	Horizontal	7498.00	-43.39	-13.00	-30.39	Horizontal
8947.00	-38.28	-13.00	-25.28	Horizontal	8506.00	-44.15	-13.00	-31.15	Horizontal
Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization	Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization
1495.00	-46.75	-13.00	-33.75	Vertical	1495.00	-45.49	-13.00	-32.49	Vertical
4177.00	-45.98	-13.00	-32.98	Vertical	4996.00	-44.27	-13.00	-31.27	Vertical
4996.00	-44.85	-13.00	-31.85	Vertical	5500.00	-43.29	-13.00	-30.29	Vertical
5500.00	-42.78	-13.00	-29.78	Vertical	6004.00	-40.51	-13.00	-27.51	Vertical
6004.00	-38.79	-13.00	-25.79	Vertical	7003.00	-40.91	-13.00	-27.91	Vertical
7003.00	-41.77	-13.00	-28.77	Vertical	7255.00	-42.32	-13.00	-29.32	Vertical
<b>LTE B26 QPSK-15M-High</b>					<b>LTE B26 16QAM-15M-Low</b>				

Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization	Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization
1495.00	-50.85	-13.00	-37.85	Horizontal	1666.00	-50.79	-13.00	-37.79	Horizontal
2395.00	-49.43	-13.00	-36.43	Horizontal	2395.00	-49.69	-13.00	-36.69	Horizontal
4996.00	-46.31	-13.00	-33.31	Horizontal	4177.00	-47.62	-13.00	-34.62	Horizontal
6004.00	-43.04	-13.00	-30.04	Horizontal	5500.00	-44.22	-13.00	-31.22	Horizontal
7255.00	-42.90	-13.00	-29.90	Horizontal	6004.00	-44.16	-13.00	-31.16	Horizontal
8506.00	-43.88	-13.00	-30.88	Horizontal	7498.00	-43.24	-13.00	-30.24	Horizontal
Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization	Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization
1495.00	-44.96	-13.00	-31.96	Vertical	1495.00	-45.76	-13.00	-32.76	Vertical
1963.00	-42.81	-13.00	-29.81	Vertical	4996.00	-45.13	-13.00	-32.13	Vertical
3142.00	-44.36	-13.00	-31.36	Vertical	5500.00	-43.28	-13.00	-30.28	Vertical
5500.00	-42.59	-13.00	-29.59	Vertical	5752.00	-42.96	-13.00	-29.96	Vertical
6004.00	-40.35	-13.00	-27.35	Vertical	6004.00	-39.44	-13.00	-26.44	Vertical
7003.00	-40.76	-13.00	-27.76	Vertical	7255.00	-43.07	-13.00	-30.07	Vertical
LTE B26 16QAM-15M-Mid					LTE B26 16QAM-15M-High				

**LTE Band 41**

Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization	Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization
1308.00	-33.28	-25.00	-8.28	Horizontal	1006.00	-33.15	-25.00	-8.15	Horizontal
1608.00	-31.80	-25.00	-6.80	Horizontal	1214.00	-33.54	-25.00	-8.54	Horizontal
1674.00	-30.22	-25.00	-5.22	Horizontal	1780.00	-29.87	-25.00	-4.87	Horizontal
2496.00	18.99	-25.00	/	Horizontal	2192.00	-28.19	-25.00	-3.19	Horizontal
2654.00	-25.26	-25.00	-0.26	Horizontal	2592.00	19.58	-25.00	/	Horizontal
2974.00	-25.49	-25.00	-0.49	Horizontal	2850.00	-25.49	-25.00	-0.49	Horizontal
4980.00	-44.98	-25.00	-19.98	Horizontal	4995.00	-45.25	-25.00	-20.25	Horizontal
6000.00	-41.79	-25.00	-16.79	Horizontal	6000.00	-42.12	-25.00	-17.12	Horizontal
7485.00	-37.92	-25.00	-12.92	Horizontal	7770.00	-42.66	-25.00	-17.66	Horizontal
10005.00	-39.51	-25.00	-14.51	Horizontal	10005.00	-40.21	-25.00	-15.21	Horizontal
11505.00	-43.34	-25.00	-18.34	Horizontal	11745.00	-43.68	-25.00	-18.68	Horizontal
17895.00	-42.66	-25.00	-17.66	Horizontal	16005.00	-42.41	-25.00	-17.41	Horizontal
Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization	Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization
1268.00	-32.54	-25.00	-7.54	Vertical	1002.00	-32.06	-25.00	-7.06	Vertical
1838.00	-29.93	-25.00	-4.93	Vertical	1580.00	-32.37	-25.00	-7.37	Vertical
2146.00	-28.32	-25.00	-3.32	Vertical	1926.00	-29.51	-25.00	-4.51	Vertical
2496.00	12.14	-25.00	/	Vertical	2220.00	-28.97	-25.00	-3.97	Vertical
2960.00	-25.33	-25.00	-0.33	Vertical	2592.00	7.78	-25.00	/	Vertical
5490.00	-40.96	-25.00	-15.96	Vertical	2790.00	-25.16	-25.00	-0.16	Vertical
5745.00	-40.43	-25.00	-15.43	Vertical	4995.00	-41.48	-25.00	-16.48	Vertical
6000.00	-36.73	-25.00	-11.73	Vertical	5490.00	-41.13	-25.00	-16.13	Vertical
7485.00	-38.92	-25.00	-13.92	Vertical	5745.00	-40.59	-25.00	-15.59	Vertical
10005.00	-39.07	-25.00	-14.07	Vertical	6000.00	-38.23	-25.00	-13.23	Vertical
17775.00	-37.11	-25.00	-12.11	Vertical	7770.00	-42.23	-25.00	-17.23	Vertical
					10005.00	-38.59	-25.00	-13.59	Vertical

LTE B41 QPSK-5M-Low	LTE B41 QPSK-5M-Mid
---------------------	---------------------

Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization	Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization
1332.00	-34.06	-25.00	-9.06	Horizontal	1552.00	-31.53	-25.00	-6.53	Horizontal
1634.00	-32.27	-25.00	-7.27	Horizontal	1800.00	-30.68	-25.00	-5.68	Horizontal
1892.00	-29.64	-25.00	-4.64	Horizontal	2046.00	-28.79	-25.00	-3.79	Horizontal
2282.00	-28.21	-25.00	-3.21	Horizontal	2496.00	18.88	-25.00	/	Horizontal
2686.00	21.75	-25.00	/	Horizontal	2824.00	-25.55	-25.00	-0.55	Horizontal
2854.00	-25.64	-25.00	-0.64	Horizontal	2948.00	-25.77	-25.00	-0.77	Horizontal
1386.00	-42.97	-25.00	-17.97	Horizontal	6000.00	-42.03	-25.00	-17.03	Horizontal
1824.00	-44.68	-25.00	-19.68	Horizontal	7485.00	-36.25	-25.00	-11.25	Horizontal
2050.00	-40.99	-25.00	-15.99	Horizontal	8505.00	-40.33	-25.00	-15.33	Horizontal
2686.00	-44.07	-25.00	-19.07	Horizontal	10005.00	-39.56	-25.00	-14.56	Horizontal
2970.00	-42.38	-25.00	-17.38	Horizontal	11505.00	-43.94	-25.00	-18.94	Horizontal
1000.00	-40.05	-25.00	-15.05	Horizontal	16005.00	-41.34	-25.00	-16.34	Horizontal
Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization	Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization
1386.00	-33.43	-25.00	-8.43	Vertical	1418.00	-32.09	-25.00	-7.09	Vertical
1824.00	-29.73	-25.00	-4.73	Vertical	1772.00	-30.18	-25.00	-5.18	Vertical
2050.00	-29.07	-25.00	-4.07	Vertical	1936.00	-29.84	-25.00	-4.84	Vertical
2686.00	12.76	-25.00	/	Vertical	1992.00	-28.46	-25.00	-3.46	Vertical
1000.00	-33.44	-25.00	-8.44	Vertical	2496.00	12.15	-25.00	/	Vertical
4995.00	-41.59	-25.00	-16.59	Vertical	2756.00	-26.01	-25.00	-1.01	Vertical
5490.00	-40.64	-25.00	-15.64	Vertical	4245.00	-42.03	-25.00	-17.03	Vertical
5745.00	-40.38	-25.00	-15.38	Vertical	5745.00	-40.37	-25.00	-15.37	Vertical
6000.00	-39.02	-25.00	-14.02	Vertical	6000.00	-36.88	-25.00	-11.88	Vertical
8055.00	-39.85	-25.00	-14.85	Vertical	7485.00	-41.77	-25.00	-16.77	Vertical
10005.00	-39.19	-25.00	-14.19	Vertical	10005.00	-38.86	-25.00	-13.86	Vertical
					17955.00	-41.05	-25.00	-16.05	Vertical

LTE B41 QPSK-5M-High	LTE B41 16QAM-5M-Low
----------------------	----------------------

Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization	Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization
1282.00	-33.31	-25.00	-8.31	Horizontal	1294.00	-33.14	-25.00	-8.14	Horizontal
1786.00	-29.93	-25.00	-4.93	Horizontal	1850.00	-29.82	-25.00	-4.82	Horizontal
1926.00	-29.80	-25.00	-4.80	Horizontal	2022.00	-30.01	-25.00	-5.01	Horizontal
2272.00	-28.74	-25.00	-3.74	Horizontal	2188.00	-28.69	-25.00	-3.69	Horizontal
2592.00	19.56	-25.00	/	Horizontal	2686.00	21.20	-25.00	/	Horizontal
2652.00	-25.28	-25.00	-0.28	Horizontal	2878.00	-25.46	-25.00	-0.46	Horizontal
5490.00	-46.12	-25.00	-21.12	Horizontal	4995.00	-44.12	-25.00	-19.12	Horizontal
6000.00	-40.76	-25.00	-15.76	Horizontal	6000.00	-42.62	-25.00	-17.62	Horizontal
7770.00	-42.08	-25.00	-17.08	Horizontal	7245.00	-42.68	-25.00	-17.68	Horizontal
10005.00	-39.54	-25.00	-14.54	Horizontal	8055.00	-43.16	-25.00	-18.16	Horizontal
11505.00	-43.78	-25.00	-18.78	Horizontal	10005.00	-38.65	-25.00	-13.65	Horizontal
16005.00	-43.20	-25.00	-18.20	Horizontal	16005.00	-40.76	-25.00	-15.76	Horizontal
Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization	Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization
1212.00	-33.05	-25.00	-8.05	Vertical	1242.00	-33.66	-25.00	-8.66	Vertical
1496.00	-31.76	-25.00	-6.76	Vertical	1484.00	-32.54	-25.00	-7.54	Vertical
1810.00	-28.34	-25.00	-3.34	Vertical	1884.00	-28.34	-25.00	-3.34	Vertical
2094.00	-28.31	-25.00	-3.31	Vertical	2022.00	-28.88	-25.00	-3.88	Vertical
2592.00	14.32	-25.00	/	Vertical	2686.00	12.24	-25.00	/	Vertical
4995.00	-42.37	-25.00	-17.37	Vertical	2832.00	-25.30	-25.00	-0.30	Vertical
5490.00	-41.73	-25.00	-16.73	Vertical	4995.00	-39.65	-25.00	-14.65	Vertical
5745.00	-40.50	-25.00	-15.50	Vertical	5745.00	-40.84	-25.00	-15.84	Vertical
6000.00	-37.29	-25.00	-12.29	Vertical	6000.00	-37.08	-25.00	-12.08	Vertical
6750.00	-43.04	-25.00	-18.04	Vertical	8055.00	-42.05	-25.00	-17.05	Vertical
10005.00	-39.82	-25.00	-14.82	Vertical	10005.00	-39.56	-25.00	-14.56	Vertical
					17985.00	-42.17	-25.00	-17.17	Vertical

LTE B41 16QAM-5M-Mid	LTE B41 16QAM-5M-High
----------------------	-----------------------



Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization
1210.00	-33.42	-25.00	-8.42	Horizontal
1732.00	-32.06	-25.00	-7.06	Horizontal
2052.00	-28.98	-25.00	-3.98	Horizontal
2498.00	16.77	-25.00	/	Horizontal
2806.00	-25.76	-25.00	-0.76	Horizontal
2968.00	-25.67	-25.00	-0.67	Horizontal
4995.00	-44.26	-25.00	-19.26	Horizontal
6000.00	-39.87	-25.00	-14.87	Horizontal
7485.00	-38.77	-25.00	-13.77	Horizontal
10005.00	-39.43	-25.00	-14.43	Horizontal
10995.00	-41.68	-25.00	-16.68	Horizontal
11745.00	-44.61	-25.00	-19.61	Horizontal
1624.00	-28.72	-25.00	-3.72	Vertical
2160.00	-29.25	-25.00	-4.25	Vertical
2498.00	14.15	-25.00	/	Vertical
2920.00	-25.19	-25.00	-0.19	Vertical
4995.00	-41.60	-25.00	-16.60	Vertical
5490.00	-42.11	-25.00	-17.11	Vertical
5745.00	-39.93	-25.00	-14.93	Vertical
6000.00	-38.61	-25.00	-13.61	Vertical
7485.00	-41.68	-25.00	-16.68	Vertical
10005.00	-38.97	-25.00	-13.97	Vertical

  

Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization
1002.00	-33.18	-25.00	-8.18	Horizontal
1192.00	-33.06	-25.00	-8.06	Horizontal
1818.00	-29.36	-25.00	-4.36	Horizontal
2188.00	-28.09	-25.00	-3.09	Horizontal
2590.00	20.26	-25.00	/	Horizontal
4995.00	-44.50	-25.00	-19.50	Horizontal
6000.00	-42.34	-25.00	-17.34	Horizontal
7770.00	-41.31	-25.00	-16.31	Horizontal
10005.00	-38.96	-25.00	-13.96	Horizontal
11505.00	-42.46	-25.00	-17.46	Horizontal
17925.00	-42.72	-25.00	-17.72	Horizontal
1140.00	-32.92	-25.00	-7.92	Vertical
1920.00	-28.79	-25.00	-3.79	Vertical
2590.00	11.18	-25.00	/	Vertical
5490.00	-44.93	-25.00	-19.93	Vertical
6000.00	-41.94	-25.00	-16.94	Vertical
6990.00	-42.18	-25.00	-17.18	Vertical
7770.00	-40.00	-25.00	-15.00	Vertical
10005.00	-39.25	-25.00	-14.25	Vertical
16005.00	-40.03	-25.00	-15.03	Vertical

  

Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization
1214.00	-31.76	-25.00	-6.76	Horizontal
1796.00	-28.86	-25.00	-3.86	Horizontal
2260.00	-27.61	-25.00	-2.61	Horizontal
2682.00	16.58	-25.00	/	Horizontal
6000.00	-41.67	-25.00	-16.67	Horizontal
6750.00	-41.35	-25.00	-16.35	Horizontal
8040.00	-38.42	-25.00	-13.42	Horizontal
10005.00	-39.63	-25.00	-14.63	Horizontal
10755.00	-43.06	-25.00	-18.06	Horizontal
16005.00	-41.74	-25.00	-16.74	Horizontal
1808.00	-29.97	-25.00	-4.97	Vertical
2250.00	-28.09	-25.00	-3.09	Vertical
2682.00	15.08	-25.00	/	Vertical
2806.00	-25.44	-25.00	-0.44	Vertical
4995.00	-45.55	-25.00	-20.55	Vertical
6000.00	-42.13	-25.00	-17.13	Vertical
8040.00	-38.28	-25.00	-13.28	Vertical
10005.00	-39.99	-25.00	-14.99	Vertical
11505.00	-42.93	-25.00	-17.93	Vertical
16005.00	-41.13	-25.00	-16.13	Vertical

  

Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization
1216.00	-33.29	-25.00	-8.29	Horizontal
1618.00	-31.85	-25.00	-6.85	Horizontal
2084.00	-29.47	-25.00	-4.47	Horizontal
2498.00	16.74	-25.00	/	Horizontal
2768.00	-25.73	-25.00	-0.73	Horizontal
2980.00	-25.66	-25.00	-0.66	Horizontal
4995.00	-43.47	-25.00	-18.47	Horizontal
6000.00	-41.47	-25.00	-16.47	Horizontal
7485.00	-39.07	-25.00	-14.07	Horizontal
10005.00	-39.43	-25.00	-14.43	Horizontal
16005.00	-42.36	-25.00	-17.36	Horizontal
17910.00	-42.59	-25.00	-17.59	Horizontal
1336.00	-32.69	-25.00	-7.69	Vertical
1618.00	-32.29	-25.00	-7.29	Vertical
1892.00	-29.34	-25.00	-4.34	Vertical
2350.00	-27.94	-25.00	-2.94	Vertical
2498.00	14.34	-25.00	/	Vertical
2828.00	-25.51	-25.00	-0.51	Vertical
4995.00	-40.88	-25.00	-15.88	Vertical
6000.00	-38.78	-25.00	-13.78	Vertical
7485.00	-37.67	-25.00	-12.67	Vertical
10005.00	-38.70	-25.00	-13.70	Vertical
13800.00	-38.53	-25.00	-13.53	Vertical
14430.00	-34.73	-25.00	-9.73	Vertical

  

Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization
1782.00	-29.97	-25.00	-4.97	Horizontal
2012.00	-29.80	-25.00	-4.80	Horizontal
2590.00	14.51	-25.00	/	Horizontal
2860.00	-25.54	-25.00	-0.54	Horizontal
6000.00	-41.68	-25.00	-16.68	Horizontal
7245.00	-41.68	-25.00	-16.68	Horizontal
10005.00	-39.54	-25.00	-14.54	Horizontal
10995.00	-41.34	-25.00	-16.34	Horizontal
12930.00	-41.76	-25.00	-16.76	Horizontal
16005.00	-41.81	-25.00	-16.81	Horizontal
1842.00	-28.97	-25.00	-3.97	Vertical
2122.00	-28.89	-25.00	-3.89	Vertical
2590.00	9.03	-25.00	/	Vertical
2844.00	-25.02	-25.00	-0.02	Vertical
4995.00	-41.95	-25.00	-16.95	Vertical
5490.00	-41.38	-25.00	-16.38	Vertical
5745.00	-39.77	-25.00	-14.77	Vertical
6000.00	-39.14	-25.00	-14.14	Vertical
10005.00	-42.16	-25.00	-17.16	Vertical
17940.00	-42.37	-25.00	-17.37	Vertical

  

Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization
1422.00	-32.48	-25.00	-7.48	Horizontal
1842.00	-29.02	-25.00	-4.02	Horizontal
2336.00	-27.33	-25.00	-2.33	Horizontal
2682.00	22.02	-25.00	/	Horizontal
2848.00	-25.20	-25.00	-0.20	Horizontal
4995.00	-45.25	-25.00	-20.25	Horizontal
6000.00	-40.55	-25.00	-15.55	Horizontal
7245.00	-42.11	-25.00	-17.11	Horizontal
8040.00	-41.79	-25.00	-16.79	Horizontal
8505.00	-41.74	-25.00	-16.74	Horizontal
10005.00	-38.55	-25.00	-13.55	Horizontal
1640.00	-32.05	-25.00	-7.05	Vertical
1908.00	-29.56	-25.00	-4.56	Vertical
2452.00	-27.83	-25.00	-2.83	Vertical
2682.00	15.40	-25.00	/	Vertical
2946.00	-25.87	-25.00	-0.87	Vertical
4995.00	-42.28	-25.00	-17.28	Vertical
5490.00	-41.18	-25.00	-16.18	Vertical
5745.00	-40.79	-25.00	-15.79	Vertical
6000.00	-36.95	-25.00	-11.95	Vertical
8040.00	-41.60	-25.00	-16.60	Vertical
10005.00	-38.22	-25.00	-13.22	Vertical

LTE B41 QPSK-20M-Low

LTE B41 QPSK-20M-Mid

LTE B41 QPSK-20M-High

LTE B41 16QAM-20M-Low

LTE B41 16QAM-20M-Mid

LTE B41 16QAM-20M-High

**LTE Band 66**

Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization	Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization
1710.00	20.25	-13.00	/	Horizontal	1630.00	-31.05	-13.00	-18.05	Horizontal
2262.00	-27.56	-13.00	-14.56	Horizontal	1744.00	19.38	-13.00	/	Horizontal
2514.00	-25.95	-13.00	-12.95	Horizontal	2262.00	-27.30	-13.00	-14.30	Horizontal
2806.00	-24.63	-13.00	-11.63	Horizontal	2726.00	-25.65	-13.00	-12.65	Horizontal
2862.00	-24.49	-13.00	-11.49	Horizontal	2814.00	-25.38	-13.00	-12.38	Horizontal
2982.00	-24.25	-13.00	-11.25	Horizontal	2848.00	-24.23	-13.00	-11.23	Horizontal
4995.00	-42.89	-13.00	-29.89	Horizontal	4995.00	-42.61	-13.00	-29.61	Horizontal
5130.00	-33.32	-13.00	-20.32	Horizontal	7245.00	-40.39	-13.00	-27.39	Horizontal
6000.00	-42.70	-13.00	-29.70	Horizontal	10005.00	-41.93	-13.00	-28.93	Horizontal
7245.00	-39.11	-13.00	-26.11	Horizontal	11505.00	-43.19	-13.00	-30.19	Horizontal
10005.00	-40.11	-13.00	-27.11	Horizontal	12495.00	-45.00	-13.00	-32.00	Horizontal
10755.00	-42.81	-13.00	-29.81	Horizontal	17850.00	-41.55	-13.00	-28.55	Horizontal
Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization	Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization
1290.00	-31.82	-13.00	-18.82	Vertical	1522.00	-32.46	-13.00	-19.46	Vertical
1548.00	-30.85	-13.00	-17.85	Vertical	1724.00	-25.87	-13.00	-12.87	Vertical
1710.00	24.21	-13.00	/	Vertical	1744.00	24.79	-13.00	/	Vertical
2110.00	-21.50	-13.00	-8.50	Vertical	2146.00	-21.15	-13.00	-8.15	Vertical
2570.00	-25.77	-13.00	-12.77	Vertical	2622.00	-25.87	-13.00	-12.87	Vertical
2972.00	-24.64	-13.00	-11.64	Vertical	2836.00	-24.27	-13.00	-11.27	Vertical
4995.00	-40.91	-13.00	-27.91	Vertical	4995.00	-41.06	-13.00	-28.06	Vertical
5130.00	-38.37	-13.00	-25.37	Vertical	5745.00	-42.66	-13.00	-29.66	Vertical
5745.00	-43.37	-13.00	-30.37	Vertical	7245.00	-42.65	-13.00	-29.65	Vertical
7245.00	-42.52	-13.00	-29.52	Vertical	8505.00	-42.05	-13.00	-29.05	Vertical
10005.00	-41.74	-13.00	-28.74	Vertical	10005.00	-40.76	-13.00	-27.76	Vertical
17340.00	-37.55	-13.00	-24.55	Vertical	12495.00	-43.07	-13.00	-30.07	Vertical
LTE B66 QPSK-1.4M-Low					LTE B66 QPSK-1.4M-Mid				
Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization	Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization
1634.00	-30.91	-13.00	-17.91	Horizontal	1536.00	-25.95	-13.00	-12.95	Horizontal
1778.00	18.83	-13.00	/	Horizontal	1710.00	19.42	-13.00	/	Horizontal
2154.00	-28.39	-13.00	-15.39	Horizontal	1830.00	-29.03	-13.00	-16.03	Horizontal
2484.00	-25.74	-13.00	-12.74	Horizontal	2196.00	-27.82	-13.00	-14.82	Horizontal
2708.00	-25.10	-13.00	-12.10	Horizontal	2666.00	-25.67	-13.00	-12.67	Horizontal
2996.00	-25.17	-13.00	-12.17	Horizontal	2856.00	-24.40	-13.00	-11.40	Horizontal
4995.00	-43.55	-13.00	-30.55	Horizontal	4995.00	-43.86	-13.00	-30.86	Horizontal
6000.00	-43.31	-13.00	-30.31	Horizontal	6000.00	-43.10	-13.00	-30.10	Horizontal
7245.00	-40.00	-13.00	-27.00	Horizontal	7245.00	-41.85	-13.00	-28.85	Horizontal
8505.00	-39.72	-13.00	-26.72	Horizontal	8505.00	-43.32	-13.00	-30.32	Horizontal
10005.00	-40.14	-13.00	-27.14	Horizontal	10005.00	-41.17	-13.00	-28.17	Horizontal
12495.00	-44.77	-13.00	-31.77	Horizontal	17715.00	-42.81	-13.00	-29.81	Horizontal
Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization	Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization
1260.00	-27.44	-13.00	-14.44	Vertical	1352.00	-32.00	-13.00	-19.00	Vertical
1298.00	-28.12	-13.00	-15.12	Vertical	1710.00	23.47	-13.00	/	Vertical
1778.00	19.30	-13.00	/	Vertical	1728.00	-27.70	-13.00	-14.70	Vertical
2098.00	-27.79	-13.00	-14.79	Vertical	2110.00	-22.47	-13.00	-9.47	Vertical
2256.00	-27.01	-13.00	-14.01	Vertical	2290.00	-27.26	-13.00	-14.26	Vertical
2808.00	-25.09	-13.00	-12.09	Vertical	2672.00	-25.42	-13.00	-12.42	Vertical
3990.00	-46.95	-13.00	-33.95	Vertical	4995.00	-43.30	-13.00	-30.30	Vertical
4995.00	-43.26	-13.00	-30.26	Vertical	5745.00	-41.92	-13.00	-28.92	Vertical
5745.00	-41.03	-13.00	-28.03	Vertical	6000.00	-41.19	-13.00	-28.19	Vertical
6000.00	-41.67	-13.00	-28.67	Vertical	7245.00	-42.74	-13.00	-29.74	Vertical
6990.00	-42.40	-13.00	-29.40	Vertical	8505.00	-43.49	-13.00	-30.49	Vertical
10005.00	-40.36	-13.00	-27.36	Vertical	10005.00	-39.81	-13.00	-26.81	Vertical
LTE B66 QPSK-1.4M-High					LTE B66 16QAM-1.4M-Low				
Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization	Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization
1422.00	-32.47	-13.00	-19.47	Horizontal	1424.00	-29.07	-13.00	-16.07	Horizontal
1602.00	-30.73	-13.00	-17.73	Horizontal	1466.00	-27.15	-13.00	-14.15	Horizontal
1744.00	20.18	-13.00	/	Horizontal	1538.00	-24.05	-13.00	-11.05	Horizontal
2146.00	-28.03	-13.00	-15.03	Horizontal	1778.00	20.00	-13.00	/	Horizontal
2504.00	-26.25	-13.00	-13.25	Horizontal	2368.00	-27.10	-13.00	-14.10	Horizontal
2862.00	-24.70	-13.00	-11.70	Horizontal	2856.00	-24.48	-13.00	-11.48	Horizontal
4995.00	-44.34	-13.00	-31.34	Horizontal	4995.00	-42.89	-13.00	-29.89	Horizontal
6000.00	-43.85	-13.00	-30.85	Horizontal	6000.00	-43.77	-13.00	-30.77	Horizontal
7245.00	-41.20	-13.00	-28.20	Horizontal	7245.00	-43.08	-13.00	-30.08	Horizontal
8505.00	-43.90	-13.00	-30.90	Horizontal	8505.00	-43.44	-13.00	-30.44	Horizontal
10005.00	-39.37	-13.00	-26.37	Horizontal	9135.00	-43.44	-13.00	-30.44	Horizontal
12495.00	-43.75	-13.00	-30.75	Horizontal	10005.00	-39.59	-13.00	-26.59	Horizontal
Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization	Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization
1120.00	-27.97	-13.00	-14.97	Vertical	1230.00	-32.63	-13.00	-19.63	Vertical
1744.00	24.09	-13.00	/	Vertical	1714.00	-31.04	-13.00	-18.04	Vertical
2146.00	-21.76	-13.00	-8.76	Vertical	1778.00	19.58	-13.00	/	Vertical
2268.00	-26.11	-13.00	-13.11	Vertical	2310.00	-27.66	-13.00	-14.66	Vertical
2638.00	-25.25	-13.00	-12.25	Vertical	2674.00	-25.60	-13.00	-12.60	Vertical
2926.00	-24.28	-13.00	-11.28	Vertical	2852.00	-24.93	-13.00	-11.93	Vertical
4995.00	-43.25	-13.00	-30.25	Vertical	4995.00	-43.62	-13.00	-30.62	Vertical
5745.00	-42.70	-13.00	-29.70	Vertical	5745.00	-42.71	-13.00	-29.71	Vertical
6990.00	-41.83	-13.00	-28.83	Vertical	6000.00	-42.54	-13.00	-29.54	Vertical
7245.00	-41.78	-13.00	-28.78	Vertical	6990.00	-42.84	-13.00	-29.84	Vertical
10005.00	-39.81	-13.00	-26.81	Vertical	8505.00	-42.31	-13.00	-29.31	Vertical
17400.00	-41.14	-13.00	-28.14	Vertical	10005.00	-40.54	-13.00	-27.54	Vertical
LTE B66 16QAM-1.4M-Mid					LTE B66 16QAM-1.4M-High				

Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization	Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization
1710.00	19.44	-13.00	/	Horizontal	1718.00	-26.36	-13.00	-13.36	Horizontal
1730.00	-26.00	-13.00	-13.00	Horizontal	1736.00	21.68	-13.00	/	Horizontal
2024.00	-28.93	-13.00	-15.93	Horizontal	1772.00	-24.62	-13.00	-11.62	Horizontal
2372.00	-26.86	-13.00	-13.86	Horizontal	2140.00	-27.65	-13.00	-14.65	Horizontal
2680.00	-25.77	-13.00	-12.77	Horizontal	2496.00	-25.00	-13.00	-12.00	Horizontal
2792.00	-24.55	-13.00	-11.55	Horizontal	2834.00	-24.04	-13.00	-11.04	Horizontal
4995.00	-42.44	-13.00	-29.44	Horizontal	6000.00	-43.51	-13.00	-30.51	Horizontal
6000.00	-43.26	-13.00	-30.26	Horizontal	6750.00	-42.26	-13.00	-29.26	Horizontal
7245.00	-42.70	-13.00	-29.70	Horizontal	7245.00	-41.73	-13.00	-28.73	Horizontal
8505.00	-43.13	-13.00	-30.13	Horizontal	8505.00	-42.45	-13.00	-29.45	Horizontal
10005.00	-40.44	-13.00	-27.44	Horizontal	10005.00	-41.53	-13.00	-28.53	Horizontal
12495.00	-44.17	-13.00	-31.17	Horizontal	13800.00	-41.02	-13.00	-28.02	Horizontal
Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization	Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization
1216.00	-24.45	-13.00	-11.45	Vertical	1722.00	-18.89	-13.00	-5.89	Vertical
1502.00	-27.11	-13.00	-14.11	Vertical	1736.00	26.49	-13.00	/	Vertical
1574.00	-23.42	-13.00	-10.42	Vertical	1772.00	-20.60	-13.00	-7.60	Vertical
1710.00	20.30	-13.00	/	Vertical	2152.00	-22.07	-13.00	-9.07	Vertical
2118.00	-21.68	-13.00	-8.68	Vertical	2742.00	-24.95	-13.00	-11.95	Vertical
2856.00	-24.52	-13.00	-11.52	Vertical	2854.00	-24.62	-13.00	-11.62	Vertical
5745.00	-42.80	-13.00	-29.80	Vertical	4995.00	-43.10	-13.00	-30.10	Vertical
6000.00	-41.98	-13.00	-28.98	Vertical	5745.00	-42.64	-13.00	-29.64	Vertical
6750.00	-41.99	-13.00	-28.99	Vertical	6000.00	-42.07	-13.00	-29.07	Vertical
8505.00	-43.15	-13.00	-30.15	Vertical	7245.00	-43.05	-13.00	-30.05	Vertical
10005.00	-38.91	-13.00	-25.91	Vertical	9255.00	-44.56	-13.00	-31.56	Vertical
12840.00	-42.98	-13.00	-29.98	Vertical	10005.00	-39.92	-13.00	-26.92	Vertical
LTE B66 QPSK-20M-Low					LTE B66 QPSK-20M-Mid				
Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization	Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization
1726.00	-29.88	-13.00	-16.88	Horizontal	1034.00	-26.29	-13.00	-13.29	Horizontal
1762.00	19.99	-13.00	/	Horizontal	1094.00	-25.31	-13.00	-12.31	Horizontal
2076.00	-28.72	-13.00	-15.72	Horizontal	1266.00	-21.12	-13.00	-8.12	Horizontal
2344.00	-26.74	-13.00	-13.74	Horizontal	1710.00	19.46	-13.00	/	Horizontal
2476.00	-25.95	-13.00	-12.95	Horizontal	1728.00	-24.74	-13.00	-11.74	Horizontal
2814.00	-24.34	-13.00	-11.34	Horizontal	2866.00	-24.27	-13.00	-11.27	Horizontal
4995.00	-42.25	-13.00	-29.25	Horizontal	4995.00	-44.18	-13.00	-31.18	Horizontal
6000.00	-44.33	-13.00	-31.33	Horizontal	6000.00	-42.48	-13.00	-29.48	Horizontal
7245.00	-42.55	-13.00	-29.55	Horizontal	7245.00	-39.65	-13.00	-26.65	Horizontal
8505.00	-43.03	-13.00	-30.03	Horizontal	7500.00	-44.05	-13.00	-31.05	Horizontal
10005.00	-41.19	-13.00	-28.19	Horizontal	8490.00	-43.72	-13.00	-30.72	Horizontal
11505.00	-44.93	-13.00	-31.93	Horizontal	10005.00	-41.51	-13.00	-28.51	Horizontal
Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization	Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization
1726.00	-27.77	-13.00	-14.77	Vertical	1710.00	23.30	-13.00	/	Vertical
1744.00	-26.64	-13.00	-13.64	Vertical	1728.00	-20.45	-13.00	-7.45	Vertical
1760.00	24.64	-13.00	/	Vertical	1746.00	-26.92	-13.00	-13.92	Vertical
1918.00	-28.08	-13.00	-15.08	Vertical	2118.00	-21.98	-13.00	-8.98	Vertical
2178.00	-22.52	-13.00	-9.52	Vertical	2504.00	-25.80	-13.00	-12.80	Vertical
2848.00	-24.90	-13.00	-11.90	Vertical	2766.00	-25.01	-13.00	-12.01	Vertical
4995.00	-43.06	-13.00	-30.06	Vertical	4995.00	-41.96	-13.00	-28.96	Vertical
5745.00	-42.32	-13.00	-29.32	Vertical	6000.00	-41.96	-13.00	-28.96	Vertical
6000.00	-42.23	-13.00	-29.23	Vertical	6990.00	-42.16	-13.00	-29.16	Vertical
6990.00	-42.01	-13.00	-29.01	Vertical	7245.00	-42.80	-13.00	-29.80	Vertical
8505.00	-43.58	-13.00	-30.58	Vertical	9255.00	-41.85	-13.00	-28.85	Vertical
10005.00	-40.17	-13.00	-27.17	Vertical	10005.00	-40.76	-13.00	-27.76	Vertical
LTE B66 QPSK-20M-High					LTE B66 16QAM-20M-Low				
Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization	Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization
1718.00	-23.68	-13.00	-10.68	Horizontal	1442.00	-29.50	-13.00	-16.50	Horizontal
1736.00	21.07	-13.00	/	Horizontal	1548.00	-26.64	-13.00	-13.64	Horizontal
1772.00	-24.28	-13.00	-11.28	Horizontal	1760.00	19.65	-13.00	/	Horizontal
2316.00	-27.66	-13.00	-14.66	Horizontal	1778.00	-17.98	-13.00	-4.98	Horizontal
2708.00	-25.68	-13.00	-12.68	Horizontal	2260.00	-27.22	-13.00	-14.22	Horizontal
2766.00	-24.70	-13.00	-11.70	Horizontal	2834.00	-24.90	-13.00	-11.90	Horizontal
4995.00	-42.59	-13.00	-29.59	Horizontal	4995.00	-43.68	-13.00	-30.68	Horizontal
6000.00	-41.79	-13.00	-28.79	Horizontal	5175.00	-43.24	-13.00	-30.24	Horizontal
7245.00	-41.81	-13.00	-28.81	Horizontal	6000.00	-43.21	-13.00	-30.21	Horizontal
8505.00	-43.10	-13.00	-30.10	Horizontal	7245.00	-41.23	-13.00	-28.23	Horizontal
10005.00	-41.48	-13.00	-28.48	Horizontal	8505.00	-43.35	-13.00	-30.35	Horizontal
17865.00	-41.50	-13.00	-28.50	Horizontal	10005.00	-40.59	-13.00	-27.59	Horizontal
Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization	Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization
1008.00	-24.14	-13.00	-11.14	Vertical	1724.00	-27.61	-13.00	-14.61	Vertical
1736.00	25.63	-13.00	/	Vertical	1760.00	24.80	-13.00	/	Vertical
1772.00	-20.70	-13.00	-7.70	Vertical	1778.00	-18.15	-13.00	-5.15	Vertical
1940.00	-29.21	-13.00	-16.21	Vertical	2168.00	-22.49	-13.00	-9.49	Vertical
2148.00	-20.07	-13.00	-7.07	Vertical	2500.00	-26.15	-13.00	-13.15	Vertical
2714.00	-24.73	-13.00	-11.73	Vertical	2850.00	-24.74	-13.00	-11.74	Vertical
4995.00	-42.72	-13.00	-29.72	Vertical	4995.00	-43.22	-13.00	-30.22	Vertical
5745.00	-41.09	-13.00	-28.09	Vertical	5745.00	-41.76	-13.00	-28.76	Vertical
6990.00	-41.45	-13.00	-28.45	Vertical	6000.00	-41.59	-13.00	-28.59	Vertical
8505.00	-40.96	-13.00	-27.96	Vertical	7245.00	-42.10	-13.00	-29.10	Vertical
10005.00	-40.06	-13.00	-27.06	Vertical	8505.00	-43.70	-13.00	-30.70	Vertical
15105.00	-42.24	-13.00	-29.24	Vertical	10005.00	-39.92	-13.00	-26.92	Vertical
LTE B66 16QAM-20M-Mid					LTE B66 16QAM-20M-High				

**LTE Band 71**

Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization	Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization
2395.00	-47.86	-13.00	-34.86	Horizontal	4996.00	-43.33	-13.00	-30.33	Horizontal
4996.00	-43.04	-13.00	-30.04	Horizontal	6004.00	-44.80	-13.00	-31.80	Horizontal
6004.00	-44.00	-13.00	-31.00	Horizontal	7003.00	-44.83	-13.00	-31.83	Horizontal
7255.00	-42.90	-13.00	-29.90	Horizontal	7255.00	-41.84	-13.00	-28.84	Horizontal
7498.00	-42.64	-13.00	-29.64	Horizontal	7498.00	-43.26	-13.00	-30.26	Horizontal
8002.00	-45.30	-13.00	-32.30	Horizontal	9001.00	-44.55	-13.00	-31.55	Horizontal
Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization	Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization
4996.00	-42.14	-13.00	-29.14	Vertical	4069.00	-46.64	-13.00	-33.64	Vertical
5752.00	-41.93	-13.00	-28.93	Vertical	4996.00	-42.53	-13.00	-29.53	Vertical
6004.00	-42.71	-13.00	-29.71	Vertical	5752.00	-41.73	-13.00	-28.73	Vertical
7003.00	-43.46	-13.00	-30.46	Vertical	6004.00	-41.48	-13.00	-28.48	Vertical
7255.00	-43.24	-13.00	-30.24	Vertical	7255.00	-42.60	-13.00	-29.60	Vertical
7498.00	-43.80	-13.00	-30.80	Vertical	8506.00	-44.16	-13.00	-31.16	Vertical
LTE B71 QPSK-5M-Low					LTE B71 QPSK-5M-Mid				
Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization	Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization
4996.00	-42.40	-13.00	-29.40	Horizontal	2521.00	-47.36	-13.00	-34.36	Horizontal
6004.00	-41.48	-13.00	-28.48	Horizontal	4996.00	-42.33	-13.00	-29.33	Horizontal
7003.00	-44.49	-13.00	-31.49	Horizontal	6004.00	-43.30	-13.00	-30.30	Horizontal
7255.00	-43.40	-13.00	-30.40	Horizontal	7255.00	-41.14	-13.00	-28.14	Horizontal
7498.00	-42.94	-13.00	-29.94	Horizontal	7498.00	-43.15	-13.00	-30.15	Horizontal
8506.00	-44.22	-13.00	-31.22	Horizontal	8506.00	-43.72	-13.00	-30.72	Horizontal
Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization	Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization
4996.00	-42.29	-13.00	-29.29	Vertical	1495.00	-47.66	-13.00	-34.66	Vertical
5500.00	-43.17	-13.00	-30.17	Vertical	4996.00	-41.52	-13.00	-28.52	Vertical
5752.00	-42.72	-13.00	-29.72	Vertical	5752.00	-41.41	-13.00	-28.41	Vertical
6004.00	-41.41	-13.00	-28.41	Vertical	6004.00	-42.09	-13.00	-29.09	Vertical
7003.00	-43.43	-13.00	-30.43	Vertical	7003.00	-42.39	-13.00	-29.39	Vertical
7498.00	-42.30	-13.00	-29.30	Vertical	7255.00	-41.01	-13.00	-28.01	Vertical
LTE B71 QPSK-5M-High					LTE B71 16QAM-5M-Low				
Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization	Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization
2395.00	-48.62	-13.00	-35.62	Horizontal	1774.00	-45.80	-13.00	-32.80	Horizontal
4996.00	-43.22	-13.00	-30.22	Horizontal	4060.00	-46.40	-13.00	-33.40	Horizontal
6004.00	-43.22	-13.00	-30.22	Horizontal	4996.00	-43.45	-13.00	-30.45	Horizontal
7255.00	-42.04	-13.00	-29.04	Horizontal	6004.00	-44.28	-13.00	-31.28	Horizontal
7498.00	-43.13	-13.00	-30.13	Horizontal	7255.00	-42.10	-13.00	-29.10	Horizontal
8506.00	-43.93	-13.00	-30.93	Horizontal	8506.00	-44.55	-13.00	-31.55	Horizontal
Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization	Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization
4996.00	-43.29	-13.00	-30.29	Vertical	2395.00	-49.66	-13.00	-36.66	Vertical
5500.00	-43.78	-13.00	-30.78	Vertical	4159.00	-46.50	-13.00	-33.50	Vertical
5752.00	-42.66	-13.00	-29.66	Vertical	4996.00	-43.13	-13.00	-30.13	Vertical
6004.00	-41.73	-13.00	-28.73	Vertical	5752.00	-42.68	-13.00	-29.68	Vertical
7255.00	-42.00	-13.00	-29.00	Vertical	7255.00	-43.55	-13.00	-30.55	Vertical
9001.00	-44.75	-13.00	-31.75	Vertical	9001.00	-45.33	-13.00	-32.33	Vertical
LTE B71 16QAM-5M-Mid					LTE B71 16QAM-5M-High				
Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization	Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization
2746.00	-45.14	-13.00	-32.14	Horizontal	2395.00	-48.42	-13.00	-35.42	Horizontal
3151.00	-40.63	-13.00	-27.63	Horizontal	4024.00	-46.99	-13.00	-33.99	Horizontal
4996.00	-43.89	-13.00	-30.89	Horizontal	4996.00	-42.95	-13.00	-29.95	Horizontal
6004.00	-44.33	-13.00	-31.33	Horizontal	6004.00	-44.07	-13.00	-31.07	Horizontal
7255.00	-41.98	-13.00	-28.98	Horizontal	7255.00	-39.96	-13.00	-26.96	Horizontal
7498.00	-43.67	-13.00	-30.67	Horizontal	7498.00	-43.24	-13.00	-30.24	Horizontal
Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization	Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization
4645.00	-45.62	-13.00	-32.62	Vertical	1018.00	-33.68	-13.00	-20.68	Vertical
4996.00	-42.87	-13.00	-29.87	Vertical	1567.00	-41.25	-13.00	-28.25	Vertical
5752.00	-42.29	-13.00	-29.29	Vertical	4996.00	-42.95	-13.00	-29.95	Vertical
6004.00	-41.32	-13.00	-28.32	Vertical	5752.00	-41.70	-13.00	-28.70	Vertical
7255.00	-42.72	-13.00	-29.72	Vertical	6004.00	-41.66	-13.00	-28.66	Vertical
7498.00	-44.06	-13.00	-31.06	Vertical	7255.00	-42.46	-13.00	-29.46	Vertical
LTE B71 QPSK-20M-Low					LTE B71 QPSK-20M-Mid				
Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization	Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization
2395.00	-48.90	-13.00	-35.90	Horizontal	4996.00	-44.89	-13.00	-31.89	Horizontal
4996.00	-43.24	-13.00	-30.24	Horizontal	6004.00	-44.11	-13.00	-31.11	Horizontal
6004.00	-43.45	-13.00	-30.45	Horizontal	7003.00	-45.51	-13.00	-32.51	Horizontal
7255.00	-42.29	-13.00	-29.29	Horizontal	7255.00	-40.66	-13.00	-27.66	Horizontal
7498.00	-43.43	-13.00	-30.43	Horizontal	7498.00	-43.01	-13.00	-30.01	Horizontal
8506.00	-44.67	-13.00	-31.67	Horizontal	8506.00	-45.24	-13.00	-32.24	Horizontal
Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization	Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization
1126.00	-40.15	-13.00	-27.15	Vertical	4996.00	-43.81	-13.00	-30.81	Vertical
1423.00	-36.61	-13.00	-23.61	Vertical	5806.00	-41.06	-13.00	-28.06	Vertical
6004.00	-40.01	-13.00	-27.01	Vertical	6013.00	-35.27	-13.00	-22.27	Vertical
7003.00	-42.17	-13.00	-29.17	Vertical	7255.00	-41.57	-13.00	-28.57	Vertical
9253.00	-45.15	-13.00	-32.15	Vertical	7498.00	-42.94	-13.00	-29.94	Vertical
10000.00	-38.97	-13.00	-25.97	Vertical	9001.00	-45.65	-13.00	-32.65	Vertical
LTE B71 QPSK-20M-High					LTE B71 16QAM-20M-Low				

Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization	Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization
4996.00	-43.81	-13.00	-30.81	Horizontal	2395.00	-49.20	-13.00	-36.20	Horizontal
5806.00	-41.06	-13.00	-28.06	Horizontal	4069.00	-44.45	-13.00	-31.45	Horizontal
6013.00	-35.27	-13.00	-22.27	Horizontal	4996.00	-41.78	-13.00	-28.78	Horizontal
7255.00	-41.57	-13.00	-28.57	Horizontal	6004.00	-43.46	-13.00	-30.46	Horizontal
7498.00	-42.94	-13.00	-29.94	Horizontal	7255.00	-40.53	-13.00	-27.53	Horizontal
9001.00	-45.65	-13.00	-32.65	Horizontal	7498.00	-43.27	-13.00	-30.27	Horizontal
Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization	Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization
4996.00	-43.81	-13.00	-30.81	Vertical	1684.00	-45.35	-13.00	-32.35	Vertical
5806.00	-41.06	-13.00	-28.06	Vertical	2071.00	-39.67	-13.00	-26.67	Vertical
6013.00	-35.27	-13.00	-22.27	Vertical	4717.00	-41.15	-13.00	-28.15	Vertical
7255.00	-41.57	-13.00	-28.57	Vertical	6004.00	-42.21	-13.00	-29.21	Vertical
7498.00	-42.94	-13.00	-29.94	Vertical	7003.00	-42.33	-13.00	-29.33	Vertical
9001.00	-45.65	-13.00	-32.65	Vertical	7255.00	-43.65	-13.00	-30.65	Vertical
LTE B71 16QAM-20M-Mid					LTE B71 16QAM-20M-High				

**END OF REPORT**