



Project: LGT23C004	Test Engineer: Dylan.shi
EUT: Smart Phone	Temperature: 26.7°C
M/N: CP12p	Humidity: 52%RH
Test Voltage: Battery	Test Data: 2023-03-12
Test Mode: LTE Band 7 Highest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	4.715GHz	-48.60	-13.00	-35.60	PK	Hor
2*	8.990GHz	-43.15	-13.00	-30.15	PK	Hor
3*	17.966GHz	-41.32	-13.00	-28.32	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	5.016GHz	-49.09	-13.00	-36.09	PK	Ver
2*	8.986GHz	-43.18	-13.00	-30.18	PK	Ver
3*	17.945GHz	-40.52	-13.00	-27.52	PK	Ver

Project: LGT23C004	Test Engineer: Dylan.shi
EUT: Smart Phone	Temperature: 26.7°C
M/N: CP12p	Humidity: 52%RH
Test Voltage: Battery	Test Data: 2023-03-12
Test Mode: LTE Band 12 Lowest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	3.138GHz	-49.53	-13.00	-36.53	PK	Hor
2*	4.794GHz	-48.43	-13.00	-35.43	PK	Hor
3*	6.679GHz	-47.09	-13.00	-34.09	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	3.186GHz	-49.68	-13.00	-36.68	PK	Ver
2*	4.655GHz	-47.49	-13.00	-34.49	PK	Ver
3*	6.131GHz	-47.25	-13.00	-34.25	PK	Ver

Project: LGT23C004	Test Engineer: Dylan.shi
EUT: Smart Phone	Temperature: 26.7°C
M/N: CP12p	Humidity: 52%RH
Test Voltage: Battery	Test Data: 2023-03-12
Test Mode: LTE Band 12 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	3.065GHz	-50.36	-13.00	-37.36	PK	Hor
2*	4.837GHz	-48.68	-13.00	-35.68	PK	Hor
3*	6.726GHz	-46.97	-13.00	-33.97	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	3.045GHz	-49.86	-13.00	-36.86	PK	Ver
2*	4.782GHz	-48.12	-13.00	-35.12	PK	Ver
3*	6.627GHz	-46.41	-13.00	-33.41	PK	Ver

Project: LGT23C004	Test Engineer: Dylan.shi
EUT: Smart Phone	Temperature: 26.7°C
M/N: CP12p	Humidity: 52%RH
Test Voltage: Battery	Test Data: 2023-03-12
Test Mode: LTE Band 12 Highest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.928GHz	-49.65	-13.00	-36.65	PK	Hor
2*	4.763GHz	-48.65	-13.00	-35.65	PK	Hor
3*	6.639GHz	-47.49	-13.00	-34.49	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.849GHz	-49.96	-13.00	-36.96	PK	Ver
2*	4.649GHz	-48.46	-13.00	-35.46	PK	Ver
3*	6.613GHz	-47.00	-13.00	-34.00	PK	Ver

Project: LGT23C004	Test Engineer: Dylan.shi
EUT: Smart Phone	Temperature: 26.7°C
M/N: CP12p	Humidity: 52%RH
Test Voltage: Battery	Test Data: 2023-03-12
Test Mode: LTE Band 13 Lowest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	3.168GHz	-50.02	-13.00	-37.02	PK	Hor
2*	4.315GHz	-49.06	-13.00	-36.06	PK	Hor
3*	6.653GHz	-47.57	-13.00	-34.57	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.900GHz	-50.35	-13.00	-37.35	PK	Ver
2*	4.776GHz	-47.86	-13.00	-34.86	PK	Ver
3*	6.706GHz	-46.78	-13.00	-33.78	PK	Ver

Project: LGT23C004	Test Engineer: Dylan.shi
EUT: Smart Phone	Temperature: 26.7°C
M/N: CP12p	Humidity: 52%RH
Test Voltage: Battery	Test Data: 2023-03-12
Test Mode: LTE Band 13 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	3.326GHz	-49.30	-13.00	-36.30	PK	Hor
2*	4.965GHz	-46.90	-13.00	-33.90	PK	Hor
3*	6.670GHz	-46.37	-13.00	-33.37	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	3.188GHz	-49.99	-13.00	-36.99	PK	Ver
2*	4.719GHz	-48.43	-13.00	-35.43	PK	Ver
3*	6.655GHz	-46.71	-13.00	-33.71	PK	Ver

Project: LGT23C004	Test Engineer: Dylan.shi
EUT: Smart Phone	Temperature: 26.7°C
M/N: CP12p	Humidity: 52%RH
Test Voltage: Battery	Test Data: 2023-03-12
Test Mode: LTE Band 13 Highest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.664GHz	-49.14	-13.00	-36.14	PK	Hor
2*	4.701GHz	-48.65	-13.00	-35.65	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	3.373GHz	-49.69	-13.00	-36.69	PK	Ver
2*	4.316GHz	-48.10	-13.00	-35.10	PK	Ver
3*	6.709GHz	-45.46	-13.00	-32.46	PK	Ver

Project: LGT23C004	Test Engineer: Dylan.shi
EUT: Smart Phone	Temperature: 26.7°C
M/N: CP12p	Humidity: 52%RH
Test Voltage: Battery	Test Data: 2023-03-12
Test Mode: LTE Band 17 Lowest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	3.135GHz	-50.05	-13.00	-37.05	PK	Hor
2*	4.282GHz	-48.58	-13.00	-35.58	PK	Hor
3*	6.721GHz	-46.48	-13.00	-33.48	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	3.358GHz	-50.34	-13.00	-37.34	PK	Ver
2*	4.809GHz	-48.33	-13.00	-35.33	PK	Ver
3*	6.656GHz	-47.23	-13.00	-34.23	PK	Ver



Project: LGT23C004	Test Engineer: Dylan.shi
EUT: Smart Phone	Temperature: 26.7°C
M/N: CP12p	Humidity: 52%RH
Test Voltage: Battery	Test Data: 2023-03-12
Test Mode: LTE Band 17 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	3.288GHz	-49.94	-13.00	-36.94	PK	Hor
2*	4.373GHz	-48.23	-13.00	-35.23	PK	Hor
3*	6.699GHz	-47.61	-13.00	-34.61	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.977GHz	-51.06	-13.00	-38.06	PK	Ver
2*	4.614GHz	-48.67	-13.00	-35.67	PK	Ver
3*	6.182GHz	-47.32	-13.00	-34.32	PK	Ver

Project: LGT23C004	Test Engineer: Dylan.shi
EUT: Smart Phone	Temperature: 26.7°C
M/N: CP12p	Humidity: 52%RH
Test Voltage: Battery	Test Data: 2023-03-12
Test Mode: LTE Band 17 Highest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.849GHz	-49.95	-13.00	-36.95	PK	Hor
2*	4.647GHz	-48.55	-13.00	-35.55	PK	Hor
3*	6.214GHz	-47.02	-13.00	-34.02	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	3.141GHz	-48.46	-13.00	-35.46	PK	Ver
2*	4.790GHz	-48.40	-13.00	-35.40	PK	Ver
3*	6.218GHz	-47.10	-13.00	-34.10	PK	Ver

Project: LGT23C004	Test Engineer: Dylan.shi
EUT: Smart Phone	Temperature: 26.7°C
M/N: CP12p	Humidity: 52%RH
Test Voltage: Battery	Test Data: 2023-03-12
Test Mode: LTE Band 66 Lowest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	4.722GHz	-47.87	-13.00	-34.87	PK	Hor
2*	8.870GHz	-42.74	-13.00	-29.74	PK	Hor
3*	14.396GHz	-43.19	-13.00	-30.19	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	4.796GHz	-47.83	-13.00	-34.83	PK	Ver
2*	8.874GHz	-43.04	-13.00	-30.04	PK	Ver
3*	14.410GHz	-43.59	-13.00	-30.59	PK	Ver

Project: LGT23C004	Test Engineer: Dylan.shi
EUT: Smart Phone	Temperature: 26.7°C
M/N: CP12p	Humidity: 52%RH
Test Voltage: Battery	Test Data: 2023-03-12
Test Mode: LTE Band 66 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	5.006GHz	-48.42	-13.00	-35.42	PK	Hor
2*	8.874GHz	-43.85	-13.00	-30.85	PK	Hor
3*	14.290GHz	-43.95	-13.00	-30.95	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	4.796GHz	-49.03	-13.00	-36.03	PK	Ver
2*	11.222GHz	-43.62	-13.00	-30.62	PK	Ver
3*	14.422GHz	-43.68	-13.00	-30.68	PK	Ver

Project: LGT23C004	Test Engineer: Dylan.shi
EUT: Smart Phone	Temperature: 26.7°C
M/N: CP12p	Humidity: 52%RH
Test Voltage: Battery	Test Data: 2023-03-12
Test Mode: LTE Band 66 Highest	
Note:	



No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	4.762GHz	-48.76	-13.00	-35.76	PK	Hor
2*	8.874GHz	-42.97	-13.00	-29.97	PK	Hor
3*	14.414GHz	-43.85	-13.00	-30.85	PK	Hor



No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	4.602GHz	-48.88	-13.00	-35.88	PK	Ver
2*	8.948GHz	-43.64	-13.00	-30.64	PK	Ver
3*	16.472GHz	-43.35	-13.00	-30.35	PK	Ver

※※※※END OF THE REPORT※※※※