




Band66 QPSK BW=10MHz Channel=132322 RB Size=50 Position=#0




Band66 QPSK BW=10MHz Channel=132622 RB Size=50 Position=#0




Band66 QPSK BW=15MHz Channel=132047 RB Size=75 Position=#0




Band66 QPSK BW=15MHz Channel=132322 RB Size=75 Position=#0




Band66 QPSK BW=15MHz Channel=132597 RB Size=75 Position=#0




Band66 QPSK BW=20MHz Channel=132072 RB Size=100 Position=#0




Band66 QPSK BW=20MHz Channel=132322 RB Size=100 Position=#0



Band66 QPSK BW=20MHz Channel=132572 RB Size=100 Position=#0




Band66 QPSK BW=3MHz Channel=131987 RB Size=15 Position=#0




Band66 QPSK BW=3MHz Channel=132322 RB Size=15 Position=#0




Band66 QPSK BW=3MHz Channel=132657 RB Size=15 Position=#0




Band66 QPSK BW=5MHz Channel=131997 RB Size=25 Position=#0



Band66 QPSK BW=5MHz Channel=132322 RB Size=25 Position=#0




Band66 QPSK BW=5MHz Channel=132647 RB Size=25 Position=#0




RADIATED SPURIOUS EMISSION

Project: LGT23C004	Test Engineer: Dylan.shi
EUT: Smart Phone	Temperature: 24.2°C
M/N: CP12p	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-03-11
Test Mode: LTE Band 2 Lowest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	49.158MHz	-78.27	-13.00	-65.27	PK	Hor
2*	152.220MHz	-76.77	-13.00	-63.77	PK	Hor
3*	975.993MHz	-60.66	-13.00	-47.66	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	52.310MHz	-77.56	-13.00	-64.56	PK	Ver
2*	152.341MHz	-76.01	-13.00	-63.01	PK	Ver
3*	985.814MHz	-59.90	-13.00	-46.90	PK	Ver

Project: LGT23C004	Test Engineer: Dylan.shi
EUT: Smart Phone	Temperature: 24.2°C
M/N: CP12p	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-03-11
Test Mode: LTE Band 2 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	52.310MHz	-77.51	-13.00	-64.51	PK	Hor
2*	161.678MHz	-75.72	-13.00	-62.72	PK	Hor
3*	991.270MHz	-60.26	-13.00	-47.26	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	67.345MHz	-77.62	-13.00	-64.62	PK	Ver
2*	152.826MHz	-76.55	-13.00	-63.55	PK	Ver
3*	946.408MHz	-60.50	-13.00	-47.50	PK	Ver

Project: LGT23C004	Test Engineer: Dylan.shi
EUT: Smart Phone	Temperature: 24.2°C
M/N: CP12p	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-03-11
Test Mode: LTE Band 2 Highest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	61.283MHz	-78.13	-13.00	-65.13	PK	Hor
2*	154.766MHz	-76.93	-13.00	-63.93	PK	Hor
3*	971.870MHz	-60.86	-13.00	-47.86	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	48.430MHz	-77.27	-13.00	-64.27	PK	Ver
2*	159.495MHz	-76.37	-13.00	-63.37	PK	Ver
3*	989.330MHz	-61.00	-13.00	-48.00	PK	Ver

Project: LGT23C004	Test Engineer: Dylan.shi
EUT: Smart Phone	Temperature: 24.2°C
M/N: CP12p	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-03-11
Test Mode: LTE Band 4 Lowest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	37.639MHz	-76.61	-13.00	-63.61	PK	Hor
2*	162.648MHz	-77.09	-13.00	-64.09	PK	Hor
3*	960.836MHz	-60.11	-13.00	-47.11	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	60.191MHz	-76.91	-13.00	-63.91	PK	Ver
2*	172.833MHz	-76.76	-13.00	-63.76	PK	Ver
3*	971.628MHz	-60.53	-13.00	-47.53	PK	Ver

Project: LGT23C004	Test Engineer: Dylan.shi
EUT: Smart Phone	Temperature: 24.2°C
M/N: CP12p	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-03-11
Test Mode: LTE Band 4 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	50.491MHz	-77.76	-13.00	-64.76	PK	Hor
2*	154.281MHz	-76.08	-13.00	-63.08	PK	Hor
3*	978.296MHz	-60.87	-13.00	-47.87	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	38.730MHz	-76.79	-13.00	-63.79	PK	Ver
2*	160.950MHz	-75.12	-13.00	-62.12	PK	Ver
3*	946.286MHz	-60.21	-13.00	-47.21	PK	Ver

Project: LGT23C004	Test Engineer: Dylan.shi
EUT: Smart Phone	Temperature: 24.2°C
M/N: CP12p	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-03-11
Test Mode: LTE Band 4 Highest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	49.643MHz	-77.39	-13.00	-64.39	PK	Hor
2*	158.283MHz	-76.18	-13.00	-63.18	PK	Hor
3*	983.631MHz	-59.97	-13.00	-46.97	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	43.095MHz	-76.29	-13.00	-63.29	PK	Ver
2*	142.641MHz	-76.36	-13.00	-63.36	PK	Ver
3*	998.303MHz	-60.35	-13.00	-47.35	PK	Ver

Project: LGT23C004	Test Engineer: Dylan.shi
EUT: Smart Phone	Temperature: 24.2°C
M/N: CP12p	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-03-11
Test Mode: LTE Band 5 Lowest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	59.221MHz	-78.00	-13.00	-65.00	PK	Hor
2*	157.313MHz	-76.74	-13.00	-63.74	PK	Hor
3*	974.416MHz	-60.75	-13.00	-47.75	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	58.858MHz	-77.21	-13.00	-64.21	PK	Ver
2*	154.281MHz	-76.28	-13.00	-63.28	PK	Ver
3*	993.453MHz	-60.41	-13.00	-47.41	PK	Ver

Project: LGT23C004	Test Engineer: Dylan.shi
EUT: Smart Phone	Temperature: 24.2°C
M/N: CP12p	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-03-11
Test Mode: LTE Band 5 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	43.823MHz	-77.40	-13.00	-64.40	PK	Hor
2*	153.918MHz	-76.58	-13.00	-63.58	PK	Hor
3*	955.986MHz	-61.03	-13.00	-48.03	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	57.403MHz	-78.13	-13.00	-65.13	PK	Ver
2*	133.426MHz	-77.07	-13.00	-64.07	PK	Ver
3*	983.874MHz	-60.06	-13.00	-47.06	PK	Ver

Project: LGT23C004	Test Engineer: Dylan.shi
EUT: Smart Phone	Temperature: 24.2°C
M/N: CP12p	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-03-11
Test Mode: LTE Band 5 Highest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	52.674MHz	-78.45	-13.00	-65.45	PK	Hor
2*	158.283MHz	-76.38	-13.00	-63.38	PK	Hor
3*	984.359MHz	-60.00	-13.00	-47.00	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	57.766MHz	-77.87	-13.00	-64.87	PK	Ver
2*	177.804MHz	-76.39	-13.00	-63.39	PK	Ver
3*	946.529MHz	-59.30	-13.00	-46.30	PK	Ver

Project: LGT23C004	Test Engineer: Dylan.shi
EUT: Smart Phone	Temperature: 24.2°C
M/N: CP12p	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-03-11
Test Mode: LTE Band 7 Lowest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	53.159MHz	-77.68	-13.00	-64.68	PK	Hor
2*	165.073MHz	-76.16	-13.00	-63.16	PK	Hor
3*	996.241MHz	-60.22	-13.00	-47.22	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	61.040MHz	-77.66	-13.00	-64.66	PK	Ver
2*	174.773MHz	-76.44	-13.00	-63.44	PK	Ver
3*	978.539MHz	-60.11	-13.00	-47.11	PK	Ver

Project: LGT23C004	Test Engineer: Dylan.shi
EUT: Smart Phone	Temperature: 24.2°C
M/N: CP12p	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-03-11
Test Mode: LTE Band 7 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	56.918MHz	-77.12	-13.00	-64.12	PK	Hor
2*	151.129MHz	-76.76	-13.00	-63.76	PK	Hor
3*	969.930MHz	-60.11	-13.00	-47.11	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	64.678MHz	-77.87	-13.00	-64.87	PK	Ver
2*	172.833MHz	-76.97	-13.00	-63.97	PK	Ver
3*	989.573MHz	-60.78	-13.00	-47.78	PK	Ver

Project: LGT23C004	Test Engineer: Dylan.shi
EUT: Smart Phone	Temperature: 24.2°C
M/N: CP12p	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-03-11
Test Mode: LTE Band 7 Highest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	54.371MHz	-77.69	-13.00	-64.69	PK	Hor
2*	163.011MHz	-76.29	-13.00	-63.29	PK	Hor
3*	988.603MHz	-59.97	-13.00	-46.97	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	42.368MHz	-78.11	-13.00	-65.11	PK	Ver
2*	164.224MHz	-77.36	-13.00	-64.36	PK	Ver
3*	995.150MHz	-60.18	-13.00	-47.18	PK	Ver

Project: LGT23C004	Test Engineer: Dylan.shi
EUT: Smart Phone	Temperature: 24.2°C
M/N: CP12p	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-03-11
Test Mode: LTE Band 12 Lowest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	43.580MHz	-77.24	-13.00	-64.24	PK	Hor
2*	160.950MHz	-76.56	-13.00	-63.56	PK	Hor
3*	996.241MHz	-60.45	-13.00	-47.45	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	39.943MHz	-78.10	-13.00	-65.10	PK	Ver
2*	150.401MHz	-76.37	-13.00	-63.37	PK	Ver
3*	972.355MHz	-60.35	-13.00	-47.35	PK	Ver

Project: LGT23C004	Test Engineer: Dylan.shi
EUT: Smart Phone	Temperature: 24.2°C
M/N: CP12p	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-03-11
Test Mode: LTE Band 12 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	59.221MHz	-77.27	-13.00	-64.27	PK	Hor
2*	166.285MHz	-77.12	-13.00	-64.12	PK	Hor
3*	983.389MHz	-60.33	-13.00	-47.33	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	43.338MHz	-77.62	-13.00	-64.62	PK	Ver
2*	154.039MHz	-75.96	-13.00	-62.96	PK	Ver
3*	984.601MHz	-59.80	-13.00	-46.80	PK	Ver

Project: LGT23C004	Test Engineer: Dylan.shi
EUT: Smart Phone	Temperature: 24.2°C
M/N: CP12p	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-03-11
Test Mode: LTE Band 12 Highest	
Note:	



No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	50.976MHz	-77.30	-13.00	-64.30	PK	Hor
2*	155.736MHz	-76.36	-13.00	-63.36	PK	Hor
3*	959.745MHz	-60.75	-13.00	-47.75	PK	Hor



No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	47.460MHz	-77.48	-13.00	-64.48	PK	Ver
2*	155.009MHz	-77.03	-13.00	-64.03	PK	Ver
3*	986.420MHz	-60.60	-13.00	-47.60	PK	Ver