



Project: LGT23C004	Test Engineer: Dylan.shi
EUT: Smart Phone	Temperature: 24.2°C
M/N: CP12p	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-03-11
Test Mode: LTE Band 13 Lowest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	52.916MHz	-77.43	-13.00	-64.43	PK	Hor
2*	148.583MHz	-75.75	-13.00	-62.75	PK	Hor
3*	989.088MHz	-60.18	-13.00	-47.18	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	59.343MHz	-77.55	-13.00	-64.55	PK	Ver
2*	169.680MHz	-76.85	-13.00	-63.85	PK	Ver
3*	980.236MHz	-60.69	-13.00	-47.69	PK	Ver

Project: LGT23C004	Test Engineer: Dylan.shi
EUT: Smart Phone	Temperature: 24.2°C
M/N: CP12p	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-03-11
Test Mode: LTE Band 13 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	61.889MHz	-78.08	-13.00	-65.08	PK	Hor
2*	153.554MHz	-76.44	-13.00	-63.44	PK	Hor
3*	979.266MHz	-59.85	-13.00	-46.85	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	43.701MHz	-77.68	-13.00	-64.68	PK	Ver
2*	153.069MHz	-76.07	-13.00	-63.07	PK	Ver
3*	981.570MHz	-60.73	-13.00	-47.73	PK	Ver

Project: LGT23C004	Test Engineer: Dylan.shi
EUT: Smart Phone	Temperature: 24.2°C
M/N: CP12p	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-03-11
Test Mode: LTE Band 13 Highest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	45.884MHz	-77.76	-13.00	-64.76	PK	Hor
2*	157.919MHz	-76.74	-13.00	-63.74	PK	Hor
3*	974.538MHz	-59.91	-13.00	-46.91	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	42.004MHz	-77.11	-13.00	-64.11	PK	Ver
2*	161.799MHz	-76.66	-13.00	-63.66	PK	Ver
3*	990.543MHz	-60.57	-13.00	-47.57	PK	Ver

Project: LGT23C004	Test Engineer: Dylan.shi
EUT: Smart Phone	Temperature: 24.2°C
M/N: CP12p	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-03-11
Test Mode: LTE Band 17 Lowest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	45.884MHz	-77.50	-13.00	-64.50	PK	Hor
2*	151.129MHz	-76.38	-13.00	-63.38	PK	Hor
3*	994.301MHz	-60.04	-13.00	-47.04	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	31.334MHz	-77.90	-13.00	-64.90	PK	Ver
2*	163.011MHz	-76.19	-13.00	-63.19	PK	Ver
3*	992.604MHz	-60.41	-13.00	-47.41	PK	Ver

Project: LGT23C004	Test Engineer: Dylan.shi
EUT: Smart Phone	Temperature: 24.2°C
M/N: CP12p	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-03-11
Test Mode: LTE Band 17 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	52.674MHz	-76.79	-13.00	-63.79	PK	Hor
2*	159.616MHz	-76.83	-13.00	-63.83	PK	Hor
3*	974.053MHz	-60.82	-13.00	-47.82	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	48.551MHz	-77.33	-13.00	-64.33	PK	Ver
2*	150.401MHz	-76.36	-13.00	-63.36	PK	Ver
3*	975.750MHz	-60.27	-13.00	-47.27	PK	Ver

Project: LGT23C004	Test Engineer: Dylan.shi
EUT: Smart Phone	Temperature: 24.2°C
M/N: CP12p	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-03-11
Test Mode: LTE Band 17 Highest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	54.371MHz	-77.15	-13.00	-64.15	PK	Hor
2*	151.493MHz	-76.41	-13.00	-63.41	PK	Hor
3*	971.628MHz	-60.00	-13.00	-47.00	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	52.795MHz	-78.21	-13.00	-65.21	PK	Ver
2*	156.221MHz	-76.16	-13.00	-63.16	PK	Ver
3*	986.420MHz	-59.71	-13.00	-46.71	PK	Ver

Project: LGT23C004	Test Engineer: Dylan.shi
EUT: Smart Phone	Temperature: 24.2°C
M/N: CP12p	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-03-11
Test Mode: LTE Band 66 Lowest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	38.003MHz	-77.87	-13.00	-64.87	PK	Hor
2*	158.768MHz	-76.57	-13.00	-63.57	PK	Hor
3*	990.543MHz	-60.55	-13.00	-47.55	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	32.304MHz	-77.96	-13.00	-64.96	PK	Ver
2*	152.948MHz	-75.55	-13.00	-62.55	PK	Ver
3*	986.905MHz	-60.20	-13.00	-47.20	PK	Ver

Project: LGT23C004	Test Engineer: Dylan.shi
EUT: Smart Phone	Temperature: 24.2°C
M/N: CP12p	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-03-11
Test Mode: LTE Band 66 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	52.674MHz	-77.09	-13.00	-64.09	PK	Hor
2*	161.678MHz	-76.18	-13.00	-63.18	PK	Hor
3*	965.323MHz	-60.65	-13.00	-47.65	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	59.343MHz	-77.41	-13.00	-64.41	PK	Ver
2*	151.371MHz	-76.65	-13.00	-63.65	PK	Ver
3*	977.690MHz	-60.07	-13.00	-47.07	PK	Ver

Project: LGT23C004	Test Engineer: Dylan.shi
EUT: Smart Phone	Temperature: 24.2°C
M/N: CP12p	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-03-11
Test Mode: LTE Band 66 Highest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	41.883MHz	-76.98	-13.00	-63.98	PK	Hor
2*	155.009MHz	-76.17	-13.00	-63.17	PK	Hor
3*	977.084MHz	-61.02	-13.00	-48.02	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	44.550MHz	-78.02	-13.00	-65.02	PK	Ver
2*	167.013MHz	-77.01	-13.00	-64.01	PK	Ver
3*	996.120MHz	-60.36	-13.00	-47.36	PK	Ver

Project: LGT23C004	Test Engineer: Dylan.shi
EUT: Smart Phone	Temperature: 26.7°C
M/N: CP12p	Humidity: 52%RH
Test Voltage: Battery	Test Data: 2023-03-12
Test Mode: LTE Band 2 Lowest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	4.899GHz	-49.54	-13.00	-36.54	PK	Hor
2*	8.935GHz	-43.63	-13.00	-30.63	PK	Hor
3*	17.994GHz	-40.88	-13.00	-27.88	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	4.778GHz	-48.67	-13.00	-35.67	PK	Ver
2*	8.880GHz	-43.02	-13.00	-30.02	PK	Ver
3*	18.000GHz	-40.44	-13.00	-27.44	PK	Ver

Project: LGT23C004	Test Engineer: Dylan.shi
EUT: Smart Phone	Temperature: 26.7°C
M/N: CP12p	Humidity: 52%RH
Test Voltage: Battery	Test Data: 2023-03-12
Test Mode: LTE Band 2 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	4.691GHz	-48.63	-13.00	-35.63	PK	Hor
2*	8.937GHz	-43.43	-13.00	-30.43	PK	Hor
3*	17.894GHz	-40.51	-13.00	-27.51	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	4.780GHz	-48.46	-13.00	-35.46	PK	Ver
2*	8.948GHz	-43.76	-13.00	-30.76	PK	Ver
3*	17.717GHz	-39.93	-13.00	-26.93	PK	Ver

Project: LGT23C004	Test Engineer: Dylan.shi
EUT: Smart Phone	Temperature: 26.7°C
M/N: CP12p	Humidity: 52%RH
Test Voltage: Battery	Test Data: 2023-03-12
Test Mode: LTE Band 2 Highest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	4.838GHz	-48.89	-13.00	-35.89	PK	Hor
2*	8.941GHz	-43.40	-13.00	-30.40	PK	Hor
3*	17.830GHz	-40.34	-13.00	-27.34	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	4.649GHz	-48.51	-13.00	-35.51	PK	Ver
2*	8.958GHz	-44.12	-13.00	-31.12	PK	Ver
3*	17.819GHz	-39.97	-13.00	-26.97	PK	Ver

Project: LGT23C004	Test Engineer: Dylan.shi
EUT: Smart Phone	Temperature: 26.7°C
M/N: CP12p	Humidity: 52%RH
Test Voltage: Battery	Test Data: 2023-03-12
Test Mode: LTE Band 4 Lowest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	4.808GHz	-48.32	-13.00	-35.32	PK	Hor
2*	9.000GHz	-43.28	-13.00	-30.28	PK	Hor
3*	14.352GHz	-42.73	-13.00	-29.73	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	4.652GHz	-48.84	-13.00	-35.84	PK	Ver
2*	9.010GHz	-42.99	-13.00	-29.99	PK	Ver
3*	14.410GHz	-43.03	-13.00	-30.03	PK	Ver

Project: LGT23C004	Test Engineer: Dylan.shi
EUT: Smart Phone	Temperature: 26.7°C
M/N: CP12p	Humidity: 52%RH
Test Voltage: Battery	Test Data: 2023-03-12
Test Mode: LTE Band 4 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	5.012GHz	-48.77	-13.00	-35.77	PK	Hor
2*	8.876GHz	-42.64	-13.00	-29.64	PK	Hor
3*	13.858GHz	-43.98	-13.00	-30.98	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	4.790GHz	-49.48	-13.00	-36.48	PK	Ver
2*	9.098GHz	-44.11	-13.00	-31.11	PK	Ver
3*	14.414GHz	-43.48	-13.00	-30.48	PK	Ver

Project: LGT23C004	Test Engineer: Dylan.shi
EUT: Smart Phone	Temperature: 26.7°C
M/N: CP12p	Humidity: 52%RH
Test Voltage: Battery	Test Data: 2023-03-12
Test Mode: LTE Band 4 Highest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	4.972GHz	-49.31	-13.00	-36.31	PK	Hor
2*	8.976GHz	-43.47	-13.00	-30.47	PK	Hor
3*	14.406GHz	-42.77	-13.00	-29.77	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	4.784GHz	-48.97	-13.00	-35.97	PK	Ver
2*	9.002GHz	-42.92	-13.00	-29.92	PK	Ver
3*	16.946GHz	-41.75	-13.00	-28.75	PK	Ver

Project: LGT23C004	Test Engineer: Dylan.shi
EUT: Smart Phone	Temperature: 26.7°C
M/N: CP12p	Humidity: 52%RH
Test Voltage: Battery	Test Data: 2023-03-12
Test Mode: LTE Band 5 Lowest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	3.002GHz	-50.14	-13.00	-37.14	PK	Hor
2*	4.801GHz	-48.60	-13.00	-35.60	PK	Hor
3*	8.863GHz	-43.72	-13.00	-30.72	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	3.102GHz	-50.23	-13.00	-37.23	PK	Ver
2*	4.646GHz	-48.01	-13.00	-35.01	PK	Ver
3*	8.873GHz	-42.66	-13.00	-29.66	PK	Ver

Project: LGT23C004	Test Engineer: Dylan.shi
EUT: Smart Phone	Temperature: 26.7°C
M/N: CP12p	Humidity: 52%RH
Test Voltage: Battery	Test Data: 2023-03-12
Test Mode: LTE Band 5 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	3.165GHz	-50.27	-13.00	-37.27	PK	Hor
2*	4.687GHz	-49.27	-13.00	-36.27	PK	Hor
3*	8.938GHz	-43.66	-13.00	-30.66	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.843GHz	-50.35	-13.00	-37.35	PK	Ver
2*	4.732GHz	-48.66	-13.00	-35.66	PK	Ver
3*	8.139GHz	-43.65	-13.00	-30.65	PK	Ver

Project: LGT23C004	Test Engineer: Dylan.shi
EUT: Smart Phone	Temperature: 26.7°C
M/N: CP12p	Humidity: 52%RH
Test Voltage: Battery	Test Data: 2023-03-12
Test Mode: LTE Band 5 Highest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.944GHz	-49.66	-13.00	-36.66	PK	Hor
2*	4.678GHz	-48.52	-13.00	-35.52	PK	Hor
3*	8.985GHz	-43.86	-13.00	-30.86	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	3.267GHz	-50.25	-13.00	-37.25	PK	Ver
2*	4.783GHz	-47.42	-13.00	-34.42	PK	Ver
3*	8.947GHz	-43.07	-13.00	-30.07	PK	Ver

Project: LGT23C004	Test Engineer: Dylan.shi
EUT: Smart Phone	Temperature: 26.7°C
M/N: CP12p	Humidity: 52%RH
Test Voltage: Battery	Test Data: 2023-03-12
Test Mode: LTE Band 7 Lowest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	4.717GHz	-48.78	-13.00	-35.78	PK	Hor
2*	8.933GHz	-42.67	-13.00	-29.67	PK	Hor
3*	17.926GHz	-40.29	-13.00	-27.29	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	4.768GHz	-49.54	-13.00	-36.54	PK	Ver
2*	8.865GHz	-42.76	-13.00	-29.76	PK	Ver
3*	17.943GHz	-40.18	-13.00	-27.18	PK	Ver

Project: LGT23C004	Test Engineer: Dylan.shi
EUT: Smart Phone	Temperature: 26.7°C
M/N: CP12p	Humidity: 52%RH
Test Voltage: Battery	Test Data: 2023-03-12
Test Mode: LTE Band 7 Middle	
Note:	



No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	4.717GHz	-48.48	-13.00	-35.48	PK	Hor
2*	8.937GHz	-42.39	-13.00	-29.39	PK	Hor
3*	17.879GHz	-40.54	-13.00	-27.54	PK	Hor



No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	4.436GHz	-48.17	-13.00	-35.17	PK	Ver
2*	11.243GHz	-43.17	-13.00	-30.17	PK	Ver
3*	17.953GHz	-40.06	-13.00	-27.06	PK	Ver