



Project: LGT23B071	Test Engineer: Dylan.shi
EUT: Smart Phone	Temperature: 24.2°C
M/N: CP12t	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-03-11
Test Mode: LTE Band 4 Lowest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	49.885MHz	-76.87	-13.00	-63.87	PK	Hor
2*	154.766MHz	-76.48	-13.00	-63.48	PK	Hor
3*	999.515MHz	-60.06	-13.00	-47.06	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	49.400MHz	-77.92	-13.00	-64.92	PK	Ver
2*	158.161MHz	-75.77	-13.00	-62.77	PK	Ver
3*	996.969MHz	-59.55	-13.00	-46.55	PK	Ver

Project: LGT23B071	Test Engineer: Dylan.shi
EUT: Smart Phone	Temperature: 24.2°C
M/N: CP12t	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-03-11
Test Mode: LTE Band 4 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	52.189MHz	-77.40	-13.00	-64.40	PK	Hor
2*	153.796MHz	-76.74	-13.00	-63.74	PK	Hor
3*	971.870MHz	-60.78	-13.00	-47.78	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	41.761MHz	-77.90	-13.00	-64.90	PK	Ver
2*	165.073MHz	-76.83	-13.00	-63.83	PK	Ver
3*	988.118MHz	-60.21	-13.00	-47.21	PK	Ver

Project: LGT23B071	Test Engineer: Dylan.shi
EUT: Smart Phone	Temperature: 24.2°C
M/N: CP12t	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-03-11
Test Mode: LTE Band 4 Highest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	50.855MHz	-77.52	-13.00	-64.52	PK	Hor
2*	154.281MHz	-76.14	-13.00	-63.14	PK	Hor
3*	990.543MHz	-60.88	-13.00	-47.88	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	44.914MHz	-77.32	-13.00	-64.32	PK	Ver
2*	156.100MHz	-76.46	-13.00	-63.46	PK	Ver
3*	970.779MHz	-60.62	-13.00	-47.62	PK	Ver

Project: LGT23B071	Test Engineer: Dylan.shi
EUT: Smart Phone	Temperature: 24.2°C
M/N: CP12t	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-03-11
Test Mode: LTE Band 5 Lowest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	39.943MHz	-77.98	-13.00	-64.98	PK	Hor
2*	149.310MHz	-76.45	-13.00	-63.45	PK	Hor
3*	977.933MHz	-61.04	-13.00	-48.04	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	49.764MHz	-77.32	-13.00	-64.32	PK	Ver
2*	154.039MHz	-76.62	-13.00	-63.62	PK	Ver
3*	991.998MHz	-60.35	-13.00	-47.35	PK	Ver

Project: LGT23B071	Test Engineer: Dylan.shi
EUT: Smart Phone	Temperature: 24.2°C
M/N: CP12t	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-03-11
Test Mode: LTE Band 5 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	52.189MHz	-77.77	-13.00	-64.77	PK	Hor
2*	161.071MHz	-76.80	-13.00	-63.80	PK	Hor
3*	948.833MHz	-60.67	-13.00	-47.67	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	59.100MHz	-77.76	-13.00	-64.76	PK	Ver
2*	162.284MHz	-77.35	-13.00	-64.35	PK	Ver
3*	995.756MHz	-60.61	-13.00	-47.61	PK	Ver

Project: LGT23B071	Test Engineer: Dylan.shi
EUT: Smart Phone	Temperature: 24.2°C
M/N: CP12t	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-03-11
Test Mode: LTE Band 5 Highest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	49.158MHz	-77.68	-13.00	-64.68	PK	Hor
2*	157.798MHz	-76.19	-13.00	-63.19	PK	Hor
3*	686.811MHz	-65.38	-13.00	-52.38	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	47.096MHz	-77.39	-13.00	-64.39	PK	Ver
2*	163.375MHz	-75.83	-13.00	-62.83	PK	Ver
3*	978.539MHz	-60.51	-13.00	-47.51	PK	Ver

Project: LGT23B071	Test Engineer: Dylan.shi
EUT: Smart Phone	Temperature: 24.2°C
M/N: CP12t	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-03-11
Test Mode: LTE Band 7 Lowest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	52.795MHz	-77.23	-13.00	-64.23	PK	Hor
2*	155.979MHz	-77.10	-13.00	-64.10	PK	Hor
3*	983.631MHz	-60.44	-13.00	-47.44	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	43.701MHz	-77.95	-13.00	-64.95	PK	Ver
2*	138.034MHz	-76.99	-13.00	-63.99	PK	Ver
3*	966.293MHz	-60.92	-13.00	-47.92	PK	Ver

Project: LGT23B071	Test Engineer: Dylan.shi
EUT: Smart Phone	Temperature: 24.2°C
M/N: CP12t	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-03-11
Test Mode: LTE Band 7 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	40.064MHz	-77.57	-13.00	-64.57	PK	Hor
2*	153.554MHz	-76.65	-13.00	-63.65	PK	Hor
3*	981.570MHz	-61.17	-13.00	-48.17	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	51.583MHz	-78.51	-13.00	-65.51	PK	Ver
2*	152.463MHz	-76.55	-13.00	-63.55	PK	Ver
3*	971.870MHz	-60.67	-13.00	-47.67	PK	Ver

Project: LGT23B071	Test Engineer: Dylan.shi
EUT: Smart Phone	Temperature: 24.2°C
M/N: CP12t	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-03-11
Test Mode: LTE Band 7 Highest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	51.825MHz	-78.58	-13.00	-65.58	PK	Hor
2*	157.191MHz	-76.82	-13.00	-63.82	PK	Hor
3*	969.445MHz	-61.02	-13.00	-48.02	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	54.614MHz	-77.64	-13.00	-64.64	PK	Ver
2*	170.893MHz	-76.66	-13.00	-63.66	PK	Ver
3*	989.815MHz	-60.74	-13.00	-47.74	PK	Ver

Project: LGT23B071	Test Engineer: Dylan.shi
EUT: Smart Phone	Temperature: 24.2°C
M/N: CP12t	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-03-11
Test Mode: LTE Band 12 Lowest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	44.308MHz	-78.17	-13.00	-65.17	PK	Hor
2*	152.099MHz	-77.23	-13.00	-64.23	PK	Hor
3*	993.331MHz	-61.08	-13.00	-48.08	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	58.009MHz	-76.98	-13.00	-63.98	PK	Ver
2*	149.795MHz	-76.87	-13.00	-63.87	PK	Ver
3*	985.693MHz	-60.57	-13.00	-47.57	PK	Ver

Project: LGT23B071	Test Engineer: Dylan.shi
EUT: Smart Phone	Temperature: 24.2°C
M/N: CP12t	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-03-11
Test Mode: LTE Band 12 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	62.374MHz	-77.41	-13.00	-64.41	PK	Hor
2*	159.859MHz	-77.76	-13.00	-64.76	PK	Hor
3*	953.198MHz	-60.48	-13.00	-47.48	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	49.764MHz	-78.19	-13.00	-65.19	PK	Ver
2*	149.553MHz	-76.40	-13.00	-63.40	PK	Ver
3*	991.998MHz	-59.56	-13.00	-46.56	PK	Ver

Project: LGT23B071	Test Engineer: Dylan.shi
EUT: Smart Phone	Temperature: 24.2°C
M/N: CP12t	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-03-11
Test Mode: LTE Band 12 Highest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	44.550MHz	-77.66	-13.00	-64.66	PK	Hor
2*	159.131MHz	-76.86	-13.00	-63.86	PK	Hor
3*	986.420MHz	-61.13	-13.00	-48.13	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	55.099MHz	-76.56	-13.00	-63.56	PK	Ver
2*	282.079MHz	-75.86	-13.00	-62.86	PK	Ver
3*	974.053MHz	-60.91	-13.00	-47.91	PK	Ver

Project: LGT23B071	Test Engineer: Dylan.shi
EUT: Smart Phone	Temperature: 24.2°C
M/N: CP12t	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-03-11
Test Mode: LTE Band 13 Lowest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	49.400MHz	-77.01	-13.00	-64.01	PK	Hor
2*	146.764MHz	-77.10	-13.00	-64.10	PK	Hor
3*	953.198MHz	-60.09	-13.00	-47.09	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	50.370MHz	-77.57	-13.00	-64.57	PK	Ver
2*	167.861MHz	-76.43	-13.00	-63.43	PK	Ver
3*	992.240MHz	-60.03	-13.00	-47.03	PK	Ver

Project: LGT23B071	Test Engineer: Dylan.shi
EUT: Smart Phone	Temperature: 24.2°C
M/N: CP12t	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-03-11
Test Mode: LTE Band 13 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	59.464MHz	-77.07	-13.00	-64.07	PK	Hor
2*	163.375MHz	-76.50	-13.00	-63.50	PK	Hor
3*	965.808MHz	-60.42	-13.00	-47.42	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	43.095MHz	-77.80	-13.00	-64.80	PK	Ver
2*	160.708MHz	-77.11	-13.00	-64.11	PK	Ver
3*	974.174MHz	-60.99	-13.00	-47.99	PK	Ver

Project: LGT23B071	Test Engineer: Dylan.shi
EUT: Smart Phone	Temperature: 24.2°C
M/N: CP12t	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-03-11
Test Mode: LTE Band 13 Highest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	59.100MHz	-77.59	-13.00	-64.59	PK	Hor
2*	150.401MHz	-76.70	-13.00	-63.70	PK	Hor
3*	993.938MHz	-60.13	-13.00	-47.13	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	46.126MHz	-77.67	-13.00	-64.67	PK	Ver
2*	163.981MHz	-76.04	-13.00	-63.04	PK	Ver
3*	986.056MHz	-60.79	-13.00	-47.79	PK	Ver

Project: LGT23B071	Test Engineer: Dylan.shi
EUT: Smart Phone	Temperature: 24.2°C
M/N: CP12t	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-03-11
Test Mode: LTE Band 17 Lowest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	33.274MHz	-77.21	-13.00	-64.21	PK	Hor
2*	163.981MHz	-75.80	-13.00	-62.80	PK	Hor
3*	947.256MHz	-60.86	-13.00	-47.86	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	35.214MHz	-78.07	-13.00	-65.07	PK	Ver
2*	156.585MHz	-77.57	-13.00	-64.57	PK	Ver
3*	981.570MHz	-60.88	-13.00	-47.88	PK	Ver

Project: LGT23B071	Test Engineer: Dylan.shi
EUT: Smart Phone	Temperature: 24.2°C
M/N: CP12t	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-03-11
Test Mode: LTE Band 17 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	41.640MHz	-78.23	-13.00	-65.23	PK	Hor
2*	150.401MHz	-76.89	-13.00	-63.89	PK	Hor
3*	976.841MHz	-60.57	-13.00	-47.57	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	50.734MHz	-78.23	-13.00	-65.23	PK	Ver
2*	149.189MHz	-75.64	-13.00	-62.64	PK	Ver
3*	852.439MHz	-60.94	-13.00	-47.94	PK	Ver

Project: LGT23B071	Test Engineer: Dylan.shi
EUT: Smart Phone	Temperature: 24.2°C
M/N: CP12t	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-03-11
Test Mode: LTE Band 17 Highest	
Note:	



No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	41.155MHz	-77.15	-13.00	-64.15	PK	Hor
2*	155.373MHz	-77.61	-13.00	-64.61	PK	Hor
3*	973.568MHz	-60.74	-13.00	-47.74	PK	Hor



No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	55.099MHz	-76.93	-13.00	-63.93	PK	Ver
2*	154.281MHz	-76.75	-13.00	-63.75	PK	Ver
3*	973.204MHz	-60.15	-13.00	-47.15	PK	Ver