



| | |
|-------------------------------|--------------------------|
| Project: LGT23B071 | Test Engineer: Dylan.shi |
| EUT: Smart Phone | Temperature: 24.2°C |
| M/N: CP12t | Humidity: 45%RH |
| Test Voltage: Battery | Test Data: 2023-03-11 |
| Test Mode: LTE Band 66 Lowest | |
| Note: | |




| No. | Frequency | Level dBm | Limit dBm | Margin dB | Detector | Polar |
|-----|------------|-----------|-----------|-----------|----------|-------|
| 1* | 50.613MHz | -77.79 | -13.00 | -64.79 | PK | Hor |
| 2* | 150.038MHz | -77.06 | -13.00 | -64.06 | PK | Hor |
| 3* | 967.505MHz | -60.68 | -13.00 | -47.68 | PK | Hor |




| No. | Frequency | Level dBm | Limit dBm | Margin dB | Detector | Polar |
|-----|------------|-----------|-----------|-----------|----------|-------|
| 1* | 46.611MHz | -77.64 | -13.00 | -64.64 | PK | Ver |
| 2* | 157.191MHz | -76.90 | -13.00 | -63.90 | PK | Ver |
| 3* | 956.835MHz | -60.38 | -13.00 | -47.38 | PK | Ver |

| | |
|-------------------------------|--------------------------|
| Project: LGT23B071 | Test Engineer: Dylan.shi |
| EUT: Smart Phone | Temperature: 24.2°C |
| M/N: CP12t | Humidity: 45%RH |
| Test Voltage: Battery | Test Data: 2023-03-11 |
| Test Mode: LTE Band 66 Middle | |
| Note: | |




| No. | Frequency | Level dBm | Limit dBm | Margin dB | Detector | Polar |
|-----|------------|-----------|-----------|-----------|----------|-------|
| 1* | 48.309MHz | -77.97 | -13.00 | -64.97 | PK | Hor |
| 2* | 156.221MHz | -76.90 | -13.00 | -63.90 | PK | Hor |
| 3* | 979.873MHz | -60.43 | -13.00 | -47.43 | PK | Hor |




| No. | Frequency | Level dBm | Limit dBm | Margin dB | Detector | Polar |
|-----|------------|-----------|-----------|-----------|----------|-------|
| 1* | 60.919MHz | -77.96 | -13.00 | -64.96 | PK | Ver |
| 2* | 150.038MHz | -76.68 | -13.00 | -63.68 | PK | Ver |
| 3* | 973.568MHz | -60.07 | -13.00 | -47.07 | PK | Ver |

| | |
|--------------------------------|--------------------------|
| Project: LGT23B071 | Test Engineer: Dylan.shi |
| EUT: Smart Phone | Temperature: 24.2°C |
| M/N: CP12t | Humidity: 45%RH |
| Test Voltage: Battery | Test Data: 2023-03-11 |
| Test Mode: LTE Band 66 Highest | |
| Note: | |




| No. | Frequency | Level dBm | Limit dBm | Margin dB | Detector | Polar |
|-----|------------|-----------|-----------|-----------|----------|-------|
| 1* | 50.249MHz | -77.47 | -13.00 | -64.47 | PK | Hor |
| 2* | 162.163MHz | -76.57 | -13.00 | -63.57 | PK | Hor |
| 3* | 947.499MHz | -59.61 | -13.00 | -46.61 | PK | Hor |




| No. | Frequency | Level dBm | Limit dBm | Margin dB | Detector | Polar |
|-----|------------|-----------|-----------|-----------|----------|-------|
| 1* | 37.881MHz | -76.42 | -13.00 | -63.42 | PK | Ver |
| 2* | 158.889MHz | -75.85 | -13.00 | -62.85 | PK | Ver |
| 3* | 987.390MHz | -59.85 | -13.00 | -46.85 | PK | Ver |

| | |
|------------------------------|--------------------------|
| Project: LGT23B071 | Test Engineer: Dylan.shi |
| EUT: Smart Phone | Temperature: 26.7°C |
| M/N: CP12t | Humidity: 52%RH |
| Test Voltage: Battery | Test Data: 2023-03-12 |
| Test Mode: LTE Band 2 Lowest | |
| Note: | |




| No. | Frequency | Level dBm | Limit dBm | Margin dB | Detector | Polar |
|-----|-----------|-----------|-----------|-----------|----------|-------|
| 1* | 4.725GHz | -48.52 | -13.00 | -35.52 | PK | Hor |
| 2* | 8.941GHz | -43.32 | -13.00 | -30.32 | PK | Hor |
| 3* | 17.862GHz | -40.31 | -13.00 | -27.31 | PK | Hor |




| No. | Frequency | Level dBm | Limit dBm | Margin dB | Detector | Polar |
|-----|-----------|-----------|-----------|-----------|----------|-------|
| 1* | 4.863GHz | -48.51 | -13.00 | -35.51 | PK | Ver |
| 2* | 8.446GHz | -43.92 | -13.00 | -30.92 | PK | Ver |
| 3* | 17.926GHz | -40.35 | -13.00 | -27.35 | PK | Ver |

| | |
|------------------------------|--------------------------|
| Project: LGT23B071 | Test Engineer: Dylan.shi |
| EUT: Smart Phone | Temperature: 26.7°C |
| M/N: CP12t | Humidity: 52%RH |
| Test Voltage: Battery | Test Data: 2023-03-12 |
| Test Mode: LTE Band 2 Middle | |
| Note: | |




| No. | Frequency | Level dBm | Limit dBm | Margin dB | Detector | Polar |
|-----|-----------|-----------|-----------|-----------|----------|-------|
| 1* | 4.423GHz | -49.61 | -13.00 | -36.61 | PK | Hor |
| 2* | 7.594GHz | -43.02 | -13.00 | -30.02 | PK | Hor |
| 3* | 17.836GHz | -40.19 | -13.00 | -27.19 | PK | Hor |




| No. | Frequency | Level dBm | Limit dBm | Margin dB | Detector | Polar |
|-----|-----------|-----------|-----------|-----------|----------|-------|
| 1* | 4.666GHz | -48.58 | -13.00 | -35.58 | PK | Ver |
| 2* | 9.009GHz | -42.94 | -13.00 | -29.94 | PK | Ver |
| 3* | 17.892GHz | -40.04 | -13.00 | -27.04 | PK | Ver |

| | |
|-------------------------------|--------------------------|
| Project: LGT23B071 | Test Engineer: Dylan.shi |
| EUT: Smart Phone | Temperature: 26.7°C |
| M/N: CP12t | Humidity: 52%RH |
| Test Voltage: Battery | Test Data: 2023-03-12 |
| Test Mode: LTE Band 2 Highest | |
| Note: | |




| No. | Frequency | Level dBm | Limit dBm | Margin dB | Detector | Polar |
|-----|-----------|-----------|-----------|-----------|----------|-------|
| 1* | 4.719GHz | -48.91 | -13.00 | -35.91 | PK | Hor |
| 2* | 8.875GHz | -42.17 | -13.00 | -29.17 | PK | Hor |
| 3* | 17.962GHz | -40.31 | -13.00 | -27.31 | PK | Hor |




| No. | Frequency | Level dBm | Limit dBm | Margin dB | Detector | Polar |
|-----|-----------|-----------|-----------|-----------|----------|-------|
| 1* | 4.766GHz | -49.20 | -13.00 | -36.20 | PK | Ver |
| 2* | 8.965GHz | -43.61 | -13.00 | -30.61 | PK | Ver |
| 3* | 17.890GHz | -39.18 | -13.00 | -26.18 | PK | Ver |

| | |
|------------------------------|--------------------------|
| Project: LGT23B071 | Test Engineer: Dylan.shi |
| EUT: Smart Phone | Temperature: 26.7°C |
| M/N: CP12t | Humidity: 52%RH |
| Test Voltage: Battery | Test Data: 2023-03-12 |
| Test Mode: LTE Band 4 Lowest | |
| Note: | |




| No. | Frequency | Level dBm | Limit dBm | Margin dB | Detector | Polar |
|-----|-----------|-----------|-----------|-----------|----------|-------|
| 1* | 4.846GHz | -48.73 | -13.00 | -35.73 | PK | Hor |
| 2* | 8.874GHz | -43.05 | -13.00 | -30.05 | PK | Hor |
| 3* | 16.790GHz | -43.27 | -13.00 | -30.27 | PK | Hor |




| No. | Frequency | Level dBm | Limit dBm | Margin dB | Detector | Polar |
|-----|-----------|-----------|-----------|-----------|----------|-------|
| 1* | 4.372GHz | -49.08 | -13.00 | -36.08 | PK | Ver |
| 2* | 8.918GHz | -43.01 | -13.00 | -30.01 | PK | Ver |
| 3* | 14.284GHz | -43.87 | -13.00 | -30.87 | PK | Ver |

| | |
|------------------------------|--------------------------|
| Project: LGT23B071 | Test Engineer: Dylan.shi |
| EUT: Smart Phone | Temperature: 26.7°C |
| M/N: CP12t | Humidity: 52%RH |
| Test Voltage: Battery | Test Data: 2023-03-12 |
| Test Mode: LTE Band 4 Middle | |
| Note: | |




| No. | Frequency | Level dBm | Limit dBm | Margin dB | Detector | Polar |
|-----|-----------|-----------|-----------|-----------|----------|-------|
| 1* | 4.724GHz | -48.97 | -13.00 | -35.97 | PK | Hor |
| 2* | 8.520GHz | -43.65 | -13.00 | -30.65 | PK | Hor |
| 3* | 14.982GHz | -43.54 | -13.00 | -30.54 | PK | Hor |




| No. | Frequency | Level dBm | Limit dBm | Margin dB | Detector | Polar |
|-----|-----------|-----------|-----------|-----------|----------|-------|
| 1* | 4.310GHz | -48.22 | -13.00 | -35.22 | PK | Ver |
| 2* | 8.930GHz | -43.26 | -13.00 | -30.26 | PK | Ver |
| 3* | 14.430GHz | -43.07 | -13.00 | -30.07 | PK | Ver |

| | |
|-------------------------------|--------------------------|
| Project: LGT23B071 | Test Engineer: Dylan.shi |
| EUT: Smart Phone | Temperature: 26.7°C |
| M/N: CP12t | Humidity: 52%RH |
| Test Voltage: Battery | Test Data: 2023-03-12 |
| Test Mode: LTE Band 4 Highest | |
| Note: | |




| No. | Frequency | Level dBm | Limit dBm | Margin dB | Detector | Polar |
|-----|-----------|-----------|-----------|-----------|----------|-------|
| 1* | 4.668GHz | -48.71 | -13.00 | -35.71 | PK | Hor |
| 2* | 8.590GHz | -43.19 | -13.00 | -30.19 | PK | Hor |
| 3* | 16.370GHz | -43.12 | -13.00 | -30.12 | PK | Hor |




| No. | Frequency | Level dBm | Limit dBm | Margin dB | Detector | Polar |
|-----|-----------|-----------|-----------|-----------|----------|-------|
| 1* | 5.432GHz | -48.77 | -13.00 | -35.77 | PK | Ver |
| 2* | 8.996GHz | -43.37 | -13.00 | -30.37 | PK | Ver |
| 3* | 14.416GHz | -42.71 | -13.00 | -29.71 | PK | Ver |

| | |
|------------------------------|--------------------------|
| Project: LGT23B071 | Test Engineer: Dylan.shi |
| EUT: Smart Phone | Temperature: 26.7°C |
| M/N: CP12t | Humidity: 52%RH |
| Test Voltage: Battery | Test Data: 2023-03-12 |
| Test Mode: LTE Band 5 Lowest | |
| Note: | |




| No. | Frequency | Level dBm | Limit dBm | Margin dB | Detector | Polar |
|-----|-----------|-----------|-----------|-----------|----------|-------|
| 1* | 2.947GHz | -49.90 | -13.00 | -36.90 | PK | Hor |
| 2* | 4.911GHz | -48.76 | -13.00 | -35.76 | PK | Hor |
| 3* | 8.874GHz | -43.18 | -13.00 | -30.18 | PK | Hor |




| No. | Frequency | Level dBm | Limit dBm | Margin dB | Detector | Polar |
|-----|-----------|-----------|-----------|-----------|----------|-------|
| 1* | 3.056GHz | -50.01 | -13.00 | -37.01 | PK | Ver |
| 2* | 4.615GHz | -47.84 | -13.00 | -34.84 | PK | Ver |
| 3* | 8.994GHz | -43.12 | -13.00 | -30.12 | PK | Ver |

| | |
|------------------------------|--------------------------|
| Project: LGT23B071 | Test Engineer: Dylan.shi |
| EUT: Smart Phone | Temperature: 26.7°C |
| M/N: CP12t | Humidity: 52%RH |
| Test Voltage: Battery | Test Data: 2023-03-12 |
| Test Mode: LTE Band 5 Middle | |
| Note: | |




| No. | Frequency | Level dBm | Limit dBm | Margin dB | Detector | Polar |
|-----|-----------|-----------|-----------|-----------|----------|-------|
| 1* | 2.867GHz | -49.24 | -13.00 | -36.24 | PK | Hor |
| 2* | 4.775GHz | -48.36 | -13.00 | -35.36 | PK | Hor |
| 3* | 8.931GHz | -42.75 | -13.00 | -29.75 | PK | Hor |




| No. | Frequency | Level dBm | Limit dBm | Margin dB | Detector | Polar |
|-----|-----------|-----------|-----------|-----------|----------|-------|
| 1* | 3.294GHz | -49.99 | -13.00 | -36.99 | PK | Ver |
| 2* | 5.007GHz | -48.77 | -13.00 | -35.77 | PK | Ver |
| 3* | 8.989GHz | -43.20 | -13.00 | -30.20 | PK | Ver |

| | |
|-------------------------------|--------------------------|
| Project: LGT23B071 | Test Engineer: Dylan.shi |
| EUT: Smart Phone | Temperature: 26.7°C |
| M/N: CP12t | Humidity: 52%RH |
| Test Voltage: Battery | Test Data: 2023-03-12 |
| Test Mode: LTE Band 5 Highest | |
| Note: | |




| No. | Frequency | Level dBm | Limit dBm | Margin dB | Detector | Polar |
|-----|-----------|-----------|-----------|-----------|----------|-------|
| 1* | 3.142GHz | -50.01 | -13.00 | -37.01 | PK | Hor |
| 2* | 4.829GHz | -49.05 | -13.00 | -36.05 | PK | Hor |
| 3* | 8.936GHz | -42.03 | -13.00 | -29.03 | PK | Hor |




| No. | Frequency | Level dBm | Limit dBm | Margin dB | Detector | Polar |
|-----|-----------|-----------|-----------|-----------|----------|-------|
| 1* | 3.304GHz | -49.58 | -13.00 | -36.58 | PK | Ver |
| 2* | 4.787GHz | -48.98 | -13.00 | -35.98 | PK | Ver |
| 3* | 8.940GHz | -43.38 | -13.00 | -30.38 | PK | Ver |

| | |
|------------------------------|--------------------------|
| Project: LGT23B071 | Test Engineer: Dylan.shi |
| EUT: Smart Phone | Temperature: 26.7°C |
| M/N: CP12t | Humidity: 52%RH |
| Test Voltage: Battery | Test Data: 2023-03-12 |
| Test Mode: LTE Band 7 Lowest | |
| Note: | |




| No. | Frequency | Level dBm | Limit dBm | Margin dB | Detector | Polar |
|-----|-----------|-----------|-----------|-----------|----------|-------|
| 1* | 4.772GHz | -48.65 | -13.00 | -35.65 | PK | Hor |
| 2* | 8.994GHz | -44.10 | -13.00 | -31.10 | PK | Hor |
| 3* | 17.958GHz | -41.31 | -13.00 | -28.31 | PK | Hor |




| No. | Frequency | Level dBm | Limit dBm | Margin dB | Detector | Polar |
|-----|-----------|-----------|-----------|-----------|----------|-------|
| 1* | 4.734GHz | -47.86 | -13.00 | -34.86 | PK | Ver |
| 2* | 8.939GHz | -43.34 | -13.00 | -30.34 | PK | Ver |
| 3* | 17.677GHz | -39.64 | -13.00 | -26.64 | PK | Ver |

| | |
|------------------------------|--------------------------|
| Project: LGT23B071 | Test Engineer: Dylan.shi |
| EUT: Smart Phone | Temperature: 26.7°C |
| M/N: CP12t | Humidity: 52%RH |
| Test Voltage: Battery | Test Data: 2023-03-12 |
| Test Mode: LTE Band 7 Middle | |
| Note: | |




| No. | Frequency | Level dBm | Limit dBm | Margin dB | Detector | Polar |
|-----|-----------|-----------|-----------|-----------|----------|-------|
| 1* | 4.772GHz | -48.89 | -13.00 | -35.89 | PK | Hor |
| 2* | 9.009GHz | -43.16 | -13.00 | -30.16 | PK | Hor |
| 3* | 17.900GHz | -40.36 | -13.00 | -27.36 | PK | Hor |




| No. | Frequency | Level dBm | Limit dBm | Margin dB | Detector | Polar |
|-----|-----------|-----------|-----------|-----------|----------|-------|
| 1* | 5.004GHz | -48.57 | -13.00 | -35.57 | PK | Ver |
| 2* | 8.994GHz | -43.15 | -13.00 | -30.15 | PK | Ver |
| 3* | 17.904GHz | -40.70 | -13.00 | -27.70 | PK | Ver |

| | |
|-------------------------------|--------------------------|
| Project: LGT23B071 | Test Engineer: Dylan.shi |
| EUT: Smart Phone | Temperature: 26.7°C |
| M/N: CP12t | Humidity: 52%RH |
| Test Voltage: Battery | Test Data: 2023-03-12 |
| Test Mode: LTE Band 7 Highest | |
| Note: | |




| No. | Frequency | Level dBm | Limit dBm | Margin dB | Detector | Polar |
|-----|-----------|-----------|-----------|-----------|----------|-------|
| 1* | 4.774GHz | -47.94 | -13.00 | -34.94 | PK | Hor |
| 2* | 8.937GHz | -43.11 | -13.00 | -30.11 | PK | Hor |
| 3* | 17.970GHz | -39.86 | -13.00 | -26.86 | PK | Hor |




| No. | Frequency | Level dBm | Limit dBm | Margin dB | Detector | Polar |
|-----|-----------|-----------|-----------|-----------|----------|-------|
| 1* | 4.736GHz | -49.61 | -13.00 | -36.61 | PK | Ver |
| 2* | 8.920GHz | -43.22 | -13.00 | -30.22 | PK | Ver |
| 3* | 17.902GHz | -39.81 | -13.00 | -26.81 | PK | Ver |

| | |
|-------------------------------|--------------------------|
| Project: LGT23B071 | Test Engineer: Dylan.shi |
| EUT: Smart Phone | Temperature: 26.7°C |
| M/N: CP12t | Humidity: 52%RH |
| Test Voltage: Battery | Test Data: 2023-03-12 |
| Test Mode: LTE Band 12 Lowest | |
| Note: | |




| No. | Frequency | Level dBm | Limit dBm | Margin dB | Detector | Polar |
|-----|-----------|-----------|-----------|-----------|----------|-------|
| 1* | 2.754GHz | -50.09 | -13.00 | -37.09 | PK | Hor |
| 2* | 4.808GHz | -48.34 | -13.00 | -35.34 | PK | Hor |
| 3* | 6.720GHz | -46.47 | -13.00 | -33.47 | PK | Hor |




| No. | Frequency | Level dBm | Limit dBm | Margin dB | Detector | Polar |
|-----|-----------|-----------|-----------|-----------|----------|-------|
| 1* | 3.250GHz | -49.55 | -13.00 | -36.55 | PK | Ver |
| 2* | 4.695GHz | -48.68 | -13.00 | -35.68 | PK | Ver |
| 3* | 6.727GHz | -46.76 | -13.00 | -33.76 | PK | Ver |

| | |
|-------------------------------|--------------------------|
| Project: LGT23B071 | Test Engineer: Dylan.shi |
| EUT: Smart Phone | Temperature: 26.7°C |
| M/N: CP12t | Humidity: 52%RH |
| Test Voltage: Battery | Test Data: 2023-03-12 |
| Test Mode: LTE Band 12 Middle | |
| Note: | |




| No. | Frequency | Level dBm | Limit dBm | Margin dB | Detector | Polar |
|-----|-----------|-----------|-----------|-----------|----------|-------|
| 1* | 3.230GHz | -49.93 | -13.00 | -36.93 | PK | Hor |
| 2* | 4.644GHz | -48.68 | -13.00 | -35.68 | PK | Hor |
| 3* | 6.177GHz | -46.83 | -13.00 | -33.83 | PK | Hor |




| No. | Frequency | Level dBm | Limit dBm | Margin dB | Detector | Polar |
|-----|-----------|-----------|-----------|-----------|----------|-------|
| 1* | 2.798GHz | -49.90 | -13.00 | -36.90 | PK | Ver |
| 2* | 4.728GHz | -48.05 | -13.00 | -35.05 | PK | Ver |
| 3* | 6.186GHz | -47.11 | -13.00 | -34.11 | PK | Ver |

| | |
|--------------------------------|--------------------------|
| Project: LGT23B071 | Test Engineer: Dylan.shi |
| EUT: Smart Phone | Temperature: 26.7°C |
| M/N: CP12t | Humidity: 52%RH |
| Test Voltage: Battery | Test Data: 2023-03-12 |
| Test Mode: LTE Band 12 Highest | |
| Note: | |



| No. | Frequency | Level dBm | Limit dBm | Margin dB | Detector | Polar |
|-----|-----------|-----------|-----------|-----------|----------|-------|
| 1* | 3.425GHz | -49.62 | -13.00 | -36.62 | PK | Hor |
| 2* | 4.830GHz | -48.87 | -13.00 | -35.87 | PK | Hor |
| 3* | 6.582GHz | -47.21 | -13.00 | -34.21 | PK | Hor |



| No. | Frequency | Level dBm | Limit dBm | Margin dB | Detector | Polar |
|-----|-----------|-----------|-----------|-----------|----------|-------|
| 1* | 3.269GHz | -49.86 | -13.00 | -36.86 | PK | Ver |
| 2* | 4.267GHz | -49.11 | -13.00 | -36.11 | PK | Ver |
| 3* | 6.657GHz | -47.47 | -13.00 | -34.47 | PK | Ver |