

Fig.73




Fig.74




Fig.75




Fig.76




Fig.77




Fig.78




Fig.79




Fig.80




Fig.81




Fig.82




Fig.83




Fig.84




Fig.85




Fig.86




Fig.87




Fig.88




Fig.89




Fig.90




Fig.91




Fig.92




Fig.93




Fig.94




Fig.95




Fig.96




Fig.97




Fig.98




Fig.99




Fig.100




Fig.101




Fig.102




Fig.103




Fig.104




Fig.105




Fig.106




Fig.107




Fig.108

**5 Spurious Emissions at antenna terminal**

Band	Carrier frequency (MHz)	Channel	BW	RB Size	RB Offset	Conducted Spurious Plot
						QPSK
2	1860	18700	20	1	0	Fig.1
	1880	18900		1	0	Fig.2
	1900	19100		1	0	Fig.3




Fig.1




Fig.2




Fig.3

**6 Band Edges Compliance**

Band	Carrier frequency (MHz)	Channel	BW	RB Size	RB Offset	Band Edges Plot
						QPSK
2	1850.7	18607	1.4	1	0	Fig.1
				6	0	Fig.2
	1	5		Fig.3		
	6	0		Fig.4		
	1909.3	19193	3	1	0	Fig.5
				15	0	Fig.6
	1	14		Fig.7		
	15	0		Fig.8		
	1851.5	18615	5	1	0	Fig.9
				25	0	Fig.10
	1	24		Fig.11		
	25	0		Fig.12		
	1908.5	19185	10	1	0	Fig.13
				50	0	Fig.14
	1	49		Fig.15		
	50	0		Fig.16		
	1852.5	18625	15	1	0	Fig.17
				75	0	Fig.18
	1	74		Fig.19		
	75	0		Fig.20		
	1907.5	19175	20	1	0	Fig.21
				100	0	Fig.22
	1	99		Fig.23		
	100	0		Fig.24		
1855	18650	20	1	0	Fig.21	
			100	0	Fig.22	
1905	19150	20	1	99	Fig.23	
			100	0	Fig.24	
1857.5	18675	20	1	0	Fig.21	
			100	0	Fig.22	
1902.5	19125	20	1	99	Fig.23	
			100	0	Fig.24	
1860	18700	20	1	0	Fig.21	
			100	0	Fig.22	
1900	19100	20	1	99	Fig.23	
			100	0	Fig.24	






Fig.1




Fig.2




Fig.3




Fig.4




Fig.5




Fig.6




Fig.7




Fig.8




Fig.9




Fig.10




Fig.11




Fig.12




Fig.13




Fig.14




Fig.15




Fig.16




Fig.17




Fig.18




Fig.19




Fig.20




Fig.21




Fig.22




Fig.23




Fig.24

### 7 Frequency Stability

Temperature(°C)	Voltage	Test Result (ppm) Band2 Low Channel QPSK					
		1.4M	3M	5M	10M	15M	20M
-20	NV	0.002	-0.002	-0.001	-0.001	-0.002	0.000
-10	NV	-0.001	0.000	0.001	-0.001	-0.002	0.001
0	NV	-0.002	0.000	0.000	0.000	-0.001	0.001
+10	NV	0.000	-0.001	0.000	-0.002	-0.002	0.001
+20	NV	0.000	0.000	0.000	0.000	0.000	0.000
+30	NV	0.006	-0.001	0.002	0.000	-0.001	-0.001
+40	NV	-0.002	-0.001	-0.001	-0.001	-0.001	0.002
+50	NV	0.001	-0.001	0.000	-0.001	-0.001	0.001
+60	NV	-0.001	-0.001	0.000	-0.001	0.002	0.001
+20	LV	-0.001	0.000	0.000	-0.001	0.001	0.002
+20	HV	-0.001	0.000	-0.001	0.001	0.002	-0.001

Temperature(°C)	Voltage	Test Result (ppm) Band2 High Channel QPSK					
		1.4M	3M	5M	10M	15M	20M
-20	NV	-0.001	-0.001	0.001	-0.001	-0.003	0.000
-10	NV	0.001	-0.001	0.001	-0.001	0.000	0.001
0	NV	0.001	-0.001	0.001	0.001	-0.002	-0.002
+10	NV	-0.002	0.001	0.002	0.001	0.001	-0.001
+20	NV	0.000	0.000	0.000	0.000	0.000	0.000
+30	NV	-0.001	0.000	-0.001	0.000	-0.001	0.000
+40	NV	0.000	-0.001	0.001	0.001	-0.003	0.001
+50	NV	-0.001	0.000	0.001	0.001	-0.003	-0.001
+60	NV	-0.003	0.001	-0.001	0.000	0.001	0.001
+20	LV	0.002	-0.001	0.002	0.001	-0.003	0.001
+20	HV	0.004	-0.001	-0.001	-0.001	-0.003	0.001

### 8 Effective Radiated Power and Effective Isotropic Radiated Power

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)	
QPSK	1850.7	18607	1.4	1	0	24.59	24.03	0.253	
				1	3	24.41	23.85	0.243	
				1	5	24.36	23.80	0.240	
				3	0	24.11	23.55	0.226	
				3	1	24.14	23.58	0.228	
				3	3	24.12	23.56	0.227	
	6	0		23.00	22.44	0.175			
	1	0		23.76	23.20	0.209			
	1	3		23.61	23.05	0.202			
	1	5		23.60	23.04	0.201			
	3	0		23.70	23.14	0.206			
	3	1		23.77	23.21	0.209			
	3	3		23.67	23.11	0.205			
	6	0		22.67	22.11	0.163			
	1	0		23.58	23.02	0.200			
	1	3		23.75	23.19	0.208			
	1	5		23.74	23.18	0.208			
	3	0		23.72	23.16	0.207			
	3	1		23.94	23.38	0.218			
	3	3		23.60	23.04	0.201			
	6	0		22.61	22.05	0.160			
	16QAM	1850.7		18607	1	0	23.30	22.74	0.188
					1	3	23.34	22.78	0.190
					1	5	23.32	22.76	0.189
3			0		23.30	22.74	0.188		
3			1		23.14	22.58	0.181		
3			3		23.13	22.57	0.181		
6		0	21.98	21.42	0.139				
1		0	23.50	22.94	0.197				
1		3	23.49	22.93	0.196				
1		5	23.49	22.93	0.196				
3		0	22.78	22.22	0.167				
3		1	22.88	22.32	0.171				
3		3	22.25	21.69	0.148				
6		0	21.71	21.15	0.130				
1		0	22.81	22.25	0.168				
1		3	22.64	22.08	0.161				
1		5	22.64	22.08	0.161				
3		0	22.67	22.11	0.163				
3		1	22.58	22.02	0.159				
3		3	22.85	22.29	0.169				
6		0	21.64	21.08	0.128				

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
64QAM	1850.7	18607	1.4	1	0	22.14	21.58	0.144
				1	3	22.05	21.49	0.141
				1	5	22.04	21.48	0.141
				3	0	21.95	21.39	0.138
				3	1	22.13	21.57	0.144
				3	3	22.14	21.58	0.144
	1880	18900		6	0	22.14	21.58	0.144
				1	0	21.80	21.24	0.133
				1	3	21.71	21.15	0.130
				1	5	21.71	21.15	0.130
				3	0	21.81	21.25	0.133
				3	1	21.69	21.13	0.130
	1909.3	19193		3	3	21.69	21.13	0.130
				6	0	21.69	21.13	0.130
				1	0	21.56	21.00	0.126
				1	3	21.65	21.09	0.129
				1	5	21.57	21.01	0.126
				3	0	21.47	20.91	0.123
				3	1	21.47	20.91	0.123
				3	3	21.48	20.92	0.124
				6	0	21.48	20.92	0.124

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
QPSK	1851.5	18615	3	1	0	23.91	23.35	0.216
				1	8	23.70	23.14	0.206
				1	14	23.76	23.20	0.209
				8	0	22.99	22.43	0.175
				8	4	22.96	22.40	0.174
				8	7	22.95	22.39	0.173
	15	0		22.97	22.41	0.174		
	1	0		23.85	23.29	0.213		
	1	8		23.77	23.21	0.209		
	1	14		23.71	23.15	0.207		
	8	0		22.84	22.28	0.169		
	8	4		22.81	22.25	0.168		
	8	7		22.78	22.22	0.167		
	15	0		22.75	22.19	0.166		
	1	0		23.72	23.16	0.207		
	1	8		23.95	23.39	0.218		
	1	14		23.92	23.36	0.217		
	8	0		22.66	22.10	0.162		
8	4	22.67	22.11	0.163				
8	7	22.67	22.11	0.163				
15	0	22.64	22.08	0.161				
16QAM	1851.5	18615	1	0	23.68	23.12	0.205	
			1	8	23.45	22.89	0.195	
			1	14	23.45	22.89	0.195	
			8	0	22.25	21.69	0.148	
			8	4	22.29	21.73	0.149	
			8	7	22.29	21.73	0.149	
	15	0	22.08	21.52	0.142			
	1	0	22.78	22.22	0.167			
	1	8	22.71	22.15	0.164			
	1	14	22.73	22.17	0.165			
	8	0	21.64	21.08	0.128			
	8	4	21.68	21.12	0.129			
	8	7	21.63	21.07	0.128			
	15	0	21.59	21.03	0.127			
	1	0	23.65	23.09	0.204			
	1	8	22.88	22.32	0.171			
	1	14	22.88	22.32	0.171			
	8	0	22.02	21.46	0.140			
8	4	21.95	21.39	0.138				
8	7	21.95	21.39	0.138				
15	0	21.56	21.00	0.126				



Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
64QAM	1851.5	18615	3	1	0	21.99	21.43	0.139
				1	8	21.98	21.42	0.139
				1	14	22.08	21.52	0.142
				8	0	22.08	21.52	0.142
				8	4	22.08	21.52	0.142
				8	7	21.99	21.43	0.139
				15	0	22.08	21.52	0.142
	1880	18900		1	0	23.04	22.48	0.177
				1	8	23.02	22.46	0.176
				1	14	23.18	22.62	0.183
				8	0	22.88	22.32	0.171
				8	4	22.85	22.29	0.169
				8	7	22.84	22.28	0.169
				15	0	22.88	22.32	0.171
	1908.5	19185		1	0	21.76	21.20	0.132
				1	8	21.57	21.01	0.126
				1	14	21.57	21.01	0.126
				8	0	21.56	21.00	0.126
				8	4	21.56	21.00	0.126
				8	7	21.57	21.01	0.126
				15	0	21.56	21.00	0.126

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
QPSK	1852.5	18625	5	1	0	23.94	23.38	0.218
				1	12	23.60	23.04	0.201
				1	24	23.76	23.20	0.209
				12	0	22.97	22.41	0.174
				12	7	22.83	22.27	0.169
				12	13	22.83	22.27	0.169
				25	0	22.80	22.24	0.167
	1880	18900		1	0	23.58	23.02	0.200
				1	12	23.65	23.09	0.204
				1	24	23.65	23.09	0.204
				12	0	22.61	22.05	0.160
				12	7	22.54	21.98	0.158
				12	13	22.54	21.98	0.158
				25	0	22.52	21.96	0.157
	1907.5	19175		1	0	23.80	23.24	0.211
				1	12	23.93	23.37	0.217
				1	24	23.91	23.35	0.216
				12	0	22.84	22.28	0.169
				12	7	22.72	22.16	0.164
				12	13	22.72	22.16	0.164
				25	0	22.73	22.17	0.165
16QAM	1852.5	18625	1	0	22.44	21.88	0.154	
			1	12	22.40	21.84	0.153	
			1	24	22.41	21.85	0.153	
			12	0	21.92	21.36	0.137	
			12	7	21.89	21.33	0.136	
			12	13	21.57	21.01	0.126	
			25	0	22.05	21.49	0.141	
	1880	18900	1	0	22.80	22.24	0.167	
			1	12	22.80	22.24	0.167	
			1	24	22.80	22.24	0.167	
			12	0	21.54	20.98	0.125	
			12	7	21.49	20.93	0.124	
			12	13	21.59	21.03	0.127	
			25	0	21.52	20.96	0.125	
	1907.5	19175	1	0	22.63	22.07	0.161	
			1	12	22.39	21.83	0.152	
			1	24	22.39	21.83	0.152	
			12	0	21.69	21.13	0.130	
			12	7	21.61	21.05	0.127	
			12	13	21.61	21.05	0.127	
			25	0	21.75	21.19	0.132	

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
64QAM	1852.5	18625	5	1	0	21.93	21.37	0.137
				1	12	21.93	21.37	0.137
				1	24	22.05	21.49	0.141
				12	0	21.93	21.37	0.137
				12	7	22.04	21.48	0.141
				12	13	22.04	21.48	0.141
				25	0	22.04	21.48	0.141
	1880	18900		1	0	21.62	21.06	0.128
				1	12	21.63	21.07	0.128
				1	24	21.62	21.06	0.128
				12	0	21.62	21.06	0.128
				12	7	21.53	20.97	0.125
				12	13	21.53	20.97	0.125
				25	0	21.53	20.97	0.125
	1907.5	19175		1	0	21.75	21.19	0.132
				1	12	21.75	21.19	0.132
				1	24	21.76	21.20	0.132
				12	0	21.76	21.20	0.132
				12	7	21.76	21.20	0.132
				12	13	21.76	21.20	0.132
				25	0	21.76	21.20	0.132

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
QPSK	1855	18650	10	1	0	24.19	23.63	0.231
				1	25	23.86	23.30	0.214
				1	49	23.85	23.29	0.213
				25	0	22.95	22.39	0.173
				25	12	22.80	22.24	0.167
				25	25	22.80	22.24	0.167
	50	0		22.73	22.17	0.165		
	1880	18900		1	0	23.67	23.11	0.205
				1	25	23.71	23.15	0.207
				1	49	23.92	23.36	0.217
				25	0	22.58	22.02	0.159
				25	12	22.57	22.01	0.159
				25	25	22.68	22.12	0.163
	50	0		22.62	22.06	0.161		
	1905	19150		1	0	23.70	23.14	0.206
				1	25	23.67	23.11	0.205
				1	49	23.77	23.21	0.209
				25	0	22.75	22.19	0.166
25			12	22.69	22.13	0.163		
25			25	22.69	22.13	0.163		
50	0	22.76	22.20	0.166				
16QAM	1855	18650	1	0	23.25	22.69	0.186	
			1	25	22.96	22.40	0.174	
			1	49	22.96	22.40	0.174	
			25	0	21.95	21.39	0.138	
			25	12	21.78	21.22	0.132	
			25	25	21.78	21.22	0.132	
	50	0	21.90	21.34	0.136			
	1880	18900	1	0	23.01	22.45	0.176	
			1	25	22.78	22.22	0.167	
			1	49	22.78	22.22	0.167	
			25	0	21.75	21.19	0.132	
			25	12	21.73	21.17	0.131	
			25	25	21.73	21.17	0.131	
	50	0	21.60	21.04	0.127			
	1905	19150	1	0	22.41	21.85	0.153	
			1	25	22.46	21.90	0.155	
			1	49	22.46	21.90	0.155	
			25	0	21.98	21.42	0.139	
25			12	21.76	21.20	0.132		
25			25	21.85	21.29	0.135		
50	0	21.69	21.13	0.130				

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
64QAM	1855	18650	10	1	0	21.90	21.34	0.136
				1	25	21.79	21.23	0.133
				1	49	21.79	21.23	0.133
				25	0	21.79	21.23	0.133
				25	12	21.90	21.34	0.136
				25	25	21.90	21.34	0.136
				50	0	21.78	21.22	0.132
	1880	18900		1	0	21.71	21.15	0.130
				1	25	21.71	21.15	0.130
				1	49	21.71	21.15	0.130
				25	0	21.51	20.95	0.124
				25	12	21.51	20.95	0.124
				25	25	21.51	20.95	0.124
				50	0	21.71	21.15	0.130
	1905	19150		1	0	21.69	21.13	0.130
				1	25	21.69	21.13	0.130
				1	49	21.69	21.13	0.130
				25	0	21.69	21.13	0.130
				25	12	21.69	21.13	0.130
				25	25	21.69	21.13	0.130
				50	0	21.69	21.13	0.130

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
QPSK	1857.5	18675	15	1	0	23.86	23.30	0.214
				1	37	23.45	22.89	0.195
				1	74	23.43	22.87	0.194
				36	0	22.82	22.26	0.168
				36	29	22.64	22.08	0.161
				36	30	22.64	22.08	0.161
				75	0	22.65	22.09	0.162
	1880	18900		1	0	23.44	22.88	0.194
				1	37	23.57	23.01	0.200
				1	74	23.56	23.00	0.200
				36	0	22.67	22.11	0.163
				36	29	22.63	22.07	0.161
				36	30	22.63	22.07	0.161
				75	0	22.50	21.94	0.156
	1902.5	19125		1	0	23.85	23.29	0.213
				1	37	23.45	22.89	0.195
				1	74	23.61	23.05	0.202
				36	0	22.71	22.15	0.164
				36	29	22.70	22.14	0.164
				36	30	22.70	22.14	0.164
				75	0	22.78	22.22	0.167
16QAM	1857.5	18675	1	0	23.44	22.88	0.194	
			1	37	22.65	22.09	0.162	
			1	74	22.65	22.09	0.162	
			36	0	21.85	21.29	0.135	
			36	29	21.66	21.10	0.129	
			36	30	21.56	21.00	0.126	
			75	0	21.65	21.09	0.129	
	1880	18900	1	0	23.35	22.79	0.190	
			1	37	22.97	22.41	0.174	
			1	74	22.96	22.40	0.174	
			36	0	21.77	21.21	0.132	
			36	29	21.72	21.16	0.131	
			36	30	21.73	21.17	0.131	
			75	0	21.63	21.07	0.128	
	1902.5	19125	1	0	22.89	22.33	0.171	
			1	37	22.81	22.25	0.168	
			1	74	22.81	22.25	0.168	
			36	0	21.78	21.22	0.132	
			36	29	21.70	21.14	0.130	
			36	30	21.70	21.14	0.130	
			75	0	21.72	21.16	0.131	

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
64QAM	1857.5	18675	15	1	0	21.77	21.21	0.132
				1	37	21.77	21.21	0.132
				1	74	21.78	21.22	0.132
				36	0	21.78	21.22	0.132
				36	29	21.77	21.21	0.132
				36	30	21.78	21.22	0.132
				75	0	21.77	21.21	0.132
	1880	18900		1	0	21.62	21.06	0.128
				1	37	21.63	21.07	0.128
				1	74	21.63	21.07	0.128
				36	0	21.52	20.96	0.125
				36	29	21.53	20.97	0.125
				36	30	21.53	20.97	0.125
				75	0	21.53	20.97	0.125
	1902.5	19125		1	0	21.72	21.16	0.131
				1	37	21.72	21.16	0.131
				1	74	21.72	21.16	0.131
				36	0	21.72	21.16	0.131
				36	29	21.72	21.16	0.131
				36	30	21.72	21.16	0.131
				75	0	21.64	21.08	0.128

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
QPSK	1860	18700	20	1	0	24.02	23.46	0.222
				1	49	23.26	22.70	0.186
				1	99	23.25	22.69	0.186
				50	0	22.84	22.28	0.169
				50	24	22.60	22.04	0.160
				50	50	22.61	22.05	0.160
				100	0	22.74	22.18	0.165
	1880	18900		1	0	23.67	23.11	0.205
				1	49	23.96	23.40	0.219
				1	99	23.95	23.39	0.218
				50	0	22.59	22.03	0.160
				50	24	22.62	22.06	0.161
				50	50	22.63	22.07	0.161
				100	0	22.61	22.05	0.160
	1900	19100		1	0	23.65	23.09	0.204
				1	49	23.54	22.98	0.199
				1	99	23.54	22.98	0.199
				50	0	22.82	22.26	0.168
				50	24	22.83	22.27	0.169
				50	50	22.84	22.28	0.169
				100	0	22.76	22.20	0.166
16QAM	1860	18700	1	0	23.42	22.86	0.193	
			1	49	22.90	22.34	0.171	
			1	99	22.90	22.34	0.171	
			50	0	21.87	21.31	0.135	
			50	24	21.65	21.09	0.129	
			50	50	21.66	21.10	0.129	
			100	0	21.81	21.25	0.133	
	1880	18900	1	0	22.48	21.92	0.156	
			1	49	22.79	22.23	0.167	
			1	99	22.49	21.93	0.156	
			50	0	21.54	20.98	0.125	
			50	24	21.60	21.04	0.127	
			50	50	21.60	21.04	0.127	
			100	0	21.60	21.04	0.127	
	1900	19100	1	0	22.66	22.10	0.162	
			1	49	23.19	22.63	0.183	
			1	99	23.14	22.58	0.181	
			50	0	21.76	21.20	0.132	
			50	24	21.77	21.21	0.132	
			50	50	21.77	21.21	0.132	
			100	0	21.86	21.30	0.135	



Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
64QAM	1860	18700	20	1	0	21.81	21.25	0.133
				1	49	21.81	21.25	0.133
				1	99	21.81	21.25	0.133
				50	0	21.81	21.25	0.133
				50	24	21.81	21.25	0.133
				50	50	21.81	21.25	0.133
				100	0	21.81	21.25	0.133
	1880	18900		1	0	21.60	21.04	0.127
				1	49	21.61	21.05	0.127
				1	99	21.60	21.04	0.127
				50	0	21.60	21.04	0.127
				50	24	21.61	21.05	0.127
				50	50	21.60	21.04	0.127
				100	0	21.60	21.04	0.127
	1900	19100		1	0	21.86	21.30	0.135
				1	49	21.86	21.30	0.135
				1	99	21.86	21.30	0.135
				50	0	21.86	21.30	0.135
				50	24	21.86	21.30	0.135
				50	50	21.86	21.30	0.135
				100	0	21.86	21.30	0.135