

## Health and Safety Information

### Important Health Information and Safety Precautions

When using this product, the safety precautions below must be taken to avoid possible legal liabilities and damages. Retain and follow all product safety and operating instructions. Observe all warnings in the product operating instructions. To reduce the risk of bodily injury, electric shock, fire and damage to the equipment, closely observe all of the following precautions.

#### Safety Precautions for Proper Grounding Installation

**Caution:** Connecting to improperly grounded equipment can result in an electric shock to either you or your device. This product is equipped with a USB Cable for connecting to a desktop or notebook computer. Be sure your computer is properly grounded before connecting this product to the computer. The power supply cord at a desktop or notebook computer has an equipment-grounding conductor and a grounding plug. The grounding plug must be plugged into an appropriate outlet which is properly installed and grounded in accordance with all local codes and ordinances.

#### Safety Precautions for Power Supply Unit

Use the correct external power source. A product should be operated only from the type of power source indicated on the electrical ratings label. If you are not sure of the type of power source required, contact your retailer or the federal agency or local power company. For a product that operates from battery power or other sources, refer to the operating instructions that are included with the product.

#### Electrical Safety

This product is intended for use when supplied with power from the designated battery or power supply unit. Other uses may be dangerous and will invalidate any approval given to this product. **Handle battery packs carefully.** This product contains a Li-Ion battery. There is a risk of fire and burns if the battery pack is handled improperly. Do not attempt to open or service the battery pack. Do not pierce, puncture, short external contacts or circuits, dispose of in fire or water, or expose a battery pack to temperatures higher than 60°C (140°F). **Note:** Danger of explosion if battery is incorrectly replaced. Replace only with specified batteries. To replace the battery, take the product to an authorized service center. Recycle or dispose of used batteries according to all applicable local regulations, or in accordance with the instructions in the reference guide.

#### Follow these other specific precautions:

1. Keep the battery or device dry and away from water or any liquid as it may cause a short circuit.
2. The phone should be connected only to products that bear the USB-IF logo or have completed the USB-IF compliance program.
3. Keep metal objects away from the phone. Metal objects do not come in contact with the battery or its connectors as it may lead to short circuit during operation.
4. Do not keep the battery out of the reach of babies and small children to avoid swallowing. Consult a doctor immediately if the battery is swallowed.
5. Do not use a battery that appears damaged, deformed, discolored, has any rust on its casing, if it overheats, and/or if it emits a foul odor.
6. Use of an unqualified battery or charger may present a risk of fire, explosion, leakage or other hazard.
7. Only use the battery with a charging system that has been qualified with the system per this standard: IEEE-Std-1725-2004.
8. Use of an unqualified battery may present a risk of fire, explosion, leakage or other hazard.
9. Replace the battery only with another battery that has been qualified with the system per this standard: IEEE-Std-1725-2004.
10. Avoid dropping the phone or battery. If the phone or battery is dropped, especially on a hard surface causing damage, take it to a service center for inspection.
11. If the battery leaks: Do not allow the leaking fluid to come in contact with eyes. If contact occurs, DO NOT rub the eyes. Rinse with clean water immediately and seek medical advice. Do not allow the leaking fluid to come in contact with skin or clothing. If contact occurs, flush the affected area immediately with clean water and seek medical advice. Take other precautions to keep a leaking battery away from fire as there is a danger of ignition or explosion.

#### Prevention of Hearing Loss

**Caution:** Permanent hearing loss may occur if earphones or headphones are used at high-volume levels for prolonged periods of time.

#### Safety Precautions for Direct Sunlight

Store this product away from excessive moisture and extreme temperatures. Do not leave the product or its battery inside a vehicle in places where the temperature may exceed 60°C (140°F), such as on a car dashboard, window sill, or behind glass that is exposed to direct sunlight or strong ultraviolet light for extended periods of time. This may damage the product, overheat the battery, or pose a risk to the vehicle.

#### Environmental Restrictions

In many jurisdictions, vehicle operators are not permitted to use communication services with handheld devices while the vehicle is in motion, except in the case of emergency. In some countries, using hands-free devices as an alternative is allowed.

#### Aircraft Safety

Due to the possibility of interference caused by this product, an aircraft's navigation system and its communications network using this device's phone function on board an airplane is prohibited in most countries. If flight personnel instructs use of electronic devices, switch device to Airplane Mode (consult User Guide for instructions) to turn off RF functions that may cause interference.

#### Road Safety

In many jurisdictions, vehicle operators are not permitted to use communication services with handheld devices while the vehicle is in motion, except in the case of emergency. In some countries, using hands-free devices as an alternative is allowed.

#### Safety Precautions for RF Exposure

Use of non-original, non-manufacturer-approved accessories may violate your local RF safety guidelines and should be avoided.

Use only original, manufacturer-approved accessories when such accessories contain metal of any kind.

Avoid using your phone near strong electromagnetic sources, such as microwave ovens, sound speakers, TV and radio.

Avoid using your phone near metal structures (for example, the steel frame of a building).

#### Explosive Atmospheres

In an area with a potentially explosive atmosphere or where flammable materials exist, the device should be turned off and the user should obey all signs and instructions. Sparks in such areas could cause an explosion or fire resulting in bodily injury or even death. Users are advised not to use the equipment at refueling points such as service or gas stations, and are reminded of the need to observe restrictions on the use of radio equipment in fuel depots, chemical plants, or where blasting operations are in progress. Areas with a potentially explosive atmosphere are often, but not always, clearly marked such as fueling areas, below deck on boats, fuel or chemical transfer or storage facilities, and including, but not limited to areas where the air contains chemicals or particles such as grain, dust, or metal powders.

#### Interference with Medical Equipment Functions

This product may cause medical equipment to malfunction. The use of this device is prohibited in most hospitals and medical clinics for which regulations and rules are prominently posted in such facilities. In these instances, turn your phone OFF as health care facilities frequently use equipment that is adversely affected by RF energy. If you use any personal medical device(s), consult the manufacturer of your device(s) to determine if the device(s) is adequately shielded from the interference of your phone. Your health care provider may be able to assist you in obtaining this information.

#### Non-ionizing Radiation

Your device has an internal antenna. This product should be operated in its normal-use position to ensure the radiative performance and safety from interference. As with other mobile radio transmitting equipment, users are advised that for satisfactory operation of

the equipment and for personal safety, it is recommended that no part of the human body should come too close to the antenna during equipment operation. Use only the supplied integral antenna. Use of unauthorized or modified antennas may impair call quality and damage the phone, causing loss of performance and SAR levels exceeding the recommended limits, as well as causing non-compliance with local and national regulatory requirements. In order to limit RF energy exposure and to ensure optimal phone performance, operate the device only in its normal-use position. Contact the Technical Support Center if you are unable to repair or service personnel in case of a higher power level than needed which can reduce antenna performance and battery life.

#### Battery Information and Precautions

To assure product safety, there shall be precautions below.

Do not use this product in gas stations, fuel depots, chemical plants or where blasting operations are in progress, or in potentially explosive atmospheres such as fueling areas, fuel storerooms, below deck on boats, chemical plants, fuel or chemical transfer or storage facilities, and areas where the air contains chemicals or particles, such as grain, dust, or metal powders. Please be aware that sparks in such areas could cause an explosion or fire resulting in bodily injury or even death.

- Use dedicated chargers and follow the specified conditions when charging the cell.
- Use the cell only with the specified equipment.
- Do not put or store cell with metallic material such as necklaces, hairpins, coins, or screws.
- Do not short circuit the (+) and (-) terminals with metal conductors.
- Do not place cell in a device with the (+) and (-) in a reverse way.
- Do not penetrate cell with a sharp articles such as a needle.
- Do not disassemble the cell.
- Do not twist the cell directly.
- Do not use a seriously damaged or deformed cell.
- Thoroughly read the user's manual before use. Inaccurate handling of lithium ion cell may result in heat, fire, explosion, damage or the capacity loss of the cell.

**Warning:**  
- Do not put cell into a heating vessel, washing machine or high-pressure container.  
- Do not use cell with primary batteries, or batteries of a different package, type, or brand.  
- Stop charging the cell if charging is not completed within the specified time.  
- Stop using the cell if abnormal heat, odor, discoloration, deformation or abnormal condition is detected during use, charge, or storage.

Keep away from cell immediately when leakage or foul odor is detected.  
Wash well with clean water immediately if liquid leaks onto your skin or clothes.  
If liquid leaking from the cell gets into your eyes, do not rub your eyes. Wash them well with clean water and call physician immediately.

Store batteries out of reach of children so that they are not accidentally swallowed or handled.

If younger children use the cell, their guardians should explain the proper handling.  
- Be sure to read the user's manual and cautions on handling thoroughly before using the cell.

Batteries have cycle life. Replace failed cell with a new cell that is the same brand immediately after normal life cycle expiration, or if expiration has occurred prematurely. Store battery in a low-humidity and low-temperature environment if the battery won't be used for an extended period of time.  
- Keep it far away from objects or materials with static electric charges while the cell is charged, used, or stored.  
- Metal articles that come into contact with the cell become dirty.

#### Safety Instructions of Travel Charger

Please read the following information carefully.

1. The maximum ambient temperature of the travel charger shall not exceed 40°C (104 degrees F).
2. The Travel Charger shall be installed according to specification. The current load and output power shall not exceed the following value:  
Input: AC100-240V / 50/60Hz 0.25A  
Output: DC5V 1.0A (max)
3. The Travel Charger shall be used for IT equipment only.
4. For indoor use only.

5. Cleaning - Unplug this from the wall outlet before cleaning. Do not use liquid cleaners or aerosol cleaners to clean; use only a dry cloth.
6. Water and moisture - Do not use this product under moist environment.
7. Self-serving - Attempting to service this product on your own, or opening or removing device covers may result in exposure to dangerous voltage or other hazards.
8. Unplug this apparatus during lightning storms or when unused for lengthy durations.
9. This Travel Charger is not intended to be repaired by service personnel in case of failure or component defect.

#### FCC Notice and Cautions

This device and its accessories comply with Part 15 of FCC Rules.

Operation is subject to the following conditions:  
(1) This device and its accessories may not cause harmful interference.

(2) This device and its accessories must accept any interference received, including interference that may cause undesired operation.

#### Danger!

Changes or modifications that are not expressly approved by the manufacturer could void the user's authority to operate the equipment.

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference to residential installations. This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If you experience interference with reception (e.g. television), determine if this equipment is causing the harmful interference by turning the equipment off and on back on to see if the interference is affected.

- If necessary, try correcting the interference by one or more of the following measures:
  - Reorient or relocate the receiving antenna.
  - Increase the separation between the equipment and receiver.
  - Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
  - Consult the dealer or an experienced radio/TV technician for further assistance.

#### HAC

This phone meets the M4/T4 level rating.

This phone has been tested and rated for use with hearing aids for some of the wireless technologies that it uses. However, there may be some newer wireless technologies used in this phone that have not been tested yet for use with hearing aids. Therefore, it is important to experiment with the various features of this phone and in different locations using your hearing aid or cochlear implant, to determine if you hear any interfering noise. Consult your service provider or the manufacturer of this phone for information on hearing aid compatibility. If you have questions about return or exchange policies, consult your service provider or phone retailer.

#### TIA Safety Information

The following is the complete TIA Safety Information for wireless handheld phones:

#### Exposure to Radio Frequency Signal

Your wireless handheld portable phone is a low-power radio transmitter and receiver. When ON, it receives and sends out Radio Frequency (RF) signals. In August 1996, the Federal Communications Commissions (FCC) adopted RF exposure guidelines with safety levels for handheld wireless phones. These guidelines are consistent with the safety standards previously set by both U.S. and international standards bodies, as follows:  
ANSI C95.1 (1992) - NCRP Report 68 (1985)  
ICNIRP (1996)

\*American National Standards Institute, National Council on Radiation Protection and Measurements, International Commission on Non-ionizing Radiation Protection. These standards were based on comprehensive and periodic evaluations of the relevant scientific literature. For example, over 120 scientists, engineers, and physicians from universities, government health agencies, and industry reviewed the available body of research to develop the ANSI Standard (C95.1). The design of your phone complies with the FCC Guidelines (and those standards).

#### Antenna Care

Use only the supplied or approved replacement antenna. Unauthorized antennas, modifications, or attachments could damage the phone and may violate FCC regulations.

#### Phone Operation

**NORMAL POSITION:** Hold the phone as you would any other telephone with the antenna pointed up and over your shoulder.

#### Tips on Efficient Operation

For your phone to operate most efficiently, do not touch the antenna unnecessarily when operating the phone. Contact with the antenna affects call quality and may cause the phone to operate at a higher power level than otherwise needed, thus reducing battery life.

#### Driving

1. Observe the laws and regulations regarding wireless phone usages while driving. Where cell phone use is permitted while driving, you MUST observe the following:
  - Give full attention to driving - driving safely is your first responsibility;
  - Use hands-free operation, if available;
  - Pull off the road and park before making or answering a call if driving conditions or the law requires that you do so.

#### Pacemakers

The Health Industry Manufacturers Association recommends that a minimum separation of six (6) inches be maintained between a handheld wireless phone and a pacemaker to avoid potential interference with the pacemaker. These recommendations are consistent with the independent research by and recommendations of Wireless Technology Research.

#### Persons with pacemakers:

1. Should ALWAYS keep the phone more than six (6) inches from their pacemaker when the phone is turned ON;
2. Should not carry the phone in a breast pocket;
3. Should use the ear opposite the pacemaker to minimize the potential for interference;
4. Should turn the phone OFF immediately if there is any reason to suspect that interference is occurring.

#### Electronic Devices

Most modern electronic equipment is shielded from RF signals but some equipment or devices might not be.

#### Hearing Aids

Some digital wireless phones may interfere with hearing aids. In the event of such interference, you please consult your service provider, or call customer service regarding alternatives.

#### Other Medical Devices

If you use other personal medical devices, consult the device manufacturer to determine if it is adequately shielded from external RF energy, or your health care provider may be able to advise you about any harmful device interactions.

#### Vehicles

Mobile phones may affect improperly installed or inadequately shielded electronic systems in motor vehicles. Be certain to contact the manufacturer or representative regarding this as well as manufacturer of any additional vehicle equipment.

#### Posted Facilities

Turn your phone OFF in any facility where posted notices so require.

#### For Vehicles Equipped with an Air Bag

DO NOT place objects, including installed or portable wireless equipment, in the area over the air bag or in the air bag deployment area. If in-vehicle wireless equipment is improperly installed and the air bag inflates, serious injury could result since air bags inflate with great force.

6. Do not point your phone.
7. Phone data, including contact information, ringtone, text messages, voice messages, pictures or videos, etc. may be inadvertently deleted due to careless use, phone repair, or software upgrades. Please back up your important phone numbers and all other vital data. Note: Neither the manufacturer nor any person or entity associated therewith is liable for any damages whatsoever due to loss of any of all data stored on any of your devices.
8. When using your phone in public places, set the ringtone to vibration so you don't disturb others.
9. Do not turn your phone on or off while the device is in close proximity to your ear.
10. Use accessories, such as earphones and headsets with caution. Ensure that cables tucked away safely and do not touch the antenna.

#### Caution:

**Loud potential hearing loss.** Prolonged exposure to loud sounds (including music) is the most common cause of preventable hearing loss. Some scientific research suggests that using portable audio devices, such as portable music players and cellular telephones, at high volume settings for long durations may lead to permanent hearing loss. This includes the use of headphones (including headsets, ear buds and Bluetooth®), or other wireless devices.

Exposure to very loud sound has also been associated in some studies with tinnitus (ringing in the ear), hypersensitivity to sound, and distorted hearing. The amount of sound produced by a portable audio device varies depending on the nature of the sound, the device, the device settings and the headphones. Hence, individual susceptibility to noise-induced hearing loss and other hearing problems can vary. Please follow these important guidelines for hearing loss prevention.

1. Set the phone's volume in a quiet environment and select the lowest volume for which you can hear clearly.
2. When using headphones, turn the volume down if you cannot hear the people speaking near you or if the person sitting next to you can hear what you are saying to.
3. Do not turn the volume up to block out noisy surroundings. If you choose to listen to your portable device in a noisy environment, consider using noise-cancelling headphones to block out background noise.
4. As the volume increases, less time is required before your hearing could be affected, so consider limiting your listening time.
5. The FDA regulates the maximum exposure to extremely loud noises (e.g. live concerts) to sound like temporary hearing loss which, in turn, might cause unsafe volume levels to reach like normal levels.

Do not listen to music or any other audio that causes you discomfort. If you experience ringing in your ears, hear muffled speech or experience any temporary hearing difficulty after listening to your portable audio device, discontinue use and consult your health care provider.

You can obtain additional information on this subject from the following sources:

**American Academy of Audiology**  
17320 Plaza American Drive, Suite 300 Reston, VA 20190  
Voice: (800) 242-2336  
Email: info@audiology.org  
Internet: www.audiology.org

**National Institute on Deafness and Other Communication Disorders**  
National Institutes of Health  
31 Center Drive, MSC 2320 Bethesda, MD USA 20892-3320  
Voice: (301) 496-7243  
Email: niddinfo@nih.gov  
Internet: http://www.nidcd.nih.gov/health/hearing

**National Institute for Occupational Safety and Health**  
Hubert H. Humphrey Building, 200 Independence Ave., SW Washington, DC 20020  
Voice: 1-800-35-NIOSH (1-800-232-4636)

Internet: http://www.cdc.gov/niosh/topics/noise/deafn.htm

Internet: http://www.cdc.gov/niosh/topics/noise/deafn.htm

Internet: http://www.cdc.gov/niosh/topics/noise/deafn.htm

Internet: http://www.cdc.gov/niosh/topics/noise/deafn.htm

Internet: http://www.cdc.gov/niosh/topics/noise/deafn.htm

Internet: http://www.cdc.gov/niosh/topics/noise/deafn.htm

Internet: http://www.cdc.gov/niosh/topics/noise/deafn.htm

Internet: http://www.cdc.gov/niosh/topics/noise/deafn.htm

Internet: http://www.cdc.gov/niosh/topics/noise/deafn.htm

Internet: http://www.cdc.gov/niosh/topics/noise/deafn.htm

Internet: http://www.cdc.gov/niosh/topics/noise/deafn.htm

Internet: http://www.cdc.gov/niosh/topics/noise/deafn.htm

salivary gland tumors), leukemia, or other types of cancer. None of the studies demonstrated the existence of any harmful health effects from wireless phone RF emissions. However, none of the studies provided absolute findings about long-term exposures since the average period of phone use in these studies was approximately three years.

**4. What kinds of phones are the subjects of this update?**

Here the term "wireless phone" refers to handheld wireless phones with built-in antennas, cordless and mobile phones. These types of wireless phones can expose the user to measurable Radio Frequency (RF) energy because of the short distance between the phone and the user's head. These RF exposures are limited by FCC safety guidelines which take into account the distance between the phone and the user's head. In such a case, the FDA could require the manufacturers of wireless phones to notify users of the health hazard and to repair, replace, or recall the phones so that the hazard no longer exists.

Although the existing scientific data does not justify FDA regulatory actions, the FDA has urged the wireless phone industry to take a number of steps, including the following:

1. National Institute for Occupational Safety and Health
2. Environmental Protection Agency
3. Occupational Safety and Health Administration
4. Federal Communications Commission
5. Federal Trade Commission
6. National Institute on Deafness and Other Communication Disorders
7. National Institutes of Health
8. Federal Communications Commission
9. Federal Trade Commission
10. National Institute on Deafness and Other Communication Disorders
11. National Institutes of Health
12. Federal Communications Commission
13. Federal Trade Commission
14. National Institute on Deafness and Other Communication Disorders
15. National Institutes of Health
16. Federal Communications Commission
17. Federal Trade Commission
18. National Institute on Deafness and Other Communication Disorders
19. National Institutes of Health
20. Federal Communications Commission
21. Federal Trade Commission
22. National Institute on Deafness and Other Communication Disorders
23. National Institutes of Health
24. Federal Communications Commission
25. Federal Trade Commission
26. National Institute on Deafness and Other Communication Disorders
27. National Institutes of Health
28. Federal Communications Commission
29. Federal Trade Commission
30. National Institute on Deafness and Other Communication Disorders
31. National Institutes of Health
32. Federal Communications Commission
33. Federal Trade Commission
34. National Institute on Deafness and Other Communication Disorders
35. National Institutes of Health
36. Federal Communications Commission
37. Federal Trade Commission
38. National Institute on Deafness and Other Communication Disorders
39. National Institutes of Health
40. Federal Communications Commission
41. Federal Trade Commission
42. National Institute on Deafness and Other Communication Disorders
43. National Institutes of Health
44. Federal Communications Commission
45. Federal Trade Commission
46. National Institute on Deafness and Other Communication Disorders
47. National Institutes of Health
48. Federal Communications Commission
49. Federal Trade Commission
50. National Institute on Deafness and Other Communication Disorders
51. National Institutes of Health
52. Federal Communications Commission
53. Federal Trade Commission
54. National Institute on Deafness and Other Communication Disorders
55. National Institutes of Health
56. Federal Communications Commission
57. Federal Trade Commission
58. National Institute on Deafness and Other Communication Disorders
59. National Institutes of Health
60. Federal Communications Commission
61. Federal Trade Commission
62. National Institute on Deafness and Other Communication Disorders
63. National Institutes of Health
64. Federal Communications Commission
65. Federal Trade Commission
66. National Institute on Deafness and Other Communication Disorders
67. National Institutes of Health
68. Federal Communications Commission
69. Federal Trade Commission
70. National Institute on Deafness and Other Communication Disorders
71. National Institutes of Health
72. Federal Communications Commission
73. Federal Trade Commission
74. National Institute on Deafness and Other Communication Disorders
75. National Institutes of Health
76. Federal Communications Commission
77. Federal Trade Commission
78. National Institute on Deafness and Other Communication Disorders
79. National Institutes of Health
80. Federal Communications Commission
81. Federal Trade Commission
82. National Institute on Deafness and Other Communication Disorders
83. National Institutes of Health
84. Federal Communications Commission
85. Federal Trade Commission
86. National Institute on Deafness and Other Communication Disorders
87. National Institutes of Health
88. Federal Communications Commission
89. Federal Trade Commission
90. National Institute on Deafness and Other Communication Disorders
91. National Institutes of Health
92. Federal Communications Commission
93. Federal Trade Commission
94. National Institute on Deafness and Other Communication Disorders
95. National Institutes of Health
96. Federal Communications Commission
97. Federal Trade Commission
98. National Institute on Deafness and Other Communication Disorders
99. National Institutes of Health
100. Federal Communications Commission
101. Federal Trade Commission
102. National Institute on Deafness and Other Communication Disorders
103. National Institutes of Health
104. Federal Communications Commission
105. Federal Trade Commission
106. National Institute on Deafness and Other Communication Disorders
107. National Institutes of Health
108. Federal Communications Commission
109. Federal Trade Commission
110. National Institute on Deafness and Other Communication Disorders
111. National Institutes of Health
112. Federal Communications Commission
113. Federal Trade Commission
114. National Institute on Deafness and Other Communication Disorders
115. National Institutes of Health
116. Federal Communications Commission
117. Federal Trade Commission
118. National Institute on Deafness and Other Communication Disorders
119. National Institutes of Health
120. Federal Communications Commission
121. Federal Trade Commission
122. National Institute on Deafness and Other Communication Disorders
123. National Institutes of Health
124. Federal Communications Commission
125. Federal Trade Commission
126. National Institute on Deafness and Other Communication Disorders
127. National Institutes of Health
128. Federal Communications Commission
129. Federal Trade Commission
130. National Institute on Deafness and Other Communication Disorders
131. National Institutes of Health
132. Federal Communications Commission
133. Federal Trade Commission
134. National Institute on Deafness and Other Communication Disorders
135. National Institutes of Health
136. Federal Communications Commission
137. Federal Trade Commission
138. National Institute on Deafness and Other Communication Disorders
139. National Institutes of Health
140. Federal Communications Commission
141. Federal Trade Commission
142. National Institute on Deafness and Other Communication Disorders
143. National Institutes of Health
144. Federal Communications Commission
145. Federal Trade Commission
146. National Institute on Deafness and Other Communication Disorders
147. National Institutes of Health
148. Federal Communications Commission
149. Federal Trade Commission
150. National Institute on Deafness and Other Communication Disorders
151. National Institutes of Health
152. Federal Communications Commission
153. Federal Trade Commission
154. National Institute on Deafness and Other Communication Disorders
155. National Institutes of Health
156. Federal Communications Commission
157. Federal Trade Commission
158. National Institute on Deafness and Other Communication Disorders
159. National Institutes of Health
160. Federal Communications Commission
161. Federal Trade Commission
162. National Institute on Deafness and Other Communication Disorders
163. National Institutes of Health
164. Federal Communications Commission
165. Federal Trade Commission
166. National Institute on Deafness and Other Communication Disorders
167. National Institutes of Health
168. Federal Communications Commission
169. Federal Trade Commission
170. National Institute on Deafness and Other Communication Disorders
171. National Institutes of Health
172. Federal Communications Commission
173. Federal Trade Commission
174. National Institute on Deafness and Other Communication Disorders
175. National Institutes of Health
176. Federal Communications Commission
177. Federal Trade Commission
178. National Institute on Deafness and Other Communication Disorders
179. National Institutes of Health
180. Federal Communications Commission
181. Federal Trade Commission
182. National Institute on Deafness and Other Communication Disorders
183. National Institutes of Health
184. Federal Communications Commission
185. Federal Trade Commission
186. National Institute on Deafness and Other Communication Disorders
187. National Institutes of Health
188. Federal Communications Commission
189. Federal Trade Commission
190. National Institute on Deafness and Other Communication Disorders
191. National Institutes of Health
192. Federal Communications Commission
193. Federal Trade Commission
194. National Institute on Deafness and Other Communication Disorders
195. National Institutes of Health
196. Federal Communications Commission
197. Federal Trade Commission
198. National Institute on Deafness and Other Communication Disorders
199. National Institutes of Health
200. Federal Communications Commission
201. Federal Trade Commission
202. National Institute on Deafness and Other Communication Disorders
203. National Institutes of Health
204. Federal Communications Commission
205. Federal Trade Commission
206. National Institute on Deafness and Other Communication Disorders
207. National Institutes of Health
208. Federal Communications Commission
209. Federal Trade Commission
210. National Institute on Deafness and Other Communication Disorders
211. National Institutes of Health
212. Federal Communications Commission
213. Federal Trade Commission
214. National Institute on Deafness and Other Communication Disorders
215. National Institutes of Health
216. Federal Communications Commission
217. Federal Trade Commission
218. National Institute on Deafness and Other Communication Disorders
219. National Institutes of Health
220. Federal Communications Commission
221. Federal Trade Commission
222. National Institute on Deafness and Other Communication Disorders
223. National Institutes of Health
224. Federal Communications Commission
225. Federal Trade Commission
226. National Institute on Deafness and Other Communication Disorders
227. National Institutes of Health
228. Federal Communications Commission
229. Federal Trade Commission
230. National Institute on Deafness and Other Communication Disorders
231. National Institutes of Health
232. Federal Communications Commission
233. Federal Trade Commission
234. National Institute on Deafness and Other Communication Disorders
235. National Institutes of Health
236. Federal Communications Commission
237. Federal Trade Commission
238. National Institute on Deafness and Other Communication Disorders
239. National Institutes of Health
240. Federal Communications Commission
241. Federal Trade Commission
242. National Institute on Deafness and Other Communication Disorders
243. National Institutes of Health
244. Federal Communications Commission
245. Federal Trade Commission
246. National Institute on Deafness and Other Communication Disorders
247. National Institutes of Health
248. Federal Communications Commission
249. Federal Trade Commission
250. National Institute on Deafness and Other Communication Disorders
251. National Institutes of Health
252. Federal Communications Commission
253. Federal Trade Commission
254. National Institute on Deafness and Other Communication Disorders