



TEST REPORT

No.I20N00189-SAR

For

Yulong Computer Telecommunication Scientific (Shenzhen) Co., Ltd

Smartphone

Model Name: cp3705AS

With

Hardware Version: P0

Software Version: 9.0.3705AS.SPRINT.191224.0D.DBG

FCC ID: R38YLCP3705AS

Issued Date: 2020-05-20

Note:

The test results in this test report relate only to the devices specified in this report. This report shall not be reproduced except in full without the written approval of SAICT.

Test Laboratory:

SAICT, Shenzhen Academy of Information and Communications Technology

Building G, Shenzhen International Innovation Center, No.1006 Shennan Road, Futian District, Shenzhen,
Guangdong, P. R. China 518026.

Tel:+86(0)755-33322000, Fax:+86(0)755-33322001

Email: yewu@caict.ac.cn, www.saict.ac.cn



Picture 1: Front side of the sample



Picture 2: Back side of the sample


Test positions for Head:



Picture 3: Left Hand Touch Cheek Position



Picture 4: Left Hand Tilt 15° Position




Picture 5: Right Hand Touch Cheek Position



Picture 6: Right Hand Tilt 15° Position

Test positions for body:




Picture 7: Front – Side (10mm)




Picture 8: Rear – Side (10mm)




Picture 9: Left – Side (10mm)



Picture 10: Right – Side (10mm)



Picture 11: Top – Side (10mm)



Picture 12: Bottom – Side (10mm)



Picture 13: Front – Side (15mm)



Picture 14: Rear – Side (15mm)



Picture 15: Bottom – Side (0mm)