



# TEST REPORT

No.I20N00189-SAR

For

**Yulong Computer Telecommunication Scientific (Shenzhen) Co., Ltd**

**Smartphone**

**Model Name: cp3705AS**

**With**

**Hardware Version: P0**

**Software Version: 9.0.3705AS.SPRINT.191224.0D**

**FCC ID: R38YLCP3705AS**

**Issued Date: 2020-05-20**

**Note:**

The test results in this test report relate only to the devices specified in this report. This report shall not be reproduced except in full without the written approval of SAICT.

**Test Laboratory:**

**SAICT, Shenzhen Academy of Information and Communications Technology**

Building G, Shenzhen International Innovation Center, No.1006 Shennan Road, Futian District, Shenzhen,  
Guangdong, P. R. China 518026.

Tel:+86(0)755-33322000, Fax:+86(0)755-33322001

Email: [yewu@caict.ac.cn](mailto:yewu@caict.ac.cn), [www.saict.ac.cn](http://www.saict.ac.cn)



**Picture 1: Front side of the sample**



**Picture 2: Back side of the sample**


Test positions for Head:



**Picture 3: Left Hand Touch Cheek Position**



**Picture 4: Left Hand Tilt 15° Position**




**Picture 5: Right Hand Touch Cheek Position**



**Picture 6: Right Hand Tilt 15° Position**

Test positions for body:




**Picture 7: Front – Side (10mm)**



**Picture 8: Rear – Side (10mm)**




**Picture 9: Left – Side (10mm)**



**Picture 10: Right – Side (10mm)**



Picture 11: Top – Side (10mm)



Picture 12: Bottom – Side (10mm)



Picture 13: Front – Side (15mm)



Picture 14: Rear – Side (15mm)





Picture 15: Bottom – Side (0mm)