



The Photos of SAR test

No. I14N00112-SAR

For

Yulong Computer Telecommunication Scientific (Shenzhen) Co. LTD

GSM/WCDMA mobile phone

Model name: Vodafone 888

With

Hardware Version: T3

Software Version: 4.4.212.00.T3.140317

FCC ID: R38YLVODAFONE888

Issued Date: 2014-03-28



The test results in this test report relate only to the devices specified in this report. This report shall not be reproduced except in full without the written approval of TMC Beijing.

Test Laboratory:

TMC Beijing, Telecommunication Metrology Center of MIIT

No. 52, Huayuan Bei Road, Haidian District, Beijing, P. R. China 100191.


Tel:+86(0)10-62304633-2079, Fax:+86(0)10-62304633 Email:welcome@emcite.com. www.emcite.com.




Picture 1: front side of the sample




Picture 2: Rear side of the sample



Picture 3: Left Hand Touch Cheek Position



Picture 4: Left Hand Tilt 15° Position



Picture 5: Right Hand Touch Cheek Position



Picture 6: Right Hand Tilt 15° Position

Test positions for body:

The Body SAR is tested at the following 7 test positions all with the distance =15mm between the EUT and the phantom bottom:



Picture 7: Front side



Picture 8: Rear side



Picture 9: Left side




Picture 10: Right side



Picture 11: Top side



Picture 12: Bottom side



Picture 13: Rear side With Headset