



























Bluetooth® headset ADAPT 230 | ADAPT 260 + Bluetooth® dongle BTD 800 USB  
 Bluetooth® headset ADAPT 231 | ADAPT 261 + Bluetooth® dongle BTD 800 USB-C

	ADAPT 230   ADAPT 231 SCBT22   ADAPT 260   ADAPT 261 SCBT23	BTD 800 USB	BTD 800 USB-C SCBT16
USA	FCC ID: R3USCBT22N23	FCC ID: R3UBTD800	FCC ID: R3USCBT16
Canada	IC: 2099D-SCBT22N23   CAN ICES-3(B)/NMB-3(B)	IC: 2099D-BTD800   CAN ICES-3(B)/NMB-3(B)	IC: 2099D-SCBT16   CAN ICES-3(B)/NMB-3(B)
Europe/United Kingdom	   		   
Australia/New Zealand			
Singapore			
Taiwan	 CCMmnnWwwwwZzX	 CCAI12LP3060T5	 CCAF20LP1600T3
Japan	  LLL-NNNNNN	  201-125772	  201-200407
Vietnam	Kể từ ngày 1 tháng 12 năm 2012, các sản phẩm được sản xuất bởi DSEA A/S tuân thủ Thông tư 30/2011/TT-BCT quy định về giới hạn cho phép đối với một số chất độc hại trong các sản phẩm điện và điện tử. As from December 1, 2012, products manufactured by DSEA A/S comply with Circular 30/2011/TT-BCT regulating the permitted limits for certain hazardous substances in electronic and electric products.		
China	 CMIIT ID: xxxxxxxx	 CMIIT ID: 2018DJ3234	 CMIIT ID: 2020DJ7880
Brazil	 Este produto está homologado pela ANATEL, de acordo com os procedimentos regulamentados pela Resolução 242/2000, e atende aos requisitos técnicos aplicados. Para maiores informações, consulte o site da ANATEL <a href="http://www.anatel.gov.br">www.anatel.gov.br</a> Este equipamento não tem direito à proteção contra interferência prejudicial e não pode causar interferência em sistemas devidamente autorizados.		
	xxxxx-zz-yyyyy	04969-19-07356	08442-20-10741
Mexico	 La operación de este equipo está sujeta a las siguientes dos condiciones: (1) es posible que este equipo o dispositivo no cause interferencia perjudicial y (2) este equipo o dispositivo debe aceptar cualquier interferencia, incluyendo la que pueda causar su operación no deseada.		
	RCPSESCnn-nnnn	RCPEPBT20-1575	RCPEPSC20-1519

The compliance markings can be found under the headset earpad.

Trademarks

The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by DSEA A/S is under license.  
 USB Type-C® and USB-C® are trademarks of USB Implementers Forum.  
 All other trademarks are the property of their respective owners.

Specifications | Technische Daten | Caractéristiques techniques | Specifiche |  
Especificaciones técnicas | Especificações | Technische specificaties | Προδιαγραφές |  
Specifikationer | Specifikationer | Tekniset tiedot | Specyfikacje |  
Технические характеристики | 技术参数 | 规格 | Özellikler | 仕様 | Spesifikasi | 기술 데이터

## Headsets

Headphones	
Frequency response	20 Hz – 20 kHz
Sound pressure level	max. 118 dB SPL
Microphone	
Pick-up pattern	Noise Cancelling
Frequency response	100 Hz – 8 kHz



Bluetooth	version 5.2 / class 1
Range	up to 35 m (device dependent)
Bluetooth frequency range	2402 – 2480 MHz
Output power	max 7.2 dBm (EIRP)

## General data

Temperature range	Operation: +5 °C to +45 °C / +41 °F to +113 °F Storage: -20 °C to +60 °C / -4 °F to +140 °F
Relative humidity	Operation: 20 to 85%, non-condensing Storage: 10 to 95%, non-condensing

## Dongle BT-D 800 USB

Dimensions (W x H x D)	22 x 16 x 6 mm / 0.87 x 0.63 x 0.24 in
Weight	2 g / 0.07 oz / 0.004 lbs
Temperature range	Operation: +10 °C to +40 °C / +50 °F to +104 °F Storage: -20 °C to +60 °C / -4 °F to +140 °F
Relative humidity	Operation: 20 to 85% Storage: 10 to 95%



Bluetooth	version 4.2 / class 1
Range	up to 25 m (device dependent)
Bluetooth frequency range	2402 – 2480 MHz
Output power	max. 8 dBm (EIRP)

## Dongle BT-D 800 USB-C

Dimensions (W x H x D)	27.5 x 23.5 x 7.5 mm / 1.05 x 0.93 x 0.30 in
Weight	2.8 g / 1.0 oz / 0.006 lbs
Temperature range	Operation: +10 °C to +40 °C / +50 °F to +104 °F Storage: -20 °C to +60 °C / -4 °F to +140 °F
Relative humidity	Operation: 20 to 85% Storage: 10 to 95%



Bluetooth	version 4.2 / class 1
Range	up to 25 m (device dependent)
Frequency range	Bluetooth: 2402 – 2480 MHz
Output power	max. 11 dBm (EIRP)

## Statements regarding FCC and Industry Canada

This device complies with Part 15 of the FCC rules and with Industry Canada license-exempt RSS standard(s). Operation is subjected to the following two conditions:

- 1) This device may not cause harmful interference, and
- 2) This device must accept any interference received, including interference that may cause undesired operation.

### FCC User Information:

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device of the FCC Rules, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation.

This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/ TV technician for help.

Changes or modifications made to this equipment not expressly approved by the manufacturer may void FCC authorization to operate this equipment.

### RF Radiation Exposure Information

This equipment meets FCC & Innovation, Science and Economic Development Canada's RF radiation exposure limits set forth for uncontrolled environment.

Since the radiated output power of this device is far below the FCC radio frequency exposure limits, it is not subjected to routine RF exposure evaluation as per Section 2.1093 of the FCC rules. Further RF exposure reduction can be achieved if the product can be kept as far as possible from the user body or set the device to lower output power if such function is available. Use of other accessories not verified by the manufacturer may not ensure compliance with FCC and Innovation, Science and Economic Development Canada's RF exposure guidelines. This transmitter must not be co-located or operated in conjunction with any other antenna or transmitter.

This equipment should be operated with minimum distance of 10 mm between the transmitter antenna and your body.

### Responsible party

Demant Sound USA, Inc.  
Little Falls Drive, Wilmington 19800, New Castle, USA  
Tel: +1 800-332-7439

## Déclaration requise par l'Industrie Canada

Le présent appareil est conforme aux CNR d'Industrie Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes :

- 1) l'appareil ne doit pas produire de brouillage, et
- 2) l'utilisateur de l'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.

### Information sur l'exposition aux radiofréquences

Cet équipement est conforme aux limites d'exposition aux rayonnements d'Innovation, Sciences et Développement économique Canada établies pour un environnement non contrôlé.

L'utilisation d'autres accessoires non homologués par le fabricant remet en cause la conformité des normes imposées par-là d'Innovation, Sciences et Développement économique Canada.

Une réduction supplémentaire de l'exposition aux RF peut être obtenue si le produit peut être maintenu aussi loin que possible du corps de l'utilisateur ou si l'appareil est réglé sur une puissance de sortie inférieure, si cette fonction est disponible.

Ce transmetteur ne doit pas être placé au même endroit ou utilisé simultanément avec un autre transmetteur ou antenne.

## BT-D 800 USB | SCBT16

部件名称 Parts	有毒有害物质或元素					
	铅 Pb	汞 Hg	镉 Cd	六价铬 Cr <sup>6+</sup>	多溴联苯 PBB	多溴二苯醚 PBDE
电路模块 Circuit Modules	x	o	o	o	o	o

本表格依据SJ/T 11364的规定编制。

o : 表示该有害物质在该部件所有均质材料中的含量均在GB/T 26572规定的限量要求以下。

x : 表示该有害物质至少在该部件的某一均质材料中的含量超出GB/T 26572规定的限量要求。

禁止拆解、撞击、挤压或投入火中  
切勿置于高温环境中  
若出现严重鼓胀, 请勿继续使用  
电池浸水后禁止使用

### 使用手冊警語

低功率電波輻射性電機管理辦法

#### 第十二條

經型式認證合格之低功率射頻電機, 非經許可, 公司、商號或使用者均不得擅自變更頻率、加大功率或變更原設計之特性及功能。

#### 第十四條

低功率射頻電機之使用不得影響飛航安全及干擾合法通信; 經發現有干擾現象時, 應立即停用, 並改善至無干擾時方得繼續使用。

前項合法通信, 指依電信法規定作業之無線電通信。

低功率射頻電機須忍受合法通信或工業、科學及醫療用電波輻射性電機設備之干擾。