


10.4.2 Test Mode: Mode 2


Emission Mask Chain0 4960MHz




Emission Mask_Chain0_4980MHz



Emission Mask Chain1 4960MHz



Emission Mask_Chain1_4980MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

解決另有說明・比較告結果僅對測試乙程品頁實,同時比較品值保留90天。本報告未經本公司書面計可,不可部份視觀。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com.tw/Terms-and-Conditions</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com.tw/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemni-fication and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Taisei (Chr. Taiwact/K + document/K +



11 TRANSMITTER CONDUCTED UNWANTED EMISSIONS


11.1 Standard Applicable

Refer as FCC Part 90 §90.210(L)(M).

- (I) Emission Mask L. For low power transmitters (20 dBm or less) operating
- (6) On any frequency removed from the assigned frequency above 150% of the authorized bandwidth: 40 dB.
- (m) Emission Mask M. For high power transmitters (greater that 20 dBm)

(6) On any frequency removed from the assigned frequency between above 150% of the authorized bandwidth: 50 dB or 55 + 10 log (P) dB, whichever is the lesser attenuation.

11.2 Test SET-UP



11.3 Measurement Procedure

Refer as ANSI/TIA-603-D-2010, clause 3.2.13 for conducted measurement

For conducted measurements on devices with multiple transmit chains using options given below:


(i) Option 1: measure and sum the spectra across the transmitter outputs.

sweep 30 MHz and up to 10th harmonic of the fundamental or 40GHz whichever is the lesser. Measurements weremade at the low, mid and high channels. The Conducted Spurious Emissions Limit is obtained by the following plots. Note: only noise floor was measurable above 26GHz.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemni-This document is issued by the Company subject to its General Conditions for Electronic Device printed overlear, available on request of accession at <u>internative printed printed overlear</u>, available on request of accession at <u>internative printed printe</u> of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law





11.4 Measurement Result

11.4.1 Test Mode: Mode 1

Spurious Emissions_Chain0_4960MHz_LF



Spurious Emissions_Chain0_4960MHz_HF

Spectrum Analy Swept SA	yzer 1 🛛 🔻	+					\$	Frequency	▼ <mark> }</mark> ',
	Input: RF Coupling: DC Align: Auto	Input Ζ: 50 Ω Freq Ref: Int (S)	#Atten: 20 dB	PNO: Fast Gate: Off IF Gain: Low Sig Track: Off	Avg Type: Po Avg Hold: 10 Trig: Free Ru		₩ 20.50000	equency 0000 GHz	Settings
1 Spectrum Scale/Div 10 c	y JB		tef LvI Offset 10. Ref Level 10.00 di		Mkr1	4.958 500 GI 1.528 dB		t Span	
0.00	♦ 1						Zero Full	Span Span	
-10.0							Start Freq 1.000000		
-30.0							Stop Freq 40.00000	0000 GHz	
-40.0						DL1 -48.47 d		DTUNE	
-60.0	- Un				~~~~~	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	3.900000	000 GHz	
-80.0							Freq Offse 0 Hz	et	
Start 1.00 GHz #Res BW 200			#Video BW 30 k	(Hz*	Swe	Stop 40.00 G ep ~6.65 s (40001 p		ale	Local
45		Mar 03, 2022 12:28:17 PM					Signal Tra		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Report No.: ER/2021/A0115 Page: 34 of 83



Spurious Emissions_Chain0_4980MHz_LF

Spurious Emissions_Chain0_4980MHz_HF



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Report No.: ER/2021/A0115 Page: 35 of 83



Spurious Emissions_Chain1_4960MHz_LF

Spurious Emissions_Chain1_4960MHz_HF



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Report No.: ER/2021/A0115 Page: 36 of 83



Spurious Emissions_Chain1_4980MHz_LF

Spurious Emissions_Chain1_4980MHz_HF



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com.tw/Terms-and-Conditions</u> and for electronic format documents, subject to Terms and Conditions for Electronic Document is at <u>http://www.sgs.com.tw/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.	No.134,Wu Kung Road, New Taipei	Industrial Park, Wuku District, New Taipe	ei City, Taiwan/新北市五股區新北產業園區五工路 134 號
台灣檢驗科技股份有限公司	t (886-2) 2299-3279	f (886-2) 2298-0488	www.sgs.com.tw



11.4.2 Test Mode: Mode 2



Spurious Emissions_Chain0_4960MHz_LF

Spurious Emissions_Chain0_4960MHz_HF



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

SGS Taiwan Ltd.	No.134,Wu Kung Road, New Taipei	i City, Taiwan/新北市五股區新北產業園區五工路 134 號	
台灣檢驗科技股份有限公司	t (886-2) 2299-3279	f (886-2) 2298-0488	www.sgs.com.tw
			Member of SGS Group



Report No.: ER/2021/A0115 Page: 38 of 83



Spurious Emissions_Chain0_4980MHz_LF

Spurious Emissions_Chain0_4980MHz_HF



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製




Report No.: ER/2021/A0115 Page: 39 of 83



Spurious Emissions_Chain1_4960MHz_LF

Spurious Emissions_Chain1_4960MHz_HF



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

t (886-2) 2299-3279




Report No.: ER/2021/A0115 Page: 40 of 83



Spurious Emissions_Chain1_4980MHz_LF

Spurious Emissions_Chain1_4980MHz_HF



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

t (886-2) 2299-3279

minipage in the second second




12 PEAK EXCURSION

12.1 Standard Applicable

According to FCC Part 90 §90.1215 (e)

The ratio of the peak excursion of the modulation envelope (measured using a peak hold function) to the maximum conducted output power shall not exceed 13 dB across any 1 MHz bandwidth or the emission bandwidth whichever is less.

12.2 Test Set-up



12.3 Measurement Procedure

Use one of the procedures presented in KDB971168 D01 4.1 to measure the total peak power and record as PPk. Use one of the applicable procedures presented KDB971168 D01 4.2 to measure the total average power and record as PAvg. Both the peak and average power levels must be expressed in the same logarithmic units (e.g., dBm). Determine the PAPR from:

PAPR (dB) = PPk(dBm) - PAvg(dBm).

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemni-fication and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the context or apprearance of this document is unlawful and offendater may be prosecuted to the fullest extent of the law. of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



12.4 Measurement Results

12.4.1 Test Mode: Mode 1

Ch0								
Channel bandwidth: 20MHz								
СН	Frequency		Mark2	PAPR	Limit	RESULT		
	(MHz)	(dBm)	(dBm)	(dB)	(dB)			
192	4960	16.85	8.793	8.057	13	PASS		
196	4980	16.82	7.648	9.172	13	PASS		

Ch1								
Channel bandwidth: 20MHz								
СН	Frequency (MHz)	Mark1 Mark2 (dBm) (dBm)		PAPR (dB)	Limit (dB)	RESULT		
192	4960	17.71	9.969	7.741	13	PASS		
196	4980	17.59	9.289	8.301	13	PASS		

12.4.2 Test Mode: Mode 2


Ch0								
	Channel bandwidth: 20MHz							
СН	H Frequency Ma (MHz) (dE		Mark2 (dBm)	PAPR (dB)	Limit (dB)	RESULT		
192	4960	8.757	0.4642	8.2928	13	PASS		
196	4980	8.504	0.718	7.786	13	PASS		

Ch1								
Channel bandwidth: 20MHz								
СН	Frequency (MHz)	Mark1 (dBm)			Limit (dB)	RESULT		
192	4960	8.335	0.3731	7.9619	13	PASS		
196	4980	8.233	0.4211	7.8119	13	PASS		





Test Mode: Mode 1

Peak Excursion_Chain0_4960MHz




Peak Excursion_Chain0_4980MHz





Peak Excursion_Chain1_4980MHz




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。





Test Mode: Mode 2

Peak Excursion_Chain0_4960MHz




Peak Excursion_Chain0_4980MHz





Peak Excursion_Chain1_4980MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

台灣檢驗科技股

Taiwan Ltd.	No.134,Wu Kung Road, New Taip	ei Industrial Park, Wuku District, New Taip	pei City, Taiwan/新北市五股區新北產業園區五工路 134 號
&份有限公司	t (886-2) 2299-3279	f (886-2) 2298-0488	www.sgs.com.tw
			Member of SGS Group



13 TRANSMITTER RADIATED UNWANTED EMISSIONS

13.1 Standard Applicable

Refer as FCC Part 90 §90.210(L)(M).

- (I) Emission Mask L. For low power transmitters (20 dBm or less) operating
- (6) On any frequency removed from the assigned frequency above 150% of the authorized bandwidth: 40 dB.
- (m) Emission Mask M. For high power transmitters (greater that 20 dBm)


(6) On any frequency removed from the assigned frequency between above 150% of the authorized bandwidth: 50 dB or 55 + 10 log (P) dB, whichever is the lesser attenuation.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。




13.2 Test SET-UP

(A) Radiated Emission Test Set-Up, Frequency from 30MHz to 1000MHz.



(B) Radiated Emission Test Set-Up, Frequency Above 1 GHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



13.3 Measurement Procedure

The EUT was placed on a non-conductive; the measurement antenna was placed at a distance of 3 meters from the EUT. During the tests, the antenna height and the EUT azimuth were varied in order to identify the maximum level of emissions from the EUT. This maximization process was repeated with the EUT positioned in each of its three orthogonal orientations.

The frequency range up to tenth harmonic was investigated for each of three fundamental frequencies (low, middle and high channels). Once spurious emission was identified, the power of the emission was determined using the substitution method.

The spurious emissions attenuation was calculated as the difference between radiated power at the fundamental frequency and the spurious emissions frequency.

```
ERP (dBm) = SG Level(dBm) + Antenna Gain(dBd) + Cable Loss(dB)
```

```
EIRP (dBm) = SG Level(dBm) + Antenna Gain(dBi) + Cable Loss(dB)
```

13.4 Measurement Result

Note:

- 1. Refer to next page spectrum analyzer data chart and tabular data sheets.
- 2. Measurements are completed at peak and average level, the mark of average is the highest emission in restricted bands

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Document at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Document at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Document is at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Document is at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Document is at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



13.4.1 Radiated Measurement Result (Test Mode: Mode 1)

Report Number	:ER/2021/A0115
Operation Mode	:4.9G 20M
Test Mode	:Tx CH Low
EUT Pol	:E2 Plane
Test Frequency	:4960 MHz

Test Site :SAC 3 Test Date :2022-04-13 Temp./Humi. :21.7/65 Antenna Pol. :Vertical Engineer :Jack Liu



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製


解決另有說明・比較告結果僅對測試乙程品頁實,同時比較品值保留90天。本報告未經本公司書面計可,不可部份視觀。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com.tw/Terms-and-Conditions</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com.tw/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemni-fication and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Taisei (Chr. Taiwact/K + document/K +

Report No.: ER/2021/A0115 Page: 49 of 83



Report Number	:ER/2021/A0115
Operation Mode	:4.9G 20M
Test Mode	:Tx CH Low
EUT Pol	:E2 Plane
Test Frequency	:4960 MHz

Test Site	:SAC 3
Test Date	:2022-04-13
Temp./Humi.	:21.7/65
Antenna Pol.	:Horizontal
Engineer	:Jack Liu



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製


解決另有說明・比較告結果僅對測試乙程品頁實,同時比較品值保留90天。本報告未經本公司書面計可,不可部份視觀。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com.tw/Terms-and-Conditions</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com.tw/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemni-fication and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Taisei (Chr. Taiwact/K + document/K +

Report No.: ER/2021/A0115 Page: 50 of 83



Report	:ER/	2021/A	0115			Test \$	
Operati	:4.9	G 20M				Test I	
Test M	ode	:Tx (:Tx CH High				Temp
EUT Pol		:E2	:E2 Plane			Anter	
Test Fr	equency	:498	:4980 MHz			Engin	
50	Level (dBm/m	1)					
40							
						1	
20				/			
o				(

Test Site	:SAC 3
Test Date	:2022-04-13
Temp./Humi.	:21.7/65
Antenna Pol.	:Vertical
Engineer	:Jack Liu




t (886-2) 2299-3279

Report No.: ER/2021/A0115 Page: 51 of 83



Report Number	:ER/2021/A0115
Operation Mode	:4.9G 20M
Test Mode	:Tx CH High
EUT Pol	:E2 Plane
Test Frequency	:4980 MHz

Test Site	:SAC 3
Test Date	:2022-04-13
Temp./Humi.	:21.7/65
Antenna Pol.	:Horizontal
Engineer	:Jack Liu



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

解決另有說明・比較告結果僅對測試乙程品頁實,同時比較品值保留90天。本報告未經本公司書面計可,不可部份視觀。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com.tw/Terms-and-Conditions</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com.tw/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemni-fication and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Taisei (Chr. Taiwact/K + document/K +

Report No.: ER/2021/A0115 Page: 52 of 83



Report Number	:ER/2021/A0115
Operation Mode	:4.9G 20M
Test Mode	:Tx CH Low
EUT Pol	:E2 Plane
Test Frequency	:4960 MHz

Test Site	:SAC 3
Test Date	:2022-03-03
Temp./Humi.	:21.7/65
Antenna Pol.	:Vertical
Engineer	:Jack Liu

0 Level (dE	3m/m)			1	· · · · · · · · · · · · · · · · · · ·	
-10						
-20						
-30						
-40	7	8				
-50						
-60						
-70						
-80						
-90						
100 30	8024.	16018. Frequenc	24012. sy (MHz)	32006.	40000	
Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
50.370	-56.85	-43.82	-12.33	-0.70	-25.82	-31.03
72.680	-56.93	-49.36	-6.70	-0.87	-25.82	-31.11
90.140	-63.52	-55.30	-7.24	-0.98	-25.82	-37.70
53.190	-68.78	-63.08	-4.50	-1.20	-25.82	-42.96
87.140	-66.74	-63.82	-1.48	-1.44	-25.82	-40.92
23.030	-71.16	-68.59	-1.04	-1.53	-25.82	-45.34
	-44.59	-44.89	11.34	-11.04	-25.82	-18.77
920.000	-44.59	-77.00				

*Note: Limit= Worst EIRP-50 dB=24.18-50=-25.82dBm

台灣檢驗科技股份有限公司	t (886-2) 2299-3279	f (886-2) 2298-0488	www.sgs.com.tw
人类从队员上的人子的人习	+ (006 0) 0000 0070	f (00C 0) 0000 0400	ununu ana aona tu
SGS Taiwan Ltd.	No.134,Wu Kung Road, New Taipe	i Industrial Park, Wuku District, New Taipei	City, Taiwan/新北市五股區新北產業園區五工路 134 號

Report No.: ER/2021/A0115 Page: 53 of 83



Report Number	:ER/2021/A0115
Operation Mode	:4.9G 20M
Test Mode	:Tx CH Low
EUT Pol	:E2 Plane
Test Frequency	:4960 MHz

Test Site	:SAC 3
Test Date	:2022-03-03
Temp./Humi.	:21.7/65
Antenna Pol.	:Horizontal
Engineer	:Jack Liu

0 Level (dE	3m/m)					
-10						
-20						
-30						
-40	7	8				
-50						
-60						
-70						
-80						
-90						
-100						
30	8024.	16018. Frequenc	24012. ;y (MHz)	32006.	40000	
Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
40.670	-64.59	-45.18	-18.74	-0.68	-25.82	-38.77
54.250	-65.38	-54.27	-10.39	-0.72	-25.82	-39.56
63.950	-65.85	-57.35	-7.71	-0.79	-25.82	-40.03
155.130	-69.72	-64.19	-4.31	-1.22	-25.82	-43.90
87.140	-63.41	-60.49	-1.48	-1.44	-25.82	-37.59
213.330	-70.05	-67.44	-1.11	-1.50	-25.82	-44.23
000 000	-44.22	-44.52	11.34	-11.04	-25.82	-18.40
920.000	77.66	11.02		11101		

*Note: Limit= Worst EIRP-50 dB=24.18-50=-25.82dBm

SGS Taiwan Ltd.	No.134,Wu Kung Road, New Taipei	i Industrial Park, Wuku District, New Taipei C	ity, Taiwan/新北市五股區新北產業園區五工路 134 號
台灣檢驗科技股份有限公司	t (886-2) 2299-3279	f (886-2) 2298-0488	www.sgs.com.tw
			Member of SGS Group

Report No.: ER/2021/A0115 Page: 54 of 83



Report Number	:ER/2021/A0115
Operation Mode	:4.9G 20M
Test Mode	:Tx CH High
EUT Pol	:E2 Plane
Test Frequency	:4980 MHz

Test Site	:SAC 3
Test Date	:2022-03-03
Temp./Humi.	:21.7/65
Antenna Pol.	:Vertical
Engineer	:Jack Liu

0 Level (dE	3m/m)					
-10						
-20						
-30						
-40	7	8				
-50						
-60						
-70						
-80						
-90						
-100						
30	8024.	16018. Frequenc	24012. cy (MHz)	32006.	40000	
Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margir
		Output Level	Gain	Loss		
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
48.430	-57.96	-43.90	-13.36	-0.70	-25.82	-32.14
72.680	-56.84	-49.28	-6.70	-0.87	-25.82	-31.02
89.170	-64.54	-56.57	-6.99	-0.97	-25.82	-38.72
153.190	-68.41	-62.71	-4.50	-1.20	-25.82	-42.59
87.140	-66.04	-63.12	-1.48	-1.44	-25.82	-40.22
216.240	-71.18	-68.70	-0.98	-1.50	-25.82	-45.36
	-45.81	-46.06	11.44	-11.19	-25.82	-19.99
960.000	10.01	10100				

*Note: Limit= Worst EIRP-50 dB=24.18-50=-25.82dBm

SGS Taiwan Ltd.	No.134,Wu Kung Road, New Taipei I	ndustrial Park, Wuku District, New Taipei Ci	ty, Taiwan/新北市五股區新北產業園區五工路 134 號
台灣檢驗科技股份有限公司	t (886-2) 2299-3279	f (886-2) 2298-0488	www.sgs.com.tw
			Member of SGS Group

Report No.: ER/2021/A0115 Page: 55 of 83



Report Number	:ER/2021/A0115
Operation Mode	:4.9G 20M
Test Mode	:Tx CH High
EUT Pol	:E2 Plane
Test Frequency	:4980 MHz

Test Site	:SAC 3
Test Date	:2022-03-03
Temp./Humi.	:21.7/65
Antenna Pol.	:Horizontal
Engineer	:Jack Liu

0 Level (dB	ßm/m)			1	1	
-10						
-20						
-30						
-40	7	8				
-50						
-60						
-70						
-80						
-90						
100						
30	8024.	16018. Frequenc	24012. sy (MHz)	32006.	40000	
Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
40.670	-64.96	-45.55	-18.74	-0.68	-25.82	-39.14
58.130	-66.14	-56.30	-9.10	-0.74	-25.82	-40.32
63.950	-66.66	-58.16	-7.71	-0.79	-25.82	-40.84
89.170	-69.10	-61.13	-6.99	-0.97	-25.82	-43.28
86.170	-63.17	-60.29	-1.45	-1.43	-25.82	-37.35
219.150	-67.55	-65.07	-0.98	-1.50	-25.82	-41.73
960.000	-45.33	-45.58	11.44	-11.19	-25.82	-19.51

*Note: Limit= Worst EIRP-50 dB=24.18-50=-25.82dBm


SGS Taiwan Ltd.	No.134,Wu Kung Road, New Taipe	i Industrial Park, Wuku District, New Taipei Ci	ty, Taiwan/新北市五股區新北產業園區五工路 134 號
台灣檢驗科技股份有限公司	t (886-2) 2299-3279	f (886-2) 2298-0488	www.sgs.com.tw
			Member of SGS Group



13.4.2 Radiated Measurement Result (Test Mode: Mode 2)

Report Number	:ER/2021/A0115
Operation Mode	:4.9G 20M
Test Mode	:Tx CH Low
EUT Pol	:E2 Plane
Test Frequency	:4960 MHz

Test Site :SAC 3 Test Date :2022-03-03 Temp./Humi. :21.7/65 Antenna Pol. :Vertical Engineer :Jack Liu



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

解決另有說明・比較告結果僅對測試乙程品頁實,同時比較品值保留90天。本報告未經本公司書面計可,不可部份視觀。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com.tw/Terms-and-Conditions</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com.tw/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemni-fication and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Taisei (Chr. Taiwact/K + document/K +

Report No.: ER/2021/A0115 Page: 57 of 83



Report Number Operation Mode Test Mode EUT Pol Test Frequency	:4.9G 20M Tx CH Lov E2 Plane	N	-	Date : o./Humi. : nna Pol. :	SAC 3 2022-03-03 21.7/65 Horizontal Jack Liu	
50 Level (dBm	/m)]
20						
-20						
-40						
-60						
-80						
-100 4935	4945.	4955. Frequenc	4965. y (MHz)	4975	5. 498	5
Freq.	EIRP/ERP	SG	Antenna	Cable	e Limit	Margin
		Output Level	Gain	Loss	5	
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
4965.300	17.91	12.90	12.74	-7.73	3	

t (886-2) 2299-3279

Report No.: ER/2021/A0115 Page: 58 of 83



Report Number Operation Mode Test Mode EUT Pol Test Frequency	e :4.9G 20M :Tx CH Hig :E2 Plane	Jh	Tes Ter Ant	st Date np./Humi. enna Pol.		
restricquency	.4000 10112			gineer		
50 Level (dBm	/m)					
40						-
20		1	~			-
0				~		-
-20						
-40	and the second of the second				and a second and a second a s	<u>-</u>
-60						-
-80						-
-100 4955	4965.	4975.	4985.	499	95. 50	005
		Frequen	cy (MHz)			
Freq.	EIRP/ERP	SG	Antenna	Cab	le Lim	it Margin
		Output Level	Gain	Los	S	
MHz	dBm	dBm	dBi/dBd	dB	dBn	n dB
4978.500	19.13	14.15	12.69	-7.7	1	

t (886-2) 2299-3279

Report No.: ER/2021/A0115 Page: 59 of 83



Report Number Operation Mode Test Mode EUT Pol Test Frequency	e :4.9G 20M :Tx CH High :E2 Plane		-	Date :2022 ./Humi. :21.7 ina Pol. :Hori	2-03-03 7/65 zontal	
50 Level (dBn	n/m)					
40						
20			-1			
0						
-20						
-40					here and here	
-60						
-80						
-100 4955	4965.	4975. Frequenc	4985. v (MHz)	4995.	5005	
-				0.11	1.1.10	·
Freq.	EIRP/ERP	SG Output Loval	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
	UDIT	UDIII		UD	UDIII	
4986.200	18.25	13.29	12.66	-7.70		

t (886-2) 2299-3279

Report No.: ER/2021/A0115 Page: 60 of 83



Report Number	:ER/2021/A0115
Operation Mode	:4.9G 20M
Test Mode	:Tx CH Low
EUT Pol	:E2 Plane
Test Frequency	:4960 MHz

Test Site	:SAC 3
Test Date	:2022-03-03
Temp./Humi.	:21.7/65
Antenna Pol.	:Vertical
Engineer	:Jack Liu

0 Level (dE	3m/m)			1		
-10						
-20						
-30						
-40	7	8				
-50						
-60						
-70						
-80						
-90						
100 30	8024.	16018.	24012.	32006.	40000	
50	0024.	Frequenc		52000.	40000	
Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margir
		Output Level	Gain	Loss		
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
48.430	-57.54	-43.48	-13.36	-0.70	-32.09	-25.45
72.680	-57.42	-49.86	-6.70	-0.87	-32.09	-25.33
91.110	-65.29	-57.04	-7.27	-0.98	-32.09	-33.20
54.160	-68.51	-62.94	-4.37	-1.21	-32.09	-36.42
87.140	-66.17	-63.25	-1.48	-1.44	-32.09	-34.08
24.970	-72.70	-70.07	-1.08	-1.54	-32.09	-40.61
920.000	-44.18	-44.47	11.34	-11.04	-32.09	-12.09

*Note: Limit= Worst EIRP-50 dB=17.91-50=-32.09dBm

台

台灣檢驗科技股份有限公司	t (886-2) 2299-3279	f (886-2) 2298-0488	www.sgs.com.tw	
SGS Taiwan Ltd.	No.134,Wu Kung Road, New Taipei	Industrial Park, Wuku District, New Tai	pei City, Taiwan/新北市五股區新北產業園區五工路 134 號	

Report No.: ER/2021/A0115 Page: 61 of 83



Report Number	:ER/2021/A0115
Operation Mode	:4.9G 20M
Test Mode	:Tx CH Low
EUT Pol	:E2 Plane
Test Frequency	:4960 MHz

Test Site	:SAC 3
Test Date	:2022-03-03
Temp./Humi.	:21.7/65
Antenna Pol.	:Horizontal
Engineer	:Jack Liu

0 Level (dE	3m/m)				· · · · · · · · · · · · · · · · · · ·	
-10						
-20						
-30						
-40	7	8				
-50						
-60						
-70						
-80						
-90						
100						
30	8024.	16018. Frequenc	24012. sy (MHz)	32006.	40000	
Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
40.670	-64.95	-45.53	-18.74	-0.68	-32.09	-32.86
63.950	-65.61	-57.11	-7.71	-0.79	-32.09	-33.52
91.110	-70.21	-61.96	-7.27	-0.98	-32.09	-38.12
53.190	-70.70	-65.00	-4.50	-1.20	-32.09	-38.61
87.140	-63.38	-60.46	-1.48	-1.44	-32.09	-31.29
40 400	-70.24	-67.38	-1.35	-1.50	-32.09	-38.15
10.420						
210.420 920.000	-44.30	-44.60	11.34	-11.04	-32.09	-12.21

*Note: Limit= Worst EIRP-50 dB=17.91-50=-32.09dBm

SGS Taiwan Ltd.	No.134,Wu Kung Road, New Ta	aipei Industrial Park, Wuku District, New Taipei City	, Taiwan/新北市五股區新北產業園區五工路 134 號
台灣檢驗科技股份有限公司	t (886-2) 2299-3279	f (886-2) 2298-0488	www.sgs.com.tw
			Member of SGS Group

Report No.: ER/2021/A0115 Page: 62 of 83



Report Number	:ER/2021/A0115
Operation Mode	:4.9G 20M
Test Mode	:Tx CH High
EUT Pol	:E2 Plane
Test Frequency	:4980 MHz

Test Site	:SAC 3
Test Date	:2022-03-03
Temp./Humi.	:21.7/65
Antenna Pol.	:Vertical
Engineer	:Jack Liu

0 Level (dE	3m/m)			1	_	
-10						
-20						
-30						
-40	7	8				
-50 2						
-60						
-70						
-80						
-90						
100 30	8024.	16018. Frequenc	24012. ;y (MHz)	32006.	40000	
Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
49.400	-57.94	-44.47	-12.77	-0.70	-32.09	-25.85
71.710	-57.37	-49.67	-6.84	-0.86	-32.09	-25.28
39.170	-64.68	-56.72	-6.99	-0.97	-32.09	-32.59
54.160	-68.44	-62.87	-4.37	-1.21	-32.09	-36.35
87.140	-66.69	-63.77	-1.48	-1.44	-32.09	-34.60
20.120	-72.26	-69.77	-0.98	-1.50	-32.09	-40.17
	10.40	-46.44	11.44	-11.19	-32.09	-14.10
960.000	-46.19	-40.44	11.44	-11.13	-02.03	-110

*Note: Limit= Worst EIRP-50 dB=17.91-50=-32.09dBm

SGS Taiwan Ltd.	No.134,Wu Kung Road, New Ta	aipei Industrial Park, Wuku District, New Taipei City,	Taiwan/新北市五股區新北產業園區五工路 134 號
台灣檢驗科技股份有限公司	t (886-2) 2299-3279	f (886-2) 2298-0488	www.sgs.com.tw
			Member of SGS Group

Report No.: ER/2021/A0115 Page: 63 of 83



Report Number	:ER/2021/A0115
Operation Mode	:4.9G 20M
Test Mode	:Tx CH High
EUT Pol	:E2 Plane
Test Frequency	:4980 MHz

Test Site	:SAC 3
Test Date	:2022-03-03
Temp./Humi.	:21.7/65
Antenna Pol.	:Horizontal
Engineer	:Jack Liu

0 Level (dE	3m/m)					
-10						
-20						
-30						
-40	7	8				
-50						
-60						
-70						
-80						
-90						
-100 30	8024.	16018.	24012.	32006.	40000	
50	0024.	Frequenc		52000.	40000	
Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
40.670	-65.52	-46.10	-18.74	-0.68	-32.09	-33.43
64.920	-65.77	-57.49	-7.49	-0.80	-32.09	-33.68
91.110	-70.57	-62.32	-7.27	-0.98	-32.09	-38.48
87.140	-63.68	-60.76	-1.48	-1.44	-32.09	-31.59
209.450	-69.18	-66.27	-1.41	-1.50	-32.09	-37.09
229.820	-73.24	-70.27	-1.38	-1.58	-32.09	-41.15
			44 44	11 10	22.00	10.00
960.000	-44.89	-45.14	11.44	-11.19	-32.09	-12.80

*Note: Limit= Worst EIRP-50 dB=17.91-50=-32.09dBm


SGS Taiwan Ltd.	No.134,Wu Kung Road, New Taipe	i Industrial Park, Wuku District, New Taipei Ci	ty, Taiwan/新北市五股區新北產業園區五工路 134 號
台灣檢驗科技股份有限公司	t (886-2) 2299-3279	f (886-2) 2298-0488	www.sgs.com.tw
			Member of SGS Group



13.4.3 Radiated Measurement Result (Test Mode: Mode 3)

Report Number	:ER/2021/A0115
Operation Mode	:4.9G 20M
Test Mode	:Tx CH Low
EUT Pol	:E2 Plane
Test Frequency	:4960 MHz

Test Site :SAC 3 Test Date :2022-04-13 Temp./Humi. :21.7/65 Antenna Pol. :Vertical Engineer :Jack Liu



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

解決另有說明・比較告結果僅對測試乙程品頁實,同時比較品值保留90天。本報告未經本公司書面計可,不可部份視觀。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com.tw/Terms-and-Conditions</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com.tw/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemni-fication and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Taisei (Chr. Taiwact/K + document/K +

Report No.: ER/2021/A0115 Page: 65 of 83

:SAC 3



·FR/2021/A0115

Report Number

Operation Mode Test Mode EUT Pol Test Frequency	:4.9G 20M :Tx CH Low :E2 Plane :4960 MHz		-	./Humi. :21.7 ina Pol. :Hori	zontal	
50 Level (dBm/r 40	n)					
20		\sim				
0				h		
-20						
-40						
-60						
-80						
-100 4935	4945.	4955. Frequenc	4965. cy (MHz)	4975.	4985	
Freq. E	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
4963.000	22.46	17.44	12.75	-7.73		

Test Site

t (886-2) 2299-3279

Report No.: ER/2021/A0115 Page: 66 of 83



Report Number Operation Mode Test Mode EUT Pol Test Frequency	e :4.9G 20M :Tx CH High :E2 Plane		-	Date o./Humi. nna Pol.		
50 Level (dBm	ı/m)					
40						_
20			-			-
0		/				_
-20					\sim	
-40						-
-60						_
-80						-
100						
-100 4955	4965.	4975. Frequenc	4985. sy (MHz)	499	95. 50	005
Freq.	EIRP/ERP	SG	Antenna	Cabl	le Lim	it Margin
		Output Level	Gain	Los	S	
MHz	dBm	dBm	dBi/dBd	dB	dBn	n dB
4983.000	22.42	17.45	12.67	-7.7	0	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions Attention is drawn to the limitation of liability, indemni-fication and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report No.: ER/2021/A0115 Page: 67 of 83

:SAC 3



:ER/2021/A0115

Report Number

Operation Mode Test Mode EUT Pol Test Frequency	:Tx CH Higł :E2 Plane	1			./Humi. na Pol.	:2022-(:21.7/6 :Horizc :Jack L	5 ontal	
50 Level (dBm/	/m)							
40								
20			-1					
0				$ \rightarrow $				
-20	~				~~~	~~~	\sim	
-40								
-+0								
-60								
-80								
-100 4955	4965.	4975. Frequence	498 CV (MHz)	5.	49	95.	5005	
_		-			<u> </u>			
Freq.	EIRP/ERP	SG Output Lough	Ante		Cab		Limit	Margin
MHz	dBm	Output Level dBm	Gai dBi/c		Los dE		dBm	dB
		UDIII	uDI/C		uL	,	GDII	

Test Site

t (886-2) 2299-3279

18.17

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions at the timitation of liability, indemni-fication and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Secs Taiwan Ltdt = No 134 Wu Kung Road New Taipic Industrial Road, Wu Wu Kung Road, New Taipic Idux Wu Kung Road, New Taipic Idux Vu Jieritet New Taipic Idux Taipic Idux Vu Jieritet New Taipic Idux Taipic Idux Vu Jieritet New Taipic Idux Va Vu Vu Jieritet New Taipic Idux Va Vu Vu New New Taipic Idux Va Vu Vu New Secs Taipic Id

12.68

23.14

4981.100

www.sgs.com.tw

-7.70

Report No.: ER/2021/A0115 Page: 68 of 83



Report Number	:ER/2021/A0115
Operation Mode	:4.9G 20M
Test Mode	:Tx CH Low
EUT Pol	:E2 Plane
Test Frequency	:4960 MHz

Test Site	:SAC 3
Test Date	:2022-03-03
Temp./Humi.	:21.7/65
Antenna Pol.	:Vertical
Engineer	:Jack Liu

0 Level (dB	sm/m)					
-10						
-20						
-30						
-40	7	8				
-50						
-60						
-70						
-80						
-90						
100 30	8024.	16018.	24012.	32006.	40000	
		Frequenc	:y (MHZ)			
Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
57.160	-58.59	-48.49	-9.37	-0.73	-28.28	-30.31
72.680	-59.40	-51.84	-6.70	-0.87	-28.28	-31.12
86.260	-64.81	-57.20	-6.66	-0.95	-28.28	-36.53
55.130	-70.08	-64.55	-4.31	-1.22	-28.28	-41.80
86.170	-70.32	-67.44	-1.45	-1.43	-28.28	-42.04
233.700	-75.85	-72.69	-1.55	-1.61	-28.28	-47.57
			44.04	44.04	20.20	-16.49
920.000	-44.77	-45.07	11.34	-11.04	-28.28	-10.49

*Note: Limit= Worst EIRP-50 dB=21.72-50=-28.28dBm

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions Attention is drawn to the limitation of liability, indemni-fication and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.	No.134,Wu Kung Road, New	Taipei Industrial Park, Wuku District, New Taipei City	, Taiwan/新北市五股區新北產業園區五工路 134 號
台灣檢驗科技股份有限公司	t (886-2) 2299-3279	f (886-2) 2298-0488	www.sgs.com.tw
			Member of SGS Group

Report No.: ER/2021/A0115 Page: 69 of 83



Report Number	:ER/2021/A0115
Operation Mode	:4.9G 20M
Test Mode	:Tx CH Low
EUT Pol	:E2 Plane
Test Frequency	:4960 MHz

Test Site	:SAC 3
Test Date	:2022-03-03
Temp./Humi.	:21.7/65
Antenna Pol.	:Horizontal
Engineer	:Jack Liu

0 Level (dE	3m/m)					
-10						
-20						
-30						
-40	7	8				
-50						
-60						
-70						
-80						
-90						
-100 30						
30	8024.	16018. Frequenc	24012. sy (MHz)	32006.	40000	
Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margir
		Output Level	Gain	Loss		
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
57.160	-67.04	-56.94	-9.37	-0.73	-28.28	-38.76
72.680	-66.86	-59.30	-6.70	-0.87	-28.28	-38.58
86.260	-67.76	-60.15	-6.66	-0.95	-28.28	-39.48
155.130	-71.88	-66.35	-4.31	-1.22	-28.28	-43.60
86.170	-65.00	-62.13	-1.45	-1.43	-28.28	-36.72
212.360	-73.79	-71.10	-1.19	-1.50	-28.28	-45.51
920.000	-43.82	-44.11	11.34	-11.04	-28.28	-15.54

*Note: Limit= Worst EIRP-50 dB=21.72-50=-28.28dBm

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemni-fication and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the timits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report No.: ER/2021/A0115 Page: 70 of 83



Report Number	:ER/2021/A0115
Operation Mode	:4.9G 20M
Test Mode	:Tx CH High
EUT Pol	:E2 Plane
Test Frequency	:4980 MHz

Test Site	:SAC 3
Test Date	:2022-03-03
Temp./Humi.	:21.7/65
Antenna Pol.	:Vertical
Engineer	:Jack Liu

0 Level (dE	3m/m)					
-10						
-20						
-30						
-40						
-50	7	8				
-60 2						
-70						
-80						
-90						
100						
30	8024.	16018. Frequenc	24012. cy (MHz)	32006.	40000	
Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margir
		Output Level	Gain	Loss		
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
40.400	50.05	45.00	40.77	0.70	00.00	00 57
49.400	-58.85	-45.38	-12.77	-0.70	-28.28	-30.57
72.680	-59.28	-51.71	-6.70	-0.87	-28.28	-31.00
86.260	-65.07	-57.45	-6.66	-0.95	-28.28	-36.79
53.190	-71.21	-65.51	-4.50	-1.20	-28.28	-42.93
89.080	-69.55	-66.70	-1.40	-1.45	-28.28	-41.27
09.000						
35.640	-75.83	-72.58	-1.63	-1.62	-28.28	-47.55
	-75.83 -45.26	-72.58 -45.51	-1.63 11.44	-1.62 -11.19	-28.28 -28.28	-47.55 -16.98

*Note: Limit= Worst EIRP-50 dB=21.72-50=-28.28dBm

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions Attention is drawn to the limitation of liability, indemni-fication and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.	No.134,Wu Kung Road, New Taipe	i Industrial Park, Wuku District, New Taipei C	City, Taiwan/新北市五股區新北產業園區五工路 134 號
台灣檢驗科技股份有限公司	t (886-2) 2299-3279	f (886-2) 2298-0488	www.sgs.com.tw
			Member of SGS Group

Report No.: ER/2021/A0115 Page: 71 of 83



Report Number	:ER/2021/A0115
Operation Mode	:4.9G 20M
Test Mode	:Tx CH High
EUT Pol	:E2 Plane
Test Frequency	:4980 MHz

Test Site	:SAC 3
Test Date	:2022-03-03
Temp./Humi.	:21.7/65
Antenna Pol.	:Horizontal
Engineer	:Jack Liu

0 Level (dE	sm/m)				1	
-10						
-20						
-30						
-40	7	8				
-50		Ĭ				
-60						
-70						
-80						
-90						
100						
30	8024.	16018. Frequenc	24012. cy (MHz)	32006.	40000	
Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
40.670	-67.38	-47.96	-18.74	-0.68	-28.28	-39.10
63.950	-65.29	-56.79	-7.71	-0.79	-28.28	-37.01
86.260	-66.20	-58.58	-6.66	-0.95	-28.28	-37.92
52.220	-71.02	-65.18	-4.66	-1.19	-28.28	-42.74
85.200	-65.28	-62.30	-1.55	-1.43	-28.28	-37.00
12.360	-73.44	-70.74	-1.19	-1.50	-28.28	-45.16
960.000	-45.25	-45.50	11.44	-11.19	-28.28	-16.97
200.000						

*Note: Limit= Worst EIRP-50 dB=21.72-50=-28.28dBm

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemni-fication and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the timits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



13.4.4 Radiated Measurement Result (Test Mode: Mode 4)

Report Number	:ER/2021/A0115
Operation Mode	:4.9G 20M
Test Mode	:Tx CH Low
EUT Pol	:E2 Plane
Test Frequency	:4960 MHz

Test Site :SAC 3 Test Date :2022-03-03 Temp./Humi. :21.7/65 Antenna Pol. :Vertical Engineer :Jack Liu



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製


解決另有說明・比較告結果僅對測試乙程品頁實,同時比較品值保留90天。本報告未經本公司書面計可,不可部份視觀。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com.tw/Terms-and-Conditions</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com.tw/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemni-fication and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Taisei (Chr. Taiwact/K + document/K +

Report No.: ER/2021/A0115 Page: 73 of 83



Report Number	:ER/2021/A0115
Operation Mode	:4.9G 20M
Test Mode	:Tx CH Low
EUT Pol	:E2 Plane
Test Frequency	:4960 MHz

Test Site	:SAC 3
Test Date	:2022-03-03
Temp./Humi.	:21.7/65
Antenna Pol.	:Horizontal
Engineer	:Jack Liu



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

解決另有說明・比較告結果僅對測試乙程品頁實,同時比較品值保留90天。本報告未經本公司書面計可,不可部份視觀。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com.tw/Terms-and-Conditions</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com.tw/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemni-fication and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Taisei (Chr. Taiwact/K + document/K +


www.sgs.com.tw

Report No.: ER/2021/A0115 Page: 74 of 83



Report Number	:ER/2021/A0115	-
Operation Mode	:4.9G 20M	-
Test Mode	:Tx CH High	-
EUT Pol	:E2 Plane	/
Test Frequency	:4980 MHz	I
50 Level (dBm/m)	
40		

Test Site	:SAC 3
Test Date	:2022-03-03
Temp./Humi.	:21.7/65
Antenna Pol.	:Vertical
Engineer	:Jack Liu



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製


解決另有說明・比較告結果僅對測試乙程品頁實,同時比較品值保留90天。本報告未經本公司書面計可,不可部份視觀。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com.tw/Terms-and-Conditions</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com.tw/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemni-fication and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Taisei (Chr. Taiwact/K + document/K +

Report No.: ER/2021/A0115 Page: 75 of 83



Report Number	:ER/2021/A0115
Operation Mode	:4.9G 20M
Test Mode	:Tx CH High
EUT Pol	:E2 Plane
Test Frequency	:4980 MHz

Test Site	:SAC 3
Test Date	:2022-03-03
Temp./Humi.	:21.7/65
Antenna Pol.	:Horizontal
Engineer	:Jack Liu



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

解決另有說明・比較告結果僅對測試乙程品頁實,同時比較品值保留90天。本報告未經本公司書面計可,不可部份視觀。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com.tw/Terms-and-Conditions</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com.tw/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemni-fication and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Taisei (Chr. Taiwact/K + document/K +

www.sgs.com.tw

Report No.: ER/2021/A0115 Page: 76 of 83



Report Number	:ER/2021/A0115
Operation Mode	:4.9G 20M
Test Mode	:Tx CH Low
EUT Pol	:E2 Plane
Test Frequency	:4960 MHz

Test Site	:SAC 3
Test Date	:2022-03-03
Temp./Humi.	:21.7/65
Antenna Pol.	:Vertical
Engineer	:Jack Liu

0 Level (dE	3m/m)			1		
-10						
-20						
-30						
-40						
-50	7	8				
-60						
-70						
1 T						
-80						
-90						
100 30	8024.	16018. Frequenc	24012. sy (MHz)	32006.	40000	
Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margir
		Output Level	Gain	Loss		
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
48.430	-58.94	-44.88	-13.36	-0.70	-37.10	-21.84
71.710	-58.56	-50.85	-6.84	-0.86	-37.10	-21.46
86.260	-65.00	-57.39	-6.66	-0.95	-37.10	-27.90
05.660	-73.62	-64.33	-8.25	-1.05	-37.10	-36.52
52.220	-69.93	-64.09	-4.66	-1.19	-37.10	-32.83
82.290	-71.59	-68.57	-1.61	-1.41	-37.10	-34.49
920.000	-44.50	-44.80	11.34	-11.04	-37.10	-7.40

*Note: Limit= Worst EIRP-50 dB=12.9-50=-37.10dBm

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions Attention is drawn to the limitation of liability, indemni-fication and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd.	No.134,Wu Kung Road, New Tai	ipei Industrial Park, Wuku District, New Taipei City,	Taiwan/新北市五股區新北產業園區五工路 134 號
台灣檢驗科技股份有限公司	t (886-2) 2299-3279	f (886-2) 2298-0488	www.sgs.com.tw
			Member of SGS Group

Report No.: ER/2021/A0115 Page: 77 of 83



Report Number	:ER/2021/A0115
Operation Mode	:4.9G 20M
Test Mode	:Tx CH Low
EUT Pol	:E2 Plane
Test Frequency	:4960 MHz

Test Site	:SAC 3
Test Date	:2022-03-03
Temp./Humi.	:21.7/65
Antenna Pol.	:Horizontal
Engineer	:Jack Liu



*Note: Limit= Worst EIRP-50 dB=12.9-50=-37.10dBm

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions; if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd.	No.134,Wu Kung Road, New Taipe	ei Industrial Park, Wuku District, New Taipei C	ity, Taiwan/新北市五股區新北產業園區五工路 134 號
台灣檢驗科技股份有限公司	t (886-2) 2299-3279	f (886-2) 2298-0488	www.sgs.com.tw
			Member of SGS Group

Report No.: ER/2021/A0115 Page: 78 of 83



Report Number	:ER/2021/A0115
Operation Mode	:4.9G 20M
Test Mode	:Tx CH High
EUT Pol	:E2 Plane
Test Frequency	:4980 MHz

Test Site	:SAC 3
Test Date	:2022-03-03
Temp./Humi.	:21.7/65
Antenna Pol.	:Vertical
Engineer	:Jack Liu



*Note: Limit= Worst EIRP-50 dB=12.9-50=-37.10dBm

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions; if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd.	No.134,Wu Kung Road, New Taipei	Industrial Park, Wuku District, New Taipei City,	Taiwan/新北市五股區新北產業園區五工路 134 號
台灣檢驗科技股份有限公司	t (886-2) 2299-3279	f (886-2) 2298-0488	www.sgs.com.tw
			Member of SGS Group

Report No.: ER/2021/A0115 Page: 79 of 83



Report Number	:ER/2021/A0115
Operation Mode	:4.9G 20M
Test Mode	:Tx CH High
EUT Pol	:E2 Plane
Test Frequency	:4980 MHz

Test Site	:SAC 3
Test Date	:2022-03-03
Temp./Humi.	:21.7/65
Antenna Pol.	:Horizontal
Engineer	:Jack Liu



*Note: Limit= Worst EIRP-50 dB=12.9-50=-37.10dBm

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions; if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.	No.134,Wu Kung Road, New Taipe	Industrial Park, Wuku District, New Taipei	City, Taiwan/新北市五股區新北產業園區五工路 134 號
台灣檢驗科技股份有限公司	t (886-2) 2299-3279	f (886-2) 2298-0488	www.sgs.com.tw
			Member of SGS Group



14 FREQUENCY STABILITY MEASUREMENT

14.1 Standard Applicable

According to FCC §2.1055(d) (2) and §90.213

(a) Unless noted elsewhere, transmitters used in the services governed by this part must have a minimum frequency stability as specified in the following table.

		Mobile stations		
Frequency range (MHz)	Fixed and base stations	Over 2 watts output power	2 watts or less output power	
Below 25	1,2,3 100	100	200	
25-50	20	20	50	
72–76	5		50	
150-174	5,115	65	4,650	
216–220	1.0		1.0	
220-222 12	0.1	1.5	1.5	
421–512	7,11,142.5	85	85	
806-809	14 1.0	1.5	1.5	
809-824	14 1.5	2.5	2.5	
851-854	1.0	1.5	1.5	
854-869	1.5	2.5	2.5	
896–901	140.1	1.5	1.5	
902–928	2.5	2.5	2.5	
902-928 13	2.5	2.5	2.5	
929–930	1.5			
935–940	0.1	1.5	1.5	
1427-1435	⁹ 300	300	300	
Above 2450 10				

MINIMUM FREQUENCY STABILITY [Parts per million (ppm)]

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

解決另有說明・比較告結果僅對測試乙程品頁實,同時比較品值保留90天。本報告未經本公司書面計可,不可部份視標。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com.tw/Terms-and-Conditions</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com.tw/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemni-fication and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488 www.sgs.com.tw



14.2 Test Set-up



Note: Measurement setup for testing on Antenna connector

14.3 Measurement Procedure

The equipment under test was connected to an external AC or DC power supply and input rated voltage. RF output was connected to a frequency counter or spectrum ana-lyzer via feed through attenuators. The EUT was placed inside the temperature chamber. Set the spectrum analyzer RBW low enough to obtain the desired frequency resolution and measure EUT 25°C operating frequency as reference frequency. Turn EUT off and set the chamber temperature to -30°C. After the temperature stabilized for approximately 30 minutes recorded the frequency. Repeat step measure with 10°C increased per stage until the highest temperature of +50°C reached.

Set chamber temperature to 25° C. Use a variable AC power supply / DC power source to power the EUT and set the voltage to rated voltage. Set the spectrum analyzer RBW low enough to obtain the desired frequency resolution and recorded the frequency. Reduce the input voltage to specify extreme voltage variation (+/- 15%) and endpoint as declared by the manufacturer, record the maximum frequency change.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



14.4 Measurement Result

14.4.1 Test Mode: Mode 1

Test Temp.(℃)	Test Voltage(V)	Channel	Nominal Center Frequency (MHz)	Calculated Center Frequency (MHz)	Deviation (ppm)	Limit (ppm)	Result
50		192	4960	4960.012	2.42	10	PASS
40		192	4960	4959.996	0.81	10	PASS
30		192	4960	4960.002	0.40	10	PASS
20		192	4960	4960.007	1.41	10	PASS
10	120	192	4960	4960.014	2.82	10	PASS
0		192	4960	4960.034	6.85	10	PASS
-10		192	4960	4960.028	5.65	10	PASS
-20		192	4960	4960.026	5.24	10	PASS
-30		192	4960	4960.001	0.20	10	PASS

Test Temp.(℃)	Test Voltage(V)	Channel	Nominal Center Frequency (MHz)	Calculated Center Frequency (MHz)	Deviation (ppm)	Limit (ppm)	Result
	138	192	4960	4960.019	3.83	10	PASS
25	120	192	4960	4960.039	7.86	10	PASS
	102	192	4960	4960.007	1.41	10	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemni-fication and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



14.4.2 Test Mode: Mode 2

Test Temp.(℃)	Test Voltage(V)	Channel	Nominal Center Frequency (MHz)	Calculated Center Frequency (MHz)	Deviation (ppm)	Limit (ppm)	Result
50		192	4960	4960.029	5.85	10	PASS
40		192	4960	4959.99	2.02	10	PASS
30	120	192	4960	4960.034	6.85	10	PASS
20		192	4960	4960.022	4.44	10	PASS
10		192	4960	4959.991	1.81	10	PASS
0		192	4960	4960.009	1.81	10	PASS
-10		192	4960	4960.032	6.45	10	PASS
-20		192	4960	4960.008	1.61	10	PASS
-30		192	4960	4960.005	1.01	10	PASS

Test Temp.(℃)	Test Voltage(V)	Channel	Nominal Center Frequency (MHz)	Calculated Center Frequency (MHz)	Deviation (ppm)	Limit (ppm)	Result
	138	192	4960	4960.03	6.05	10	PASS
25	120	192	4960	4960.001	0.20	10	PASS
	102	192	4960	4960.021	4.23	10	PASS

~ End of Report ~

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions at the timitation of liability, indemni-fication and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Secs Taiwan Ltdt = No 134 Wu Kung Road New Taipic Industrial Road, Wu Wu Kung Road, New Taipic Idux Wu Kung Road, New Taipic Idux Vu Jieritet New Taipic Idux Taipic Idux Vu Jieritet New Taipic Idux Taipic Idux Vu Jieritet New Taipic Idux Va Vu Vu Jieritet New Taipic Idux Va Vu Vu New New Taipic Idux Va Vu Vu New Secs Taipic Id