




HT20_5320MHz




HT40_5510MHz



HT20_5500MHz




VHT80_5290MHz



HT40_5310MHz



VHT80_5530MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

13 CHANNEL AVAILABILITY CHECK MEASUREMENT

VHT80_5290MHz_Radar Time



VHT80_5530MHz_Radar Time



VHT80_5290MHz_Radar Type0-1



VHT80_5530MHz_Radar Type 0-1



VHT80_5290MHz_Radar Type0-2



VHT80_5530MHz_Radar Type 0-2



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14 IN SERVICE MONITORING (FM-OMNI 5 KIT ANTENNA)

14.1 HT20_5320MHz

Short Pulse Radar Type	Minimum Number of Trials	Detection(%)		Minnum Percentage of Successful Detection(%)	Pass/Fail
1	30	100		60	Pass
2	30	80		60	Pass
3	30	86.67		60	Pass
4	30	83.33		60	Pass
Aggregate (Radar Types 1-4)	120	87.5		80	Pass
Long Pulse Radar Type	Minimum Number of Trials	Each Detection(%)	Total Detection(%)	Minnum Percentage of Successful Detection(%)	Pass/Fail
5	Center:10	100	93.33	80	Pass
	Low Edge:10	80			
	High Edge:10	100			
Frequency Hopping Radar Type	Minimum Number of Trials	Detection(%)		Minnum Percentage of Successful Detection(%)	Pass/Fail
6	30	100		70	Pass

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.1.1 Radar Type1 for 5320MHz

Data Sheet for FCC Radar Type 1						
Trial	VSG Frequency (MHz)	Pulse Repetition Frequency Number (1 to 23)	Pulse Repetition Frequency	PRI	Test A/B	Successful Detection
			(Pulses Per Second)	(msec)	A/B	(Yes/No)
1	5320	8	1519.8	658	A	Yes
2	5320	4	1730.1	578	A	Yes
3	5320	12	1355	738	A	Yes
4	5320	18	1165.5	858	A	Yes
5	5320	5	1672.2	598	A	Yes
6	5320	1	1930.5	518	A	Yes
7	5320	21	1089.3	918	A	Yes
8	5320	22	1066.1	938	A	Yes
9	5320	3	1792.1	558	A	Yes
10	5320	11	1392.8	718	A	Yes
11	5320	7	1567.4	638	A	Yes
12	5320	15	1253.1	798	A	Yes
13	5320	10	1432.7	698	A	Yes
14	5320	13	1319.3	758	A	Yes
15	5320	23	326.2	3066	A	Yes
16	5320	-	1032	969	B	Yes
17	5320	-	401.9	2488	B	Yes
18	5320	-	363.5	2751	B	Yes
19	5320	-	403.4	2479	B	Yes
20	5320	-	520	1923	B	Yes
21	5320	-	389	2571	B	Yes
22	5320	-	474.8	2106	B	Yes
23	5320	-	387.1	2583	B	Yes
24	5320	-	675.7	1480	B	Yes
25	5320	-	419.3	2385	B	Yes
26	5320	-	841	1189	B	Yes
27	5320	-	544.7	1836	B	Yes
28	5320	-	357.7	2796	B	Yes
29	5320	-	332.7	3006	B	Yes
30	5320	-	1524.4	656	B	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.1.2 Radar Type2 for 5320MHz

Data Sheet for FCC Radar Type 2					
Trial	VSG Frequency (MHz)	Number Pulses per Burst (23-29)	Pulse Width (1-5)	PRI (150-230)	Successful Detection
			(μ s)	(μ s)	(Yes/No)
1	5320	25	2.5	162	No
2	5320	28	4.1	167	Yes
3	5320	29	4.7	224	Yes
4	5320	25	2.4	158	Yes
5	5320	29	5	230	Yes
6	5320	28	4.2	223	Yes
7	5320	28	4.3	152	Yes
8	5320	29	4.5	222	Yes
9	5320	24	1.6	196	No
10	5320	24	1.8	186	No
11	5320	29	4.8	194	Yes
12	5320	24	1.8	191	Yes
13	5320	29	4.5	189	Yes
14	5320	27	3.3	164	Yes
15	5320	25	2.5	166	Yes
16	5320	25	2.6	212	No
17	5320	28	4.2	204	Yes
18	5320	24	1.9	170	Yes
19	5320	26	3	221	Yes
20	5320	29	4.6	183	Yes
21	5320	25	2.2	154	Yes
22	5320	27	3.7	178	No
23	5320	27	3.3	157	Yes
24	5320	23	1.2	229	No
25	5320	25	2.6	202	Yes
26	5320	27	3.4	185	Yes
27	5320	27	3.4	159	Yes
28	5320	28	4.3	207	Yes
29	5320	24	1.6	188	Yes
30	5320	23	1.1	171	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.1.3 Radar Type3 for 5320MHz

Data Sheet for FCC Radar Type 3					
Trial	VSG Frequency (MHz)	Number Pulses per Burst (16-18)	Pulse Width (6-10)	PRI (200-500)	Successful Detection
			(μ s)	(μ s)	(Yes/No)
1	5320	17	7.5	224	Yes
2	5320	18	9.1	280	Yes
3	5320	18	9.7	402	Yes
4	5320	17	7.4	359	Yes
5	5320	18	10	292	No
6	5320	18	9.2	203	Yes
7	5320	18	9.3	287	Yes
8	5320	18	9.5	344	Yes
9	5320	16	6.6	439	Yes
10	5320	16	6.8	222	Yes
11	5320	18	9.8	446	Yes
12	5320	16	6.8	278	Yes
13	5320	18	9.5	494	No
14	5320	17	8.3	338	Yes
15	5320	17	7.5	228	Yes
16	5320	17	7.6	267	Yes
17	5320	18	9.2	235	Yes
18	5320	16	6.9	299	Yes
19	5320	17	8	247	Yes
20	5320	18	9.6	416	No
21	5320	16	7.2	237	Yes
22	5320	18	8.7	308	Yes
23	5320	17	8.3	496	Yes
24	5320	16	6.2	274	Yes
25	5320	17	7.6	311	No
26	5320	17	8.4	472	Yes
27	5320	17	8.4	453	Yes
28	5320	18	9.3	298	Yes
29	5320	16	6.6	217	Yes
30	5320	16	6.1	488	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.1.4 Radar Type4 for 5320MHz

Data Sheet for FCC Radar Type 4					
Trial	VSG Frequency (MHz)	Number Pulses per Burst (12-16)	Pulse Width (11-20)	PRI (200-500)	Successful Detection
			(μ s)	(μ s)	(Yes/No)
1	5320	13	14.4	224	Yes
2	5320	15	17.9	280	No
3	5320	16	19.3	402	Yes
4	5320	13	14.1	359	Yes
5	5320	16	19.9	292	Yes
6	5320	15	18.1	203	Yes
7	5320	16	18.4	287	Yes
8	5320	16	18.8	344	Yes
9	5320	12	12.4	439	Yes
10	5320	12	12.8	222	Yes
11	5320	16	19.6	446	Yes
12	5320	13	12.8	278	No
13	5320	16	18.9	494	Yes
14	5320	14	16.2	338	Yes
15	5320	13	14.4	228	Yes
16	5320	14	14.7	267	Yes
17	5320	15	18.2	235	No
18	5320	13	13.1	299	Yes
19	5320	14	15.5	247	Yes
20	5320	16	19.1	416	Yes
21	5320	13	13.7	237	Yes
22	5320	15	17.1	308	Yes
23	5320	14	16.2	496	Yes
24	5320	12	11.6	274	Yes
25	5320	13	14.6	311	No
26	5320	15	16.5	472	Yes
27	5320	14	16.4	453	Yes
28	5320	16	18.5	298	Yes
29	5320	12	12.3	217	No
30	5320	12	11.2	488	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.1.5 Radar Type5_Trial1 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		1		VSG Frequency(MHz):		5320
Number of Bursts in Trial:			12		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	68.9	11	1681.1		617943
2	3	88	11	1052	1013	859342
3	3	95.7	11	1029.3	1667.3	104578
4	2	67.3	11	1487.7		346428
5	3	99.1	11	1452.9	1322.9	587685
6	3	89.1	11	1648.9	1506.9	828992
7	3	90.8	11	1346.2	1680.2	74768
8	3	93.4	11	1592.6	1767.6	316070
9	1	57.7	11			559213
10	1	59.9	11			801565
11	3	97.4	11	1441.6	1068.6	45087
12	1	60.3	11			287259
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.1.6 Radar Type5_Trial2 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		2		VSG Frequency(MHz):		5320
Number of Bursts in Trial:			17		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	93.6	17	969.4	1716.4	372179
2	2	78.7	17	1752.3		543058
3	2	68.7	17	1914.3		10817
4	2	70.5	17	995.5		181369
5	3	89.7	17	1636.3	1143.3	351073
6	1	61.7	17			523109
7	2	74.9	17	1501.1		693007
8	3	94.6	17	1718.4	1206.4	159920
9	1	65	17			331450
10	3	83.7	17	1429.3	963.3	500759
11	2	79.1	17	973.9		672324
12	1	53.3	17			139600
13	2	69.9	17	1280.1		309805
14	2	80.4	17	1420.6		480084
15	2	79.7	17	1602.3		650247
16	3	91.5	17	1146.5	1740.5	118094
17	1	57.6	17			289497
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.1.7 Radar Type5_Trial3 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		3		VSG Frequency(MHz):		5320
Number of Bursts in Trial:			19		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	51.5	19			411511
2	1	61	19			564308
3	3	91.6	19	1631.4	1188.4	86860
4	2	81.6	19	1670.4		239260
5	1	65.3	19			392765
6	2	81.8	19	1631.2		543927
7	3	84.2	19	1275.8	1031.8	68125
8	3	88.7	19	1295.3	1123.3	220331
9	1	55.9	19			374162
10	2	74.9	19	1550.1		525243
11	1	52.1	19			49598
12	3	98.3	19	909.7	1076.7	201730
13	3	86.4	19	1211.6	1585.6	353250
14	1	65	19			508142
15	3	89.6	19	1114.4	1072.4	30612
16	3	88.6	19	1753.4	1849.4	182508
17	3	85.8	19	1287.2	1281.2	334874
18	1	53.6	19			489394
19	2	70.2	19	1620.8		11905
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.1.8 Radar Type5_Trial4 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		4		VSG Frequency(MHz):		5320
Number of Bursts in Trial:			12		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	88.3	10	1177.7	1640.7	260329
2	2	76.4	10	1689.6		502548
3	3	84.4	10	1402.6	941.6	743815
4	1	64.7	10			987311
5	3	88.2	10	1458.8	1779.8	230494
6	3	91.4	10	928.6	1900.6	471969
7	2	82.7	10	1272.3		714795
8	3	85.2	10	1602.8	1675.8	954494
9	1	58.9	10			201374
10	3	92.3	10	1458.7	1703.7	441971
11	3	97.5	10	1335.5	1091.5	684282
12	2	68.6	10	1029.4		927279
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.1.9 Radar Type5_Trial5 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		5		VSG Frequency(MHz):		5320
Number of Bursts in Trial:			20		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	59.3	20			102927
2	3	99.4	20	1836.6	921.6	246644
3	3	85.7	20	1647.3	1582.3	390981
4	1	56.1	20			538295
5	3	99	20	965	1547	84528
6	1	55.8	20			230090
7	2	78.8	20	1791.2		374178
8	2	78.2	20	1715.8		518759
9	3	97	20	1485	1539	66687
10	3	84.6	20	1140.4	1175.4	211447
11	2	81.8	20	1173.2		356898
12	3	83.7	20	961.3	960.3	501030
13	3	86.9	20	1498.1	1220.1	49003
14	2	72.7	20	1033.3		193866
15	3	96.3	20	1341.7	1837.7	337464
16	2	78.6	20	1463.4		483566
17	2	68.6	20	1297.4		31259
18	3	89.5	20	952.5	1770.5	175652
19	1	64.8	20			321781
20	3	84.1	20	1721.9	1777.9	463830

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.1.10 Radar Type5_Trial6 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		6		VSG Frequency(MHz):		5320
Number of Bursts in Trial:			18		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	76.8	17	1693.2		14896
2	1	59.5	17			176198
3	1	53.1	17			337402
4	2	81.2	17	1359.8		497510
5	2	67.2	17	942.8		659183
6	3	96.3	17	1819.7	1654.7	155488
7	1	53.4	17			317715
8	3	90.3	17	1045.7	949.7	477431
9	2	82.7	17	1396.3		639297
10	3	96.6	17	992.4	1117.4	136110
11	2	75.3	17	1474.7		297217
12	3	96.5	17	1714.5	1509.5	456813
13	1	58.5	17			620514
14	1	56.3	17			116614
15	3	92.9	17	1572.1	1485.1	276831
16	3	98.9	17	902.1	1008.1	437777
17	1	50.6	17			600241
18	1	58.8	17			96833
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.1.11 Radar Type5_Trial7 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		7		VSG Frequency(MHz):		5320
Number of Bursts in Trial:			18		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	90.6	18	1576.4	1397.4	256835
2	2	82.7	18	1114.3		418833
3	1	57	18			580460
4	2	75.4	18	1890.6		76659
5	2	73.3	18	1748.7		237648
6	1	53.7	18			399393
7	3	94.7	18	1885.3	1624.3	557637
8	1	50.6	18			57017
9	2	77.9	18	1313.1		217820
10	1	65.4	18			379468
11	3	95.1	18	1413.9	1230.9	539081
12	1	54	18			37183
13	1	66.6	18			198515
14	2	69.4	18	930.6		359340
15	2	77.4	18	1108.6		519926
16	1	63.3	18			17290
17	3	91.9	18	1585.1	1889.1	177572
18	3	99.9	18	925.1	1427.1	338443
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.1.12 Radar Type5_Trial8 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		8		VSG Frequency(MHz):		5320
Number of Bursts in Trial:			19		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	96.3	18	1566.7	1569.7	472025
2	1	54.4	18			627541
3	3	88.9	18	1234.1	1195.1	149816
4	1	52.7	18			303085
5	1	52.3	18			456230
6	3	88.5	18	1488.5	1069.5	606094
7	3	95.6	18	1103.4	1732.4	130870
8	1	50.3	18			284473
9	1	59.2	18			436853
10	3	85.3	18	1203.7	1369.7	587653
11	2	75.2	18	1828.8		112462
12	2	80.5	18	1159.5		265216
13	2	79.9	18	1869.1		417115
14	3	97.5	18	1820.5	1530.5	568080
15	2	78	18	1201		93690
16	1	59.7	18			246863
17	3	99	18	1294	1371	397446
18	2	82.2	18	1429.8		550886
19	2	77	18	1442		74864
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.1.13 Radar Type5_Trial9 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		9		VSG Frequency(MHz):		5320
Number of Bursts in Trial:			10		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	51.3	7			433522
2	3	86.2	7	992.8	1638.8	722269
3	3	99.5	7	1817.5	950.5	1012095
4	3	86.6	7	1377.4	1766.4	106736
5	1	66.5	7			397689
6	2	68.3	7	1881.7		687236
7	3	88.1	7	1794.9	1901.9	975499
8	3	95.2	7	1741.8	1157.8	71006
9	2	78.7	7	1008.3		361662
10	2	80	7	1700		651472
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.1.14 Radar Type5_Trial10 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		10		VSG Frequency(MHz):		5320
Number of Bursts in Trial:			10		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	55.9	8			943154
2	2	69	8	1358		35356
3	3	95.2	8	936.8	1530.8	325379
4	1	64.5	8			616650
5	3	93.1	8	1134.9	1372.9	905480
6	1	52.6	8			1197677
7	3	96.2	8	1050.8	1497.8	289494
8	2	70	8	1705		580073
9	3	87.9	8	1232.1	1374.1	869786
10	2	80.4	8	1000.6		1161584
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.1.15 Radar Type5_Trial11 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		11		VSG Frequency(MHz):		5319.2675
Number of Bursts in Trial:			20		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	68.6	20	1288.4		126787
2	2	79.9	20	995.1		271916
3	2	73	20	1657		416122
4	3	94.6	20	1413.4	1653.4	559426
5	1	59.3	20			109132
6	2	75.5	20	1541.5		253712
7	3	97.5	20	1180.5	1152.5	398043
8	3	85.5	20	992.5	1714.5	541850
9	3	97.7	20	1728.3	1179.3	90897
10	2	76	20	1804		235545
11	1	56.8	20			381629
12	2	70.4	20	1188.6		525720
13	3	95.3	20	1470.7	1243.7	73056
14	3	86.4	20	1090.6	1080.6	217840
15	3	90.5	20	1832.5	1017.5	361937
16	1	63.7	20			509049
17	3	96.8	20	1073.2	1804.2	55306
18	2	67.9	20	1615.1		200311
19	2	72.3	20	1380.7		344790
20	3	84.4	20	1525.6	1764.6	488064

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.1.16 Radar Type5_Trial12 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		12		VSG Frequency(MHz):		5314.4675
Number of Bursts in Trial:			10		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	64.3	8			75471
2	3	93.3	8	1225.7	1220.7	365198
3	2	66.8	8	1490.2		656156
4	2	70.4	8	1923.6		946079
5	1	53.2	8			39639
6	1	66.2	8			330305
7	2	80	8	1813		620086
8	1	66	8			911509
9	3	86.9	8	1105.1	1200.1	3832
10	3	94.8	8	1815.2	1889.2	293528
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.1.17 Radar Type5_Trial13 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		13		VSG Frequency(MHz):		5318.4675
Number of Bursts in Trial:			19		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	81.8	18	1020.2		306970
2	3	89.8	18	1185.2	1060.2	458950
3	1	61	18			613306
4	1	51.7	18			135996
5	1	58.4	18			288845
6	2	71.4	18	1468.6		440572
7	1	63.1	18			594809
8	1	54.9	18			117262
9	2	77.3	18	1239.7		269369
10	3	91.1	18	1521.9	1229.9	420697
11	2	70.9	18	1820.1		573885
12	1	52.5	18			98349
13	3	97.6	18	936.4	1165.4	250395
14	1	52.6	18			403975
15	2	73.2	18	1922.8		554727
16	3	85.6	18	1477.4	1505.4	79125
17	2	73.8	18	1761.2		231687
18	1	58.8	18			385462
19	2	74	18	932		537159
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.1.18 Radar Type5_Trial14 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		14		VSG Frequency(MHz):		5316.8675
Number of Bursts in Trial:			15	Successful Detection:		No
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	79.4	14	1299.6		76775
2	1	55.8	14			270754
3	2	78.3	14	1748.7		463398
4	3	97.7	14	1858.3	1783.3	655072
5	1	53.4	14			53086
6	1	66.1	14			246603
7	2	75.3	14	1454.7		439673
8	1	63.1	14			634171
9	1	52.6	14			29234
10	3	91.3	14	1399.7	939.7	222067
11	3	93.1	14	1019.9	1417.9	415384
12	3	95.5	14	1744.5	1729.5	607637
13	2	81.5	14	1865.5		5369
14	3	98.7	14	1360.3	1847.3	198155
15	1	52.8	14			392713
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.1.19 Radar Type5_Trial15 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		15		VSG Frequency(MHz):		5315.6675
Number of Bursts in Trial:			12	Successful Detection:		No
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	94.3	11	1299.7	1903.7	730416
2	2	67	11	1400		974299
3	1	59.3	11			219021
4	3	93.5	11	1251.5	1503.5	459888
5	2	77.9	11	1399.1		702555
6	2	69.1	11	1177.9		944661
7	1	50.5	11			189161
8	3	91.9	11	1839.1	1050.1	430014
9	3	90.7	11	1584.3	1497.3	671355
10	2	81.2	11	1558.8		914632
11	1	63.5	11			159401
12	1	61.7	11			401445
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.1.20 Radar Type5_Trial16 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		16		VSG Frequency(MHz):		5315.6675
Number of Bursts in Trial:			13	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	95.8	11	966.2	1615.2	592509
2	1	64.2	11			817270
3	3	97.2	11	1374.8	1756.8	119113
4	2	67.7	11	1119.3		342845
5	3	92.5	11	1210.5	1525.5	564780
6	2	71.2	11	1359.8		788935
7	3	92	11	1882	976	91759
8	1	57.4	11			315603
9	3	89	11	988	1327	537748
10	1	53.4	11			762476
11	3	92.2	11	995.8	1060.8	64345
12	1	57.6	11			287957
13	3	85.7	11	1449.3	936.3	510062
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.1.21 Radar Type5_Trial17 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		17		VSG Frequency(MHz):		5318.0675
Number of Bursts in Trial:			18		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	83.2	17	1036.8		529785
2	1	58.3	17			26706
3	1	60.5	17			188158
4	1	63.6	17			349227
5	3	84.2	17	1852.8	1890.8	507679
6	3	95.7	17	1737.3	1904.3	6799
7	3	89.5	17	917.5	1089.5	167522
8	1	53.9	17			329653
9	3	94.8	17	1139.2	1275.2	488605
10	1	58.3	17			652378
11	1	56.1	17			148288
12	2	76.2	17	1446.8		308712
13	2	80.3	17	1113.7		469774
14	2	80.9	17	1097.1		631293
15	1	54.9	17			128377
16	2	78.8	17	1817.2		288698
17	1	63.9	17			450946
18	3	87.7	17	1521.3	1258.3	609861
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.1.22 Radar Type5_Trial18 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		18		VSG Frequency(MHz):		5314.4675
Number of Bursts in Trial:			11		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	66.4	8			177857
2	3	89.9	8	1665.1	913.1	440833
3	1	54.3	8			706454
4	2	79.5	8	1915.5		968919
5	3	98.9	8	1226.1	973.1	144967
6	1	55.4	8			409280
7	2	73.5	8	1419.5		672494
8	1	50.6	8			938111
9	2	74.2	8	1353.8		112488
10	3	89.5	8	1248.5	1537.5	375911
11	3	91.2	8	1524.8	1651.8	639014
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.1.23 Radar Type5_Trial19 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		19		VSG Frequency(MHz):		5316.0675
Number of Bursts in Trial:			14		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	63.9	12			711278
2	3	90.8	12	1614.2	1324.2	62738
3	2	74.9	12	1461.1		269861
4	1	51.7	12			477711
5	1	57.8	12			685299
6	3	94.8	12	1266.2	1856.2	37241
7	1	60.8	12			244931
8	3	90.1	12	1295.9	1178.9	451119
9	2	78.2	12	1569.8		658470
10	1	56.5	12			11823
11	3	85.6	12	1366.4	1838.4	218543
12	2	74.1	12	1359.9		426237
13	1	57.8	12			634681
14	1	51	12			842213
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.1.24 Radar Type5_Trial20 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		20		VSG Frequency(MHz):		5318.8675
Number of Bursts in Trial:			19		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	55.8	19			142763
2	3	91	19	1038	1478	294070
3	3	91.6	19	1763.4	1475.4	445599
4	1	62.1	19			600983
5	3	90.3	19	1562.7	1214.7	123268
6	3	87.1	19	939.9	1881.9	275165
7	2	78.7	19	1475.3		428485
8	2	75	19	1118		581376
9	1	65.8	19			105086
10	2	75.7	19	1456.3		257431
11	2	67.7	19	1733.3		409380
12	2	81.3	19	1478.7		562018
13	1	53.6	19			86190
14	1	59.4	19			239111
15	1	55	19			392159
16	3	90.2	19	1711.8	1665.8	541677
17	3	83.5	19	1791.5	1274.5	67101
18	2	71.4	19	1176.6		219633
19	3	100	19	905	1376	371411
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.1.25 Radar Type5_Trial21 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		21		VSG Frequency(MHz):		5325.1325
Number of Bursts in Trial:			11		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	62.7	9			909518
2	2	80.8	9	1814.2		83873
3	2	67.6	9	1297.4		347809
4	2	81.3	9	1650.7		611534
5	2	74.4	9	968.6		875939
6	2	72.5	9	992.5		51393
7	3	86.2	9	1617.8	1433.8	314764
8	3	94.2	9	1466.8	1378.8	578499
9	3	88.8	9	1774.2	1700.2	841368
10	3	85.8	9	1855.2	1289.2	18837
11	2	81.1	9	1608.9		282778
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.1.26 Radar Type5_Trial22 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		22		VSG Frequency(MHz):		5322.7325
Number of Bursts in Trial:			16		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	80.9	15	1766.1		374961
2	1	65.7	15			557868
3	3	96.6	15	1775.4	1762.4	735863
4	2	78.5	15	1779.5		171679
5	3	93.1	15	1603.9	1268.9	352020
6	1	64.4	15			535563
7	2	82	15	1109		715237
8	3	88.6	15	1087.4	1124.4	149231
9	3	84	15	1122	1808	329975
10	1	52.3	15			512692
11	1	62.5	15			694536
12	3	88.9	15	1120.1	1052.1	127060
13	2	74.9	15	1598.1		308165
14	3	99.2	15	1010.8	1445.8	488879
15	3	84	15	1858	1624	668805
16	2	76.5	15	1481.5		104899
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.1.27 Radar Type5_Trial23 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		23		VSG Frequency(MHz):		5323.1325
Number of Bursts in Trial:			15		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	91.1	14	1722.9	1481.9	304419
2	1	51.3	14			499595
3	3	85	14	1105	1782	690348
4	3	88.1	14	1704.9	926.9	87900
5	2	73	14	1153		281441
6	1	64.1	14			475687
7	2	74.1	14	1130.9		668244
8	3	95.1	14	1060.9	1166.9	64207
9	2	70.2	14	1365.8		257527
10	3	88.3	14	1555.7	1165.7	450074
11	1	59.7	14			645660
12	2	67.1	14	1851.9		40439
13	3	89.6	14	1722.4	1065.4	233388
14	1	54	14			427634
15	3	93	14	1594	1399	618905
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.1.28 Radar Type5_Trial24 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		24		VSG Frequency(MHz):		5326.3325
Number of Bursts in Trial:			8		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	89.9	6	1809.1	1078.1	31236
2	3	89.3	6	1352.7	1568.7	393920
3	3	84.7	6	1789.3	1173.3	756463
4	3	94.9	6	1669.1	1057.1	1119403
5	1	51.9	6			1484842
6	3	84.7	6	1697.3	1440.3	349153
7	2	75.1	6	1018.9		713024
8	1	66.4	6			1076628
9						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.1.29 Radar Type5_Trial25 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		25		VSG Frequency(MHz):		5324.3325
Number of Bursts in Trial:			13	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	90.7	11	1605.3	968.3	883164
2	1	58.1	11			187678
3	3	95	11	921	1808	410038
4	3	87.5	11	1516.5	1899.5	632425
5	3	97.7	11	1902.3	1446.3	854752
6	1	50.1	11			160179
7	3	92	11	1125	1869	382551
8	3	92.7	11	1090.3	1034.3	605771
9	2	82.2	11	1360.8		829111
10	3	90.5	11	1554.5	1523.5	132099
11	3	96	11	961	921	355276
12	3	95.1	11	1252.9	1474.9	577740
13	3	92.8	11	1316.2	1201.2	800647
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.1.30 Radar Type5_Trial26 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		26		VSG Frequency(MHz):		5323.1325
Number of Bursts in Trial:			15		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	53.8	14			91080
2	3	97.7	14	1167.3	1878.3	283717
3	1	58.1	14			478261
4	2	66.7	14	1144.3		671114
5	3	91.6	14	1353.4	1052.4	66962
6	1	51.4	14			261011
7	1	58.3	14			454366
8	1	54.7	14			648466
9	1	54.7	14			43343
10	1	64.8	14			236926
11	3	99	14	952	1300	429105
12	2	79.9	14	1461.1		623211
13	1	59.3	14			19499
14	2	72.7	14	1398.3		212690
15	3	99.7	14	1879.3	1471.3	404956
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.1.31 Radar Type5_Trial27 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		27		VSG Frequency(MHz):		5323.1325
Number of Bursts in Trial:			15	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	90.3	14	1281.7	1213.7	598816
2	1	54.2	14			794473
3	2	82	14	1247		188994
4	3	91.8	14	1242.2	1765.2	381665
5	1	66	14			576343
6	3	84.9	14	1015.1	1421.1	767613
7	3	94.4	14	1290.6	1302.6	164860
8	2	80	14	1544		358194
9	2	78.1	14	1251.9		551595
10	2	76.6	14	1630.4		744585
11	2	76.5	14	1126.5		141305
12	3	95	14	1714	975	334217
13	2	78.2	14	1402.8		527740
14	3	95.6	14	1018.4	1512.4	720269
15	2	77.5	14	1766.5		117502
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.1.32 Radar Type5_Trial28 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		28		VSG Frequency(MHz):		5321.5325
Number of Bursts in Trial:			18	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	76.7	18	1658.3		258838
2	3	93.7	18	1772.3	1151.3	418522
3	1	59	18			581801
4	1	50.1	18			78195
5	3	86	18	1346	1557	238562
6	3	91.7	18	956.3	1567.3	398956
7	2	76.6	18	1160.4		560757
8	2	78.2	18	1657.8		58184
9	1	60.3	18			219772
10	2	83.2	18	1732.8		379956
11	2	66.8	18	1667.2		540946
12	1	61.7	18			38489
13	3	85.9	18	1667.1	1614.1	198790
14	3	93.4	18	1601.6	1257.6	359521
15	3	96.1	18	1471.9	952.9	520627
16	1	57.6	18			18611
17	3	88.3	18	1752.7	1533.7	178897
18	2	77.5	18	1123.5		340423
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.1.33 Radar Type5_Trial29 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		29		VSG Frequency(MHz):		5325.9325
Number of Bursts in Trial:			9		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	92.4	7	1651.6	1546.6	1003419
2	1	52.4	7			1329586
3	2	78	7	1298		320241
4	1	58.4	7			643653
5	1	54.2	7			966716
6	2	79.1	7	1911.9		1287888
7	1	57.9	7			280721
8	1	59.5	7			603859
9	2	67.7	7	1886.3		925042
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.1.34 Radar Type5_Trial30 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		30		VSG Frequency(MHz):		5326.7325
Number of Bursts in Trial:			8		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	80	5	1415		1404668
2	3	90.1	5	1752.9	1360.9	270452
3	1	65.1	5			634402
4	1	56.5	5			998149
5	2	80.1	5	1359.9		1360463
6	1	59.1	5			226234
7	2	77.3	5	1772.7		588878
8	3	88.1	5	1037.9	1340.9	951215
9						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.1.35 Radar Type6 for 5320MHz

Data Sheet for FCC Radar Type 6						
Trial	Pulse Width	PRI	Pulses per Hop	Hopping Rate	Hopping Sequence Length	Successful Detection
	(μ sec)	(μ sec)		(kHz)	(msec)	(Yes/No)
1	1	333	9	0.333	300	Yes
2	1	333	9	0.333	300	Yes
3	1	333	9	0.333	300	Yes
4	1	333	9	0.333	300	Yes
5	1	333	9	0.333	300	Yes
6	1	333	9	0.333	300	Yes
7	1	333	9	0.333	300	Yes
8	1	333	9	0.333	300	Yes
9	1	333	9	0.333	300	Yes
10	1	333	9	0.333	300	Yes
11	1	333	9	0.333	300	Yes
12	1	333	9	0.333	300	Yes
13	1	333	9	0.333	300	Yes
14	1	333	9	0.333	300	Yes
15	1	333	9	0.333	300	Yes
16	1	333	9	0.333	300	Yes
17	1	333	9	0.333	300	Yes
18	1	333	9	0.333	300	Yes
19	1	333	9	0.333	300	Yes
20	1	333	9	0.333	300	Yes
21	1	333	9	0.333	300	Yes
22	1	333	9	0.333	300	Yes
23	1	333	9	0.333	300	Yes
24	1	333	9	0.333	300	Yes
25	1	333	9	0.333	300	Yes
26	1	333	9	0.333	300	Yes
27	1	333	9	0.333	300	Yes
28	1	333	9	0.333	300	Yes
29	1	333	9	0.333	300	Yes
30	1	333	9	0.333	300	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.2 HT20_5500MHz

Short Pulse Radar Type	Minimum Number of Trials	Detection(%)		Minmum Percentage of Successful Detection(%)	Pass/Fail
1	30	100		60	Pass
2	30	93.33		60	Pass
3	30	90		60	Pass
4	30	96.67		60	Pass
Aggregate (Radar Types 1-4)	120	95		80	Pass
Long Pulse Radar Type	Minimum Number of Trials	Each Detection(%)	Total Detection(%)	Minmum Percentage of Successful Detection(%)	Pass/Fail
5	Center:10	90	93.33	80	Pass
	Low Edge:10	90			
	High Edge:10	100			
Frequency Hopping Radar Type	Minimum Number of Trials	Detection(%)		Minmum Percentage of Successful Detection(%)	Pass/Fail
6	30	93.33		70	Pass

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.2.1 Radar Type1 for 5500MHz

Data Sheet for FCC Radar Type 1						
Trial	VSG Frequency (MHz)	Pulse Repetition Frequency Number (1 to 23)	Pulse Repetition Frequency	PRI	Test A/B	Successful Detection
			(Pulses Per Second)	(msec)	A/B	(Yes/No)
1	5500	8	1519.8	658	A	Yes
2	5500	4	1730.1	578	A	Yes
3	5500	12	1355	738	A	Yes
4	5500	18	1165.5	858	A	Yes
5	5500	5	1672.2	598	A	Yes
6	5500	1	1930.5	518	A	Yes
7	5500	21	1089.3	918	A	Yes
8	5500	22	1066.1	938	A	Yes
9	5500	3	1792.1	558	A	Yes
10	5500	11	1392.8	718	A	Yes
11	5500	7	1567.4	638	A	Yes
12	5500	15	1253.1	798	A	Yes
13	5500	10	1432.7	698	A	Yes
14	5500	13	1319.3	758	A	Yes
15	5500	23	326.2	3066	A	Yes
16	5500	-	1032	969	B	Yes
17	5500	-	401.9	2488	B	Yes
18	5500	-	363.5	2751	B	Yes
19	5500	-	403.4	2479	B	Yes
20	5500	-	520	1923	B	Yes
21	5500	-	389	2571	B	Yes
22	5500	-	474.8	2106	B	Yes
23	5500	-	387.1	2583	B	Yes
24	5500	-	675.7	1480	B	Yes
25	5500	-	419.3	2385	B	Yes
26	5500	-	841	1189	B	Yes
27	5500	-	544.7	1836	B	Yes
28	5500	-	357.7	2796	B	Yes
29	5500	-	332.7	3006	B	Yes
30	5500	-	1524.4	656	B	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.2.2 Radar Type2 for 5500MHz

Data Sheet for FCC Radar Type 2					
Trial	VSG Frequency (MHz)	Number Pulses per Burst (23-29)	Pulse Width (1-5)	PRI (150-230)	Successful Detection
			(μ s)	(μ s)	(Yes/No)
1	5500	25	2.5	162	Yes
2	5500	28	4.1	167	Yes
3	5500	29	4.7	224	Yes
4	5500	25	2.4	158	No
5	5500	29	5	230	Yes
6	5500	28	4.2	223	Yes
7	5500	28	4.3	152	Yes
8	5500	29	4.5	222	Yes
9	5500	24	1.6	196	Yes
10	5500	24	1.8	186	Yes
11	5500	29	4.8	194	Yes
12	5500	24	1.8	191	Yes
13	5500	29	4.5	189	Yes
14	5500	27	3.3	164	Yes
15	5500	25	2.5	166	Yes
16	5500	25	2.6	212	Yes
17	5500	28	4.2	204	Yes
18	5500	24	1.9	170	No
19	5500	26	3	221	Yes
20	5500	29	4.6	183	Yes
21	5500	25	2.2	154	Yes
22	5500	27	3.7	178	Yes
23	5500	27	3.3	157	Yes
24	5500	23	1.2	229	Yes
25	5500	25	2.6	202	Yes
26	5500	27	3.4	185	Yes
27	5500	27	3.4	159	Yes
28	5500	28	4.3	207	Yes
29	5500	24	1.6	188	Yes
30	5500	23	1.1	171	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.2.3 Radar Type3 for 5500MHz

Data Sheet for FCC Radar Type 3					
Trial	VSG Frequency (MHz)	Number Pulses per Burst (16-18)	Pulse Width (6-10)	PRI (200-500)	Successful Detection
			(μ s)	(μ s)	(Yes/No)
1	5500	17	7.5	224	Yes
2	5500	18	9.1	280	Yes
3	5500	18	9.7	402	Yes
4	5500	17	7.4	359	Yes
5	5500	18	10	292	No
6	5500	18	9.2	203	Yes
7	5500	18	9.3	287	Yes
8	5500	18	9.5	344	Yes
9	5500	16	6.6	439	Yes
10	5500	16	6.8	222	Yes
11	5500	18	9.8	446	No
12	5500	16	6.8	278	Yes
13	5500	18	9.5	494	Yes
14	5500	17	8.3	338	Yes
15	5500	17	7.5	228	Yes
16	5500	17	7.6	267	Yes
17	5500	18	9.2	235	Yes
18	5500	16	6.9	299	Yes
19	5500	17	8	247	Yes
20	5500	18	9.6	416	Yes
21	5500	16	7.2	237	Yes
22	5500	18	8.7	308	Yes
23	5500	17	8.3	496	Yes
24	5500	16	6.2	274	Yes
25	5500	17	7.6	311	No
26	5500	17	8.4	472	Yes
27	5500	17	8.4	453	Yes
28	5500	18	9.3	298	Yes
29	5500	16	6.6	217	Yes
30	5500	16	6.1	488	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.2.4 Radar Type4 for 5500MHz

Data Sheet for FCC Radar Type 4					
Trial	VSG Frequency (MHz)	Number Pulses per Burst (12-16)	Pulse Width (11-20)	PRI (200-500)	Successful Detection
			(μ s)	(μ s)	(Yes/No)
1	5500	13	14.4	224	Yes
2	5500	15	17.9	280	Yes
3	5500	16	19.3	402	Yes
4	5500	13	14.1	359	Yes
5	5500	16	19.9	292	Yes
6	5500	15	18.1	203	Yes
7	5500	16	18.4	287	Yes
8	5500	16	18.8	344	Yes
9	5500	12	12.4	439	Yes
10	5500	12	12.8	222	Yes
11	5500	16	19.6	446	Yes
12	5500	13	12.8	278	Yes
13	5500	16	18.9	494	Yes
14	5500	14	16.2	338	Yes
15	5500	13	14.4	228	Yes
16	5500	14	14.7	267	Yes
17	5500	15	18.2	235	Yes
18	5500	13	13.1	299	Yes
19	5500	14	15.5	247	No
20	5500	16	19.1	416	Yes
21	5500	13	13.7	237	Yes
22	5500	15	17.1	308	Yes
23	5500	14	16.2	496	Yes
24	5500	12	11.6	274	Yes
25	5500	13	14.6	311	Yes
26	5500	15	16.5	472	Yes
27	5500	14	16.4	453	Yes
28	5500	16	18.5	298	Yes
29	5500	12	12.3	217	Yes
30	5500	12	11.2	488	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.2.5 Radar Type5_Trial1 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		1		VSG Frequency(MHz):		5500
Number of Bursts in Trial:			12		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	68.9	11	1681.1		617943
2	3	88	11	1052	1013	859342
3	3	95.7	11	1029.3	1667.3	104578
4	2	67.3	11	1487.7		346428
5	3	99.1	11	1452.9	1322.9	587685
6	3	89.1	11	1648.9	1506.9	828992
7	3	90.8	11	1346.2	1680.2	74768
8	3	93.4	11	1592.6	1767.6	316070
9	1	57.7	11			559213
10	1	59.9	11			801565
11	3	97.4	11	1441.6	1068.6	45087
12	1	60.3	11			287259
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.2.6 Radar Type5_Trial2 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		2		VSG Frequency(MHz):		5500
Number of Bursts in Trial:			17		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	93.6	17	969.4	1716.4	372179
2	2	78.7	17	1752.3		543058
3	2	68.7	17	1914.3		10817
4	2	70.5	17	995.5		181369
5	3	89.7	17	1636.3	1143.3	351073
6	1	61.7	17			523109
7	2	74.9	17	1501.1		693007
8	3	94.6	17	1718.4	1206.4	159920
9	1	65	17			331450
10	3	83.7	17	1429.3	963.3	500759
11	2	79.1	17	973.9		672324
12	1	53.3	17			139600
13	2	69.9	17	1280.1		309805
14	2	80.4	17	1420.6		480084
15	2	79.7	17	1602.3		650247
16	3	91.5	17	1146.5	1740.5	118094
17	1	57.6	17			289497
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.2.7 Radar Type5_Trial3 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		3		VSG Frequency(MHz):		5500
Number of Bursts in Trial:			19		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	51.5	19			411511
2	1	61	19			564308
3	3	91.6	19	1631.4	1188.4	86860
4	2	81.6	19	1670.4		239260
5	1	65.3	19			392765
6	2	81.8	19	1631.2		543927
7	3	84.2	19	1275.8	1031.8	68125
8	3	88.7	19	1295.3	1123.3	220331
9	1	55.9	19			374162
10	2	74.9	19	1550.1		525243
11	1	52.1	19			49598
12	3	98.3	19	909.7	1076.7	201730
13	3	86.4	19	1211.6	1585.6	353250
14	1	65	19			508142
15	3	89.6	19	1114.4	1072.4	30612
16	3	88.6	19	1753.4	1849.4	182508
17	3	85.8	19	1287.2	1281.2	334874
18	1	53.6	19			489394
19	2	70.2	19	1620.8		11905
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.2.8 Radar Type5_Trial4 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		4		VSG Frequency(MHz):		5500
Number of Bursts in Trial:			12		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	88.3	10	1177.7	1640.7	260329
2	2	76.4	10	1689.6		502548
3	3	84.4	10	1402.6	941.6	743815
4	1	64.7	10			987311
5	3	88.2	10	1458.8	1779.8	230494
6	3	91.4	10	928.6	1900.6	471969
7	2	82.7	10	1272.3		714795
8	3	85.2	10	1602.8	1675.8	954494
9	1	58.9	10			201374
10	3	92.3	10	1458.7	1703.7	441971
11	3	97.5	10	1335.5	1091.5	684282
12	2	68.6	10	1029.4		927279
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.2.9 Radar Type5_Trial5 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		5		VSG Frequency(MHz):		5500
Number of Bursts in Trial:			20		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	59.3	20			102927
2	3	99.4	20	1836.6	921.6	246644
3	3	85.7	20	1647.3	1582.3	390981
4	1	56.1	20			538295
5	3	99	20	965	1547	84528
6	1	55.8	20			230090
7	2	78.8	20	1791.2		374178
8	2	78.2	20	1715.8		518759
9	3	97	20	1485	1539	66687
10	3	84.6	20	1140.4	1175.4	211447
11	2	81.8	20	1173.2		356898
12	3	83.7	20	961.3	960.3	501030
13	3	86.9	20	1498.1	1220.1	49003
14	2	72.7	20	1033.3		193866
15	3	96.3	20	1341.7	1837.7	337464
16	2	78.6	20	1463.4		483566
17	2	68.6	20	1297.4		31259
18	3	89.5	20	952.5	1770.5	175652
19	1	64.8	20			321781
20	3	84.1	20	1721.9	1777.9	463830

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.2.10 Radar Type5_Trial6 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		6		VSG Frequency(MHz):		5500
Number of Bursts in Trial:			18		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	76.8	17	1693.2		14896
2	1	59.5	17			176198
3	1	53.1	17			337402
4	2	81.2	17	1359.8		497510
5	2	67.2	17	942.8		659183
6	3	96.3	17	1819.7	1654.7	155488
7	1	53.4	17			317715
8	3	90.3	17	1045.7	949.7	477431
9	2	82.7	17	1396.3		639297
10	3	96.6	17	992.4	1117.4	136110
11	2	75.3	17	1474.7		297217
12	3	96.5	17	1714.5	1509.5	456813
13	1	58.5	17			620514
14	1	56.3	17			116614
15	3	92.9	17	1572.1	1485.1	276831
16	3	98.9	17	902.1	1008.1	437777
17	1	50.6	17			600241
18	1	58.8	17			96833
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.2.11 Radar Type5_Trial7 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		7		VSG Frequency(MHz):		5500
Number of Bursts in Trial:			18		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	90.6	18	1576.4	1397.4	256835
2	2	82.7	18	1114.3		418833
3	1	57	18			580460
4	2	75.4	18	1890.6		76659
5	2	73.3	18	1748.7		237648
6	1	53.7	18			399393
7	3	94.7	18	1885.3	1624.3	557637
8	1	50.6	18			57017
9	2	77.9	18	1313.1		217820
10	1	65.4	18			379468
11	3	95.1	18	1413.9	1230.9	539081
12	1	54	18			37183
13	1	66.6	18			198515
14	2	69.4	18	930.6		359340
15	2	77.4	18	1108.6		519926
16	1	63.3	18			17290
17	3	91.9	18	1585.1	1889.1	177572
18	3	99.9	18	925.1	1427.1	338443
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.2.12 Radar Type5_Trial8 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		8		VSG Frequency(MHz):		5500
Number of Bursts in Trial:			19		Successful Detection: No	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	96.3	18	1566.7	1569.7	472025
2	1	54.4	18			627541
3	3	88.9	18	1234.1	1195.1	149816
4	1	52.7	18			303085
5	1	52.3	18			456230
6	3	88.5	18	1488.5	1069.5	606094
7	3	95.6	18	1103.4	1732.4	130870
8	1	50.3	18			284473
9	1	59.2	18			436853
10	3	85.3	18	1203.7	1369.7	587653
11	2	75.2	18	1828.8		112462
12	2	80.5	18	1159.5		265216
13	2	79.9	18	1869.1		417115
14	3	97.5	18	1820.5	1530.5	568080
15	2	78	18	1201		93690
16	1	59.7	18			246863
17	3	99	18	1294	1371	397446
18	2	82.2	18	1429.8		550886
19	2	77	18	1442		74864
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.2.13 Radar Type5_Trial9 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		9		VSG Frequency(MHz):		5500
Number of Bursts in Trial:			10		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	51.3	7			433522
2	3	86.2	7	992.8	1638.8	722269
3	3	99.5	7	1817.5	950.5	1012095
4	3	86.6	7	1377.4	1766.4	106736
5	1	66.5	7			397689
6	2	68.3	7	1881.7		687236
7	3	88.1	7	1794.9	1901.9	975499
8	3	95.2	7	1741.8	1157.8	71006
9	2	78.7	7	1008.3		361662
10	2	80	7	1700		651472
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.2.14 Radar Type5_Trial10 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		10		VSG Frequency(MHz):		5500
Number of Bursts in Trial:			10		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	55.9	8			943154
2	2	69	8	1358		35356
3	3	95.2	8	936.8	1530.8	325379
4	1	64.5	8			616650
5	3	93.1	8	1134.9	1372.9	905480
6	1	52.6	8			1197677
7	3	96.2	8	1050.8	1497.8	289494
8	2	70	8	1705		580073
9	3	87.9	8	1232.1	1374.1	869786
10	2	80.4	8	1000.6		1161584
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.2.15 Radar Type5_Trial11 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		11		VSG Frequency(MHz):		5499.3175
Number of Bursts in Trial:			20		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	68.6	20	1288.4		126787
2	2	79.9	20	995.1		271916
3	2	73	20	1657		416122
4	3	94.6	20	1413.4	1653.4	559426
5	1	59.3	20			109132
6	2	75.5	20	1541.5		253712
7	3	97.5	20	1180.5	1152.5	398043
8	3	85.5	20	992.5	1714.5	541850
9	3	97.7	20	1728.3	1179.3	90897
10	2	76	20	1804		235545
11	1	56.8	20			381629
12	2	70.4	20	1188.6		525720
13	3	95.3	20	1470.7	1243.7	73056
14	3	86.4	20	1090.6	1080.6	217840
15	3	90.5	20	1832.5	1017.5	361937
16	1	63.7	20			509049
17	3	96.8	20	1073.2	1804.2	55306
18	2	67.9	20	1615.1		200311
19	2	72.3	20	1380.7		344790
20	3	84.4	20	1525.6	1764.6	488064

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.2.16 Radar Type5_Trial12 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		12		VSG Frequency(MHz):		5494.5175
Number of Bursts in Trial:			10		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	64.3	8			75471
2	3	93.3	8	1225.7	1220.7	365198
3	2	66.8	8	1490.2		656156
4	2	70.4	8	1923.6		946079
5	1	53.2	8			39639
6	1	66.2	8			330305
7	2	80	8	1813		620086
8	1	66	8			911509
9	3	86.9	8	1105.1	1200.1	3832
10	3	94.8	8	1815.2	1889.2	293528
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.2.17 Radar Type5_Trial13 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		13		VSG Frequency(MHz):		5498.5175
Number of Bursts in Trial:			19		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	81.8	18	1020.2		306970
2	3	89.8	18	1185.2	1060.2	458950
3	1	61	18			613306
4	1	51.7	18			135996
5	1	58.4	18			288845
6	2	71.4	18	1468.6		440572
7	1	63.1	18			594809
8	1	54.9	18			117262
9	2	77.3	18	1239.7		269369
10	3	91.1	18	1521.9	1229.9	420697
11	2	70.9	18	1820.1		573885
12	1	52.5	18			98349
13	3	97.6	18	936.4	1165.4	250395
14	1	52.6	18			403975
15	2	73.2	18	1922.8		554727
16	3	85.6	18	1477.4	1505.4	79125
17	2	73.8	18	1761.2		231687
18	1	58.8	18			385462
19	2	74	18	932		537159
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.2.18 Radar Type5_Trial14 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		14		VSG Frequency(MHz):		5496.9175
Number of Bursts in Trial:			15		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	79.4	14	1299.6		76775
2	1	55.8	14			270754
3	2	78.3	14	1748.7		463398
4	3	97.7	14	1858.3	1783.3	655072
5	1	53.4	14			53086
6	1	66.1	14			246603
7	2	75.3	14	1454.7		439673
8	1	63.1	14			634171
9	1	52.6	14			29234
10	3	91.3	14	1399.7	939.7	222067
11	3	93.1	14	1019.9	1417.9	415384
12	3	95.5	14	1744.5	1729.5	607637
13	2	81.5	14	1865.5		5369
14	3	98.7	14	1360.3	1847.3	198155
15	1	52.8	14			392713
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.2.19 Radar Type5_Trial15 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		15		VSG Frequency(MHz):		5495.7175
Number of Bursts in Trial:			12		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	94.3	11	1299.7	1903.7	730416
2	2	67	11	1400		974299
3	1	59.3	11			219021
4	3	93.5	11	1251.5	1503.5	459888
5	2	77.9	11	1399.1		702555
6	2	69.1	11	1177.9		944661
7	1	50.5	11			189161
8	3	91.9	11	1839.1	1050.1	430014
9	3	90.7	11	1584.3	1497.3	671355
10	2	81.2	11	1558.8		914632
11	1	63.5	11			159401
12	1	61.7	11			401445
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.2.20 Radar Type5_Trial16 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		16		VSG Frequency(MHz):		5495.7175
Number of Bursts in Trial:			13	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	95.8	11	966.2	1615.2	592509
2	1	64.2	11			817270
3	3	97.2	11	1374.8	1756.8	119113
4	2	67.7	11	1119.3		342845
5	3	92.5	11	1210.5	1525.5	564780
6	2	71.2	11	1359.8		788935
7	3	92	11	1882	976	91759
8	1	57.4	11			315603
9	3	89	11	988	1327	537748
10	1	53.4	11			762476
11	3	92.2	11	995.8	1060.8	64345
12	1	57.6	11			287957
13	3	85.7	11	1449.3	936.3	510062
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.2.21 Radar Type5_Trial17 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		17		VSG Frequency(MHz):		5498.1175
Number of Bursts in Trial:			18		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	83.2	17	1036.8		529785
2	1	58.3	17			26706
3	1	60.5	17			188158
4	1	63.6	17			349227
5	3	84.2	17	1852.8	1890.8	507679
6	3	95.7	17	1737.3	1904.3	6799
7	3	89.5	17	917.5	1089.5	167522
8	1	53.9	17			329653
9	3	94.8	17	1139.2	1275.2	488605
10	1	58.3	17			652378
11	1	56.1	17			148288
12	2	76.2	17	1446.8		308712
13	2	80.3	17	1113.7		469774
14	2	80.9	17	1097.1		631293
15	1	54.9	17			128377
16	2	78.8	17	1817.2		288698
17	1	63.9	17			450946
18	3	87.7	17	1521.3	1258.3	609861
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.2.22 Radar Type5_Trial18 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		18		VSG Frequency(MHz):		5494.5175
Number of Bursts in Trial:			11		Successful Detection: No	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	66.4	8			177857
2	3	89.9	8	1665.1	913.1	440833
3	1	54.3	8			706454
4	2	79.5	8	1915.5		968919
5	3	98.9	8	1226.1	973.1	144967
6	1	55.4	8			409280
7	2	73.5	8	1419.5		672494
8	1	50.6	8			938111
9	2	74.2	8	1353.8		112488
10	3	89.5	8	1248.5	1537.5	375911
11	3	91.2	8	1524.8	1651.8	639014
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.2.23 Radar Type5_Trial19 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		19		VSG Frequency(MHz):		5496.1175
Number of Bursts in Trial:			14		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	63.9	12			711278
2	3	90.8	12	1614.2	1324.2	62738
3	2	74.9	12	1461.1		269861
4	1	51.7	12			477711
5	1	57.8	12			685299
6	3	94.8	12	1266.2	1856.2	37241
7	1	60.8	12			244931
8	3	90.1	12	1295.9	1178.9	451119
9	2	78.2	12	1569.8		658470
10	1	56.5	12			11823
11	3	85.6	12	1366.4	1838.4	218543
12	2	74.1	12	1359.9		426237
13	1	57.8	12			634681
14	1	51	12			842213
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.2.24 Radar Type5_Trial20 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		20		VSG Frequency(MHz):		5498.9175
Number of Bursts in Trial:			19	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	55.8	19			142763
2	3	91	19	1038	1478	294070
3	3	91.6	19	1763.4	1475.4	445599
4	1	62.1	19			600983
5	3	90.3	19	1562.7	1214.7	123268
6	3	87.1	19	939.9	1881.9	275165
7	2	78.7	19	1475.3		428485
8	2	75	19	1118		581376
9	1	65.8	19			105086
10	2	75.7	19	1456.3		257431
11	2	67.7	19	1733.3		409380
12	2	81.3	19	1478.7		562018
13	1	53.6	19			86190
14	1	59.4	19			239111
15	1	55	19			392159
16	3	90.2	19	1711.8	1665.8	541677
17	3	83.5	19	1791.5	1274.5	67101
18	2	71.4	19	1176.6		219633
19	3	100	19	905	1376	371411
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.2.25 Radar Type5_Trial21 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		21		VSG Frequency(MHz):		5505.0825
Number of Bursts in Trial:			11		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	62.7	9			909518
2	2	80.8	9	1814.2		83873
3	2	67.6	9	1297.4		347809
4	2	81.3	9	1650.7		611534
5	2	74.4	9	968.6		875939
6	2	72.5	9	992.5		51393
7	3	86.2	9	1617.8	1433.8	314764
8	3	94.2	9	1466.8	1378.8	578499
9	3	88.8	9	1774.2	1700.2	841368
10	3	85.8	9	1855.2	1289.2	18837
11	2	81.1	9	1608.9		282778
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.2.26 Radar Type5_Trial22 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		22		VSG Frequency(MHz):		5502.6825
Number of Bursts in Trial:			16	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	80.9	15	1766.1		374961
2	1	65.7	15			557868
3	3	96.6	15	1775.4	1762.4	735863
4	2	78.5	15	1779.5		171679
5	3	93.1	15	1603.9	1268.9	352020
6	1	64.4	15			535563
7	2	82	15	1109		715237
8	3	88.6	15	1087.4	1124.4	149231
9	3	84	15	1122	1808	329975
10	1	52.3	15			512692
11	1	62.5	15			694536
12	3	88.9	15	1120.1	1052.1	127060
13	2	74.9	15	1598.1		308165
14	3	99.2	15	1010.8	1445.8	488879
15	3	84	15	1858	1624	668805
16	2	76.5	15	1481.5		104899
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.2.27 Radar Type5_Trial23 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		23		VSG Frequency(MHz):		5503.0825
Number of Bursts in Trial:			15	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	91.1	14	1722.9	1481.9	304419
2	1	51.3	14			499595
3	3	85	14	1105	1782	690348
4	3	88.1	14	1704.9	926.9	87900
5	2	73	14	1153		281441
6	1	64.1	14			475687
7	2	74.1	14	1130.9		668244
8	3	95.1	14	1060.9	1166.9	64207
9	2	70.2	14	1365.8		257527
10	3	88.3	14	1555.7	1165.7	450074
11	1	59.7	14			645660
12	2	67.1	14	1851.9		40439
13	3	89.6	14	1722.4	1065.4	233388
14	1	54	14			427634
15	3	93	14	1594	1399	618905
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.2.28 Radar Type5_Trial24 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		24		VSG Frequency(MHz):		5506.2825
Number of Bursts in Trial:			8	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	89.9	6	1809.1	1078.1	31236
2	3	89.3	6	1352.7	1568.7	393920
3	3	84.7	6	1789.3	1173.3	756463
4	3	94.9	6	1669.1	1057.1	1119403
5	1	51.9	6			1484842
6	3	84.7	6	1697.3	1440.3	349153
7	2	75.1	6	1018.9		713024
8	1	66.4	6			1076628
9						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.2.29 Radar Type5_Trial25 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		25		VSG Frequency(MHz):		5504.2825
Number of Bursts in Trial:			13	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	90.7	11	1605.3	968.3	883164
2	1	58.1	11			187678
3	3	95	11	921	1808	410038
4	3	87.5	11	1516.5	1899.5	632425
5	3	97.7	11	1902.3	1446.3	854752
6	1	50.1	11			160179
7	3	92	11	1125	1869	382551
8	3	92.7	11	1090.3	1034.3	605771
9	2	82.2	11	1360.8		829111
10	3	90.5	11	1554.5	1523.5	132099
11	3	96	11	961	921	355276
12	3	95.1	11	1252.9	1474.9	577740
13	3	92.8	11	1316.2	1201.2	800647
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.2.30 Radar Type5_Trial26 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		26		VSG Frequency(MHz):		5503.0825
Number of Bursts in Trial:			15	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	53.8	14			91080
2	3	97.7	14	1167.3	1878.3	283717
3	1	58.1	14			478261
4	2	66.7	14	1144.3		671114
5	3	91.6	14	1353.4	1052.4	66962
6	1	51.4	14			261011
7	1	58.3	14			454366
8	1	54.7	14			648466
9	1	54.7	14			43343
10	1	64.8	14			236926
11	3	99	14	952	1300	429105
12	2	79.9	14	1461.1		623211
13	1	59.3	14			19499
14	2	72.7	14	1398.3		212690
15	3	99.7	14	1879.3	1471.3	404956
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.2.31 Radar Type5_Trial27 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		27		VSG Frequency(MHz):		5503.0825
Number of Bursts in Trial:			15	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	90.3	14	1281.7	1213.7	598816
2	1	54.2	14			794473
3	2	82	14	1247		188994
4	3	91.8	14	1242.2	1765.2	381665
5	1	66	14			576343
6	3	84.9	14	1015.1	1421.1	767613
7	3	94.4	14	1290.6	1302.6	164860
8	2	80	14	1544		358194
9	2	78.1	14	1251.9		551595
10	2	76.6	14	1630.4		744585
11	2	76.5	14	1126.5		141305
12	3	95	14	1714	975	334217
13	2	78.2	14	1402.8		527740
14	3	95.6	14	1018.4	1512.4	720269
15	2	77.5	14	1766.5		117502
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.2.32 Radar Type5_Trial28 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		28		VSG Frequency(MHz):		5501.4825
Number of Bursts in Trial:			18	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	76.7	18	1658.3		258838
2	3	93.7	18	1772.3	1151.3	418522
3	1	59	18			581801
4	1	50.1	18			78195
5	3	86	18	1346	1557	238562
6	3	91.7	18	956.3	1567.3	398956
7	2	76.6	18	1160.4		560757
8	2	78.2	18	1657.8		58184
9	1	60.3	18			219772
10	2	83.2	18	1732.8		379956
11	2	66.8	18	1667.2		540946
12	1	61.7	18			38489
13	3	85.9	18	1667.1	1614.1	198790
14	3	93.4	18	1601.6	1257.6	359521
15	3	96.1	18	1471.9	952.9	520627
16	1	57.6	18			18611
17	3	88.3	18	1752.7	1533.7	178897
18	2	77.5	18	1123.5		340423
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.2.33 Radar Type5_Trial29 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		29		VSG Frequency(MHz):		5505.8825
Number of Bursts in Trial:			9	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	92.4	7	1651.6	1546.6	1003419
2	1	52.4	7			1329586
3	2	78	7	1298		320241
4	1	58.4	7			643653
5	1	54.2	7			966716
6	2	79.1	7	1911.9		1287888
7	1	57.9	7			280721
8	1	59.5	7			603859
9	2	67.7	7	1886.3		925042
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.2.34 Radar Type5_Trial30 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		30		VSG Frequency(MHz):		5506.6825
Number of Bursts in Trial:			8		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	80	5	1415		1404668
2	3	90.1	5	1752.9	1360.9	270452
3	1	65.1	5			634402
4	1	56.5	5			998149
5	2	80.1	5	1359.9		1360463
6	1	59.1	5			226234
7	2	77.3	5	1772.7		588878
8	3	88.1	5	1037.9	1340.9	951215
9						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.2.35 Radar Type6 for 5500MHz

Data Sheet for FCC Radar Type 6						
Trial	Pulse Width	PRI	Pulses per Hop	Hopping Rate	Hopping Sequence Length	Successful Detection
	(μ sec)	(μ sec)		(kHz)	(msec)	(Yes/No)
1	1	333	9	0.333	300	Yes
2	1	333	9	0.333	300	Yes
3	1	333	9	0.333	300	Yes
4	1	333	9	0.333	300	Yes
5	1	333	9	0.333	300	Yes
6	1	333	9	0.333	300	Yes
7	1	333	9	0.333	300	Yes
8	1	333	9	0.333	300	Yes
9	1	333	9	0.333	300	Yes
10	1	333	9	0.333	300	Yes
11	1	333	9	0.333	300	Yes
12	1	333	9	0.333	300	Yes
13	1	333	9	0.333	300	Yes
14	1	333	9	0.333	300	Yes
15	1	333	9	0.333	300	No
16	1	333	9	0.333	300	Yes
17	1	333	9	0.333	300	Yes
18	1	333	9	0.333	300	Yes
19	1	333	9	0.333	300	No
20	1	333	9	0.333	300	Yes
21	1	333	9	0.333	300	Yes
22	1	333	9	0.333	300	Yes
23	1	333	9	0.333	300	Yes
24	1	333	9	0.333	300	Yes
25	1	333	9	0.333	300	Yes
26	1	333	9	0.333	300	Yes
27	1	333	9	0.333	300	Yes
28	1	333	9	0.333	300	Yes
29	1	333	9	0.333	300	Yes
30	1	333	9	0.333	300	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.3 HT40_5310MHz

Short Pulse Radar Type	Minimum Number of Trials	Detection(%)		Minmum Percentage of Successful Detection(%)	Pass/Fail
1	30	100		60	Pass
2	30	80		60	Pass
3	30	93.33		60	Pass
4	30	90		60	Pass
Aggregate (Radar Types 1-4)	120	90.8325		80	Pass
Long Pulse Radar Type	Minimum Number of Trials	Each Detection(%)	Total Detection(%)	Minmum Percentage of Successful Detection(%)	Pass/Fail
5	Center:10	100	100	80	Pass
	Low Edge:10	100			
	High Edge:10	100			
Frequency Hopping Radar Type	Minimum Number of Trials	Detection(%)		Minmum Percentage of Successful Detection(%)	Pass/Fail
6	30	100		70	Pass

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.3.1 Radar Type1 for 5310MHz

Data Sheet for FCC Radar Type 1						
Trial	VSG Frequency (MHz)	Pulse Repetition Frequency Number (1 to 23)	Pulse Repetition Frequency	PRI	Test A/B	Successful Detection
			(Pulses Per Second)	(msec)	A/B	(Yes/No)
1	5310	18	1165.5	858	A	Yes
2	5310	3	1792.1	558	A	Yes
3	5310	20	1113.6	898	A	Yes
4	5310	11	1392.8	718	A	Yes
5	5310	17	1193.3	838	A	Yes
6	5310	22	1066.1	938	A	Yes
7	5310	14	1285.3	778	A	Yes
8	5310	15	1253.1	798	A	Yes
9	5310	21	1089.3	918	A	Yes
10	5310	23	326.2	3066	A	Yes
11	5310	2	1858.7	538	A	Yes
12	5310	4	1730.1	578	A	Yes
13	5310	5	1672.2	598	A	Yes
14	5310	16	1222.5	818	A	Yes
15	5310	10	1432.7	698	A	Yes
16	5310	-	1615.5	619	B	Yes
17	5310	-	489.7	2042	B	Yes
18	5310	-	998	1002	B	Yes
19	5310	-	616.1	1623	B	Yes
20	5310	-	338	2959	B	Yes
21	5310	-	911.6	1097	B	Yes
22	5310	-	634.9	1575	B	Yes
23	5310	-	716.3	1396	B	Yes
24	5310	-	1326.3	754	B	Yes
25	5310	-	821.7	1217	B	Yes
26	5310	-	542.3	1844	B	Yes
27	5310	-	761.6	1313	B	Yes
28	5310	-	332.8	3005	B	Yes
29	5310	-	1046	956	B	Yes
30	5310	-	836.8	1195	B	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.3.2 Radar Type2 for 5310MHz

Data Sheet for FCC Radar Type 2					
Trial	VSG Frequency (MHz)	Number Pulses per Burst (23-29)	Pulse Width (1-5)	PRI (150-230)	Successful Detection
			(μ s)	(μ s)	(Yes/No)
1	5310	29	4.5	192	Yes
2	5310	29	4.6	159	Yes
3	5310	25	2.6	194	Yes
4	5310	27	3.6	197	Yes
5	5310	24	1.7	216	Yes
6	5310	24	1.9	163	Yes
7	5310	28	4.5	190	Yes
8	5310	29	4.9	218	Yes
9	5310	27	3.7	224	Yes
10	5310	25	2.2	213	Yes
11	5310	29	4.8	204	Yes
12	5310	28	4.3	203	Yes
13	5310	23	1	219	No
14	5310	23	1.3	170	Yes
15	5310	23	1.2	191	Yes
16	5310	24	1.9	181	Yes
17	5310	29	4.6	188	No
18	5310	24	1.7	180	Yes
19	5310	29	4.7	164	No
20	5310	27	3.4	186	Yes
21	5310	24	1.9	154	Yes
22	5310	24	1.5	208	No
23	5310	25	2.6	215	Yes
24	5310	26	2.9	220	Yes
25	5310	29	4.9	150	No
26	5310	28	4.4	195	No
27	5310	28	4.2	162	Yes
28	5310	29	4.9	226	Yes
29	5310	26	3.1	217	Yes
30	5310	28	4	211	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.3.3 Radar Type3 for 5310MHz

Data Sheet for FCC Radar Type 3					
Trial	VSG Frequency (MHz)	Number Pulses per Burst (16-18)	Pulse Width (6-10)	PRI (200-500)	Successful Detection
			(μ s)	(μ s)	(Yes/No)
1	5310	18	9.5	287	Yes
2	5310	18	9.6	479	Yes
3	5310	17	7.6	329	Yes
4	5310	17	8.6	234	Yes
5	5310	16	6.7	250	No
6	5310	16	6.9	475	Yes
7	5310	18	9.5	214	Yes
8	5310	18	9.9	245	Yes
9	5310	18	8.7	483	Yes
10	5310	16	7.2	457	Yes
11	5310	18	9.8	331	Yes
12	5310	18	9.3	407	Yes
13	5310	16	6	400	Yes
14	5310	16	6.3	447	Yes
15	5310	16	6.2	273	Yes
16	5310	16	6.9	344	Yes
17	5310	18	9.6	272	No
18	5310	16	6.7	362	Yes
19	5310	18	9.7	297	Yes
20	5310	17	8.4	461	Yes
21	5310	16	6.9	474	Yes
22	5310	16	6.5	354	Yes
23	5310	17	7.6	239	Yes
24	5310	17	7.9	496	Yes
25	5310	18	9.9	332	Yes
26	5310	18	9.4	349	Yes
27	5310	18	9.2	219	Yes
28	5310	18	9.9	389	Yes
29	5310	17	8.1	412	Yes
30	5310	18	9	311	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.3.4 Radar Type4 for 5310MHz

Data Sheet for FCC Radar Type 4					
Trial	VSG Frequency (MHz)	Number Pulses per Burst (12-16)	Pulse Width (11-20)	PRI (200-500)	Successful Detection
			(μ s)	(μ s)	(Yes/No)
1	5310	16	18.8	287	Yes
2	5310	16	19.1	479	No
3	5310	14	14.7	329	Yes
4	5310	15	16.7	234	Yes
5	5310	12	12.6	250	Yes
6	5310	13	13	475	Yes
7	5310	16	18.7	214	Yes
8	5310	16	19.7	245	Yes
9	5310	15	17.1	483	No
10	5310	13	13.8	457	Yes
11	5310	16	19.4	331	Yes
12	5310	16	18.4	407	Yes
13	5310	12	11.1	400	Yes
14	5310	12	11.7	447	Yes
15	5310	12	11.4	273	Yes
16	5310	13	13.1	344	Yes
17	5310	16	19.1	272	Yes
18	5310	12	12.5	362	Yes
19	5310	16	19.3	297	Yes
20	5310	14	16.3	461	Yes
21	5310	13	13	474	Yes
22	5310	12	12.3	354	Yes
23	5310	13	14.6	239	Yes
24	5310	14	15.3	496	Yes
25	5310	16	19.8	332	Yes
26	5310	16	18.6	349	Yes
27	5310	15	18.1	219	Yes
28	5310	16	19.7	389	Yes
29	5310	14	15.7	412	No
30	5310	15	17.6	311	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.3.5 Radar Type5_Trial1 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		1		VSG Frequency(MHz):		5310
Number of Bursts in Trial:			19		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	93.3	18	987.7	1137.7	67203
2	3	94.8	18	1081.2	1535.2	219370
3	2	70.6	18	1179.4		372553
4	2	81.9	18	1193.1		524586
5	1	58.8	18			48695
6	1	61.5	18			201438
7	3	92.8	18	1431.2	1342.2	352539
8	3	98.1	18	1275.9	1083.9	504992
9	3	84	18	1640	1895	29698
10	1	65.5	18			182657
11	3	96.5	18	1265.5	1041.5	334080
12	3	90.8	18	1663.2	1211.2	485847
13	1	50.9	18			11033
14	1	54.1	18			163968
15	1	52.7	18			316907
16	1	61.9	18			469493
17	3	94.9	18	1514.1	1733.1	619065
18	1	58.6	18			144931
19	3	95.9	18	1388.1	1682.1	296508
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.3.6 Radar Type5_Trial2 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		2		VSG Frequency(MHz):		5310
Number of Bursts in Trial:			19		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	79.4	19	1401.6		449462
2	1	61.5	19			603498
3	1	57.2	19			126114
4	2	69.8	19	1716.2		278379
5	2	73.6	19	1659.4		430445
6	3	98.5	19	1288.5	1106.5	582689
7	3	91.9	19	1638.1	1287.1	106763
8	3	89.4	19	1603.6	1772.6	258808
9	3	98.3	19	1149.7	1799.7	411138
10	2	76.4	19	1543.6		564711
11	3	86.7	19	1735.3	1179.3	88162
12	1	64.3	19			241494
13	2	67.1	19	1542.9		393028
14	1	65.1	19			546821
15	1	65.8	19			69778
16	2	78.5	19	1597.5		222112
17	1	59.2	19			375500
18	2	71.2	19	1345.8		527340
19	2	79.1	19	1611.9		50782
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.3.7 Radar Type5_Trial3 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		3		VSG Frequency(MHz):		5310
Number of Bursts in Trial:			13		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	90.3	11	1399.7	1481.7	296956
2	3	87.4	11	1735.6	940.6	520106
3	3	88.2	11	1910.8	1394.8	742506
4	3	89.5	11	1798.5	1198.5	46767
5	1	53.7	11			270428
6	1	57.9	11			494135
7	2	80.3	11	1452.7		716383
8	3	84.4	11	1735.6	1560.6	19318
9	1	51.6	11			242882
10	3	90.3	11	1139.7	1484.7	465060
11	1	56.5	11			690074
12	2	76.2	11	1612.8		912121
13	3	84.1	11	1253.9	1853.9	214698
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.3.8 Radar Type5_Trial4 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		4		VSG Frequency(MHz):		5310
Number of Bursts in Trial:			16		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	90.3	15	1527.7	1080.7	354923
2	2	77.4	15	933.6		537212
3	1	66.3	15			719403
4	3	88.3	15	1710.7	996.7	151876
5	3	86	15	1185	1365	332801
6	2	74.9	15	945.1		514970
7	3	97	15	1410	1691	693842
8	3	83.5	15	1683.5	1828.5	129503
9	2	66.9	15	1365.1		311338
10	2	72.2	15	1692.8		492269
11	3	94.5	15	1676.5	1499.5	671381
12	2	71.6	15	989.4		107710
13	3	97.4	15	1172.6	1019.6	288452
14	1	51.2	15			470742
15	2	79.4	15	1823.6		650521
16	2	75.6	15	1826.4		85249
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.3.9 Radar Type5_Trial5 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		5		VSG Frequency(MHz):		5310
Number of Bursts in Trial:			10		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	85.2	7	1307.8	1459.8	426390
2	2	75.7	7	1578.3		717013
3	3	93.6	7	1722.4	1330.4	1006414
4	3	90.8	7	1883.2	1095.2	100831
5	1	65.7	7			391661
6	2	68.3	7	1766.7		681264
7	1	58.5	7			973098
8	3	91.2	7	1269.8	1298.8	65116
9	2	72	7	1635		355408
10	1	53.5	7			646748
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						463830

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.3.10 Radar Type5_Trial6 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		6		VSG Frequency(MHz):		5310
Number of Bursts in Trial:			10		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	61.9	8			937468
2	3	93.4	8	1857.6	1772.6	29371
3	1	64	8			320059
4	3	90.3	8	1300.7	1534.7	609161
5	3	99.2	8	1091.8	1443.8	899681
6	3	91.8	8	1320.2	1489.2	1189330
7	1	50.1	8			284237
8	1	52.5	8			575048
9	2	74	8	1731		864676
10	3	89.7	8	1636.3	1245.3	1153863
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.3.11 Radar Type5_Trial7 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		7		VSG Frequency(MHz):		5310
Number of Bursts in Trial:			19		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	98.9	18	1896.1	1114.1	129933
2	2	77.6	18	1417.4		282644
3	3	92.6	18	1441.4	910.4	434659
4	3	84.3	18	1115.7	1451.7	586835
5	2	74.2	18	1518.8		111485
6	3	95.7	18	1464.3	1560.3	263399
7	2	73.4	18	1730.6		416405
8	1	65.2	18			570144
9	3	93.8	18	1306.2	1026.2	92662
10	2	67.8	18	1414.2		245337
11	1	56.3	18			398689
12	1	56.7	18			551059
13	1	50.8	18			74172
14	1	58.7	18			226872
15	1	66.4	18			379562
16	1	64.6	18			532874
17	1	63	18			55328
18	3	85.4	18	1748.6	1285.6	206971
19	2	68.3	18	1041.7		360140
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.3.12 Radar Type5_Trial8 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		8		VSG Frequency(MHz):		5310
Number of Bursts in Trial:			20		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	71.9	20	1422.1		487134
2	2	68.9	20	1274.1		34624
3	2	75.1	20	1152.9		179573
4	1	66.2	20			325110
5	2	82.4	20	1614.6		468759
6	1	63	20			16841
7	1	53.5	20			161941
8	2	69.4	20	1344.6		306486
9	2	76.6	20	1175.4		451682
10	2	73.1	20	1543.9		595504
11	1	52.7	20			144000
12	2	71.5	20	1449.5		288326
13	3	94.8	20	1814.2	1897.2	431429
14	2	77.2	20	1320.8		577928
15	3	89.7	20	1673.3	967.3	125577
16	2	76.8	20	1706.2		270492
17	1	57.5	20			416284
18	2	83.1	20	1109.9		560915
19	1	59.2	20			108295
20	1	66.6	20			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.3.13 Radar Type5_Trial9 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		9		VSG Frequency(MHz):		5310
Number of Bursts in Trial:			16		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	70.1	15	1769.9		497391
2	3	95	15	1864	1492	676569
3	3	93.4	15	1425.6	1672.6	112574
4	3	97.5	15	1611.5	1802.5	293182
5	1	54.1	15			475906
6	3	97.2	15	1759.8	1090.8	655423
7	1	55.1	15			90806
8	3	92.6	15	1071.4	1215.4	271417
9	1	55.3	15			453644
10	2	73.8	15	1545.2		633750
11	3	84.5	15	1304.5	1740.5	68117
12	2	78.7	15	990.3		249729
13	1	64.7	15			431755
14	3	84.2	15	1293.8	1476.8	610823
15	1	52	15			46068
16	2	70.8	15	1581.2		226981
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.3.14 Radar Type5_Trial10 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		10		VSG Frequency(MHz):		5310
Number of Bursts in Trial:			12		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	73.7	9	1175.3		544913
2	1	61.3	9			787904
3	1	60.2	9			31617
4	2	71.3	9	1513.7		273337
5	2	70.6	9	1760.4		514988
6	2	76.3	9	1827.7		756496
7	3	96.9	9	1258.1	946.1	1774
8	3	92.1	9	1060.9	1034.9	243476
9	3	91.1	9	1481.9	1236.9	484532
10	3	96.4	9	925.6	1199.6	726897
11	1	61.6	9			970582
12	2	79.5	9	1200.5		213770
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.3.15 Radar Type5_Trial11 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		11		VSG Frequency(MHz):		5299.5775
Number of Bursts in Trial:			20		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	61.1	19			273437
2	2	81.9	19	991.1		417782
3	1	58.8	19			563338
4	2	81.5	19	1030.5		110304
5	1	53.7	19			255811
6	2	68.8	19	1315.2		399739
7	3	98.3	19	1103.7	1775.7	543263
8	2	77	19	1089		92359
9	2	75.6	19	1553.4		237274
10	2	77.7	19	1156.3		382099
11	1	62	19			527680
12	3	85.2	19	1068.8	1160.8	74377
13	1	57.8	19			219871
14	1	61	19			365072
15	1	64	19			510518
16	1	52.7	19			56824
17	3	88.6	19	1027.4	1101.4	201105
18	2	74	19	1434		346138
19	1	56.7	19			492080
20	1	60.5	19			488064

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.3.16 Radar Type5_Trial12 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		12		VSG Frequency(MHz):		5299.1775
Number of Bursts in Trial:			18		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	75.2	18	1430.8		204204
2	2	68.9	18	1142.1		365465
3	1	53.1	18			526863
4	3	96.3	18	1033.7	1789.7	23313
5	2	72.9	18	941.1		184448
6	3	88	18	1785	1371	344279
7	3	96	18	1343	1121	505388
8	3	93.9	18	1203.1	1314.1	3522
9	3	98.2	18	1855.8	1635.8	163853
10	1	51.2	18			326144
11	1	56.4	18			487617
12	1	57.8	18			648732
13	3	85.6	18	1399.4	1354.4	144373
14	2	75.7	18	1160.3		305758
15	2	81.4	18	1365.6		466834
16	2	73.4	18	1887.6		627450
17	1	64.9	18			125048
18	1	53	18			286611
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.3.17 Radar Type5_Trial13 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		13		VSG Frequency(MHz):		5293.9775
Number of Bursts in Trial:			8		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	74.9	5	1172.1		1007777
2	3	96	5	1881	1299	1369165
3	3	86	5	1552	1458	236545
4	2	75.1	5	1033.9		600219
5	3	95.3	5	1107.7	1007.7	962187
6	3	96	5	1664	1043	1324524
7	3	99.4	5	1001.6	1463.6	192037
8	2	75	5	1587		555105
9						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.3.18 Radar Type5_Trial14 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		14		VSG Frequency(MHz):		5294.3775
Number of Bursts in Trial:			9		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	63.5	6			816834
2	1	59.6	6			1139605
3	1	62.2	6			131108
4	3	94.1	6	1458.9	1584.9	453222
5	1	53.5	6			776968
6	2	67	6	1559		1098706
7	3	89.7	6	1034.3	1832.3	91131
8	1	51	6			414231
9	1	54.3	6			737218
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.3.19 Radar Type5_Trial15 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		15		VSG Frequency(MHz):		5293.9775
Number of Bursts in Trial:			8		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	92.3	5	1279.7	1126.7	1191144
2	2	78.8	5	1468.2		57988
3	1	62.6	5			421358
4	1	58.6	5			784711
5	1	65.8	5			1148531
6	2	72.9	5	1489.1		13258
7	1	54.4	5			376687
8	2	78.9	5	1826.1		739332
9						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.3.20 Radar Type5_Trial16 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		16		VSG Frequency(MHz):		5295.1775
Number of Bursts in Trial:			11		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	74.3	8	997.7		801823
2	2	71.2	8	1214.8		1065255
3	1	54.2	8			241333
4	3	99.6	8	906.4	1396.4	504140
5	2	82.1	8	1204.9		768877
6	2	79.7	8	1605.3		1032596
7	3	90.7	8	1038.3	1378.3	208279
8	3	87.8	8	1639.2	1384.2	471675
9	3	85.6	8	1081.4	1019.4	735553
10	3	99.2	8	1268.8	1867.8	998741
11	1	60.8	8			176285
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.3.21 Radar Type5_Trial17 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		17		VSG Frequency(MHz):		5299.5775
Number of Bursts in Trial:			19		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	74.6	19	1436.4		254115
2	1	50.1	19			407394
3	2	73.6	19	1816.4		559020
4	1	57.1	19			83038
5	3	96.9	19	1868.1	1244.1	234658
6	3	98	19	1717	972	386666
7	2	74.4	19	1080.6		540752
8	3	86.4	19	1559.6	1846.6	63917
9	2	81.6	19	1803.4		216289
10	1	54	19			370169
11	3	97.7	19	1864.3	1354.3	519502
12	3	89.5	19	1860.5	1721.5	45211
13	2	68.2	19	1466.8		197826
14	3	84.6	19	1623.4	1601.4	349370
15	2	71.4	19	1255.6		502596
16	3	89.1	19	1559.9	1109.9	26500
17	3	94.7	19	1577.3	1247.3	178621
18	1	52.3	19			332278
19	3	94.4	19	987.6	1589.6	483308
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.3.22 Radar Type5_Trial18 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		18		VSG Frequency(MHz):		5294.7775
Number of Bursts in Trial:			10		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	59	7			14853
2	2	73	7	1662		305144
3	2	81.6	7	1153.4		595693
4	3	96.2	7	1309.8	1107.8	885221
5	2	70.9	7	945.1		1176518
6	2	74.7	7	1715.3		269210
7	3	95.1	7	1759.9	1904.9	558650
8	2	75.4	7	1711.6		849872
9	2	81.4	7	1015.6		1140446
10	2	80	7	1386		233583
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.3.23 Radar Type5_Trial19 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		19		VSG Frequency(MHz):		5299.5775
Number of Bursts in Trial:			19		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	71.5	19	1206.5		275204
2	1	56.3	19			428733
3	2	68	19	992		580820
4	2	67.9	19	1211.1		103913
5	2	78.8	19	1842.2		256077
6	2	76.5	19	1098.5		409146
7	1	54.2	19			562157
8	2	68.7	19	1381.3		85195
9	2	71.6	19	1075.4		237636
10	1	65.7	19			391044
11	1	60.7	19			543726
12	3	91.5	19	1590.5	1802.5	66095
13	3	86.6	19	1286.4	1743.4	218173
14	2	72.8	19	1250.2		371340
15	2	74.9	19	1531.1		523798
16	2	76.7	19	1865.3		47499
17	2	81.8	19	1724.2		199951
18	3	86.1	19	1220.9	1529.9	351802
19	1	65	19			506006
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.3.24 Radar Type5_Trial20 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		20		VSG Frequency(MHz):		5297.5775
Number of Bursts in Trial:			15	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	60.7	14			36595
2	3	90.6	14	1424.4	1423.4	229379
3	3	96.1	14	1233.9	1367.9	422646
4	3	85.5	14	1571.5	1634.5	615253
5	3	91.2	14	1750.8	1529.8	12661
6	3	90.1	14	1124.9	1049.9	205754
7	3	87.8	14	1852.2	1776.2	398344
8	3	93	14	1463	1374	591251
9	1	53.9	14			787598
10	1	52.6	14			182639
11	2	82.4	14	1257.6		375464
12	1	51.8	14			570064
13	2	72.5	14	1763.5		761861
14	3	93.1	14	1837.9	1221.9	158111
15	1	56.3	14			352508
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.3.25 Radar Type5_Trial21 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		21		VSG Frequency(MHz):		5324.8225
Number of Bursts in Trial:			10		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	60.1	8			819678
2	3	97.7	8	1503.3	1067.3	1107693
3	2	79.7	8	1147.3		202118
4	2	71.6	8	1721.4		492231
5	3	89.4	8	1437.6	951.6	781933
6	1	58.1	8			1074062
7	2	67.1	8	1483.9		166347
8	2	70.4	8	1018.6		456705
9	2	73	8	1018		747302
10	3	86.6	8	1226.4	1830.4	1035957
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.3.26 Radar Type5_Trial22 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		22		VSG Frequency(MHz):		5325.2225
Number of Bursts in Trial:			9	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	83.7	7	1455.3	1349.3	144968
2	2	67.6	7	1902.4		467780
3	3	86.5	7	1671.5	1342.5	789285
4	1	58.8	7			1114736
5	2	71.3	7	1627.7		105341
6	3	94.3	7	1782.7	1142.7	427418
7	3	93	7	1259	1210	749782
8	1	59	7			1074554
9	1	60.4	7			65693
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.3.27 Radar Type5_Trial23 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		23		VSG Frequency(MHz):		5323.6225
Number of Bursts in Trial:			13	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	70.6	11	1145.4		268770
2	3	89.4	11	1396.6	1576.6	490978
3	2	75.5	11	1535.5		714699
4	2	70.8	11	1697.2		17909
5	2	76.8	11	1446.2		241131
6	2	77.8	11	1811.2		463887
7	3	91.1	11	1093.9	1737.9	686152
8	3	83.5	11	1737.5	1692.5	908880
9	1	50.3	11			213863
10	1	66	11			437278
11	3	89.2	11	981.8	1352.8	659395
12	1	63.9	11			884918
13	3	88.2	11	928.8	1652.8	185870
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.3.28 Radar Type5_Trial24 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		24		VSG Frequency(MHz):		5323.2225
Number of Bursts in Trial:			14	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	98.5	12	1177.5	1143.5	379255
2	2	80.2	12	1868.8		586447
3	1	62.7	12			795247
4	2	77.2	12	1500.8		147224
5	3	97.1	12	1896.9	937.9	353753
6	1	60.2	12			562255
7	3	96.8	12	1467.2	1830.2	766477
8	1	56.9	12			121957
9	3	93.7	12	1697.3	936.3	328534
10	2	70.2	12	1348.8		535975
11	2	73	12	1165		743398
12	3	99	12	1430	1552	95962
13	1	57.4	12			303941
14	2	72.5	12	1283.5		510484
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.3.29 Radar Type5_Trial25 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		25		VSG Frequency(MHz):		5320.0225
Number of Bursts in Trial:			20		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	51.3	20			502736
2	3	84.1	20	1393.9	1030.9	49338
3	2	82.6	20	1873.4		194045
4	1	58.4	20			339906
5	3	89.5	20	1487.5	1452.5	482257
6	3	92.8	20	1550.2	1653.2	31468
7	1	62	20			176671
8	2	72.4	20	1181.6		321482
9	2	67	20	1583		465458
10	3	84.6	20	1480.4	1248.4	13710
11	2	76.9	20	1499.1		158604
12	1	52.8	20			304159
13	3	93.8	20	1116.2	1472.2	447306
14	3	98.3	20	1000.7	1158.7	592117
15	2	74.6	20	1525.4		140594
16	2	66.8	20	1588.2		285305
17	1	54.3	20			431589
18	3	83.9	20	1518.1	1233.1	573468
19	2	72.6	20	1414.4		122926
20	3	95.5	20	1225.5	1298.5	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.3.30 Radar Type5_Trial26 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		26		VSG Frequency(MHz):		5320.8225
Number of Bursts in Trial:			18	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	69.2	18	1516.8		458298
2	1	56.2	18			620537
3	3	96.2	18	1823.8	1061.8	116464
4	3	94.2	18	1092.8	1137.8	277481
5	3	97.3	18	1375.7	1250.7	438020
6	2	82.8	18	1506.2		599325
7	1	62.3	18			97148
8	1	53.5	18			258514
9	2	77	18	1855		418348
10	2	69.2	18	1155.8		579763
11	1	52.4	18			77217
12	2	71.9	18	1371.1		237956
13	2	69.4	18	1156.6		399247
14	1	55.2	18			560928
15	3	89.8	18	1737.2	1099.2	57117
16	3	99.4	18	1403.6	1060.6	217717
17	2	67.7	18	1469.3		379052
18	1	57.5	18			541173
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.3.31 Radar Type5_Trial27 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		27		VSG Frequency(MHz):		5321.2225
Number of Bursts in Trial:			18	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	99.7	17	1539.3	1185.3	37342
2	2	71.1	17	1440.9		198362
3	2	76.2	17	1227.8		359505
4	2	76	17	1144		520827
5	1	63.2	17			17660
6	2	78.1	17	1446.9		178608
7	1	50.3	17			340379
8	3	94.2	17	1404.8	1053.8	499948
9	1	66.4	17			663423
10	3	98.5	17	1695.5	1809.5	158134
11	2	82.3	17	1067.7		320043
12	2	76.8	17	1802.2		480571
13	1	65.8	17			643439
14	3	89.2	17	1711.8	1221.8	138628
15	2	76.3	17	1147.7		299908
16	1	61.9	17			461625
17	1	53.3	17			623366
18	3	95.1	17	1516.9	1340.9	118745
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.3.32 Radar Type5_Trial28 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		28		VSG Frequency(MHz):		5320.0225
Number of Bursts in Trial:			20		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	88	20	995	1722	251184
2	3	88.5	20	1574.5	1649.5	395558
3	1	61.2	20			543275
4	1	56.7	20			89587
5	2	80.5	20	1364.5		233951
6	1	58.4	20			380037
7	3	95.5	20	1856.5	1622.5	521772
8	3	97.9	20	1221.1	1298.1	71272
9	2	82.1	20	1237.9		216212
10	1	54.9	20			361662
11	3	83.4	20	1228.6	1336.6	504833
12	3	88.5	20	1639.5	1896.5	53445
13	1	58.5	20			198918
14	2	75.2	20	973.8		343736
15	3	99.2	20	1313.8	1860.8	486413
16	3	96.8	20	1457.2	1550.2	35715
17	3	84.2	20	1733.8	1318.8	180158
18	1	51.4	20			326249
19	2	69.3	20	1261.7		470690
20	3	93.2	20	1519.8	1383.8	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.3.33 Radar Type5_Trial29 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		29		VSG Frequency(MHz):		5322.8225
Number of Bursts in Trial:			14		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	93.1	13	1834.9	1013.9	232459
2	2	68	13	1030		439991
3	3	93.9	13	1328.1	1899.1	645520
4	1	53	13			172
5	1	66.3	13			207578
6	1	63.8	13			415251
7	2	71.3	13	928.7		622171
8	1	50.1	13			830608
9	1	53.3	13			182040
10	1	63.3	13			389641
11	3	95.7	13	1436.3	1050.3	595276
12	1	57.5	13			804236
13	1	51.9	13			156573
14	3	94.8	13	1074.2	1446.2	362776
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.3.34 Radar Type5_Trial30 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		30		VSG Frequency(MHz):		5321.6225
Number of Bursts in Trial:			17		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	61.4	16			470445
2	2	79.3	16	1045.7		639920
3	3	96.4	16	1622.6	1307.6	107312
4	3	93	16	1791	1369	277534
5	3	90.7	16	1066.3	1273.3	447599
6	2	67.8	16	1642.2		619099
7	2	80.5	16	1111.5		86694
8	1	65.4	16			257541
9	3	96	16	1220	1342	427005
10	3	95.4	16	1819.6	1361.6	596837
11	1	60.8	16			65749
12	2	77.9	16	1477.1		235991
13	3	90	16	1460	1574	405358
14	1	57.1	16			578061
15	2	77.7	16	930.3		44683
16	2	69	16	986		215092
17	1	54.9	16			386653
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.3.35 Radar Type6 for 5310MHz

Data Sheet for FCC Radar Type 6						
Trial	Pulse Width	PRI	Pulses per Hop	Hopping Rate	Hopping Sequence Length	Successful Detection
	(μ sec)	(μ sec)		(kHz)	(msec)	(Yes/No)
1	1	333	9	0.333	300	Yes
2	1	333	9	0.333	300	Yes
3	1	333	9	0.333	300	Yes
4	1	333	9	0.333	300	Yes
5	1	333	9	0.333	300	Yes
6	1	333	9	0.333	300	Yes
7	1	333	9	0.333	300	Yes
8	1	333	9	0.333	300	Yes
9	1	333	9	0.333	300	Yes
10	1	333	9	0.333	300	Yes
11	1	333	9	0.333	300	Yes
12	1	333	9	0.333	300	Yes
13	1	333	9	0.333	300	Yes
14	1	333	9	0.333	300	Yes
15	1	333	9	0.333	300	Yes
16	1	333	9	0.333	300	Yes
17	1	333	9	0.333	300	Yes
18	1	333	9	0.333	300	Yes
19	1	333	9	0.333	300	Yes
20	1	333	9	0.333	300	Yes
21	1	333	9	0.333	300	Yes
22	1	333	9	0.333	300	Yes
23	1	333	9	0.333	300	Yes
24	1	333	9	0.333	300	Yes
25	1	333	9	0.333	300	Yes
26	1	333	9	0.333	300	Yes
27	1	333	9	0.333	300	Yes
28	1	333	9	0.333	300	Yes
29	1	333	9	0.333	300	Yes
30	1	333	9	0.333	300	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.4 HT40_5510MHz

Short Pulse Radar Type	Minimum Number of Trials	Detection(%)		Minmum Percentage of Successful Detection(%)	Pass/Fail
1	30	100		60	Pass
2	30	96.67		60	Pass
3	30	86.67		60	Pass
4	30	86.67		60	Pass
Aggregate (Radar Types 1-4)	120	92.5025		80	Pass
Long Pulse Radar Type	Minimum Number of Trials	Each Detection(%)	Total Detection(%)	Minmum Percentage of Successful Detection(%)	Pass/Fail
5	Center:10	100	100	80	Pass
	Low Edge:10	100			
	High Edge:10	100			
Frequency Hopping Radar Type	Minimum Number of Trials	Detection(%)		Minmum Percentage of Successful Detection(%)	Pass/Fail
6	30	100		70	Pass

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.4.1 Radar Type1 for 5510MHz

Data Sheet for FCC Radar Type 1						
Trial	VSG Frequency (MHz)	Pulse Repetition Frequency Number (1 to 23)	Pulse Repetition Frequency	PRI	Test A/B	Successful Detection
			(Pulses Per Second)	(msec)	A/B	(Yes/No)
1	5510	18	1165.5	858	A	Yes
2	5510	3	1792.1	558	A	Yes
3	5510	20	1113.6	898	A	Yes
4	5510	11	1392.8	718	A	Yes
5	5510	17	1193.3	838	A	Yes
6	5510	22	1066.1	938	A	Yes
7	5510	14	1285.3	778	A	Yes
8	5510	15	1253.1	798	A	Yes
9	5510	21	1089.3	918	A	Yes
10	5510	23	326.2	3066	A	Yes
11	5510	2	1858.7	538	A	Yes
12	5510	4	1730.1	578	A	Yes
13	5510	5	1672.2	598	A	Yes
14	5510	16	1222.5	818	A	Yes
15	5510	10	1432.7	698	A	Yes
16	5510	-	1615.5	619	B	Yes
17	5510	-	489.7	2042	B	Yes
18	5510	-	998	1002	B	Yes
19	5510	-	616.1	1623	B	Yes
20	5510	-	338	2959	B	Yes
21	5510	-	911.6	1097	B	Yes
22	5510	-	634.9	1575	B	Yes
23	5510	-	716.3	1396	B	Yes
24	5510	-	1326.3	754	B	Yes
25	5510	-	821.7	1217	B	Yes
26	5510	-	542.3	1844	B	Yes
27	5510	-	761.6	1313	B	Yes
28	5510	-	332.8	3005	B	Yes
29	5510	-	1046	956	B	Yes
30	5510	-	836.8	1195	B	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.4.2 Radar Type2 for 5510MHz

Data Sheet for FCC Radar Type 2					
Trial	VSG Frequency (MHz)	Number Pulses per Burst (23-29)	Pulse Width (1-5)	PRI (150-230)	Successful Detection
			(μ s)	(μ s)	(Yes/No)
1	5510	29	4.5	192	Yes
2	5510	29	4.6	159	Yes
3	5510	25	2.6	194	Yes
4	5510	27	3.6	197	Yes
5	5510	24	1.7	216	Yes
6	5510	24	1.9	163	Yes
7	5510	28	4.5	190	Yes
8	5510	29	4.9	218	Yes
9	5510	27	3.7	224	Yes
10	5510	25	2.2	213	Yes
11	5510	29	4.8	204	Yes
12	5510	28	4.3	203	Yes
13	5510	23	1	219	Yes
14	5510	23	1.3	170	Yes
15	5510	23	1.2	191	Yes
16	5510	24	1.9	181	Yes
17	5510	29	4.6	188	Yes
18	5510	24	1.7	180	Yes
19	5510	29	4.7	164	Yes
20	5510	27	3.4	186	Yes
21	5510	24	1.9	154	Yes
22	5510	24	1.5	208	No
23	5510	25	2.6	215	Yes
24	5510	26	2.9	220	Yes
25	5510	29	4.9	150	Yes
26	5510	28	4.4	195	Yes
27	5510	28	4.2	162	Yes
28	5510	29	4.9	226	Yes
29	5510	26	3.1	217	Yes
30	5510	28	4	211	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.4.3 Radar Type3 for 5510MHz

Data Sheet for FCC Radar Type 3					
Trial	VSG Frequency (MHz)	Number Pulses per Burst (16-18)	Pulse Width (6-10)	PRI (200-500)	Successful Detection
			(μ s)	(μ s)	(Yes/No)
1	5510	18	9.5	287	Yes
2	5510	18	9.6	479	Yes
3	5510	17	7.6	329	Yes
4	5510	17	8.6	234	Yes
5	5510	16	6.7	250	Yes
6	5510	16	6.9	475	No
7	5510	18	9.5	214	Yes
8	5510	18	9.9	245	Yes
9	5510	18	8.7	483	Yes
10	5510	16	7.2	457	Yes
11	5510	18	9.8	331	Yes
12	5510	18	9.3	407	Yes
13	5510	16	6	400	Yes
14	5510	16	6.3	447	No
15	5510	16	6.2	273	Yes
16	5510	16	6.9	344	No
17	5510	18	9.6	272	Yes
18	5510	16	6.7	362	No
19	5510	18	9.7	297	Yes
20	5510	17	8.4	461	Yes
21	5510	16	6.9	474	Yes
22	5510	16	6.5	354	Yes
23	5510	17	7.6	239	Yes
24	5510	17	7.9	496	Yes
25	5510	18	9.9	332	Yes
26	5510	18	9.4	349	Yes
27	5510	18	9.2	219	Yes
28	5510	18	9.9	389	Yes
29	5510	17	8.1	412	Yes
30	5510	18	9	311	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.4.4 Radar Type4 for 5510MHz

Data Sheet for FCC Radar Type 4					
Trial	VSG Frequency (MHz)	Number Pulses per Burst (12-16)	Pulse Width (11-20)	PRI (200-500)	Successful Detection
			(μ s)	(μ s)	(Yes/No)
1	5510	16	18.8	287	Yes
2	5510	16	19.1	479	Yes
3	5510	14	14.7	329	Yes
4	5510	15	16.7	234	Yes
5	5510	12	12.6	250	Yes
6	5510	13	13	475	Yes
7	5510	16	18.7	214	Yes
8	5510	16	19.7	245	Yes
9	5510	15	17.1	483	Yes
10	5510	13	13.8	457	No
11	5510	16	19.4	331	Yes
12	5510	16	18.4	407	Yes
13	5510	12	11.1	400	Yes
14	5510	12	11.7	447	Yes
15	5510	12	11.4	273	Yes
16	5510	13	13.1	344	No
17	5510	16	19.1	272	Yes
18	5510	12	12.5	362	Yes
19	5510	16	19.3	297	Yes
20	5510	14	16.3	461	Yes
21	5510	13	13	474	No
22	5510	12	12.3	354	Yes
23	5510	13	14.6	239	No
24	5510	14	15.3	496	Yes
25	5510	16	19.8	332	Yes
26	5510	16	18.6	349	Yes
27	5510	15	18.1	219	Yes
28	5510	16	19.7	389	Yes
29	5510	14	15.7	412	Yes
30	5510	15	17.6	311	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.4.5 Radar Type5_Trial1 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		1		VSG Frequency(MHz):		5510
Number of Bursts in Trial:			19		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	93.3	18	987.7	1137.7	67203
2	3	94.8	18	1081.2	1535.2	219370
3	2	70.6	18	1179.4		372553
4	2	81.9	18	1193.1		524586
5	1	58.8	18			48695
6	1	61.5	18			201438
7	3	92.8	18	1431.2	1342.2	352539
8	3	98.1	18	1275.9	1083.9	504992
9	3	84	18	1640	1895	29698
10	1	65.5	18			182657
11	3	96.5	18	1265.5	1041.5	334080
12	3	90.8	18	1663.2	1211.2	485847
13	1	50.9	18			11033
14	1	54.1	18			163968
15	1	52.7	18			316907
16	1	61.9	18			469493
17	3	94.9	18	1514.1	1733.1	619065
18	1	58.6	18			144931
19	3	95.9	18	1388.1	1682.1	296508
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.4.6 Radar Type5_Trial2 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		2		VSG Frequency(MHz):		5510
Number of Bursts in Trial:			19		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	79.4	19	1401.6		449462
2	1	61.5	19			603498
3	1	57.2	19			126114
4	2	69.8	19	1716.2		278379
5	2	73.6	19	1659.4		430445
6	3	98.5	19	1288.5	1106.5	582689
7	3	91.9	19	1638.1	1287.1	106763
8	3	89.4	19	1603.6	1772.6	258808
9	3	98.3	19	1149.7	1799.7	411138
10	2	76.4	19	1543.6		564711
11	3	86.7	19	1735.3	1179.3	88162
12	1	64.3	19			241494
13	2	67.1	19	1542.9		393028
14	1	65.1	19			546821
15	1	65.8	19			69778
16	2	78.5	19	1597.5		222112
17	1	59.2	19			375500
18	2	71.2	19	1345.8		527340
19	2	79.1	19	1611.9		50782
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.4.7 Radar Type5_Trial3 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		3		VSG Frequency(MHz):		5510
Number of Bursts in Trial:			13		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	90.3	11	1399.7	1481.7	296956
2	3	87.4	11	1735.6	940.6	520106
3	3	88.2	11	1910.8	1394.8	742506
4	3	89.5	11	1798.5	1198.5	46767
5	1	53.7	11			270428
6	1	57.9	11			494135
7	2	80.3	11	1452.7		716383
8	3	84.4	11	1735.6	1560.6	19318
9	1	51.6	11			242882
10	3	90.3	11	1139.7	1484.7	465060
11	1	56.5	11			690074
12	2	76.2	11	1612.8		912121
13	3	84.1	11	1253.9	1853.9	214698
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.4.8 Radar Type5_Trial4 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		4		VSG Frequency(MHz):		5510
Number of Bursts in Trial:			16		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	90.3	15	1527.7	1080.7	354923
2	2	77.4	15	933.6		537212
3	1	66.3	15			719403
4	3	88.3	15	1710.7	996.7	151876
5	3	86	15	1185	1365	332801
6	2	74.9	15	945.1		514970
7	3	97	15	1410	1691	693842
8	3	83.5	15	1683.5	1828.5	129503
9	2	66.9	15	1365.1		311338
10	2	72.2	15	1692.8		492269
11	3	94.5	15	1676.5	1499.5	671381
12	2	71.6	15	989.4		107710
13	3	97.4	15	1172.6	1019.6	288452
14	1	51.2	15			470742
15	2	79.4	15	1823.6		650521
16	2	75.6	15	1826.4		85249
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.4.9 Radar Type5_Trial5 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		5		VSG Frequency(MHz):		5510
Number of Bursts in Trial:			10		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	85.2	7	1307.8	1459.8	426390
2	2	75.7	7	1578.3		717013
3	3	93.6	7	1722.4	1330.4	1006414
4	3	90.8	7	1883.2	1095.2	100831
5	1	65.7	7			391661
6	2	68.3	7	1766.7		681264
7	1	58.5	7			973098
8	3	91.2	7	1269.8	1298.8	65116
9	2	72	7	1635		355408
10	1	53.5	7			646748
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.4.10 Radar Type5_Trial6 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		6		VSG Frequency(MHz):		5510
Number of Bursts in Trial:			10		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	61.9	8			937468
2	3	93.4	8	1857.6	1772.6	29371
3	1	64	8			320059
4	3	90.3	8	1300.7	1534.7	609161
5	3	99.2	8	1091.8	1443.8	899681
6	3	91.8	8	1320.2	1489.2	1189330
7	1	50.1	8			284237
8	1	52.5	8			575048
9	2	74	8	1731		864676
10	3	89.7	8	1636.3	1245.3	1153863
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.4.11 Radar Type5_Trial7 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		7		VSG Frequency(MHz):		5510
Number of Bursts in Trial:			19		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	98.9	18	1896.1	1114.1	129933
2	2	77.6	18	1417.4		282644
3	3	92.6	18	1441.4	910.4	434659
4	3	84.3	18	1115.7	1451.7	586835
5	2	74.2	18	1518.8		111485
6	3	95.7	18	1464.3	1560.3	263399
7	2	73.4	18	1730.6		416405
8	1	65.2	18			570144
9	3	93.8	18	1306.2	1026.2	92662
10	2	67.8	18	1414.2		245337
11	1	56.3	18			398689
12	1	56.7	18			551059
13	1	50.8	18			74172
14	1	58.7	18			226872
15	1	66.4	18			379562
16	1	64.6	18			532874
17	1	63	18			55328
18	3	85.4	18	1748.6	1285.6	206971
19	2	68.3	18	1041.7		360140
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.4.12 Radar Type5_Trial8 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		8		VSG Frequency(MHz):		5510
Number of Bursts in Trial:			20		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	71.9	20	1422.1		487134
2	2	68.9	20	1274.1		34624
3	2	75.1	20	1152.9		179573
4	1	66.2	20			325110
5	2	82.4	20	1614.6		468759
6	1	63	20			16841
7	1	53.5	20			161941
8	2	69.4	20	1344.6		306486
9	2	76.6	20	1175.4		451682
10	2	73.1	20	1543.9		595504
11	1	52.7	20			144000
12	2	71.5	20	1449.5		288326
13	3	94.8	20	1814.2	1897.2	431429
14	2	77.2	20	1320.8		577928
15	3	89.7	20	1673.3	967.3	125577
16	2	76.8	20	1706.2		270492
17	1	57.5	20			416284
18	2	83.1	20	1109.9		560915
19	1	59.2	20			108295
20	1	66.6	20			253454

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.4.13 Radar Type5_Trial9 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		9		VSG Frequency(MHz):		5510
Number of Bursts in Trial:			16		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	70.1	15	1769.9		497391
2	3	95	15	1864	1492	676569
3	3	93.4	15	1425.6	1672.6	112574
4	3	97.5	15	1611.5	1802.5	293182
5	1	54.1	15			475906
6	3	97.2	15	1759.8	1090.8	655423
7	1	55.1	15			90806
8	3	92.6	15	1071.4	1215.4	271417
9	1	55.3	15			453644
10	2	73.8	15	1545.2		633750
11	3	84.5	15	1304.5	1740.5	68117
12	2	78.7	15	990.3		249729
13	1	64.7	15			431755
14	3	84.2	15	1293.8	1476.8	610823
15	1	52	15			46068
16	2	70.8	15	1581.2		226981
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.4.14 Radar Type5_Trial10 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		10		VSG Frequency(MHz):		5510
Number of Bursts in Trial:			12		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	73.7	9	1175.3		544913
2	1	61.3	9			787904
3	1	60.2	9			31617
4	2	71.3	9	1513.7		273337
5	2	70.6	9	1760.4		514988
6	2	76.3	9	1827.7		756496
7	3	96.9	9	1258.1	946.1	1774
8	3	92.1	9	1060.9	1034.9	243476
9	3	91.1	9	1481.9	1236.9	484532
10	3	96.4	9	925.6	1199.6	726897
11	1	61.6	9			970582
12	2	79.5	9	1200.5		213770
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.4.15 Radar Type5_Trial11 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		11		VSG Frequency(MHz):		5499.5385
Number of Bursts in Trial:			20		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	61.1	19			273437
2	2	81.9	19	991.1		417782
3	1	58.8	19			563338
4	2	81.5	19	1030.5		110304
5	1	53.7	19			255811
6	2	68.8	19	1315.2		399739
7	3	98.3	19	1103.7	1775.7	543263
8	2	77	19	1089		92359
9	2	75.6	19	1553.4		237274
10	2	77.7	19	1156.3		382099
11	1	62	19			527680
12	3	85.2	19	1068.8	1160.8	74377
13	1	57.8	19			219871
14	1	61	19			365072
15	1	64	19			510518
16	1	52.7	19			56824
17	3	88.6	19	1027.4	1101.4	201105
18	2	74	19	1434		346138
19	1	56.7	19			492080
20	1	60.5	19			38936

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.4.16 Radar Type5_Trial12 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		12		VSG Frequency(MHz):		5499.1385
Number of Bursts in Trial:			18		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	75.2	18	1430.8		204204
2	2	68.9	18	1142.1		365465
3	1	53.1	18			526863
4	3	96.3	18	1033.7	1789.7	23313
5	2	72.9	18	941.1		184448
6	3	88	18	1785	1371	344279
7	3	96	18	1343	1121	505388
8	3	93.9	18	1203.1	1314.1	3522
9	3	98.2	18	1855.8	1635.8	163853
10	1	51.2	18			326144
11	1	56.4	18			487617
12	1	57.8	18			648732
13	3	85.6	18	1399.4	1354.4	144373
14	2	75.7	18	1160.3		305758
15	2	81.4	18	1365.6		466834
16	2	73.4	18	1887.6		627450
17	1	64.9	18			125048
18	1	53	18			286611
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.4.17 Radar Type5_Trial13 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		13		VSG Frequency(MHz):		5493.9385
Number of Bursts in Trial:			8		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	74.9	5	1172.1		1007777
2	3	96	5	1881	1299	1369165
3	3	86	5	1552	1458	236545
4	2	75.1	5	1033.9		600219
5	3	95.3	5	1107.7	1007.7	962187
6	3	96	5	1664	1043	1324524
7	3	99.4	5	1001.6	1463.6	192037
8	2	75	5	1587		555105
9						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.4.18 Radar Type5_Trial14 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		14		VSG Frequency(MHz):		5494.3385
Number of Bursts in Trial:			9	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	63.5	6			816834
2	1	59.6	6			1139605
3	1	62.2	6			131108
4	3	94.1	6	1458.9	1584.9	453222
5	1	53.5	6			776968
6	2	67	6	1559		1098706
7	3	89.7	6	1034.3	1832.3	91131
8	1	51	6			414231
9	1	54.3	6			737218
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.4.19 Radar Type5_Trial15 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		15		VSG Frequency(MHz):		5493.9385
Number of Bursts in Trial:			8		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	92.3	5	1279.7	1126.7	1191144
2	2	78.8	5	1468.2		57988
3	1	62.6	5			421358
4	1	58.6	5			784711
5	1	65.8	5			1148531
6	2	72.9	5	1489.1		13258
7	1	54.4	5			376687
8	2	78.9	5	1826.1		739332
9						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.4.20 Radar Type5_Trial16 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		16		VSG Frequency(MHz):		5495.1385
Number of Bursts in Trial:			11		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	74.3	8	997.7		801823
2	2	71.2	8	1214.8		1065255
3	1	54.2	8			241333
4	3	99.6	8	906.4	1396.4	504140
5	2	82.1	8	1204.9		768877
6	2	79.7	8	1605.3		1032596
7	3	90.7	8	1038.3	1378.3	208279
8	3	87.8	8	1639.2	1384.2	471675
9	3	85.6	8	1081.4	1019.4	735553
10	3	99.2	8	1268.8	1867.8	998741
11	1	60.8	8			176285
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.4.21 Radar Type5_Trial17 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		17		VSG Frequency(MHz):		5499.5385
Number of Bursts in Trial:			19		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	74.6	19	1436.4		254115
2	1	50.1	19			407394
3	2	73.6	19	1816.4		559020
4	1	57.1	19			83038
5	3	96.9	19	1868.1	1244.1	234658
6	3	98	19	1717	972	386666
7	2	74.4	19	1080.6		540752
8	3	86.4	19	1559.6	1846.6	63917
9	2	81.6	19	1803.4		216289
10	1	54	19			370169
11	3	97.7	19	1864.3	1354.3	519502
12	3	89.5	19	1860.5	1721.5	45211
13	2	68.2	19	1466.8		197826
14	3	84.6	19	1623.4	1601.4	349370
15	2	71.4	19	1255.6		502596
16	3	89.1	19	1559.9	1109.9	26500
17	3	94.7	19	1577.3	1247.3	178621
18	1	52.3	19			332278
19	3	94.4	19	987.6	1589.6	483308
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.4.22 Radar Type5_Trial18 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		18		VSG Frequency(MHz):		5494.7385
Number of Bursts in Trial:			10		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	59	7			14853
2	2	73	7	1662		305144
3	2	81.6	7	1153.4		595693
4	3	96.2	7	1309.8	1107.8	885221
5	2	70.9	7	945.1		1176518
6	2	74.7	7	1715.3		269210
7	3	95.1	7	1759.9	1904.9	558650
8	2	75.4	7	1711.6		849872
9	2	81.4	7	1015.6		1140446
10	2	80	7	1386		233583
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.4.23 Radar Type5_Trial19 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		19		VSG Frequency(MHz):		5499.5385
Number of Bursts in Trial:			19		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	71.5	19	1206.5		275204
2	1	56.3	19			428733
3	2	68	19	992		580820
4	2	67.9	19	1211.1		103913
5	2	78.8	19	1842.2		256077
6	2	76.5	19	1098.5		409146
7	1	54.2	19			562157
8	2	68.7	19	1381.3		85195
9	2	71.6	19	1075.4		237636
10	1	65.7	19			391044
11	1	60.7	19			543726
12	3	91.5	19	1590.5	1802.5	66095
13	3	86.6	19	1286.4	1743.4	218173
14	2	72.8	19	1250.2		371340
15	2	74.9	19	1531.1		523798
16	2	76.7	19	1865.3		47499
17	2	81.8	19	1724.2		199951
18	3	86.1	19	1220.9	1529.9	351802
19	1	65	19			506006
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.4.24 Radar Type5_Trial20 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		20		VSG Frequency(MHz):		5497.5385
Number of Bursts in Trial:			15	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	60.7	14			36595
2	3	90.6	14	1424.4	1423.4	229379
3	3	96.1	14	1233.9	1367.9	422646
4	3	85.5	14	1571.5	1634.5	615253
5	3	91.2	14	1750.8	1529.8	12661
6	3	90.1	14	1124.9	1049.9	205754
7	3	87.8	14	1852.2	1776.2	398344
8	3	93	14	1463	1374	591251
9	1	53.9	14			787598
10	1	52.6	14			182639
11	2	82.4	14	1257.6		375464
12	1	51.8	14			570064
13	2	72.5	14	1763.5		761861
14	3	93.1	14	1837.9	1221.9	158111
15	1	56.3	14			352508
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.4.25 Radar Type5_Trial21 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		21		VSG Frequency(MHz):		5524.8615
Number of Bursts in Trial:			10		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	60.1	8			819678
2	3	97.7	8	1503.3	1067.3	1107693
3	2	79.7	8	1147.3		202118
4	2	71.6	8	1721.4		492231
5	3	89.4	8	1437.6	951.6	781933
6	1	58.1	8			1074062
7	2	67.1	8	1483.9		166347
8	2	70.4	8	1018.6		456705
9	2	73	8	1018		747302
10	3	86.6	8	1226.4	1830.4	1035957
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.4.26 Radar Type5_Trial22 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		22		VSG Frequency(MHz):		5525.2615
Number of Bursts in Trial:			9	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	83.7	7	1455.3	1349.3	144968
2	2	67.6	7	1902.4		467780
3	3	86.5	7	1671.5	1342.5	789285
4	1	58.8	7			1114736
5	2	71.3	7	1627.7		105341
6	3	94.3	7	1782.7	1142.7	427418
7	3	93	7	1259	1210	749782
8	1	59	7			1074554
9	1	60.4	7			65693
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.4.27 Radar Type5_Trial23 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		23		VSG Frequency(MHz):		5523.6615
Number of Bursts in Trial:			13	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	70.6	11	1145.4		268770
2	3	89.4	11	1396.6	1576.6	490978
3	2	75.5	11	1535.5		714699
4	2	70.8	11	1697.2		17909
5	2	76.8	11	1446.2		241131
6	2	77.8	11	1811.2		463887
7	3	91.1	11	1093.9	1737.9	686152
8	3	83.5	11	1737.5	1692.5	908880
9	1	50.3	11			213863
10	1	66	11			437278
11	3	89.2	11	981.8	1352.8	659395
12	1	63.9	11			884918
13	3	88.2	11	928.8	1652.8	185870
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.4.28 Radar Type5_Trial24 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		24		VSG Frequency(MHz):		5523.2615
Number of Bursts in Trial:			14		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	98.5	12	1177.5	1143.5	379255
2	2	80.2	12	1868.8		586447
3	1	62.7	12			795247
4	2	77.2	12	1500.8		147224
5	3	97.1	12	1896.9	937.9	353753
6	1	60.2	12			562255
7	3	96.8	12	1467.2	1830.2	766477
8	1	56.9	12			121957
9	3	93.7	12	1697.3	936.3	328534
10	2	70.2	12	1348.8		535975
11	2	73	12	1165		743398
12	3	99	12	1430	1552	95962
13	1	57.4	12			303941
14	2	72.5	12	1283.5		510484
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.4.29 Radar Type5_Trial25 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		25		VSG Frequency(MHz):		5520.0615
Number of Bursts in Trial:			20		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	51.3	20			502736
2	3	84.1	20	1393.9	1030.9	49338
3	2	82.6	20	1873.4		194045
4	1	58.4	20			339906
5	3	89.5	20	1487.5	1452.5	482257
6	3	92.8	20	1550.2	1653.2	31468
7	1	62	20			176671
8	2	72.4	20	1181.6		321482
9	2	67	20	1583		465458
10	3	84.6	20	1480.4	1248.4	13710
11	2	76.9	20	1499.1		158604
12	1	52.8	20			304159
13	3	93.8	20	1116.2	1472.2	447306
14	3	98.3	20	1000.7	1158.7	592117
15	2	74.6	20	1525.4		140594
16	2	66.8	20	1588.2		285305
17	1	54.3	20			431589
18	3	83.9	20	1518.1	1233.1	573468
19	2	72.6	20	1414.4		122926
20	3	95.5	20	1225.5	1298.5	266911

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.4.30 Radar Type5_Trial26 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		26		VSG Frequency(MHz):		5520.8615
Number of Bursts in Trial:			18	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	69.2	18	1516.8		458298
2	1	56.2	18			620537
3	3	96.2	18	1823.8	1061.8	116464
4	3	94.2	18	1092.8	1137.8	277481
5	3	97.3	18	1375.7	1250.7	438020
6	2	82.8	18	1506.2		599325
7	1	62.3	18			97148
8	1	53.5	18			258514
9	2	77	18	1855		418348
10	2	69.2	18	1155.8		579763
11	1	52.4	18			77217
12	2	71.9	18	1371.1		237956
13	2	69.4	18	1156.6		399247
14	1	55.2	18			560928
15	3	89.8	18	1737.2	1099.2	57117
16	3	99.4	18	1403.6	1060.6	217717
17	2	67.7	18	1469.3		379052
18	1	57.5	18			541173
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.4.31 Radar Type5_Trial27 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		27		VSG Frequency(MHz):		5521.2615
Number of Bursts in Trial:			18		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	99.7	17	1539.3	1185.3	37342
2	2	71.1	17	1440.9		198362
3	2	76.2	17	1227.8		359505
4	2	76	17	1144		520827
5	1	63.2	17			17660
6	2	78.1	17	1446.9		178608
7	1	50.3	17			340379
8	3	94.2	17	1404.8	1053.8	499948
9	1	66.4	17			663423
10	3	98.5	17	1695.5	1809.5	158134
11	2	82.3	17	1067.7		320043
12	2	76.8	17	1802.2		480571
13	1	65.8	17			643439
14	3	89.2	17	1711.8	1221.8	138628
15	2	76.3	17	1147.7		299908
16	1	61.9	17			461625
17	1	53.3	17			623366
18	3	95.1	17	1516.9	1340.9	118745
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.4.32 Radar Type5_Trial28 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		28		VSG Frequency(MHz):		5520.0615
Number of Bursts in Trial:			20		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	88	20	995	1722	251184
2	3	88.5	20	1574.5	1649.5	395558
3	1	61.2	20			543275
4	1	56.7	20			89587
5	2	80.5	20	1364.5		233951
6	1	58.4	20			380037
7	3	95.5	20	1856.5	1622.5	521772
8	3	97.9	20	1221.1	1298.1	71272
9	2	82.1	20	1237.9		216212
10	1	54.9	20			361662
11	3	83.4	20	1228.6	1336.6	504833
12	3	88.5	20	1639.5	1896.5	53445
13	1	58.5	20			198918
14	2	75.2	20	973.8		343736
15	3	99.2	20	1313.8	1860.8	486413
16	3	96.8	20	1457.2	1550.2	35715
17	3	84.2	20	1733.8	1318.8	180158
18	1	51.4	20			326249
19	2	69.3	20	1261.7		470690
20	3	93.2	20	1519.8	1383.8	17904

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.4.33 Radar Type5_Trial29 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		29		VSG Frequency(MHz):		5522.8615
Number of Bursts in Trial:			14		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	93.1	13	1834.9	1013.9	232459
2	2	68	13	1030		439991
3	3	93.9	13	1328.1	1899.1	645520
4	1	53	13			172
5	1	66.3	13			207578
6	1	63.8	13			415251
7	2	71.3	13	928.7		622171
8	1	50.1	13			830608
9	1	53.3	13			182040
10	1	63.3	13			389641
11	3	95.7	13	1436.3	1050.3	595276
12	1	57.5	13			804236
13	1	51.9	13			156573
14	3	94.8	13	1074.2	1446.2	362776
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.4.34 Radar Type5_Trial30 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		30		VSG Frequency(MHz):		5521.6615
Number of Bursts in Trial:			17		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	61.4	16			470445
2	2	79.3	16	1045.7		639920
3	3	96.4	16	1622.6	1307.6	107312
4	3	93	16	1791	1369	277534
5	3	90.7	16	1066.3	1273.3	447599
6	2	67.8	16	1642.2		619099
7	2	80.5	16	1111.5		86694
8	1	65.4	16			257541
9	3	96	16	1220	1342	427005
10	3	95.4	16	1819.6	1361.6	596837
11	1	60.8	16			65749
12	2	77.9	16	1477.1		235991
13	3	90	16	1460	1574	405358
14	1	57.1	16			578061
15	2	77.7	16	930.3		44683
16	2	69	16	986		215092
17	1	54.9	16			386653
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.4.35 Radar Type6 for 5510MHz

Data Sheet for FCC Radar Type 6						
Trial	Pulse Width	PRI	Pulses per Hop	Hopping Rate	Hopping Sequence Length	Successful Detection
	(μ sec)	(μ sec)		(kHz)	(msec)	(Yes/No)
1	1	333	9	0.333	300	Yes
2	1	333	9	0.333	300	Yes
3	1	333	9	0.333	300	Yes
4	1	333	9	0.333	300	Yes
5	1	333	9	0.333	300	Yes
6	1	333	9	0.333	300	Yes
7	1	333	9	0.333	300	Yes
8	1	333	9	0.333	300	Yes
9	1	333	9	0.333	300	Yes
10	1	333	9	0.333	300	Yes
11	1	333	9	0.333	300	Yes
12	1	333	9	0.333	300	Yes
13	1	333	9	0.333	300	Yes
14	1	333	9	0.333	300	Yes
15	1	333	9	0.333	300	Yes
16	1	333	9	0.333	300	Yes
17	1	333	9	0.333	300	Yes
18	1	333	9	0.333	300	Yes
19	1	333	9	0.333	300	Yes
20	1	333	9	0.333	300	Yes
21	1	333	9	0.333	300	Yes
22	1	333	9	0.333	300	Yes
23	1	333	9	0.333	300	Yes
24	1	333	9	0.333	300	Yes
25	1	333	9	0.333	300	Yes
26	1	333	9	0.333	300	Yes
27	1	333	9	0.333	300	Yes
28	1	333	9	0.333	300	Yes
29	1	333	9	0.333	300	Yes
30	1	333	9	0.333	300	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.5 VHT80_5530MHz

Short Pulse Radar Type	Minimum Number of Trials	Detection(%)		Minmum Percentage of Successful Detection(%)	Pass/Fail
1	30	100		60	Pass
2	30	86.67		60	Pass
3	30	83.33		60	Pass
4	30	80		60	Pass
Aggregate (Radar Types 1-4)	120	87.5		80	Pass
Long Pulse Radar Type	Minimum Number of Trials	Each Detection(%)	Total Detection(%)	Minmum Percentage of Successful Detection(%)	Pass/Fail
5	Center:10	100	100	80	Pass
	Low Edge:10	100			
	High Edge:10	100			
Frequency Hopping Radar Type	Minimum Number of Trials	Detection(%)		Minmum Percentage of Successful Detection(%)	Pass/Fail
6	30	100		70	Pass

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.5.1 Radar Type1 for 5530MHz

Data Sheet for FCC Radar Type 1						
Trial	VSG Frequency (MHz)	Pulse Repetition Frequency Number (1 to 23)	Pulse Repetition Frequency	PRI	Test A/B	Successful Detection
			(Pulses Per Second)	(msec)	A/B	(Yes/No)
1	5530	18	1165.5	858	A	Yes
2	5530	3	1792.1	558	A	Yes
3	5530	20	1113.6	898	A	Yes
4	5530	11	1392.8	718	A	Yes
5	5530	17	1193.3	838	A	Yes
6	5530	22	1066.1	938	A	Yes
7	5530	14	1285.3	778	A	Yes
8	5530	15	1253.1	798	A	Yes
9	5530	21	1089.3	918	A	Yes
10	5530	23	326.2	3066	A	Yes
11	5530	2	1858.7	538	A	Yes
12	5530	4	1730.1	578	A	Yes
13	5530	5	1672.2	598	A	Yes
14	5530	16	1222.5	818	A	Yes
15	5530	10	1432.7	698	A	Yes
16	5530	-	1615.5	619	B	Yes
17	5530	-	489.7	2042	B	Yes
18	5530	-	998	1002	B	Yes
19	5530	-	616.1	1623	B	Yes
20	5530	-	338	2959	B	Yes
21	5530	-	911.6	1097	B	Yes
22	5530	-	634.9	1575	B	Yes
23	5530	-	716.3	1396	B	Yes
24	5530	-	1326.3	754	B	Yes
25	5530	-	821.7	1217	B	Yes
26	5530	-	542.3	1844	B	Yes
27	5530	-	761.6	1313	B	Yes
28	5530	-	332.8	3005	B	Yes
29	5530	-	1046	956	B	Yes
30	5530	-	836.8	1195	B	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.5.2 Radar Type2 for 5530MHz

Data Sheet for FCC Radar Type 2					
Trial	VSG Frequency (MHz)	Number Pulses per Burst (23-29)	Pulse Width (1-5)	PRI (150-230)	Successful Detection
			(μ s)	(μ s)	(Yes/No)
1	5530	29	4.5	192	Yes
2	5530	29	4.6	159	Yes
3	5530	25	2.6	194	Yes
4	5530	27	3.6	197	Yes
5	5530	24	1.7	216	Yes
6	5530	24	1.9	163	Yes
7	5530	28	4.5	190	Yes
8	5530	29	4.9	218	Yes
9	5530	27	3.7	224	No
10	5530	25	2.2	213	Yes
11	5530	29	4.8	204	Yes
12	5530	28	4.3	203	Yes
13	5530	23	1	219	Yes
14	5530	23	1.3	170	Yes
15	5530	23	1.2	191	Yes
16	5530	24	1.9	181	Yes
17	5530	29	4.6	188	Yes
18	5530	24	1.7	180	Yes
19	5530	29	4.7	164	No
20	5530	27	3.4	186	Yes
21	5530	24	1.9	154	Yes
22	5530	24	1.5	208	No
23	5530	25	2.6	215	Yes
24	5530	26	2.9	220	Yes
25	5530	29	4.9	150	Yes
26	5530	28	4.4	195	Yes
27	5530	28	4.2	162	Yes
28	5530	29	4.9	226	Yes
29	5530	26	3.1	217	No
30	5530	28	4	211	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.5.3 Radar Type3 for 5530MHz

Data Sheet for FCC Radar Type 3					
Trial	VSG Frequency (MHz)	Number Pulses per Burst (16-18)	Pulse Width (6-10)	PRI (200-500)	Successful Detection
			(μ s)	(μ s)	(Yes/No)
1	5530	18	9.5	287	Yes
2	5530	18	9.6	479	Yes
3	5530	17	7.6	329	Yes
4	5530	17	8.6	234	No
5	5530	16	6.7	250	Yes
6	5530	16	6.9	475	Yes
7	5530	18	9.5	214	Yes
8	5530	18	9.9	245	Yes
9	5530	18	8.7	483	Yes
10	5530	16	7.2	457	Yes
11	5530	18	9.8	331	Yes
12	5530	18	9.3	407	Yes
13	5530	16	6	400	Yes
14	5530	16	6.3	447	No
15	5530	16	6.2	273	Yes
16	5530	16	6.9	344	Yes
17	5530	18	9.6	272	Yes
18	5530	16	6.7	362	Yes
19	5530	18	9.7	297	No
20	5530	17	8.4	461	No
21	5530	16	6.9	474	No
22	5530	16	6.5	354	Yes
23	5530	17	7.6	239	Yes
24	5530	17	7.9	496	Yes
25	5530	18	9.9	332	Yes
26	5530	18	9.4	349	Yes
27	5530	18	9.2	219	Yes
28	5530	18	9.9	389	Yes
29	5530	17	8.1	412	Yes
30	5530	18	9	311	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.5.4 Radar Type4 for 5530MHz

Data Sheet for FCC Radar Type 4					
Trial	VSG Frequency (MHz)	Number Pulses per Burst (12-16)	Pulse Width (11-20)	PRI (200-500)	Successful Detection
			(μ s)	(μ s)	(Yes/No)
1	5530	16	18.8	287	Yes
2	5530	16	19.1	479	Yes
3	5530	14	14.7	329	Yes
4	5530	15	16.7	234	Yes
5	5530	12	12.6	250	No
6	5530	13	13	475	Yes
7	5530	16	18.7	214	Yes
8	5530	16	19.7	245	Yes
9	5530	15	17.1	483	Yes
10	5530	13	13.8	457	Yes
11	5530	16	19.4	331	Yes
12	5530	16	18.4	407	No
13	5530	12	11.1	400	Yes
14	5530	12	11.7	447	Yes
15	5530	12	11.4	273	Yes
16	5530	13	13.1	344	Yes
17	5530	16	19.1	272	Yes
18	5530	12	12.5	362	No
19	5530	16	19.3	297	Yes
20	5530	14	16.3	461	Yes
21	5530	13	13	474	No
22	5530	12	12.3	354	Yes
23	5530	13	14.6	239	No
24	5530	14	15.3	496	No
25	5530	16	19.8	332	Yes
26	5530	16	18.6	349	Yes
27	5530	15	18.1	219	Yes
28	5530	16	19.7	389	Yes
29	5530	14	15.7	412	Yes
30	5530	15	17.6	311	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.5.5 Radar Type5_Trial1 for 5530MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		1		VSG Frequency(MHz):		5530
Number of Bursts in Trial:			19		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	93.3	18	987.7	1137.7	67203
2	3	94.8	18	1081.2	1535.2	219370
3	2	70.6	18	1179.4		372553
4	2	81.9	18	1193.1		524586
5	1	58.8	18			48695
6	1	61.5	18			201438
7	3	92.8	18	1431.2	1342.2	352539
8	3	98.1	18	1275.9	1083.9	504992
9	3	84	18	1640	1895	29698
10	1	65.5	18			182657
11	3	96.5	18	1265.5	1041.5	334080
12	3	90.8	18	1663.2	1211.2	485847
13	1	50.9	18			11033
14	1	54.1	18			163968
15	1	52.7	18			316907
16	1	61.9	18			469493
17	3	94.9	18	1514.1	1733.1	619065
18	1	58.6	18			144931
19	3	95.9	18	1388.1	1682.1	296508
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.5.6 Radar Type5_Trial2 for 5530MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		2		VSG Frequency(MHz):		5530
Number of Bursts in Trial:			19		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	79.4	19	1401.6		449462
2	1	61.5	19			603498
3	1	57.2	19			126114
4	2	69.8	19	1716.2		278379
5	2	73.6	19	1659.4		430445
6	3	98.5	19	1288.5	1106.5	582689
7	3	91.9	19	1638.1	1287.1	106763
8	3	89.4	19	1603.6	1772.6	258808
9	3	98.3	19	1149.7	1799.7	411138
10	2	76.4	19	1543.6		564711
11	3	86.7	19	1735.3	1179.3	88162
12	1	64.3	19			241494
13	2	67.1	19	1542.9		393028
14	1	65.1	19			546821
15	1	65.8	19			69778
16	2	78.5	19	1597.5		222112
17	1	59.2	19			375500
18	2	71.2	19	1345.8		527340
19	2	79.1	19	1611.9		50782
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.5.7 Radar Type5_Trial3 for 5530MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		3		VSG Frequency(MHz):		5530
Number of Bursts in Trial:			13		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	90.3	11	1399.7	1481.7	296956
2	3	87.4	11	1735.6	940.6	520106
3	3	88.2	11	1910.8	1394.8	742506
4	3	89.5	11	1798.5	1198.5	46767
5	1	53.7	11			270428
6	1	57.9	11			494135
7	2	80.3	11	1452.7		716383
8	3	84.4	11	1735.6	1560.6	19318
9	1	51.6	11			242882
10	3	90.3	11	1139.7	1484.7	465060
11	1	56.5	11			690074
12	2	76.2	11	1612.8		912121
13	3	84.1	11	1253.9	1853.9	214698
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.5.8 Radar Type5_Trial4 for 5530MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		4		VSG Frequency(MHz):		5530
Number of Bursts in Trial:			16		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	90.3	15	1527.7	1080.7	354923
2	2	77.4	15	933.6		537212
3	1	66.3	15			719403
4	3	88.3	15	1710.7	996.7	151876
5	3	86	15	1185	1365	332801
6	2	74.9	15	945.1		514970
7	3	97	15	1410	1691	693842
8	3	83.5	15	1683.5	1828.5	129503
9	2	66.9	15	1365.1		311338
10	2	72.2	15	1692.8		492269
11	3	94.5	15	1676.5	1499.5	671381
12	2	71.6	15	989.4		107710
13	3	97.4	15	1172.6	1019.6	288452
14	1	51.2	15			470742
15	2	79.4	15	1823.6		650521
16	2	75.6	15	1826.4		85249
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.5.9 Radar Type5_Trial5 for 5530MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		5		VSG Frequency(MHz):		5530
Number of Bursts in Trial:			10		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	85.2	7	1307.8	1459.8	426390
2	2	75.7	7	1578.3		717013
3	3	93.6	7	1722.4	1330.4	1006414
4	3	90.8	7	1883.2	1095.2	100831
5	1	65.7	7			391661
6	2	68.3	7	1766.7		681264
7	1	58.5	7			973098
8	3	91.2	7	1269.8	1298.8	65116
9	2	72	7	1635		355408
10	1	53.5	7			646748
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.5.10 Radar Type5_Trial6 for 5530MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		6		VSG Frequency(MHz):		5530
Number of Bursts in Trial:			10		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	61.9	8			937468
2	3	93.4	8	1857.6	1772.6	29371
3	1	64	8			320059
4	3	90.3	8	1300.7	1534.7	609161
5	3	99.2	8	1091.8	1443.8	899681
6	3	91.8	8	1320.2	1489.2	1189330
7	1	50.1	8			284237
8	1	52.5	8			575048
9	2	74	8	1731		864676
10	3	89.7	8	1636.3	1245.3	1153863
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.5.11 Radar Type5_Trial7 for 5530MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		7		VSG Frequency(MHz):		5530
Number of Bursts in Trial:			19		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	98.9	18	1896.1	1114.1	129933
2	2	77.6	18	1417.4		282644
3	3	92.6	18	1441.4	910.4	434659
4	3	84.3	18	1115.7	1451.7	586835
5	2	74.2	18	1518.8		111485
6	3	95.7	18	1464.3	1560.3	263399
7	2	73.4	18	1730.6		416405
8	1	65.2	18			570144
9	3	93.8	18	1306.2	1026.2	92662
10	2	67.8	18	1414.2		245337
11	1	56.3	18			398689
12	1	56.7	18			551059
13	1	50.8	18			74172
14	1	58.7	18			226872
15	1	66.4	18			379562
16	1	64.6	18			532874
17	1	63	18			55328
18	3	85.4	18	1748.6	1285.6	206971
19	2	68.3	18	1041.7		360140
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.5.12 Radar Type5_Trial8 for 5530MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		8		VSG Frequency(MHz):		5530
Number of Bursts in Trial:			20		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	71.9	20	1422.1		487134
2	2	68.9	20	1274.1		34624
3	2	75.1	20	1152.9		179573
4	1	66.2	20			325110
5	2	82.4	20	1614.6		468759
6	1	63	20			16841
7	1	53.5	20			161941
8	2	69.4	20	1344.6		306486
9	2	76.6	20	1175.4		451682
10	2	73.1	20	1543.9		595504
11	1	52.7	20			144000
12	2	71.5	20	1449.5		288326
13	3	94.8	20	1814.2	1897.2	431429
14	2	77.2	20	1320.8		577928
15	3	89.7	20	1673.3	967.3	125577
16	2	76.8	20	1706.2		270492
17	1	57.5	20			416284
18	2	83.1	20	1109.9		560915
19	1	59.2	20			108295
20	1	66.6	20			253454

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.5.13 Radar Type5_Trial9 for 5530MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		9		VSG Frequency(MHz):		5530
Number of Bursts in Trial:			16		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	70.1	15	1769.9		497391
2	3	95	15	1864	1492	676569
3	3	93.4	15	1425.6	1672.6	112574
4	3	97.5	15	1611.5	1802.5	293182
5	1	54.1	15			475906
6	3	97.2	15	1759.8	1090.8	655423
7	1	55.1	15			90806
8	3	92.6	15	1071.4	1215.4	271417
9	1	55.3	15			453644
10	2	73.8	15	1545.2		633750
11	3	84.5	15	1304.5	1740.5	68117
12	2	78.7	15	990.3		249729
13	1	64.7	15			431755
14	3	84.2	15	1293.8	1476.8	610823
15	1	52	15			46068
16	2	70.8	15	1581.2		226981
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.5.14 Radar Type5_Trial10 for 5530MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		10		VSG Frequency(MHz):		5530
Number of Bursts in Trial:			12		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	73.7	9	1175.3		544913
2	1	61.3	9			787904
3	1	60.2	9			31617
4	2	71.3	9	1513.7		273337
5	2	70.6	9	1760.4		514988
6	2	76.3	9	1827.7		756496
7	3	96.9	9	1258.1	946.1	1774
8	3	92.1	9	1060.9	1034.9	243476
9	3	91.1	9	1481.9	1236.9	484532
10	3	96.4	9	925.6	1199.6	726897
11	1	61.6	9			970582
12	2	79.5	9	1200.5		213770
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.5.15 Radar Type5_Trial11 for 5530MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		11		VSG Frequency(MHz):		5500.423
Number of Bursts in Trial:			20		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	61.1	19			273437
2	2	81.9	19	991.1		417782
3	1	58.8	19			563338
4	2	81.5	19	1030.5		110304
5	1	53.7	19			255811
6	2	68.8	19	1315.2		399739
7	3	98.3	19	1103.7	1775.7	543263
8	2	77	19	1089		92359
9	2	75.6	19	1553.4		237274
10	2	77.7	19	1156.3		382099
11	1	62	19			527680
12	3	85.2	19	1068.8	1160.8	74377
13	1	57.8	19			219871
14	1	61	19			365072
15	1	64	19			510518
16	1	52.7	19			56824
17	3	88.6	19	1027.4	1101.4	201105
18	2	74	19	1434		346138
19	1	56.7	19			492080
20	1	60.5	19			38936

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.5.16 Radar Type5_Trial12 for 5530MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		12		VSG Frequency(MHz):		5500.023
Number of Bursts in Trial:			18		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	75.2	18	1430.8		204204
2	2	68.9	18	1142.1		365465
3	1	53.1	18			526863
4	3	96.3	18	1033.7	1789.7	23313
5	2	72.9	18	941.1		184448
6	3	88	18	1785	1371	344279
7	3	96	18	1343	1121	505388
8	3	93.9	18	1203.1	1314.1	3522
9	3	98.2	18	1855.8	1635.8	163853
10	1	51.2	18			326144
11	1	56.4	18			487617
12	1	57.8	18			648732
13	3	85.6	18	1399.4	1354.4	144373
14	2	75.7	18	1160.3		305758
15	2	81.4	18	1365.6		466834
16	2	73.4	18	1887.6		627450
17	1	64.9	18			125048
18	1	53	18			286611
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.5.17 Radar Type5_Trial13 for 5530MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		13		VSG Frequency(MHz):		5494.823
Number of Bursts in Trial:			8		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	74.9	5	1172.1		1007777
2	3	96	5	1881	1299	1369165
3	3	86	5	1552	1458	236545
4	2	75.1	5	1033.9		600219
5	3	95.3	5	1107.7	1007.7	962187
6	3	96	5	1664	1043	1324524
7	3	99.4	5	1001.6	1463.6	192037
8	2	75	5	1587		555105
9						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.5.18 Radar Type5_Trial14 for 5530MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		14		VSG Frequency(MHz):		5495.223
Number of Bursts in Trial:			9		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	63.5	6			816834
2	1	59.6	6			1139605
3	1	62.2	6			131108
4	3	94.1	6	1458.9	1584.9	453222
5	1	53.5	6			776968
6	2	67	6	1559		1098706
7	3	89.7	6	1034.3	1832.3	91131
8	1	51	6			414231
9	1	54.3	6			737218
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.5.19 Radar Type5_Trial15 for 5530MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		15		VSG Frequency(MHz):		5494.823
Number of Bursts in Trial:			8		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	92.3	5	1279.7	1126.7	1191144
2	2	78.8	5	1468.2		57988
3	1	62.6	5			421358
4	1	58.6	5			784711
5	1	65.8	5			1148531
6	2	72.9	5	1489.1		13258
7	1	54.4	5			376687
8	2	78.9	5	1826.1		739332
9						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.5.20 Radar Type5_Trial16 for 5530MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		16		VSG Frequency(MHz):		5496.023
Number of Bursts in Trial:			11		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	74.3	8	997.7		801823
2	2	71.2	8	1214.8		1065255
3	1	54.2	8			241333
4	3	99.6	8	906.4	1396.4	504140
5	2	82.1	8	1204.9		768877
6	2	79.7	8	1605.3		1032596
7	3	90.7	8	1038.3	1378.3	208279
8	3	87.8	8	1639.2	1384.2	471675
9	3	85.6	8	1081.4	1019.4	735553
10	3	99.2	8	1268.8	1867.8	998741
11	1	60.8	8			176285
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.5.21 Radar Type5_Trial17 for 5530MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		17		VSG Frequency(MHz):		5500.423
Number of Bursts in Trial:			19		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	74.6	19	1436.4		254115
2	1	50.1	19			407394
3	2	73.6	19	1816.4		559020
4	1	57.1	19			83038
5	3	96.9	19	1868.1	1244.1	234658
6	3	98	19	1717	972	386666
7	2	74.4	19	1080.6		540752
8	3	86.4	19	1559.6	1846.6	63917
9	2	81.6	19	1803.4		216289
10	1	54	19			370169
11	3	97.7	19	1864.3	1354.3	519502
12	3	89.5	19	1860.5	1721.5	45211
13	2	68.2	19	1466.8		197826
14	3	84.6	19	1623.4	1601.4	349370
15	2	71.4	19	1255.6		502596
16	3	89.1	19	1559.9	1109.9	26500
17	3	94.7	19	1577.3	1247.3	178621
18	1	52.3	19			332278
19	3	94.4	19	987.6	1589.6	483308
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.5.22 Radar Type5_Trial18 for 5530MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		18		VSG Frequency(MHz):		5495.623
Number of Bursts in Trial:			10		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	59	7			14853
2	2	73	7	1662		305144
3	2	81.6	7	1153.4		595693
4	3	96.2	7	1309.8	1107.8	885221
5	2	70.9	7	945.1		1176518
6	2	74.7	7	1715.3		269210
7	3	95.1	7	1759.9	1904.9	558650
8	2	75.4	7	1711.6		849872
9	2	81.4	7	1015.6		1140446
10	2	80	7	1386		233583
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.5.23 Radar Type5_Trial19 for 5530MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		19		VSG Frequency(MHz):		5500.423
Number of Bursts in Trial:			19		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	71.5	19	1206.5		275204
2	1	56.3	19			428733
3	2	68	19	992		580820
4	2	67.9	19	1211.1		103913
5	2	78.8	19	1842.2		256077
6	2	76.5	19	1098.5		409146
7	1	54.2	19			562157
8	2	68.7	19	1381.3		85195
9	2	71.6	19	1075.4		237636
10	1	65.7	19			391044
11	1	60.7	19			543726
12	3	91.5	19	1590.5	1802.5	66095
13	3	86.6	19	1286.4	1743.4	218173
14	2	72.8	19	1250.2		371340
15	2	74.9	19	1531.1		523798
16	2	76.7	19	1865.3		47499
17	2	81.8	19	1724.2		199951
18	3	86.1	19	1220.9	1529.9	351802
19	1	65	19			506006
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.5.24 Radar Type5_Trial20 for 5530MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		20		VSG Frequency(MHz):		5498.423
Number of Bursts in Trial:			15		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	60.7	14			36595
2	3	90.6	14	1424.4	1423.4	229379
3	3	96.1	14	1233.9	1367.9	422646
4	3	85.5	14	1571.5	1634.5	615253
5	3	91.2	14	1750.8	1529.8	12661
6	3	90.1	14	1124.9	1049.9	205754
7	3	87.8	14	1852.2	1776.2	398344
8	3	93	14	1463	1374	591251
9	1	53.9	14			787598
10	1	52.6	14			182639
11	2	82.4	14	1257.6		375464
12	1	51.8	14			570064
13	2	72.5	14	1763.5		761861
14	3	93.1	14	1837.9	1221.9	158111
15	1	56.3	14			352508
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.5.25 Radar Type5_Trial21 for 5530MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		21		VSG Frequency(MHz):		5563.977
Number of Bursts in Trial:			10		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	60.1	8			819678
2	3	97.7	8	1503.3	1067.3	1107693
3	2	79.7	8	1147.3		202118
4	2	71.6	8	1721.4		492231
5	3	89.4	8	1437.6	951.6	781933
6	1	58.1	8			1074062
7	2	67.1	8	1483.9		166347
8	2	70.4	8	1018.6		456705
9	2	73	8	1018		747302
10	3	86.6	8	1226.4	1830.4	1035957
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.5.26 Radar Type5_Trial22 for 5530MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		22		VSG Frequency(MHz):		5564.377
Number of Bursts in Trial:			9	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	83.7	7	1455.3	1349.3	144968
2	2	67.6	7	1902.4		467780
3	3	86.5	7	1671.5	1342.5	789285
4	1	58.8	7			1114736
5	2	71.3	7	1627.7		105341
6	3	94.3	7	1782.7	1142.7	427418
7	3	93	7	1259	1210	749782
8	1	59	7			1074554
9	1	60.4	7			65693
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.5.27 Radar Type5_Trial23 for 5530MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		23		VSG Frequency(MHz):		5562.777
Number of Bursts in Trial:			13	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	70.6	11	1145.4		268770
2	3	89.4	11	1396.6	1576.6	490978
3	2	75.5	11	1535.5		714699
4	2	70.8	11	1697.2		17909
5	2	76.8	11	1446.2		241131
6	2	77.8	11	1811.2		463887
7	3	91.1	11	1093.9	1737.9	686152
8	3	83.5	11	1737.5	1692.5	908880
9	1	50.3	11			213863
10	1	66	11			437278
11	3	89.2	11	981.8	1352.8	659395
12	1	63.9	11			884918
13	3	88.2	11	928.8	1652.8	185870
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.5.28 Radar Type5_Trial24 for 5530MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		24		VSG Frequency(MHz):		5562.377
Number of Bursts in Trial:			14	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	98.5	12	1177.5	1143.5	379255
2	2	80.2	12	1868.8		586447
3	1	62.7	12			795247
4	2	77.2	12	1500.8		147224
5	3	97.1	12	1896.9	937.9	353753
6	1	60.2	12			562255
7	3	96.8	12	1467.2	1830.2	766477
8	1	56.9	12			121957
9	3	93.7	12	1697.3	936.3	328534
10	2	70.2	12	1348.8		535975
11	2	73	12	1165		743398
12	3	99	12	1430	1552	95962
13	1	57.4	12			303941
14	2	72.5	12	1283.5		510484
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.5.29 Radar Type5_Trial25 for 5530MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		25		VSG Frequency(MHz):		5559.177
Number of Bursts in Trial:			20		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	51.3	20			502736
2	3	84.1	20	1393.9	1030.9	49338
3	2	82.6	20	1873.4		194045
4	1	58.4	20			339906
5	3	89.5	20	1487.5	1452.5	482257
6	3	92.8	20	1550.2	1653.2	31468
7	1	62	20			176671
8	2	72.4	20	1181.6		321482
9	2	67	20	1583		465458
10	3	84.6	20	1480.4	1248.4	13710
11	2	76.9	20	1499.1		158604
12	1	52.8	20			304159
13	3	93.8	20	1116.2	1472.2	447306
14	3	98.3	20	1000.7	1158.7	592117
15	2	74.6	20	1525.4		140594
16	2	66.8	20	1588.2		285305
17	1	54.3	20			431589
18	3	83.9	20	1518.1	1233.1	573468
19	2	72.6	20	1414.4		122926
20	3	95.5	20	1225.5	1298.5	266911

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.5.30 Radar Type5_Trial26 for 5530MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		26		VSG Frequency(MHz):		5559.977
Number of Bursts in Trial:			18		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	69.2	18	1516.8		458298
2	1	56.2	18			620537
3	3	96.2	18	1823.8	1061.8	116464
4	3	94.2	18	1092.8	1137.8	277481
5	3	97.3	18	1375.7	1250.7	438020
6	2	82.8	18	1506.2		599325
7	1	62.3	18			97148
8	1	53.5	18			258514
9	2	77	18	1855		418348
10	2	69.2	18	1155.8		579763
11	1	52.4	18			77217
12	2	71.9	18	1371.1		237956
13	2	69.4	18	1156.6		399247
14	1	55.2	18			560928
15	3	89.8	18	1737.2	1099.2	57117
16	3	99.4	18	1403.6	1060.6	217717
17	2	67.7	18	1469.3		379052
18	1	57.5	18			541173
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.5.31 Radar Type5_Trial27 for 5530MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		27		VSG Frequency(MHz):		5560.377
Number of Bursts in Trial:			18	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	99.7	17	1539.3	1185.3	37342
2	2	71.1	17	1440.9		198362
3	2	76.2	17	1227.8		359505
4	2	76	17	1144		520827
5	1	63.2	17			17660
6	2	78.1	17	1446.9		178608
7	1	50.3	17			340379
8	3	94.2	17	1404.8	1053.8	499948
9	1	66.4	17			663423
10	3	98.5	17	1695.5	1809.5	158134
11	2	82.3	17	1067.7		320043
12	2	76.8	17	1802.2		480571
13	1	65.8	17			643439
14	3	89.2	17	1711.8	1221.8	138628
15	2	76.3	17	1147.7		299908
16	1	61.9	17			461625
17	1	53.3	17			623366
18	3	95.1	17	1516.9	1340.9	118745
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.5.32 Radar Type5_Trial28 for 5530MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		28		VSG Frequency(MHz):		5559.177
Number of Bursts in Trial:			20		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	88	20	995	1722	251184
2	3	88.5	20	1574.5	1649.5	395558
3	1	61.2	20			543275
4	1	56.7	20			89587
5	2	80.5	20	1364.5		233951
6	1	58.4	20			380037
7	3	95.5	20	1856.5	1622.5	521772
8	3	97.9	20	1221.1	1298.1	71272
9	2	82.1	20	1237.9		216212
10	1	54.9	20			361662
11	3	83.4	20	1228.6	1336.6	504833
12	3	88.5	20	1639.5	1896.5	53445
13	1	58.5	20			198918
14	2	75.2	20	973.8		343736
15	3	99.2	20	1313.8	1860.8	486413
16	3	96.8	20	1457.2	1550.2	35715
17	3	84.2	20	1733.8	1318.8	180158
18	1	51.4	20			326249
19	2	69.3	20	1261.7		470690
20	3	93.2	20	1519.8	1383.8	17904

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.5.33 Radar Type5_Trial29 for 5530MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		29		VSG Frequency(MHz):		5561.977
Number of Bursts in Trial:			14		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	93.1	13	1834.9	1013.9	232459
2	2	68	13	1030		439991
3	3	93.9	13	1328.1	1899.1	645520
4	1	53	13			172
5	1	66.3	13			207578
6	1	63.8	13			415251
7	2	71.3	13	928.7		622171
8	1	50.1	13			830608
9	1	53.3	13			182040
10	1	63.3	13			389641
11	3	95.7	13	1436.3	1050.3	595276
12	1	57.5	13			804236
13	1	51.9	13			156573
14	3	94.8	13	1074.2	1446.2	362776
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.5.34 Radar Type5_Trial30 for 5530MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		30		VSG Frequency(MHz):		5560.777
Number of Bursts in Trial:			17		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	61.4	16			470445
2	2	79.3	16	1045.7		639920
3	3	96.4	16	1622.6	1307.6	107312
4	3	93	16	1791	1369	277534
5	3	90.7	16	1066.3	1273.3	447599
6	2	67.8	16	1642.2		619099
7	2	80.5	16	1111.5		86694
8	1	65.4	16			257541
9	3	96	16	1220	1342	427005
10	3	95.4	16	1819.6	1361.6	596837
11	1	60.8	16			65749
12	2	77.9	16	1477.1		235991
13	3	90	16	1460	1574	405358
14	1	57.1	16			578061
15	2	77.7	16	930.3		44683
16	2	69	16	986		215092
17	1	54.9	16			386653
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

14.5.35 Radar Type6 for 5530MHz

Data Sheet for FCC Radar Type 6						
Trial	Pulse Width	PRI	Pulses per Hop	Hopping Rate	Hopping Sequence Length	Successful Detection
	(μ sec)	(μ sec)		(kHz)	(msec)	(Yes/No)
1	1	333	9	0.333	300	Yes
2	1	333	9	0.333	300	Yes
3	1	333	9	0.333	300	Yes
4	1	333	9	0.333	300	Yes
5	1	333	9	0.333	300	Yes
6	1	333	9	0.333	300	Yes
7	1	333	9	0.333	300	Yes
8	1	333	9	0.333	300	Yes
9	1	333	9	0.333	300	Yes
10	1	333	9	0.333	300	Yes
11	1	333	9	0.333	300	Yes
12	1	333	9	0.333	300	Yes
13	1	333	9	0.333	300	Yes
14	1	333	9	0.333	300	Yes
15	1	333	9	0.333	300	Yes
16	1	333	9	0.333	300	Yes
17	1	333	9	0.333	300	Yes
18	1	333	9	0.333	300	Yes
19	1	333	9	0.333	300	Yes
20	1	333	9	0.333	300	Yes
21	1	333	9	0.333	300	Yes
22	1	333	9	0.333	300	Yes
23	1	333	9	0.333	300	Yes
24	1	333	9	0.333	300	Yes
25	1	333	9	0.333	300	Yes
26	1	333	9	0.333	300	Yes
27	1	333	9	0.333	300	Yes
28	1	333	9	0.333	300	Yes
29	1	333	9	0.333	300	Yes
30	1	333	9	0.333	300	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15 IN SERVICE MONITORING (FM-SHARK-DUAL)

15.1 HT20_5320MHz

Short Pulse Radar Type	Minimum Number of Trials	Detection(%)		Minnum Percentage of Successful Detection(%)	Pass/Fail
1	30	100		60	Pass
2	30	83.33		60	Pass
3	30	86.67		60	Pass
4	30	76.67		60	Pass
Aggregate (Radar Types 1-4)	120	86.6675		80	Pass
Long Pulse Radar Type	Minimum Number of Trials	Each Detection(%)	Total Detection(%)	Minnum Percentage of Successful Detection(%)	Pass/Fail
5	Center:10	100	93.33	80	Pass
	Low Edge:10	80			
	High Edge:10	100			
Frequency Hopping Radar Type	Minimum Number of Trials	Detection(%)		Minnum Percentage of Successful Detection(%)	Pass/Fail
6	30	93.33		70	Pass

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.1.1 Radar Type1 for 5320MHz

Data Sheet for FCC Radar Type 1						
Trial	VSG Frequency (MHz)	Pulse Repetition Frequency Number (1 to 23)	Pulse Repetition Frequency	PRI	Test A/B	Successful Detection
			(Pulses Per Second)	(msec)	A/B	(Yes/No)
1	5320	8	1519.8	658	A	Yes
2	5320	4	1730.1	578	A	Yes
3	5320	12	1355	738	A	Yes
4	5320	18	1165.5	858	A	Yes
5	5320	5	1672.2	598	A	Yes
6	5320	1	1930.5	518	A	Yes
7	5320	21	1089.3	918	A	Yes
8	5320	22	1066.1	938	A	Yes
9	5320	3	1792.1	558	A	Yes
10	5320	11	1392.8	718	A	Yes
11	5320	7	1567.4	638	A	Yes
12	5320	15	1253.1	798	A	Yes
13	5320	10	1432.7	698	A	Yes
14	5320	13	1319.3	758	A	Yes
15	5320	23	326.2	3066	A	Yes
16	5320	-	1032	969	B	Yes
17	5320	-	401.9	2488	B	Yes
18	5320	-	363.5	2751	B	Yes
19	5320	-	403.4	2479	B	Yes
20	5320	-	520	1923	B	Yes
21	5320	-	389	2571	B	Yes
22	5320	-	474.8	2106	B	Yes
23	5320	-	387.1	2583	B	Yes
24	5320	-	675.7	1480	B	Yes
25	5320	-	419.3	2385	B	Yes
26	5320	-	841	1189	B	Yes
27	5320	-	544.7	1836	B	Yes
28	5320	-	357.7	2796	B	Yes
29	5320	-	332.7	3006	B	Yes
30	5320	-	1524.4	656	B	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.1.2 Radar Type2 for 5320MHz

Data Sheet for FCC Radar Type 2					
Trial	VSG Frequency (MHz)	Number Pulses per Burst (23-29)	Pulse Width (1-5)	PRI (150-230)	Successful Detection
			(μ s)	(μ s)	(Yes/No)
1	5320	25	2.5	162	No
2	5320	28	4.1	167	Yes
3	5320	29	4.7	224	Yes
4	5320	25	2.4	158	Yes
5	5320	29	5	230	No
6	5320	28	4.2	223	Yes
7	5320	28	4.3	152	Yes
8	5320	29	4.5	222	Yes
9	5320	24	1.6	196	Yes
10	5320	24	1.8	186	No
11	5320	29	4.8	194	Yes
12	5320	24	1.8	191	Yes
13	5320	29	4.5	189	No
14	5320	27	3.3	164	Yes
15	5320	25	2.5	166	Yes
16	5320	25	2.6	212	Yes
17	5320	28	4.2	204	No
18	5320	24	1.9	170	Yes
19	5320	26	3	221	Yes
20	5320	29	4.6	183	Yes
21	5320	25	2.2	154	Yes
22	5320	27	3.7	178	Yes
23	5320	27	3.3	157	Yes
24	5320	23	1.2	229	Yes
25	5320	25	2.6	202	Yes
26	5320	27	3.4	185	Yes
27	5320	27	3.4	159	Yes
28	5320	28	4.3	207	Yes
29	5320	24	1.6	188	Yes
30	5320	23	1.1	171	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.1.3 Radar Type3 for 5320MHz

Data Sheet for FCC Radar Type 3					
Trial	VSG Frequency (MHz)	Number Pulses per Burst (16-18)	Pulse Width (6-10)	PRI (200-500)	Successful Detection
			(μ s)	(μ s)	(Yes/No)
1	5320	17	7.5	224	Yes
2	5320	18	9.1	280	Yes
3	5320	18	9.7	402	Yes
4	5320	17	7.4	359	Yes
5	5320	18	10	292	Yes
6	5320	18	9.2	203	Yes
7	5320	18	9.3	287	Yes
8	5320	18	9.5	344	Yes
9	5320	16	6.6	439	No
10	5320	16	6.8	222	Yes
11	5320	18	9.8	446	No
12	5320	16	6.8	278	Yes
13	5320	18	9.5	494	Yes
14	5320	17	8.3	338	Yes
15	5320	17	7.5	228	No
16	5320	17	7.6	267	Yes
17	5320	18	9.2	235	Yes
18	5320	16	6.9	299	Yes
19	5320	17	8	247	Yes
20	5320	18	9.6	416	Yes
21	5320	16	7.2	237	Yes
22	5320	18	8.7	308	No
23	5320	17	8.3	496	Yes
24	5320	16	6.2	274	Yes
25	5320	17	7.6	311	Yes
26	5320	17	8.4	472	Yes
27	5320	17	8.4	453	Yes
28	5320	18	9.3	298	Yes
29	5320	16	6.6	217	Yes
30	5320	16	6.1	488	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.1.4 Radar Type4 for 5320MHz

Data Sheet for FCC Radar Type 4					
Trial	VSG Frequency (MHz)	Number Pulses per Burst (12-16)	Pulse Width (11-20)	PRI (200-500)	Successful Detection
			(μ s)	(μ s)	(Yes/No)
1	5320	13	14.4	224	No
2	5320	15	17.9	280	No
3	5320	16	19.3	402	Yes
4	5320	13	14.1	359	Yes
5	5320	16	19.9	292	Yes
6	5320	15	18.1	203	Yes
7	5320	16	18.4	287	No
8	5320	16	18.8	344	No
9	5320	12	12.4	439	Yes
10	5320	12	12.8	222	Yes
11	5320	16	19.6	446	Yes
12	5320	13	12.8	278	Yes
13	5320	16	18.9	494	No
14	5320	14	16.2	338	Yes
15	5320	13	14.4	228	Yes
16	5320	14	14.7	267	No
17	5320	15	18.2	235	Yes
18	5320	13	13.1	299	Yes
19	5320	14	15.5	247	Yes
20	5320	16	19.1	416	Yes
21	5320	13	13.7	237	Yes
22	5320	15	17.1	308	Yes
23	5320	14	16.2	496	Yes
24	5320	12	11.6	274	No
25	5320	13	14.6	311	Yes
26	5320	15	16.5	472	Yes
27	5320	14	16.4	453	Yes
28	5320	16	18.5	298	Yes
29	5320	12	12.3	217	Yes
30	5320	12	11.2	488	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.1.5 Radar Type5_Trial1 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		1		VSG Frequency(MHz):		5320
Number of Bursts in Trial:			12		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	68.9	11	1681.1		617943
2	3	88	11	1052	1013	859342
3	3	95.7	11	1029.3	1667.3	104578
4	2	67.3	11	1487.7		346428
5	3	99.1	11	1452.9	1322.9	587685
6	3	89.1	11	1648.9	1506.9	828992
7	3	90.8	11	1346.2	1680.2	74768
8	3	93.4	11	1592.6	1767.6	316070
9	1	57.7	11			559213
10	1	59.9	11			801565
11	3	97.4	11	1441.6	1068.6	45087
12	1	60.3	11			287259
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.1.6 Radar Type5_Trial2 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		2		VSG Frequency(MHz):		5320
Number of Bursts in Trial:			17		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	93.6	17	969.4	1716.4	372179
2	2	78.7	17	1752.3		543058
3	2	68.7	17	1914.3		10817
4	2	70.5	17	995.5		181369
5	3	89.7	17	1636.3	1143.3	351073
6	1	61.7	17			523109
7	2	74.9	17	1501.1		693007
8	3	94.6	17	1718.4	1206.4	159920
9	1	65	17			331450
10	3	83.7	17	1429.3	963.3	500759
11	2	79.1	17	973.9		672324
12	1	53.3	17			139600
13	2	69.9	17	1280.1		309805
14	2	80.4	17	1420.6		480084
15	2	79.7	17	1602.3		650247
16	3	91.5	17	1146.5	1740.5	118094
17	1	57.6	17			289497
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.1.7 Radar Type5_Trial3 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		3		VSG Frequency(MHz):		5320
Number of Bursts in Trial:			19		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	51.5	19			411511
2	1	61	19			564308
3	3	91.6	19	1631.4	1188.4	86860
4	2	81.6	19	1670.4		239260
5	1	65.3	19			392765
6	2	81.8	19	1631.2		543927
7	3	84.2	19	1275.8	1031.8	68125
8	3	88.7	19	1295.3	1123.3	220331
9	1	55.9	19			374162
10	2	74.9	19	1550.1		525243
11	1	52.1	19			49598
12	3	98.3	19	909.7	1076.7	201730
13	3	86.4	19	1211.6	1585.6	353250
14	1	65	19			508142
15	3	89.6	19	1114.4	1072.4	30612
16	3	88.6	19	1753.4	1849.4	182508
17	3	85.8	19	1287.2	1281.2	334874
18	1	53.6	19			489394
19	2	70.2	19	1620.8		11905
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.1.8 Radar Type5_Trial4 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		4		VSG Frequency(MHz):		5320
Number of Bursts in Trial:			12		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	88.3	10	1177.7	1640.7	260329
2	2	76.4	10	1689.6		502548
3	3	84.4	10	1402.6	941.6	743815
4	1	64.7	10			987311
5	3	88.2	10	1458.8	1779.8	230494
6	3	91.4	10	928.6	1900.6	471969
7	2	82.7	10	1272.3		714795
8	3	85.2	10	1602.8	1675.8	954494
9	1	58.9	10			201374
10	3	92.3	10	1458.7	1703.7	441971
11	3	97.5	10	1335.5	1091.5	684282
12	2	68.6	10	1029.4		927279
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.1.9 Radar Type5_Trial5 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		5		VSG Frequency(MHz):		5320
Number of Bursts in Trial:			20		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	59.3	20			102927
2	3	99.4	20	1836.6	921.6	246644
3	3	85.7	20	1647.3	1582.3	390981
4	1	56.1	20			538295
5	3	99	20	965	1547	84528
6	1	55.8	20			230090
7	2	78.8	20	1791.2		374178
8	2	78.2	20	1715.8		518759
9	3	97	20	1485	1539	66687
10	3	84.6	20	1140.4	1175.4	211447
11	2	81.8	20	1173.2		356898
12	3	83.7	20	961.3	960.3	501030
13	3	86.9	20	1498.1	1220.1	49003
14	2	72.7	20	1033.3		193866
15	3	96.3	20	1341.7	1837.7	337464
16	2	78.6	20	1463.4		483566
17	2	68.6	20	1297.4		31259
18	3	89.5	20	952.5	1770.5	175652
19	1	64.8	20			321781
20	3	84.1	20	1721.9	1777.9	463830

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.1.10 Radar Type5_Trial6 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		6		VSG Frequency(MHz):		5320
Number of Bursts in Trial:			18		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	76.8	17	1693.2		14896
2	1	59.5	17			176198
3	1	53.1	17			337402
4	2	81.2	17	1359.8		497510
5	2	67.2	17	942.8		659183
6	3	96.3	17	1819.7	1654.7	155488
7	1	53.4	17			317715
8	3	90.3	17	1045.7	949.7	477431
9	2	82.7	17	1396.3		639297
10	3	96.6	17	992.4	1117.4	136110
11	2	75.3	17	1474.7		297217
12	3	96.5	17	1714.5	1509.5	456813
13	1	58.5	17			620514
14	1	56.3	17			116614
15	3	92.9	17	1572.1	1485.1	276831
16	3	98.9	17	902.1	1008.1	437777
17	1	50.6	17			600241
18	1	58.8	17			96833
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.1.11 Radar Type5_Trial7 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		7		VSG Frequency(MHz):		5320
Number of Bursts in Trial:			18		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	90.6	18	1576.4	1397.4	256835
2	2	82.7	18	1114.3		418833
3	1	57	18			580460
4	2	75.4	18	1890.6		76659
5	2	73.3	18	1748.7		237648
6	1	53.7	18			399393
7	3	94.7	18	1885.3	1624.3	557637
8	1	50.6	18			57017
9	2	77.9	18	1313.1		217820
10	1	65.4	18			379468
11	3	95.1	18	1413.9	1230.9	539081
12	1	54	18			37183
13	1	66.6	18			198515
14	2	69.4	18	930.6		359340
15	2	77.4	18	1108.6		519926
16	1	63.3	18			17290
17	3	91.9	18	1585.1	1889.1	177572
18	3	99.9	18	925.1	1427.1	338443
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.1.12 Radar Type5_Trial8 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		8		VSG Frequency(MHz):		5320
Number of Bursts in Trial:			19		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	96.3	18	1566.7	1569.7	472025
2	1	54.4	18			627541
3	3	88.9	18	1234.1	1195.1	149816
4	1	52.7	18			303085
5	1	52.3	18			456230
6	3	88.5	18	1488.5	1069.5	606094
7	3	95.6	18	1103.4	1732.4	130870
8	1	50.3	18			284473
9	1	59.2	18			436853
10	3	85.3	18	1203.7	1369.7	587653
11	2	75.2	18	1828.8		112462
12	2	80.5	18	1159.5		265216
13	2	79.9	18	1869.1		417115
14	3	97.5	18	1820.5	1530.5	568080
15	2	78	18	1201		93690
16	1	59.7	18			246863
17	3	99	18	1294	1371	397446
18	2	82.2	18	1429.8		550886
19	2	77	18	1442		74864
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.1.13 Radar Type5_Trial9 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		9		VSG Frequency(MHz):		5320
Number of Bursts in Trial:			10		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	51.3	7			433522
2	3	86.2	7	992.8	1638.8	722269
3	3	99.5	7	1817.5	950.5	1012095
4	3	86.6	7	1377.4	1766.4	106736
5	1	66.5	7			397689
6	2	68.3	7	1881.7		687236
7	3	88.1	7	1794.9	1901.9	975499
8	3	95.2	7	1741.8	1157.8	71006
9	2	78.7	7	1008.3		361662
10	2	80	7	1700		651472
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.1.14 Radar Type5_Trial10 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		10		VSG Frequency(MHz):		5320
Number of Bursts in Trial:			10		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	55.9	8			943154
2	2	69	8	1358		35356
3	3	95.2	8	936.8	1530.8	325379
4	1	64.5	8			616650
5	3	93.1	8	1134.9	1372.9	905480
6	1	52.6	8			1197677
7	3	96.2	8	1050.8	1497.8	289494
8	2	70	8	1705		580073
9	3	87.9	8	1232.1	1374.1	869786
10	2	80.4	8	1000.6		1161584
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.1.15 Radar Type5_Trial11 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		11		VSG Frequency(MHz):		5319.2675
Number of Bursts in Trial:			20		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	68.6	20	1288.4		126787
2	2	79.9	20	995.1		271916
3	2	73	20	1657		416122
4	3	94.6	20	1413.4	1653.4	559426
5	1	59.3	20			109132
6	2	75.5	20	1541.5		253712
7	3	97.5	20	1180.5	1152.5	398043
8	3	85.5	20	992.5	1714.5	541850
9	3	97.7	20	1728.3	1179.3	90897
10	2	76	20	1804		235545
11	1	56.8	20			381629
12	2	70.4	20	1188.6		525720
13	3	95.3	20	1470.7	1243.7	73056
14	3	86.4	20	1090.6	1080.6	217840
15	3	90.5	20	1832.5	1017.5	361937
16	1	63.7	20			509049
17	3	96.8	20	1073.2	1804.2	55306
18	2	67.9	20	1615.1		200311
19	2	72.3	20	1380.7		344790
20	3	84.4	20	1525.6	1764.6	488064

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.1.16 Radar Type5_Trial12 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		12		VSG Frequency(MHz):		5314.4675
Number of Bursts in Trial:			10		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	64.3	8			75471
2	3	93.3	8	1225.7	1220.7	365198
3	2	66.8	8	1490.2		656156
4	2	70.4	8	1923.6		946079
5	1	53.2	8			39639
6	1	66.2	8			330305
7	2	80	8	1813		620086
8	1	66	8			911509
9	3	86.9	8	1105.1	1200.1	3832
10	3	94.8	8	1815.2	1889.2	293528
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.1.17 Radar Type5_Trial13 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		13		VSG Frequency(MHz):		5318.4675
Number of Bursts in Trial:			19		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	81.8	18	1020.2		306970
2	3	89.8	18	1185.2	1060.2	458950
3	1	61	18			613306
4	1	51.7	18			135996
5	1	58.4	18			288845
6	2	71.4	18	1468.6		440572
7	1	63.1	18			594809
8	1	54.9	18			117262
9	2	77.3	18	1239.7		269369
10	3	91.1	18	1521.9	1229.9	420697
11	2	70.9	18	1820.1		573885
12	1	52.5	18			98349
13	3	97.6	18	936.4	1165.4	250395
14	1	52.6	18			403975
15	2	73.2	18	1922.8		554727
16	3	85.6	18	1477.4	1505.4	79125
17	2	73.8	18	1761.2		231687
18	1	58.8	18			385462
19	2	74	18	932		537159
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.1.18 Radar Type5_Trial14 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		14		VSG Frequency(MHz):		5316.8675
Number of Bursts in Trial:			15		Successful Detection: No	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	79.4	14	1299.6		76775
2	1	55.8	14			270754
3	2	78.3	14	1748.7		463398
4	3	97.7	14	1858.3	1783.3	655072
5	1	53.4	14			53086
6	1	66.1	14			246603
7	2	75.3	14	1454.7		439673
8	1	63.1	14			634171
9	1	52.6	14			29234
10	3	91.3	14	1399.7	939.7	222067
11	3	93.1	14	1019.9	1417.9	415384
12	3	95.5	14	1744.5	1729.5	607637
13	2	81.5	14	1865.5		5369
14	3	98.7	14	1360.3	1847.3	198155
15	1	52.8	14			392713
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.1.19 Radar Type5_Trial15 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		15		VSG Frequency(MHz):		5315.6675
Number of Bursts in Trial:			12		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	94.3	11	1299.7	1903.7	730416
2	2	67	11	1400		974299
3	1	59.3	11			219021
4	3	93.5	11	1251.5	1503.5	459888
5	2	77.9	11	1399.1		702555
6	2	69.1	11	1177.9		944661
7	1	50.5	11			189161
8	3	91.9	11	1839.1	1050.1	430014
9	3	90.7	11	1584.3	1497.3	671355
10	2	81.2	11	1558.8		914632
11	1	63.5	11			159401
12	1	61.7	11			401445
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.1.20 Radar Type5_Trial16 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		16		VSG Frequency(MHz):		5315.6675
Number of Bursts in Trial:			13		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	95.8	11	966.2	1615.2	592509
2	1	64.2	11			817270
3	3	97.2	11	1374.8	1756.8	119113
4	2	67.7	11	1119.3		342845
5	3	92.5	11	1210.5	1525.5	564780
6	2	71.2	11	1359.8		788935
7	3	92	11	1882	976	91759
8	1	57.4	11			315603
9	3	89	11	988	1327	537748
10	1	53.4	11			762476
11	3	92.2	11	995.8	1060.8	64345
12	1	57.6	11			287957
13	3	85.7	11	1449.3	936.3	510062
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.1.21 Radar Type5_Trial17 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		17		VSG Frequency(MHz):		5318.0675
Number of Bursts in Trial:			18		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	83.2	17	1036.8		529785
2	1	58.3	17			26706
3	1	60.5	17			188158
4	1	63.6	17			349227
5	3	84.2	17	1852.8	1890.8	507679
6	3	95.7	17	1737.3	1904.3	6799
7	3	89.5	17	917.5	1089.5	167522
8	1	53.9	17			329653
9	3	94.8	17	1139.2	1275.2	488605
10	1	58.3	17			652378
11	1	56.1	17			148288
12	2	76.2	17	1446.8		308712
13	2	80.3	17	1113.7		469774
14	2	80.9	17	1097.1		631293
15	1	54.9	17			128377
16	2	78.8	17	1817.2		288698
17	1	63.9	17			450946
18	3	87.7	17	1521.3	1258.3	609861
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.1.22 Radar Type5_Trial18 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		18		VSG Frequency(MHz):		5314.4675
Number of Bursts in Trial:			11		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	66.4	8			177857
2	3	89.9	8	1665.1	913.1	440833
3	1	54.3	8			706454
4	2	79.5	8	1915.5		968919
5	3	98.9	8	1226.1	973.1	144967
6	1	55.4	8			409280
7	2	73.5	8	1419.5		672494
8	1	50.6	8			938111
9	2	74.2	8	1353.8		112488
10	3	89.5	8	1248.5	1537.5	375911
11	3	91.2	8	1524.8	1651.8	639014
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.1.23 Radar Type5_Trial19 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		19		VSG Frequency(MHz):		5316.0675
Number of Bursts in Trial:			14		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	63.9	12			711278
2	3	90.8	12	1614.2	1324.2	62738
3	2	74.9	12	1461.1		269861
4	1	51.7	12			477711
5	1	57.8	12			685299
6	3	94.8	12	1266.2	1856.2	37241
7	1	60.8	12			244931
8	3	90.1	12	1295.9	1178.9	451119
9	2	78.2	12	1569.8		658470
10	1	56.5	12			11823
11	3	85.6	12	1366.4	1838.4	218543
12	2	74.1	12	1359.9		426237
13	1	57.8	12			634681
14	1	51	12			842213
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.1.24 Radar Type5_Trial20 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		20		VSG Frequency(MHz):		5318.8675
Number of Bursts in Trial:			19	Successful Detection:		No
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	55.8	19			142763
2	3	91	19	1038	1478	294070
3	3	91.6	19	1763.4	1475.4	445599
4	1	62.1	19			600983
5	3	90.3	19	1562.7	1214.7	123268
6	3	87.1	19	939.9	1881.9	275165
7	2	78.7	19	1475.3		428485
8	2	75	19	1118		581376
9	1	65.8	19			105086
10	2	75.7	19	1456.3		257431
11	2	67.7	19	1733.3		409380
12	2	81.3	19	1478.7		562018
13	1	53.6	19			86190
14	1	59.4	19			239111
15	1	55	19			392159
16	3	90.2	19	1711.8	1665.8	541677
17	3	83.5	19	1791.5	1274.5	67101
18	2	71.4	19	1176.6		219633
19	3	100	19	905	1376	371411
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.1.25 Radar Type5_Trial21 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		21		VSG Frequency(MHz):		5325.1325
Number of Bursts in Trial:			11		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	62.7	9			909518
2	2	80.8	9	1814.2		83873
3	2	67.6	9	1297.4		347809
4	2	81.3	9	1650.7		611534
5	2	74.4	9	968.6		875939
6	2	72.5	9	992.5		51393
7	3	86.2	9	1617.8	1433.8	314764
8	3	94.2	9	1466.8	1378.8	578499
9	3	88.8	9	1774.2	1700.2	841368
10	3	85.8	9	1855.2	1289.2	18837
11	2	81.1	9	1608.9		282778
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.1.26 Radar Type5_Trial22 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		22		VSG Frequency(MHz):		5322.7325
Number of Bursts in Trial:			16		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	80.9	15	1766.1		374961
2	1	65.7	15			557868
3	3	96.6	15	1775.4	1762.4	735863
4	2	78.5	15	1779.5		171679
5	3	93.1	15	1603.9	1268.9	352020
6	1	64.4	15			535563
7	2	82	15	1109		715237
8	3	88.6	15	1087.4	1124.4	149231
9	3	84	15	1122	1808	329975
10	1	52.3	15			512692
11	1	62.5	15			694536
12	3	88.9	15	1120.1	1052.1	127060
13	2	74.9	15	1598.1		308165
14	3	99.2	15	1010.8	1445.8	488879
15	3	84	15	1858	1624	668805
16	2	76.5	15	1481.5		104899
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.1.27 Radar Type5_Trial23 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		23		VSG Frequency(MHz):		5323.1325
Number of Bursts in Trial:			15		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	91.1	14	1722.9	1481.9	304419
2	1	51.3	14			499595
3	3	85	14	1105	1782	690348
4	3	88.1	14	1704.9	926.9	87900
5	2	73	14	1153		281441
6	1	64.1	14			475687
7	2	74.1	14	1130.9		668244
8	3	95.1	14	1060.9	1166.9	64207
9	2	70.2	14	1365.8		257527
10	3	88.3	14	1555.7	1165.7	450074
11	1	59.7	14			645660
12	2	67.1	14	1851.9		40439
13	3	89.6	14	1722.4	1065.4	233388
14	1	54	14			427634
15	3	93	14	1594	1399	618905
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.1.28 Radar Type5_Trial24 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		24		VSG Frequency(MHz):		5326.3325
Number of Bursts in Trial:			8		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	89.9	6	1809.1	1078.1	31236
2	3	89.3	6	1352.7	1568.7	393920
3	3	84.7	6	1789.3	1173.3	756463
4	3	94.9	6	1669.1	1057.1	1119403
5	1	51.9	6			1484842
6	3	84.7	6	1697.3	1440.3	349153
7	2	75.1	6	1018.9		713024
8	1	66.4	6			1076628
9						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.1.29 Radar Type5_Trial25 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		25		VSG Frequency(MHz):		5324.3325
Number of Bursts in Trial:			13	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	90.7	11	1605.3	968.3	883164
2	1	58.1	11			187678
3	3	95	11	921	1808	410038
4	3	87.5	11	1516.5	1899.5	632425
5	3	97.7	11	1902.3	1446.3	854752
6	1	50.1	11			160179
7	3	92	11	1125	1869	382551
8	3	92.7	11	1090.3	1034.3	605771
9	2	82.2	11	1360.8		829111
10	3	90.5	11	1554.5	1523.5	132099
11	3	96	11	961	921	355276
12	3	95.1	11	1252.9	1474.9	577740
13	3	92.8	11	1316.2	1201.2	800647
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.1.30 Radar Type5_Trial26 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		26		VSG Frequency(MHz):		5323.1325
Number of Bursts in Trial:			15	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	53.8	14			91080
2	3	97.7	14	1167.3	1878.3	283717
3	1	58.1	14			478261
4	2	66.7	14	1144.3		671114
5	3	91.6	14	1353.4	1052.4	66962
6	1	51.4	14			261011
7	1	58.3	14			454366
8	1	54.7	14			648466
9	1	54.7	14			43343
10	1	64.8	14			236926
11	3	99	14	952	1300	429105
12	2	79.9	14	1461.1		623211
13	1	59.3	14			19499
14	2	72.7	14	1398.3		212690
15	3	99.7	14	1879.3	1471.3	404956
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.1.31 Radar Type5_Trial27 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		27		VSG Frequency(MHz):		5323.1325
Number of Bursts in Trial:			15	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	90.3	14	1281.7	1213.7	598816
2	1	54.2	14			794473
3	2	82	14	1247		188994
4	3	91.8	14	1242.2	1765.2	381665
5	1	66	14			576343
6	3	84.9	14	1015.1	1421.1	767613
7	3	94.4	14	1290.6	1302.6	164860
8	2	80	14	1544		358194
9	2	78.1	14	1251.9		551595
10	2	76.6	14	1630.4		744585
11	2	76.5	14	1126.5		141305
12	3	95	14	1714	975	334217
13	2	78.2	14	1402.8		527740
14	3	95.6	14	1018.4	1512.4	720269
15	2	77.5	14	1766.5		117502
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.1.32 Radar Type5_Trial28 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		28		VSG Frequency(MHz):		5321.5325
Number of Bursts in Trial:			18	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	76.7	18	1658.3		258838
2	3	93.7	18	1772.3	1151.3	418522
3	1	59	18			581801
4	1	50.1	18			78195
5	3	86	18	1346	1557	238562
6	3	91.7	18	956.3	1567.3	398956
7	2	76.6	18	1160.4		560757
8	2	78.2	18	1657.8		58184
9	1	60.3	18			219772
10	2	83.2	18	1732.8		379956
11	2	66.8	18	1667.2		540946
12	1	61.7	18			38489
13	3	85.9	18	1667.1	1614.1	198790
14	3	93.4	18	1601.6	1257.6	359521
15	3	96.1	18	1471.9	952.9	520627
16	1	57.6	18			18611
17	3	88.3	18	1752.7	1533.7	178897
18	2	77.5	18	1123.5		340423
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.1.33 Radar Type5_Trial29 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		29		VSG Frequency(MHz):		5325.9325
Number of Bursts in Trial:			9	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	92.4	7	1651.6	1546.6	1003419
2	1	52.4	7			1329586
3	2	78	7	1298		320241
4	1	58.4	7			643653
5	1	54.2	7			966716
6	2	79.1	7	1911.9		1287888
7	1	57.9	7			280721
8	1	59.5	7			603859
9	2	67.7	7	1886.3		925042
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.1.34 Radar Type5_Trial30 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		30		VSG Frequency(MHz):		5326.7325
Number of Bursts in Trial:			8		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	80	5	1415		1404668
2	3	90.1	5	1752.9	1360.9	270452
3	1	65.1	5			634402
4	1	56.5	5			998149
5	2	80.1	5	1359.9		1360463
6	1	59.1	5			226234
7	2	77.3	5	1772.7		588878
8	3	88.1	5	1037.9	1340.9	951215
9						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.1.35 Radar Type6 for 5320MHz

Data Sheet for FCC Radar Type 6						
Trial	Pulse Width	PRI	Pulses per Hop	Hopping Rate	Hopping Sequence Length	Successful Detection
	(μ sec)	(μ sec)		(kHz)	(msec)	(Yes/No)
1	1	333	9	0.333	300	Yes
2	1	333	9	0.333	300	Yes
3	1	333	9	0.333	300	Yes
4	1	333	9	0.333	300	Yes
5	1	333	9	0.333	300	No
6	1	333	9	0.333	300	Yes
7	1	333	9	0.333	300	No
8	1	333	9	0.333	300	Yes
9	1	333	9	0.333	300	Yes
10	1	333	9	0.333	300	Yes
11	1	333	9	0.333	300	Yes
12	1	333	9	0.333	300	Yes
13	1	333	9	0.333	300	Yes
14	1	333	9	0.333	300	Yes
15	1	333	9	0.333	300	Yes
16	1	333	9	0.333	300	Yes
17	1	333	9	0.333	300	Yes
18	1	333	9	0.333	300	Yes
19	1	333	9	0.333	300	Yes
20	1	333	9	0.333	300	Yes
21	1	333	9	0.333	300	Yes
22	1	333	9	0.333	300	Yes
23	1	333	9	0.333	300	Yes
24	1	333	9	0.333	300	Yes
25	1	333	9	0.333	300	Yes
26	1	333	9	0.333	300	Yes
27	1	333	9	0.333	300	Yes
28	1	333	9	0.333	300	Yes
29	1	333	9	0.333	300	Yes
30	1	333	9	0.333	300	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.2 HT20_5500MHz

Short Pulse Radar Type	Minimum Number of Trials	Detection(%)		Minmum Percentage of Successful Detection(%)	Pass/Fail
1	30	100		60	Pass
2	30	83.33		60	Pass
3	30	86.67		60	Pass
4	30	80		60	Pass
Aggregate (Radar Types 1-4)	120	87.5		80	Pass
Long Pulse Radar Type	Minimum Number of Trials	Each Detection(%)	Total Detection(%)	Minmum Percentage of Successful Detection(%)	Pass/Fail
5	Center:10	100	90	80	Pass
	Low Edge:10	90			
	High Edge:10	80			
Frequency Hopping Radar Type	Minimum Number of Trials	Detection(%)		Minmum Percentage of Successful Detection(%)	Pass/Fail
6	30	93.33		70	Pass

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.2.1 Radar Type1 for 5500MHz

Data Sheet for FCC Radar Type 1						
Trial	VSG Frequency (MHz)	Pulse Repetition Frequency Number (1 to 23)	Pulse Repetition Frequency	PRI	Test A/B	Successful Detection
			(Pulses Per Second)	(msec)	A/B	(Yes/No)
1	5500	8	1519.8	658	A	Yes
2	5500	4	1730.1	578	A	Yes
3	5500	12	1355	738	A	Yes
4	5500	18	1165.5	858	A	Yes
5	5500	5	1672.2	598	A	Yes
6	5500	1	1930.5	518	A	Yes
7	5500	21	1089.3	918	A	Yes
8	5500	22	1066.1	938	A	Yes
9	5500	3	1792.1	558	A	Yes
10	5500	11	1392.8	718	A	Yes
11	5500	7	1567.4	638	A	Yes
12	5500	15	1253.1	798	A	Yes
13	5500	10	1432.7	698	A	Yes
14	5500	13	1319.3	758	A	Yes
15	5500	23	326.2	3066	A	Yes
16	5500	-	1032	969	B	Yes
17	5500	-	401.9	2488	B	Yes
18	5500	-	363.5	2751	B	Yes
19	5500	-	403.4	2479	B	Yes
20	5500	-	520	1923	B	Yes
21	5500	-	389	2571	B	Yes
22	5500	-	474.8	2106	B	Yes
23	5500	-	387.1	2583	B	Yes
24	5500	-	675.7	1480	B	Yes
25	5500	-	419.3	2385	B	Yes
26	5500	-	841	1189	B	Yes
27	5500	-	544.7	1836	B	Yes
28	5500	-	357.7	2796	B	Yes
29	5500	-	332.7	3006	B	Yes
30	5500	-	1524.4	656	B	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.2.2 Radar Type2 for 5500MHz

Data Sheet for FCC Radar Type 2					
Trial	VSG Frequency (MHz)	Number Pulses per Burst (23-29)	Pulse Width (1-5)	PRI (150-230)	Successful Detection
			(μ s)	(μ s)	(Yes/No)
1	5500	25	2.5	162	Yes
2	5500	28	4.1	167	No
3	5500	29	4.7	224	Yes
4	5500	25	2.4	158	No
5	5500	29	5	230	Yes
6	5500	28	4.2	223	Yes
7	5500	28	4.3	152	Yes
8	5500	29	4.5	222	Yes
9	5500	24	1.6	196	Yes
10	5500	24	1.8	186	Yes
11	5500	29	4.8	194	Yes
12	5500	24	1.8	191	Yes
13	5500	29	4.5	189	Yes
14	5500	27	3.3	164	Yes
15	5500	25	2.5	166	Yes
16	5500	25	2.6	212	No
17	5500	28	4.2	204	Yes
18	5500	24	1.9	170	Yes
19	5500	26	3	221	No
20	5500	29	4.6	183	Yes
21	5500	25	2.2	154	Yes
22	5500	27	3.7	178	Yes
23	5500	27	3.3	157	No
24	5500	23	1.2	229	Yes
25	5500	25	2.6	202	Yes
26	5500	27	3.4	185	Yes
27	5500	27	3.4	159	Yes
28	5500	28	4.3	207	Yes
29	5500	24	1.6	188	Yes
30	5500	23	1.1	171	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.2.3 Radar Type3 for 5500MHz

Data Sheet for FCC Radar Type 3					
Trial	VSG Frequency (MHz)	Number Pulses per Burst (16-18)	Pulse Width (6-10)	PRI (200-500)	Successful Detection
			(μ s)	(μ s)	(Yes/No)
1	5500	17	7.5	224	Yes
2	5500	18	9.1	280	No
3	5500	18	9.7	402	Yes
4	5500	17	7.4	359	Yes
5	5500	18	10	292	Yes
6	5500	18	9.2	203	Yes
7	5500	18	9.3	287	No
8	5500	18	9.5	344	Yes
9	5500	16	6.6	439	Yes
10	5500	16	6.8	222	Yes
11	5500	18	9.8	446	Yes
12	5500	16	6.8	278	Yes
13	5500	18	9.5	494	Yes
14	5500	17	8.3	338	Yes
15	5500	17	7.5	228	Yes
16	5500	17	7.6	267	Yes
17	5500	18	9.2	235	Yes
18	5500	16	6.9	299	No
19	5500	17	8	247	Yes
20	5500	18	9.6	416	Yes
21	5500	16	7.2	237	Yes
22	5500	18	8.7	308	Yes
23	5500	17	8.3	496	Yes
24	5500	16	6.2	274	Yes
25	5500	17	7.6	311	Yes
26	5500	17	8.4	472	Yes
27	5500	17	8.4	453	No
28	5500	18	9.3	298	Yes
29	5500	16	6.6	217	Yes
30	5500	16	6.1	488	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.2.4 Radar Type4 for 5500MHz

Data Sheet for FCC Radar Type 4					
Trial	VSG Frequency (MHz)	Number Pulses per Burst (12-16)	Pulse Width (11-20)	PRI (200-500)	Successful Detection
			(μ s)	(μ s)	(Yes/No)
1	5500	13	14.4	224	Yes
2	5500	15	17.9	280	Yes
3	5500	16	19.3	402	Yes
4	5500	13	14.1	359	No
5	5500	16	19.9	292	Yes
6	5500	15	18.1	203	Yes
7	5500	16	18.4	287	Yes
8	5500	16	18.8	344	No
9	5500	12	12.4	439	No
10	5500	12	12.8	222	Yes
11	5500	16	19.6	446	Yes
12	5500	13	12.8	278	Yes
13	5500	16	18.9	494	Yes
14	5500	14	16.2	338	Yes
15	5500	13	14.4	228	Yes
16	5500	14	14.7	267	Yes
17	5500	15	18.2	235	No
18	5500	13	13.1	299	Yes
19	5500	14	15.5	247	Yes
20	5500	16	19.1	416	Yes
21	5500	13	13.7	237	Yes
22	5500	15	17.1	308	Yes
23	5500	14	16.2	496	No
24	5500	12	11.6	274	Yes
25	5500	13	14.6	311	Yes
26	5500	15	16.5	472	Yes
27	5500	14	16.4	453	Yes
28	5500	16	18.5	298	Yes
29	5500	12	12.3	217	No
30	5500	12	11.2	488	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.2.5 Radar Type5_Trial1 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		1		VSG Frequency(MHz):		5500
Number of Bursts in Trial:			12		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	68.9	11	1681.1		617943
2	3	88	11	1052	1013	859342
3	3	95.7	11	1029.3	1667.3	104578
4	2	67.3	11	1487.7		346428
5	3	99.1	11	1452.9	1322.9	587685
6	3	89.1	11	1648.9	1506.9	828992
7	3	90.8	11	1346.2	1680.2	74768
8	3	93.4	11	1592.6	1767.6	316070
9	1	57.7	11			559213
10	1	59.9	11			801565
11	3	97.4	11	1441.6	1068.6	45087
12	1	60.3	11			287259
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.2.6 Radar Type5_Trial2 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		2		VSG Frequency(MHz):		5500
Number of Bursts in Trial:			17		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	93.6	17	969.4	1716.4	372179
2	2	78.7	17	1752.3		543058
3	2	68.7	17	1914.3		10817
4	2	70.5	17	995.5		181369
5	3	89.7	17	1636.3	1143.3	351073
6	1	61.7	17			523109
7	2	74.9	17	1501.1		693007
8	3	94.6	17	1718.4	1206.4	159920
9	1	65	17			331450
10	3	83.7	17	1429.3	963.3	500759
11	2	79.1	17	973.9		672324
12	1	53.3	17			139600
13	2	69.9	17	1280.1		309805
14	2	80.4	17	1420.6		480084
15	2	79.7	17	1602.3		650247
16	3	91.5	17	1146.5	1740.5	118094
17	1	57.6	17			289497
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.2.7 Radar Type5_Trial3 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		3		VSG Frequency(MHz):		5500
Number of Bursts in Trial:			19		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	51.5	19			411511
2	1	61	19			564308
3	3	91.6	19	1631.4	1188.4	86860
4	2	81.6	19	1670.4		239260
5	1	65.3	19			392765
6	2	81.8	19	1631.2		543927
7	3	84.2	19	1275.8	1031.8	68125
8	3	88.7	19	1295.3	1123.3	220331
9	1	55.9	19			374162
10	2	74.9	19	1550.1		525243
11	1	52.1	19			49598
12	3	98.3	19	909.7	1076.7	201730
13	3	86.4	19	1211.6	1585.6	353250
14	1	65	19			508142
15	3	89.6	19	1114.4	1072.4	30612
16	3	88.6	19	1753.4	1849.4	182508
17	3	85.8	19	1287.2	1281.2	334874
18	1	53.6	19			489394
19	2	70.2	19	1620.8		11905
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.2.8 Radar Type5_Trial4 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		4		VSG Frequency(MHz):		5500
Number of Bursts in Trial:			12		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	88.3	10	1177.7	1640.7	260329
2	2	76.4	10	1689.6		502548
3	3	84.4	10	1402.6	941.6	743815
4	1	64.7	10			987311
5	3	88.2	10	1458.8	1779.8	230494
6	3	91.4	10	928.6	1900.6	471969
7	2	82.7	10	1272.3		714795
8	3	85.2	10	1602.8	1675.8	954494
9	1	58.9	10			201374
10	3	92.3	10	1458.7	1703.7	441971
11	3	97.5	10	1335.5	1091.5	684282
12	2	68.6	10	1029.4		927279
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.2.9 Radar Type5_Trial5 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		5		VSG Frequency(MHz):		5500
Number of Bursts in Trial:			20		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	59.3	20			102927
2	3	99.4	20	1836.6	921.6	246644
3	3	85.7	20	1647.3	1582.3	390981
4	1	56.1	20			538295
5	3	99	20	965	1547	84528
6	1	55.8	20			230090
7	2	78.8	20	1791.2		374178
8	2	78.2	20	1715.8		518759
9	3	97	20	1485	1539	66687
10	3	84.6	20	1140.4	1175.4	211447
11	2	81.8	20	1173.2		356898
12	3	83.7	20	961.3	960.3	501030
13	3	86.9	20	1498.1	1220.1	49003
14	2	72.7	20	1033.3		193866
15	3	96.3	20	1341.7	1837.7	337464
16	2	78.6	20	1463.4		483566
17	2	68.6	20	1297.4		31259
18	3	89.5	20	952.5	1770.5	175652
19	1	64.8	20			321781
20	3	84.1	20	1721.9	1777.9	463830

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.2.10 Radar Type5_Trial6 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		6		VSG Frequency(MHz):		5500
Number of Bursts in Trial:			18		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	76.8	17	1693.2		14896
2	1	59.5	17			176198
3	1	53.1	17			337402
4	2	81.2	17	1359.8		497510
5	2	67.2	17	942.8		659183
6	3	96.3	17	1819.7	1654.7	155488
7	1	53.4	17			317715
8	3	90.3	17	1045.7	949.7	477431
9	2	82.7	17	1396.3		639297
10	3	96.6	17	992.4	1117.4	136110
11	2	75.3	17	1474.7		297217
12	3	96.5	17	1714.5	1509.5	456813
13	1	58.5	17			620514
14	1	56.3	17			116614
15	3	92.9	17	1572.1	1485.1	276831
16	3	98.9	17	902.1	1008.1	437777
17	1	50.6	17			600241
18	1	58.8	17			96833
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.2.11 Radar Type5_Trial7 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		7		VSG Frequency(MHz):		5500
Number of Bursts in Trial:			18		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	90.6	18	1576.4	1397.4	256835
2	2	82.7	18	1114.3		418833
3	1	57	18			580460
4	2	75.4	18	1890.6		76659
5	2	73.3	18	1748.7		237648
6	1	53.7	18			399393
7	3	94.7	18	1885.3	1624.3	557637
8	1	50.6	18			57017
9	2	77.9	18	1313.1		217820
10	1	65.4	18			379468
11	3	95.1	18	1413.9	1230.9	539081
12	1	54	18			37183
13	1	66.6	18			198515
14	2	69.4	18	930.6		359340
15	2	77.4	18	1108.6		519926
16	1	63.3	18			17290
17	3	91.9	18	1585.1	1889.1	177572
18	3	99.9	18	925.1	1427.1	338443
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.2.12 Radar Type5_Trial8 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		8		VSG Frequency(MHz):		5500
Number of Bursts in Trial:			19		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	96.3	18	1566.7	1569.7	472025
2	1	54.4	18			627541
3	3	88.9	18	1234.1	1195.1	149816
4	1	52.7	18			303085
5	1	52.3	18			456230
6	3	88.5	18	1488.5	1069.5	606094
7	3	95.6	18	1103.4	1732.4	130870
8	1	50.3	18			284473
9	1	59.2	18			436853
10	3	85.3	18	1203.7	1369.7	587653
11	2	75.2	18	1828.8		112462
12	2	80.5	18	1159.5		265216
13	2	79.9	18	1869.1		417115
14	3	97.5	18	1820.5	1530.5	568080
15	2	78	18	1201		93690
16	1	59.7	18			246863
17	3	99	18	1294	1371	397446
18	2	82.2	18	1429.8		550886
19	2	77	18	1442		74864
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.2.13 Radar Type5_Trial9 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		9		VSG Frequency(MHz):		5500
Number of Bursts in Trial:			10		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	51.3	7			433522
2	3	86.2	7	992.8	1638.8	722269
3	3	99.5	7	1817.5	950.5	1012095
4	3	86.6	7	1377.4	1766.4	106736
5	1	66.5	7			397689
6	2	68.3	7	1881.7		687236
7	3	88.1	7	1794.9	1901.9	975499
8	3	95.2	7	1741.8	1157.8	71006
9	2	78.7	7	1008.3		361662
10	2	80	7	1700		651472
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.2.14 Radar Type5_Trial10 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		10		VSG Frequency(MHz):		5500
Number of Bursts in Trial:			10		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	55.9	8			943154
2	2	69	8	1358		35356
3	3	95.2	8	936.8	1530.8	325379
4	1	64.5	8			616650
5	3	93.1	8	1134.9	1372.9	905480
6	1	52.6	8			1197677
7	3	96.2	8	1050.8	1497.8	289494
8	2	70	8	1705		580073
9	3	87.9	8	1232.1	1374.1	869786
10	2	80.4	8	1000.6		1161584
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.2.15 Radar Type5_Trial11 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		11		VSG Frequency(MHz):		5499.3175
Number of Bursts in Trial:			20		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	68.6	20	1288.4		126787
2	2	79.9	20	995.1		271916
3	2	73	20	1657		416122
4	3	94.6	20	1413.4	1653.4	559426
5	1	59.3	20			109132
6	2	75.5	20	1541.5		253712
7	3	97.5	20	1180.5	1152.5	398043
8	3	85.5	20	992.5	1714.5	541850
9	3	97.7	20	1728.3	1179.3	90897
10	2	76	20	1804		235545
11	1	56.8	20			381629
12	2	70.4	20	1188.6		525720
13	3	95.3	20	1470.7	1243.7	73056
14	3	86.4	20	1090.6	1080.6	217840
15	3	90.5	20	1832.5	1017.5	361937
16	1	63.7	20			509049
17	3	96.8	20	1073.2	1804.2	55306
18	2	67.9	20	1615.1		200311
19	2	72.3	20	1380.7		344790
20	3	84.4	20	1525.6	1764.6	488064

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.2.16 Radar Type5_Trial12 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		12		VSG Frequency(MHz):		5494.5175
Number of Bursts in Trial:			10		Successful Detection: No	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	64.3	8			75471
2	3	93.3	8	1225.7	1220.7	365198
3	2	66.8	8	1490.2		656156
4	2	70.4	8	1923.6		946079
5	1	53.2	8			39639
6	1	66.2	8			330305
7	2	80	8	1813		620086
8	1	66	8			911509
9	3	86.9	8	1105.1	1200.1	3832
10	3	94.8	8	1815.2	1889.2	293528
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.2.17 Radar Type5_Trial13 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		13		VSG Frequency(MHz):		5498.5175
Number of Bursts in Trial:			19		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	81.8	18	1020.2		306970
2	3	89.8	18	1185.2	1060.2	458950
3	1	61	18			613306
4	1	51.7	18			135996
5	1	58.4	18			288845
6	2	71.4	18	1468.6		440572
7	1	63.1	18			594809
8	1	54.9	18			117262
9	2	77.3	18	1239.7		269369
10	3	91.1	18	1521.9	1229.9	420697
11	2	70.9	18	1820.1		573885
12	1	52.5	18			98349
13	3	97.6	18	936.4	1165.4	250395
14	1	52.6	18			403975
15	2	73.2	18	1922.8		554727
16	3	85.6	18	1477.4	1505.4	79125
17	2	73.8	18	1761.2		231687
18	1	58.8	18			385462
19	2	74	18	932		537159
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.2.18 Radar Type5_Trial14 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		14		VSG Frequency(MHz):		5496.9175
Number of Bursts in Trial:			15	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	79.4	14	1299.6		76775
2	1	55.8	14			270754
3	2	78.3	14	1748.7		463398
4	3	97.7	14	1858.3	1783.3	655072
5	1	53.4	14			53086
6	1	66.1	14			246603
7	2	75.3	14	1454.7		439673
8	1	63.1	14			634171
9	1	52.6	14			29234
10	3	91.3	14	1399.7	939.7	222067
11	3	93.1	14	1019.9	1417.9	415384
12	3	95.5	14	1744.5	1729.5	607637
13	2	81.5	14	1865.5		5369
14	3	98.7	14	1360.3	1847.3	198155
15	1	52.8	14			392713
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.2.19 Radar Type5_Trial15 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		15		VSG Frequency(MHz):		5495.7175
Number of Bursts in Trial:			12		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	94.3	11	1299.7	1903.7	730416
2	2	67	11	1400		974299
3	1	59.3	11			219021
4	3	93.5	11	1251.5	1503.5	459888
5	2	77.9	11	1399.1		702555
6	2	69.1	11	1177.9		944661
7	1	50.5	11			189161
8	3	91.9	11	1839.1	1050.1	430014
9	3	90.7	11	1584.3	1497.3	671355
10	2	81.2	11	1558.8		914632
11	1	63.5	11			159401
12	1	61.7	11			401445
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.2.20 Radar Type5_Trial16 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		16		VSG Frequency(MHz):		5495.7175
Number of Bursts in Trial:			13	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	95.8	11	966.2	1615.2	592509
2	1	64.2	11			817270
3	3	97.2	11	1374.8	1756.8	119113
4	2	67.7	11	1119.3		342845
5	3	92.5	11	1210.5	1525.5	564780
6	2	71.2	11	1359.8		788935
7	3	92	11	1882	976	91759
8	1	57.4	11			315603
9	3	89	11	988	1327	537748
10	1	53.4	11			762476
11	3	92.2	11	995.8	1060.8	64345
12	1	57.6	11			287957
13	3	85.7	11	1449.3	936.3	510062
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.2.21 Radar Type5_Trial17 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		17		VSG Frequency(MHz):		5498.1175
Number of Bursts in Trial:			18		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	83.2	17	1036.8		529785
2	1	58.3	17			26706
3	1	60.5	17			188158
4	1	63.6	17			349227
5	3	84.2	17	1852.8	1890.8	507679
6	3	95.7	17	1737.3	1904.3	6799
7	3	89.5	17	917.5	1089.5	167522
8	1	53.9	17			329653
9	3	94.8	17	1139.2	1275.2	488605
10	1	58.3	17			652378
11	1	56.1	17			148288
12	2	76.2	17	1446.8		308712
13	2	80.3	17	1113.7		469774
14	2	80.9	17	1097.1		631293
15	1	54.9	17			128377
16	2	78.8	17	1817.2		288698
17	1	63.9	17			450946
18	3	87.7	17	1521.3	1258.3	609861
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.2.22 Radar Type5_Trial18 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		18		VSG Frequency(MHz):		5494.5175
Number of Bursts in Trial:			11		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	66.4	8			177857
2	3	89.9	8	1665.1	913.1	440833
3	1	54.3	8			706454
4	2	79.5	8	1915.5		968919
5	3	98.9	8	1226.1	973.1	144967
6	1	55.4	8			409280
7	2	73.5	8	1419.5		672494
8	1	50.6	8			938111
9	2	74.2	8	1353.8		112488
10	3	89.5	8	1248.5	1537.5	375911
11	3	91.2	8	1524.8	1651.8	639014
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.2.23 Radar Type5_Trial19 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		19		VSG Frequency(MHz):		5496.1175
Number of Bursts in Trial:			14		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	63.9	12			711278
2	3	90.8	12	1614.2	1324.2	62738
3	2	74.9	12	1461.1		269861
4	1	51.7	12			477711
5	1	57.8	12			685299
6	3	94.8	12	1266.2	1856.2	37241
7	1	60.8	12			244931
8	3	90.1	12	1295.9	1178.9	451119
9	2	78.2	12	1569.8		658470
10	1	56.5	12			11823
11	3	85.6	12	1366.4	1838.4	218543
12	2	74.1	12	1359.9		426237
13	1	57.8	12			634681
14	1	51	12			842213
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.2.24 Radar Type5_Trial20 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		20		VSG Frequency(MHz):		5498.9175
Number of Bursts in Trial:			19	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	55.8	19			142763
2	3	91	19	1038	1478	294070
3	3	91.6	19	1763.4	1475.4	445599
4	1	62.1	19			600983
5	3	90.3	19	1562.7	1214.7	123268
6	3	87.1	19	939.9	1881.9	275165
7	2	78.7	19	1475.3		428485
8	2	75	19	1118		581376
9	1	65.8	19			105086
10	2	75.7	19	1456.3		257431
11	2	67.7	19	1733.3		409380
12	2	81.3	19	1478.7		562018
13	1	53.6	19			86190
14	1	59.4	19			239111
15	1	55	19			392159
16	3	90.2	19	1711.8	1665.8	541677
17	3	83.5	19	1791.5	1274.5	67101
18	2	71.4	19	1176.6		219633
19	3	100	19	905	1376	371411
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.2.25 Radar Type5_Trial21 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		21		VSG Frequency(MHz):		5505.0825
Number of Bursts in Trial:			11		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	62.7	9			909518
2	2	80.8	9	1814.2		83873
3	2	67.6	9	1297.4		347809
4	2	81.3	9	1650.7		611534
5	2	74.4	9	968.6		875939
6	2	72.5	9	992.5		51393
7	3	86.2	9	1617.8	1433.8	314764
8	3	94.2	9	1466.8	1378.8	578499
9	3	88.8	9	1774.2	1700.2	841368
10	3	85.8	9	1855.2	1289.2	18837
11	2	81.1	9	1608.9		282778
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.2.26 Radar Type5_Trial22 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		22		VSG Frequency(MHz):		5502.6825
Number of Bursts in Trial:			16	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	80.9	15	1766.1		374961
2	1	65.7	15			557868
3	3	96.6	15	1775.4	1762.4	735863
4	2	78.5	15	1779.5		171679
5	3	93.1	15	1603.9	1268.9	352020
6	1	64.4	15			535563
7	2	82	15	1109		715237
8	3	88.6	15	1087.4	1124.4	149231
9	3	84	15	1122	1808	329975
10	1	52.3	15			512692
11	1	62.5	15			694536
12	3	88.9	15	1120.1	1052.1	127060
13	2	74.9	15	1598.1		308165
14	3	99.2	15	1010.8	1445.8	488879
15	3	84	15	1858	1624	668805
16	2	76.5	15	1481.5		104899
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.2.27 Radar Type5_Trial23 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		23		VSG Frequency(MHz):		5503.0825
Number of Bursts in Trial:			15	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	91.1	14	1722.9	1481.9	304419
2	1	51.3	14			499595
3	3	85	14	1105	1782	690348
4	3	88.1	14	1704.9	926.9	87900
5	2	73	14	1153		281441
6	1	64.1	14			475687
7	2	74.1	14	1130.9		668244
8	3	95.1	14	1060.9	1166.9	64207
9	2	70.2	14	1365.8		257527
10	3	88.3	14	1555.7	1165.7	450074
11	1	59.7	14			645660
12	2	67.1	14	1851.9		40439
13	3	89.6	14	1722.4	1065.4	233388
14	1	54	14			427634
15	3	93	14	1594	1399	618905
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.2.28 Radar Type5_Trial24 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		24		VSG Frequency(MHz):		5506.2825
Number of Bursts in Trial:			8		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	89.9	6	1809.1	1078.1	31236
2	3	89.3	6	1352.7	1568.7	393920
3	3	84.7	6	1789.3	1173.3	756463
4	3	94.9	6	1669.1	1057.1	1119403
5	1	51.9	6			1484842
6	3	84.7	6	1697.3	1440.3	349153
7	2	75.1	6	1018.9		713024
8	1	66.4	6			1076628
9						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.2.29 Radar Type5_Trial25 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		25		VSG Frequency(MHz):		5504.2825
Number of Bursts in Trial:			13	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	90.7	11	1605.3	968.3	883164
2	1	58.1	11			187678
3	3	95	11	921	1808	410038
4	3	87.5	11	1516.5	1899.5	632425
5	3	97.7	11	1902.3	1446.3	854752
6	1	50.1	11			160179
7	3	92	11	1125	1869	382551
8	3	92.7	11	1090.3	1034.3	605771
9	2	82.2	11	1360.8		829111
10	3	90.5	11	1554.5	1523.5	132099
11	3	96	11	961	921	355276
12	3	95.1	11	1252.9	1474.9	577740
13	3	92.8	11	1316.2	1201.2	800647
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.2.30 Radar Type5_Trial26 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		26		VSG Frequency(MHz):		5503.0825
Number of Bursts in Trial:			15	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	53.8	14			91080
2	3	97.7	14	1167.3	1878.3	283717
3	1	58.1	14			478261
4	2	66.7	14	1144.3		671114
5	3	91.6	14	1353.4	1052.4	66962
6	1	51.4	14			261011
7	1	58.3	14			454366
8	1	54.7	14			648466
9	1	54.7	14			43343
10	1	64.8	14			236926
11	3	99	14	952	1300	429105
12	2	79.9	14	1461.1		623211
13	1	59.3	14			19499
14	2	72.7	14	1398.3		212690
15	3	99.7	14	1879.3	1471.3	404956
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.2.31 Radar Type5_Trial27 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		27		VSG Frequency(MHz):		5503.0825
Number of Bursts in Trial:			15	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	90.3	14	1281.7	1213.7	598816
2	1	54.2	14			794473
3	2	82	14	1247		188994
4	3	91.8	14	1242.2	1765.2	381665
5	1	66	14			576343
6	3	84.9	14	1015.1	1421.1	767613
7	3	94.4	14	1290.6	1302.6	164860
8	2	80	14	1544		358194
9	2	78.1	14	1251.9		551595
10	2	76.6	14	1630.4		744585
11	2	76.5	14	1126.5		141305
12	3	95	14	1714	975	334217
13	2	78.2	14	1402.8		527740
14	3	95.6	14	1018.4	1512.4	720269
15	2	77.5	14	1766.5		117502
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.2.32 Radar Type5_Trial28 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		28		VSG Frequency(MHz):		5501.4825
Number of Bursts in Trial:			18	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	76.7	18	1658.3		258838
2	3	93.7	18	1772.3	1151.3	418522
3	1	59	18			581801
4	1	50.1	18			78195
5	3	86	18	1346	1557	238562
6	3	91.7	18	956.3	1567.3	398956
7	2	76.6	18	1160.4		560757
8	2	78.2	18	1657.8		58184
9	1	60.3	18			219772
10	2	83.2	18	1732.8		379956
11	2	66.8	18	1667.2		540946
12	1	61.7	18			38489
13	3	85.9	18	1667.1	1614.1	198790
14	3	93.4	18	1601.6	1257.6	359521
15	3	96.1	18	1471.9	952.9	520627
16	1	57.6	18			18611
17	3	88.3	18	1752.7	1533.7	178897
18	2	77.5	18	1123.5		340423
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.2.33 Radar Type5_Trial29 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		29		VSG Frequency(MHz):		5505.8825
Number of Bursts in Trial:			9	Successful Detection:		No
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	92.4	7	1651.6	1546.6	1003419
2	1	52.4	7			1329586
3	2	78	7	1298		320241
4	1	58.4	7			643653
5	1	54.2	7			966716
6	2	79.1	7	1911.9		1287888
7	1	57.9	7			280721
8	1	59.5	7			603859
9	2	67.7	7	1886.3		925042
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.2.34 Radar Type5_Trial30 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		30		VSG Frequency(MHz):		5506.6825
Number of Bursts in Trial:			8		Successful Detection: No	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	80	5	1415		1404668
2	3	90.1	5	1752.9	1360.9	270452
3	1	65.1	5			634402
4	1	56.5	5			998149
5	2	80.1	5	1359.9		1360463
6	1	59.1	5			226234
7	2	77.3	5	1772.7		588878
8	3	88.1	5	1037.9	1340.9	951215
9						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.2.35 Radar Type6 for 5500MHz

Data Sheet for FCC Radar Type 6						
Trial	Pulse Width	PRI	Pulses per Hop	Hopping Rate	Hopping Sequence Length	Successful Detection
	(μ sec)	(μ sec)		(kHz)	(msec)	(Yes/No)
1	1	333	9	0.333	300	Yes
2	1	333	9	0.333	300	Yes
3	1	333	9	0.333	300	Yes
4	1	333	9	0.333	300	Yes
5	1	333	9	0.333	300	Yes
6	1	333	9	0.333	300	Yes
7	1	333	9	0.333	300	Yes
8	1	333	9	0.333	300	Yes
9	1	333	9	0.333	300	Yes
10	1	333	9	0.333	300	Yes
11	1	333	9	0.333	300	Yes
12	1	333	9	0.333	300	Yes
13	1	333	9	0.333	300	Yes
14	1	333	9	0.333	300	Yes
15	1	333	9	0.333	300	Yes
16	1	333	9	0.333	300	Yes
17	1	333	9	0.333	300	Yes
18	1	333	9	0.333	300	Yes
19	1	333	9	0.333	300	Yes
20	1	333	9	0.333	300	Yes
21	1	333	9	0.333	300	Yes
22	1	333	9	0.333	300	Yes
23	1	333	9	0.333	300	Yes
24	1	333	9	0.333	300	No
25	1	333	9	0.333	300	Yes
26	1	333	9	0.333	300	Yes
27	1	333	9	0.333	300	Yes
28	1	333	9	0.333	300	Yes
29	1	333	9	0.333	300	Yes
30	1	333	9	0.333	300	No

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.3 HT40_5310MHz

Short Pulse Radar Type	Minimum Number of Trials	Detection(%)		Minmum Percentage of Successful Detection(%)	Pass/Fail
1	30	100		60	Pass
2	30	83.33		60	Pass
3	30	83.33		60	Pass
4	30	80		60	Pass
Aggregate (Radar Types 1-4)	120	86.665		80	Pass
Long Pulse Radar Type	Minimum Number of Trials	Each Detection(%)	Total Detection(%)	Minmum Percentage of Successful Detection(%)	Pass/Fail
5	Center:10	100	100	80	Pass
	Low Edge:10	100			
	High Edge:10	100			
Frequency Hopping Radar Type	Minimum Number of Trials	Detection(%)		Minmum Percentage of Successful Detection(%)	Pass/Fail
6	30	100		70	Pass

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.3.1 Radar Type1 for 5310MHz

Data Sheet for FCC Radar Type 1						
Trial	VSG Frequency (MHz)	Pulse Repetition Frequency Number (1 to 23)	Pulse Repetition Frequency	PRI	Test A/B	Successful Detection
			(Pulses Per Second)	(msec)	A/B	(Yes/No)
1	5310	18	1165.5	858	A	Yes
2	5310	3	1792.1	558	A	Yes
3	5310	20	1113.6	898	A	Yes
4	5310	11	1392.8	718	A	Yes
5	5310	17	1193.3	838	A	Yes
6	5310	22	1066.1	938	A	Yes
7	5310	14	1285.3	778	A	Yes
8	5310	15	1253.1	798	A	Yes
9	5310	21	1089.3	918	A	Yes
10	5310	23	326.2	3066	A	Yes
11	5310	2	1858.7	538	A	Yes
12	5310	4	1730.1	578	A	Yes
13	5310	5	1672.2	598	A	Yes
14	5310	16	1222.5	818	A	Yes
15	5310	10	1432.7	698	A	Yes
16	5310	-	1615.5	619	B	Yes
17	5310	-	489.7	2042	B	Yes
18	5310	-	998	1002	B	Yes
19	5310	-	616.1	1623	B	Yes
20	5310	-	338	2959	B	Yes
21	5310	-	911.6	1097	B	Yes
22	5310	-	634.9	1575	B	Yes
23	5310	-	716.3	1396	B	Yes
24	5310	-	1326.3	754	B	Yes
25	5310	-	821.7	1217	B	Yes
26	5310	-	542.3	1844	B	Yes
27	5310	-	761.6	1313	B	Yes
28	5310	-	332.8	3005	B	Yes
29	5310	-	1046	956	B	Yes
30	5310	-	836.8	1195	B	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.3.2 Radar Type2 for 5310MHz

Data Sheet for FCC Radar Type 2					
Trial	VSG Frequency (MHz)	Number Pulses per Burst (23-29)	Pulse Width (1-5)	PRI (150-230)	Successful Detection
			(μ s)	(μ s)	(Yes/No)
1	5310	29	4.5	192	Yes
2	5310	29	4.6	159	Yes
3	5310	25	2.6	194	Yes
4	5310	27	3.6	197	Yes
5	5310	24	1.7	216	No
6	5310	24	1.9	163	Yes
7	5310	28	4.5	190	Yes
8	5310	29	4.9	218	No
9	5310	27	3.7	224	Yes
10	5310	25	2.2	213	Yes
11	5310	29	4.8	204	Yes
12	5310	28	4.3	203	Yes
13	5310	23	1	219	No
14	5310	23	1.3	170	Yes
15	5310	23	1.2	191	Yes
16	5310	24	1.9	181	Yes
17	5310	29	4.6	188	Yes
18	5310	24	1.7	180	Yes
19	5310	29	4.7	164	Yes
20	5310	27	3.4	186	No
21	5310	24	1.9	154	Yes
22	5310	24	1.5	208	No
23	5310	25	2.6	215	Yes
24	5310	26	2.9	220	Yes
25	5310	29	4.9	150	Yes
26	5310	28	4.4	195	Yes
27	5310	28	4.2	162	Yes
28	5310	29	4.9	226	Yes
29	5310	26	3.1	217	Yes
30	5310	28	4	211	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.3.3 Radar Type3 for 5310MHz

Data Sheet for FCC Radar Type 3					
Trial	VSG Frequency (MHz)	Number Pulses per Burst (16-18)	Pulse Width (6-10)	PRI (200-500)	Successful Detection
			(μ s)	(μ s)	(Yes/No)
1	5310	18	9.5	287	Yes
2	5310	18	9.6	479	Yes
3	5310	17	7.6	329	Yes
4	5310	17	8.6	234	No
5	5310	16	6.7	250	Yes
6	5310	16	6.9	475	Yes
7	5310	18	9.5	214	Yes
8	5310	18	9.9	245	Yes
9	5310	18	8.7	483	No
10	5310	16	7.2	457	No
11	5310	18	9.8	331	Yes
12	5310	18	9.3	407	Yes
13	5310	16	6	400	No
14	5310	16	6.3	447	Yes
15	5310	16	6.2	273	Yes
16	5310	16	6.9	344	Yes
17	5310	18	9.6	272	Yes
18	5310	16	6.7	362	Yes
19	5310	18	9.7	297	Yes
20	5310	17	8.4	461	Yes
21	5310	16	6.9	474	Yes
22	5310	16	6.5	354	No
23	5310	17	7.6	239	Yes
24	5310	17	7.9	496	Yes
25	5310	18	9.9	332	Yes
26	5310	18	9.4	349	Yes
27	5310	18	9.2	219	Yes
28	5310	18	9.9	389	Yes
29	5310	17	8.1	412	Yes
30	5310	18	9	311	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.3.4 Radar Type4 for 5310MHz

Data Sheet for FCC Radar Type 4					
Trial	VSG Frequency (MHz)	Number Pulses per Burst (12-16)	Pulse Width (11-20)	PRI (200-500)	Successful Detection
			(μ s)	(μ s)	(Yes/No)
1	5310	16	18.8	287	No
2	5310	16	19.1	479	Yes
3	5310	14	14.7	329	Yes
4	5310	15	16.7	234	Yes
5	5310	12	12.6	250	Yes
6	5310	13	13	475	Yes
7	5310	16	18.7	214	Yes
8	5310	16	19.7	245	Yes
9	5310	15	17.1	483	Yes
10	5310	13	13.8	457	Yes
11	5310	16	19.4	331	No
12	5310	16	18.4	407	Yes
13	5310	12	11.1	400	Yes
14	5310	12	11.7	447	Yes
15	5310	12	11.4	273	Yes
16	5310	13	13.1	344	Yes
17	5310	16	19.1	272	No
18	5310	12	12.5	362	Yes
19	5310	16	19.3	297	Yes
20	5310	14	16.3	461	Yes
21	5310	13	13	474	Yes
22	5310	12	12.3	354	Yes
23	5310	13	14.6	239	Yes
24	5310	14	15.3	496	No
25	5310	16	19.8	332	Yes
26	5310	16	18.6	349	No
27	5310	15	18.1	219	Yes
28	5310	16	19.7	389	No
29	5310	14	15.7	412	Yes
30	5310	15	17.6	311	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.3.5 Radar Type5_Trial1 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		1		VSG Frequency(MHz):		5310
Number of Bursts in Trial:			19		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	93.3	18	987.7	1137.7	67203
2	3	94.8	18	1081.2	1535.2	219370
3	2	70.6	18	1179.4		372553
4	2	81.9	18	1193.1		524586
5	1	58.8	18			48695
6	1	61.5	18			201438
7	3	92.8	18	1431.2	1342.2	352539
8	3	98.1	18	1275.9	1083.9	504992
9	3	84	18	1640	1895	29698
10	1	65.5	18			182657
11	3	96.5	18	1265.5	1041.5	334080
12	3	90.8	18	1663.2	1211.2	485847
13	1	50.9	18			11033
14	1	54.1	18			163968
15	1	52.7	18			316907
16	1	61.9	18			469493
17	3	94.9	18	1514.1	1733.1	619065
18	1	58.6	18			144931
19	3	95.9	18	1388.1	1682.1	296508
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.3.6 Radar Type5_Trial2 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		2		VSG Frequency(MHz):		5310
Number of Bursts in Trial:			19		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	79.4	19	1401.6		449462
2	1	61.5	19			603498
3	1	57.2	19			126114
4	2	69.8	19	1716.2		278379
5	2	73.6	19	1659.4		430445
6	3	98.5	19	1288.5	1106.5	582689
7	3	91.9	19	1638.1	1287.1	106763
8	3	89.4	19	1603.6	1772.6	258808
9	3	98.3	19	1149.7	1799.7	411138
10	2	76.4	19	1543.6		564711
11	3	86.7	19	1735.3	1179.3	88162
12	1	64.3	19			241494
13	2	67.1	19	1542.9		393028
14	1	65.1	19			546821
15	1	65.8	19			69778
16	2	78.5	19	1597.5		222112
17	1	59.2	19			375500
18	2	71.2	19	1345.8		527340
19	2	79.1	19	1611.9		50782
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.3.7 Radar Type5_Trial3 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		3		VSG Frequency(MHz):		5310
Number of Bursts in Trial:			13		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	90.3	11	1399.7	1481.7	296956
2	3	87.4	11	1735.6	940.6	520106
3	3	88.2	11	1910.8	1394.8	742506
4	3	89.5	11	1798.5	1198.5	46767
5	1	53.7	11			270428
6	1	57.9	11			494135
7	2	80.3	11	1452.7		716383
8	3	84.4	11	1735.6	1560.6	19318
9	1	51.6	11			242882
10	3	90.3	11	1139.7	1484.7	465060
11	1	56.5	11			690074
12	2	76.2	11	1612.8		912121
13	3	84.1	11	1253.9	1853.9	214698
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.3.8 Radar Type5_Trial4 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		4		VSG Frequency(MHz):		5310
Number of Bursts in Trial:			16		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	90.3	15	1527.7	1080.7	354923
2	2	77.4	15	933.6		537212
3	1	66.3	15			719403
4	3	88.3	15	1710.7	996.7	151876
5	3	86	15	1185	1365	332801
6	2	74.9	15	945.1		514970
7	3	97	15	1410	1691	693842
8	3	83.5	15	1683.5	1828.5	129503
9	2	66.9	15	1365.1		311338
10	2	72.2	15	1692.8		492269
11	3	94.5	15	1676.5	1499.5	671381
12	2	71.6	15	989.4		107710
13	3	97.4	15	1172.6	1019.6	288452
14	1	51.2	15			470742
15	2	79.4	15	1823.6		650521
16	2	75.6	15	1826.4		85249
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.3.9 Radar Type5_Trial5 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		5		VSG Frequency(MHz):		5310
Number of Bursts in Trial:			10		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	85.2	7	1307.8	1459.8	426390
2	2	75.7	7	1578.3		717013
3	3	93.6	7	1722.4	1330.4	1006414
4	3	90.8	7	1883.2	1095.2	100831
5	1	65.7	7			391661
6	2	68.3	7	1766.7		681264
7	1	58.5	7			973098
8	3	91.2	7	1269.8	1298.8	65116
9	2	72	7	1635		355408
10	1	53.5	7			646748
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						463830

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.3.10 Radar Type5_Trial6 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		6		VSG Frequency(MHz):		5310
Number of Bursts in Trial:			10		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	61.9	8			937468
2	3	93.4	8	1857.6	1772.6	29371
3	1	64	8			320059
4	3	90.3	8	1300.7	1534.7	609161
5	3	99.2	8	1091.8	1443.8	899681
6	3	91.8	8	1320.2	1489.2	1189330
7	1	50.1	8			284237
8	1	52.5	8			575048
9	2	74	8	1731		864676
10	3	89.7	8	1636.3	1245.3	1153863
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.3.11 Radar Type5_Trial7 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		7		VSG Frequency(MHz):		5310
Number of Bursts in Trial:			19		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	98.9	18	1896.1	1114.1	129933
2	2	77.6	18	1417.4		282644
3	3	92.6	18	1441.4	910.4	434659
4	3	84.3	18	1115.7	1451.7	586835
5	2	74.2	18	1518.8		111485
6	3	95.7	18	1464.3	1560.3	263399
7	2	73.4	18	1730.6		416405
8	1	65.2	18			570144
9	3	93.8	18	1306.2	1026.2	92662
10	2	67.8	18	1414.2		245337
11	1	56.3	18			398689
12	1	56.7	18			551059
13	1	50.8	18			74172
14	1	58.7	18			226872
15	1	66.4	18			379562
16	1	64.6	18			532874
17	1	63	18			55328
18	3	85.4	18	1748.6	1285.6	206971
19	2	68.3	18	1041.7		360140
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.3.12 Radar Type5_Trial8 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		8		VSG Frequency(MHz):		5310
Number of Bursts in Trial:			20		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	71.9	20	1422.1		487134
2	2	68.9	20	1274.1		34624
3	2	75.1	20	1152.9		179573
4	1	66.2	20			325110
5	2	82.4	20	1614.6		468759
6	1	63	20			16841
7	1	53.5	20			161941
8	2	69.4	20	1344.6		306486
9	2	76.6	20	1175.4		451682
10	2	73.1	20	1543.9		595504
11	1	52.7	20			144000
12	2	71.5	20	1449.5		288326
13	3	94.8	20	1814.2	1897.2	431429
14	2	77.2	20	1320.8		577928
15	3	89.7	20	1673.3	967.3	125577
16	2	76.8	20	1706.2		270492
17	1	57.5	20			416284
18	2	83.1	20	1109.9		560915
19	1	59.2	20			108295
20	1	66.6	20			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.3.13 Radar Type5_Trial9 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		9		VSG Frequency(MHz):		5310
Number of Bursts in Trial:			16		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	70.1	15	1769.9		497391
2	3	95	15	1864	1492	676569
3	3	93.4	15	1425.6	1672.6	112574
4	3	97.5	15	1611.5	1802.5	293182
5	1	54.1	15			475906
6	3	97.2	15	1759.8	1090.8	655423
7	1	55.1	15			90806
8	3	92.6	15	1071.4	1215.4	271417
9	1	55.3	15			453644
10	2	73.8	15	1545.2		633750
11	3	84.5	15	1304.5	1740.5	68117
12	2	78.7	15	990.3		249729
13	1	64.7	15			431755
14	3	84.2	15	1293.8	1476.8	610823
15	1	52	15			46068
16	2	70.8	15	1581.2		226981
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.3.14 Radar Type5_Trial10 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		10		VSG Frequency(MHz):		5310
Number of Bursts in Trial:			12		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	73.7	9	1175.3		544913
2	1	61.3	9			787904
3	1	60.2	9			31617
4	2	71.3	9	1513.7		273337
5	2	70.6	9	1760.4		514988
6	2	76.3	9	1827.7		756496
7	3	96.9	9	1258.1	946.1	1774
8	3	92.1	9	1060.9	1034.9	243476
9	3	91.1	9	1481.9	1236.9	484532
10	3	96.4	9	925.6	1199.6	726897
11	1	61.6	9			970582
12	2	79.5	9	1200.5		213770
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.3.15 Radar Type5_Trial11 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		11		VSG Frequency(MHz):		5299.5775
Number of Bursts in Trial:			20		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	61.1	19			273437
2	2	81.9	19	991.1		417782
3	1	58.8	19			563338
4	2	81.5	19	1030.5		110304
5	1	53.7	19			255811
6	2	68.8	19	1315.2		399739
7	3	98.3	19	1103.7	1775.7	543263
8	2	77	19	1089		92359
9	2	75.6	19	1553.4		237274
10	2	77.7	19	1156.3		382099
11	1	62	19			527680
12	3	85.2	19	1068.8	1160.8	74377
13	1	57.8	19			219871
14	1	61	19			365072
15	1	64	19			510518
16	1	52.7	19			56824
17	3	88.6	19	1027.4	1101.4	201105
18	2	74	19	1434		346138
19	1	56.7	19			492080
20	1	60.5	19			488064

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.3.16 Radar Type5_Trial12 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		12		VSG Frequency(MHz):		5299.1775
Number of Bursts in Trial:			18		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	75.2	18	1430.8		204204
2	2	68.9	18	1142.1		365465
3	1	53.1	18			526863
4	3	96.3	18	1033.7	1789.7	23313
5	2	72.9	18	941.1		184448
6	3	88	18	1785	1371	344279
7	3	96	18	1343	1121	505388
8	3	93.9	18	1203.1	1314.1	3522
9	3	98.2	18	1855.8	1635.8	163853
10	1	51.2	18			326144
11	1	56.4	18			487617
12	1	57.8	18			648732
13	3	85.6	18	1399.4	1354.4	144373
14	2	75.7	18	1160.3		305758
15	2	81.4	18	1365.6		466834
16	2	73.4	18	1887.6		627450
17	1	64.9	18			125048
18	1	53	18			286611
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.3.17 Radar Type5_Trial13 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		13		VSG Frequency(MHz):		5293.9775
Number of Bursts in Trial:			8		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	74.9	5	1172.1		1007777
2	3	96	5	1881	1299	1369165
3	3	86	5	1552	1458	236545
4	2	75.1	5	1033.9		600219
5	3	95.3	5	1107.7	1007.7	962187
6	3	96	5	1664	1043	1324524
7	3	99.4	5	1001.6	1463.6	192037
8	2	75	5	1587		555105
9						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.3.18 Radar Type5_Trial14 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		14		VSG Frequency(MHz):		5294.3775
Number of Bursts in Trial:			9	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	63.5	6			816834
2	1	59.6	6			1139605
3	1	62.2	6			131108
4	3	94.1	6	1458.9	1584.9	453222
5	1	53.5	6			776968
6	2	67	6	1559		1098706
7	3	89.7	6	1034.3	1832.3	91131
8	1	51	6			414231
9	1	54.3	6			737218
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.3.19 Radar Type5_Trial15 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		15		VSG Frequency(MHz):		5293.9775
Number of Bursts in Trial:			8		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	92.3	5	1279.7	1126.7	1191144
2	2	78.8	5	1468.2		57988
3	1	62.6	5			421358
4	1	58.6	5			784711
5	1	65.8	5			1148531
6	2	72.9	5	1489.1		13258
7	1	54.4	5			376687
8	2	78.9	5	1826.1		739332
9						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.3.20 Radar Type5_Trial16 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		16		VSG Frequency(MHz):		5295.1775
Number of Bursts in Trial:			11		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	74.3	8	997.7		801823
2	2	71.2	8	1214.8		1065255
3	1	54.2	8			241333
4	3	99.6	8	906.4	1396.4	504140
5	2	82.1	8	1204.9		768877
6	2	79.7	8	1605.3		1032596
7	3	90.7	8	1038.3	1378.3	208279
8	3	87.8	8	1639.2	1384.2	471675
9	3	85.6	8	1081.4	1019.4	735553
10	3	99.2	8	1268.8	1867.8	998741
11	1	60.8	8			176285
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.3.21 Radar Type5_Trial17 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		17		VSG Frequency(MHz):		5299.5775
Number of Bursts in Trial:			19	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	74.6	19	1436.4		254115
2	1	50.1	19			407394
3	2	73.6	19	1816.4		559020
4	1	57.1	19			83038
5	3	96.9	19	1868.1	1244.1	234658
6	3	98	19	1717	972	386666
7	2	74.4	19	1080.6		540752
8	3	86.4	19	1559.6	1846.6	63917
9	2	81.6	19	1803.4		216289
10	1	54	19			370169
11	3	97.7	19	1864.3	1354.3	519502
12	3	89.5	19	1860.5	1721.5	45211
13	2	68.2	19	1466.8		197826
14	3	84.6	19	1623.4	1601.4	349370
15	2	71.4	19	1255.6		502596
16	3	89.1	19	1559.9	1109.9	26500
17	3	94.7	19	1577.3	1247.3	178621
18	1	52.3	19			332278
19	3	94.4	19	987.6	1589.6	483308
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.3.22 Radar Type5_Trial18 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		18		VSG Frequency(MHz):		5294.7775
Number of Bursts in Trial:			10		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	59	7			14853
2	2	73	7	1662		305144
3	2	81.6	7	1153.4		595693
4	3	96.2	7	1309.8	1107.8	885221
5	2	70.9	7	945.1		1176518
6	2	74.7	7	1715.3		269210
7	3	95.1	7	1759.9	1904.9	558650
8	2	75.4	7	1711.6		849872
9	2	81.4	7	1015.6		1140446
10	2	80	7	1386		233583
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.3.23 Radar Type5_Trial19 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		19		VSG Frequency(MHz):		5299.5775
Number of Bursts in Trial:			19	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	71.5	19	1206.5		275204
2	1	56.3	19			428733
3	2	68	19	992		580820
4	2	67.9	19	1211.1		103913
5	2	78.8	19	1842.2		256077
6	2	76.5	19	1098.5		409146
7	1	54.2	19			562157
8	2	68.7	19	1381.3		85195
9	2	71.6	19	1075.4		237636
10	1	65.7	19			391044
11	1	60.7	19			543726
12	3	91.5	19	1590.5	1802.5	66095
13	3	86.6	19	1286.4	1743.4	218173
14	2	72.8	19	1250.2		371340
15	2	74.9	19	1531.1		523798
16	2	76.7	19	1865.3		47499
17	2	81.8	19	1724.2		199951
18	3	86.1	19	1220.9	1529.9	351802
19	1	65	19			506006
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.3.24 Radar Type5_Trial20 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		20		VSG Frequency(MHz):		5297.5775
Number of Bursts in Trial:			15	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	60.7	14			36595
2	3	90.6	14	1424.4	1423.4	229379
3	3	96.1	14	1233.9	1367.9	422646
4	3	85.5	14	1571.5	1634.5	615253
5	3	91.2	14	1750.8	1529.8	12661
6	3	90.1	14	1124.9	1049.9	205754
7	3	87.8	14	1852.2	1776.2	398344
8	3	93	14	1463	1374	591251
9	1	53.9	14			787598
10	1	52.6	14			182639
11	2	82.4	14	1257.6		375464
12	1	51.8	14			570064
13	2	72.5	14	1763.5		761861
14	3	93.1	14	1837.9	1221.9	158111
15	1	56.3	14			352508
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.3.25 Radar Type5_Trial21 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		21		VSG Frequency(MHz):		5324.8225
Number of Bursts in Trial:			10		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	60.1	8			819678
2	3	97.7	8	1503.3	1067.3	1107693
3	2	79.7	8	1147.3		202118
4	2	71.6	8	1721.4		492231
5	3	89.4	8	1437.6	951.6	781933
6	1	58.1	8			1074062
7	2	67.1	8	1483.9		166347
8	2	70.4	8	1018.6		456705
9	2	73	8	1018		747302
10	3	86.6	8	1226.4	1830.4	1035957
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.3.26 Radar Type5_Trial22 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		22		VSG Frequency(MHz):		5325.2225
Number of Bursts in Trial:			9		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	83.7	7	1455.3	1349.3	144968
2	2	67.6	7	1902.4		467780
3	3	86.5	7	1671.5	1342.5	789285
4	1	58.8	7			1114736
5	2	71.3	7	1627.7		105341
6	3	94.3	7	1782.7	1142.7	427418
7	3	93	7	1259	1210	749782
8	1	59	7			1074554
9	1	60.4	7			65693
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.3.27 Radar Type5_Trial23 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		23		VSG Frequency(MHz):		5323.6225
Number of Bursts in Trial:			13	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	70.6	11	1145.4		268770
2	3	89.4	11	1396.6	1576.6	490978
3	2	75.5	11	1535.5		714699
4	2	70.8	11	1697.2		17909
5	2	76.8	11	1446.2		241131
6	2	77.8	11	1811.2		463887
7	3	91.1	11	1093.9	1737.9	686152
8	3	83.5	11	1737.5	1692.5	908880
9	1	50.3	11			213863
10	1	66	11			437278
11	3	89.2	11	981.8	1352.8	659395
12	1	63.9	11			884918
13	3	88.2	11	928.8	1652.8	185870
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.3.28 Radar Type5_Trial24 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		24		VSG Frequency(MHz):		5323.2225
Number of Bursts in Trial:			14	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	98.5	12	1177.5	1143.5	379255
2	2	80.2	12	1868.8		586447
3	1	62.7	12			795247
4	2	77.2	12	1500.8		147224
5	3	97.1	12	1896.9	937.9	353753
6	1	60.2	12			562255
7	3	96.8	12	1467.2	1830.2	766477
8	1	56.9	12			121957
9	3	93.7	12	1697.3	936.3	328534
10	2	70.2	12	1348.8		535975
11	2	73	12	1165		743398
12	3	99	12	1430	1552	95962
13	1	57.4	12			303941
14	2	72.5	12	1283.5		510484
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.3.29 Radar Type5_Trial25 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		25		VSG Frequency(MHz):		5320.0225
Number of Bursts in Trial:			20		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	51.3	20			502736
2	3	84.1	20	1393.9	1030.9	49338
3	2	82.6	20	1873.4		194045
4	1	58.4	20			339906
5	3	89.5	20	1487.5	1452.5	482257
6	3	92.8	20	1550.2	1653.2	31468
7	1	62	20			176671
8	2	72.4	20	1181.6		321482
9	2	67	20	1583		465458
10	3	84.6	20	1480.4	1248.4	13710
11	2	76.9	20	1499.1		158604
12	1	52.8	20			304159
13	3	93.8	20	1116.2	1472.2	447306
14	3	98.3	20	1000.7	1158.7	592117
15	2	74.6	20	1525.4		140594
16	2	66.8	20	1588.2		285305
17	1	54.3	20			431589
18	3	83.9	20	1518.1	1233.1	573468
19	2	72.6	20	1414.4		122926
20	3	95.5	20	1225.5	1298.5	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.3.30 Radar Type5_Trial26 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		26		VSG Frequency(MHz):		5320.8225
Number of Bursts in Trial:			18	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	69.2	18	1516.8		458298
2	1	56.2	18			620537
3	3	96.2	18	1823.8	1061.8	116464
4	3	94.2	18	1092.8	1137.8	277481
5	3	97.3	18	1375.7	1250.7	438020
6	2	82.8	18	1506.2		599325
7	1	62.3	18			97148
8	1	53.5	18			258514
9	2	77	18	1855		418348
10	2	69.2	18	1155.8		579763
11	1	52.4	18			77217
12	2	71.9	18	1371.1		237956
13	2	69.4	18	1156.6		399247
14	1	55.2	18			560928
15	3	89.8	18	1737.2	1099.2	57117
16	3	99.4	18	1403.6	1060.6	217717
17	2	67.7	18	1469.3		379052
18	1	57.5	18			541173
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.3.31 Radar Type5_Trial27 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		27		VSG Frequency(MHz):		5321.2225
Number of Bursts in Trial:			18	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	99.7	17	1539.3	1185.3	37342
2	2	71.1	17	1440.9		198362
3	2	76.2	17	1227.8		359505
4	2	76	17	1144		520827
5	1	63.2	17			17660
6	2	78.1	17	1446.9		178608
7	1	50.3	17			340379
8	3	94.2	17	1404.8	1053.8	499948
9	1	66.4	17			663423
10	3	98.5	17	1695.5	1809.5	158134
11	2	82.3	17	1067.7		320043
12	2	76.8	17	1802.2		480571
13	1	65.8	17			643439
14	3	89.2	17	1711.8	1221.8	138628
15	2	76.3	17	1147.7		299908
16	1	61.9	17			461625
17	1	53.3	17			623366
18	3	95.1	17	1516.9	1340.9	118745
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.3.32 Radar Type5_Trial28 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		28		VSG Frequency(MHz):		5320.0225
Number of Bursts in Trial:			20		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	88	20	995	1722	251184
2	3	88.5	20	1574.5	1649.5	395558
3	1	61.2	20			543275
4	1	56.7	20			89587
5	2	80.5	20	1364.5		233951
6	1	58.4	20			380037
7	3	95.5	20	1856.5	1622.5	521772
8	3	97.9	20	1221.1	1298.1	71272
9	2	82.1	20	1237.9		216212
10	1	54.9	20			361662
11	3	83.4	20	1228.6	1336.6	504833
12	3	88.5	20	1639.5	1896.5	53445
13	1	58.5	20			198918
14	2	75.2	20	973.8		343736
15	3	99.2	20	1313.8	1860.8	486413
16	3	96.8	20	1457.2	1550.2	35715
17	3	84.2	20	1733.8	1318.8	180158
18	1	51.4	20			326249
19	2	69.3	20	1261.7		470690
20	3	93.2	20	1519.8	1383.8	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.3.33 Radar Type5_Trial29 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		29		VSG Frequency(MHz):		5322.8225
Number of Bursts in Trial:			14	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	93.1	13	1834.9	1013.9	232459
2	2	68	13	1030		439991
3	3	93.9	13	1328.1	1899.1	645520
4	1	53	13			172
5	1	66.3	13			207578
6	1	63.8	13			415251
7	2	71.3	13	928.7		622171
8	1	50.1	13			830608
9	1	53.3	13			182040
10	1	63.3	13			389641
11	3	95.7	13	1436.3	1050.3	595276
12	1	57.5	13			804236
13	1	51.9	13			156573
14	3	94.8	13	1074.2	1446.2	362776
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.3.34 Radar Type5_Trial30 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		30		VSG Frequency(MHz):		5321.6225
Number of Bursts in Trial:			17	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	61.4	16			470445
2	2	79.3	16	1045.7		639920
3	3	96.4	16	1622.6	1307.6	107312
4	3	93	16	1791	1369	277534
5	3	90.7	16	1066.3	1273.3	447599
6	2	67.8	16	1642.2		619099
7	2	80.5	16	1111.5		86694
8	1	65.4	16			257541
9	3	96	16	1220	1342	427005
10	3	95.4	16	1819.6	1361.6	596837
11	1	60.8	16			65749
12	2	77.9	16	1477.1		235991
13	3	90	16	1460	1574	405358
14	1	57.1	16			578061
15	2	77.7	16	930.3		44683
16	2	69	16	986		215092
17	1	54.9	16			386653
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.3.35 Radar Type6 for 5310MHz

Data Sheet for FCC Radar Type 6						
Trial	Pulse Width	PRI	Pulses per Hop	Hopping Rate	Hopping Sequence Length	Successful Detection
	(μ sec)	(μ sec)		(kHz)	(msec)	(Yes/No)
1	1	333	9	0.333	300	Yes
2	1	333	9	0.333	300	Yes
3	1	333	9	0.333	300	Yes
4	1	333	9	0.333	300	Yes
5	1	333	9	0.333	300	Yes
6	1	333	9	0.333	300	Yes
7	1	333	9	0.333	300	Yes
8	1	333	9	0.333	300	Yes
9	1	333	9	0.333	300	Yes
10	1	333	9	0.333	300	Yes
11	1	333	9	0.333	300	Yes
12	1	333	9	0.333	300	Yes
13	1	333	9	0.333	300	Yes
14	1	333	9	0.333	300	Yes
15	1	333	9	0.333	300	Yes
16	1	333	9	0.333	300	Yes
17	1	333	9	0.333	300	Yes
18	1	333	9	0.333	300	Yes
19	1	333	9	0.333	300	Yes
20	1	333	9	0.333	300	Yes
21	1	333	9	0.333	300	Yes
22	1	333	9	0.333	300	Yes
23	1	333	9	0.333	300	Yes
24	1	333	9	0.333	300	Yes
25	1	333	9	0.333	300	Yes
26	1	333	9	0.333	300	Yes
27	1	333	9	0.333	300	Yes
28	1	333	9	0.333	300	Yes
29	1	333	9	0.333	300	Yes
30	1	333	9	0.333	300	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.4 HT40_5510MHz

Short Pulse Radar Type	Minimum Number of Trials	Detection(%)		Minmum Percentage of Successful Detection(%)	Pass/Fail
1	30	100		60	Pass
2	30	76.67		60	Pass
3	30	83.33		60	Pass
4	30	73.33		60	Pass
Aggregate (Radar Types 1-4)	120	83.3325		80	Pass
Long Pulse Radar Type	Minimum Number of Trials	Each Detection(%)	Total Detection(%)	Minmum Percentage of Successful Detection(%)	Pass/Fail
5	Center:10	100	100	80	Pass
	Low Edge:10	100			
	High Edge:10	100			
Frequency Hopping Radar Type	Minimum Number of Trials	Detection(%)		Minmum Percentage of Successful Detection(%)	Pass/Fail
6	30	96.67		70	Pass

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.4.1 Radar Type1 for 5510MHz

Data Sheet for FCC Radar Type 1						
Trial	VSG Frequency (MHz)	Pulse Repetition Frequency Number (1 to 23)	Pulse Repetition Frequency	PRI	Test A/B	Successful Detection
			(Pulses Per Second)	(msec)	A/B	(Yes/No)
1	5510	18	1165.5	858	A	Yes
2	5510	3	1792.1	558	A	Yes
3	5510	20	1113.6	898	A	Yes
4	5510	11	1392.8	718	A	Yes
5	5510	17	1193.3	838	A	Yes
6	5510	22	1066.1	938	A	Yes
7	5510	14	1285.3	778	A	Yes
8	5510	15	1253.1	798	A	Yes
9	5510	21	1089.3	918	A	Yes
10	5510	23	326.2	3066	A	Yes
11	5510	2	1858.7	538	A	Yes
12	5510	4	1730.1	578	A	Yes
13	5510	5	1672.2	598	A	Yes
14	5510	16	1222.5	818	A	Yes
15	5510	10	1432.7	698	A	Yes
16	5510	-	1615.5	619	B	Yes
17	5510	-	489.7	2042	B	Yes
18	5510	-	998	1002	B	Yes
19	5510	-	616.1	1623	B	Yes
20	5510	-	338	2959	B	Yes
21	5510	-	911.6	1097	B	Yes
22	5510	-	634.9	1575	B	Yes
23	5510	-	716.3	1396	B	Yes
24	5510	-	1326.3	754	B	Yes
25	5510	-	821.7	1217	B	Yes
26	5510	-	542.3	1844	B	Yes
27	5510	-	761.6	1313	B	Yes
28	5510	-	332.8	3005	B	Yes
29	5510	-	1046	956	B	Yes
30	5510	-	836.8	1195	B	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.4.2 Radar Type2 for 5510MHz

Data Sheet for FCC Radar Type 2					
Trial	VSG Frequency (MHz)	Number Pulses per Burst (23-29)	Pulse Width (1-5)	PRI (150-230)	Successful Detection
			(μ s)	(μ s)	(Yes/No)
1	5510	29	4.5	192	Yes
2	5510	29	4.6	159	No
3	5510	25	2.6	194	No
4	5510	27	3.6	197	Yes
5	5510	24	1.7	216	Yes
6	5510	24	1.9	163	Yes
7	5510	28	4.5	190	Yes
8	5510	29	4.9	218	No
9	5510	27	3.7	224	Yes
10	5510	25	2.2	213	Yes
11	5510	29	4.8	204	No
12	5510	28	4.3	203	Yes
13	5510	23	1	219	No
14	5510	23	1.3	170	Yes
15	5510	23	1.2	191	Yes
16	5510	24	1.9	181	Yes
17	5510	29	4.6	188	Yes
18	5510	24	1.7	180	Yes
19	5510	29	4.7	164	Yes
20	5510	27	3.4	186	Yes
21	5510	24	1.9	154	Yes
22	5510	24	1.5	208	Yes
23	5510	25	2.6	215	Yes
24	5510	26	2.9	220	Yes
25	5510	29	4.9	150	Yes
26	5510	28	4.4	195	No
27	5510	28	4.2	162	Yes
28	5510	29	4.9	226	Yes
29	5510	26	3.1	217	Yes
30	5510	28	4	211	No

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.4.3 Radar Type3 for 5510MHz

Data Sheet for FCC Radar Type 3					
Trial	VSG Frequency (MHz)	Number Pulses per Burst (16-18)	Pulse Width (6-10)	PRI (200-500)	Successful Detection
			(μ s)	(μ s)	(Yes/No)
1	5510	18	9.5	287	No
2	5510	18	9.6	479	Yes
3	5510	17	7.6	329	Yes
4	5510	17	8.6	234	Yes
5	5510	16	6.7	250	Yes
6	5510	16	6.9	475	Yes
7	5510	18	9.5	214	Yes
8	5510	18	9.9	245	No
9	5510	18	8.7	483	Yes
10	5510	16	7.2	457	Yes
11	5510	18	9.8	331	Yes
12	5510	18	9.3	407	Yes
13	5510	16	6	400	Yes
14	5510	16	6.3	447	Yes
15	5510	16	6.2	273	Yes
16	5510	16	6.9	344	Yes
17	5510	18	9.6	272	Yes
18	5510	16	6.7	362	No
19	5510	18	9.7	297	Yes
20	5510	17	8.4	461	Yes
21	5510	16	6.9	474	No
22	5510	16	6.5	354	Yes
23	5510	17	7.6	239	Yes
24	5510	17	7.9	496	No
25	5510	18	9.9	332	Yes
26	5510	18	9.4	349	Yes
27	5510	18	9.2	219	Yes
28	5510	18	9.9	389	Yes
29	5510	17	8.1	412	Yes
30	5510	18	9	311	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.4.4 Radar Type4 for 5510MHz

Data Sheet for FCC Radar Type 4					
Trial	VSG Frequency (MHz)	Number Pulses per Burst (12-16)	Pulse Width (11-20)	PRI (200-500)	Successful Detection
			(μ s)	(μ s)	(Yes/No)
1	5510	16	18.8	287	No
2	5510	16	19.1	479	Yes
3	5510	14	14.7	329	Yes
4	5510	15	16.7	234	Yes
5	5510	12	12.6	250	Yes
6	5510	13	13	475	Yes
7	5510	16	18.7	214	No
8	5510	16	19.7	245	Yes
9	5510	15	17.1	483	No
10	5510	13	13.8	457	No
11	5510	16	19.4	331	Yes
12	5510	16	18.4	407	Yes
13	5510	12	11.1	400	Yes
14	5510	12	11.7	447	Yes
15	5510	12	11.4	273	Yes
16	5510	13	13.1	344	Yes
17	5510	16	19.1	272	Yes
18	5510	12	12.5	362	No
19	5510	16	19.3	297	No
20	5510	14	16.3	461	Yes
21	5510	13	13	474	Yes
22	5510	12	12.3	354	Yes
23	5510	13	14.6	239	Yes
24	5510	14	15.3	496	Yes
25	5510	16	19.8	332	Yes
26	5510	16	18.6	349	Yes
27	5510	15	18.1	219	Yes
28	5510	16	19.7	389	No
29	5510	14	15.7	412	Yes
30	5510	15	17.6	311	No

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.4.5 Radar Type5_Trial1 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		1		VSG Frequency(MHz):		5510
Number of Bursts in Trial:			19		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	93.3	18	987.7	1137.7	67203
2	3	94.8	18	1081.2	1535.2	219370
3	2	70.6	18	1179.4		372553
4	2	81.9	18	1193.1		524586
5	1	58.8	18			48695
6	1	61.5	18			201438
7	3	92.8	18	1431.2	1342.2	352539
8	3	98.1	18	1275.9	1083.9	504992
9	3	84	18	1640	1895	29698
10	1	65.5	18			182657
11	3	96.5	18	1265.5	1041.5	334080
12	3	90.8	18	1663.2	1211.2	485847
13	1	50.9	18			11033
14	1	54.1	18			163968
15	1	52.7	18			316907
16	1	61.9	18			469493
17	3	94.9	18	1514.1	1733.1	619065
18	1	58.6	18			144931
19	3	95.9	18	1388.1	1682.1	296508
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.4.6 Radar Type5_Trial2 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		2		VSG Frequency(MHz):		5510
Number of Bursts in Trial:			19		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	79.4	19	1401.6		449462
2	1	61.5	19			603498
3	1	57.2	19			126114
4	2	69.8	19	1716.2		278379
5	2	73.6	19	1659.4		430445
6	3	98.5	19	1288.5	1106.5	582689
7	3	91.9	19	1638.1	1287.1	106763
8	3	89.4	19	1603.6	1772.6	258808
9	3	98.3	19	1149.7	1799.7	411138
10	2	76.4	19	1543.6		564711
11	3	86.7	19	1735.3	1179.3	88162
12	1	64.3	19			241494
13	2	67.1	19	1542.9		393028
14	1	65.1	19			546821
15	1	65.8	19			69778
16	2	78.5	19	1597.5		222112
17	1	59.2	19			375500
18	2	71.2	19	1345.8		527340
19	2	79.1	19	1611.9		50782
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.4.7 Radar Type5_Trial3 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		3		VSG Frequency(MHz):		5510
Number of Bursts in Trial:			13		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	90.3	11	1399.7	1481.7	296956
2	3	87.4	11	1735.6	940.6	520106
3	3	88.2	11	1910.8	1394.8	742506
4	3	89.5	11	1798.5	1198.5	46767
5	1	53.7	11			270428
6	1	57.9	11			494135
7	2	80.3	11	1452.7		716383
8	3	84.4	11	1735.6	1560.6	19318
9	1	51.6	11			242882
10	3	90.3	11	1139.7	1484.7	465060
11	1	56.5	11			690074
12	2	76.2	11	1612.8		912121
13	3	84.1	11	1253.9	1853.9	214698
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.4.8 Radar Type5_Trial4 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		4		VSG Frequency(MHz):		5510
Number of Bursts in Trial:			16		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	90.3	15	1527.7	1080.7	354923
2	2	77.4	15	933.6		537212
3	1	66.3	15			719403
4	3	88.3	15	1710.7	996.7	151876
5	3	86	15	1185	1365	332801
6	2	74.9	15	945.1		514970
7	3	97	15	1410	1691	693842
8	3	83.5	15	1683.5	1828.5	129503
9	2	66.9	15	1365.1		311338
10	2	72.2	15	1692.8		492269
11	3	94.5	15	1676.5	1499.5	671381
12	2	71.6	15	989.4		107710
13	3	97.4	15	1172.6	1019.6	288452
14	1	51.2	15			470742
15	2	79.4	15	1823.6		650521
16	2	75.6	15	1826.4		85249
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.4.9 Radar Type5_Trial5 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		5		VSG Frequency(MHz):		5510
Number of Bursts in Trial:			10		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	85.2	7	1307.8	1459.8	426390
2	2	75.7	7	1578.3		717013
3	3	93.6	7	1722.4	1330.4	1006414
4	3	90.8	7	1883.2	1095.2	100831
5	1	65.7	7			391661
6	2	68.3	7	1766.7		681264
7	1	58.5	7			973098
8	3	91.2	7	1269.8	1298.8	65116
9	2	72	7	1635		355408
10	1	53.5	7			646748
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.4.10 Radar Type5_Trial6 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		6		VSG Frequency(MHz):		5510
Number of Bursts in Trial:			10		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	61.9	8			937468
2	3	93.4	8	1857.6	1772.6	29371
3	1	64	8			320059
4	3	90.3	8	1300.7	1534.7	609161
5	3	99.2	8	1091.8	1443.8	899681
6	3	91.8	8	1320.2	1489.2	1189330
7	1	50.1	8			284237
8	1	52.5	8			575048
9	2	74	8	1731		864676
10	3	89.7	8	1636.3	1245.3	1153863
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.4.11 Radar Type5_Trial7 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		7		VSG Frequency(MHz):		5510
Number of Bursts in Trial:			19		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	98.9	18	1896.1	1114.1	129933
2	2	77.6	18	1417.4		282644
3	3	92.6	18	1441.4	910.4	434659
4	3	84.3	18	1115.7	1451.7	586835
5	2	74.2	18	1518.8		111485
6	3	95.7	18	1464.3	1560.3	263399
7	2	73.4	18	1730.6		416405
8	1	65.2	18			570144
9	3	93.8	18	1306.2	1026.2	92662
10	2	67.8	18	1414.2		245337
11	1	56.3	18			398689
12	1	56.7	18			551059
13	1	50.8	18			74172
14	1	58.7	18			226872
15	1	66.4	18			379562
16	1	64.6	18			532874
17	1	63	18			55328
18	3	85.4	18	1748.6	1285.6	206971
19	2	68.3	18	1041.7		360140
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.4.12 Radar Type5_Trial8 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		8		VSG Frequency(MHz):		5510
Number of Bursts in Trial:			20		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	71.9	20	1422.1		487134
2	2	68.9	20	1274.1		34624
3	2	75.1	20	1152.9		179573
4	1	66.2	20			325110
5	2	82.4	20	1614.6		468759
6	1	63	20			16841
7	1	53.5	20			161941
8	2	69.4	20	1344.6		306486
9	2	76.6	20	1175.4		451682
10	2	73.1	20	1543.9		595504
11	1	52.7	20			144000
12	2	71.5	20	1449.5		288326
13	3	94.8	20	1814.2	1897.2	431429
14	2	77.2	20	1320.8		577928
15	3	89.7	20	1673.3	967.3	125577
16	2	76.8	20	1706.2		270492
17	1	57.5	20			416284
18	2	83.1	20	1109.9		560915
19	1	59.2	20			108295
20	1	66.6	20			253454

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.4.13 Radar Type5_Trial9 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		9		VSG Frequency(MHz):		5510
Number of Bursts in Trial:			16		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	70.1	15	1769.9		497391
2	3	95	15	1864	1492	676569
3	3	93.4	15	1425.6	1672.6	112574
4	3	97.5	15	1611.5	1802.5	293182
5	1	54.1	15			475906
6	3	97.2	15	1759.8	1090.8	655423
7	1	55.1	15			90806
8	3	92.6	15	1071.4	1215.4	271417
9	1	55.3	15			453644
10	2	73.8	15	1545.2		633750
11	3	84.5	15	1304.5	1740.5	68117
12	2	78.7	15	990.3		249729
13	1	64.7	15			431755
14	3	84.2	15	1293.8	1476.8	610823
15	1	52	15			46068
16	2	70.8	15	1581.2		226981
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.4.14 Radar Type5_Trial10 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		10		VSG Frequency(MHz):		5510
Number of Bursts in Trial:			12		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	73.7	9	1175.3		544913
2	1	61.3	9			787904
3	1	60.2	9			31617
4	2	71.3	9	1513.7		273337
5	2	70.6	9	1760.4		514988
6	2	76.3	9	1827.7		756496
7	3	96.9	9	1258.1	946.1	1774
8	3	92.1	9	1060.9	1034.9	243476
9	3	91.1	9	1481.9	1236.9	484532
10	3	96.4	9	925.6	1199.6	726897
11	1	61.6	9			970582
12	2	79.5	9	1200.5		213770
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.4.15 Radar Type5_Trial11 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		11		VSG Frequency(MHz):		5499.5385
Number of Bursts in Trial:			20		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	61.1	19			273437
2	2	81.9	19	991.1		417782
3	1	58.8	19			563338
4	2	81.5	19	1030.5		110304
5	1	53.7	19			255811
6	2	68.8	19	1315.2		399739
7	3	98.3	19	1103.7	1775.7	543263
8	2	77	19	1089		92359
9	2	75.6	19	1553.4		237274
10	2	77.7	19	1156.3		382099
11	1	62	19			527680
12	3	85.2	19	1068.8	1160.8	74377
13	1	57.8	19			219871
14	1	61	19			365072
15	1	64	19			510518
16	1	52.7	19			56824
17	3	88.6	19	1027.4	1101.4	201105
18	2	74	19	1434		346138
19	1	56.7	19			492080
20	1	60.5	19			38936

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.4.16 Radar Type5_Trial12 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		12		VSG Frequency(MHz):		5499.1385
Number of Bursts in Trial:			18		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	75.2	18	1430.8		204204
2	2	68.9	18	1142.1		365465
3	1	53.1	18			526863
4	3	96.3	18	1033.7	1789.7	23313
5	2	72.9	18	941.1		184448
6	3	88	18	1785	1371	344279
7	3	96	18	1343	1121	505388
8	3	93.9	18	1203.1	1314.1	3522
9	3	98.2	18	1855.8	1635.8	163853
10	1	51.2	18			326144
11	1	56.4	18			487617
12	1	57.8	18			648732
13	3	85.6	18	1399.4	1354.4	144373
14	2	75.7	18	1160.3		305758
15	2	81.4	18	1365.6		466834
16	2	73.4	18	1887.6		627450
17	1	64.9	18			125048
18	1	53	18			286611
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.4.17 Radar Type5_Trial13 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		13		VSG Frequency(MHz):		5493.9385
Number of Bursts in Trial:			8		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	74.9	5	1172.1		1007777
2	3	96	5	1881	1299	1369165
3	3	86	5	1552	1458	236545
4	2	75.1	5	1033.9		600219
5	3	95.3	5	1107.7	1007.7	962187
6	3	96	5	1664	1043	1324524
7	3	99.4	5	1001.6	1463.6	192037
8	2	75	5	1587		555105
9						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.4.18 Radar Type5_Trial14 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		14		VSG Frequency(MHz):		5494.3385
Number of Bursts in Trial:			9		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	63.5	6			816834
2	1	59.6	6			1139605
3	1	62.2	6			131108
4	3	94.1	6	1458.9	1584.9	453222
5	1	53.5	6			776968
6	2	67	6	1559		1098706
7	3	89.7	6	1034.3	1832.3	91131
8	1	51	6			414231
9	1	54.3	6			737218
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.4.19 Radar Type5_Trial15 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		15		VSG Frequency(MHz):		5493.9385
Number of Bursts in Trial:			8		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	92.3	5	1279.7	1126.7	1191144
2	2	78.8	5	1468.2		57988
3	1	62.6	5			421358
4	1	58.6	5			784711
5	1	65.8	5			1148531
6	2	72.9	5	1489.1		13258
7	1	54.4	5			376687
8	2	78.9	5	1826.1		739332
9						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.4.20 Radar Type5_Trial16 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		16		VSG Frequency(MHz):		5495.1385
Number of Bursts in Trial:			11		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	74.3	8	997.7		801823
2	2	71.2	8	1214.8		1065255
3	1	54.2	8			241333
4	3	99.6	8	906.4	1396.4	504140
5	2	82.1	8	1204.9		768877
6	2	79.7	8	1605.3		1032596
7	3	90.7	8	1038.3	1378.3	208279
8	3	87.8	8	1639.2	1384.2	471675
9	3	85.6	8	1081.4	1019.4	735553
10	3	99.2	8	1268.8	1867.8	998741
11	1	60.8	8			176285
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.4.21 Radar Type5_Trial17 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		17		VSG Frequency(MHz):		5499.5385
Number of Bursts in Trial:			19		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	74.6	19	1436.4		254115
2	1	50.1	19			407394
3	2	73.6	19	1816.4		559020
4	1	57.1	19			83038
5	3	96.9	19	1868.1	1244.1	234658
6	3	98	19	1717	972	386666
7	2	74.4	19	1080.6		540752
8	3	86.4	19	1559.6	1846.6	63917
9	2	81.6	19	1803.4		216289
10	1	54	19			370169
11	3	97.7	19	1864.3	1354.3	519502
12	3	89.5	19	1860.5	1721.5	45211
13	2	68.2	19	1466.8		197826
14	3	84.6	19	1623.4	1601.4	349370
15	2	71.4	19	1255.6		502596
16	3	89.1	19	1559.9	1109.9	26500
17	3	94.7	19	1577.3	1247.3	178621
18	1	52.3	19			332278
19	3	94.4	19	987.6	1589.6	483308
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.4.22 Radar Type5_Trial18 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		18		VSG Frequency(MHz):		5494.7385
Number of Bursts in Trial:			10		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	59	7			14853
2	2	73	7	1662		305144
3	2	81.6	7	1153.4		595693
4	3	96.2	7	1309.8	1107.8	885221
5	2	70.9	7	945.1		1176518
6	2	74.7	7	1715.3		269210
7	3	95.1	7	1759.9	1904.9	558650
8	2	75.4	7	1711.6		849872
9	2	81.4	7	1015.6		1140446
10	2	80	7	1386		233583
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.4.23 Radar Type5_Trial19 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		19		VSG Frequency(MHz):		5499.5385
Number of Bursts in Trial:			19		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	71.5	19	1206.5		275204
2	1	56.3	19			428733
3	2	68	19	992		580820
4	2	67.9	19	1211.1		103913
5	2	78.8	19	1842.2		256077
6	2	76.5	19	1098.5		409146
7	1	54.2	19			562157
8	2	68.7	19	1381.3		85195
9	2	71.6	19	1075.4		237636
10	1	65.7	19			391044
11	1	60.7	19			543726
12	3	91.5	19	1590.5	1802.5	66095
13	3	86.6	19	1286.4	1743.4	218173
14	2	72.8	19	1250.2		371340
15	2	74.9	19	1531.1		523798
16	2	76.7	19	1865.3		47499
17	2	81.8	19	1724.2		199951
18	3	86.1	19	1220.9	1529.9	351802
19	1	65	19			506006
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.4.24 Radar Type5_Trial20 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		20		VSG Frequency(MHz):		5497.5385
Number of Bursts in Trial:			15	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	60.7	14			36595
2	3	90.6	14	1424.4	1423.4	229379
3	3	96.1	14	1233.9	1367.9	422646
4	3	85.5	14	1571.5	1634.5	615253
5	3	91.2	14	1750.8	1529.8	12661
6	3	90.1	14	1124.9	1049.9	205754
7	3	87.8	14	1852.2	1776.2	398344
8	3	93	14	1463	1374	591251
9	1	53.9	14			787598
10	1	52.6	14			182639
11	2	82.4	14	1257.6		375464
12	1	51.8	14			570064
13	2	72.5	14	1763.5		761861
14	3	93.1	14	1837.9	1221.9	158111
15	1	56.3	14			352508
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.4.25 Radar Type5_Trial21 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		21		VSG Frequency(MHz):		5524.8615
Number of Bursts in Trial:			10		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	60.1	8			819678
2	3	97.7	8	1503.3	1067.3	1107693
3	2	79.7	8	1147.3		202118
4	2	71.6	8	1721.4		492231
5	3	89.4	8	1437.6	951.6	781933
6	1	58.1	8			1074062
7	2	67.1	8	1483.9		166347
8	2	70.4	8	1018.6		456705
9	2	73	8	1018		747302
10	3	86.6	8	1226.4	1830.4	1035957
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.4.26 Radar Type5_Trial22 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		22		VSG Frequency(MHz):		5525.2615
Number of Bursts in Trial:			9	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	83.7	7	1455.3	1349.3	144968
2	2	67.6	7	1902.4		467780
3	3	86.5	7	1671.5	1342.5	789285
4	1	58.8	7			1114736
5	2	71.3	7	1627.7		105341
6	3	94.3	7	1782.7	1142.7	427418
7	3	93	7	1259	1210	749782
8	1	59	7			1074554
9	1	60.4	7			65693
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.4.27 Radar Type5_Trial23 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		23		VSG Frequency(MHz):		5523.6615
Number of Bursts in Trial:			13	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	70.6	11	1145.4		268770
2	3	89.4	11	1396.6	1576.6	490978
3	2	75.5	11	1535.5		714699
4	2	70.8	11	1697.2		17909
5	2	76.8	11	1446.2		241131
6	2	77.8	11	1811.2		463887
7	3	91.1	11	1093.9	1737.9	686152
8	3	83.5	11	1737.5	1692.5	908880
9	1	50.3	11			213863
10	1	66	11			437278
11	3	89.2	11	981.8	1352.8	659395
12	1	63.9	11			884918
13	3	88.2	11	928.8	1652.8	185870
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.4.28 Radar Type5_Trial24 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		24		VSG Frequency(MHz):		5523.2615
Number of Bursts in Trial:			14	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	98.5	12	1177.5	1143.5	379255
2	2	80.2	12	1868.8		586447
3	1	62.7	12			795247
4	2	77.2	12	1500.8		147224
5	3	97.1	12	1896.9	937.9	353753
6	1	60.2	12			562255
7	3	96.8	12	1467.2	1830.2	766477
8	1	56.9	12			121957
9	3	93.7	12	1697.3	936.3	328534
10	2	70.2	12	1348.8		535975
11	2	73	12	1165		743398
12	3	99	12	1430	1552	95962
13	1	57.4	12			303941
14	2	72.5	12	1283.5		510484
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.4.29 Radar Type5_Trial25 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		25		VSG Frequency(MHz):		5520.0615
Number of Bursts in Trial:			20		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	51.3	20			502736
2	3	84.1	20	1393.9	1030.9	49338
3	2	82.6	20	1873.4		194045
4	1	58.4	20			339906
5	3	89.5	20	1487.5	1452.5	482257
6	3	92.8	20	1550.2	1653.2	31468
7	1	62	20			176671
8	2	72.4	20	1181.6		321482
9	2	67	20	1583		465458
10	3	84.6	20	1480.4	1248.4	13710
11	2	76.9	20	1499.1		158604
12	1	52.8	20			304159
13	3	93.8	20	1116.2	1472.2	447306
14	3	98.3	20	1000.7	1158.7	592117
15	2	74.6	20	1525.4		140594
16	2	66.8	20	1588.2		285305
17	1	54.3	20			431589
18	3	83.9	20	1518.1	1233.1	573468
19	2	72.6	20	1414.4		122926
20	3	95.5	20	1225.5	1298.5	266911

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.4.30 Radar Type5_Trial26 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		26		VSG Frequency(MHz):		5520.8615
Number of Bursts in Trial:			18	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	69.2	18	1516.8		458298
2	1	56.2	18			620537
3	3	96.2	18	1823.8	1061.8	116464
4	3	94.2	18	1092.8	1137.8	277481
5	3	97.3	18	1375.7	1250.7	438020
6	2	82.8	18	1506.2		599325
7	1	62.3	18			97148
8	1	53.5	18			258514
9	2	77	18	1855		418348
10	2	69.2	18	1155.8		579763
11	1	52.4	18			77217
12	2	71.9	18	1371.1		237956
13	2	69.4	18	1156.6		399247
14	1	55.2	18			560928
15	3	89.8	18	1737.2	1099.2	57117
16	3	99.4	18	1403.6	1060.6	217717
17	2	67.7	18	1469.3		379052
18	1	57.5	18			541173
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.4.31 Radar Type5_Trial27 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		27		VSG Frequency(MHz):		5521.2615
Number of Bursts in Trial:			18	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	99.7	17	1539.3	1185.3	37342
2	2	71.1	17	1440.9		198362
3	2	76.2	17	1227.8		359505
4	2	76	17	1144		520827
5	1	63.2	17			17660
6	2	78.1	17	1446.9		178608
7	1	50.3	17			340379
8	3	94.2	17	1404.8	1053.8	499948
9	1	66.4	17			663423
10	3	98.5	17	1695.5	1809.5	158134
11	2	82.3	17	1067.7		320043
12	2	76.8	17	1802.2		480571
13	1	65.8	17			643439
14	3	89.2	17	1711.8	1221.8	138628
15	2	76.3	17	1147.7		299908
16	1	61.9	17			461625
17	1	53.3	17			623366
18	3	95.1	17	1516.9	1340.9	118745
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.4.32 Radar Type5_Trial28 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		28		VSG Frequency(MHz):		5520.0615
Number of Bursts in Trial:			20		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	88	20	995	1722	251184
2	3	88.5	20	1574.5	1649.5	395558
3	1	61.2	20			543275
4	1	56.7	20			89587
5	2	80.5	20	1364.5		233951
6	1	58.4	20			380037
7	3	95.5	20	1856.5	1622.5	521772
8	3	97.9	20	1221.1	1298.1	71272
9	2	82.1	20	1237.9		216212
10	1	54.9	20			361662
11	3	83.4	20	1228.6	1336.6	504833
12	3	88.5	20	1639.5	1896.5	53445
13	1	58.5	20			198918
14	2	75.2	20	973.8		343736
15	3	99.2	20	1313.8	1860.8	486413
16	3	96.8	20	1457.2	1550.2	35715
17	3	84.2	20	1733.8	1318.8	180158
18	1	51.4	20			326249
19	2	69.3	20	1261.7		470690
20	3	93.2	20	1519.8	1383.8	17904

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.4.33 Radar Type5_Trial29 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		29		VSG Frequency(MHz):		5522.8615
Number of Bursts in Trial:			14		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	93.1	13	1834.9	1013.9	232459
2	2	68	13	1030		439991
3	3	93.9	13	1328.1	1899.1	645520
4	1	53	13			172
5	1	66.3	13			207578
6	1	63.8	13			415251
7	2	71.3	13	928.7		622171
8	1	50.1	13			830608
9	1	53.3	13			182040
10	1	63.3	13			389641
11	3	95.7	13	1436.3	1050.3	595276
12	1	57.5	13			804236
13	1	51.9	13			156573
14	3	94.8	13	1074.2	1446.2	362776
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.4.34 Radar Type5_Trial30 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		30		VSG Frequency(MHz):		5521.6615
Number of Bursts in Trial:			17		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	61.4	16			470445
2	2	79.3	16	1045.7		639920
3	3	96.4	16	1622.6	1307.6	107312
4	3	93	16	1791	1369	277534
5	3	90.7	16	1066.3	1273.3	447599
6	2	67.8	16	1642.2		619099
7	2	80.5	16	1111.5		86694
8	1	65.4	16			257541
9	3	96	16	1220	1342	427005
10	3	95.4	16	1819.6	1361.6	596837
11	1	60.8	16			65749
12	2	77.9	16	1477.1		235991
13	3	90	16	1460	1574	405358
14	1	57.1	16			578061
15	2	77.7	16	930.3		44683
16	2	69	16	986		215092
17	1	54.9	16			386653
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.4.35 Radar Type6 for 5510MHz

Data Sheet for FCC Radar Type 6						
Trial	Pulse Width	PRI	Pulses per Hop	Hopping Rate	Hopping Sequence Length	Successful Detection
	(μ sec)	(μ sec)		(kHz)	(msec)	(Yes/No)
1	1	333	9	0.333	300	Yes
2	1	333	9	0.333	300	Yes
3	1	333	9	0.333	300	Yes
4	1	333	9	0.333	300	Yes
5	1	333	9	0.333	300	Yes
6	1	333	9	0.333	300	Yes
7	1	333	9	0.333	300	Yes
8	1	333	9	0.333	300	Yes
9	1	333	9	0.333	300	Yes
10	1	333	9	0.333	300	Yes
11	1	333	9	0.333	300	Yes
12	1	333	9	0.333	300	Yes
13	1	333	9	0.333	300	Yes
14	1	333	9	0.333	300	Yes
15	1	333	9	0.333	300	Yes
16	1	333	9	0.333	300	Yes
17	1	333	9	0.333	300	Yes
18	1	333	9	0.333	300	Yes
19	1	333	9	0.333	300	Yes
20	1	333	9	0.333	300	Yes
21	1	333	9	0.333	300	Yes
22	1	333	9	0.333	300	Yes
23	1	333	9	0.333	300	Yes
24	1	333	9	0.333	300	Yes
25	1	333	9	0.333	300	Yes
26	1	333	9	0.333	300	Yes
27	1	333	9	0.333	300	No
28	1	333	9	0.333	300	Yes
29	1	333	9	0.333	300	Yes
30	1	333	9	0.333	300	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.5 VHT80_5290MHz

Short Pulse Radar Type	Minimum Number of Trials	Detection(%)		Minmum Percentage of Successful Detection(%)	Pass/Fail
1	30	100		60	Pass
2	30	93.33		60	Pass
3	30	86.67		60	Pass
4	30	80		60	Pass
Aggregate (Radar Types 1-4)	120	90		80	Pass
Long Pulse Radar Type	Minimum Number of Trials	Each Detection(%)	Total Detection(%)	Minmum Percentage of Successful Detection(%)	Pass/Fail
5	Center:10	100	100	80	Pass
	Low Edge:10	100			
	High Edge:10	100			
Frequency Hopping Radar Type	Minimum Number of Trials	Detection(%)		Minmum Percentage of Successful Detection(%)	Pass/Fail
6	30	100		70	Pass

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.5.1 Radar Type1 for 5290MHz

Data Sheet for FCC Radar Type 1						
Trial	VSG Frequency (MHz)	Pulse Repetition Frequency Number (1 to 23)	Pulse Repetition Frequency	PRI	Test A/B	Successful Detection
			(Pulses Per Second)	(msec)	A/B	(Yes/No)
1	5290	18	1165.5	858	A	Yes
2	5290	3	1792.1	558	A	Yes
3	5290	20	1113.6	898	A	Yes
4	5290	11	1392.8	718	A	Yes
5	5290	17	1193.3	838	A	Yes
6	5290	22	1066.1	938	A	Yes
7	5290	14	1285.3	778	A	Yes
8	5290	15	1253.1	798	A	Yes
9	5290	21	1089.3	918	A	Yes
10	5290	23	326.2	3066	A	Yes
11	5290	2	1858.7	538	A	Yes
12	5290	4	1730.1	578	A	Yes
13	5290	5	1672.2	598	A	Yes
14	5290	16	1222.5	818	A	Yes
15	5290	10	1432.7	698	A	Yes
16	5290	-	1615.5	619	B	Yes
17	5290	-	489.7	2042	B	Yes
18	5290	-	998	1002	B	Yes
19	5290	-	616.1	1623	B	Yes
20	5290	-	338	2959	B	Yes
21	5290	-	911.6	1097	B	Yes
22	5290	-	634.9	1575	B	Yes
23	5290	-	716.3	1396	B	Yes
24	5290	-	1326.3	754	B	Yes
25	5290	-	821.7	1217	B	Yes
26	5290	-	542.3	1844	B	Yes
27	5290	-	761.6	1313	B	Yes
28	5290	-	332.8	3005	B	Yes
29	5290	-	1046	956	B	Yes
30	5290	-	836.8	1195	B	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.5.2 Radar Type2 for 5290MHz

Data Sheet for FCC Radar Type 2					
Trial	VSG Frequency (MHz)	Number Pulses per Burst (23-29)	Pulse Width (1-5)	PRI (150-230)	Successful Detection
			(μ s)	(μ s)	(Yes/No)
1	5290	29	4.5	192	Yes
2	5290	29	4.6	159	Yes
3	5290	25	2.6	194	Yes
4	5290	27	3.6	197	Yes
5	5290	24	1.7	216	Yes
6	5290	24	1.9	163	Yes
7	5290	28	4.5	190	Yes
8	5290	29	4.9	218	Yes
9	5290	27	3.7	224	Yes
10	5290	25	2.2	213	Yes
11	5290	29	4.8	204	Yes
12	5290	28	4.3	203	Yes
13	5290	23	1	219	Yes
14	5290	23	1.3	170	Yes
15	5290	23	1.2	191	Yes
16	5290	24	1.9	181	Yes
17	5290	29	4.6	188	No
18	5290	24	1.7	180	Yes
19	5290	29	4.7	164	Yes
20	5290	27	3.4	186	Yes
21	5290	24	1.9	154	Yes
22	5290	24	1.5	208	No
23	5290	25	2.6	215	Yes
24	5290	26	2.9	220	Yes
25	5290	29	4.9	150	Yes
26	5290	28	4.4	195	Yes
27	5290	28	4.2	162	Yes
28	5290	29	4.9	226	Yes
29	5290	26	3.1	217	Yes
30	5290	28	4	211	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.5.3 Radar Type3 for 5290MHz

Data Sheet for FCC Radar Type 3					
Trial	VSG Frequency (MHz)	Number Pulses per Burst (16-18)	Pulse Width (6-10)	PRI (200-500)	Successful Detection
			(μ s)	(μ s)	(Yes/No)
1	5290	18	9.5	287	Yes
2	5290	18	9.6	479	Yes
3	5290	17	7.6	329	Yes
4	5290	17	8.6	234	Yes
5	5290	16	6.7	250	Yes
6	5290	16	6.9	475	Yes
7	5290	18	9.5	214	Yes
8	5290	18	9.9	245	No
9	5290	18	8.7	483	No
10	5290	16	7.2	457	Yes
11	5290	18	9.8	331	Yes
12	5290	18	9.3	407	Yes
13	5290	16	6	400	No
14	5290	16	6.3	447	Yes
15	5290	16	6.2	273	Yes
16	5290	16	6.9	344	Yes
17	5290	18	9.6	272	Yes
18	5290	16	6.7	362	Yes
19	5290	18	9.7	297	No
20	5290	17	8.4	461	Yes
21	5290	16	6.9	474	Yes
22	5290	16	6.5	354	Yes
23	5290	17	7.6	239	Yes
24	5290	17	7.9	496	Yes
25	5290	18	9.9	332	Yes
26	5290	18	9.4	349	Yes
27	5290	18	9.2	219	Yes
28	5290	18	9.9	389	Yes
29	5290	17	8.1	412	Yes
30	5290	18	9	311	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.5.4 Radar Type4 for 5290MHz

Data Sheet for FCC Radar Type 4					
Trial	VSG Frequency (MHz)	Number Pulses per Burst (12-16)	Pulse Width (11-20)	PRI (200-500)	Successful Detection
			(μ s)	(μ s)	(Yes/No)
1	5290	16	18.8	287	Yes
2	5290	16	19.1	479	Yes
3	5290	14	14.7	329	Yes
4	5290	15	16.7	234	No
5	5290	12	12.6	250	No
6	5290	13	13	475	No
7	5290	16	18.7	214	Yes
8	5290	16	19.7	245	Yes
9	5290	15	17.1	483	Yes
10	5290	13	13.8	457	Yes
11	5290	16	19.4	331	Yes
12	5290	16	18.4	407	Yes
13	5290	12	11.1	400	Yes
14	5290	12	11.7	447	Yes
15	5290	12	11.4	273	Yes
16	5290	13	13.1	344	Yes
17	5290	16	19.1	272	No
18	5290	12	12.5	362	Yes
19	5290	16	19.3	297	Yes
20	5290	14	16.3	461	Yes
21	5290	13	13	474	Yes
22	5290	12	12.3	354	Yes
23	5290	13	14.6	239	Yes
24	5290	14	15.3	496	No
25	5290	16	19.8	332	No
26	5290	16	18.6	349	Yes
27	5290	15	18.1	219	Yes
28	5290	16	19.7	389	Yes
29	5290	14	15.7	412	Yes
30	5290	15	17.6	311	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.5.5 Radar Type5_Trial1 for 5290MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		1		VSG Frequency(MHz):		5290
Number of Bursts in Trial:			19		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	93.3	18	987.7	1137.7	67203
2	3	94.8	18	1081.2	1535.2	219370
3	2	70.6	18	1179.4		372553
4	2	81.9	18	1193.1		524586
5	1	58.8	18			48695
6	1	61.5	18			201438
7	3	92.8	18	1431.2	1342.2	352539
8	3	98.1	18	1275.9	1083.9	504992
9	3	84	18	1640	1895	29698
10	1	65.5	18			182657
11	3	96.5	18	1265.5	1041.5	334080
12	3	90.8	18	1663.2	1211.2	485847
13	1	50.9	18			11033
14	1	54.1	18			163968
15	1	52.7	18			316907
16	1	61.9	18			469493
17	3	94.9	18	1514.1	1733.1	619065
18	1	58.6	18			144931
19	3	95.9	18	1388.1	1682.1	296508
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.5.6 Radar Type5_Trial2 for 5290MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		2		VSG Frequency(MHz):		5290
Number of Bursts in Trial:			19		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	79.4	19	1401.6		449462
2	1	61.5	19			603498
3	1	57.2	19			126114
4	2	69.8	19	1716.2		278379
5	2	73.6	19	1659.4		430445
6	3	98.5	19	1288.5	1106.5	582689
7	3	91.9	19	1638.1	1287.1	106763
8	3	89.4	19	1603.6	1772.6	258808
9	3	98.3	19	1149.7	1799.7	411138
10	2	76.4	19	1543.6		564711
11	3	86.7	19	1735.3	1179.3	88162
12	1	64.3	19			241494
13	2	67.1	19	1542.9		393028
14	1	65.1	19			546821
15	1	65.8	19			69778
16	2	78.5	19	1597.5		222112
17	1	59.2	19			375500
18	2	71.2	19	1345.8		527340
19	2	79.1	19	1611.9		50782
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.5.7 Radar Type5_Trial3 for 5290MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		3		VSG Frequency(MHz):		5290
Number of Bursts in Trial:			13		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	90.3	11	1399.7	1481.7	296956
2	3	87.4	11	1735.6	940.6	520106
3	3	88.2	11	1910.8	1394.8	742506
4	3	89.5	11	1798.5	1198.5	46767
5	1	53.7	11			270428
6	1	57.9	11			494135
7	2	80.3	11	1452.7		716383
8	3	84.4	11	1735.6	1560.6	19318
9	1	51.6	11			242882
10	3	90.3	11	1139.7	1484.7	465060
11	1	56.5	11			690074
12	2	76.2	11	1612.8		912121
13	3	84.1	11	1253.9	1853.9	214698
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.5.8 Radar Type5_Trial4 for 5290MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		4		VSG Frequency(MHz):		5290
Number of Bursts in Trial:			16		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	90.3	15	1527.7	1080.7	354923
2	2	77.4	15	933.6		537212
3	1	66.3	15			719403
4	3	88.3	15	1710.7	996.7	151876
5	3	86	15	1185	1365	332801
6	2	74.9	15	945.1		514970
7	3	97	15	1410	1691	693842
8	3	83.5	15	1683.5	1828.5	129503
9	2	66.9	15	1365.1		311338
10	2	72.2	15	1692.8		492269
11	3	94.5	15	1676.5	1499.5	671381
12	2	71.6	15	989.4		107710
13	3	97.4	15	1172.6	1019.6	288452
14	1	51.2	15			470742
15	2	79.4	15	1823.6		650521
16	2	75.6	15	1826.4		85249
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.5.9 Radar Type5_Trial5 for 5290MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		5		VSG Frequency(MHz):		5290
Number of Bursts in Trial:			10		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	85.2	7	1307.8	1459.8	426390
2	2	75.7	7	1578.3		717013
3	3	93.6	7	1722.4	1330.4	1006414
4	3	90.8	7	1883.2	1095.2	100831
5	1	65.7	7			391661
6	2	68.3	7	1766.7		681264
7	1	58.5	7			973098
8	3	91.2	7	1269.8	1298.8	65116
9	2	72	7	1635		355408
10	1	53.5	7			646748
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.5.10 Radar Type5_Trial6 for 5290MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		6		VSG Frequency(MHz):		5290
Number of Bursts in Trial:			10		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	61.9	8			937468
2	3	93.4	8	1857.6	1772.6	29371
3	1	64	8			320059
4	3	90.3	8	1300.7	1534.7	609161
5	3	99.2	8	1091.8	1443.8	899681
6	3	91.8	8	1320.2	1489.2	1189330
7	1	50.1	8			284237
8	1	52.5	8			575048
9	2	74	8	1731		864676
10	3	89.7	8	1636.3	1245.3	1153863
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.5.11 Radar Type5_Trial7 for 5290MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		7		VSG Frequency(MHz):		5290
Number of Bursts in Trial:			19		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	98.9	18	1896.1	1114.1	129933
2	2	77.6	18	1417.4		282644
3	3	92.6	18	1441.4	910.4	434659
4	3	84.3	18	1115.7	1451.7	586835
5	2	74.2	18	1518.8		111485
6	3	95.7	18	1464.3	1560.3	263399
7	2	73.4	18	1730.6		416405
8	1	65.2	18			570144
9	3	93.8	18	1306.2	1026.2	92662
10	2	67.8	18	1414.2		245337
11	1	56.3	18			398689
12	1	56.7	18			551059
13	1	50.8	18			74172
14	1	58.7	18			226872
15	1	66.4	18			379562
16	1	64.6	18			532874
17	1	63	18			55328
18	3	85.4	18	1748.6	1285.6	206971
19	2	68.3	18	1041.7		360140
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.5.12 Radar Type5_Trial8 for 5290MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		8		VSG Frequency(MHz):		5290
Number of Bursts in Trial:			20		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	71.9	20	1422.1		487134
2	2	68.9	20	1274.1		34624
3	2	75.1	20	1152.9		179573
4	1	66.2	20			325110
5	2	82.4	20	1614.6		468759
6	1	63	20			16841
7	1	53.5	20			161941
8	2	69.4	20	1344.6		306486
9	2	76.6	20	1175.4		451682
10	2	73.1	20	1543.9		595504
11	1	52.7	20			144000
12	2	71.5	20	1449.5		288326
13	3	94.8	20	1814.2	1897.2	431429
14	2	77.2	20	1320.8		577928
15	3	89.7	20	1673.3	967.3	125577
16	2	76.8	20	1706.2		270492
17	1	57.5	20			416284
18	2	83.1	20	1109.9		560915
19	1	59.2	20			108295
20	1	66.6	20			253454

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.5.13 Radar Type5_Trial9 for 5290MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		9		VSG Frequency(MHz):		5290
Number of Bursts in Trial:			16		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	70.1	15	1769.9		497391
2	3	95	15	1864	1492	676569
3	3	93.4	15	1425.6	1672.6	112574
4	3	97.5	15	1611.5	1802.5	293182
5	1	54.1	15			475906
6	3	97.2	15	1759.8	1090.8	655423
7	1	55.1	15			90806
8	3	92.6	15	1071.4	1215.4	271417
9	1	55.3	15			453644
10	2	73.8	15	1545.2		633750
11	3	84.5	15	1304.5	1740.5	68117
12	2	78.7	15	990.3		249729
13	1	64.7	15			431755
14	3	84.2	15	1293.8	1476.8	610823
15	1	52	15			46068
16	2	70.8	15	1581.2		226981
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.5.14 Radar Type5_Trial10 for 5290MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		10		VSG Frequency(MHz):		5290
Number of Bursts in Trial:			12		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	73.7	9	1175.3		544913
2	1	61.3	9			787904
3	1	60.2	9			31617
4	2	71.3	9	1513.7		273337
5	2	70.6	9	1760.4		514988
6	2	76.3	9	1827.7		756496
7	3	96.9	9	1258.1	946.1	1774
8	3	92.1	9	1060.9	1034.9	243476
9	3	91.1	9	1481.9	1236.9	484532
10	3	96.4	9	925.6	1199.6	726897
11	1	61.6	9			970582
12	2	79.5	9	1200.5		213770
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.5.15 Radar Type5_Trial11 for 5290MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		11		VSG Frequency(MHz):		5260.003
Number of Bursts in Trial:			20		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	61.1	19			273437
2	2	81.9	19	991.1		417782
3	1	58.8	19			563338
4	2	81.5	19	1030.5		110304
5	1	53.7	19			255811
6	2	68.8	19	1315.2		399739
7	3	98.3	19	1103.7	1775.7	543263
8	2	77	19	1089		92359
9	2	75.6	19	1553.4		237274
10	2	77.7	19	1156.3		382099
11	1	62	19			527680
12	3	85.2	19	1068.8	1160.8	74377
13	1	57.8	19			219871
14	1	61	19			365072
15	1	64	19			510518
16	1	52.7	19			56824
17	3	88.6	19	1027.4	1101.4	201105
18	2	74	19	1434		346138
19	1	56.7	19			492080
20	1	60.5	19			38936

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.5.16 Radar Type5_Trial12 for 5290MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		12		VSG Frequency(MHz):		5259.603
Number of Bursts in Trial:			18		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	75.2	18	1430.8		204204
2	2	68.9	18	1142.1		365465
3	1	53.1	18			526863
4	3	96.3	18	1033.7	1789.7	23313
5	2	72.9	18	941.1		184448
6	3	88	18	1785	1371	344279
7	3	96	18	1343	1121	505388
8	3	93.9	18	1203.1	1314.1	3522
9	3	98.2	18	1855.8	1635.8	163853
10	1	51.2	18			326144
11	1	56.4	18			487617
12	1	57.8	18			648732
13	3	85.6	18	1399.4	1354.4	144373
14	2	75.7	18	1160.3		305758
15	2	81.4	18	1365.6		466834
16	2	73.4	18	1887.6		627450
17	1	64.9	18			125048
18	1	53	18			286611
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.5.17 Radar Type5_Trial13 for 5290MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		13		VSG Frequency(MHz):		5254.403
Number of Bursts in Trial:			8		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	74.9	5	1172.1		1007777
2	3	96	5	1881	1299	1369165
3	3	86	5	1552	1458	236545
4	2	75.1	5	1033.9		600219
5	3	95.3	5	1107.7	1007.7	962187
6	3	96	5	1664	1043	1324524
7	3	99.4	5	1001.6	1463.6	192037
8	2	75	5	1587		555105
9						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.5.18 Radar Type5_Trial14 for 5290MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		14		VSG Frequency(MHz):		5254.803
Number of Bursts in Trial:			9		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	63.5	6			816834
2	1	59.6	6			1139605
3	1	62.2	6			131108
4	3	94.1	6	1458.9	1584.9	453222
5	1	53.5	6			776968
6	2	67	6	1559		1098706
7	3	89.7	6	1034.3	1832.3	91131
8	1	51	6			414231
9	1	54.3	6			737218
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.5.19 Radar Type5_Trial15 for 5290MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		15		VSG Frequency(MHz):		5254.403
Number of Bursts in Trial:			8		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	92.3	5	1279.7	1126.7	1191144
2	2	78.8	5	1468.2		57988
3	1	62.6	5			421358
4	1	58.6	5			784711
5	1	65.8	5			1148531
6	2	72.9	5	1489.1		13258
7	1	54.4	5			376687
8	2	78.9	5	1826.1		739332
9						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.5.20 Radar Type5_Trial16 for 5290MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		16		VSG Frequency(MHz):		5255.603
Number of Bursts in Trial:			11		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	74.3	8	997.7		801823
2	2	71.2	8	1214.8		1065255
3	1	54.2	8			241333
4	3	99.6	8	906.4	1396.4	504140
5	2	82.1	8	1204.9		768877
6	2	79.7	8	1605.3		1032596
7	3	90.7	8	1038.3	1378.3	208279
8	3	87.8	8	1639.2	1384.2	471675
9	3	85.6	8	1081.4	1019.4	735553
10	3	99.2	8	1268.8	1867.8	998741
11	1	60.8	8			176285
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.5.21 Radar Type5_Trial17 for 5290MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		17		VSG Frequency(MHz):		5260.003
Number of Bursts in Trial:			19		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	74.6	19	1436.4		254115
2	1	50.1	19			407394
3	2	73.6	19	1816.4		559020
4	1	57.1	19			83038
5	3	96.9	19	1868.1	1244.1	234658
6	3	98	19	1717	972	386666
7	2	74.4	19	1080.6		540752
8	3	86.4	19	1559.6	1846.6	63917
9	2	81.6	19	1803.4		216289
10	1	54	19			370169
11	3	97.7	19	1864.3	1354.3	519502
12	3	89.5	19	1860.5	1721.5	45211
13	2	68.2	19	1466.8		197826
14	3	84.6	19	1623.4	1601.4	349370
15	2	71.4	19	1255.6		502596
16	3	89.1	19	1559.9	1109.9	26500
17	3	94.7	19	1577.3	1247.3	178621
18	1	52.3	19			332278
19	3	94.4	19	987.6	1589.6	483308
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.5.22 Radar Type5_Trial18 for 5290MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		18		VSG Frequency(MHz):		5255.203
Number of Bursts in Trial:			10		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	59	7			14853
2	2	73	7	1662		305144
3	2	81.6	7	1153.4		595693
4	3	96.2	7	1309.8	1107.8	885221
5	2	70.9	7	945.1		1176518
6	2	74.7	7	1715.3		269210
7	3	95.1	7	1759.9	1904.9	558650
8	2	75.4	7	1711.6		849872
9	2	81.4	7	1015.6		1140446
10	2	80	7	1386		233583
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.5.23 Radar Type5_Trial19 for 5290MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		19		VSG Frequency(MHz):		5260.003
Number of Bursts in Trial:			19		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	71.5	19	1206.5		275204
2	1	56.3	19			428733
3	2	68	19	992		580820
4	2	67.9	19	1211.1		103913
5	2	78.8	19	1842.2		256077
6	2	76.5	19	1098.5		409146
7	1	54.2	19			562157
8	2	68.7	19	1381.3		85195
9	2	71.6	19	1075.4		237636
10	1	65.7	19			391044
11	1	60.7	19			543726
12	3	91.5	19	1590.5	1802.5	66095
13	3	86.6	19	1286.4	1743.4	218173
14	2	72.8	19	1250.2		371340
15	2	74.9	19	1531.1		523798
16	2	76.7	19	1865.3		47499
17	2	81.8	19	1724.2		199951
18	3	86.1	19	1220.9	1529.9	351802
19	1	65	19			506006
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.5.24 Radar Type5_Trial20 for 5290MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		20		VSG Frequency(MHz):		5258.003
Number of Bursts in Trial:			15	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	60.7	14			36595
2	3	90.6	14	1424.4	1423.4	229379
3	3	96.1	14	1233.9	1367.9	422646
4	3	85.5	14	1571.5	1634.5	615253
5	3	91.2	14	1750.8	1529.8	12661
6	3	90.1	14	1124.9	1049.9	205754
7	3	87.8	14	1852.2	1776.2	398344
8	3	93	14	1463	1374	591251
9	1	53.9	14			787598
10	1	52.6	14			182639
11	2	82.4	14	1257.6		375464
12	1	51.8	14			570064
13	2	72.5	14	1763.5		761861
14	3	93.1	14	1837.9	1221.9	158111
15	1	56.3	14			352508
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.5.25 Radar Type5_Trial21 for 5290MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		21		VSG Frequency(MHz):		5324.397
Number of Bursts in Trial:			10		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	60.1	8			819678
2	3	97.7	8	1503.3	1067.3	1107693
3	2	79.7	8	1147.3		202118
4	2	71.6	8	1721.4		492231
5	3	89.4	8	1437.6	951.6	781933
6	1	58.1	8			1074062
7	2	67.1	8	1483.9		166347
8	2	70.4	8	1018.6		456705
9	2	73	8	1018		747302
10	3	86.6	8	1226.4	1830.4	1035957
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.5.26 Radar Type5_Trial22 for 5290MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		22		VSG Frequency(MHz):		5324.797
Number of Bursts in Trial:			9	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	83.7	7	1455.3	1349.3	144968
2	2	67.6	7	1902.4		467780
3	3	86.5	7	1671.5	1342.5	789285
4	1	58.8	7			1114736
5	2	71.3	7	1627.7		105341
6	3	94.3	7	1782.7	1142.7	427418
7	3	93	7	1259	1210	749782
8	1	59	7			1074554
9	1	60.4	7			65693
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.5.27 Radar Type5_Trial23 for 5290MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		23		VSG Frequency(MHz):		5323.197
Number of Bursts in Trial:			13	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	70.6	11	1145.4		268770
2	3	89.4	11	1396.6	1576.6	490978
3	2	75.5	11	1535.5		714699
4	2	70.8	11	1697.2		17909
5	2	76.8	11	1446.2		241131
6	2	77.8	11	1811.2		463887
7	3	91.1	11	1093.9	1737.9	686152
8	3	83.5	11	1737.5	1692.5	908880
9	1	50.3	11			213863
10	1	66	11			437278
11	3	89.2	11	981.8	1352.8	659395
12	1	63.9	11			884918
13	3	88.2	11	928.8	1652.8	185870
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.5.28 Radar Type5_Trial24 for 5290MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		24		VSG Frequency(MHz):		5322.797
Number of Bursts in Trial:			14		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	98.5	12	1177.5	1143.5	379255
2	2	80.2	12	1868.8		586447
3	1	62.7	12			795247
4	2	77.2	12	1500.8		147224
5	3	97.1	12	1896.9	937.9	353753
6	1	60.2	12			562255
7	3	96.8	12	1467.2	1830.2	766477
8	1	56.9	12			121957
9	3	93.7	12	1697.3	936.3	328534
10	2	70.2	12	1348.8		535975
11	2	73	12	1165		743398
12	3	99	12	1430	1552	95962
13	1	57.4	12			303941
14	2	72.5	12	1283.5		510484
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.5.29 Radar Type5_Trial25 for 5290MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		25		VSG Frequency(MHz):		5319.597
Number of Bursts in Trial:			20		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	51.3	20			502736
2	3	84.1	20	1393.9	1030.9	49338
3	2	82.6	20	1873.4		194045
4	1	58.4	20			339906
5	3	89.5	20	1487.5	1452.5	482257
6	3	92.8	20	1550.2	1653.2	31468
7	1	62	20			176671
8	2	72.4	20	1181.6		321482
9	2	67	20	1583		465458
10	3	84.6	20	1480.4	1248.4	13710
11	2	76.9	20	1499.1		158604
12	1	52.8	20			304159
13	3	93.8	20	1116.2	1472.2	447306
14	3	98.3	20	1000.7	1158.7	592117
15	2	74.6	20	1525.4		140594
16	2	66.8	20	1588.2		285305
17	1	54.3	20			431589
18	3	83.9	20	1518.1	1233.1	573468
19	2	72.6	20	1414.4		122926
20	3	95.5	20	1225.5	1298.5	266911

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.5.30 Radar Type5_Trial26 for 5290MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		26		VSG Frequency(MHz):		5320.397
Number of Bursts in Trial:			18	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	69.2	18	1516.8		458298
2	1	56.2	18			620537
3	3	96.2	18	1823.8	1061.8	116464
4	3	94.2	18	1092.8	1137.8	277481
5	3	97.3	18	1375.7	1250.7	438020
6	2	82.8	18	1506.2		599325
7	1	62.3	18			97148
8	1	53.5	18			258514
9	2	77	18	1855		418348
10	2	69.2	18	1155.8		579763
11	1	52.4	18			77217
12	2	71.9	18	1371.1		237956
13	2	69.4	18	1156.6		399247
14	1	55.2	18			560928
15	3	89.8	18	1737.2	1099.2	57117
16	3	99.4	18	1403.6	1060.6	217717
17	2	67.7	18	1469.3		379052
18	1	57.5	18			541173
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.5.31 Radar Type5_Trial27 for 5290MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		27		VSG Frequency(MHz):		5320.797
Number of Bursts in Trial:			18		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	99.7	17	1539.3	1185.3	37342
2	2	71.1	17	1440.9		198362
3	2	76.2	17	1227.8		359505
4	2	76	17	1144		520827
5	1	63.2	17			17660
6	2	78.1	17	1446.9		178608
7	1	50.3	17			340379
8	3	94.2	17	1404.8	1053.8	499948
9	1	66.4	17			663423
10	3	98.5	17	1695.5	1809.5	158134
11	2	82.3	17	1067.7		320043
12	2	76.8	17	1802.2		480571
13	1	65.8	17			643439
14	3	89.2	17	1711.8	1221.8	138628
15	2	76.3	17	1147.7		299908
16	1	61.9	17			461625
17	1	53.3	17			623366
18	3	95.1	17	1516.9	1340.9	118745
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.5.32 Radar Type5_Trial28 for 5290MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		28		VSG Frequency(MHz):		5319.597
Number of Bursts in Trial:			20		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	88	20	995	1722	251184
2	3	88.5	20	1574.5	1649.5	395558
3	1	61.2	20			543275
4	1	56.7	20			89587
5	2	80.5	20	1364.5		233951
6	1	58.4	20			380037
7	3	95.5	20	1856.5	1622.5	521772
8	3	97.9	20	1221.1	1298.1	71272
9	2	82.1	20	1237.9		216212
10	1	54.9	20			361662
11	3	83.4	20	1228.6	1336.6	504833
12	3	88.5	20	1639.5	1896.5	53445
13	1	58.5	20			198918
14	2	75.2	20	973.8		343736
15	3	99.2	20	1313.8	1860.8	486413
16	3	96.8	20	1457.2	1550.2	35715
17	3	84.2	20	1733.8	1318.8	180158
18	1	51.4	20			326249
19	2	69.3	20	1261.7		470690
20	3	93.2	20	1519.8	1383.8	17904

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.5.33 Radar Type5_Trial29 for 5290MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		29		VSG Frequency(MHz):		5322.397
Number of Bursts in Trial:			14	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	93.1	13	1834.9	1013.9	232459
2	2	68	13	1030		439991
3	3	93.9	13	1328.1	1899.1	645520
4	1	53	13			172
5	1	66.3	13			207578
6	1	63.8	13			415251
7	2	71.3	13	928.7		622171
8	1	50.1	13			830608
9	1	53.3	13			182040
10	1	63.3	13			389641
11	3	95.7	13	1436.3	1050.3	595276
12	1	57.5	13			804236
13	1	51.9	13			156573
14	3	94.8	13	1074.2	1446.2	362776
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.5.34 Radar Type5_Trial30 for 5290MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		30		VSG Frequency(MHz):		5321.197
Number of Bursts in Trial:			17		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	61.4	16			470445
2	2	79.3	16	1045.7		639920
3	3	96.4	16	1622.6	1307.6	107312
4	3	93	16	1791	1369	277534
5	3	90.7	16	1066.3	1273.3	447599
6	2	67.8	16	1642.2		619099
7	2	80.5	16	1111.5		86694
8	1	65.4	16			257541
9	3	96	16	1220	1342	427005
10	3	95.4	16	1819.6	1361.6	596837
11	1	60.8	16			65749
12	2	77.9	16	1477.1		235991
13	3	90	16	1460	1574	405358
14	1	57.1	16			578061
15	2	77.7	16	930.3		44683
16	2	69	16	986		215092
17	1	54.9	16			386653
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.5.35 Radar Type6 for 5290MHz

Data Sheet for FCC Radar Type 6						
Trial	Pulse Width	PRI	Pulses per Hop	Hopping Rate	Hopping Sequence Length	Successful Detection
	(μ sec)	(μ sec)		(kHz)	(msec)	(Yes/No)
1	1	333	9	0.333	300	Yes
2	1	333	9	0.333	300	Yes
3	1	333	9	0.333	300	Yes
4	1	333	9	0.333	300	Yes
5	1	333	9	0.333	300	Yes
6	1	333	9	0.333	300	Yes
7	1	333	9	0.333	300	Yes
8	1	333	9	0.333	300	Yes
9	1	333	9	0.333	300	Yes
10	1	333	9	0.333	300	Yes
11	1	333	9	0.333	300	Yes
12	1	333	9	0.333	300	Yes
13	1	333	9	0.333	300	Yes
14	1	333	9	0.333	300	Yes
15	1	333	9	0.333	300	Yes
16	1	333	9	0.333	300	Yes
17	1	333	9	0.333	300	Yes
18	1	333	9	0.333	300	Yes
19	1	333	9	0.333	300	Yes
20	1	333	9	0.333	300	Yes
21	1	333	9	0.333	300	Yes
22	1	333	9	0.333	300	Yes
23	1	333	9	0.333	300	Yes
24	1	333	9	0.333	300	Yes
25	1	333	9	0.333	300	Yes
26	1	333	9	0.333	300	Yes
27	1	333	9	0.333	300	Yes
28	1	333	9	0.333	300	Yes
29	1	333	9	0.333	300	Yes
30	1	333	9	0.333	300	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.6 VHT80_5530MHz

Short Pulse Radar Type	Minimum Number of Trials	Detection(%)		Minmum Percentage of Successful Detection(%)	Pass/Fail
1	30	100		60	Pass
2	30	86.67		60	Pass
3	30	83.33		60	Pass
4	30	80		60	Pass
Aggregate (Radar Types 1-4)	120	87.5		80	Pass
Long Pulse Radar Type	Minimum Number of Trials	Each Detection(%)	Total Detection(%)	Minmum Percentage of Successful Detection(%)	Pass/Fail
5	Center:10	100	100	80	Pass
	Low Edge:10	100			
	High Edge:10	100			
Frequency Hopping Radar Type	Minimum Number of Trials	Detection(%)		Minmum Percentage of Successful Detection(%)	Pass/Fail
6	30	100		70	Pass

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.6.1 Radar Type1 for 5530MHz

Data Sheet for FCC Radar Type 1						
Trial	VSG Frequency (MHz)	Pulse Repetition Frequency Number (1 to 23)	Pulse Repetition Frequency	PRI	Test A/B	Successful Detection
			(Pulses Per Second)	(msec)	A/B	(Yes/No)
1	5530	18	1165.5	858	A	Yes
2	5530	3	1792.1	558	A	Yes
3	5530	20	1113.6	898	A	Yes
4	5530	11	1392.8	718	A	Yes
5	5530	17	1193.3	838	A	Yes
6	5530	22	1066.1	938	A	Yes
7	5530	14	1285.3	778	A	Yes
8	5530	15	1253.1	798	A	Yes
9	5530	21	1089.3	918	A	Yes
10	5530	23	326.2	3066	A	Yes
11	5530	2	1858.7	538	A	Yes
12	5530	4	1730.1	578	A	Yes
13	5530	5	1672.2	598	A	Yes
14	5530	16	1222.5	818	A	Yes
15	5530	10	1432.7	698	A	Yes
16	5530	-	1615.5	619	B	Yes
17	5530	-	489.7	2042	B	Yes
18	5530	-	998	1002	B	Yes
19	5530	-	616.1	1623	B	Yes
20	5530	-	338	2959	B	Yes
21	5530	-	911.6	1097	B	Yes
22	5530	-	634.9	1575	B	Yes
23	5530	-	716.3	1396	B	Yes
24	5530	-	1326.3	754	B	Yes
25	5530	-	821.7	1217	B	Yes
26	5530	-	542.3	1844	B	Yes
27	5530	-	761.6	1313	B	Yes
28	5530	-	332.8	3005	B	Yes
29	5530	-	1046	956	B	Yes
30	5530	-	836.8	1195	B	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.6.2 Radar Type2 for 5530MHz

Data Sheet for FCC Radar Type 2					
Trial	VSG Frequency (MHz)	Number Pulses per Burst (23-29)	Pulse Width (1-5)	PRI (150-230)	Successful Detection
			(μ s)	(μ s)	(Yes/No)
1	5530	29	4.5	192	No
2	5530	29	4.6	159	Yes
3	5530	25	2.6	194	Yes
4	5530	27	3.6	197	Yes
5	5530	24	1.7	216	Yes
6	5530	24	1.9	163	No
7	5530	28	4.5	190	Yes
8	5530	29	4.9	218	Yes
9	5530	27	3.7	224	Yes
10	5530	25	2.2	213	Yes
11	5530	29	4.8	204	Yes
12	5530	28	4.3	203	Yes
13	5530	23	1	219	Yes
14	5530	23	1.3	170	Yes
15	5530	23	1.2	191	Yes
16	5530	24	1.9	181	Yes
17	5530	29	4.6	188	Yes
18	5530	24	1.7	180	Yes
19	5530	29	4.7	164	Yes
20	5530	27	3.4	186	Yes
21	5530	24	1.9	154	Yes
22	5530	24	1.5	208	No
23	5530	25	2.6	215	Yes
24	5530	26	2.9	220	Yes
25	5530	29	4.9	150	Yes
26	5530	28	4.4	195	Yes
27	5530	28	4.2	162	Yes
28	5530	29	4.9	226	No
29	5530	26	3.1	217	Yes
30	5530	28	4	211	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.6.3 Radar Type3 for 5530MHz

Data Sheet for FCC Radar Type 3					
Trial	VSG Frequency (MHz)	Number Pulses per Burst (16-18)	Pulse Width (6-10)	PRI (200-500)	Successful Detection
			(μ s)	(μ s)	(Yes/No)
1	5530	18	9.5	287	Yes
2	5530	18	9.6	479	Yes
3	5530	17	7.6	329	Yes
4	5530	17	8.6	234	No
5	5530	16	6.7	250	Yes
6	5530	16	6.9	475	Yes
7	5530	18	9.5	214	Yes
8	5530	18	9.9	245	Yes
9	5530	18	8.7	483	No
10	5530	16	7.2	457	Yes
11	5530	18	9.8	331	Yes
12	5530	18	9.3	407	Yes
13	5530	16	6	400	Yes
14	5530	16	6.3	447	Yes
15	5530	16	6.2	273	No
16	5530	16	6.9	344	Yes
17	5530	18	9.6	272	Yes
18	5530	16	6.7	362	Yes
19	5530	18	9.7	297	No
20	5530	17	8.4	461	Yes
21	5530	16	6.9	474	No
22	5530	16	6.5	354	Yes
23	5530	17	7.6	239	Yes
24	5530	17	7.9	496	Yes
25	5530	18	9.9	332	Yes
26	5530	18	9.4	349	Yes
27	5530	18	9.2	219	Yes
28	5530	18	9.9	389	Yes
29	5530	17	8.1	412	Yes
30	5530	18	9	311	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.6.4 Radar Type4 for 5530MHz

Data Sheet for FCC Radar Type 4					
Trial	VSG Frequency (MHz)	Number Pulses per Burst (12-16)	Pulse Width (11-20)	PRI (200-500)	Successful Detection
			(μ s)	(μ s)	(Yes/No)
1	5530	16	18.8	287	Yes
2	5530	16	19.1	479	Yes
3	5530	14	14.7	329	Yes
4	5530	15	16.7	234	Yes
5	5530	12	12.6	250	No
6	5530	13	13	475	Yes
7	5530	16	18.7	214	No
8	5530	16	19.7	245	Yes
9	5530	15	17.1	483	Yes
10	5530	13	13.8	457	Yes
11	5530	16	19.4	331	Yes
12	5530	16	18.4	407	No
13	5530	12	11.1	400	Yes
14	5530	12	11.7	447	Yes
15	5530	12	11.4	273	Yes
16	5530	13	13.1	344	Yes
17	5530	16	19.1	272	Yes
18	5530	12	12.5	362	No
19	5530	16	19.3	297	Yes
20	5530	14	16.3	461	Yes
21	5530	13	13	474	Yes
22	5530	12	12.3	354	Yes
23	5530	13	14.6	239	No
24	5530	14	15.3	496	Yes
25	5530	16	19.8	332	Yes
26	5530	16	18.6	349	Yes
27	5530	15	18.1	219	No
28	5530	16	19.7	389	Yes
29	5530	14	15.7	412	Yes
30	5530	15	17.6	311	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.6.5 Radar Type5_Trial1 for 5530MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		1		VSG Frequency(MHz):		5530
Number of Bursts in Trial:			19		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	93.3	18	987.7	1137.7	67203
2	3	94.8	18	1081.2	1535.2	219370
3	2	70.6	18	1179.4		372553
4	2	81.9	18	1193.1		524586
5	1	58.8	18			48695
6	1	61.5	18			201438
7	3	92.8	18	1431.2	1342.2	352539
8	3	98.1	18	1275.9	1083.9	504992
9	3	84	18	1640	1895	29698
10	1	65.5	18			182657
11	3	96.5	18	1265.5	1041.5	334080
12	3	90.8	18	1663.2	1211.2	485847
13	1	50.9	18			11033
14	1	54.1	18			163968
15	1	52.7	18			316907
16	1	61.9	18			469493
17	3	94.9	18	1514.1	1733.1	619065
18	1	58.6	18			144931
19	3	95.9	18	1388.1	1682.1	296508
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.6.6 Radar Type5_Trial2 for 5530MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		2		VSG Frequency(MHz):		5530
Number of Bursts in Trial:			19		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	79.4	19	1401.6		449462
2	1	61.5	19			603498
3	1	57.2	19			126114
4	2	69.8	19	1716.2		278379
5	2	73.6	19	1659.4		430445
6	3	98.5	19	1288.5	1106.5	582689
7	3	91.9	19	1638.1	1287.1	106763
8	3	89.4	19	1603.6	1772.6	258808
9	3	98.3	19	1149.7	1799.7	411138
10	2	76.4	19	1543.6		564711
11	3	86.7	19	1735.3	1179.3	88162
12	1	64.3	19			241494
13	2	67.1	19	1542.9		393028
14	1	65.1	19			546821
15	1	65.8	19			69778
16	2	78.5	19	1597.5		222112
17	1	59.2	19			375500
18	2	71.2	19	1345.8		527340
19	2	79.1	19	1611.9		50782
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.6.7 Radar Type5_Trial3 for 5530MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		3		VSG Frequency(MHz):		5530
Number of Bursts in Trial:			13		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	90.3	11	1399.7	1481.7	296956
2	3	87.4	11	1735.6	940.6	520106
3	3	88.2	11	1910.8	1394.8	742506
4	3	89.5	11	1798.5	1198.5	46767
5	1	53.7	11			270428
6	1	57.9	11			494135
7	2	80.3	11	1452.7		716383
8	3	84.4	11	1735.6	1560.6	19318
9	1	51.6	11			242882
10	3	90.3	11	1139.7	1484.7	465060
11	1	56.5	11			690074
12	2	76.2	11	1612.8		912121
13	3	84.1	11	1253.9	1853.9	214698
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.6.8 Radar Type5_Trial4 for 5530MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		4		VSG Frequency(MHz):		5530
Number of Bursts in Trial:			16		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	90.3	15	1527.7	1080.7	354923
2	2	77.4	15	933.6		537212
3	1	66.3	15			719403
4	3	88.3	15	1710.7	996.7	151876
5	3	86	15	1185	1365	332801
6	2	74.9	15	945.1		514970
7	3	97	15	1410	1691	693842
8	3	83.5	15	1683.5	1828.5	129503
9	2	66.9	15	1365.1		311338
10	2	72.2	15	1692.8		492269
11	3	94.5	15	1676.5	1499.5	671381
12	2	71.6	15	989.4		107710
13	3	97.4	15	1172.6	1019.6	288452
14	1	51.2	15			470742
15	2	79.4	15	1823.6		650521
16	2	75.6	15	1826.4		85249
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.6.9 Radar Type5_Trial5 for 5530MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		5		VSG Frequency(MHz):		5530
Number of Bursts in Trial:			10		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	85.2	7	1307.8	1459.8	426390
2	2	75.7	7	1578.3		717013
3	3	93.6	7	1722.4	1330.4	1006414
4	3	90.8	7	1883.2	1095.2	100831
5	1	65.7	7			391661
6	2	68.3	7	1766.7		681264
7	1	58.5	7			973098
8	3	91.2	7	1269.8	1298.8	65116
9	2	72	7	1635		355408
10	1	53.5	7			646748
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.6.10 Radar Type5_Trial6 for 5530MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		6		VSG Frequency(MHz):		5530
Number of Bursts in Trial:			10		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	61.9	8			937468
2	3	93.4	8	1857.6	1772.6	29371
3	1	64	8			320059
4	3	90.3	8	1300.7	1534.7	609161
5	3	99.2	8	1091.8	1443.8	899681
6	3	91.8	8	1320.2	1489.2	1189330
7	1	50.1	8			284237
8	1	52.5	8			575048
9	2	74	8	1731		864676
10	3	89.7	8	1636.3	1245.3	1153863
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.6.11 Radar Type5_Trial7 for 5530MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		7		VSG Frequency(MHz):		5530
Number of Bursts in Trial:			19		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	98.9	18	1896.1	1114.1	129933
2	2	77.6	18	1417.4		282644
3	3	92.6	18	1441.4	910.4	434659
4	3	84.3	18	1115.7	1451.7	586835
5	2	74.2	18	1518.8		111485
6	3	95.7	18	1464.3	1560.3	263399
7	2	73.4	18	1730.6		416405
8	1	65.2	18			570144
9	3	93.8	18	1306.2	1026.2	92662
10	2	67.8	18	1414.2		245337
11	1	56.3	18			398689
12	1	56.7	18			551059
13	1	50.8	18			74172
14	1	58.7	18			226872
15	1	66.4	18			379562
16	1	64.6	18			532874
17	1	63	18			55328
18	3	85.4	18	1748.6	1285.6	206971
19	2	68.3	18	1041.7		360140
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.6.12 Radar Type5_Trial8 for 5530MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		8		VSG Frequency(MHz):		5530
Number of Bursts in Trial:			20		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	71.9	20	1422.1		487134
2	2	68.9	20	1274.1		34624
3	2	75.1	20	1152.9		179573
4	1	66.2	20			325110
5	2	82.4	20	1614.6		468759
6	1	63	20			16841
7	1	53.5	20			161941
8	2	69.4	20	1344.6		306486
9	2	76.6	20	1175.4		451682
10	2	73.1	20	1543.9		595504
11	1	52.7	20			144000
12	2	71.5	20	1449.5		288326
13	3	94.8	20	1814.2	1897.2	431429
14	2	77.2	20	1320.8		577928
15	3	89.7	20	1673.3	967.3	125577
16	2	76.8	20	1706.2		270492
17	1	57.5	20			416284
18	2	83.1	20	1109.9		560915
19	1	59.2	20			108295
20	1	66.6	20			253454

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.6.13 Radar Type5_Trial9 for 5530MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		9		VSG Frequency(MHz):		5530
Number of Bursts in Trial:			16		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	70.1	15	1769.9		497391
2	3	95	15	1864	1492	676569
3	3	93.4	15	1425.6	1672.6	112574
4	3	97.5	15	1611.5	1802.5	293182
5	1	54.1	15			475906
6	3	97.2	15	1759.8	1090.8	655423
7	1	55.1	15			90806
8	3	92.6	15	1071.4	1215.4	271417
9	1	55.3	15			453644
10	2	73.8	15	1545.2		633750
11	3	84.5	15	1304.5	1740.5	68117
12	2	78.7	15	990.3		249729
13	1	64.7	15			431755
14	3	84.2	15	1293.8	1476.8	610823
15	1	52	15			46068
16	2	70.8	15	1581.2		226981
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.6.14 Radar Type5_Trial10 for 5530MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		10		VSG Frequency(MHz):		5530
Number of Bursts in Trial:			12		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	73.7	9	1175.3		544913
2	1	61.3	9			787904
3	1	60.2	9			31617
4	2	71.3	9	1513.7		273337
5	2	70.6	9	1760.4		514988
6	2	76.3	9	1827.7		756496
7	3	96.9	9	1258.1	946.1	1774
8	3	92.1	9	1060.9	1034.9	243476
9	3	91.1	9	1481.9	1236.9	484532
10	3	96.4	9	925.6	1199.6	726897
11	1	61.6	9			970582
12	2	79.5	9	1200.5		213770
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.6.15 Radar Type5_Trial11 for 5530MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		11		VSG Frequency(MHz):		5500.423
Number of Bursts in Trial:			20		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	61.1	19			273437
2	2	81.9	19	991.1		417782
3	1	58.8	19			563338
4	2	81.5	19	1030.5		110304
5	1	53.7	19			255811
6	2	68.8	19	1315.2		399739
7	3	98.3	19	1103.7	1775.7	543263
8	2	77	19	1089		92359
9	2	75.6	19	1553.4		237274
10	2	77.7	19	1156.3		382099
11	1	62	19			527680
12	3	85.2	19	1068.8	1160.8	74377
13	1	57.8	19			219871
14	1	61	19			365072
15	1	64	19			510518
16	1	52.7	19			56824
17	3	88.6	19	1027.4	1101.4	201105
18	2	74	19	1434		346138
19	1	56.7	19			492080
20	1	60.5	19			38936

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.6.16 Radar Type5_Trial12 for 5530MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		12		VSG Frequency(MHz):		5500.023
Number of Bursts in Trial:			18		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	75.2	18	1430.8		204204
2	2	68.9	18	1142.1		365465
3	1	53.1	18			526863
4	3	96.3	18	1033.7	1789.7	23313
5	2	72.9	18	941.1		184448
6	3	88	18	1785	1371	344279
7	3	96	18	1343	1121	505388
8	3	93.9	18	1203.1	1314.1	3522
9	3	98.2	18	1855.8	1635.8	163853
10	1	51.2	18			326144
11	1	56.4	18			487617
12	1	57.8	18			648732
13	3	85.6	18	1399.4	1354.4	144373
14	2	75.7	18	1160.3		305758
15	2	81.4	18	1365.6		466834
16	2	73.4	18	1887.6		627450
17	1	64.9	18			125048
18	1	53	18			286611
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.6.17 Radar Type5_Trial13 for 5530MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		13		VSG Frequency(MHz):		5494.823
Number of Bursts in Trial:			8		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	74.9	5	1172.1		1007777
2	3	96	5	1881	1299	1369165
3	3	86	5	1552	1458	236545
4	2	75.1	5	1033.9		600219
5	3	95.3	5	1107.7	1007.7	962187
6	3	96	5	1664	1043	1324524
7	3	99.4	5	1001.6	1463.6	192037
8	2	75	5	1587		555105
9						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.6.18 Radar Type5_Trial14 for 5530MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		14		VSG Frequency(MHz):		5495.223
Number of Bursts in Trial:			9		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	63.5	6			816834
2	1	59.6	6			1139605
3	1	62.2	6			131108
4	3	94.1	6	1458.9	1584.9	453222
5	1	53.5	6			776968
6	2	67	6	1559		1098706
7	3	89.7	6	1034.3	1832.3	91131
8	1	51	6			414231
9	1	54.3	6			737218
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.6.19 Radar Type5_Trial15 for 5530MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		15		VSG Frequency(MHz):		5494.823
Number of Bursts in Trial:			8		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	92.3	5	1279.7	1126.7	1191144
2	2	78.8	5	1468.2		57988
3	1	62.6	5			421358
4	1	58.6	5			784711
5	1	65.8	5			1148531
6	2	72.9	5	1489.1		13258
7	1	54.4	5			376687
8	2	78.9	5	1826.1		739332
9						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.6.20 Radar Type5_Trial16 for 5530MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		16		VSG Frequency(MHz):		5496.023
Number of Bursts in Trial:			11		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	74.3	8	997.7		801823
2	2	71.2	8	1214.8		1065255
3	1	54.2	8			241333
4	3	99.6	8	906.4	1396.4	504140
5	2	82.1	8	1204.9		768877
6	2	79.7	8	1605.3		1032596
7	3	90.7	8	1038.3	1378.3	208279
8	3	87.8	8	1639.2	1384.2	471675
9	3	85.6	8	1081.4	1019.4	735553
10	3	99.2	8	1268.8	1867.8	998741
11	1	60.8	8			176285
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.6.21 Radar Type5_Trial17 for 5530MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		17		VSG Frequency(MHz):		5500.423
Number of Bursts in Trial:			19		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	74.6	19	1436.4		254115
2	1	50.1	19			407394
3	2	73.6	19	1816.4		559020
4	1	57.1	19			83038
5	3	96.9	19	1868.1	1244.1	234658
6	3	98	19	1717	972	386666
7	2	74.4	19	1080.6		540752
8	3	86.4	19	1559.6	1846.6	63917
9	2	81.6	19	1803.4		216289
10	1	54	19			370169
11	3	97.7	19	1864.3	1354.3	519502
12	3	89.5	19	1860.5	1721.5	45211
13	2	68.2	19	1466.8		197826
14	3	84.6	19	1623.4	1601.4	349370
15	2	71.4	19	1255.6		502596
16	3	89.1	19	1559.9	1109.9	26500
17	3	94.7	19	1577.3	1247.3	178621
18	1	52.3	19			332278
19	3	94.4	19	987.6	1589.6	483308
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.6.22 Radar Type5_Trial18 for 5530MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		18		VSG Frequency(MHz):		5495.623
Number of Bursts in Trial:			10		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	59	7			14853
2	2	73	7	1662		305144
3	2	81.6	7	1153.4		595693
4	3	96.2	7	1309.8	1107.8	885221
5	2	70.9	7	945.1		1176518
6	2	74.7	7	1715.3		269210
7	3	95.1	7	1759.9	1904.9	558650
8	2	75.4	7	1711.6		849872
9	2	81.4	7	1015.6		1140446
10	2	80	7	1386		233583
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.6.23 Radar Type5_Trial19 for 5530MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		19		VSG Frequency(MHz):		5500.423
Number of Bursts in Trial:			19		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	71.5	19	1206.5		275204
2	1	56.3	19			428733
3	2	68	19	992		580820
4	2	67.9	19	1211.1		103913
5	2	78.8	19	1842.2		256077
6	2	76.5	19	1098.5		409146
7	1	54.2	19			562157
8	2	68.7	19	1381.3		85195
9	2	71.6	19	1075.4		237636
10	1	65.7	19			391044
11	1	60.7	19			543726
12	3	91.5	19	1590.5	1802.5	66095
13	3	86.6	19	1286.4	1743.4	218173
14	2	72.8	19	1250.2		371340
15	2	74.9	19	1531.1		523798
16	2	76.7	19	1865.3		47499
17	2	81.8	19	1724.2		199951
18	3	86.1	19	1220.9	1529.9	351802
19	1	65	19			506006
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.6.24 Radar Type5_Trial20 for 5530MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		20		VSG Frequency(MHz):		5498.423
Number of Bursts in Trial:			15	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	60.7	14			36595
2	3	90.6	14	1424.4	1423.4	229379
3	3	96.1	14	1233.9	1367.9	422646
4	3	85.5	14	1571.5	1634.5	615253
5	3	91.2	14	1750.8	1529.8	12661
6	3	90.1	14	1124.9	1049.9	205754
7	3	87.8	14	1852.2	1776.2	398344
8	3	93	14	1463	1374	591251
9	1	53.9	14			787598
10	1	52.6	14			182639
11	2	82.4	14	1257.6		375464
12	1	51.8	14			570064
13	2	72.5	14	1763.5		761861
14	3	93.1	14	1837.9	1221.9	158111
15	1	56.3	14			352508
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.6.25 Radar Type5_Trial21 for 5530MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		21		VSG Frequency(MHz):		5563.977
Number of Bursts in Trial:			10		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	60.1	8			819678
2	3	97.7	8	1503.3	1067.3	1107693
3	2	79.7	8	1147.3		202118
4	2	71.6	8	1721.4		492231
5	3	89.4	8	1437.6	951.6	781933
6	1	58.1	8			1074062
7	2	67.1	8	1483.9		166347
8	2	70.4	8	1018.6		456705
9	2	73	8	1018		747302
10	3	86.6	8	1226.4	1830.4	1035957
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.6.26 Radar Type5_Trial22 for 5530MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		22		VSG Frequency(MHz):		5564.377
Number of Bursts in Trial:			9	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	83.7	7	1455.3	1349.3	144968
2	2	67.6	7	1902.4		467780
3	3	86.5	7	1671.5	1342.5	789285
4	1	58.8	7			1114736
5	2	71.3	7	1627.7		105341
6	3	94.3	7	1782.7	1142.7	427418
7	3	93	7	1259	1210	749782
8	1	59	7			1074554
9	1	60.4	7			65693
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.6.27 Radar Type5_Trial23 for 5530MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		23		VSG Frequency(MHz):		5562.777
Number of Bursts in Trial:			13	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	70.6	11	1145.4		268770
2	3	89.4	11	1396.6	1576.6	490978
3	2	75.5	11	1535.5		714699
4	2	70.8	11	1697.2		17909
5	2	76.8	11	1446.2		241131
6	2	77.8	11	1811.2		463887
7	3	91.1	11	1093.9	1737.9	686152
8	3	83.5	11	1737.5	1692.5	908880
9	1	50.3	11			213863
10	1	66	11			437278
11	3	89.2	11	981.8	1352.8	659395
12	1	63.9	11			884918
13	3	88.2	11	928.8	1652.8	185870
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.6.28 Radar Type5_Trial24 for 5530MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		24		VSG Frequency(MHz):		5562.377
Number of Bursts in Trial:			14		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	98.5	12	1177.5	1143.5	379255
2	2	80.2	12	1868.8		586447
3	1	62.7	12			795247
4	2	77.2	12	1500.8		147224
5	3	97.1	12	1896.9	937.9	353753
6	1	60.2	12			562255
7	3	96.8	12	1467.2	1830.2	766477
8	1	56.9	12			121957
9	3	93.7	12	1697.3	936.3	328534
10	2	70.2	12	1348.8		535975
11	2	73	12	1165		743398
12	3	99	12	1430	1552	95962
13	1	57.4	12			303941
14	2	72.5	12	1283.5		510484
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.6.29 Radar Type5_Trial25 for 5530MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		25		VSG Frequency(MHz):		5559.177
Number of Bursts in Trial:			20		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	51.3	20			502736
2	3	84.1	20	1393.9	1030.9	49338
3	2	82.6	20	1873.4		194045
4	1	58.4	20			339906
5	3	89.5	20	1487.5	1452.5	482257
6	3	92.8	20	1550.2	1653.2	31468
7	1	62	20			176671
8	2	72.4	20	1181.6		321482
9	2	67	20	1583		465458
10	3	84.6	20	1480.4	1248.4	13710
11	2	76.9	20	1499.1		158604
12	1	52.8	20			304159
13	3	93.8	20	1116.2	1472.2	447306
14	3	98.3	20	1000.7	1158.7	592117
15	2	74.6	20	1525.4		140594
16	2	66.8	20	1588.2		285305
17	1	54.3	20			431589
18	3	83.9	20	1518.1	1233.1	573468
19	2	72.6	20	1414.4		122926
20	3	95.5	20	1225.5	1298.5	266911

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.6.30 Radar Type5_Trial26 for 5530MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		26		VSG Frequency(MHz):		5559.977
Number of Bursts in Trial:			18		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	69.2	18	1516.8		458298
2	1	56.2	18			620537
3	3	96.2	18	1823.8	1061.8	116464
4	3	94.2	18	1092.8	1137.8	277481
5	3	97.3	18	1375.7	1250.7	438020
6	2	82.8	18	1506.2		599325
7	1	62.3	18			97148
8	1	53.5	18			258514
9	2	77	18	1855		418348
10	2	69.2	18	1155.8		579763
11	1	52.4	18			77217
12	2	71.9	18	1371.1		237956
13	2	69.4	18	1156.6		399247
14	1	55.2	18			560928
15	3	89.8	18	1737.2	1099.2	57117
16	3	99.4	18	1403.6	1060.6	217717
17	2	67.7	18	1469.3		379052
18	1	57.5	18			541173
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.6.31 Radar Type5_Trial27 for 5530MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		27		VSG Frequency(MHz):		5560.377
Number of Bursts in Trial:			18	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	99.7	17	1539.3	1185.3	37342
2	2	71.1	17	1440.9		198362
3	2	76.2	17	1227.8		359505
4	2	76	17	1144		520827
5	1	63.2	17			17660
6	2	78.1	17	1446.9		178608
7	1	50.3	17			340379
8	3	94.2	17	1404.8	1053.8	499948
9	1	66.4	17			663423
10	3	98.5	17	1695.5	1809.5	158134
11	2	82.3	17	1067.7		320043
12	2	76.8	17	1802.2		480571
13	1	65.8	17			643439
14	3	89.2	17	1711.8	1221.8	138628
15	2	76.3	17	1147.7		299908
16	1	61.9	17			461625
17	1	53.3	17			623366
18	3	95.1	17	1516.9	1340.9	118745
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.6.32 Radar Type5_Trial28 for 5530MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		28		VSG Frequency(MHz):		5559.177
Number of Bursts in Trial:			20		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	88	20	995	1722	251184
2	3	88.5	20	1574.5	1649.5	395558
3	1	61.2	20			543275
4	1	56.7	20			89587
5	2	80.5	20	1364.5		233951
6	1	58.4	20			380037
7	3	95.5	20	1856.5	1622.5	521772
8	3	97.9	20	1221.1	1298.1	71272
9	2	82.1	20	1237.9		216212
10	1	54.9	20			361662
11	3	83.4	20	1228.6	1336.6	504833
12	3	88.5	20	1639.5	1896.5	53445
13	1	58.5	20			198918
14	2	75.2	20	973.8		343736
15	3	99.2	20	1313.8	1860.8	486413
16	3	96.8	20	1457.2	1550.2	35715
17	3	84.2	20	1733.8	1318.8	180158
18	1	51.4	20			326249
19	2	69.3	20	1261.7		470690
20	3	93.2	20	1519.8	1383.8	17904

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.6.33 Radar Type5_Trial29 for 5530MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		29		VSG Frequency(MHz):		5561.977
Number of Bursts in Trial:			14		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	93.1	13	1834.9	1013.9	232459
2	2	68	13	1030		439991
3	3	93.9	13	1328.1	1899.1	645520
4	1	53	13			172
5	1	66.3	13			207578
6	1	63.8	13			415251
7	2	71.3	13	928.7		622171
8	1	50.1	13			830608
9	1	53.3	13			182040
10	1	63.3	13			389641
11	3	95.7	13	1436.3	1050.3	595276
12	1	57.5	13			804236
13	1	51.9	13			156573
14	3	94.8	13	1074.2	1446.2	362776
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.6.34 Radar Type5_Trial30 for 5530MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		30		VSG Frequency(MHz):		5560.777
Number of Bursts in Trial:			17		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	61.4	16			470445
2	2	79.3	16	1045.7		639920
3	3	96.4	16	1622.6	1307.6	107312
4	3	93	16	1791	1369	277534
5	3	90.7	16	1066.3	1273.3	447599
6	2	67.8	16	1642.2		619099
7	2	80.5	16	1111.5		86694
8	1	65.4	16			257541
9	3	96	16	1220	1342	427005
10	3	95.4	16	1819.6	1361.6	596837
11	1	60.8	16			65749
12	2	77.9	16	1477.1		235991
13	3	90	16	1460	1574	405358
14	1	57.1	16			578061
15	2	77.7	16	930.3		44683
16	2	69	16	986		215092
17	1	54.9	16			386653
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

15.6.35 Radar Type6 for 5530MHz

Data Sheet for FCC Radar Type 6						
Trial	Pulse Width	PRI	Pulses per Hop	Hopping Rate	Hopping Sequence Length	Successful Detection
	(μ sec)	(μ sec)		(kHz)	(msec)	(Yes/No)
1	1	333	9	0.333	300	Yes
2	1	333	9	0.333	300	Yes
3	1	333	9	0.333	300	Yes
4	1	333	9	0.333	300	Yes
5	1	333	9	0.333	300	Yes
6	1	333	9	0.333	300	Yes
7	1	333	9	0.333	300	Yes
8	1	333	9	0.333	300	Yes
9	1	333	9	0.333	300	Yes
10	1	333	9	0.333	300	Yes
11	1	333	9	0.333	300	Yes
12	1	333	9	0.333	300	Yes
13	1	333	9	0.333	300	Yes
14	1	333	9	0.333	300	Yes
15	1	333	9	0.333	300	Yes
16	1	333	9	0.333	300	Yes
17	1	333	9	0.333	300	Yes
18	1	333	9	0.333	300	Yes
19	1	333	9	0.333	300	Yes
20	1	333	9	0.333	300	Yes
21	1	333	9	0.333	300	Yes
22	1	333	9	0.333	300	Yes
23	1	333	9	0.333	300	Yes
24	1	333	9	0.333	300	Yes
25	1	333	9	0.333	300	Yes
26	1	333	9	0.333	300	Yes
27	1	333	9	0.333	300	Yes
28	1	333	9	0.333	300	Yes
29	1	333	9	0.333	300	Yes
30	1	333	9	0.333	300	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16 IN SERVICE MONITORING (FM-TUBE)

16.1 HT20_5320MHz

Short Pulse Radar Type	Minimum Number of Trials	Detection(%)		Minnum Percentage of Successful Detection(%)	Pass/Fail
1	30	100		60	Pass
2	30	83.33		60	Pass
3	30	90		60	Pass
4	30	83.33		60	Pass
Aggregate (Radar Types 1-4)	120	89.165		80	Pass
Long Pulse Radar Type	Minimum Number of Trials	Each Detection(%)	Total Detection(%)	Minnum Percentage of Successful Detection(%)	Pass/Fail
5	Center:10	100	96.67	80	Pass
	Low Edge:10	100			
	High Edge:10	90			
Frequency Hopping Radar Type	Minimum Number of Trials	Detection(%)		Minnum Percentage of Successful Detection(%)	Pass/Fail
6	30	100		70	Pass

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.1.1 Radar Type1 for 5320MHz

Data Sheet for FCC Radar Type 1						
Trial	VSG Frequency (MHz)	Pulse Repetition Frequency Number (1 to 23)	Pulse Repetition Frequency	PRI	Test A/B	Successful Detection
			(Pulses Per Second)	(msec)	A/B	(Yes/No)
1	5320	8	1519.8	658	A	Yes
2	5320	4	1730.1	578	A	Yes
3	5320	12	1355	738	A	Yes
4	5320	18	1165.5	858	A	Yes
5	5320	5	1672.2	598	A	Yes
6	5320	1	1930.5	518	A	Yes
7	5320	21	1089.3	918	A	Yes
8	5320	22	1066.1	938	A	Yes
9	5320	3	1792.1	558	A	Yes
10	5320	11	1392.8	718	A	Yes
11	5320	7	1567.4	638	A	Yes
12	5320	15	1253.1	798	A	Yes
13	5320	10	1432.7	698	A	Yes
14	5320	13	1319.3	758	A	Yes
15	5320	23	326.2	3066	A	Yes
16	5320	-	1032	969	B	Yes
17	5320	-	401.9	2488	B	Yes
18	5320	-	363.5	2751	B	Yes
19	5320	-	403.4	2479	B	Yes
20	5320	-	520	1923	B	Yes
21	5320	-	389	2571	B	Yes
22	5320	-	474.8	2106	B	Yes
23	5320	-	387.1	2583	B	Yes
24	5320	-	675.7	1480	B	Yes
25	5320	-	419.3	2385	B	Yes
26	5320	-	841	1189	B	Yes
27	5320	-	544.7	1836	B	Yes
28	5320	-	357.7	2796	B	Yes
29	5320	-	332.7	3006	B	Yes
30	5320	-	1524.4	656	B	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.1.2 Radar Type2 for 5320MHz

Data Sheet for FCC Radar Type 2					
Trial	VSG Frequency (MHz)	Number Pulses per Burst (23-29)	Pulse Width (1-5)	PRI (150-230)	Successful Detection
			(μ s)	(μ s)	(Yes/No)
1	5320	25	2.5	162	Yes
2	5320	28	4.1	167	Yes
3	5320	29	4.7	224	Yes
4	5320	25	2.4	158	Yes
5	5320	29	5	230	Yes
6	5320	28	4.2	223	No
7	5320	28	4.3	152	No
8	5320	29	4.5	222	Yes
9	5320	24	1.6	196	Yes
10	5320	24	1.8	186	Yes
11	5320	29	4.8	194	No
12	5320	24	1.8	191	Yes
13	5320	29	4.5	189	Yes
14	5320	27	3.3	164	Yes
15	5320	25	2.5	166	Yes
16	5320	25	2.6	212	Yes
17	5320	28	4.2	204	Yes
18	5320	24	1.9	170	Yes
19	5320	26	3	221	Yes
20	5320	29	4.6	183	Yes
21	5320	25	2.2	154	Yes
22	5320	27	3.7	178	Yes
23	5320	27	3.3	157	No
24	5320	23	1.2	229	Yes
25	5320	25	2.6	202	Yes
26	5320	27	3.4	185	Yes
27	5320	27	3.4	159	Yes
28	5320	28	4.3	207	Yes
29	5320	24	1.6	188	Yes
30	5320	23	1.1	171	No

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.1.3 Radar Type3 for 5320MHz

Data Sheet for FCC Radar Type 3					
Trial	VSG Frequency (MHz)	Number Pulses per Burst (16-18)	Pulse Width (6-10)	PRI (200-500)	Successful Detection
			(μ s)	(μ s)	(Yes/No)
1	5320	17	7.5	224	Yes
2	5320	18	9.1	280	Yes
3	5320	18	9.7	402	Yes
4	5320	17	7.4	359	Yes
5	5320	18	10	292	Yes
6	5320	18	9.2	203	Yes
7	5320	18	9.3	287	Yes
8	5320	18	9.5	344	Yes
9	5320	16	6.6	439	Yes
10	5320	16	6.8	222	No
11	5320	18	9.8	446	Yes
12	5320	16	6.8	278	Yes
13	5320	18	9.5	494	Yes
14	5320	17	8.3	338	Yes
15	5320	17	7.5	228	Yes
16	5320	17	7.6	267	Yes
17	5320	18	9.2	235	Yes
18	5320	16	6.9	299	Yes
19	5320	17	8	247	No
20	5320	18	9.6	416	Yes
21	5320	16	7.2	237	Yes
22	5320	18	8.7	308	Yes
23	5320	17	8.3	496	Yes
24	5320	16	6.2	274	No
25	5320	17	7.6	311	Yes
26	5320	17	8.4	472	Yes
27	5320	17	8.4	453	Yes
28	5320	18	9.3	298	Yes
29	5320	16	6.6	217	Yes
30	5320	16	6.1	488	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.1.4 Radar Type4 for 5320MHz

Data Sheet for FCC Radar Type 4					
Trial	VSG Frequency (MHz)	Number Pulses per Burst (12-16)	Pulse Width (11-20)	PRI (200-500)	Successful Detection
			(μ s)	(μ s)	(Yes/No)
1	5320	13	14.4	224	Yes
2	5320	15	17.9	280	Yes
3	5320	16	19.3	402	No
4	5320	13	14.1	359	No
5	5320	16	19.9	292	No
6	5320	15	18.1	203	Yes
7	5320	16	18.4	287	Yes
8	5320	16	18.8	344	Yes
9	5320	12	12.4	439	Yes
10	5320	12	12.8	222	Yes
11	5320	16	19.6	446	Yes
12	5320	13	12.8	278	Yes
13	5320	16	18.9	494	Yes
14	5320	14	16.2	338	No
15	5320	13	14.4	228	Yes
16	5320	14	14.7	267	Yes
17	5320	15	18.2	235	Yes
18	5320	13	13.1	299	Yes
19	5320	14	15.5	247	Yes
20	5320	16	19.1	416	Yes
21	5320	13	13.7	237	No
22	5320	15	17.1	308	Yes
23	5320	14	16.2	496	Yes
24	5320	12	11.6	274	Yes
25	5320	13	14.6	311	Yes
26	5320	15	16.5	472	Yes
27	5320	14	16.4	453	Yes
28	5320	16	18.5	298	Yes
29	5320	12	12.3	217	Yes
30	5320	12	11.2	488	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.1.5 Radar Type5_Trial1 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		1		VSG Frequency(MHz):		5320
Number of Bursts in Trial:			12		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	68.9	11	1681.1		617943
2	3	88	11	1052	1013	859342
3	3	95.7	11	1029.3	1667.3	104578
4	2	67.3	11	1487.7		346428
5	3	99.1	11	1452.9	1322.9	587685
6	3	89.1	11	1648.9	1506.9	828992
7	3	90.8	11	1346.2	1680.2	74768
8	3	93.4	11	1592.6	1767.6	316070
9	1	57.7	11			559213
10	1	59.9	11			801565
11	3	97.4	11	1441.6	1068.6	45087
12	1	60.3	11			287259
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.1.6 Radar Type5_Trial2 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		2		VSG Frequency(MHz):		5320
Number of Bursts in Trial:			17		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	93.6	17	969.4	1716.4	372179
2	2	78.7	17	1752.3		543058
3	2	68.7	17	1914.3		10817
4	2	70.5	17	995.5		181369
5	3	89.7	17	1636.3	1143.3	351073
6	1	61.7	17			523109
7	2	74.9	17	1501.1		693007
8	3	94.6	17	1718.4	1206.4	159920
9	1	65	17			331450
10	3	83.7	17	1429.3	963.3	500759
11	2	79.1	17	973.9		672324
12	1	53.3	17			139600
13	2	69.9	17	1280.1		309805
14	2	80.4	17	1420.6		480084
15	2	79.7	17	1602.3		650247
16	3	91.5	17	1146.5	1740.5	118094
17	1	57.6	17			289497
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.1.7 Radar Type5_Trial3 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		3		VSG Frequency(MHz):		5320
Number of Bursts in Trial:			19		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	51.5	19			411511
2	1	61	19			564308
3	3	91.6	19	1631.4	1188.4	86860
4	2	81.6	19	1670.4		239260
5	1	65.3	19			392765
6	2	81.8	19	1631.2		543927
7	3	84.2	19	1275.8	1031.8	68125
8	3	88.7	19	1295.3	1123.3	220331
9	1	55.9	19			374162
10	2	74.9	19	1550.1		525243
11	1	52.1	19			49598
12	3	98.3	19	909.7	1076.7	201730
13	3	86.4	19	1211.6	1585.6	353250
14	1	65	19			508142
15	3	89.6	19	1114.4	1072.4	30612
16	3	88.6	19	1753.4	1849.4	182508
17	3	85.8	19	1287.2	1281.2	334874
18	1	53.6	19			489394
19	2	70.2	19	1620.8		11905
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.1.8 Radar Type5_Trial4 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		4		VSG Frequency(MHz):		5320
Number of Bursts in Trial:			12		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	88.3	10	1177.7	1640.7	260329
2	2	76.4	10	1689.6		502548
3	3	84.4	10	1402.6	941.6	743815
4	1	64.7	10			987311
5	3	88.2	10	1458.8	1779.8	230494
6	3	91.4	10	928.6	1900.6	471969
7	2	82.7	10	1272.3		714795
8	3	85.2	10	1602.8	1675.8	954494
9	1	58.9	10			201374
10	3	92.3	10	1458.7	1703.7	441971
11	3	97.5	10	1335.5	1091.5	684282
12	2	68.6	10	1029.4		927279
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.1.9 Radar Type5_Trial5 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		5		VSG Frequency(MHz):		5320
Number of Bursts in Trial:			20		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	59.3	20			102927
2	3	99.4	20	1836.6	921.6	246644
3	3	85.7	20	1647.3	1582.3	390981
4	1	56.1	20			538295
5	3	99	20	965	1547	84528
6	1	55.8	20			230090
7	2	78.8	20	1791.2		374178
8	2	78.2	20	1715.8		518759
9	3	97	20	1485	1539	66687
10	3	84.6	20	1140.4	1175.4	211447
11	2	81.8	20	1173.2		356898
12	3	83.7	20	961.3	960.3	501030
13	3	86.9	20	1498.1	1220.1	49003
14	2	72.7	20	1033.3		193866
15	3	96.3	20	1341.7	1837.7	337464
16	2	78.6	20	1463.4		483566
17	2	68.6	20	1297.4		31259
18	3	89.5	20	952.5	1770.5	175652
19	1	64.8	20			321781
20	3	84.1	20	1721.9	1777.9	463830

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.1.10 Radar Type5_Trial6 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		6		VSG Frequency(MHz):		5320
Number of Bursts in Trial:			18		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	76.8	17	1693.2		14896
2	1	59.5	17			176198
3	1	53.1	17			337402
4	2	81.2	17	1359.8		497510
5	2	67.2	17	942.8		659183
6	3	96.3	17	1819.7	1654.7	155488
7	1	53.4	17			317715
8	3	90.3	17	1045.7	949.7	477431
9	2	82.7	17	1396.3		639297
10	3	96.6	17	992.4	1117.4	136110
11	2	75.3	17	1474.7		297217
12	3	96.5	17	1714.5	1509.5	456813
13	1	58.5	17			620514
14	1	56.3	17			116614
15	3	92.9	17	1572.1	1485.1	276831
16	3	98.9	17	902.1	1008.1	437777
17	1	50.6	17			600241
18	1	58.8	17			96833
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.1.11 Radar Type5_Trial7 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		7		VSG Frequency(MHz):		5320
Number of Bursts in Trial:			18		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	90.6	18	1576.4	1397.4	256835
2	2	82.7	18	1114.3		418833
3	1	57	18			580460
4	2	75.4	18	1890.6		76659
5	2	73.3	18	1748.7		237648
6	1	53.7	18			399393
7	3	94.7	18	1885.3	1624.3	557637
8	1	50.6	18			57017
9	2	77.9	18	1313.1		217820
10	1	65.4	18			379468
11	3	95.1	18	1413.9	1230.9	539081
12	1	54	18			37183
13	1	66.6	18			198515
14	2	69.4	18	930.6		359340
15	2	77.4	18	1108.6		519926
16	1	63.3	18			17290
17	3	91.9	18	1585.1	1889.1	177572
18	3	99.9	18	925.1	1427.1	338443
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.1.12 Radar Type5_Trial8 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		8		VSG Frequency(MHz):		5320
Number of Bursts in Trial:			19		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	96.3	18	1566.7	1569.7	472025
2	1	54.4	18			627541
3	3	88.9	18	1234.1	1195.1	149816
4	1	52.7	18			303085
5	1	52.3	18			456230
6	3	88.5	18	1488.5	1069.5	606094
7	3	95.6	18	1103.4	1732.4	130870
8	1	50.3	18			284473
9	1	59.2	18			436853
10	3	85.3	18	1203.7	1369.7	587653
11	2	75.2	18	1828.8		112462
12	2	80.5	18	1159.5		265216
13	2	79.9	18	1869.1		417115
14	3	97.5	18	1820.5	1530.5	568080
15	2	78	18	1201		93690
16	1	59.7	18			246863
17	3	99	18	1294	1371	397446
18	2	82.2	18	1429.8		550886
19	2	77	18	1442		74864
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.1.13 Radar Type5_Trial9 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		9		VSG Frequency(MHz):		5320
Number of Bursts in Trial:			10		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	51.3	7			433522
2	3	86.2	7	992.8	1638.8	722269
3	3	99.5	7	1817.5	950.5	1012095
4	3	86.6	7	1377.4	1766.4	106736
5	1	66.5	7			397689
6	2	68.3	7	1881.7		687236
7	3	88.1	7	1794.9	1901.9	975499
8	3	95.2	7	1741.8	1157.8	71006
9	2	78.7	7	1008.3		361662
10	2	80	7	1700		651472
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.1.14 Radar Type5_Trial10 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		10		VSG Frequency(MHz):		5320
Number of Bursts in Trial:			10		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	55.9	8			943154
2	2	69	8	1358		35356
3	3	95.2	8	936.8	1530.8	325379
4	1	64.5	8			616650
5	3	93.1	8	1134.9	1372.9	905480
6	1	52.6	8			1197677
7	3	96.2	8	1050.8	1497.8	289494
8	2	70	8	1705		580073
9	3	87.9	8	1232.1	1374.1	869786
10	2	80.4	8	1000.6		1161584
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.1.15 Radar Type5_Trial11 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		11		VSG Frequency(MHz):		5319.2675
Number of Bursts in Trial:			20		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	68.6	20	1288.4		126787
2	2	79.9	20	995.1		271916
3	2	73	20	1657		416122
4	3	94.6	20	1413.4	1653.4	559426
5	1	59.3	20			109132
6	2	75.5	20	1541.5		253712
7	3	97.5	20	1180.5	1152.5	398043
8	3	85.5	20	992.5	1714.5	541850
9	3	97.7	20	1728.3	1179.3	90897
10	2	76	20	1804		235545
11	1	56.8	20			381629
12	2	70.4	20	1188.6		525720
13	3	95.3	20	1470.7	1243.7	73056
14	3	86.4	20	1090.6	1080.6	217840
15	3	90.5	20	1832.5	1017.5	361937
16	1	63.7	20			509049
17	3	96.8	20	1073.2	1804.2	55306
18	2	67.9	20	1615.1		200311
19	2	72.3	20	1380.7		344790
20	3	84.4	20	1525.6	1764.6	488064

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.1.16 Radar Type5_Trial12 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		12		VSG Frequency(MHz):		5314.4675
Number of Bursts in Trial:			10		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	64.3	8			75471
2	3	93.3	8	1225.7	1220.7	365198
3	2	66.8	8	1490.2		656156
4	2	70.4	8	1923.6		946079
5	1	53.2	8			39639
6	1	66.2	8			330305
7	2	80	8	1813		620086
8	1	66	8			911509
9	3	86.9	8	1105.1	1200.1	3832
10	3	94.8	8	1815.2	1889.2	293528
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.1.17 Radar Type5_Trial13 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		13		VSG Frequency(MHz):		5318.4675
Number of Bursts in Trial:			19		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	81.8	18	1020.2		306970
2	3	89.8	18	1185.2	1060.2	458950
3	1	61	18			613306
4	1	51.7	18			135996
5	1	58.4	18			288845
6	2	71.4	18	1468.6		440572
7	1	63.1	18			594809
8	1	54.9	18			117262
9	2	77.3	18	1239.7		269369
10	3	91.1	18	1521.9	1229.9	420697
11	2	70.9	18	1820.1		573885
12	1	52.5	18			98349
13	3	97.6	18	936.4	1165.4	250395
14	1	52.6	18			403975
15	2	73.2	18	1922.8		554727
16	3	85.6	18	1477.4	1505.4	79125
17	2	73.8	18	1761.2		231687
18	1	58.8	18			385462
19	2	74	18	932		537159
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.1.18 Radar Type5_Trial14 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		14		VSG Frequency(MHz):		5316.8675
Number of Bursts in Trial:			15	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	79.4	14	1299.6		76775
2	1	55.8	14			270754
3	2	78.3	14	1748.7		463398
4	3	97.7	14	1858.3	1783.3	655072
5	1	53.4	14			53086
6	1	66.1	14			246603
7	2	75.3	14	1454.7		439673
8	1	63.1	14			634171
9	1	52.6	14			29234
10	3	91.3	14	1399.7	939.7	222067
11	3	93.1	14	1019.9	1417.9	415384
12	3	95.5	14	1744.5	1729.5	607637
13	2	81.5	14	1865.5		5369
14	3	98.7	14	1360.3	1847.3	198155
15	1	52.8	14			392713
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.1.19 Radar Type5_Trial15 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		15		VSG Frequency(MHz):		5315.6675
Number of Bursts in Trial:			12		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	94.3	11	1299.7	1903.7	730416
2	2	67	11	1400		974299
3	1	59.3	11			219021
4	3	93.5	11	1251.5	1503.5	459888
5	2	77.9	11	1399.1		702555
6	2	69.1	11	1177.9		944661
7	1	50.5	11			189161
8	3	91.9	11	1839.1	1050.1	430014
9	3	90.7	11	1584.3	1497.3	671355
10	2	81.2	11	1558.8		914632
11	1	63.5	11			159401
12	1	61.7	11			401445
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.1.20 Radar Type5_Trial16 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		16		VSG Frequency(MHz):		5315.6675
Number of Bursts in Trial:			13	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	95.8	11	966.2	1615.2	592509
2	1	64.2	11			817270
3	3	97.2	11	1374.8	1756.8	119113
4	2	67.7	11	1119.3		342845
5	3	92.5	11	1210.5	1525.5	564780
6	2	71.2	11	1359.8		788935
7	3	92	11	1882	976	91759
8	1	57.4	11			315603
9	3	89	11	988	1327	537748
10	1	53.4	11			762476
11	3	92.2	11	995.8	1060.8	64345
12	1	57.6	11			287957
13	3	85.7	11	1449.3	936.3	510062
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.1.21 Radar Type5_Trial17 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		17		VSG Frequency(MHz):		5318.0675
Number of Bursts in Trial:			18		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	83.2	17	1036.8		529785
2	1	58.3	17			26706
3	1	60.5	17			188158
4	1	63.6	17			349227
5	3	84.2	17	1852.8	1890.8	507679
6	3	95.7	17	1737.3	1904.3	6799
7	3	89.5	17	917.5	1089.5	167522
8	1	53.9	17			329653
9	3	94.8	17	1139.2	1275.2	488605
10	1	58.3	17			652378
11	1	56.1	17			148288
12	2	76.2	17	1446.8		308712
13	2	80.3	17	1113.7		469774
14	2	80.9	17	1097.1		631293
15	1	54.9	17			128377
16	2	78.8	17	1817.2		288698
17	1	63.9	17			450946
18	3	87.7	17	1521.3	1258.3	609861
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.1.22 Radar Type5_Trial18 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		18		VSG Frequency(MHz):		5314.4675
Number of Bursts in Trial:			11		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	66.4	8			177857
2	3	89.9	8	1665.1	913.1	440833
3	1	54.3	8			706454
4	2	79.5	8	1915.5		968919
5	3	98.9	8	1226.1	973.1	144967
6	1	55.4	8			409280
7	2	73.5	8	1419.5		672494
8	1	50.6	8			938111
9	2	74.2	8	1353.8		112488
10	3	89.5	8	1248.5	1537.5	375911
11	3	91.2	8	1524.8	1651.8	639014
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.1.23 Radar Type5_Trial19 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		19		VSG Frequency(MHz):		5316.0675
Number of Bursts in Trial:			14		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	63.9	12			711278
2	3	90.8	12	1614.2	1324.2	62738
3	2	74.9	12	1461.1		269861
4	1	51.7	12			477711
5	1	57.8	12			685299
6	3	94.8	12	1266.2	1856.2	37241
7	1	60.8	12			244931
8	3	90.1	12	1295.9	1178.9	451119
9	2	78.2	12	1569.8		658470
10	1	56.5	12			11823
11	3	85.6	12	1366.4	1838.4	218543
12	2	74.1	12	1359.9		426237
13	1	57.8	12			634681
14	1	51	12			842213
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.1.24 Radar Type5_Trial20 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		20		VSG Frequency(MHz):		5318.8675
Number of Bursts in Trial:			19	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	55.8	19			142763
2	3	91	19	1038	1478	294070
3	3	91.6	19	1763.4	1475.4	445599
4	1	62.1	19			600983
5	3	90.3	19	1562.7	1214.7	123268
6	3	87.1	19	939.9	1881.9	275165
7	2	78.7	19	1475.3		428485
8	2	75	19	1118		581376
9	1	65.8	19			105086
10	2	75.7	19	1456.3		257431
11	2	67.7	19	1733.3		409380
12	2	81.3	19	1478.7		562018
13	1	53.6	19			86190
14	1	59.4	19			239111
15	1	55	19			392159
16	3	90.2	19	1711.8	1665.8	541677
17	3	83.5	19	1791.5	1274.5	67101
18	2	71.4	19	1176.6		219633
19	3	100	19	905	1376	371411
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.1.25 Radar Type5_Trial21 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		21		VSG Frequency(MHz):		5325.1325
Number of Bursts in Trial:			11		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	62.7	9			909518
2	2	80.8	9	1814.2		83873
3	2	67.6	9	1297.4		347809
4	2	81.3	9	1650.7		611534
5	2	74.4	9	968.6		875939
6	2	72.5	9	992.5		51393
7	3	86.2	9	1617.8	1433.8	314764
8	3	94.2	9	1466.8	1378.8	578499
9	3	88.8	9	1774.2	1700.2	841368
10	3	85.8	9	1855.2	1289.2	18837
11	2	81.1	9	1608.9		282778
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.1.26 Radar Type5_Trial22 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		22		VSG Frequency(MHz):		5322.7325
Number of Bursts in Trial:			16	Successful Detection:		No
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	80.9	15	1766.1		374961
2	1	65.7	15			557868
3	3	96.6	15	1775.4	1762.4	735863
4	2	78.5	15	1779.5		171679
5	3	93.1	15	1603.9	1268.9	352020
6	1	64.4	15			535563
7	2	82	15	1109		715237
8	3	88.6	15	1087.4	1124.4	149231
9	3	84	15	1122	1808	329975
10	1	52.3	15			512692
11	1	62.5	15			694536
12	3	88.9	15	1120.1	1052.1	127060
13	2	74.9	15	1598.1		308165
14	3	99.2	15	1010.8	1445.8	488879
15	3	84	15	1858	1624	668805
16	2	76.5	15	1481.5		104899
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.1.27 Radar Type5_Trial23 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		23		VSG Frequency(MHz):		5323.1325
Number of Bursts in Trial:			15		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	91.1	14	1722.9	1481.9	304419
2	1	51.3	14			499595
3	3	85	14	1105	1782	690348
4	3	88.1	14	1704.9	926.9	87900
5	2	73	14	1153		281441
6	1	64.1	14			475687
7	2	74.1	14	1130.9		668244
8	3	95.1	14	1060.9	1166.9	64207
9	2	70.2	14	1365.8		257527
10	3	88.3	14	1555.7	1165.7	450074
11	1	59.7	14			645660
12	2	67.1	14	1851.9		40439
13	3	89.6	14	1722.4	1065.4	233388
14	1	54	14			427634
15	3	93	14	1594	1399	618905
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.1.28 Radar Type5_Trial24 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		24		VSG Frequency(MHz):		5326.3325
Number of Bursts in Trial:			8		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	89.9	6	1809.1	1078.1	31236
2	3	89.3	6	1352.7	1568.7	393920
3	3	84.7	6	1789.3	1173.3	756463
4	3	94.9	6	1669.1	1057.1	1119403
5	1	51.9	6			1484842
6	3	84.7	6	1697.3	1440.3	349153
7	2	75.1	6	1018.9		713024
8	1	66.4	6			1076628
9						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.1.29 Radar Type5_Trial25 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		25		VSG Frequency(MHz):		5324.3325
Number of Bursts in Trial:			13	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	90.7	11	1605.3	968.3	883164
2	1	58.1	11			187678
3	3	95	11	921	1808	410038
4	3	87.5	11	1516.5	1899.5	632425
5	3	97.7	11	1902.3	1446.3	854752
6	1	50.1	11			160179
7	3	92	11	1125	1869	382551
8	3	92.7	11	1090.3	1034.3	605771
9	2	82.2	11	1360.8		829111
10	3	90.5	11	1554.5	1523.5	132099
11	3	96	11	961	921	355276
12	3	95.1	11	1252.9	1474.9	577740
13	3	92.8	11	1316.2	1201.2	800647
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.1.30 Radar Type5_Trial26 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		26		VSG Frequency(MHz):		5323.1325
Number of Bursts in Trial:			15	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	53.8	14			91080
2	3	97.7	14	1167.3	1878.3	283717
3	1	58.1	14			478261
4	2	66.7	14	1144.3		671114
5	3	91.6	14	1353.4	1052.4	66962
6	1	51.4	14			261011
7	1	58.3	14			454366
8	1	54.7	14			648466
9	1	54.7	14			43343
10	1	64.8	14			236926
11	3	99	14	952	1300	429105
12	2	79.9	14	1461.1		623211
13	1	59.3	14			19499
14	2	72.7	14	1398.3		212690
15	3	99.7	14	1879.3	1471.3	404956
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.1.31 Radar Type5_Trial27 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		27		VSG Frequency(MHz):		5323.1325
Number of Bursts in Trial:			15	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	90.3	14	1281.7	1213.7	598816
2	1	54.2	14			794473
3	2	82	14	1247		188994
4	3	91.8	14	1242.2	1765.2	381665
5	1	66	14			576343
6	3	84.9	14	1015.1	1421.1	767613
7	3	94.4	14	1290.6	1302.6	164860
8	2	80	14	1544		358194
9	2	78.1	14	1251.9		551595
10	2	76.6	14	1630.4		744585
11	2	76.5	14	1126.5		141305
12	3	95	14	1714	975	334217
13	2	78.2	14	1402.8		527740
14	3	95.6	14	1018.4	1512.4	720269
15	2	77.5	14	1766.5		117502
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.1.32 Radar Type5_Trial28 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		28		VSG Frequency(MHz):		5321.5325
Number of Bursts in Trial:			18		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	76.7	18	1658.3		258838
2	3	93.7	18	1772.3	1151.3	418522
3	1	59	18			581801
4	1	50.1	18			78195
5	3	86	18	1346	1557	238562
6	3	91.7	18	956.3	1567.3	398956
7	2	76.6	18	1160.4		560757
8	2	78.2	18	1657.8		58184
9	1	60.3	18			219772
10	2	83.2	18	1732.8		379956
11	2	66.8	18	1667.2		540946
12	1	61.7	18			38489
13	3	85.9	18	1667.1	1614.1	198790
14	3	93.4	18	1601.6	1257.6	359521
15	3	96.1	18	1471.9	952.9	520627
16	1	57.6	18			18611
17	3	88.3	18	1752.7	1533.7	178897
18	2	77.5	18	1123.5		340423
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.1.33 Radar Type5_Trial29 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		29		VSG Frequency(MHz):		5325.9325
Number of Bursts in Trial:			9		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	92.4	7	1651.6	1546.6	1003419
2	1	52.4	7			1329586
3	2	78	7	1298		320241
4	1	58.4	7			643653
5	1	54.2	7			966716
6	2	79.1	7	1911.9		1287888
7	1	57.9	7			280721
8	1	59.5	7			603859
9	2	67.7	7	1886.3		925042
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.1.34 Radar Type5_Trial30 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		30		VSG Frequency(MHz):		5326.7325
Number of Bursts in Trial:			8		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	80	5	1415		1404668
2	3	90.1	5	1752.9	1360.9	270452
3	1	65.1	5			634402
4	1	56.5	5			998149
5	2	80.1	5	1359.9		1360463
6	1	59.1	5			226234
7	2	77.3	5	1772.7		588878
8	3	88.1	5	1037.9	1340.9	951215
9						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.1.35 Radar Type6 for 5320MHz

Data Sheet for FCC Radar Type 6						
Trial	Pulse Width	PRI	Pulses per Hop	Hopping Rate	Hopping Sequence Length	Successful Detection
	(μ sec)	(μ sec)		(kHz)	(msec)	(Yes/No)
1	1	333	9	0.333	300	Yes
2	1	333	9	0.333	300	Yes
3	1	333	9	0.333	300	Yes
4	1	333	9	0.333	300	Yes
5	1	333	9	0.333	300	Yes
6	1	333	9	0.333	300	Yes
7	1	333	9	0.333	300	Yes
8	1	333	9	0.333	300	Yes
9	1	333	9	0.333	300	Yes
10	1	333	9	0.333	300	Yes
11	1	333	9	0.333	300	Yes
12	1	333	9	0.333	300	Yes
13	1	333	9	0.333	300	Yes
14	1	333	9	0.333	300	Yes
15	1	333	9	0.333	300	Yes
16	1	333	9	0.333	300	Yes
17	1	333	9	0.333	300	Yes
18	1	333	9	0.333	300	Yes
19	1	333	9	0.333	300	Yes
20	1	333	9	0.333	300	Yes
21	1	333	9	0.333	300	Yes
22	1	333	9	0.333	300	Yes
23	1	333	9	0.333	300	Yes
24	1	333	9	0.333	300	Yes
25	1	333	9	0.333	300	Yes
26	1	333	9	0.333	300	Yes
27	1	333	9	0.333	300	Yes
28	1	333	9	0.333	300	Yes
29	1	333	9	0.333	300	Yes
30	1	333	9	0.333	300	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.2 HT20_5500MHz

Short Pulse Radar Type	Minimum Number of Trials	Detection(%)		Minmum Percentage of Successful Detection(%)	Pass/Fail
1	30	100		60	Pass
2	30	86.67		60	Pass
3	30	86.67		60	Pass
4	30	80		60	Pass
Aggregate (Radar Types 1-4)	120	88.335		80	Pass
Long Pulse Radar Type	Minimum Number of Trials	Each Detection(%)	Total Detection(%)	Minmum Percentage of Successful Detection(%)	Pass/Fail
5	Center:10	100	93.33	80	Pass
	Low Edge:10	80			
	High Edge:10	100			
Frequency Hopping Radar Type	Minimum Number of Trials	Detection(%)		Minmum Percentage of Successful Detection(%)	Pass/Fail
6	30	93.33		70	Pass

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.2.1 Radar Type1 for 5500MHz

Data Sheet for FCC Radar Type 1						
Trial	VSG Frequency (MHz)	Pulse Repetition Frequency Number (1 to 23)	Pulse Repetition Frequency	PRI	Test A/B	Successful Detection
			(Pulses Per Second)	(msec)	A/B	(Yes/No)
1	5500	8	1519.8	658	A	Yes
2	5500	4	1730.1	578	A	Yes
3	5500	12	1355	738	A	Yes
4	5500	18	1165.5	858	A	Yes
5	5500	5	1672.2	598	A	Yes
6	5500	1	1930.5	518	A	Yes
7	5500	21	1089.3	918	A	Yes
8	5500	22	1066.1	938	A	Yes
9	5500	3	1792.1	558	A	Yes
10	5500	11	1392.8	718	A	Yes
11	5500	7	1567.4	638	A	Yes
12	5500	15	1253.1	798	A	Yes
13	5500	10	1432.7	698	A	Yes
14	5500	13	1319.3	758	A	Yes
15	5500	23	326.2	3066	A	Yes
16	5500	-	1032	969	B	Yes
17	5500	-	401.9	2488	B	Yes
18	5500	-	363.5	2751	B	Yes
19	5500	-	403.4	2479	B	Yes
20	5500	-	520	1923	B	Yes
21	5500	-	389	2571	B	Yes
22	5500	-	474.8	2106	B	Yes
23	5500	-	387.1	2583	B	Yes
24	5500	-	675.7	1480	B	Yes
25	5500	-	419.3	2385	B	Yes
26	5500	-	841	1189	B	Yes
27	5500	-	544.7	1836	B	Yes
28	5500	-	357.7	2796	B	Yes
29	5500	-	332.7	3006	B	Yes
30	5500	-	1524.4	656	B	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.2.2 Radar Type2 for 5500MHz

Data Sheet for FCC Radar Type 2					
Trial	VSG Frequency (MHz)	Number Pulses per Burst (23-29)	Pulse Width (1-5)	PRI (150-230)	Successful Detection
			(μ s)	(μ s)	(Yes/No)
1	5500	25	2.5	162	Yes
2	5500	28	4.1	167	Yes
3	5500	29	4.7	224	No
4	5500	25	2.4	158	Yes
5	5500	29	5	230	Yes
6	5500	28	4.2	223	Yes
7	5500	28	4.3	152	Yes
8	5500	29	4.5	222	No
9	5500	24	1.6	196	Yes
10	5500	24	1.8	186	Yes
11	5500	29	4.8	194	Yes
12	5500	24	1.8	191	Yes
13	5500	29	4.5	189	No
14	5500	27	3.3	164	Yes
15	5500	25	2.5	166	Yes
16	5500	25	2.6	212	No
17	5500	28	4.2	204	Yes
18	5500	24	1.9	170	Yes
19	5500	26	3	221	Yes
20	5500	29	4.6	183	Yes
21	5500	25	2.2	154	Yes
22	5500	27	3.7	178	Yes
23	5500	27	3.3	157	Yes
24	5500	23	1.2	229	Yes
25	5500	25	2.6	202	Yes
26	5500	27	3.4	185	Yes
27	5500	27	3.4	159	Yes
28	5500	28	4.3	207	Yes
29	5500	24	1.6	188	Yes
30	5500	23	1.1	171	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.2.3 Radar Type3 for 5500MHz

Data Sheet for FCC Radar Type 3					
Trial	VSG Frequency (MHz)	Number Pulses per Burst (16-18)	Pulse Width (6-10)	PRI (200-500)	Successful Detection
			(μ s)	(μ s)	(Yes/No)
1	5500	17	7.5	224	Yes
2	5500	18	9.1	280	No
3	5500	18	9.7	402	Yes
4	5500	17	7.4	359	Yes
5	5500	18	10	292	Yes
6	5500	18	9.2	203	Yes
7	5500	18	9.3	287	Yes
8	5500	18	9.5	344	Yes
9	5500	16	6.6	439	Yes
10	5500	16	6.8	222	Yes
11	5500	18	9.8	446	Yes
12	5500	16	6.8	278	Yes
13	5500	18	9.5	494	No
14	5500	17	8.3	338	Yes
15	5500	17	7.5	228	Yes
16	5500	17	7.6	267	Yes
17	5500	18	9.2	235	Yes
18	5500	16	6.9	299	Yes
19	5500	17	8	247	No
20	5500	18	9.6	416	Yes
21	5500	16	7.2	237	Yes
22	5500	18	8.7	308	Yes
23	5500	17	8.3	496	Yes
24	5500	16	6.2	274	Yes
25	5500	17	7.6	311	Yes
26	5500	17	8.4	472	Yes
27	5500	17	8.4	453	No
28	5500	18	9.3	298	Yes
29	5500	16	6.6	217	Yes
30	5500	16	6.1	488	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.2.4 Radar Type4 for 5500MHz

Data Sheet for FCC Radar Type 4					
Trial	VSG Frequency (MHz)	Number Pulses per Burst (12-16)	Pulse Width (11-20)	PRI (200-500)	Successful Detection
			(μ s)	(μ s)	(Yes/No)
1	5500	13	14.4	224	Yes
2	5500	15	17.9	280	Yes
3	5500	16	19.3	402	Yes
4	5500	13	14.1	359	No
5	5500	16	19.9	292	Yes
6	5500	15	18.1	203	Yes
7	5500	16	18.4	287	Yes
8	5500	16	18.8	344	Yes
9	5500	12	12.4	439	No
10	5500	12	12.8	222	Yes
11	5500	16	19.6	446	Yes
12	5500	13	12.8	278	Yes
13	5500	16	18.9	494	Yes
14	5500	14	16.2	338	Yes
15	5500	13	14.4	228	Yes
16	5500	14	14.7	267	Yes
17	5500	15	18.2	235	No
18	5500	13	13.1	299	No
19	5500	14	15.5	247	Yes
20	5500	16	19.1	416	No
21	5500	13	13.7	237	Yes
22	5500	15	17.1	308	Yes
23	5500	14	16.2	496	Yes
24	5500	12	11.6	274	Yes
25	5500	13	14.6	311	Yes
26	5500	15	16.5	472	Yes
27	5500	14	16.4	453	Yes
28	5500	16	18.5	298	Yes
29	5500	12	12.3	217	Yes
30	5500	12	11.2	488	No

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.2.5 Radar Type5_Trial1 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		1		VSG Frequency(MHz):		5500
Number of Bursts in Trial:			12		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	68.9	11	1681.1		617943
2	3	88	11	1052	1013	859342
3	3	95.7	11	1029.3	1667.3	104578
4	2	67.3	11	1487.7		346428
5	3	99.1	11	1452.9	1322.9	587685
6	3	89.1	11	1648.9	1506.9	828992
7	3	90.8	11	1346.2	1680.2	74768
8	3	93.4	11	1592.6	1767.6	316070
9	1	57.7	11			559213
10	1	59.9	11			801565
11	3	97.4	11	1441.6	1068.6	45087
12	1	60.3	11			287259
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.2.6 Radar Type5_Trial2 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		2		VSG Frequency(MHz):		5500
Number of Bursts in Trial:			17		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	93.6	17	969.4	1716.4	372179
2	2	78.7	17	1752.3		543058
3	2	68.7	17	1914.3		10817
4	2	70.5	17	995.5		181369
5	3	89.7	17	1636.3	1143.3	351073
6	1	61.7	17			523109
7	2	74.9	17	1501.1		693007
8	3	94.6	17	1718.4	1206.4	159920
9	1	65	17			331450
10	3	83.7	17	1429.3	963.3	500759
11	2	79.1	17	973.9		672324
12	1	53.3	17			139600
13	2	69.9	17	1280.1		309805
14	2	80.4	17	1420.6		480084
15	2	79.7	17	1602.3		650247
16	3	91.5	17	1146.5	1740.5	118094
17	1	57.6	17			289497
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.2.7 Radar Type5_Trial3 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		3		VSG Frequency(MHz):		5500
Number of Bursts in Trial:			19		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	51.5	19			411511
2	1	61	19			564308
3	3	91.6	19	1631.4	1188.4	86860
4	2	81.6	19	1670.4		239260
5	1	65.3	19			392765
6	2	81.8	19	1631.2		543927
7	3	84.2	19	1275.8	1031.8	68125
8	3	88.7	19	1295.3	1123.3	220331
9	1	55.9	19			374162
10	2	74.9	19	1550.1		525243
11	1	52.1	19			49598
12	3	98.3	19	909.7	1076.7	201730
13	3	86.4	19	1211.6	1585.6	353250
14	1	65	19			508142
15	3	89.6	19	1114.4	1072.4	30612
16	3	88.6	19	1753.4	1849.4	182508
17	3	85.8	19	1287.2	1281.2	334874
18	1	53.6	19			489394
19	2	70.2	19	1620.8		11905
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.2.8 Radar Type5_Trial4 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		4		VSG Frequency(MHz):		5500
Number of Bursts in Trial:			12		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	88.3	10	1177.7	1640.7	260329
2	2	76.4	10	1689.6		502548
3	3	84.4	10	1402.6	941.6	743815
4	1	64.7	10			987311
5	3	88.2	10	1458.8	1779.8	230494
6	3	91.4	10	928.6	1900.6	471969
7	2	82.7	10	1272.3		714795
8	3	85.2	10	1602.8	1675.8	954494
9	1	58.9	10			201374
10	3	92.3	10	1458.7	1703.7	441971
11	3	97.5	10	1335.5	1091.5	684282
12	2	68.6	10	1029.4		927279
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.2.9 Radar Type5_Trial5 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		5		VSG Frequency(MHz):		5500
Number of Bursts in Trial:			20		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	59.3	20			102927
2	3	99.4	20	1836.6	921.6	246644
3	3	85.7	20	1647.3	1582.3	390981
4	1	56.1	20			538295
5	3	99	20	965	1547	84528
6	1	55.8	20			230090
7	2	78.8	20	1791.2		374178
8	2	78.2	20	1715.8		518759
9	3	97	20	1485	1539	66687
10	3	84.6	20	1140.4	1175.4	211447
11	2	81.8	20	1173.2		356898
12	3	83.7	20	961.3	960.3	501030
13	3	86.9	20	1498.1	1220.1	49003
14	2	72.7	20	1033.3		193866
15	3	96.3	20	1341.7	1837.7	337464
16	2	78.6	20	1463.4		483566
17	2	68.6	20	1297.4		31259
18	3	89.5	20	952.5	1770.5	175652
19	1	64.8	20			321781
20	3	84.1	20	1721.9	1777.9	463830

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.2.10 Radar Type5_Trial6 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		6		VSG Frequency(MHz):		5500
Number of Bursts in Trial:			18		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	76.8	17	1693.2		14896
2	1	59.5	17			176198
3	1	53.1	17			337402
4	2	81.2	17	1359.8		497510
5	2	67.2	17	942.8		659183
6	3	96.3	17	1819.7	1654.7	155488
7	1	53.4	17			317715
8	3	90.3	17	1045.7	949.7	477431
9	2	82.7	17	1396.3		639297
10	3	96.6	17	992.4	1117.4	136110
11	2	75.3	17	1474.7		297217
12	3	96.5	17	1714.5	1509.5	456813
13	1	58.5	17			620514
14	1	56.3	17			116614
15	3	92.9	17	1572.1	1485.1	276831
16	3	98.9	17	902.1	1008.1	437777
17	1	50.6	17			600241
18	1	58.8	17			96833
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.2.11 Radar Type5_Trial7 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		7		VSG Frequency(MHz):		5500
Number of Bursts in Trial:			18		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	90.6	18	1576.4	1397.4	256835
2	2	82.7	18	1114.3		418833
3	1	57	18			580460
4	2	75.4	18	1890.6		76659
5	2	73.3	18	1748.7		237648
6	1	53.7	18			399393
7	3	94.7	18	1885.3	1624.3	557637
8	1	50.6	18			57017
9	2	77.9	18	1313.1		217820
10	1	65.4	18			379468
11	3	95.1	18	1413.9	1230.9	539081
12	1	54	18			37183
13	1	66.6	18			198515
14	2	69.4	18	930.6		359340
15	2	77.4	18	1108.6		519926
16	1	63.3	18			17290
17	3	91.9	18	1585.1	1889.1	177572
18	3	99.9	18	925.1	1427.1	338443
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.2.12 Radar Type5_Trial8 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		8		VSG Frequency(MHz):		5500
Number of Bursts in Trial:			19		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	96.3	18	1566.7	1569.7	472025
2	1	54.4	18			627541
3	3	88.9	18	1234.1	1195.1	149816
4	1	52.7	18			303085
5	1	52.3	18			456230
6	3	88.5	18	1488.5	1069.5	606094
7	3	95.6	18	1103.4	1732.4	130870
8	1	50.3	18			284473
9	1	59.2	18			436853
10	3	85.3	18	1203.7	1369.7	587653
11	2	75.2	18	1828.8		112462
12	2	80.5	18	1159.5		265216
13	2	79.9	18	1869.1		417115
14	3	97.5	18	1820.5	1530.5	568080
15	2	78	18	1201		93690
16	1	59.7	18			246863
17	3	99	18	1294	1371	397446
18	2	82.2	18	1429.8		550886
19	2	77	18	1442		74864
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.2.13 Radar Type5_Trial9 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		9		VSG Frequency(MHz):		5500
Number of Bursts in Trial:			10		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	51.3	7			433522
2	3	86.2	7	992.8	1638.8	722269
3	3	99.5	7	1817.5	950.5	1012095
4	3	86.6	7	1377.4	1766.4	106736
5	1	66.5	7			397689
6	2	68.3	7	1881.7		687236
7	3	88.1	7	1794.9	1901.9	975499
8	3	95.2	7	1741.8	1157.8	71006
9	2	78.7	7	1008.3		361662
10	2	80	7	1700		651472
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.2.14 Radar Type5_Trial10 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		10		VSG Frequency(MHz):		5500
Number of Bursts in Trial:			10		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	55.9	8			943154
2	2	69	8	1358		35356
3	3	95.2	8	936.8	1530.8	325379
4	1	64.5	8			616650
5	3	93.1	8	1134.9	1372.9	905480
6	1	52.6	8			1197677
7	3	96.2	8	1050.8	1497.8	289494
8	2	70	8	1705		580073
9	3	87.9	8	1232.1	1374.1	869786
10	2	80.4	8	1000.6		1161584
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.2.15 Radar Type5_Trial11 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		11		VSG Frequency(MHz):		5499.3175
Number of Bursts in Trial:			20		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	68.6	20	1288.4		126787
2	2	79.9	20	995.1		271916
3	2	73	20	1657		416122
4	3	94.6	20	1413.4	1653.4	559426
5	1	59.3	20			109132
6	2	75.5	20	1541.5		253712
7	3	97.5	20	1180.5	1152.5	398043
8	3	85.5	20	992.5	1714.5	541850
9	3	97.7	20	1728.3	1179.3	90897
10	2	76	20	1804		235545
11	1	56.8	20			381629
12	2	70.4	20	1188.6		525720
13	3	95.3	20	1470.7	1243.7	73056
14	3	86.4	20	1090.6	1080.6	217840
15	3	90.5	20	1832.5	1017.5	361937
16	1	63.7	20			509049
17	3	96.8	20	1073.2	1804.2	55306
18	2	67.9	20	1615.1		200311
19	2	72.3	20	1380.7		344790
20	3	84.4	20	1525.6	1764.6	488064

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.2.16 Radar Type5_Trial12 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		12		VSG Frequency(MHz):		5494.5175
Number of Bursts in Trial:			10		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	64.3	8			75471
2	3	93.3	8	1225.7	1220.7	365198
3	2	66.8	8	1490.2		656156
4	2	70.4	8	1923.6		946079
5	1	53.2	8			39639
6	1	66.2	8			330305
7	2	80	8	1813		620086
8	1	66	8			911509
9	3	86.9	8	1105.1	1200.1	3832
10	3	94.8	8	1815.2	1889.2	293528
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.2.17 Radar Type5_Trial13 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		13		VSG Frequency(MHz):		5498.5175
Number of Bursts in Trial:			19		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	81.8	18	1020.2		306970
2	3	89.8	18	1185.2	1060.2	458950
3	1	61	18			613306
4	1	51.7	18			135996
5	1	58.4	18			288845
6	2	71.4	18	1468.6		440572
7	1	63.1	18			594809
8	1	54.9	18			117262
9	2	77.3	18	1239.7		269369
10	3	91.1	18	1521.9	1229.9	420697
11	2	70.9	18	1820.1		573885
12	1	52.5	18			98349
13	3	97.6	18	936.4	1165.4	250395
14	1	52.6	18			403975
15	2	73.2	18	1922.8		554727
16	3	85.6	18	1477.4	1505.4	79125
17	2	73.8	18	1761.2		231687
18	1	58.8	18			385462
19	2	74	18	932		537159
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.2.18 Radar Type5_Trial14 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		14		VSG Frequency(MHz):		5496.9175
Number of Bursts in Trial:			15		Successful Detection: No	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	79.4	14	1299.6		76775
2	1	55.8	14			270754
3	2	78.3	14	1748.7		463398
4	3	97.7	14	1858.3	1783.3	655072
5	1	53.4	14			53086
6	1	66.1	14			246603
7	2	75.3	14	1454.7		439673
8	1	63.1	14			634171
9	1	52.6	14			29234
10	3	91.3	14	1399.7	939.7	222067
11	3	93.1	14	1019.9	1417.9	415384
12	3	95.5	14	1744.5	1729.5	607637
13	2	81.5	14	1865.5		5369
14	3	98.7	14	1360.3	1847.3	198155
15	1	52.8	14			392713
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.2.19 Radar Type5_Trial15 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		15		VSG Frequency(MHz):		5495.7175
Number of Bursts in Trial:			12		Successful Detection: No	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	94.3	11	1299.7	1903.7	730416
2	2	67	11	1400		974299
3	1	59.3	11			219021
4	3	93.5	11	1251.5	1503.5	459888
5	2	77.9	11	1399.1		702555
6	2	69.1	11	1177.9		944661
7	1	50.5	11			189161
8	3	91.9	11	1839.1	1050.1	430014
9	3	90.7	11	1584.3	1497.3	671355
10	2	81.2	11	1558.8		914632
11	1	63.5	11			159401
12	1	61.7	11			401445
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.2.20 Radar Type5_Trial16 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		16		VSG Frequency(MHz):		5495.7175
Number of Bursts in Trial:			13		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	95.8	11	966.2	1615.2	592509
2	1	64.2	11			817270
3	3	97.2	11	1374.8	1756.8	119113
4	2	67.7	11	1119.3		342845
5	3	92.5	11	1210.5	1525.5	564780
6	2	71.2	11	1359.8		788935
7	3	92	11	1882	976	91759
8	1	57.4	11			315603
9	3	89	11	988	1327	537748
10	1	53.4	11			762476
11	3	92.2	11	995.8	1060.8	64345
12	1	57.6	11			287957
13	3	85.7	11	1449.3	936.3	510062
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.2.21 Radar Type5_Trial17 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		17		VSG Frequency(MHz):		5498.1175
Number of Bursts in Trial:			18		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	83.2	17	1036.8		529785
2	1	58.3	17			26706
3	1	60.5	17			188158
4	1	63.6	17			349227
5	3	84.2	17	1852.8	1890.8	507679
6	3	95.7	17	1737.3	1904.3	6799
7	3	89.5	17	917.5	1089.5	167522
8	1	53.9	17			329653
9	3	94.8	17	1139.2	1275.2	488605
10	1	58.3	17			652378
11	1	56.1	17			148288
12	2	76.2	17	1446.8		308712
13	2	80.3	17	1113.7		469774
14	2	80.9	17	1097.1		631293
15	1	54.9	17			128377
16	2	78.8	17	1817.2		288698
17	1	63.9	17			450946
18	3	87.7	17	1521.3	1258.3	609861
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.2.22 Radar Type5_Trial18 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		18		VSG Frequency(MHz):		5494.5175
Number of Bursts in Trial:			11		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	66.4	8			177857
2	3	89.9	8	1665.1	913.1	440833
3	1	54.3	8			706454
4	2	79.5	8	1915.5		968919
5	3	98.9	8	1226.1	973.1	144967
6	1	55.4	8			409280
7	2	73.5	8	1419.5		672494
8	1	50.6	8			938111
9	2	74.2	8	1353.8		112488
10	3	89.5	8	1248.5	1537.5	375911
11	3	91.2	8	1524.8	1651.8	639014
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.2.23 Radar Type5_Trial19 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		19		VSG Frequency(MHz):		5496.1175
Number of Bursts in Trial:			14		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	63.9	12			711278
2	3	90.8	12	1614.2	1324.2	62738
3	2	74.9	12	1461.1		269861
4	1	51.7	12			477711
5	1	57.8	12			685299
6	3	94.8	12	1266.2	1856.2	37241
7	1	60.8	12			244931
8	3	90.1	12	1295.9	1178.9	451119
9	2	78.2	12	1569.8		658470
10	1	56.5	12			11823
11	3	85.6	12	1366.4	1838.4	218543
12	2	74.1	12	1359.9		426237
13	1	57.8	12			634681
14	1	51	12			842213
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.2.24 Radar Type5_Trial20 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		20		VSG Frequency(MHz):		5498.9175
Number of Bursts in Trial:			19	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	55.8	19			142763
2	3	91	19	1038	1478	294070
3	3	91.6	19	1763.4	1475.4	445599
4	1	62.1	19			600983
5	3	90.3	19	1562.7	1214.7	123268
6	3	87.1	19	939.9	1881.9	275165
7	2	78.7	19	1475.3		428485
8	2	75	19	1118		581376
9	1	65.8	19			105086
10	2	75.7	19	1456.3		257431
11	2	67.7	19	1733.3		409380
12	2	81.3	19	1478.7		562018
13	1	53.6	19			86190
14	1	59.4	19			239111
15	1	55	19			392159
16	3	90.2	19	1711.8	1665.8	541677
17	3	83.5	19	1791.5	1274.5	67101
18	2	71.4	19	1176.6		219633
19	3	100	19	905	1376	371411
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.2.25 Radar Type5_Trial21 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		21		VSG Frequency(MHz):		5505.0825
Number of Bursts in Trial:			11		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	62.7	9			909518
2	2	80.8	9	1814.2		83873
3	2	67.6	9	1297.4		347809
4	2	81.3	9	1650.7		611534
5	2	74.4	9	968.6		875939
6	2	72.5	9	992.5		51393
7	3	86.2	9	1617.8	1433.8	314764
8	3	94.2	9	1466.8	1378.8	578499
9	3	88.8	9	1774.2	1700.2	841368
10	3	85.8	9	1855.2	1289.2	18837
11	2	81.1	9	1608.9		282778
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.2.26 Radar Type5_Trial22 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		22		VSG Frequency(MHz):		5502.6825
Number of Bursts in Trial:			16	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	80.9	15	1766.1		374961
2	1	65.7	15			557868
3	3	96.6	15	1775.4	1762.4	735863
4	2	78.5	15	1779.5		171679
5	3	93.1	15	1603.9	1268.9	352020
6	1	64.4	15			535563
7	2	82	15	1109		715237
8	3	88.6	15	1087.4	1124.4	149231
9	3	84	15	1122	1808	329975
10	1	52.3	15			512692
11	1	62.5	15			694536
12	3	88.9	15	1120.1	1052.1	127060
13	2	74.9	15	1598.1		308165
14	3	99.2	15	1010.8	1445.8	488879
15	3	84	15	1858	1624	668805
16	2	76.5	15	1481.5		104899
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.2.27 Radar Type5_Trial23 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		23		VSG Frequency(MHz):		5503.0825
Number of Bursts in Trial:			15	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	91.1	14	1722.9	1481.9	304419
2	1	51.3	14			499595
3	3	85	14	1105	1782	690348
4	3	88.1	14	1704.9	926.9	87900
5	2	73	14	1153		281441
6	1	64.1	14			475687
7	2	74.1	14	1130.9		668244
8	3	95.1	14	1060.9	1166.9	64207
9	2	70.2	14	1365.8		257527
10	3	88.3	14	1555.7	1165.7	450074
11	1	59.7	14			645660
12	2	67.1	14	1851.9		40439
13	3	89.6	14	1722.4	1065.4	233388
14	1	54	14			427634
15	3	93	14	1594	1399	618905
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.2.28 Radar Type5_Trial24 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		24		VSG Frequency(MHz):		5506.2825
Number of Bursts in Trial:			8	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	89.9	6	1809.1	1078.1	31236
2	3	89.3	6	1352.7	1568.7	393920
3	3	84.7	6	1789.3	1173.3	756463
4	3	94.9	6	1669.1	1057.1	1119403
5	1	51.9	6			1484842
6	3	84.7	6	1697.3	1440.3	349153
7	2	75.1	6	1018.9		713024
8	1	66.4	6			1076628
9						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.2.29 Radar Type5_Trial25 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		25		VSG Frequency(MHz):		5504.2825
Number of Bursts in Trial:			13	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	90.7	11	1605.3	968.3	883164
2	1	58.1	11			187678
3	3	95	11	921	1808	410038
4	3	87.5	11	1516.5	1899.5	632425
5	3	97.7	11	1902.3	1446.3	854752
6	1	50.1	11			160179
7	3	92	11	1125	1869	382551
8	3	92.7	11	1090.3	1034.3	605771
9	2	82.2	11	1360.8		829111
10	3	90.5	11	1554.5	1523.5	132099
11	3	96	11	961	921	355276
12	3	95.1	11	1252.9	1474.9	577740
13	3	92.8	11	1316.2	1201.2	800647
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.2.30 Radar Type5_Trial26 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		26		VSG Frequency(MHz):		5503.0825
Number of Bursts in Trial:			15	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	53.8	14			91080
2	3	97.7	14	1167.3	1878.3	283717
3	1	58.1	14			478261
4	2	66.7	14	1144.3		671114
5	3	91.6	14	1353.4	1052.4	66962
6	1	51.4	14			261011
7	1	58.3	14			454366
8	1	54.7	14			648466
9	1	54.7	14			43343
10	1	64.8	14			236926
11	3	99	14	952	1300	429105
12	2	79.9	14	1461.1		623211
13	1	59.3	14			19499
14	2	72.7	14	1398.3		212690
15	3	99.7	14	1879.3	1471.3	404956
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.2.31 Radar Type5_Trial27 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		27		VSG Frequency(MHz):		5503.0825
Number of Bursts in Trial:			15	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	90.3	14	1281.7	1213.7	598816
2	1	54.2	14			794473
3	2	82	14	1247		188994
4	3	91.8	14	1242.2	1765.2	381665
5	1	66	14			576343
6	3	84.9	14	1015.1	1421.1	767613
7	3	94.4	14	1290.6	1302.6	164860
8	2	80	14	1544		358194
9	2	78.1	14	1251.9		551595
10	2	76.6	14	1630.4		744585
11	2	76.5	14	1126.5		141305
12	3	95	14	1714	975	334217
13	2	78.2	14	1402.8		527740
14	3	95.6	14	1018.4	1512.4	720269
15	2	77.5	14	1766.5		117502
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.2.32 Radar Type5_Trial28 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		28		VSG Frequency(MHz):		5501.4825
Number of Bursts in Trial:			18	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	76.7	18	1658.3		258838
2	3	93.7	18	1772.3	1151.3	418522
3	1	59	18			581801
4	1	50.1	18			78195
5	3	86	18	1346	1557	238562
6	3	91.7	18	956.3	1567.3	398956
7	2	76.6	18	1160.4		560757
8	2	78.2	18	1657.8		58184
9	1	60.3	18			219772
10	2	83.2	18	1732.8		379956
11	2	66.8	18	1667.2		540946
12	1	61.7	18			38489
13	3	85.9	18	1667.1	1614.1	198790
14	3	93.4	18	1601.6	1257.6	359521
15	3	96.1	18	1471.9	952.9	520627
16	1	57.6	18			18611
17	3	88.3	18	1752.7	1533.7	178897
18	2	77.5	18	1123.5		340423
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.2.33 Radar Type5_Trial29 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		29		VSG Frequency(MHz):		5505.8825
Number of Bursts in Trial:			9	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	92.4	7	1651.6	1546.6	1003419
2	1	52.4	7			1329586
3	2	78	7	1298		320241
4	1	58.4	7			643653
5	1	54.2	7			966716
6	2	79.1	7	1911.9		1287888
7	1	57.9	7			280721
8	1	59.5	7			603859
9	2	67.7	7	1886.3		925042
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.2.34 Radar Type5_Trial30 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		30		VSG Frequency(MHz):		5506.6825
Number of Bursts in Trial:			8		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	80	5	1415		1404668
2	3	90.1	5	1752.9	1360.9	270452
3	1	65.1	5			634402
4	1	56.5	5			998149
5	2	80.1	5	1359.9		1360463
6	1	59.1	5			226234
7	2	77.3	5	1772.7		588878
8	3	88.1	5	1037.9	1340.9	951215
9						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.2.35 Radar Type6 for 5500MHz

Data Sheet for FCC Radar Type 6						
Trial	Pulse Width	PRI	Pulses per Hop	Hopping Rate	Hopping Sequence Length	Successful Detection
	(μ sec)	(μ sec)		(kHz)	(msec)	(Yes/No)
1	1	333	9	0.333	300	Yes
2	1	333	9	0.333	300	Yes
3	1	333	9	0.333	300	Yes
4	1	333	9	0.333	300	Yes
5	1	333	9	0.333	300	Yes
6	1	333	9	0.333	300	Yes
7	1	333	9	0.333	300	Yes
8	1	333	9	0.333	300	Yes
9	1	333	9	0.333	300	Yes
10	1	333	9	0.333	300	Yes
11	1	333	9	0.333	300	Yes
12	1	333	9	0.333	300	Yes
13	1	333	9	0.333	300	Yes
14	1	333	9	0.333	300	Yes
15	1	333	9	0.333	300	Yes
16	1	333	9	0.333	300	Yes
17	1	333	9	0.333	300	Yes
18	1	333	9	0.333	300	Yes
19	1	333	9	0.333	300	Yes
20	1	333	9	0.333	300	No
21	1	333	9	0.333	300	Yes
22	1	333	9	0.333	300	Yes
23	1	333	9	0.333	300	Yes
24	1	333	9	0.333	300	Yes
25	1	333	9	0.333	300	Yes
26	1	333	9	0.333	300	Yes
27	1	333	9	0.333	300	Yes
28	1	333	9	0.333	300	Yes
29	1	333	9	0.333	300	Yes
30	1	333	9	0.333	300	No

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.3 HT40_5310MHz

Short Pulse Radar Type	Minimum Number of Trials	Detection(%)		Minmum Percentage of Successful Detection(%)	Pass/Fail
1	30	100		60	Pass
2	30	86.67		60	Pass
3	30	86.67		60	Pass
4	30	83.33		60	Pass
Aggregate (Radar Types 1-4)	120	89.1675		80	Pass
Long Pulse Radar Type	Minimum Number of Trials	Each Detection(%)	Total Detection(%)	Minmum Percentage of Successful Detection(%)	Pass/Fail
5	Center:10	100	100	80	Pass
	Low Edge:10	100			
	High Edge:10	100			
Frequency Hopping Radar Type	Minimum Number of Trials	Detection(%)		Minmum Percentage of Successful Detection(%)	Pass/Fail
6	30	100		70	Pass

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.3.1 Radar Type1 for 5310MHz

Data Sheet for FCC Radar Type 1						
Trial	VSG Frequency (MHz)	Pulse Repetition Frequency Number (1 to 23)	Pulse Repetition Frequency	PRI	Test A/B	Successful Detection
			(Pulses Per Second)	(msec)	A/B	(Yes/No)
1	5310	18	1165.5	858	A	Yes
2	5310	3	1792.1	558	A	Yes
3	5310	20	1113.6	898	A	Yes
4	5310	11	1392.8	718	A	Yes
5	5310	17	1193.3	838	A	Yes
6	5310	22	1066.1	938	A	Yes
7	5310	14	1285.3	778	A	Yes
8	5310	15	1253.1	798	A	Yes
9	5310	21	1089.3	918	A	Yes
10	5310	23	326.2	3066	A	Yes
11	5310	2	1858.7	538	A	Yes
12	5310	4	1730.1	578	A	Yes
13	5310	5	1672.2	598	A	Yes
14	5310	16	1222.5	818	A	Yes
15	5310	10	1432.7	698	A	Yes
16	5310	-	1615.5	619	B	Yes
17	5310	-	489.7	2042	B	Yes
18	5310	-	998	1002	B	Yes
19	5310	-	616.1	1623	B	Yes
20	5310	-	338	2959	B	Yes
21	5310	-	911.6	1097	B	Yes
22	5310	-	634.9	1575	B	Yes
23	5310	-	716.3	1396	B	Yes
24	5310	-	1326.3	754	B	Yes
25	5310	-	821.7	1217	B	Yes
26	5310	-	542.3	1844	B	Yes
27	5310	-	761.6	1313	B	Yes
28	5310	-	332.8	3005	B	Yes
29	5310	-	1046	956	B	Yes
30	5310	-	836.8	1195	B	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.3.2 Radar Type2 for 5310MHz

Data Sheet for FCC Radar Type 2					
Trial	VSG Frequency (MHz)	Number Pulses per Burst (23-29)	Pulse Width (1-5)	PRI (150-230)	Successful Detection
			(μ s)	(μ s)	(Yes/No)
1	5310	29	4.5	192	Yes
2	5310	29	4.6	159	Yes
3	5310	25	2.6	194	Yes
4	5310	27	3.6	197	No
5	5310	24	1.7	216	Yes
6	5310	24	1.9	163	No
7	5310	28	4.5	190	Yes
8	5310	29	4.9	218	Yes
9	5310	27	3.7	224	Yes
10	5310	25	2.2	213	Yes
11	5310	29	4.8	204	Yes
12	5310	28	4.3	203	Yes
13	5310	23	1	219	Yes
14	5310	23	1.3	170	Yes
15	5310	23	1.2	191	Yes
16	5310	24	1.9	181	Yes
17	5310	29	4.6	188	No
18	5310	24	1.7	180	Yes
19	5310	29	4.7	164	Yes
20	5310	27	3.4	186	No
21	5310	24	1.9	154	Yes
22	5310	24	1.5	208	Yes
23	5310	25	2.6	215	Yes
24	5310	26	2.9	220	Yes
25	5310	29	4.9	150	Yes
26	5310	28	4.4	195	Yes
27	5310	28	4.2	162	Yes
28	5310	29	4.9	226	Yes
29	5310	26	3.1	217	Yes
30	5310	28	4	211	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.3.3 Radar Type3 for 5310MHz

Data Sheet for FCC Radar Type 3					
Trial	VSG Frequency (MHz)	Number Pulses per Burst (16-18)	Pulse Width (6-10)	PRI (200-500)	Successful Detection
			(μ s)	(μ s)	(Yes/No)
1	5310	18	9.5	287	Yes
2	5310	18	9.6	479	Yes
3	5310	17	7.6	329	Yes
4	5310	17	8.6	234	Yes
5	5310	16	6.7	250	No
6	5310	16	6.9	475	Yes
7	5310	18	9.5	214	Yes
8	5310	18	9.9	245	Yes
9	5310	18	8.7	483	Yes
10	5310	16	7.2	457	Yes
11	5310	18	9.8	331	Yes
12	5310	18	9.3	407	Yes
13	5310	16	6	400	Yes
14	5310	16	6.3	447	Yes
15	5310	16	6.2	273	Yes
16	5310	16	6.9	344	Yes
17	5310	18	9.6	272	Yes
18	5310	16	6.7	362	No
19	5310	18	9.7	297	Yes
20	5310	17	8.4	461	Yes
21	5310	16	6.9	474	Yes
22	5310	16	6.5	354	Yes
23	5310	17	7.6	239	No
24	5310	17	7.9	496	Yes
25	5310	18	9.9	332	Yes
26	5310	18	9.4	349	Yes
27	5310	18	9.2	219	Yes
28	5310	18	9.9	389	No
29	5310	17	8.1	412	Yes
30	5310	18	9	311	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.3.4 Radar Type4 for 5310MHz

Data Sheet for FCC Radar Type 4					
Trial	VSG Frequency (MHz)	Number Pulses per Burst (12-16)	Pulse Width (11-20)	PRI (200-500)	Successful Detection
			(μ s)	(μ s)	(Yes/No)
1	5310	16	18.8	287	Yes
2	5310	16	19.1	479	Yes
3	5310	14	14.7	329	No
4	5310	15	16.7	234	Yes
5	5310	12	12.6	250	No
6	5310	13	13	475	Yes
7	5310	16	18.7	214	Yes
8	5310	16	19.7	245	Yes
9	5310	15	17.1	483	Yes
10	5310	13	13.8	457	Yes
11	5310	16	19.4	331	No
12	5310	16	18.4	407	Yes
13	5310	12	11.1	400	Yes
14	5310	12	11.7	447	Yes
15	5310	12	11.4	273	Yes
16	5310	13	13.1	344	Yes
17	5310	16	19.1	272	Yes
18	5310	12	12.5	362	Yes
19	5310	16	19.3	297	Yes
20	5310	14	16.3	461	Yes
21	5310	13	13	474	No
22	5310	12	12.3	354	Yes
23	5310	13	14.6	239	Yes
24	5310	14	15.3	496	Yes
25	5310	16	19.8	332	Yes
26	5310	16	18.6	349	Yes
27	5310	15	18.1	219	Yes
28	5310	16	19.7	389	Yes
29	5310	14	15.7	412	No
30	5310	15	17.6	311	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.3.5 Radar Type5_Trial1 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		1		VSG Frequency(MHz):		5310
Number of Bursts in Trial:			19		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	93.3	18	987.7	1137.7	67203
2	3	94.8	18	1081.2	1535.2	219370
3	2	70.6	18	1179.4		372553
4	2	81.9	18	1193.1		524586
5	1	58.8	18			48695
6	1	61.5	18			201438
7	3	92.8	18	1431.2	1342.2	352539
8	3	98.1	18	1275.9	1083.9	504992
9	3	84	18	1640	1895	29698
10	1	65.5	18			182657
11	3	96.5	18	1265.5	1041.5	334080
12	3	90.8	18	1663.2	1211.2	485847
13	1	50.9	18			11033
14	1	54.1	18			163968
15	1	52.7	18			316907
16	1	61.9	18			469493
17	3	94.9	18	1514.1	1733.1	619065
18	1	58.6	18			144931
19	3	95.9	18	1388.1	1682.1	296508
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.3.6 Radar Type5_Trial2 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		2		VSG Frequency(MHz):		5310
Number of Bursts in Trial:			19		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	79.4	19	1401.6		449462
2	1	61.5	19			603498
3	1	57.2	19			126114
4	2	69.8	19	1716.2		278379
5	2	73.6	19	1659.4		430445
6	3	98.5	19	1288.5	1106.5	582689
7	3	91.9	19	1638.1	1287.1	106763
8	3	89.4	19	1603.6	1772.6	258808
9	3	98.3	19	1149.7	1799.7	411138
10	2	76.4	19	1543.6		564711
11	3	86.7	19	1735.3	1179.3	88162
12	1	64.3	19			241494
13	2	67.1	19	1542.9		393028
14	1	65.1	19			546821
15	1	65.8	19			69778
16	2	78.5	19	1597.5		222112
17	1	59.2	19			375500
18	2	71.2	19	1345.8		527340
19	2	79.1	19	1611.9		50782
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.3.7 Radar Type5_Trial3 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		3		VSG Frequency(MHz):		5310
Number of Bursts in Trial:			13		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	90.3	11	1399.7	1481.7	296956
2	3	87.4	11	1735.6	940.6	520106
3	3	88.2	11	1910.8	1394.8	742506
4	3	89.5	11	1798.5	1198.5	46767
5	1	53.7	11			270428
6	1	57.9	11			494135
7	2	80.3	11	1452.7		716383
8	3	84.4	11	1735.6	1560.6	19318
9	1	51.6	11			242882
10	3	90.3	11	1139.7	1484.7	465060
11	1	56.5	11			690074
12	2	76.2	11	1612.8		912121
13	3	84.1	11	1253.9	1853.9	214698
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.3.8 Radar Type5_Trial4 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		4		VSG Frequency(MHz):		5310
Number of Bursts in Trial:			16		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	90.3	15	1527.7	1080.7	354923
2	2	77.4	15	933.6		537212
3	1	66.3	15			719403
4	3	88.3	15	1710.7	996.7	151876
5	3	86	15	1185	1365	332801
6	2	74.9	15	945.1		514970
7	3	97	15	1410	1691	693842
8	3	83.5	15	1683.5	1828.5	129503
9	2	66.9	15	1365.1		311338
10	2	72.2	15	1692.8		492269
11	3	94.5	15	1676.5	1499.5	671381
12	2	71.6	15	989.4		107710
13	3	97.4	15	1172.6	1019.6	288452
14	1	51.2	15			470742
15	2	79.4	15	1823.6		650521
16	2	75.6	15	1826.4		85249
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.3.9 Radar Type5_Trial5 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		5		VSG Frequency(MHz):		5310
Number of Bursts in Trial:			10		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	85.2	7	1307.8	1459.8	426390
2	2	75.7	7	1578.3		717013
3	3	93.6	7	1722.4	1330.4	1006414
4	3	90.8	7	1883.2	1095.2	100831
5	1	65.7	7			391661
6	2	68.3	7	1766.7		681264
7	1	58.5	7			973098
8	3	91.2	7	1269.8	1298.8	65116
9	2	72	7	1635		355408
10	1	53.5	7			646748
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						463830

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.3.10 Radar Type5_Trial6 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		6		VSG Frequency(MHz):		5310
Number of Bursts in Trial:			10		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	61.9	8			937468
2	3	93.4	8	1857.6	1772.6	29371
3	1	64	8			320059
4	3	90.3	8	1300.7	1534.7	609161
5	3	99.2	8	1091.8	1443.8	899681
6	3	91.8	8	1320.2	1489.2	1189330
7	1	50.1	8			284237
8	1	52.5	8			575048
9	2	74	8	1731		864676
10	3	89.7	8	1636.3	1245.3	1153863
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.3.11 Radar Type5_Trial7 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		7		VSG Frequency(MHz):		5310
Number of Bursts in Trial:			19		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	98.9	18	1896.1	1114.1	129933
2	2	77.6	18	1417.4		282644
3	3	92.6	18	1441.4	910.4	434659
4	3	84.3	18	1115.7	1451.7	586835
5	2	74.2	18	1518.8		111485
6	3	95.7	18	1464.3	1560.3	263399
7	2	73.4	18	1730.6		416405
8	1	65.2	18			570144
9	3	93.8	18	1306.2	1026.2	92662
10	2	67.8	18	1414.2		245337
11	1	56.3	18			398689
12	1	56.7	18			551059
13	1	50.8	18			74172
14	1	58.7	18			226872
15	1	66.4	18			379562
16	1	64.6	18			532874
17	1	63	18			55328
18	3	85.4	18	1748.6	1285.6	206971
19	2	68.3	18	1041.7		360140
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.3.12 Radar Type5_Trial8 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		8		VSG Frequency(MHz):		5310
Number of Bursts in Trial:			20		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	71.9	20	1422.1		487134
2	2	68.9	20	1274.1		34624
3	2	75.1	20	1152.9		179573
4	1	66.2	20			325110
5	2	82.4	20	1614.6		468759
6	1	63	20			16841
7	1	53.5	20			161941
8	2	69.4	20	1344.6		306486
9	2	76.6	20	1175.4		451682
10	2	73.1	20	1543.9		595504
11	1	52.7	20			144000
12	2	71.5	20	1449.5		288326
13	3	94.8	20	1814.2	1897.2	431429
14	2	77.2	20	1320.8		577928
15	3	89.7	20	1673.3	967.3	125577
16	2	76.8	20	1706.2		270492
17	1	57.5	20			416284
18	2	83.1	20	1109.9		560915
19	1	59.2	20			108295
20	1	66.6	20			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.3.13 Radar Type5_Trial9 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		9		VSG Frequency(MHz):		5310
Number of Bursts in Trial:			16		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	70.1	15	1769.9		497391
2	3	95	15	1864	1492	676569
3	3	93.4	15	1425.6	1672.6	112574
4	3	97.5	15	1611.5	1802.5	293182
5	1	54.1	15			475906
6	3	97.2	15	1759.8	1090.8	655423
7	1	55.1	15			90806
8	3	92.6	15	1071.4	1215.4	271417
9	1	55.3	15			453644
10	2	73.8	15	1545.2		633750
11	3	84.5	15	1304.5	1740.5	68117
12	2	78.7	15	990.3		249729
13	1	64.7	15			431755
14	3	84.2	15	1293.8	1476.8	610823
15	1	52	15			46068
16	2	70.8	15	1581.2		226981
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.3.14 Radar Type5_Trial10 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		10		VSG Frequency(MHz):		5310
Number of Bursts in Trial:			12		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	73.7	9	1175.3		544913
2	1	61.3	9			787904
3	1	60.2	9			31617
4	2	71.3	9	1513.7		273337
5	2	70.6	9	1760.4		514988
6	2	76.3	9	1827.7		756496
7	3	96.9	9	1258.1	946.1	1774
8	3	92.1	9	1060.9	1034.9	243476
9	3	91.1	9	1481.9	1236.9	484532
10	3	96.4	9	925.6	1199.6	726897
11	1	61.6	9			970582
12	2	79.5	9	1200.5		213770
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.3.15 Radar Type5_Trial11 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		11		VSG Frequency(MHz):		5299.5775
Number of Bursts in Trial:			20		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	61.1	19			273437
2	2	81.9	19	991.1		417782
3	1	58.8	19			563338
4	2	81.5	19	1030.5		110304
5	1	53.7	19			255811
6	2	68.8	19	1315.2		399739
7	3	98.3	19	1103.7	1775.7	543263
8	2	77	19	1089		92359
9	2	75.6	19	1553.4		237274
10	2	77.7	19	1156.3		382099
11	1	62	19			527680
12	3	85.2	19	1068.8	1160.8	74377
13	1	57.8	19			219871
14	1	61	19			365072
15	1	64	19			510518
16	1	52.7	19			56824
17	3	88.6	19	1027.4	1101.4	201105
18	2	74	19	1434		346138
19	1	56.7	19			492080
20	1	60.5	19			488064

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.3.16 Radar Type5_Trial12 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		12		VSG Frequency(MHz):		5299.1775
Number of Bursts in Trial:			18		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	75.2	18	1430.8		204204
2	2	68.9	18	1142.1		365465
3	1	53.1	18			526863
4	3	96.3	18	1033.7	1789.7	23313
5	2	72.9	18	941.1		184448
6	3	88	18	1785	1371	344279
7	3	96	18	1343	1121	505388
8	3	93.9	18	1203.1	1314.1	3522
9	3	98.2	18	1855.8	1635.8	163853
10	1	51.2	18			326144
11	1	56.4	18			487617
12	1	57.8	18			648732
13	3	85.6	18	1399.4	1354.4	144373
14	2	75.7	18	1160.3		305758
15	2	81.4	18	1365.6		466834
16	2	73.4	18	1887.6		627450
17	1	64.9	18			125048
18	1	53	18			286611
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.3.17 Radar Type5_Trial13 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		13		VSG Frequency(MHz):		5293.9775
Number of Bursts in Trial:			8		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	74.9	5	1172.1		1007777
2	3	96	5	1881	1299	1369165
3	3	86	5	1552	1458	236545
4	2	75.1	5	1033.9		600219
5	3	95.3	5	1107.7	1007.7	962187
6	3	96	5	1664	1043	1324524
7	3	99.4	5	1001.6	1463.6	192037
8	2	75	5	1587		555105
9						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.3.18 Radar Type5_Trial14 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		14		VSG Frequency(MHz):		5294.3775
Number of Bursts in Trial:			9		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	63.5	6			816834
2	1	59.6	6			1139605
3	1	62.2	6			131108
4	3	94.1	6	1458.9	1584.9	453222
5	1	53.5	6			776968
6	2	67	6	1559		1098706
7	3	89.7	6	1034.3	1832.3	91131
8	1	51	6			414231
9	1	54.3	6			737218
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.3.19 Radar Type5_Trial15 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		15		VSG Frequency(MHz):		5293.9775
Number of Bursts in Trial:			8		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	92.3	5	1279.7	1126.7	1191144
2	2	78.8	5	1468.2		57988
3	1	62.6	5			421358
4	1	58.6	5			784711
5	1	65.8	5			1148531
6	2	72.9	5	1489.1		13258
7	1	54.4	5			376687
8	2	78.9	5	1826.1		739332
9						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.3.20 Radar Type5_Trial16 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		16		VSG Frequency(MHz):		5295.1775
Number of Bursts in Trial:			11		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	74.3	8	997.7		801823
2	2	71.2	8	1214.8		1065255
3	1	54.2	8			241333
4	3	99.6	8	906.4	1396.4	504140
5	2	82.1	8	1204.9		768877
6	2	79.7	8	1605.3		1032596
7	3	90.7	8	1038.3	1378.3	208279
8	3	87.8	8	1639.2	1384.2	471675
9	3	85.6	8	1081.4	1019.4	735553
10	3	99.2	8	1268.8	1867.8	998741
11	1	60.8	8			176285
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.3.21 Radar Type5_Trial17 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		17		VSG Frequency(MHz):		5299.5775
Number of Bursts in Trial:			19	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	74.6	19	1436.4		254115
2	1	50.1	19			407394
3	2	73.6	19	1816.4		559020
4	1	57.1	19			83038
5	3	96.9	19	1868.1	1244.1	234658
6	3	98	19	1717	972	386666
7	2	74.4	19	1080.6		540752
8	3	86.4	19	1559.6	1846.6	63917
9	2	81.6	19	1803.4		216289
10	1	54	19			370169
11	3	97.7	19	1864.3	1354.3	519502
12	3	89.5	19	1860.5	1721.5	45211
13	2	68.2	19	1466.8		197826
14	3	84.6	19	1623.4	1601.4	349370
15	2	71.4	19	1255.6		502596
16	3	89.1	19	1559.9	1109.9	26500
17	3	94.7	19	1577.3	1247.3	178621
18	1	52.3	19			332278
19	3	94.4	19	987.6	1589.6	483308
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.3.22 Radar Type5_Trial18 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		18		VSG Frequency(MHz):		5294.7775
Number of Bursts in Trial:			10		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	59	7			14853
2	2	73	7	1662		305144
3	2	81.6	7	1153.4		595693
4	3	96.2	7	1309.8	1107.8	885221
5	2	70.9	7	945.1		1176518
6	2	74.7	7	1715.3		269210
7	3	95.1	7	1759.9	1904.9	558650
8	2	75.4	7	1711.6		849872
9	2	81.4	7	1015.6		1140446
10	2	80	7	1386		233583
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.3.23 Radar Type5_Trial19 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		19		VSG Frequency(MHz):		5299.5775
Number of Bursts in Trial:			19		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	71.5	19	1206.5		275204
2	1	56.3	19			428733
3	2	68	19	992		580820
4	2	67.9	19	1211.1		103913
5	2	78.8	19	1842.2		256077
6	2	76.5	19	1098.5		409146
7	1	54.2	19			562157
8	2	68.7	19	1381.3		85195
9	2	71.6	19	1075.4		237636
10	1	65.7	19			391044
11	1	60.7	19			543726
12	3	91.5	19	1590.5	1802.5	66095
13	3	86.6	19	1286.4	1743.4	218173
14	2	72.8	19	1250.2		371340
15	2	74.9	19	1531.1		523798
16	2	76.7	19	1865.3		47499
17	2	81.8	19	1724.2		199951
18	3	86.1	19	1220.9	1529.9	351802
19	1	65	19			506006
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.3.24 Radar Type5_Trial20 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		20		VSG Frequency(MHz):		5297.5775
Number of Bursts in Trial:			15	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	60.7	14			36595
2	3	90.6	14	1424.4	1423.4	229379
3	3	96.1	14	1233.9	1367.9	422646
4	3	85.5	14	1571.5	1634.5	615253
5	3	91.2	14	1750.8	1529.8	12661
6	3	90.1	14	1124.9	1049.9	205754
7	3	87.8	14	1852.2	1776.2	398344
8	3	93	14	1463	1374	591251
9	1	53.9	14			787598
10	1	52.6	14			182639
11	2	82.4	14	1257.6		375464
12	1	51.8	14			570064
13	2	72.5	14	1763.5		761861
14	3	93.1	14	1837.9	1221.9	158111
15	1	56.3	14			352508
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.3.25 Radar Type5_Trial21 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		21		VSG Frequency(MHz):		5324.8225
Number of Bursts in Trial:			10		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	60.1	8			819678
2	3	97.7	8	1503.3	1067.3	1107693
3	2	79.7	8	1147.3		202118
4	2	71.6	8	1721.4		492231
5	3	89.4	8	1437.6	951.6	781933
6	1	58.1	8			1074062
7	2	67.1	8	1483.9		166347
8	2	70.4	8	1018.6		456705
9	2	73	8	1018		747302
10	3	86.6	8	1226.4	1830.4	1035957
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.3.26 Radar Type5_Trial22 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		22		VSG Frequency(MHz):		5325.2225
Number of Bursts in Trial:			9	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	83.7	7	1455.3	1349.3	144968
2	2	67.6	7	1902.4		467780
3	3	86.5	7	1671.5	1342.5	789285
4	1	58.8	7			1114736
5	2	71.3	7	1627.7		105341
6	3	94.3	7	1782.7	1142.7	427418
7	3	93	7	1259	1210	749782
8	1	59	7			1074554
9	1	60.4	7			65693
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.3.27 Radar Type5_Trial23 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		23		VSG Frequency(MHz):		5323.6225
Number of Bursts in Trial:			13	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	70.6	11	1145.4		268770
2	3	89.4	11	1396.6	1576.6	490978
3	2	75.5	11	1535.5		714699
4	2	70.8	11	1697.2		17909
5	2	76.8	11	1446.2		241131
6	2	77.8	11	1811.2		463887
7	3	91.1	11	1093.9	1737.9	686152
8	3	83.5	11	1737.5	1692.5	908880
9	1	50.3	11			213863
10	1	66	11			437278
11	3	89.2	11	981.8	1352.8	659395
12	1	63.9	11			884918
13	3	88.2	11	928.8	1652.8	185870
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.3.28 Radar Type5_Trial24 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		24		VSG Frequency(MHz):		5323.2225
Number of Bursts in Trial:			14	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	98.5	12	1177.5	1143.5	379255
2	2	80.2	12	1868.8		586447
3	1	62.7	12			795247
4	2	77.2	12	1500.8		147224
5	3	97.1	12	1896.9	937.9	353753
6	1	60.2	12			562255
7	3	96.8	12	1467.2	1830.2	766477
8	1	56.9	12			121957
9	3	93.7	12	1697.3	936.3	328534
10	2	70.2	12	1348.8		535975
11	2	73	12	1165		743398
12	3	99	12	1430	1552	95962
13	1	57.4	12			303941
14	2	72.5	12	1283.5		510484
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.3.29 Radar Type5_Trial25 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		25		VSG Frequency(MHz):		5320.0225
Number of Bursts in Trial:			20		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	51.3	20			502736
2	3	84.1	20	1393.9	1030.9	49338
3	2	82.6	20	1873.4		194045
4	1	58.4	20			339906
5	3	89.5	20	1487.5	1452.5	482257
6	3	92.8	20	1550.2	1653.2	31468
7	1	62	20			176671
8	2	72.4	20	1181.6		321482
9	2	67	20	1583		465458
10	3	84.6	20	1480.4	1248.4	13710
11	2	76.9	20	1499.1		158604
12	1	52.8	20			304159
13	3	93.8	20	1116.2	1472.2	447306
14	3	98.3	20	1000.7	1158.7	592117
15	2	74.6	20	1525.4		140594
16	2	66.8	20	1588.2		285305
17	1	54.3	20			431589
18	3	83.9	20	1518.1	1233.1	573468
19	2	72.6	20	1414.4		122926
20	3	95.5	20	1225.5	1298.5	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.3.30 Radar Type5_Trial26 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		26		VSG Frequency(MHz):		5320.8225
Number of Bursts in Trial:			18	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	69.2	18	1516.8		458298
2	1	56.2	18			620537
3	3	96.2	18	1823.8	1061.8	116464
4	3	94.2	18	1092.8	1137.8	277481
5	3	97.3	18	1375.7	1250.7	438020
6	2	82.8	18	1506.2		599325
7	1	62.3	18			97148
8	1	53.5	18			258514
9	2	77	18	1855		418348
10	2	69.2	18	1155.8		579763
11	1	52.4	18			77217
12	2	71.9	18	1371.1		237956
13	2	69.4	18	1156.6		399247
14	1	55.2	18			560928
15	3	89.8	18	1737.2	1099.2	57117
16	3	99.4	18	1403.6	1060.6	217717
17	2	67.7	18	1469.3		379052
18	1	57.5	18			541173
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.3.31 Radar Type5_Trial27 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		27		VSG Frequency(MHz):		5321.2225
Number of Bursts in Trial:			18	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	99.7	17	1539.3	1185.3	37342
2	2	71.1	17	1440.9		198362
3	2	76.2	17	1227.8		359505
4	2	76	17	1144		520827
5	1	63.2	17			17660
6	2	78.1	17	1446.9		178608
7	1	50.3	17			340379
8	3	94.2	17	1404.8	1053.8	499948
9	1	66.4	17			663423
10	3	98.5	17	1695.5	1809.5	158134
11	2	82.3	17	1067.7		320043
12	2	76.8	17	1802.2		480571
13	1	65.8	17			643439
14	3	89.2	17	1711.8	1221.8	138628
15	2	76.3	17	1147.7		299908
16	1	61.9	17			461625
17	1	53.3	17			623366
18	3	95.1	17	1516.9	1340.9	118745
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.3.32 Radar Type5_Trial28 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		28		VSG Frequency(MHz):		5320.0225
Number of Bursts in Trial:			20		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	88	20	995	1722	251184
2	3	88.5	20	1574.5	1649.5	395558
3	1	61.2	20			543275
4	1	56.7	20			89587
5	2	80.5	20	1364.5		233951
6	1	58.4	20			380037
7	3	95.5	20	1856.5	1622.5	521772
8	3	97.9	20	1221.1	1298.1	71272
9	2	82.1	20	1237.9		216212
10	1	54.9	20			361662
11	3	83.4	20	1228.6	1336.6	504833
12	3	88.5	20	1639.5	1896.5	53445
13	1	58.5	20			198918
14	2	75.2	20	973.8		343736
15	3	99.2	20	1313.8	1860.8	486413
16	3	96.8	20	1457.2	1550.2	35715
17	3	84.2	20	1733.8	1318.8	180158
18	1	51.4	20			326249
19	2	69.3	20	1261.7		470690
20	3	93.2	20	1519.8	1383.8	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.3.33 Radar Type5_Trial29 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		29		VSG Frequency(MHz):		5322.8225
Number of Bursts in Trial:			14		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	93.1	13	1834.9	1013.9	232459
2	2	68	13	1030		439991
3	3	93.9	13	1328.1	1899.1	645520
4	1	53	13			172
5	1	66.3	13			207578
6	1	63.8	13			415251
7	2	71.3	13	928.7		622171
8	1	50.1	13			830608
9	1	53.3	13			182040
10	1	63.3	13			389641
11	3	95.7	13	1436.3	1050.3	595276
12	1	57.5	13			804236
13	1	51.9	13			156573
14	3	94.8	13	1074.2	1446.2	362776
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.3.34 Radar Type5_Trial30 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		30		VSG Frequency(MHz):		5321.6225
Number of Bursts in Trial:			17		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	61.4	16			470445
2	2	79.3	16	1045.7		639920
3	3	96.4	16	1622.6	1307.6	107312
4	3	93	16	1791	1369	277534
5	3	90.7	16	1066.3	1273.3	447599
6	2	67.8	16	1642.2		619099
7	2	80.5	16	1111.5		86694
8	1	65.4	16			257541
9	3	96	16	1220	1342	427005
10	3	95.4	16	1819.6	1361.6	596837
11	1	60.8	16			65749
12	2	77.9	16	1477.1		235991
13	3	90	16	1460	1574	405358
14	1	57.1	16			578061
15	2	77.7	16	930.3		44683
16	2	69	16	986		215092
17	1	54.9	16			386653
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.3.35 Radar Type6 for 5310MHz

Data Sheet for FCC Radar Type 6						
Trial	Pulse Width	PRI	Pulses per Hop	Hopping Rate	Hopping Sequence Length	Successful Detection
	(μ sec)	(μ sec)		(kHz)	(msec)	(Yes/No)
1	1	333	9	0.333	300	Yes
2	1	333	9	0.333	300	Yes
3	1	333	9	0.333	300	Yes
4	1	333	9	0.333	300	Yes
5	1	333	9	0.333	300	Yes
6	1	333	9	0.333	300	Yes
7	1	333	9	0.333	300	Yes
8	1	333	9	0.333	300	Yes
9	1	333	9	0.333	300	Yes
10	1	333	9	0.333	300	Yes
11	1	333	9	0.333	300	Yes
12	1	333	9	0.333	300	Yes
13	1	333	9	0.333	300	Yes
14	1	333	9	0.333	300	Yes
15	1	333	9	0.333	300	Yes
16	1	333	9	0.333	300	Yes
17	1	333	9	0.333	300	Yes
18	1	333	9	0.333	300	Yes
19	1	333	9	0.333	300	Yes
20	1	333	9	0.333	300	Yes
21	1	333	9	0.333	300	Yes
22	1	333	9	0.333	300	Yes
23	1	333	9	0.333	300	Yes
24	1	333	9	0.333	300	Yes
25	1	333	9	0.333	300	Yes
26	1	333	9	0.333	300	Yes
27	1	333	9	0.333	300	Yes
28	1	333	9	0.333	300	Yes
29	1	333	9	0.333	300	Yes
30	1	333	9	0.333	300	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.4 HT40_5510MHz

Short Pulse Radar Type	Minimum Number of Trials	Detection(%)		Minmum Percentage of Successful Detection(%)	Pass/Fail
1	30	100		60	Pass
2	30	86.67		60	Pass
3	30	90		60	Pass
4	30	83.33		60	Pass
Aggregate (Radar Types 1-4)	120	90		80	Pass
Long Pulse Radar Type	Minimum Number of Trials	Each Detection(%)	Total Detection(%)	Minmum Percentage of Successful Detection(%)	Pass/Fail
5	Center:10	100	100	80	Pass
	Low Edge:10	100			
	High Edge:10	100			
Frequency Hopping Radar Type	Minimum Number of Trials	Detection(%)		Minmum Percentage of Successful Detection(%)	Pass/Fail
6	30	100		70	Pass

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.4.1 Radar Type1 for 5510MHz

Data Sheet for FCC Radar Type 1						
Trial	VSG Frequency (MHz)	Pulse Repetition Frequency Number (1 to 23)	Pulse Repetition Frequency	PRI	Test A/B	Successful Detection
			(Pulses Per Second)	(msec)	A/B	(Yes/No)
1	5510	18	1165.5	858	A	Yes
2	5510	3	1792.1	558	A	Yes
3	5510	20	1113.6	898	A	Yes
4	5510	11	1392.8	718	A	Yes
5	5510	17	1193.3	838	A	Yes
6	5510	22	1066.1	938	A	Yes
7	5510	14	1285.3	778	A	Yes
8	5510	15	1253.1	798	A	Yes
9	5510	21	1089.3	918	A	Yes
10	5510	23	326.2	3066	A	Yes
11	5510	2	1858.7	538	A	Yes
12	5510	4	1730.1	578	A	Yes
13	5510	5	1672.2	598	A	Yes
14	5510	16	1222.5	818	A	Yes
15	5510	10	1432.7	698	A	Yes
16	5510	-	1615.5	619	B	Yes
17	5510	-	489.7	2042	B	Yes
18	5510	-	998	1002	B	Yes
19	5510	-	616.1	1623	B	Yes
20	5510	-	338	2959	B	Yes
21	5510	-	911.6	1097	B	Yes
22	5510	-	634.9	1575	B	Yes
23	5510	-	716.3	1396	B	Yes
24	5510	-	1326.3	754	B	Yes
25	5510	-	821.7	1217	B	Yes
26	5510	-	542.3	1844	B	Yes
27	5510	-	761.6	1313	B	Yes
28	5510	-	332.8	3005	B	Yes
29	5510	-	1046	956	B	Yes
30	5510	-	836.8	1195	B	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.4.2 Radar Type2 for 5510MHz

Data Sheet for FCC Radar Type 2					
Trial	VSG Frequency (MHz)	Number Pulses per Burst (23-29)	Pulse Width (1-5)	PRI (150-230)	Successful Detection
			(μ s)	(μ s)	(Yes/No)
1	5510	29	4.5	192	No
2	5510	29	4.6	159	Yes
3	5510	25	2.6	194	No
4	5510	27	3.6	197	Yes
5	5510	24	1.7	216	Yes
6	5510	24	1.9	163	Yes
7	5510	28	4.5	190	Yes
8	5510	29	4.9	218	Yes
9	5510	27	3.7	224	Yes
10	5510	25	2.2	213	No
11	5510	29	4.8	204	Yes
12	5510	28	4.3	203	Yes
13	5510	23	1	219	Yes
14	5510	23	1.3	170	No
15	5510	23	1.2	191	Yes
16	5510	24	1.9	181	Yes
17	5510	29	4.6	188	Yes
18	5510	24	1.7	180	Yes
19	5510	29	4.7	164	Yes
20	5510	27	3.4	186	Yes
21	5510	24	1.9	154	Yes
22	5510	24	1.5	208	Yes
23	5510	25	2.6	215	Yes
24	5510	26	2.9	220	Yes
25	5510	29	4.9	150	Yes
26	5510	28	4.4	195	Yes
27	5510	28	4.2	162	Yes
28	5510	29	4.9	226	Yes
29	5510	26	3.1	217	Yes
30	5510	28	4	211	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.4.3 Radar Type3 for 5510MHz

Data Sheet for FCC Radar Type 3					
Trial	VSG Frequency (MHz)	Number Pulses per Burst (16-18)	Pulse Width (6-10)	PRI (200-500)	Successful Detection
			(μ s)	(μ s)	(Yes/No)
1	5510	18	9.5	287	Yes
2	5510	18	9.6	479	No
3	5510	17	7.6	329	No
4	5510	17	8.6	234	Yes
5	5510	16	6.7	250	Yes
6	5510	16	6.9	475	Yes
7	5510	18	9.5	214	Yes
8	5510	18	9.9	245	Yes
9	5510	18	8.7	483	Yes
10	5510	16	7.2	457	Yes
11	5510	18	9.8	331	Yes
12	5510	18	9.3	407	Yes
13	5510	16	6	400	Yes
14	5510	16	6.3	447	Yes
15	5510	16	6.2	273	No
16	5510	16	6.9	344	Yes
17	5510	18	9.6	272	Yes
18	5510	16	6.7	362	Yes
19	5510	18	9.7	297	Yes
20	5510	17	8.4	461	Yes
21	5510	16	6.9	474	Yes
22	5510	16	6.5	354	Yes
23	5510	17	7.6	239	Yes
24	5510	17	7.9	496	Yes
25	5510	18	9.9	332	Yes
26	5510	18	9.4	349	Yes
27	5510	18	9.2	219	Yes
28	5510	18	9.9	389	Yes
29	5510	17	8.1	412	Yes
30	5510	18	9	311	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.4.4 Radar Type4 for 5510MHz

Data Sheet for FCC Radar Type 4					
Trial	VSG Frequency (MHz)	Number Pulses per Burst (12-16)	Pulse Width (11-20)	PRI (200-500)	Successful Detection
			(μ s)	(μ s)	(Yes/No)
1	5510	16	18.8	287	Yes
2	5510	16	19.1	479	Yes
3	5510	14	14.7	329	No
4	5510	15	16.7	234	Yes
5	5510	12	12.6	250	Yes
6	5510	13	13	475	No
7	5510	16	18.7	214	Yes
8	5510	16	19.7	245	No
9	5510	15	17.1	483	Yes
10	5510	13	13.8	457	Yes
11	5510	16	19.4	331	Yes
12	5510	16	18.4	407	Yes
13	5510	12	11.1	400	Yes
14	5510	12	11.7	447	Yes
15	5510	12	11.4	273	Yes
16	5510	13	13.1	344	Yes
17	5510	16	19.1	272	Yes
18	5510	12	12.5	362	No
19	5510	16	19.3	297	Yes
20	5510	14	16.3	461	Yes
21	5510	13	13	474	Yes
22	5510	12	12.3	354	No
23	5510	13	14.6	239	Yes
24	5510	14	15.3	496	Yes
25	5510	16	19.8	332	Yes
26	5510	16	18.6	349	Yes
27	5510	15	18.1	219	Yes
28	5510	16	19.7	389	Yes
29	5510	14	15.7	412	Yes
30	5510	15	17.6	311	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.4.5 Radar Type5_Trial1 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		1		VSG Frequency(MHz):		5510
Number of Bursts in Trial:			19		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	93.3	18	987.7	1137.7	67203
2	3	94.8	18	1081.2	1535.2	219370
3	2	70.6	18	1179.4		372553
4	2	81.9	18	1193.1		524586
5	1	58.8	18			48695
6	1	61.5	18			201438
7	3	92.8	18	1431.2	1342.2	352539
8	3	98.1	18	1275.9	1083.9	504992
9	3	84	18	1640	1895	29698
10	1	65.5	18			182657
11	3	96.5	18	1265.5	1041.5	334080
12	3	90.8	18	1663.2	1211.2	485847
13	1	50.9	18			11033
14	1	54.1	18			163968
15	1	52.7	18			316907
16	1	61.9	18			469493
17	3	94.9	18	1514.1	1733.1	619065
18	1	58.6	18			144931
19	3	95.9	18	1388.1	1682.1	296508
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.4.6 Radar Type5_Trial2 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		2		VSG Frequency(MHz):		5510
Number of Bursts in Trial:			19		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	79.4	19	1401.6		449462
2	1	61.5	19			603498
3	1	57.2	19			126114
4	2	69.8	19	1716.2		278379
5	2	73.6	19	1659.4		430445
6	3	98.5	19	1288.5	1106.5	582689
7	3	91.9	19	1638.1	1287.1	106763
8	3	89.4	19	1603.6	1772.6	258808
9	3	98.3	19	1149.7	1799.7	411138
10	2	76.4	19	1543.6		564711
11	3	86.7	19	1735.3	1179.3	88162
12	1	64.3	19			241494
13	2	67.1	19	1542.9		393028
14	1	65.1	19			546821
15	1	65.8	19			69778
16	2	78.5	19	1597.5		222112
17	1	59.2	19			375500
18	2	71.2	19	1345.8		527340
19	2	79.1	19	1611.9		50782
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.4.7 Radar Type5_Trial3 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		3		VSG Frequency(MHz):		5510
Number of Bursts in Trial:			13		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	90.3	11	1399.7	1481.7	296956
2	3	87.4	11	1735.6	940.6	520106
3	3	88.2	11	1910.8	1394.8	742506
4	3	89.5	11	1798.5	1198.5	46767
5	1	53.7	11			270428
6	1	57.9	11			494135
7	2	80.3	11	1452.7		716383
8	3	84.4	11	1735.6	1560.6	19318
9	1	51.6	11			242882
10	3	90.3	11	1139.7	1484.7	465060
11	1	56.5	11			690074
12	2	76.2	11	1612.8		912121
13	3	84.1	11	1253.9	1853.9	214698
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.4.8 Radar Type5_Trial4 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		4		VSG Frequency(MHz):		5510
Number of Bursts in Trial:			16		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	90.3	15	1527.7	1080.7	354923
2	2	77.4	15	933.6		537212
3	1	66.3	15			719403
4	3	88.3	15	1710.7	996.7	151876
5	3	86	15	1185	1365	332801
6	2	74.9	15	945.1		514970
7	3	97	15	1410	1691	693842
8	3	83.5	15	1683.5	1828.5	129503
9	2	66.9	15	1365.1		311338
10	2	72.2	15	1692.8		492269
11	3	94.5	15	1676.5	1499.5	671381
12	2	71.6	15	989.4		107710
13	3	97.4	15	1172.6	1019.6	288452
14	1	51.2	15			470742
15	2	79.4	15	1823.6		650521
16	2	75.6	15	1826.4		85249
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.4.9 Radar Type5_Trial5 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		5		VSG Frequency(MHz):		5510
Number of Bursts in Trial:			10		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	85.2	7	1307.8	1459.8	426390
2	2	75.7	7	1578.3		717013
3	3	93.6	7	1722.4	1330.4	1006414
4	3	90.8	7	1883.2	1095.2	100831
5	1	65.7	7			391661
6	2	68.3	7	1766.7		681264
7	1	58.5	7			973098
8	3	91.2	7	1269.8	1298.8	65116
9	2	72	7	1635		355408
10	1	53.5	7			646748
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.4.10 Radar Type5_Trial6 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		6		VSG Frequency(MHz):		5510
Number of Bursts in Trial:			10		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	61.9	8			937468
2	3	93.4	8	1857.6	1772.6	29371
3	1	64	8			320059
4	3	90.3	8	1300.7	1534.7	609161
5	3	99.2	8	1091.8	1443.8	899681
6	3	91.8	8	1320.2	1489.2	1189330
7	1	50.1	8			284237
8	1	52.5	8			575048
9	2	74	8	1731		864676
10	3	89.7	8	1636.3	1245.3	1153863
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.4.11 Radar Type5_Trial7 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		7		VSG Frequency(MHz):		5510
Number of Bursts in Trial:			19		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	98.9	18	1896.1	1114.1	129933
2	2	77.6	18	1417.4		282644
3	3	92.6	18	1441.4	910.4	434659
4	3	84.3	18	1115.7	1451.7	586835
5	2	74.2	18	1518.8		111485
6	3	95.7	18	1464.3	1560.3	263399
7	2	73.4	18	1730.6		416405
8	1	65.2	18			570144
9	3	93.8	18	1306.2	1026.2	92662
10	2	67.8	18	1414.2		245337
11	1	56.3	18			398689
12	1	56.7	18			551059
13	1	50.8	18			74172
14	1	58.7	18			226872
15	1	66.4	18			379562
16	1	64.6	18			532874
17	1	63	18			55328
18	3	85.4	18	1748.6	1285.6	206971
19	2	68.3	18	1041.7		360140
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.4.12 Radar Type5_Trial8 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		8		VSG Frequency(MHz):		5510
Number of Bursts in Trial:			20		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	71.9	20	1422.1		487134
2	2	68.9	20	1274.1		34624
3	2	75.1	20	1152.9		179573
4	1	66.2	20			325110
5	2	82.4	20	1614.6		468759
6	1	63	20			16841
7	1	53.5	20			161941
8	2	69.4	20	1344.6		306486
9	2	76.6	20	1175.4		451682
10	2	73.1	20	1543.9		595504
11	1	52.7	20			144000
12	2	71.5	20	1449.5		288326
13	3	94.8	20	1814.2	1897.2	431429
14	2	77.2	20	1320.8		577928
15	3	89.7	20	1673.3	967.3	125577
16	2	76.8	20	1706.2		270492
17	1	57.5	20			416284
18	2	83.1	20	1109.9		560915
19	1	59.2	20			108295
20	1	66.6	20			253454

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.4.13 Radar Type5_Trial9 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		9		VSG Frequency(MHz):		5510
Number of Bursts in Trial:			16		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	70.1	15	1769.9		497391
2	3	95	15	1864	1492	676569
3	3	93.4	15	1425.6	1672.6	112574
4	3	97.5	15	1611.5	1802.5	293182
5	1	54.1	15			475906
6	3	97.2	15	1759.8	1090.8	655423
7	1	55.1	15			90806
8	3	92.6	15	1071.4	1215.4	271417
9	1	55.3	15			453644
10	2	73.8	15	1545.2		633750
11	3	84.5	15	1304.5	1740.5	68117
12	2	78.7	15	990.3		249729
13	1	64.7	15			431755
14	3	84.2	15	1293.8	1476.8	610823
15	1	52	15			46068
16	2	70.8	15	1581.2		226981
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.4.14 Radar Type5_Trial10 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		10		VSG Frequency(MHz):		5510
Number of Bursts in Trial:			12		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	73.7	9	1175.3		544913
2	1	61.3	9			787904
3	1	60.2	9			31617
4	2	71.3	9	1513.7		273337
5	2	70.6	9	1760.4		514988
6	2	76.3	9	1827.7		756496
7	3	96.9	9	1258.1	946.1	1774
8	3	92.1	9	1060.9	1034.9	243476
9	3	91.1	9	1481.9	1236.9	484532
10	3	96.4	9	925.6	1199.6	726897
11	1	61.6	9			970582
12	2	79.5	9	1200.5		213770
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.4.15 Radar Type5_Trial11 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		11		VSG Frequency(MHz):		5499.5385
Number of Bursts in Trial:			20		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	61.1	19			273437
2	2	81.9	19	991.1		417782
3	1	58.8	19			563338
4	2	81.5	19	1030.5		110304
5	1	53.7	19			255811
6	2	68.8	19	1315.2		399739
7	3	98.3	19	1103.7	1775.7	543263
8	2	77	19	1089		92359
9	2	75.6	19	1553.4		237274
10	2	77.7	19	1156.3		382099
11	1	62	19			527680
12	3	85.2	19	1068.8	1160.8	74377
13	1	57.8	19			219871
14	1	61	19			365072
15	1	64	19			510518
16	1	52.7	19			56824
17	3	88.6	19	1027.4	1101.4	201105
18	2	74	19	1434		346138
19	1	56.7	19			492080
20	1	60.5	19			38936

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.4.16 Radar Type5_Trial12 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		12		VSG Frequency(MHz):		5499.1385
Number of Bursts in Trial:			18		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	75.2	18	1430.8		204204
2	2	68.9	18	1142.1		365465
3	1	53.1	18			526863
4	3	96.3	18	1033.7	1789.7	23313
5	2	72.9	18	941.1		184448
6	3	88	18	1785	1371	344279
7	3	96	18	1343	1121	505388
8	3	93.9	18	1203.1	1314.1	3522
9	3	98.2	18	1855.8	1635.8	163853
10	1	51.2	18			326144
11	1	56.4	18			487617
12	1	57.8	18			648732
13	3	85.6	18	1399.4	1354.4	144373
14	2	75.7	18	1160.3		305758
15	2	81.4	18	1365.6		466834
16	2	73.4	18	1887.6		627450
17	1	64.9	18			125048
18	1	53	18			286611
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.4.17 Radar Type5_Trial13 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		13		VSG Frequency(MHz):		5493.9385
Number of Bursts in Trial:			8		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	74.9	5	1172.1		1007777
2	3	96	5	1881	1299	1369165
3	3	86	5	1552	1458	236545
4	2	75.1	5	1033.9		600219
5	3	95.3	5	1107.7	1007.7	962187
6	3	96	5	1664	1043	1324524
7	3	99.4	5	1001.6	1463.6	192037
8	2	75	5	1587		555105
9						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.4.18 Radar Type5_Trial14 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		14		VSG Frequency(MHz):		5494.3385
Number of Bursts in Trial:			9	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	63.5	6			816834
2	1	59.6	6			1139605
3	1	62.2	6			131108
4	3	94.1	6	1458.9	1584.9	453222
5	1	53.5	6			776968
6	2	67	6	1559		1098706
7	3	89.7	6	1034.3	1832.3	91131
8	1	51	6			414231
9	1	54.3	6			737218
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.4.19 Radar Type5_Trial15 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		15		VSG Frequency(MHz):		5493.9385
Number of Bursts in Trial:			8		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	92.3	5	1279.7	1126.7	1191144
2	2	78.8	5	1468.2		57988
3	1	62.6	5			421358
4	1	58.6	5			784711
5	1	65.8	5			1148531
6	2	72.9	5	1489.1		13258
7	1	54.4	5			376687
8	2	78.9	5	1826.1		739332
9						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.4.20 Radar Type5_Trial16 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		16		VSG Frequency(MHz):		5495.1385
Number of Bursts in Trial:			11		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	74.3	8	997.7		801823
2	2	71.2	8	1214.8		1065255
3	1	54.2	8			241333
4	3	99.6	8	906.4	1396.4	504140
5	2	82.1	8	1204.9		768877
6	2	79.7	8	1605.3		1032596
7	3	90.7	8	1038.3	1378.3	208279
8	3	87.8	8	1639.2	1384.2	471675
9	3	85.6	8	1081.4	1019.4	735553
10	3	99.2	8	1268.8	1867.8	998741
11	1	60.8	8			176285
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.4.21 Radar Type5_Trial17 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		17		VSG Frequency(MHz):		5499.5385
Number of Bursts in Trial:			19		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	74.6	19	1436.4		254115
2	1	50.1	19			407394
3	2	73.6	19	1816.4		559020
4	1	57.1	19			83038
5	3	96.9	19	1868.1	1244.1	234658
6	3	98	19	1717	972	386666
7	2	74.4	19	1080.6		540752
8	3	86.4	19	1559.6	1846.6	63917
9	2	81.6	19	1803.4		216289
10	1	54	19			370169
11	3	97.7	19	1864.3	1354.3	519502
12	3	89.5	19	1860.5	1721.5	45211
13	2	68.2	19	1466.8		197826
14	3	84.6	19	1623.4	1601.4	349370
15	2	71.4	19	1255.6		502596
16	3	89.1	19	1559.9	1109.9	26500
17	3	94.7	19	1577.3	1247.3	178621
18	1	52.3	19			332278
19	3	94.4	19	987.6	1589.6	483308
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.4.22 Radar Type5_Trial18 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		18		VSG Frequency(MHz):		5494.7385
Number of Bursts in Trial:			10		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	59	7			14853
2	2	73	7	1662		305144
3	2	81.6	7	1153.4		595693
4	3	96.2	7	1309.8	1107.8	885221
5	2	70.9	7	945.1		1176518
6	2	74.7	7	1715.3		269210
7	3	95.1	7	1759.9	1904.9	558650
8	2	75.4	7	1711.6		849872
9	2	81.4	7	1015.6		1140446
10	2	80	7	1386		233583
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.4.23 Radar Type5_Trial19 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		19		VSG Frequency(MHz):		5499.5385
Number of Bursts in Trial:			19		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	71.5	19	1206.5		275204
2	1	56.3	19			428733
3	2	68	19	992		580820
4	2	67.9	19	1211.1		103913
5	2	78.8	19	1842.2		256077
6	2	76.5	19	1098.5		409146
7	1	54.2	19			562157
8	2	68.7	19	1381.3		85195
9	2	71.6	19	1075.4		237636
10	1	65.7	19			391044
11	1	60.7	19			543726
12	3	91.5	19	1590.5	1802.5	66095
13	3	86.6	19	1286.4	1743.4	218173
14	2	72.8	19	1250.2		371340
15	2	74.9	19	1531.1		523798
16	2	76.7	19	1865.3		47499
17	2	81.8	19	1724.2		199951
18	3	86.1	19	1220.9	1529.9	351802
19	1	65	19			506006
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.4.24 Radar Type5_Trial20 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		20		VSG Frequency(MHz):		5497.5385
Number of Bursts in Trial:			15	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	60.7	14			36595
2	3	90.6	14	1424.4	1423.4	229379
3	3	96.1	14	1233.9	1367.9	422646
4	3	85.5	14	1571.5	1634.5	615253
5	3	91.2	14	1750.8	1529.8	12661
6	3	90.1	14	1124.9	1049.9	205754
7	3	87.8	14	1852.2	1776.2	398344
8	3	93	14	1463	1374	591251
9	1	53.9	14			787598
10	1	52.6	14			182639
11	2	82.4	14	1257.6		375464
12	1	51.8	14			570064
13	2	72.5	14	1763.5		761861
14	3	93.1	14	1837.9	1221.9	158111
15	1	56.3	14			352508
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.4.25 Radar Type5_Trial21 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		21		VSG Frequency(MHz):		5524.8615
Number of Bursts in Trial:			10		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	60.1	8			819678
2	3	97.7	8	1503.3	1067.3	1107693
3	2	79.7	8	1147.3		202118
4	2	71.6	8	1721.4		492231
5	3	89.4	8	1437.6	951.6	781933
6	1	58.1	8			1074062
7	2	67.1	8	1483.9		166347
8	2	70.4	8	1018.6		456705
9	2	73	8	1018		747302
10	3	86.6	8	1226.4	1830.4	1035957
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.4.26 Radar Type5_Trial22 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		22		VSG Frequency(MHz):		5525.2615
Number of Bursts in Trial:			9		Successful Detection: Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	83.7	7	1455.3	1349.3	144968
2	2	67.6	7	1902.4		467780
3	3	86.5	7	1671.5	1342.5	789285
4	1	58.8	7			1114736
5	2	71.3	7	1627.7		105341
6	3	94.3	7	1782.7	1142.7	427418
7	3	93	7	1259	1210	749782
8	1	59	7			1074554
9	1	60.4	7			65693
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.4.27 Radar Type5_Trial23 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		23		VSG Frequency(MHz):		5523.6615
Number of Bursts in Trial:			13	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	70.6	11	1145.4		268770
2	3	89.4	11	1396.6	1576.6	490978
3	2	75.5	11	1535.5		714699
4	2	70.8	11	1697.2		17909
5	2	76.8	11	1446.2		241131
6	2	77.8	11	1811.2		463887
7	3	91.1	11	1093.9	1737.9	686152
8	3	83.5	11	1737.5	1692.5	908880
9	1	50.3	11			213863
10	1	66	11			437278
11	3	89.2	11	981.8	1352.8	659395
12	1	63.9	11			884918
13	3	88.2	11	928.8	1652.8	185870
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16.4.28 Radar Type5_Trial24 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		24		VSG Frequency(MHz):		5523.2615
Number of Bursts in Trial:			14	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	98.5	12	1177.5	1143.5	379255
2	2	80.2	12	1868.8		586447
3	1	62.7	12			795247
4	2	77.2	12	1500.8		147224
5	3	97.1	12	1896.9	937.9	353753
6	1	60.2	12			562255
7	3	96.8	12	1467.2	1830.2	766477
8	1	56.9	12			121957
9	3	93.7	12	1697.3	936.3	328534
10	2	70.2	12	1348.8		535975
11	2	73	12	1165		743398
12	3	99	12	1430	1552	95962
13	1	57.4	12			303941
14	2	72.5	12	1283.5		510484
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.