

# ELECTROMAGNETIC EMISSIONS COMPLIANCE REPORT



| FCC Applicant:        | Cisco Systems Inc.<br>125 West Tasman Dr, Bldg. P, San Jose, California,<br>USA | 95134 |
|-----------------------|---------------------------------------------------------------------------------|-------|
| Product Name:         | FM4500FIBER-HW                                                                  |       |
| Brand Name:           | Cisco Fluidmesh FM4500 FIBER                                                    |       |
| Model No.:            | FM4500F                                                                         |       |
| Model Difference:     | N/A                                                                             |       |
| Report Number:        | ER/2021/A0120                                                                   |       |
| FCC ID                | R5SX500F                                                                        |       |
| Issue Date:           | March 29, 2022                                                                  |       |
| Date of Test:         | February 25, 2022~March 3, 2022                                                 |       |
| Date of EUT Received: | October 28, 2021                                                                |       |
|                       | TI Chain                                                                        |       |

Approved By

JJ Chen

nen

#### We hereby certify that:

The above equipment was tested by SGS Taiwan Ltd. Central RF Lab The test data, data evaluation, test procedures, and equipment configurations shown in this report were made in accordance with the procedures given in ANSI C63.26:2015 and the energy emitted by the sample EUT comply with FCC rule part §90 Subpart Y.

The results of this report relate only to the sample identified in this report.

LL

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



| Revision History |          |             |                |                   |        |
|------------------|----------|-------------|----------------|-------------------|--------|
| Report Number    | Revision | Description | Issue Date     | <b>Revised By</b> | Remark |
| ER/2021/A0120    | 00       | Original.   | March 29, 2022 | Karen Huang       |        |
|                  |          |             |                |                   |        |
|                  |          |             |                |                   |        |

Note:

1 . The remark "\*" indicates modification of the report upon requests from certification body.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



# **Table of Contents**

| 1  | GENERAL INFORMATION                                 | 4   |
|----|-----------------------------------------------------|-----|
| 2  | SYSTEM TEST CONFIGURATION                           | 7   |
| 3  | SUMMARY OF TEST RESULTS                             | 9   |
| 4  | DESCRIPTION OF TEST MODES                           | .10 |
| 5  | MEASUREMENT UNCERTAINTY                             | .12 |
| 6  | MEASUREMENT EQUIPMENT USED                          | .13 |
| 7  | EMISSION BANDWIDTH & OCCUPIED BANDWIDTH MEASUREMENT | .15 |
| 8  | THE MAXIMUM OUTPUT POWER MEASUREMENT                | .19 |
| 9  | POWER SPECTRAL DENSITY                              | .24 |
| 10 | TRANSMIT SPECTRUM MASK                              | .29 |
| 11 | TRANSMITTER CONDUCTED UNWANTED EMISSIONS            | .32 |
| 12 | PEAK EXCURSION                                      | .41 |
| 13 | TRANSMITTER RADIATED UNWANTED EMISSIONS             | .45 |
| 14 | FREQUENCY STABILITY MEASUREMENT                     | .80 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



#### **GENERAL INFORMATION** 1

# **1.1 Product Description**

| Product Name:     | FM4500FIBER-HW               |
|-------------------|------------------------------|
| Brand Name:       | Cisco Fluidmesh FM4500 FIBER |
| Model No.:        | FM4500F                      |
| Model Difference: | N/A                          |
| Hardware Version: | N/A                          |
| Firmware Version: | N/A                          |
| EUT Series No.:   | 4501170639                   |
| Power Supply:     | 56Vdc                        |

# 1.2 RF Specification

WLAN 4.9GHz:

| Wi-Fi          | Frequency<br>Range | Channels                          | Rated Power<br>(dBm) | Modulation<br>Technology | Test Mode  |
|----------------|--------------------|-----------------------------------|----------------------|--------------------------|------------|
| 11j<br>(20MHz) | 4960~4980          | 2                                 | 24.25                | OFDM                     | Mode 1 & 3 |
| 11j<br>(20MHz) | 4960~4980          | 2                                 | 15.39                | OFDM                     | Mode 2 & 4 |
| Modulation     | type               | 64QAM, 16QAM, QPSK, BPSK for OFDM |                      |                          |            |
| Data Rate      |                    | 802.11 j_20MHz: 6 – 54Mbps        |                      |                          |            |
| Type of Em     | ission             | 20MHz=17M7W7D                     |                      |                          |            |

Note: For the detailed of test mode, please refer to section 4.5 in this report.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



# 1.3 Antenna Designation

| Antenna<br>Type | Supplier  | Antenna<br>Part No. | Freq.<br>(MHz) | Peak<br>Antenna<br>Gain (dBi) | Directional<br>Gain<br>(dBi) |
|-----------------|-----------|---------------------|----------------|-------------------------------|------------------------------|
| Omni-direction  | Fluidmesh | FM-OMNI-5-V         | 4960~4980      | 4.0                           | 7.52                         |
| Omni-direction  | Fluidmesh | FM-OMNI-5-H         | 4960~4980      | 5.0                           | 7.52                         |
| Omni-direction  | Fluidmesh | FM-SHARK-DUAL       | 4960~4980      | 13.0                          | 16.01                        |
| Directional     | Fluidmesh | FM-TUBE             | 4960~4980      | 14.6                          | 17.61                        |

### Note:

- 1. Pre-scanned was done on the above antennas, measurements were demonstrated by using the antenna with the highest gain as the worst case scenarios.
- 2. Antenna information is provided by the applicant.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> Attention is drawn to the limitation of liability, indemnielectronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com.tw/1erms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



# 1.4 Test Methodology of Applied Standards

FCC Part 90, Subpart Y FCC KDB 662911 D01 Multiple Transmitter Output v02r01 FCC KDB 971168 D01 Power Meas License Digital Systems v03r01 ANSI C63.26:2015

### 1.5 Test Facility

| Laboratory                                                                                                                                                                        | Test Site Address                     | Test Site Name                            | FCC Designa-<br>tion number | IC CAB<br>identifier |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------|-------------------------------------------|-----------------------------|----------------------|
|                                                                                                                                                                                   |                                       | SAC 1                                     |                             |                      |
|                                                                                                                                                                                   |                                       | SAC 3                                     | ]                           |                      |
|                                                                                                                                                                                   |                                       | Conduction 1                              |                             |                      |
|                                                                                                                                                                                   | No.134, Wu Kung Road, New Taipei      | Conducted 1                               |                             |                      |
|                                                                                                                                                                                   | Industrial Park, Wuku District, New   | Conducted 2                               | TW0027                      |                      |
|                                                                                                                                                                                   | Taipei City, Taiwan.                  | Conducted 3                               |                             |                      |
|                                                                                                                                                                                   |                                       | Conducted 4                               |                             | TW3702               |
|                                                                                                                                                                                   |                                       | Conducted 5                               | -                           |                      |
| SGS Taiwan Ltd.                                                                                                                                                                   |                                       | Conducted 6                               |                             |                      |
| Central RF Lab.                                                                                                                                                                   |                                       | Conduction A                              |                             |                      |
| (TAF code 3702)                                                                                                                                                                   |                                       | SAC C                                     |                             |                      |
|                                                                                                                                                                                   |                                       | SAC D                                     |                             |                      |
|                                                                                                                                                                                   |                                       | SAC G                                     |                             |                      |
|                                                                                                                                                                                   | No.2, Keji 1st Rd., Guishan District, | Keii 1st Rd, Cuishen District Conducted A |                             |                      |
|                                                                                                                                                                                   | Taoyuan City, Taiwan 333              | Conducted B                               | TW0028                      |                      |
|                                                                                                                                                                                   | radydan ony, raiwan ooo               | Conducted C                               |                             |                      |
|                                                                                                                                                                                   |                                       | Conducted D                               |                             |                      |
|                                                                                                                                                                                   |                                       | Conducted E                               |                             |                      |
|                                                                                                                                                                                   |                                       | Conducted F                               |                             |                      |
|                                                                                                                                                                                   |                                       | Conducted G                               |                             |                      |
| <b>Note:</b> Test site name is remarked on the equipment list in each section of this report as an indica-<br>tion where measurements occurred in specific test site and address. |                                       |                                           |                             |                      |

#### **1.6 Special Accessories**

There are no special accessories used while test was conducted.

# **1.7 Equipment Modifications**

There was no modification incorporated into the EUT.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> Attention is drawn to the limitation of liability, indemnivitin the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



# 2 SYSTEM TEST CONFIGURATION

# 2.1 EUT Configuration

The EUT configuration for testing is installed on RF field strength measurement to meet the Commissions requirement and operating in a manner which intends to maximize its emission characteristics in a continuous normal application.

# 2.2 EUT Exercise

An engineering test mode (software/firmware) that applicant provided was utilized to manipulate the EUT into transmit, selection of the test channel, and modulation scheme.

# 2.3 Test Procedure

# 2.3.1 Conducted Measurement at Antenna Port

The EUT is placed on a table which is 0.8 m above ground plane. A low loss of RF cable was used to connect the antenna port of EUT to measurement equipment.

# 2.3.2 Radiated Emissions (ERP/EIRP)

The EUT is placed on a turn table, for emission measurements below 1 GHz is 0.8 m above ground plane, for emission measurements above 1 GHz, the table height shall be 1.5 m. The turn table shall rotate 360 degrees to determine the position of maximum emis-sion level. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emission. And also, each emission was to be maximized by changing the polarization of receiving antenna both Horizontal and Vertical. In order to find out the max. emission, the relative positions of this hand-held transmitter (EUT) was rotated through three orthogonal axes and measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



# 2.4 Test Configuration

| Conducted Setup          | Radiated Setup        |
|--------------------------|-----------------------|
| POE<br>Adapter NB<br>EUT | NB POE EUT<br>Adapter |

# 2.5 Control Unit(s)

| Conducted Emission Test Site: Conducted 2 |           |                        |                 |           |          |
|-------------------------------------------|-----------|------------------------|-----------------|-----------|----------|
| EQUIPMENT TYPE                            | MFR       | MODEL NUMBER           | SERIAL NUMBER   | LAST CAL. | CAL DUE. |
| POE Adapter                               | Fluidmesh | POE29U-1AT(PL)         | PHI242904KX     | N/A       | N/A      |
| Test Software                             | SGS       | Radio Test<br>Software | Ver. 21         | N.C.R     | N.C.R    |
| Notebook                                  | Lenovo    | T440P                  | PC-089AH5       | N/A       | N/A      |
|                                           | F         | Radiated Emission T    | est Site: SAC 3 |           |          |
| EQUIPMENT TYPE                            | MFR       | MODEL NUMBER           | SERIAL NUMBER   | LAST CAL. | CAL DUE. |
| Test Software                             | audix     | e3                     | Ver. 9 210322   | N.C.R     | N.C.R    |
| Notebook                                  | Lenovo    | L430                   | R9-WGNK5 13/01  | N/A       | N/A      |
| POE Adapter                               | PHIHONG   | POE29U1AT(PL)          | PHI242904KM     | N/A       | N/A      |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



#### SUMMARY OF TEST RESULTS 3

| FCC Rules                | Description Of Test                         | Result    |
|--------------------------|---------------------------------------------|-----------|
| 2.1049 ;<br>§90.209      | Emission Bandwidth                          | Compliant |
| §90.1215(a)              | Maximum<br>Transmitter Power                | Compliant |
| §90.1215(a)(b)           | Peak Power Spectral Density                 | Compliant |
| §90.210(L) (M)           | Transmit Spectrum Mask                      | Compliant |
| 2.1051;<br>§90.210(L)(M) | Transmitter Conducted<br>Unwanted Emissions | Compliant |
| 2.1053;<br>§90.210(L)(M) | Transmitter Radiated<br>Unwanted Emissions  | Compliant |
| 2.1055;<br>§90.213       | Frequency Stability                         | Compliant |
| §90.1215(e)              | Peak Excursion                              | Compliant |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



#### **DESCRIPTION OF TEST MODES** 4 4.1 Operated in 802.11j Band

2 channels are provided for 20M

| CHANNEL | FREQUENCY<br>(MHz) |
|---------|--------------------|
| 192     | 4960               |
| 196     | 4980               |

# 4.2 The Worst Test Modes and Channel Details

- 1. The EUT has been tested under operating condition.
- 2. Test program used to control the EUT for staying in continuous transmitting and receiving mode is programmed.
- 3. Investigation has been done on all the possible configurations for searching the worst case.

The given UE is pre-scanned among below modes.

| Modulation | Transmission Chain      | Single<br>Transmission<br>Spatial | Multiple<br>Transmission<br>Spatial |
|------------|-------------------------|-----------------------------------|-------------------------------------|
| ⊠ OFDM     | 🖾 Ch0 🖾 Ch1 🗆 Ch2 🗆 Ch3 | 🗆 1TX                             | ⊠ 2TX                               |

4. Therefore, below summary is the modes of test configuration that yield the highest reading and generate the highest emission chosen to carry out the relevantly mandatory test items.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnielectronic format documents, subject to 1erms and Conditions for Electronic Documents at <u>http://www.sqs.com.tw/1erms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



# 4.3 Radiated Emission Test:

| RADIATED EMISSION TEST (BELOW 1 GHz) |                         |                      |                   |            |                     |                 |
|--------------------------------------|-------------------------|----------------------|-------------------|------------|---------------------|-----------------|
| MODE                                 | FREQUENCY<br>BAND (MHz) | AVAILABLE<br>CHANNEL | TESTED<br>CHANNEL | MODULATION | DATA RATE<br>(Mbps) | ANTENNA<br>PORT |
| 802.11j                              | 4960~4980               | 192 to 196           | 192,196           | OFDM       | 6                   | MIMO            |

| RADIATED EMISSION TEST (ABOVE 1 GHz) |                         |                      |                   |            |                     |                 |
|--------------------------------------|-------------------------|----------------------|-------------------|------------|---------------------|-----------------|
| MODE                                 | FREQUENCY<br>BAND (MHz) | AVAILABLE<br>CHANNEL | TESTED<br>CHANNEL | MODULATION | DATA RATE<br>(Mbps) | ANTENNA<br>PORT |
| 802.11j                              | 4960~4980               | 192 to 196           | 192,196           | OFDM       | 6                   | MIMO            |

**Note:** The field strength of radiation emission was measured as EUT three orthogonal plans, E1 / E2 / H, are positioned to pre-scan the emission generating the highest one. The worst position is tested, and recorded.

### 4.4 Antenna Port Conducted Mesurement:

| CONDUCTED TEST |            |            |         |             |           |         |
|----------------|------------|------------|---------|-------------|-----------|---------|
| MODE           | FREQUENCY  | AVAILABLE  | TESTED  | MODULATION  | DATA RATE | ANTENNA |
| WODE           | BAND (MHz) | CHANNEL    | CHANNEL | WIODULATION | (Mbps)    | PORT    |
| 802.11j        | 4960~4980  | 192 to 196 | 192,196 | OFDM        | 6         | MIMO    |

#### 4.5 Test mode:

Mode 1: Point-to-point and point-to-multipoint operations with FM-TUBE antenna.

Mode 2: Non-point-to-point and non-point-to-multipoint operations with FM-TUBE antenna.

Mode 3: Point-to-point and point-to-multipoint operations with FM-SHARK-DUAL antenna.

Mode 4: Non-point-to-point and non-point-to-multipoint operations with FM-SHARK-DUAL antenna.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



#### **MEASUREMENT UNCERTAINTY** 5

| Test Items                                               | Und | certair | nty |
|----------------------------------------------------------|-----|---------|-----|
| Power Density                                            | +/- | 1.62    | dB  |
| RF Power Output                                          | +/- | 1       | dB  |
| ERP/ EIRP measurement                                    | +/- | 3       | dB  |
|                                                          | +/- | 3       | dB  |
| Emission Bandwidth                                       | +/- | 1.53    | Hz  |
| Out of Band Emissions at Antenna Terminals and Band Edge | +/- | 1.68    | dB  |
| Peak to Average Ratio                                    | +/- | 1       | dB  |
| Frequency Stability vs. Temperature                      | +/- | 1.53    | Hz  |
| Frequency Stability vs. Voltage                          | +/- | 1.53    | Hz  |
| Temperature                                              | +/- | 0.4     | °C  |
| Humidity                                                 | +/- | 3.5     | %   |
| DC / AC Power Source                                     | +/- | 1       | %   |

| Radiated Spurious Emission Measurement Uncertainty |     |      |    |                 |  |
|----------------------------------------------------|-----|------|----|-----------------|--|
|                                                    | +/- | 2.64 | dB | 9kHz~30MHz      |  |
| Polarization: Vertical                             | +/- | 4.93 | dB | 30MHz - 1000MHz |  |
| Polarization: vertical                             | +/- | 4.81 | dB | 1GHz - 18GHz    |  |
|                                                    | +/- | 4.52 | dB | 18GHz - 40GHz   |  |
|                                                    | +/- | 2.64 | dB | 9kHz~30MHz      |  |
| Polarization: Horizontal                           | +/- | 4.45 | dB | 30MHz - 1000MHz |  |
| Polarization: Horizontai                           | +/- | 4.81 | dB | 1GHz - 18GHz    |  |
|                                                    | +/- | 4.52 | dB | 18GHz - 40GHz   |  |

This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



#### **MEASUREMENT EQUIPMENT USED** 6

### 6.1 Conducted Measurement

| Conducted Emission Test Site: Conducted 2 |               |                      |                  |            |            |  |  |
|-------------------------------------------|---------------|----------------------|------------------|------------|------------|--|--|
| EQUIPMENT TYPE                            | MFR           | MODEL<br>NUMBER      | SERIAL<br>NUMBER | LAST CAL.  | CAL DUE.   |  |  |
| EXA Spectrum Analyzer                     | KEYSIGHT      | N9010B               | MY60240503       | 12/09/2021 | 12/08/2022 |  |  |
| Temperature Chamber                       | Giant Force   | GTH-150-<br>40-CP-AR | MAA0512-018      | 05/19/2021 | 05/18/2022 |  |  |
| AC Power Source                           | Gwinstek      | APS-7050E            | GEV171679        | 09/28/2021 | 09/27/2022 |  |  |
| Attenuator                                | Mini-Circuit  | BW-<br>S10W2+        | 4                | 12/14/2021 | 12/13/2022 |  |  |
| DC Block                                  | Mini-Circuits | BLK-18-S+            | 1                | 12/14/2021 | 12/13/2022 |  |  |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

| SGS Talwan Ltd. No | p:134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產亲園區五工路 134 號 |  |                     |  |  |  |
|--------------------|--------------------------------------------------------------------------------------------------------------|--|---------------------|--|--|--|
| 台灣檢驗科技股份有限公司       | t (886-2) 2299-3279 f (886-2) 2298-0488 www.sqs.com.tw                                                       |  |                     |  |  |  |
|                    |                                                                                                              |  | Member of SGS Group |  |  |  |



### 6.2 Radiated Measurement

| Radiated Emission Test Site: SAC 3 |                    |                     |               |            |            |  |  |
|------------------------------------|--------------------|---------------------|---------------|------------|------------|--|--|
| EQUIPMENT TYPE                     | MFR                | MODEL<br>NUMBER     | SERIAL NUMBER | LAST CAL.  | CAL DUE.   |  |  |
| Bi-log Antenna                     | SCHWARZBECK        | VULB9168            | 378           | 08/20/2021 | 08/19/2022 |  |  |
| Horn Antenna                       | SCHWARZBECK        | BBHA9120D           | 1441          | 09/27/2021 | 09/26/2022 |  |  |
| Horn Antenna                       | SCHWARZBECK        | BBHA9170            | 184           | 12/16/2021 | 12/15/2022 |  |  |
| Bi-log Antenna                     | SCHWARZBECK        | VULB9168            | 300           | 10/19/2021 | 10/18/2022 |  |  |
| Horn Antenna                       | SCHWARZBECK        | BBHA9120D           | 603           | 05/18/2021 | 05/17/2022 |  |  |
| Horn Antenna                       | SCHWARZBECK        | BBHA9170            | 185           | 08/02/2021 | 08/01/2022 |  |  |
| PXA Spectrum<br>Analyzer           | Agilent            | N9030A              | MY53120760    | 04/27/2021 | 04/26/2022 |  |  |
| Signal Generator                   | R&S                | SMBV100A            | 263084        | 01/11/2022 | 01/10/2023 |  |  |
| Pre-Amplifier                      | HP                 | 8449B               | 3008A00578    | 12/16/2021 | 12/15/2022 |  |  |
| Pre-Amplifier                      | HP                 | 8447D               | 2944A07676    | 12/16/2021 | 12/15/2022 |  |  |
| Pre-Amplifier                      | EMC<br>Instruments | EMC184045B          | 980135        | 10/27/2021 | 10/26/2022 |  |  |
| High Pass Filter                   | WI                 | WHKX7.0/18G-<br>8SS | 45            | 12/14/2021 | 12/13/2022 |  |  |
| Coaxial Cable                      | Huber Suhner       | SUCOFLEX 102        | MY2636/2      | 12/16/2021 | 12/15/2022 |  |  |
| Coaxial Cable                      | Huber Suhner       | SUCOFLEX 104        | 340057/4      | 12/16/2021 | 12/15/2022 |  |  |
| Coaxial Cable                      | Huber Suhner       | SUCOFLEX<br>104PEA  | 800052/2      | 12/16/2021 | 12/15/2022 |  |  |
| Coaxial Cable                      | Huber Suhner       | SUCOFLEX 102        | MY2621/2      | 12/16/2021 | 12/15/2022 |  |  |
| Coaxial Cable                      | Huber Suhner       | SUCOFLEX 102        | MY2617/2      | 12/16/2021 | 12/15/2022 |  |  |
| Coaxial Cable                      | Huber Suhner       | SUCOFLEX 104        | 160125        | 12/16/2021 | 12/15/2022 |  |  |
| Coaxial Cable                      | Huber Suhner       | SUCOFLEX 106        | 76096/6       | 12/16/2021 | 12/15/2022 |  |  |
| Coaxial Cable                      | Huber Suhner       | SUCOFLEX 102        | MY2630/2      | 12/16/2021 | 12/15/2022 |  |  |
| Coaxial Cable                      | Huber Suhner       | SUCOFLEX 102        | MY22962/2     | 12/16/2021 | 12/15/2022 |  |  |
| Coaxial Cable                      | Huber Suhner       | SUCOFLEX 102        | SN 520430/2   | 12/16/2021 | 12/15/2022 |  |  |
| Site Cal                           | SGS                | SAC 3               | N/A           | 01/01/2022 | 12/31/2022 |  |  |

NOTE: N.C.R refers to Not Calibrated Required.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

| 台灣檢驗科技股份有限公司         | t (886-2) 2299-3279                                | f (886-2) 2298-0488                       | www.sgs.com.tw |  |
|----------------------|----------------------------------------------------|-------------------------------------------|----------------|--|
| SGS Falwari Liu. ING | 134,Wu Kung Road, New Taipei Industrial Park, Wuku | District, New Taipei City, Taiwan/新北市五股區新 | 北產業園區五工路 134 號 |  |




#### EMISSION BANDWIDTH & OCCUPIED BANDWIDTH MEASUREMENT 7

# 7.1 Standard Applicable

According to FCC Part 90 §90.209. No Limit required.

# 7.2 Test Set-up



# 7.3 Measurement Procedure

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. Remove the antenna from the EUT and then connect a low loss RF cable from the Antenna port to the.
- 3. 26dB Bandwidth Measurement: Set the spectrum analyzer as 1% of emission BW Sweep=auto, Detector = Peak, Trace Mode = Max Hold, Manually readjust RBW until the RBW/EBW ratio is 1% based on.
- 4. Mark the peak frequency and -26dB (upper and lower) frequency.
- 5. Repeat the procedures as list above until all test default channels (low, middle, and high) are completed.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemniinformation contraction contractions and contractions in Lieuconic Distributions in <u>the Any Monte and Contractions</u>, indentify, ind



### 7.4 Measurement Results


#### 7.4.1 Test mode: Mode 1

| Ch0 |                    |                    |                     |  |  |
|-----|--------------------|--------------------|---------------------|--|--|
| СН  | Frequency<br>(MHz) | 99%<br>BW<br>(MHz) | 26dB<br>BW<br>(MHz) |  |  |
| 192 | 4960               | 17.681             | 24.08               |  |  |
| 196 | 4980               | 17.709             | 26.63               |  |  |
|     | Ch1                |                    |                     |  |  |
| СН  | Frequency<br>(MHz) | 99%<br>BW<br>(MHz) | 26dB<br>BW<br>(MHz) |  |  |
| 192 | 4960               | 17.63              | 20.11               |  |  |
| 196 | 4980               | 17.625             | 20.06               |  |  |

#### 7.4.2 Test mode: Mode 2


| Ch0 |                    |                    |                     |  |  |  |
|-----|--------------------|--------------------|---------------------|--|--|--|
| СН  | Frequency<br>(MHz) | 99%<br>BW<br>(MHz) | 26dB<br>BW<br>(MHz) |  |  |  |
| 192 | 4960               | 17.604             | 19.86               |  |  |  |
| 196 | 4980               | 17.624             | 19.91               |  |  |  |
|     | Ch1                |                    |                     |  |  |  |
| СН  | Frequency<br>(MHz) | 99%<br>BW<br>(MHz) | 26dB<br>BW<br>(MHz) |  |  |  |
| 192 | 4960               | 17.602             | 19.87               |  |  |  |
| 196 | 4980               | 17.619             | 19.82               |  |  |  |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。





#### Test mode: Mode 1



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

• 😳

Local

· 22

Local

Frequency

Jeney O Gi Iz

Man

Freq Offset 0 Hz

Span 50 M Sweep 1.60 ms (1001 pt

11.3 dBm

99.00 % 26.00 dB

FW 620 00 kHz

Total Power

% of OBW Powe x dB

span 50.000 MH∠



#Video BW 620.00 kHz

26.546 kHz 10.91 MHz

ing Trang

% of OBW Power x dB

Total Po


enter 4.98000 CHz Res BW 200.00 kH

Occupied Bandwidth 17.624 MHz

📢 🕤 🥂 🔳 ? Feb 25, 2022 🗩

Transmit Frog Error

#### Test mode: Mode 2



CF Slop 8.000000 MHz

enter 4.90000 GHz Res BW 200.00 kHz

Local

pled Dandwidth 17.619 Mi liz

to Cal and Prep 26, 2022

18 424 kHz 19.82 MHz

Ttansmit Freq Frmr x dB Bandwidth

Auto Man Freq Offset 0 Hz

Span 50 MHz eep 1.60 ms (1001 pts)

00.00 %

**.:** N H X

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

| SGS Taiwan Ltd. N | p.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 |                     |                     |  |  |
|-------------------|--------------------------------------------------------------------------------------------------------------|---------------------|---------------------|--|--|
| 台灣檢驗科技股份有限公司      | t (886-2) 2299-3279                                                                                          | f (886-2) 2298-0488 | www.sgs.com.tw      |  |  |
|                   |                                                                                                              |                     | Member of SGS Group |  |  |



# 8 THE MAXIMUM OUTPUT POWER MEASUREMENT

# 8.1 Standard Applicable

According to FCC Part 90 §90.1215

| Channel Bandwidth<br>(MHz) | Low Power Device<br>Peak<br>Transmitter Power<br>(dBm) | High Power Device<br>Peak<br>Transmitter Power<br>(dBm) |
|----------------------------|--------------------------------------------------------|---------------------------------------------------------|
| 1                          | 7                                                      | 20                                                      |
| 5                          | 14                                                     | 27                                                      |
| 10                         | 17                                                     | 30                                                      |
| 15                         | 18.8                                                   | 31.8                                                    |
| 20                         | 20                                                     | 33                                                      |


(a) High power devices are also limited to a peak power spectral density of 21 dBm per one MHz. High power devices using channel bandwidths other than those listed above are permitted; however, they are limited to peak power spectral density of 21 dBm/MHz. If transmitting antennas of directional gain greater than 9 dBi are used, both the maximum conducted output power and the peak power spectral density should be reduced by the amount in decibels that the directional gain of the antenna exceeds 9 dBi. However, high power point-topoint and point-to-multipoint operations (both fixed and temporary-fixed rapid deployment) may employ transmitting antennas with directional gain up to 26 dBi without any corresponding reduction in the maximum conducted output power or spectral density. Corresponding reduction in the maximum conducted output power and peak power spectral density should be the amount in decibels that the directional gain of the antenna exceeds 26 dBi.

(b) Low power devices are also limited to a peak power spectral density of 8 dBm per one MHz. Low power devices using channel bandwidths other than those listed above are permitted; however, they are limited to a peak power spectral density of 8 dBm/MHz. If transmitting an tennas of directional gain greater than 9 dBi are used, both the maximum conducted output power and the peak power spectral density should be reduced by the amount in decibels that the directional gain of the antenna exceeds 9 dBi.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



# 8.2 Test Set-up



# 8.3 Measurement Procedure

- 1. Set the Spectrum analyzer to Channel Power Function
- 2. Set the RBW = 1% to 5% of the OBW
- 3. Set the VBW  $\geq$  3 x RBW.
- 4. Set the span  $\geq$  2 x to 3 x RBW.
- 5. Sweep time = auto couple.
- 6. Detector = RMS.
- 7. Ensure that the number of measurement points  $\geq$  span/RBW
- 8. Trace mode = max hold.
- 9. Allow trace to fully stabilize.
- 10. Use the peak marker function to determine the maximum amplitude level.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> Attention is drawn to the limitation of liability, indemnivitin the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



# 8.4 Measurement Results

#### 8.4.1 Test Mode: Mode 1

# 802 11i 2TX


|  |     |                    |              |              | Avg. POW | /ER (dBm) |                         | Conducted               |        |
|--|-----|--------------------|--------------|--------------|----------|-----------|-------------------------|-------------------------|--------|
|  | СН  | Frequency<br>(MHz) | Data<br>Rate | Power<br>set | СН 0     | CH 1      | TOTAL<br>POWER<br>(dBm) | Power<br>LIMIT<br>(dBm) | RESULT |
|  | 192 | 4960               | 6            | 30           | 20.17    | 21.79     | 24.07                   | 33                      | PASS   |
|  | 196 | 4980               | 6            | 30           | 20.62    | 21.78     | 24.25                   | 33                      | PASS   |

#### 8.4.2 Test Mode: Mode 2

| 802.11j_2T> | 802.11j_2TX        |              |              |                  |       |                         |                         |        |
|-------------|--------------------|--------------|--------------|------------------|-------|-------------------------|-------------------------|--------|
|             |                    |              |              | Avg. POWER (dBm) |       |                         | Conducted               |        |
| СН          | Frequency<br>(MHz) | Data<br>Rate | Power<br>set | СН 0             | CH 1  | TOTAL<br>POWER<br>(dBm) | Power<br>LIMIT<br>(dBm) | RESULT |
| 192         | 4960               | 6            | 11           | 11.64            | 12.81 | 15.27                   | 24.39                   | PASS   |
| 196         | 4980               | 6            | 11           | 11.69            | 12.98 | 15.39                   | 24.39                   | PASS   |


Note: Power LIMIT=33-(17.61-9)=24.39

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。







#### Test Mode: Mode 1




#### Output power\_Chain0\_4980MHz






#### Output power\_Chain1\_4980MHz




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


| SGS Falwan Ltd. No | 34,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 |                     |                     |  |  |  |  |
|--------------------|-----------------------------------------------------------------------------------------------------------|---------------------|---------------------|--|--|--|--|
| 台灣檢驗科技股份有限公司       | t (886-2) 2299-3279                                                                                       | f (886-2) 2298-0488 | www.sgs.com.tw      |  |  |  |  |
|                    |                                                                                                           |                     | Member of SGS Group |  |  |  |  |






#### Test Mode: Mode 2






#### Output power\_Chain0\_4980MHz



#### Output power Chain1 4960MHz ø Spectrum Analy Charged Power • + Frequency . out Z: 50 D KEYSIGHT Input Atten 30 dB #PNO Fast Trig: Free Run Gate: Off Center Frequ 4.96000000 Center Fi Avg/Hold Radio St -Freq Ref. Int (S) Span 50.000 MHz Ref Lvi Offset 10.00 dB Ref Value 30.00 dBm Scale/Div 10.0 dl CF Step 5.000000 MHz Auto Man Freq Offset 0 Hz #Video BW 3.0000 MHz enter 4.9600 bes BW 1.00 12.81 dBm / 20.0 MHz Local Total Power Spectral Density -60.20 dBm/Hz .:: 🖌 – 🗙 ■ ? Mar 02, 2022

#### Output power\_Chain1\_4980MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

| SGS Falwan Ltd. No | 134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 |                     |                     |  |  |  |
|--------------------|------------------------------------------------------------------------------------------------------------|---------------------|---------------------|--|--|--|
| 台灣檢驗科技股份有限公司       | t (886-2) 2299-3279                                                                                        | f (886-2) 2298-0488 | www.sgs.com.tw      |  |  |  |
|                    |                                                                                                            |                     | Member of SGS Group |  |  |  |



# 9 POWER SPECTRAL DENSITY

# 9.1 Standard Applicable

According to FCC Part 90 §90.1215 Power limits.

(1) High power devices are also limited to a peak power spectral density of 21 dBm per one MHz. High power devices using channel bandwidths other than those listed above are permitted; however, they are limited to peak power spectral density of 21 dBm/MHz. If transmitting antennas of directional gain greater than 9 dBi are used, both the maximum conducted output power and the peak power spectral density should be reduced by the amount in decibels that the directional gain of the antenna exceeds 9 dBi. However, high power point-to-point and point-to-multipoint operations (both fixed and temporary-fixed rapid deployment) may employ transmitting antennas with directional gain up to 26 dBi without any corresponding reduction in the maximum conducted output power or spectral density. Corresponding reduction in the maximum conducted output power and peak power spectral density should be the amount in decibels that the directional gain of the antenna exceeds 26 dBi.

(2) Low power devices are also limited to a peak power spectral density of 8 dBm per one MHz.


Low power devices using channel bandwidths other than those listed above are permitted; however,they are limited to a peak power spectral density of 8 dBm/MHz. If transmitting antennas of directional gain greater than 9 dBi are used, both the maximum conducted output power and the peak power spectral density should be reduced by the amount in decibels that the directional gain of the antenna exceeds 9 dBi.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



# 9.2 Test Set-up



# 9.3 Measurement Procedure

- 1. Set the analyzer center frequency to the OBW center frequency.
- 2. The testing follows the Measurement Procedure of ANSI C63.26 2015.
- 3. Set the span to 1.5 times the OBW bandwidth.
- 4. Set the RBW to the specified reference bandwidth (often 1 MHz).
- 5. Set the VBW  $\geq$  3 × RBW.
- Set the number of points in sweep ≥ span / RBW.
  NOTE: This requirement is applicable only to final measurement. It can be violated for preliminary (pre-scan) measurements when necessary for wide span measurements.
- 7. Detector = peak.
- 8. Trace mode = max hold.
- 9. Allow trace to fully stabilize.
- 10. Use the peak marker function to determine the maximum amplitude level within the specified reference bandwidth (PSD).

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



### 9.4 Measurement Results

#### 9.4.1 Test Mode: Mode 1


|                    | POWER DENSITY 802.11j MODE   |                              |                        |                           |                    |                |  |  |
|--------------------|------------------------------|------------------------------|------------------------|---------------------------|--------------------|----------------|--|--|
| Frequency<br>(MHz) | Ch0 meas<br>PSD<br>(dBm/MHz) | Ch1 meas<br>PSD<br>(dBm/MHz) | Duty<br>Factor<br>(dB) | Total Corr'd PSD(dBm/MHz) | Limit<br>(dBm/MHz) | Margin<br>(dB) |  |  |
| 4960               | 17.12                        | 18.52                        | 0.00                   | 20.89                     | 21.00              | -0.11          |  |  |
| 4980               | 17.19                        | 18.51                        | 0.00                   | 20.91                     | 21.00              | -0.09          |  |  |

#### 9.4.2 Test Mode: Mode 2

| POWER DENSITY 802.11j MODE |                              |                              |                        |                           |                    |                |  |
|----------------------------|------------------------------|------------------------------|------------------------|---------------------------|--------------------|----------------|--|
| Frequency<br>(MHz)         | Ch0 meas<br>PSD<br>(dBm/MHz) | Ch1 meas<br>PSD<br>(dBm/MHz) | Duty<br>Factor<br>(dB) | Total Corr'd PSD(dBm/MHz) | Limit<br>(dBm/MHz) | Margin<br>(dB) |  |
| 4960                       | 8.31                         | 9.91                         | 0.00                   | 12.19                     | 12.39              | -0.20          |  |
| 4980                       | 8.55                         | 9.95                         | 0.00                   | 12.32                     | 12.39              | -0.07          |  |

Note: Limit=21-(17.61-9)=12.39

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Local

- 1÷


Local

Signel Track



#### Test Mode: Mode 1

📲 🎦 🥂 🔳 🕐 rcb 25, 2022 🗩



#Res BW 1.0 MHz


🔳 🎦 🥂 🔳 📍 Tct: 25, 2022 🗩

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Signel Track (Scen Zoom)

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www /T and for This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com.tw/lerms-and-Conditions">http://www.sgs.com.tw/lerms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/lerms-and-Conditions">http://www.sgs.com.tw/lerms-and-Conditions</a> Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Ideo RW 3.0 MH

Local

Local


Signal Track



eo RW 3.0 MH:

Center 4.98000 GH #Rea BW 1.0 MHz

#### Test Mode: Mode 2



#Res BW 1.0 MHz

12:12:12 PM

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

40.00 N Span 40.00 MHz eep 1.00 ms (1001 pts)

Signel Track (Scen Zoom)

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemniis the contrast of the approval of the Company's sole responsibility is to its Client and this document does not exorerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification and be fully document to any be precedend in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the fully at the time of this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the fully at votes of the fully of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

| SGS Taiwan Ltd. N | DJ 134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 |                     |                     |  |  |  |
|-------------------|---------------------------------------------------------------------------------------------------------------|---------------------|---------------------|--|--|--|
| 台灣檢驗科技股份有限公司      | t (886-2) 2299-3279                                                                                           | f (886-2) 2298-0488 | www.sgs.com.tw      |  |  |  |
| _                 |                                                                                                               |                     | Member of SGS Group |  |  |  |



# **10 TRANSMIT SPECTRUM MASK**

# 10.1 Standard Applicable

According to FCC Part 90 §90.210 with FCC 04-265

(Emissions Mask L for low power, Emissions Mask M for high power)

| Authorized<br>Bandwidth (BW) | Low-power<br>Transmitter            | High-power<br>Transmitter                                              |
|------------------------------|-------------------------------------|------------------------------------------------------------------------|
| 0 - 45 %                     | 0dB                                 | 0dB                                                                    |
| 45 - 50 %                    | 219 log (% of (BW) / 45) dB         | 568 log (% of (BW) / 45) dB                                            |
| 50 - 55 %                    | 10 + 242 log (% of BW / 50) dB      | 26 + 145 log (% of BW / 50) dB                                         |
| 55 - 100 %                   | 20 + 31 log (% of (BW)/ 55) dB      | 32 + 31 log (% of (BW)/ 55) dB                                         |
| 100 - 150 %                  | 28 + 68 log (% of (BW) / 100)<br>dB | 40 + 57 log (% of (BW) / 100) dB                                       |
| Above 150 %                  | 50 dB                               | 50 dB or 55 + 10 log (P) dB,<br>Whichever is<br>the lesser attenuation |

Note: The zero dB reference is measured relative to the highest average power of the fundamental emissionmeasured across the designated channel bandwidth using a resolution bandwidth of at least one percent of the occupied bandwidth of the fundamental emission and a video bandwidth of 30 The power spectral density is the power measured within the resolution bandwidth of the measurement

# 10.2 Test Set-up



# **10.3 Measurement Procedure**

The zero dB reference is measured relative to the highest average power of the fundamental emission measured across the designated channel bandwidth using a resolution bandwidth of at least one percent of the occupied bandwidth of the fundamental emission and a video bandwidth of 30 kHz.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




# Report No.: ER/2021/A0120 Page: 30 of 83


#### **10.4 Measurement Results**

#### 10.4.1 Test Mode: Mode 1

#### Emission Mask\_Chain0\_4960MHz




#### Emission Mask Chain0 4980MHz



#### ø Frequency KEYSIGHT Input R Input Z: 50 D tien 20 dB Trig: Free Gate: Off Center 4.9600 rog Ref. Int (S) CF Step 100.000000 MHz Ref Lvi Offset 10.00 dB Scale/Div 10 dl Auto Man Freq Offset 0 Hz isp Center 4.9600 GHz Span 200 2001 pts n 200.00 M 2 Table Power 14.78 dBm / 3.84 MHz Start F đB -2.20 -29.05 -29.05 -35.19 Local ? Mar 01, 2022 .:: 🔖 15 F 1 0

Emission Mask\_Chain1\_4960MHz

#### Emission Mask Chain1 4980MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

| SGS Falwan Ltd. No | 134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 |                     |                     |  |  |  |
|--------------------|------------------------------------------------------------------------------------------------------------|---------------------|---------------------|--|--|--|
| 台灣檢驗科技股份有限公司       | t (886-2) 2299-3279                                                                                        | f (886-2) 2298-0488 | www.sgs.com.tw      |  |  |  |
|                    |                                                                                                            |                     | Member of SGS Group |  |  |  |