



Excellence in Compliance Testing

Certification Exhibit

FCC ID: R7PCGR1S2

FCC Rule Part: 15.247

ACS Project Number: 12-0230

Manufacturer: Landis+Gyr Technology, Inc.
Model: BLT5

Label Information

4

3

2

1

D

D

TEXT AREA: .050" HIGH TEXT,
.03" BETWEENLINES, OPTIMA BOLD,
LEFT JUSTIFIED AT 3.43"

TEXT AREA: .050" HIGH TEXT,
.03" BETWEENLINES, OPTIMA BOLD,
LEFT JUSTIFIED AT 1.45"

.10

3.43

1.45

FCC ID: R7PCGR1S2

This device complies with Part 15 of the FCC rules.
Operation is subject to the following two conditions:
1) This device may not cause harmful interference, and
2) This device must accept any interference received,
including interference that may cause undesired operation.

Manufactured in the USA under one or more
of the following United States Patents:
5,095,493
5,067,136
5,457,713
5,661,750
PCT/US95/02690

Landis+Gyr+

.72

SEE NOTE 6

.03R, 4 PL

3.53

C

C

B



B

NOTES:

1. MATERIAL: .002" THICK WHITE POLYESTER WITH 3M #400 TYPE ADHESIVE, 3M# 7921 OR EQUIVALENT WITH PROTECTIVE BACKING.
2. TOP PRINT BLACK TEXT AND GREY#D179 BACKGROUND.
3. MATERIAL: LAMINATE .001" MATTE CLEAR POLYESTER, 3M #7732FL, OR EQUIVALENT, TO FACE OF LABEL
4. ANY NON SPECIFIED MATERIAL MUST BE APPROVED IN ADVANCE, IN WRITING, BY CELLNET ENGINEERING.
5. COLOR MATCH GREY TO CHIP SUPPLIED BY CELLNET.
6. LANDIS+GYR LOGO LOCATED ON LABEL APPROXIMATELY WHERE SHOWN.

A

A

<p>DO NOT SCALE DRAWING</p> <p>UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN INCHES (MM) DIMENSIONS ARE AFTER FINISH IS APPLIED ANGLE TOLERANCE DOES NOT APPLY TO IMPLIED 90° ANGLES</p> <p>TOLERANCES ON:</p> <table border="1"> <tr> <th>DECIMAL</th> <th>FRACTION</th> <th>ANGLES</th> </tr> <tr> <td>±.1</td> <td>±1/64</td> <td>±1°</td> </tr> <tr> <td>±.02</td> <td></td> <td></td> </tr> <tr> <td>±.005</td> <td></td> <td></td> </tr> </table> <p>MUST BE FREE FROM FLASH AND BURRS. BREAK ALL SHARP EDGES Ø DENOTES REFERENCE ONLY.</p>	DECIMAL	FRACTION	ANGLES	±.1	±1/64	±1°	±.02			±.005				<p>TITLE: LABEL, FCC, BLT5</p>			
	DECIMAL	FRACTION	ANGLES														
±.1	±1/64	±1°															
±.02																	
±.005																	
<p>THIRD ANGLE PROJECTION</p> 	<p>APPROVED BY: D. FINCANNON</p>	<p>DATED: 09/20/11</p>	<p>SIZE: C</p>	<p>DRAWN BY: P. SPOKAS</p>	<p>DATED: 09/20/11</p>	<p>SHEET: 1 OF 1</p>											
<p>DRAWING NO. 23-1340</p>					<p>REVISION: AA</p>												

4

3

2

1

FCC ID: R7PCGR152

This device complies with Part 15 of the FCC rules.
Operation is subject to the following two conditions:
1) This device may not cause harmful interference, and
2) This device must accept any interference received,
including interference that may cause undesired operation.

Manufactured in the USA under one or more
of the following United States Patents:
5,095,493
5,067,136
5,457,713
5,661,750
PCT/US95/02690

Landis
|Gyr+

cellnet®
LAN TRANSCEIVER

**T/A, BLT5 TRANSCEIVER, MCC
26-1828 REV. AI**


POWER

CPU OK

B

A





NOTES:

- 1. MATERIAL: - .002" THICK WHITE POLYESTER (3M #7908FL OR 3M #MZ0058) WITH 3M #350 TYPE ADHESIVE WITH PROTECTIVE BACKING.
 - APPLY LAMINATE (.003" MATTE CLEAR POLYESTER, 3M #7735FL, OR CHANGMAO #OPATM/CL38) TO FACE OF LABEL AND OVER ALL PRINTING.
- 2. THIS LABEL SHALL BE IN ACCORDANCE WITH DOCUMENTS NUMBER 95-1062. SURFACES SHALL BE CONSIDERED "CLASS E" SURFACES UNLESS OTHERWISE SPECIFIED.
- 3. THIS LABEL SHALL BE IN ACCORDANCE WITH DOCUMENT NUMBER 95-1067 (LABEL SPECIFICATION).

DO NOT SCALE DRAWING UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN INCHES [MM] DIMENSIONS ARE AFTER FINISH IS APPLIED ANGLE TOLERANCE DOES NOT APPLY TO IMPLIED 90° ANGLES TOLERANCES ON: DECIMAL FRACTION ANGLES 1PL ± .1 ±1/64 ±1° 2PL ± .02 3PL ± .005 MUST BE FREE FROM FLASH AND BURRS. BREAK ALL SHARP EDGES. (I) DENOTES REFERENCE ONLY.		TITLE: LABEL, FCC, BLT5 RETROFIT		
		THIRD ANGLE PROJECTION	APPROVED BY: D. FINCANNON	DATED: 08/21/12
		DRAWN BY: R. ADAMKIEWICZ-SOCHACKI	DATED: 08/21/12	SHEET: 1 OF 1
			DRAWING NO. 23-1401	REVISION: AA