

Orthogonal Axis :	X
Test Mode :	TX N-20M MODE 2462MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		4923.715	43.19	7.53	50.72	74.00	-23.28	peak	
2		4923.715	32.27	7.53	39.80	54.00	-14.20	AVG	
3		7386.385	45.41	15.50	60.91	74.00	-13.09	peak	
4	*	7386.385	31.02	15.50	46.52	54.00	-7.48	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2422MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		2390.000	24.23	31.02	55.25	74.00	-18.75	peak	
2		2390.000	12.46	31.02	43.48	54.00	-10.52	AVG	
3	X	2438.000	62.04	31.25	93.29	74.00	19.29	peak	no limit
4	*	2438.000	54.27	31.25	85.52	54.00	31.52	AVG	no limit

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2422MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		4843.925	44.55	7.42	51.97	74.00	-22.03	peak	
2		4843.925	32.61	7.42	40.03	54.00	-13.97	AVG	
3		7266.115	43.17	15.00	58.17	74.00	-15.83	peak	
4	*	7266.115	29.90	15.00	44.90	54.00	-9.10	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2422MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		2390.000	25.74	31.02	56.76	74.00	-17.24	peak	
2		2390.000	13.38	31.02	44.40	54.00	-9.60	AVG	
3	X	2431.000	68.78	31.22	100.00	74.00	26.00	peak	no limit
4	*	2431.000	59.26	31.22	90.48	54.00	36.48	AVG	no limit

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2422MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		4844.075	44.21	7.42	51.63	74.00	-22.37	peak	
2		4844.075	30.00	7.42	37.42	54.00	-16.58	AVG	
3		7265.730	44.03	14.99	59.02	74.00	-14.98	peak	
4	*	7265.730	29.87	14.99	44.86	54.00	-9.14	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2437MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	2446.000	63.19	31.29	94.48	74.00	20.48	peak	
2	*	2446.000	54.77	31.29	86.06	54.00	32.06	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2437MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		4873.910	44.32	7.47	51.79	74.00	-22.21	peak	
2		4873.910	32.85	7.47	40.32	54.00	-13.68	AVG	
3		7311.435	43.21	15.19	58.40	74.00	-15.60	peak	
4	*	7311.435	30.17	15.19	45.36	54.00	-8.64	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2437MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	2446.000	71.96	31.29	103.25	74.00	29.25	peak	
2	*	2446.000	62.66	31.29	93.95	54.00	39.95	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2437MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		4873.595	43.41	7.47	50.88	74.00	-23.12	peak	
2		4873.595	30.39	7.47	37.86	54.00	-16.14	AVG	
3		7311.065	44.93	15.18	60.11	74.00	-13.89	peak	
4	*	7311.065	30.16	15.18	45.34	54.00	-8.66	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2452MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	2461.500	64.48	31.36	95.84	74.00	21.84	peak	no limit
2	*	2461.500	54.30	31.36	85.66	54.00	31.66	AVG	no limit
3		2483.500	29.57	31.46	61.03	74.00	-12.97	peak	
4		2483.500	14.88	31.46	46.34	54.00	-7.66	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2452MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		4903.925	42.47	7.50	49.97	74.00	-24.03	peak	
2		4903.925	31.60	7.50	39.10	54.00	-14.90	AVG	
3		7356.590	43.91	15.37	59.28	74.00	-14.72	peak	
4	*	7356.590	30.31	15.37	45.68	54.00	-8.32	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2452MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	2461.500	71.69	31.36	103.05	74.00	29.05	peak	no limit
2	*	2461.500	62.60	31.36	93.96	54.00	39.96	AVG	no limit
3		2483.500	36.10	31.46	67.56	74.00	-6.44	peak	
4		2483.500	20.12	31.46	51.58	54.00	-2.42	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2452MHz

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		4903.625	44.23	7.50	51.73	74.00	-22.27	peak	
2		4903.625	30.27	7.50	37.77	54.00	-16.23	AVG	
3		7355.460	44.81	15.37	60.18	74.00	-13.82	peak	
4	*	7355.460	30.34	15.37	45.71	54.00	-8.29	AVG	

ATTACHMENT E - BANDWIDTH

Test Mode : TX B Mode_CH01/06/11


Frequency	6dB Bandwidth (MHz)	99% Occupied BW (MHz)	Min. Limit (kHz)	Test Result
2412 MHz	10.10	14.92	500	Complies
2437 MHz	10.10	14.92	500	Complies
2462 MHz	10.10	14.96	500	Complies

TX CH01




Date: 16.JUL.2014 14:24:06

TX CH06



Date: 16.JUL.2014 14:27:32

TX CH11




Date: 16.JUL.2014 14:29:31

Test Mode: TX G Mode_CH01/06/11


Frequency	6dB Bandwidth (MHz)	99% Occupied BW (MHz)	Min. Limit (kHz)	Test Result
2412 MHz	16.57	16.48	500	Complies
2437 MHz	16.61	16.48	500	Complies
2462 MHz	16.57	16.48	500	Complies

TX CH01




Date: 16.JUL.2014 14:34:18

TX CH06



Date: 16.JUL.2014 14:42:14

TX CH11




Date: 16.JUL.2014 14:44:30

Test Mode : TX N-20MHz Mode_CH01/06/11


Frequency	6dB Bandwidth (MHz)	99% Occupied BW (MHz)	Min. Limit (kHz)	Test Result
2412 MHz	17.84	17.72	500	Complies
2437 MHz	17.80	17.72	500	Complies
2462 MHz	17.80	17.68	500	Complies

TX CH01




Date: 16.JUL.2014 14:47:37

TX CH06



Date: 16.JUL.2014 14:49:52

TX CH11




Date: 16.JUL.2014 14:52:04

Test Mode : TX N-40MHz Mode_CH03/06/09


Frequency	6dB Bandwidth (MHz)	99% Occupied BW (MHz)	Min. Limit (kHz)	Test Result
2422 MHz	36.31	36.30	500	Complies
2437 MHz	36.25	36.16	500	Complies
2452 MHz	36.41	36.16	500	Complies

TX CH03




Date: 16.OCT.2013 13:28:43

TX CH06



Date: 16.JUL.2014 15:05:05

TX CH09



Date: 16.JUL.2014 15:06:51

ATTACHMENT F - MAXIMUM OUTPUT POWER

Test Mode : TX B Mode					
Frequency	Conducted Power (dBm)	Conducted Power (W)	Max. Limit(dBm)	Max. Limit(W)	Result
2412 MHz	15.43	0.0349	30.00	1.00	Complies
2437 MHz	15.92	0.0391	30.00	1.00	Complies
2462 MHz	16.22	0.0419	30.00	1.00	Complies

Test Mode : TX G Mode					
Frequency	Conducted Power (dBm)	Conducted Power (W)	Max. Limit(dBm)	Max. Limit(W)	Result
2412 MHz	23.53	0.2254	30.00	1.00	Complies
2437 MHz	23.35	0.2163	30.00	1.00	Complies
2462 MHz	23.33	0.2153	30.00	1.00	Complies


Test Mode : TX N-20M Mode					
Frequency	Conducted Power (dBm)	Conducted Power (W)	Max. Limit(dBm)	Max. Limit(W)	Result
2412 MHz	20.40	0.1096	30.00	1.00	Complies
2437 MHz	20.80	0.1202	30.00	1.00	Complies
2462 MHz	20.90	0.1230	30.00	1.00	Complies

Test Mode : TX N-40M Mode					
Frequency	Conducted Power (dBm)	Conducted Power (W)	Max. Limit(dBm)	Max. Limit(W)	Result
2422 MHz	20.56	0.1138	30.00	1.00	Complies
2437 MHz	20.34	0.1081	30.00	1.00	Complies
2452 MHz	20.81	0.1205	30.00	1.00	Complies

ATTACHMENT G - ANTENNA CONDUCTED SPURIOUS EMISSION


Test Mode :	TX B Mode
--------------------	------------------

TX B mode CH01




Date: 16.JUL.2014 14:24:31

TX B mode CH11




Date: 16.JUL.2014 14:29:55

TX B mode CH01 (10 Harmonic of the frequency)




Date: 16.JUL.2014 14:23:36

TX B mode CH06 (10 Harmonic of the frequency)



Date: 16.JUL.2014 14:27:02


TX B mode CH11 (10 Harmonic of the frequency)



Date: 16.JUL.2014 14:29:01


Test Mode :	TX G Mode
--------------------	------------------

TX G mode CH01




Date: 16.JUL.2014 14:34:42

TX G mode CH11




Date: 16.JUL.2014 14:44:55

TX G mode CH01 (10 Harmonic of the frequency)




Date: 16.JUL.2014 14:33:50

TX G mode CH06 (10 Harmonic of the frequency)



Date: 16.JUL.2014 14:41:47


TX G mode CH11 (10 Harmonic of the frequency)



Date: 16.JUL.2014 14:44:03


Test Mode :	TX N-20M Mode
--------------------	----------------------

TX HT20 mode CH01




Date: 16.JUL.2014 14:48:02

TX HT20 mode CH11




Date: 16.JUL.2014 14:52:28

TX HT20 mode CH01 (10 Harmonic of the frequency)




Date: 16.JUL.2014 14:47:10

TX HT20 mode CH06 (10 Harmonic of the frequency)



Date: 16.JUL.2014 14:49:25


TX HT20 mode CH11 (10 Harmonic of the frequency)



Date: 16.JUL.2014 14:51:37


Test Mode :	TX N-40M Mode
--------------------	----------------------

TX HT40 mode CH03




Date: 16.JUL.2014 15:03:15

TX HT40 mode CH09




Date: 16.JUL.2014 15:07:15

TX HT40 mode CH03 (10 Harmonic of the frequency)




Date: 16.JUL.2014 14:54:58

TX HT40 mode CH06 (10 Harmonic of the frequency)



Date: 16.JUL.2014 15:04:38

TX HT40 mode CH09 (10 Harmonic of the frequency)




Date: 16.JUL.2014 15:06:25

ATTACHMENT H - POWER SPECTRAL DENSITY

Test Mode :TX B Mode_CH01/06/11


Frequency	Power Density (dBm/3kHz)	Power Density (mW/3kHz)	Max. Limit (dBm)	Result
2412 MHz	-18.45	0.01	8.00	Complies
2437 MHz	-18.29	0.01	8.00	Complies
2462 MHz	-18.36	0.01	8.00	Complies

TX CH01




Date: 16.JUL.2014 14:24:55

TX CH06



Date: 16.JUL.2014 14:27:56

TX CH11




Date: 16.JUL.2014 14:30:19

Test Mode :TX G Mode_CH01/06/11


Frequency	Power Density (dBm/3kHz)	Power Density (mW/3kHz)	Max. Limit (dBm)	Result
2412 MHz	-14.53	0.04	8.00	Complies
2437 MHz	-14.12	0.04	8.00	Complies
2462 MHz	-14.31	0.04	8.00	Complies

TX CH01




Date: 16.JUL.2014 14:35:06

TX CH06



Date: 16.JUL.2014 14:42:38

TX CH11




Date: 16.JUL.2014 14:45:19

Test Mode : TX N-20M Mode_CH01/06/11


Frequency	Power Density (dBm/3kHz)	Power Density (mW/3kHz)	Max. Limit (dBm)	Result
2412 MHz	-17.04	0.02	8.00	Complies
2437 MHz	-16.93	0.02	8.00	Complies
2462 MHz	-17.61	0.02	8.00	Complies

TX CH01




Date: 16.JUL.2014 14:48:26

TX CH06



Date: 16.JUL.2014 14:50:16

TX CH11




Date: 16.JUL.2014 14:52:52

Test Mode : TX N-40M Mode_CH03/06/09


Frequency	Power Density (dBm/3kHz)	Power Density (mW/3kHz)	Max. Limit (dBm)	Result
2422 MHz	-17.43	0.02	8.00	Complies
2437 MHz	-17.32	0.02	8.00	Complies
2452 MHz	-17.19	0.02	8.00	Complies

TX CH03




Date: 16.JUL.2014 14:56:17

TX CH06



Date: 16.JUL.2014 15:05:29

TX CH09



Date: 16.JUL.2014 15:07:40