


**Installation Note:**

This label shall be affixed to the back of the board near the antenna connector.

**NOTES:**

1. CHARACTERS TO BE BLACK, ARIAL FONT, 0.06 HIGH.
2. MATERIAL TO BE 2 MIL WHITE MYLAR WITH PERMANENT SELF ADHESIVE BACK WITHSTRIP LINER

REV	DESCRIPTION	DATE	BY	CHK	APP	DATE	
D	NEW DRAWING					11-10-03	
<b>SUPPLYNET COMMUNICATIONS L.L.C.</b> ROLLING MEADOWS, IL 60008 USA		<small>ALL DIMENSIONS UNLESS OTHERWISE SPECIFIED ARE IN INCHES AND DECIMAL FRACTIONS (FRACTIONS ARE TO BE IN 16ths UNLESS OTHERWISE SPECIFIED)          FINISHES: 25/25 UNLESS OTHERWISE SPECIFIED          TOLERANCES: DEC: ± 0.01 UNLESS OTHERWISE SPECIFIED          ANGLES: ± 0.005 UNLESS OTHERWISE SPECIFIED          NO HOLE DRILLING</small>		<b>TITLE</b> LABEL, FCC			
<input type="checkbox"/> CERTIFICATION DRAWING		MATERIAL: SEE NOTE 2		DWN: M. HERRLICH DATE: 11-10-03 CHK: - DATE: - APP: - DATE: -			
<small>THIS DRAWING IS THE PROPERTY OF SUPPLYNET COMMUNICATIONS L.L.C. IT SHALL BE RETURNED TO SUPPLYNET COMMUNICATIONS L.L.C. IF NOT RETURNED TO SUPPLYNET COMMUNICATIONS L.L.C. WITHIN 30 DAYS OF THE DATE OF THE ORIGINAL ISSUE.</small>		FINISH: ---		DWG NO. 700-00006			REV 0
DWG. FILE: D		SCALE: 1:1 PLOT X		CAD NO. X			SHEET 1 OF 1



NOTES:

1. CHARACTERS TO BE .06 BLACK ARJAL FONT .06 HIGH
2. MATERIAL TO BE 2 MIL WHITE MYLAR WITH SELF ADHESIVE BACKING
3. Affix label to the outside of the Sentinel Housing

BY	DATE	NO.	REV.	DATE
SUPPLYNET		OUTSIDE LABEL		
STANDARD 8004		E-12-01		
BY: [Signature]		DATE: [Date]		
TITLE: [Title]		JOB: [Job]		
[Additional text]		[Additional text]		

