

FCC

RF

TEST REPORT


ISSUED BY  
Shenzhen BALUN Technology Co., Ltd.



FOR  
**Mobile Phone**

ISSUED TO  
GUANGDONG OPPO MOBILE TELECOMMUNICATIONS  
CORP., LTD.

NO. 18 HaiBin Road, WuSha village, Chang An Town, DongGuan City,  
Guangdong, China



Prepared by: Ye Hongji  
Ye Hongji

Date: May 09, 2020

Approved by: Wei Yanquan  
Wei Yanquan  
(Chief Engineer)

Date: May 09, 2020

Report No.: BL-SZ2030336-604

EUT Name: Mobile Phone

Model Name: A002OP

Brand Name: OPPO

Test Standard: 47 CFR Part 15 Subpart E

FCC ID: R9C-A002OP

Test Conclusion: Pass

Test Date: Mar. 18, 2020 ~ Mar. 26, 2020

Date of Issue: May 09, 2020

*NOTE: This test report of test results only related to testing samples, which can be duplicated completely for the legal use with the approval of the applicant; it shall not be reproduced except in full, without the written approval of Shenzhen BALUN Technology Co., Ltd. Any objections should be raised within thirty days from the date of issue. To validate the report, please contact us.*

### Revision History

<u>Version</u>	<u>Issue Date</u>	<u>Revisions Content</u>
<u>Rev. 01</u>	<u>May 09, 2020</u>	<u>Initial Issue</u>

## TABLE OF CONTENTS

1	ADMINISTRATIVE DATA (GENERAL INFORMATION) .....	4
1.1	Identification of the Testing Laboratory .....	4
1.2	Identification of the Responsible Testing Location .....	4
1.3	Laboratory Condition .....	4
1.4	Announce .....	4
2	PRODUCT INFORMATION .....	5
2.1	Applicant .....	5
2.2	Manufacturer .....	5
2.3	Factory .....	5
2.4	General Description for Equipment under Test (EUT) .....	5
2.5	Technical Information .....	6
2.6	Additional Instructions .....	7
2.7	Channel List .....	10
3	SUMMARY OF TEST RESULTS .....	13
3.1	Test Standards .....	13
3.2	Verdict .....	13
4	GENERAL TEST CONFIGURATIONS .....	14
4.1	Test Environments .....	14
4.2	Test Equipment List .....	14
4.3	Measurement Uncertainty .....	15
4.4	Description of Test Setup .....	16
5	TEST ITEMS .....	19
5.1	RF Output Power .....	19
5.2	Emission Bandwidth and 6 dB Bandwidth .....	20
5.3	Power Spectral density (PSD) .....	21
5.4	Conducted Emission .....	22

5.5	Radiated Spurious Emissions and Band Edge (Restricted-band).....	23
ANNEX A	TEST RESULT .....	28
A.1	RF Output Power .....	28
A.2	Emission Bandwidth & 99% Bandwidth .....	30
A.3	6 dB Bandwidth .....	32
A.4	Power Spectral Density .....	33
A.5	Conducted Emissions .....	35
A.6	Radiated Spurious Emissions and Band Edge (Restricted-band).....	37
ANNEX B	TEST SETUP PHOTOS .....	111
ANNEX C	EUT EXTERNAL PHOTOS .....	111
ANNEX D	EUT INTERNAL PHOTOS .....	111

# 1 ADMINISTRATIVE DATA (GENERAL INFORMATION)

## 1.1 Identification of the Testing Laboratory

Company Name	Shenzhen BALUN Technology Co., Ltd.
Address	Block B, 1st FL, Baisha Science and Technology Park, Shahe Xi Road, Nanshan District, Shenzhen, Guangdong Province, P. R. China
Phone Number	+86 755 6685 0100

## 1.2 Identification of the Responsible Testing Location

Test Location	Shenzhen BALUN Technology Co., Ltd.
Address	Block B, 1st FL, Baisha Science and Technology Park, Shahe Xi Road, Nanshan District, Shenzhen, Guangdong Province, P. R. China
Accreditation Certificate	<p>The laboratory has been listed by Industry Canada to perform electromagnetic emission measurements. The recognition numbers of test site are 11524A-1.</p> <p>The laboratory is a testing organization accredited by FCC as a accredited testing laboratory. The designation number is CN1196.</p> <p>The laboratory is a testing organization accredited by American Association for Laboratory Accreditation(A2LA) according to ISO/IEC 17025.The accreditation certificate is 4344.01.</p> <p>The laboratory is a testing organization accredited by China National Accreditation Service for Conformity Assessment (CNAS) according to ISO/IEC 17025. The accreditation certificate number is L6791.</p>
Description	All measurement facilities used to collect the measurement data are located at Block B, FL 1, Baisha Science and Technology Park, Shahe Xi Road, Nanshan District, Shenzhen, Guangdong Province, P. R. China 518055

## 1.3 Laboratory Condition

Ambient Temperature	20°C to 25°C
Ambient Relative Humidity	45% to 55%
Ambient Pressure	100 kPa to 102 kPa

## 1.4 Announce

- (1) The test report reference to the report template version v4.4.
- (2) The test report is invalid if not marked with the signatures of the persons responsible for preparing and approving the test report.
- (3) The test report is invalid if there is any evidence and/or falsification.
- (4) The results documented in this report apply only to the tested sample, under the conditions and modes of operation as described herein.
- (5) This document may not be altered or revised in any way unless done so by BALUN and all revisions are duly noted in the revisions section.
- (6) Content of the test report, in part or in full, cannot be used for publicity and/or promotional purposes without prior written approval from the laboratory.

## 2 PRODUCT INFORMATION

### 2.1 Applicant

Applicant	GUANGDONG OPPO MOBILE TELECOMMUNICATIONS CORP., LTD.
Address	NO. 18 HaiBin Road, WuSha village, Chang An Town, DongGuan City, Guangdong, China

### 2.2 Manufacturer

Manufacturer	GUANGDONG OPPO MOBILE TELECOMMUNICATIONS CORP., LTD.
Address	NO. 18 HaiBin Road, WuSha village, Chang An Town, DongGuan City, Guangdong, China

### 2.3 Factory

Factory	GUANGDONG OPPO MOBILE TELECOMMUNICATIONS CORP., LTD.
Address	NO. 18 HaiBin Road, WuSha village, Chang An Town, DongGuan City, Guangdong, China

### 2.4 General Description for Equipment under Test (EUT)

EUT Name	Mobile Phone
Model Name Under Test	A002OP
Series Model Name	N/A
Description of Model name differentiation	N/A
Hardware Version	11
Software Version	ColorOS V7.1
Dimensions (Approx.)	160.9x74.1x8.2mm
Weight (Approx.)	177g(with battery)

## 2.5 Technical Information

Network and Wireless connectivity	2G Network GSM/GPRS/EDGE 850/1900 MHz 3G Network WCDMA/HSDPA/HSUPA/HSPA+/DC-HSDPA Band 2/4/5 4G Network FDD LTE Band 2/4/5/7/26 TDD LTE Band 38/41 LTE CA Uplink (UL): CA_38C LTE CA Downlink (DL): CA_7B, CA_7C, CA_38C, CA_41C, 7A-7A, 41A-41A, 7A-28A, 5A-41A, 28A-41A, 28A-38A Bluetooth 5.0 (BR+EDR+BLE) 2.4G WIFI 802.11b, 802.11g, 802.11n(HT20) 5G WIFI 802.11a, 802.11n(HT20/40) and 802.11ac(VHT20/40/80) Band 1/2/3/4 SRD NFC, GPS, GLONASS, BDS, Galileo, FM Receiver
-----------------------------------	--

The requirement for the following technical information of the EUT was tested in this report:

Frequency Range	Band I: 5150 MHz to 5250 MHz, Band II: 5250 MHz to 5350 MHz, Band III: 5470 MHz to 5725 MHz Band IV: 5725 MHz to 5850 MHz
Product Type	<input type="checkbox"/> Mobile <input checked="" type="checkbox"/> Portable <input type="checkbox"/> Fix Location
Modulation technology	OFDM
Modulation Type	256QAM, 64QAM, 16QAM, BPSK, QPSK
Product Type	Indoor for IC standard Mobile and portable for FCC standard
Transfer Rate (Mbps) (Single RF path)	802.11a: 54/ 48/ 36 / 24 / 18/12 / 9/ 6 Mbps 802.11n: up to 150 Mbps 802.11ac: up to VHT-MCS9
Channel Bandwidth	802.11a: 20 MHz 802.11n: 20 MHz, 40 MHz 802.11ac: 20 MHz, 40 MHz, 80 MHz
Maximum Output Power	Band I: 18.20 dBm Band II: 18.56 dBm Band III: 17.62 dBm Band IV: 13.98 dBm
Antenna System (eg., MIMO, Smart Antenna)	N/A
Categorization as Correlated or Completely Uncorrelated	N/A
Antenna Type	PIFA Antenna
Antenna Gain	-3 dBi
About the Product	The equipment is Mobile Phone, intended for used with information technology equipment.

## 2.6 Additional Instructions

EUT Software Settings:

Mode	<input checked="" type="checkbox"/> Special software is used. The software provided by client to enable the EUT under transmission condition continuously at specific channel frequencies individually.
------	--

During testing, Channel and Power Controlling Software provided by the customer was used to control the operating channel as well as the output power level. The RF output power selection is for the setting of RF output power expected by the customer and is going to be fixed on the firmware of the final end product.

Test Software Version	QRCT3		
Support Units (Software installation media)	Description	Manufacturer	Model
	Notebook	ALCO	N/A

Band I (5150 - 5250 MHz ) Power level setup in software			
Mode	Channel	Frequency (MHz)	Soft Set
11a	CH36	5180	17
11a	CH44	5220	17
11a	CH48	5240	17
11n (HT20)	CH36	5180	17
11n (HT20)	CH44	5220	17
11n (HT20)	CH48	5240	17
11n (HT40)	CH38	5190	16
11n (HT40)	CH46	5230	16
11ac (VHT20)	CH36	5180	17
11ac (VHT20)	CH44	5220	17
11ac (VHT20)	CH48	5240	17
11ac (VHT40)	CH38	5190	16
11ac (VHT40)	CH46	5230	16
11ac (VHT80)	CH42	5210	9

Band II (5250 - 5350 MHz) Power level setup in software			
Mode	Channel	Frequency (MHz)	Soft Set
11a	CH52	5260	17
11a	CH60	5300	17
11a	CH64	5320	17
11n (HT20)	CH52	5260	17
11n (HT20)	CH60	5300	17
11n (HT20)	CH64	5320	17
11n (HT40)	CH54	5270	16
11n (HT40)	CH62	5310	16
11ac (VHT20)	CH52	5260	17
11ac (VHT20)	CH60	5300	17
11ac (VHT20)	CH64	5320	17
11ac (VHT40)	CH54	5270	16
11ac (VHT40)	CH62	5310	16
11ac (VHT80)	CH58	5290	10

Band III (5470 - 5725 MHz) Power level setup in software			
Mode	Channel	Frequency (MHz)	Soft Set
11a	CH100	5500	17
11a	CH116	5580	17
11a	CH140	5700	17
11n (HT20)	CH100	5500	17
11n (HT20)	CH116	5580	17
11n (HT20)	CH140	5700	17
11n (HT40)	CH102	5510	16
11n (HT40)	CH118	5590	16
11n (HT40)	CH134	5670	16
11ac (VHT20)	CH100	5500	17
11ac (VHT20)	CH116	5580	17
11ac (VHT20)	CH140	5700	17
11ac (VHT40)	CH102	5510	16
11ac (VHT40)	CH118	5590	16
11ac (VHT40)	CH134	5670	16
11ac (VHT80)	CH106	5530	10
11ac (VHT80)	CH122	5610	10



Band IV (5725 - 5850 MHz) Power level setup in software			
Mode	Channel	Frequency (MHz)	Soft Set
11a	CH149	5745	14
11a	CH157	5785	14
11a	CH165	5825	14
11n (HT20)	CH149	5745	14
11n (HT20)	CH157	5785	14
11n (HT20)	CH165	5825	14
11n (HT40)	CH149	5745	14
11n (HT40)	CH157	5785	14
11ac (VHT20)	CH149	5745	14
11ac (VHT20)	CH157	5785	14
11ac (VHT20)	CH165	5825	14
11ac (VHT40)	CH149	5745	14
11ac (VHT40)	CH157	5785	14
11ac (VHT80)	CH155	5775	14

Run Software

The screenshot displays the QRCCT software interface. The main window is titled 'WLAN' and shows 'TRANSMITTER SETTINGS'. Key settings include:
 

- PhyA only (RF Mode)
- Cont. Tx TX99 (TX Mode)
- 36 (5180) (Channel 1 MHz)
- 1 (2412) (Channel 2 MHz)
- 17 (TX Power Control)
- No HT (HT Mode)
- RATE\_5Mbps (Data Rate)
- ZEROS (TX Pattern)
- Use (Short Guard)
- 1 (Aggregate)
- 0 (IFS)
- 99 (Duty Cycle 0~100%)
- PhyA (PhyId)
- 0 (# of Packets 0 for Cont. TX)
- Enable (ANI Algorithm)
- On (Scrambler)
- 1 (AFSN)
- 1500 (Packet Size)
- 0 (Antenna)
- TxChain01 (TX Chain)
- 9 (Gain Index)
- 0 (Dec Gain)
- Off (PA CFG)
- Unicast (broadcast/Unicast)

 The 'STOP TX' and 'SET TX ON' buttons are visible. A 'Debug Message' window on the right shows a log of events, including 'QLIB\_FTIR\_VLAN\_TLVC\_AddParam' and 'QLIB\_FTIR\_VLAN\_TLVC\_Complete'. The status bar at the bottom indicates 'Ready' and 'COM276'.

## 2.7 Channel List

20 MHz		40 MHz		80 MHz	
Channel Number	Frequency (MHz)	Channel Number	Frequency (MHz)	Channel Number	Frequency (MHz)
<b>36</b>	<b>5180</b>	<b>38</b>	<b>5190</b>	<b>42</b>	<b>5210</b>
40	5200	<b>46</b>	<b>5230</b>	<b>58</b>	<b>5290</b>
<b>44</b>	<b>5220</b>	<b>54</b>	<b>5270</b>	<b>106</b>	<b>5530</b>
<b>48</b>	<b>5240</b>	<b>62</b>	<b>5310</b>	<b>155</b>	<b>5775</b>
<b>52</b>	<b>5260</b>	<b>102</b>	<b>5510</b>		
56	5280	110	5550		
<b>60</b>	<b>5300</b>	<b>134</b>	<b>5670</b>		
<b>64</b>	<b>5320</b>	<b>151</b>	<b>5755</b>		
<b>100</b>	<b>5500</b>	<b>159</b>	<b>5795</b>		
104	5520				
108	5540				
112	5560				
<b>116</b>	<b>5580</b>				
132	5660				
136	5680				
<b>140</b>	<b>5700</b>				
<b>149</b>	<b>5745</b>				
153	5765				
<b>157</b>	<b>5785</b>				
161	5805				
<b>165</b>	<b>5825</b>				

Note: Until further notice, devices subject to this section shall not be capable of transmitting in the band 5600-5650 MHz. This restriction is for the protection of weather radars operating in this band.

The Lowest frequency, the middle frequency and the highest frequency of channel were selected to perform the test, and the selected channel see below:

For 802.11a/n(HT20)/ac(VHT20)

Band I (5150 - 5250 MHz)			Band II (5250 - 5350 MHz)		
Channel Number	Channel	Frequency (MHz)	Channel Number	Channel	Frequency (MHz)
36	Low	5180	52	Low	5260
44	Mid	5220	60	Mid	5300
48	High	5240	64	High	5320

Band III (5470 - 5725 MHz)			Band IV (5725 - 5850 MHz)		
Channel Number	Channel	Frequency (MHz)	Channel Number	Channel	Frequency (MHz)
100	Low	5500	149	Low	5745
116	Mid	5580	157	Mid	5785
140	High	5700	165	High	5825

For 802.11n(HT40)/ac(VHT40)

Band I (5150 - 5250 MHz)			Band II (5250 - 5350 MHz)		
Channel Number	Channel	Frequency (MHz)	Channel Number	Channel	Frequency (MHz)
38	Low	5190	54	Low	5270
46	High	5230	62	High	5310

Band III (5150 - 5250 MHz)			Band IV (5725 - 5850 MHz)		
Channel Number	Channel	Frequency (MHz)	Channel Number	Channel	Frequency (MHz)
102	Low	5510	151	Low	5755
118	Mid	5590	159	High	5795
134	High	5670			

For 802.11ac(VHT80)

Band I (5150 - 5250 MHz)			Band II (5250 - 5350 MHz)		
Channel Number	Channel	Frequency (MHz)	Channel Number	Channel	Frequency (MHz)
42	Mid	5210	58	Mid	5290

Band III (5470 - 5725 MHz)			Band IV (5725 - 5850 MHz)		
Channel Number	Channel	Frequency (MHz)	Channel Number	Channel	Frequency (MHz)
106	Low	5530	155	Mid	5775
122	High	5610			

Note: Preliminary tests were performed in different data rate in above table to find the worst radiated emission. The data rate shown in the table below is the worst-case rate with respect to the specific test item. Investigation has been done on all the possible configurations for searching the worst cases. The following table is a list of the test modes shown in this test report.

Test Items	Mode	Data Rate	Modulation Type	Band I	Band II	Band III	Band IV
				Channel	Channel	Channel	Channel
RF Output Power	11a	6	BPSK	48/44/36	64/60/52	140/116/100	165/157/149
	11n(20 MHz)	6.5		48/44/36	64/60/52	140/116/100	165/157/149
	11n(40 MHz)	13.5		46/38	62/54	134/118/102	159/151
	11ac(20 MHz)	6.5		48/44/36	64/60/52	140/116/100	165/157/149
	11ac(40 MHz)	13.5		46/38	62/54	134/118/102	159/151
	11ac(80 MHz)	29.3		42	58	122/106	155
Emission Bandwidth & 99% Occupied Bandwidth	11a	6	BPSK	48/44/36	64/60/52	140/116/100	165/157/149
	11n(20 MHz)	6.5		48/44/36	64/60/52	140/116/100	165/157/149
	11n(40 MHz)	13.5		46/38	62/54	134/118/102	159/151
	11ac(20 MHz)	6.5		48/44/36	64/60/52	140/116/100	165/157/149
	11ac(40 MHz)	13.5		46/38	62/54	134/118/102	159/151
	11ac(80 MHz)	29.3		42	58	122/106	155
6 dB bandwidth	11a	6	BPSK	N/A	N/A	N/A	165/157/149
	11n(20 MHz)	6.5		N/A	N/A	N/A	165/157/149
	11n(40 MHz)	13.5		N/A	N/A	N/A	159/151
	11ac(20 MHz)	6.5		N/A	N/A	N/A	165/157/149
	11ac(40 MHz)	13.5		N/A	N/A	N/A	159/151
	11ac(80 MHz)	29.3		N/A	N/A	N/A	155
Power Spectral Density	11a	6	BPSK	48/44/36	64/60/52	140/116/100	165/157/149
	11n(20 MHz)	6.5		48/44/36	64/60/52	140/116/100	165/157/149
	11n(40 MHz)	13.5		46/38	62/54	134/118/102	159/151
	11ac(20 MHz)	6.5		48/44/36	64/60/52	140/116/100	165/157/149
	11ac(40 MHz)	13.5		46/38	62/54	134/118/102	159/151
	11ac(80 MHz)	29.3		42	58	122/106	155
Radiated Spurious Emissions	11a	6	BPSK	48/44/36	64/60/52	140/116/100	165/157/149
	11n(20 MHz)	6.5		48/44/36	64/60/52	140/116/100	165/157/149
	11n(40 MHz)	13.5		46/38	62/54	134/118/102	159/151
	11ac(20 MHz)	6.5		48/44/36	64/60/52	140/116/100	165/157/149
	11ac(40 MHz)	13.5		46/38	62/54	134/118/102	159/151
	11ac(80 MHz)	29.3		42	58	122/106	155
Band Edge (Restricted -band)	11a	6	BPSK	48/44/36	64/60/52	140/116/100	165/157/149
	11n(20 MHz)	6.5		48/44/36	64/60/52	140/116/100	165/157/149
	11n(40 MHz)	13.5		46/38	62/54	134/118/102	159/151
	11ac(20 MHz)	6.5		48/44/36	64/60/52	140/116/100	165/157/149
	11ac(40 MHz)	13.5		46/38	62/54	134/118/102	159/151
	11ac(80 MHz)	29.3		42	58	122/106	155

### 3 SUMMARY OF TEST RESULTS

#### 3.1 Test Standards

No.	Identity	Document Title
1	47 CFR Part 15 Subpart E (10-1-16 Edition)	Unlicensed National Information Infrastructure Devices
2	KDB Publication 789033 D02v01r04	Guidelines for Compliance Testing of Unlicensed National Information Infrastructure (U-NII) Devices Part 15, Subpart E
3	ANSI C63.10-2013	American National Standard for Testing Unlicensed Wireless Devices

#### 3.2 Verdict

No.	Description	FCC Part No.	Test Result	Verdict
1	Antenna Requirement	15.203	--	Pass <sup>Note1</sup>
2	RF Output Power	15.407(a)	ANNEX A.1	Pass
3	Emission Bandwidth & 99% Occupied Bandwidth	15.407(a)	ANNEX A.2	Pass
4	6 dB bandwidth	15.407(e)	ANNEX A.3	Pass
5	Power Spectral Density	15.407(a)	ANNEX A.4	Pass
6	Conducted Emission	15.207	ANNEX A.5	Pass
7	Radiated Spurious Emissions and Band Edge (Restricted-band)	15.407(b)	ANNEX A.6	Pass
8	Receiver Spurious Emissions	--	--	N/A <sup>Note2</sup>

Note <sup>1</sup>: The EUT has a permanently and irreplaceable attached antenna, which complies with the requirement FCC 15.203.

Note <sup>2</sup>: Only radio communication receivers operating in stand-alone mode within the band 30-960 MHz, as well as scanner receivers, are subject to Industry Canada requirements, so this test is not applicable

## 4 GENERAL TEST CONFIGURATIONS

### 4.1 Test Environments

During the measurement, the normal environmental conditions were within the listed ranges:

Relative Humidity	45% to 55%	
Atmospheric Pressure	100 kPa to 102 kPa	
Temperature	NT (Normal Temperature)	+22°C to +25°C
	LT (Low Temperature)	0°C
	HT (High Temperature)	+35°C
Working Voltage of the EUT	NV (Normal Voltage)	3.87 V
	LV (Low Voltage)	3.6 V
	HV (High Voltage)	4.45 V

### 4.2 Test Equipment List

Description	Manufacturer	Model	Serial No.	Cal. Date	Cal. Due
Spectrum Analyzer	ROHDE&SCHWARZ	FSV-30	103118	2019.06.13	2020.06.12
Switch Unit with OSP-B157	ROHDE&SCHWARZ	OSP120	101270	2019.06.13	2020.06.12
EMI Receiver	KEYSIGHT	N9038A	MY53220118	2019.10.29	2020.10.28
EMI Receiver	ROHDE&SCHWARZ	ESRP	101036	2019.06.13	2020.06.12
LISN	SCHWARZBECK	NSLK 8127	8127-687	2019.06.13	2020.06.12
Bluetooth Tester	ROHDE&SCHWARZ	CBT	101005	2019.06.15	2020.06.14
DC Power Supply	ROHDE&SCHWARZ	HMP2020	018141664	2019.06.18	2020.06.17
Power Splitter	KMW	DCPD-LDC	1305003215	--	--
Power Sensor	ROHDE&SCHWARZ	NRP-Z21	103971	2019.06.15	2020.06.14
Attenuator (20 dB)	KMW	ZA-S1-201	110617091	--	--
Attenuator (6 dB)	KMW	ZA-S1-61	1305003189	--	--
Temperature Chamber	AHK	SP20	1412	2019.06.24	2020.06.23
Test Antenna-Loop(9 kHz-30 MHz)	SCHWARZBECK	FMZB 1519	1519-037	2017.11.09	2020.11.08
Test Antenna-Bi-Log(30 MHz-3 GHz)	SCHWARZBECK	VULB 9163	9163-624	2018.08.22	2020.08.21
Test Antenna-Horn(1-18 GHz)	SCHWARZBECK	BBHA 9120D	9120D-1148	2018.07.11	2020.07.10
Test Antenna-Horn (18-40 GHz)	A-INFO	LB-180400KF	J211060273	2019.01.05	2021.01.04
Anechoic Chamber	RAINFORD	9m*6m*6m	N/A	2017.02.21	2022.02.20
Anechoic Chamber	EMC Electronic Co., Ltd	20.10*11.60*7.35m	N/A	2018.07.19	2020.07.18
Shielded Enclosure	ChangNing	CN-130701	130703	--	--
Signal Generator	ROHDE&SCHWARZ	SMB100A	177746	2019.08.23	2020.08.22
Power Amplifier	OPHIR RF	5225F	1037	2020.02.19	2021.02.18
Power Amplifier	OPHIR RF	5273F	1016	2020.02.19	2021.02.18
Directional Coupler	Werlantone	C5982-10	109275	N/A	N/A
Directional Coupler	Werlantone	CHP-273E	S00801z-01	N/A	N/A

Description	Manufacturer	Model	Serial No.	Cal. Date	Cal. Due
Sound Level Meter	B&K	NL-20	00844023	2019.11.12	2020.11.11
Ear Simulator	B&K	4185	2409449	2019.11.12	2020.11.11
Ear Simulator	B&K	4195	2418189	2019.11.12	2020.11.11
Audio analyzer	B&K	UPL 16	100129	2019.11.12	2020.11.11

### 4.3 Measurement Uncertainty


The following measurement uncertainty levels have been estimated for tests performed on the EUT as specified in CISPR 16-4-2.

This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of  $k=2$ .

Measurement	Value
Occupied Channel Bandwidth	$\pm 4\%$
RF output power, conducted	$\pm 1.4$ dB
Power Spectral Density, conducted	$\pm 2.5$ dB
Unwanted Emissions, conducted	$\pm 2.8$ dB
All emissions, radiated	$\pm 5.4$ dB
Temperature	$\pm 1^{\circ}\text{C}$
Humidity	$\pm 4\%$


### 4.4 Description of Test Setup

#### 4.4.1 For Antenna Port Test



(Diagram 1)


#### 4.4.2 For AC Power Supply Port Test



(Diagram 2)




4.4.3 For Radiated Test (Below 30 MHz)




(Diagram 3)

4.4.4 For Radiated Test (30 MHz-1 GHz)



(Diagram 4)

4.4.5 For Radiated Test (Above 1 GHz)



(Diagram 5)

## 5 TEST ITEMS

### 5.1 RF Output Power

#### 5.1.1 Test Limit

FCC §15.407(a)

The maximum conducted output power should not exceed:

Frequency Band (MHz)	Limit
5150-5250	250 mW
5250-5350	250 mW or 11 dBm + 10log B, whichever is less.
5470-5725	250 mW or 11 dBm + 10log B, whichever is less.
5725-5850	1 W
Note: Where "B" is the 26 dB emissions bandwidth in MHz.	

RSS-247, 6.2

The maximum conducted output power shall not exceed:

Frequency Band (MHz)	Limit
5150-5250	N/A
5250-5350	250 mW or 11 dBm + 10log B, whichever is less.
5470-5725	250 mW or 11 dBm + 10log B, whichever is less.
5725-5850	1 W
Note: Where "B" is the 99% emissions bandwidth in MHz.	

The maximum e.i.r.p. shall not exceed:

Frequency Band (MHz)	Limit
5150-5250	200 mW or 10 dBm + 10log B, whichever is less.
5250-5350	1W or 17 dBm + 10log B, whichever is less.
5470-5725	1W or 17 dBm + 10log B, whichever is less.
5725-5850	N/A
Note: Where "B" is the 99% emissions bandwidth in MHz.	

#### 5.1.2 Test Setup

The section 4.4.1 (Diagram 1) test setup description was used for this test. The photo of test setup please refer to ANNEX B.

#### 5.1.3 Test Procedure

The maximum peak conducted output power may be measured using a broadband Average RF power meter. The power meter shall have a video bandwidth that is greater than or equal to the emission bandwidth and utilize a fast-responding diode detector.

The E.I.R.P used radiated test method. At a test site that has been validated using the procedures of ANSI C63.4 or the latest CISPR 16-1-4 for measurements above 1 GHz, so as to simulate a near free-space environment.

#### 5.1.4 Test Result

Please refer to ANNEX A.1.

## 5.2 Emission Bandwidth and 6 dB Bandwidth

### 5.2.1 Limit

FCC §15.407(a), RSS-247, 6.2

Within the 5.725-5.85 GHz band, the minimum 6 dB bandwidth of U-NII devices shall be at least 500 kHz.

### 5.2.2 Test Setup

The test setup photo please refer to 4.4.1 (Diagram 1) test setup description was used for this test. The photo of test setup please refer to ANNEX B.

### 5.2.3 Test Procedure

#### Emission bandwidth

1. Set RBW = approximately 1% of the emission bandwidth.
2. Set VBW  $\geq 3 \times$  RBW,
3. Detector = Peak.
4. Trace mode = Max hold.
5. Measure the maximum width of the emission that is 26 dB down from the peak of the emission.

#### Occupied Bandwidth

1. Set Span = 1.5 times to 5.0 times the OBW
2. Set RBW = 1% to 5% of the OBW.
3. Set VBW  $\geq 3 \times$  RBW, Detector = Peak.
4. Trace mode = Max hold.
5. Use the 99% power bandwidth function of the instrument.

#### 6 dB bandwidth

1. Set RBW = 100 kHz, VBW = 300 kHz.
2. Detector = Peak. Trace mode = Max hold.
3. Allow the trace to stabilize.
4. Measure the maximum width of the emission that is constrained by the frequencies associated with the two outermost amplitude points (upper and lower frequencies) that are attenuated by 6 dB relative to the maximum level measured in the fundamental emission.

### 5.2.4 Test Result

Please refer to ANNEX A.2 and ANNEX A.3.

### 5.3 Power Spectral density (PSD)

#### 5.3.1 Limit

FCC §15.407(a)

The maximum power spectral density should not exceed:

Frequency Band (MHz)	Limit
5150-5250	11 dBm/MHz
5250-5350	11 dBm/MHz
5470-5725	11 dBm/MHz
5725-5850	30 dBm/500kHz

RSS-247, 6.2

The maximum power spectral density should not exceed:

Frequency Band (MHz)	Limit
5150-5250	N/A
5250-5350	11 dBm/MHz
5470-5725	11 dBm/MHz
5725-5850	30 dBm/500kHz

The e.i.r.p. spectral density should not exceed:

Frequency Band (MHz)	Limit
5150-5250	10 dBm/MHz
5250-5350	N/A
5470-5725	N/A
5725-5850	N/A

#### 5.3.2 Test Setup

The section 4.4.1 (Diagram 1) test setup description was used for this test. The photo of test setup please refer to ANNEX B.

#### 5.3.3 Test Procedure

Set the spectrum analyzer or EMI receiver span to view the entire emission bandwidth.

1. Set RBW = 510 kHz/1 MHz, VBW  $\geq 3 \times$  RBW, Sweep time = Auto, Detector = RMS.
2. Allow the sweeps to continue until the trace stabilizes.
3. Use the peak marker function to determine the maximum amplitude level.
4. The E.I.R.P spectral density used radiated test method. At a test site that has been validated using the procedures of ANSI C63.4 or the latest CISPR 16-1-4 for measurements above 1 GHz, so as to simulate a near free-space environment.

#### 5.3.4 Test Result

Please refer to ANNEX A.4.

## 5.4 Conducted Emission

### 5.4.1 Limit

FCC §15.207, RSS-GEN, 8.8

For an intentional radiator that is designed to be connected to the public utility (AC) power line, the radio frequency voltage that is conducted back onto the AC power line on any frequency within the band 150 kHz to 30 MHz shall not exceed the limits in the following table, as measured using a 50 $\mu$ H/50 $\Omega$  line impedance stabilization network (LISN).

Frequency range (MHz)	Conducted Limit (dB $\mu$ V)	
	Quai-peak	Average
0.15 - 0.50	66 to 56	56 to 46
0.50 - 5	56	46
0.50 - 30	60	50

### 5.4.2 Test Setup

The section 4.4.2 (Diagram 2) test setup description was used for this test. The photo of test setup please refer to ANNEX B.

### 5.4.3 Test Procedure

The maximum conducted interference is searched using Peak (PK), if the emission levels more than the AV and QP limits, and that have narrow margins from the AV and QP limits will be re-measured with AV and QP detectors. Tests for both L phase and N phase lines of the power mains connected to the EUT are performed. Refer to recorded points and plots below.

### 5.4.4 Test Result

Please refer to ANNEX A.5.

## 5.5 Radiated Spurious Emissions and Band Edge (Restricted-band)

### 5.5.1 Limit

FCC §15.209 & 15.407(b), RSS-247, 6.2

Frequency (MHz)	Field Strength (μV/m)	Measurement Distance (m)
0.009 - 0.490	2400/F(kHz)	300
0.490 - 1.705	24000/F(kHz)	30
1.705 - 30.0	30	30
30 - 88	100	3
88 - 216	150	3
216 - 960	200	3
Above 960	500	3

Note<sup>1</sup>: The Limit for radiated test was performed according to FCC Part 15C

Note<sup>2</sup>: The tighter limit applies at the band edge.

Un-restricted band emissions	
Out Operating Band (MHz)	Limit
5150 - 5250	e.i.r.p. -27 dBm (68.2 dBuV/m@3m)
5250 - 5350	e.i.r.p. -27 dBm (68.2 dBuV/m@3m)
5470 - 5725	e.i.r.p. -27 dBm (68.2 dBuV/m@3m)
5725 - 5850	<p>All emissions shall be limited to a level of -27 dBm/MHz at 75 MHz or more above or below the band edge increasing linearly to 10 dBm/MHz at 25 MHz above or below the band edge, and from 25 MHz above or below the band edge increasing linearly to a level of 15.6 dBm/MHz at 5 MHz above or below the band edge, and from 5 MHz above or below the band edge increasing linearly to a level of 27 dBm/MHz at the band edge.</p>

Note: The following formula is used to convert the equipment isotropic radiated power (eirp) to field strength.

### 5.5.2 Test Setup

The section 4.4.3-4.4.5 (Diagram 3 - Diagram 5) test setup description was used for this test. The photo of test

setup please refer to ANNEX B.

### 5.5.3 Test Procedure

Since the emission limits are specified in terms of radiated field strength levels, measurements performed to demonstrate compliance have traditionally relied on a radiated test configuration. Radiated measurements remain the principal method for demonstrating compliance to the specified limits; however antenna-port conducted measurements are also now acceptable to demonstrate compliance (see below for details). When radiated measurements are utilized, test site requirements and procedures for maximizing and measuring radiated emissions that are described in ANSI C63.10 shall be followed.

Antenna-port conducted measurements may also be used as an alternative to radiated measurements for demonstrating compliance in the restricted frequency bands. If conducted measurements are performed, then proper impedance matching must be ensured and an additional radiated test for cabinet/case spurious emissions is required.

#### General Procedure for conducted measurements in restricted bands

- a) Measure the conducted output power (in dBm) using the detector specified (see guidance regarding measurement procedures for determining quasi-peak, peak, and average conducted output power, respectively).
- b) Add the maximum transmit antenna gain (in dBi) to the measured output power level to determine the EIRP level (see guidance on determining the applicable antenna gain)
- c) Add the appropriate maximum ground reflection factor to the EIRP level (6 dB for frequencies  $\leq 30$  MHz, 4.7 dB for frequencies between 30 MHz and 1000 MHz, inclusive and 0 dB for frequencies  $> 1000$  MHz).
- d) For devices with multiple antenna-ports, measure the power of each individual chain and sum the EIRP of all chains in linear terms (e.g., Watts, mW).
- e) Convert the resultant EIRP level to an equivalent electric field strength using the following relationship:

$$E = \text{EIRP} - 20\log D + 104.8$$

where:

E = electric field strength in dB $\mu$ V/m,

EIRP = equivalent isotropic radiated power in dBm

D = specified measurement distance in meters.

- f) Compare the resultant electric field strength level to the applicable limit.
- g) Perform radiated spurious emission test.

#### Quasi-Peak measurement procedure

The specifications for measurements using the CISPR quasi-peak detector can be found in Publication 16 of the International Special Committee on Radio Frequency Interference (CISPR) of the International Electrotechnical Commission.

As an alternative to CISPR quasi-peak measurement, compliance can be demonstrated to the applicable emission limits using a peak detector.

#### Peak power measurement procedure

Peak emission levels are measured by setting the instrument as follows:



- a) RBW = as specified in Table 1.
- b) VBW  $\geq 3 \times$  RBW.
- c) Detector = Peak.
- d) Sweep time = auto.
- e) Trace mode = max hold.
- f) Allow sweeps to continue until the trace stabilizes. (Note that the required measurement time may be longer for low duty cycle applications).

Table 1—RBW as a function of frequency

Frequency	RBW
9-150 kHz	200-300 Hz
0.15-30 MHz	9-10 kHz
30-1000 MHz	100-120 kHz
> 1000 MHz	1 MHz

If the peak-detected amplitude can be shown to comply with the average limit, then it is not necessary to perform a separate average measurement.

Trace averaging across on and off times of the EUT transmissions followed by duty cycle correction

If continuous transmission of the EUT (i.e., duty cycle  $\geq 98$  percent) cannot be achieved and the duty cycle is constant (i.e., duty cycle variations are less than  $\pm 2$  percent), then the following procedure shall be used:

- a) The EUT shall be configured to operate at the maximum achievable duty cycle.
- b) Measure the duty cycle, x, of the transmitter output signal as described in section 6.0.
- c) RBW = 1 MHz (unless otherwise specified).
- d) VBW  $\geq 3 \times$  RBW.
- e) Detector = RMS, if span/(# of points in sweep)  $\leq$  (RBW/2). Satisfying this condition may require increasing the number of points in the sweep or reducing the span. If this condition cannot be satisfied, then the detector mode shall be set to peak.
- f) Averaging type = power (i.e., RMS).
  - 1) As an alternative, the detector and averaging type may be set for linear voltage averaging.
  - 2) Some instruments require linear display mode in order to use linear voltage averaging. Log or dB averaging shall not be used.
- g) Sweep time = auto.
- h) Perform a trace average of at least 100 traces.
- i) A correction factor shall be added to the measurement results prior to comparing to the emission limit in order to compute the emission level that would have been measured had the test been performed at 100 percent duty cycle. The correction factor is computed as follows:
  - 1) If power averaging (RMS) mode was used in step f), then the applicable correction factor is  $10 \log(1/x)$ , where x is the duty cycle.

2) If linear voltage averaging mode was used in step f), then the applicable correction factor is  $20 \log(1/x)$ , where  $x$  is the duty cycle.

3) If a specific emission is demonstrated to be continuous ( $\geq 98$  percent duty cycle) rather than turning on and off with the transmit cycle, then no duty cycle correction is required for that emission.

NOTE: Reduction of the measured emission amplitude levels to account for operational duty factor is not permitted. Compliance is based on emission levels occurring during transmission - not on an average across on and off times of the transmitter.

#### Determining the applicable transmit antenna gain

A conducted power measurement will determine the maximum output power associated with a restricted band emission; however, in order to determine the associated EIRP level, the gain of the transmitting antenna (in dBi) must be added to the measured output power (in dBm).

Since the out-of-band characteristics of the EUT transmit antenna will often be unknown, the use of a conservative antenna gain value is necessary. Thus, when determining the EIRP based on the measured conducted power, the upper bound on antenna gain for a device with a single RF output shall be selected as the maximum in-band gain of the antenna across all operating bands, or 2 dBi, whichever is greater. However, for devices that operate in multiple frequency bands while using the same transmit antenna, the highest gain of the antenna within the operating band nearest in frequency to the restricted band emission being measured may be used in lieu of the overall highest gain when the emission is at a frequency that is within 20 percent of the nearest band edge frequency, but in no case shall a value less than 2 dBi be used.

See KDB 662911 for guidance on calculating the additional array gain term when determining the effective antenna gain for a EUT with multiple outputs occupying the same or overlapping frequency ranges in the same band.

#### Radiated spurious emission test

An additional consideration when performing conducted measurements of restricted band emissions is that unwanted emissions radiating from the EUT cabinet, control circuits, power leads, or intermediate circuit elements will likely go undetected in a conducted measurement configuration. To address this concern, a radiated test shall be performed to ensure that emissions emanating from the EUT cabinet (rather than the antenna port) also comply with the applicable limits.

For these cabinet radiated spurious emission measurements the EUT transmit antenna may be replaced with a termination matching the nominal impedance of the antenna. Procedures for performing radiated measurements are specified in ANSI C63.10. All detected emissions shall comply with the applicable limits.

The measurement frequency range is from 30 MHz to the 10th harmonic of the fundamental frequency. The Turn Table is actuated to turn from  $0^\circ$  to  $360^\circ$ , and both horizontal and vertical polarizations of the Test Antenna are used to find the maximum radiated power. Mid channels on all channel bandwidth verified. Only the worst RB size/offset presented.

The power of the EUT transmitting frequency should be ignored.

All Spurious Emission tests were performed in X, Y, Z axis direction. And only the worst axis test condition was recorded in this test report.

Use the following spectrum analyzer settings:

Span = wide enough to fully capture the emission being measured

RBW = 1 MHz for  $f \geq 1$  GHz, 100 kHz for  $f < 1$  GHz

VBW  $\geq$  RBW

Sweep = auto

Detector function = peak

Trace = max hold

#### 5.5.4 Test Result

Please refer to ANNEX A.6.

## ANNEX A TEST RESULT

### A.1 RF Output Power

Note 1: For FCC standard, if transmitting antennas of directional gain greater than 6 dBi are used, all band maximum conducted output power shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

#### Test Data

##### Conducted Power

Band I (5150 - 5250 MHz)					
Mode	Channel	Conducted Power (dBm)	Conducted Power (mW)	FCC Limit (mW)	Verdict
11a	CH36	18.20	66.07	250	Pass
11a	CH44	18.11	64.71	250	Pass
11a	CH48	17.98	62.81	250	Pass
11n (HT20)	CH36	18.01	63.24	250	Pass
11n (HT20)	CH44	17.93	62.09	250	Pass
11n (HT20)	CH48	17.84	60.81	250	Pass
11n (HT40)	CH38	17.45	55.59	250	Pass
11n (HT40)	CH46	17.30	53.70	250	Pass
11ac (VHT20)	CH36	18.03	63.53	250	Pass
11ac (VHT20)	CH44	17.95	62.37	250	Pass
11ac (HVT20)	CH48	17.81	60.39	250	Pass
11ac (VHT40)	CH38	17.31	53.83	250	Pass
11ac (VHT40)	CH46	17.29	53.58	250	Pass
11ac (VHT80)	CH42	10.34	10.81	250	Pass

Band II (5250 - 5350 MHz)					
Mode	Channel	Conducted Power (dBm)	Conducted Power (mW)	FCC Limit (mW)	Verdict
11a	CH52	18.20	66.07	250	Pass
11a	CH60	18.41	69.34	250	Pass
11a	CH64	18.56	71.78	250	Pass
11n (HT20)	CH52	17.97	62.66	250	Pass
11n (HT20)	CH60	18.26	66.99	250	Pass
11n (HT20)	CH64	18.44	69.82	250	Pass
11n (HT40)	CH54	17.35	54.33	250	Pass
11n (HT40)	CH62	17.88	61.38	250	Pass
11ac (VHT20)	CH52	17.95	62.37	250	Pass
11ac (VHT20)	CH60	18.25	66.83	250	Pass
11ac (HVT20)	CH64	18.42	69.50	250	Pass
11ac (VHT40)	CH54	17.33	54.08	250	Pass
11ac (VHT40)	CH62	17.86	61.09	250	Pass
11ac (VHT80)	CH58	11.64	14.59	250	Pass

Band III (5470 - 5725 MHz)					
Mode	Channel	Conducted Power (dBm)	Conducted Power (mW)	FCC Limit (mW)	Verdict
11a	CH100	17.62	57.81	250	Pass
11a	CH116	17.18	52.24	250	Pass
11a	CH140	17.05	50.70	249	Pass
11n (HT20)	CH100	17.50	56.23	250	Pass
11n (HT20)	CH116	17.05	50.70	250	Pass
11n (HT20)	CH140	16.72	46.99	250	Pass
11n (HT40)	CH102	16.85	48.42	250	Pass
11n (HT40)	CH118	16.36	43.25	250	Pass
11n (HT40)	CH134	16.37	43.35	250	Pass
11ac (VHT20)	CH100	17.53	56.62	250	Pass
11ac (VHT20)	CH116	17.03	50.47	250	Pass
11ac (VHT20)	CH140	16.60	45.71	250	Pass
11ac (VHT40)	CH102	16.87	48.64	250	Pass
11ac (VHT40)	CH118	16.34	43.05	250	Pass
11ac (VHT40)	CH134	16.32	42.85	250	Pass
11ac (VHT80)	CH106	10.61	11.51	250	Pass
11ac (VHT80)	CH122	10.16	10.38	250	Pass

Band IV (5725 - 5850 MHz)					
Mode	Channel	Conducted Power (dBm)	Conducted Power (mW)	FCC Limit (mW)	Verdict
11a	CH149	13.95	24.83	1000	Pass
11a	CH157	13.72	23.55	1000	Pass
11a	CH165	13.93	24.72	1000	Pass
11n (HT20)	CH149	13.71	23.50	1000	Pass
11n (HT20)	CH157	13.57	22.75	1000	Pass
11n (HT20)	CH165	13.75	23.71	1000	Pass
11n (HT40)	CH151	13.92	24.66	1000	Pass
11n (HT40)	CH159	13.94	24.77	1000	Pass
11ac (VHT20)	CH149	13.86	24.32	1000	Pass
11ac (VHT20)	CH157	13.77	23.82	1000	Pass
11ac (VHT20)	CH165	13.98	25.00	1000	Pass
11ac (VHT40)	CH151	13.91	24.60	1000	Pass
11ac (VHT40)	CH159	13.94	24.77	1000	Pass
11ac (VHT80)	CH155	13.98	25.00	1000	Pass

## A.2 Emission Bandwidth & 99% Bandwidth

Note: Test plots please refer to the document "Annex No.: BL-SZ2030336-604 Data Part 1.pdf".

### Test Data

Band I (5150 - 5250 MHz)			
Mode	Channel	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
11a	CH36	20.52	16.56
11a	CH44	20.56	16.56
11a	CH48	20.48	16.56
11n (HT20)	CH36	20.80	17.71
11n (HT20)	CH44	20.80	17.71
11n (HT20)	CH48	20.60	17.71
11n (HT40)	CH38	41.90	36.47
11n (HT40)	CH46	41.50	36.35
11ac (VHT20)	CH36	20.76	17.71
11ac (VHT20)	CH44	20.84	17.66
11ac (HVT20)	CH48	20.76	17.71
11ac (VHT40)	CH38	41.90	36.35
11ac (VHT40)	CH46	41.50	36.35
11ac (VHT80)	CH42	84.80	76.18

Band II (5250 - 5350 MHz)			
Mode	Channel	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
11a	CH52	20.60	16.56
11a	CH60	20.60	16.61
11a	CH64	20.68	16.67
11n (HT20)	CH52	20.72	17.71
11n (HT20)	CH60	20.92	17.71
11n (HT20)	CH64	20.88	17.77
11n (HT40)	CH54	42.00	36.47
11n (HT40)	CH62	41.90	36.35
11ac (VHT20)	CH52	20.76	17.71
11ac (VHT20)	CH60	20.80	17.71
11ac (VHT20)	CH64	20.84	17.77
11ac (VHT40)	CH54	42.10	36.35
11ac (VHT40)	CH62	41.70	36.35
11ac (VHT80)	CH58	84.00	75.95

Band III (5470 - 5725 MHz)			
Mode	Channel	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
11a	CH100	20.52	16.56
11a	CH116	20.12	16.50
11a	CH140	19.76	16.50
11n (HT20)	CH100	20.64	17.66
11n (HT20)	CH116	20.44	17.66
11n (HT20)	CH140	20.36	17.66
11n (HT40)	CH102	41.40	36.47
11n (HT40)	CH118	41.40	36.35
11n (HT40)	CH134	41.40	36.47
11ac (VHT20)	CH100	20.72	17.66
11ac (VHT20)	CH116	20.80	17.66
11ac (VHT20)	CH140	20.52	17.66
11ac (VHT40)	CH102	41.30	36.35
11ac (VHT40)	CH118	41.50	36.35
11ac (VHT40)	CH134	41.60	36.47
11ac (VHT80)	CH106	84.00	75.95
11ac (VHT80)	CH122	84.20	75.95

Band IV (5725 - 5850 MHz)			
Mode	Channel	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
11a	CH149	20.24	16.44
11a	CH157	20.44	16.50
11a	CH165	20.48	16.50
11n (HT20)	CH149	20.76	17.66
11n (HT20)	CH157	20.44	17.66
11n (HT20)	CH165	20.60	17.66
11n (HT40)	CH151	41.70	36.47
11n (HT40)	CH159	41.40	36.24
11ac (VHT20)	CH149	20.60	17.71
11ac (VHT20)	CH157	20.64	17.66
11ac (VHT20)	CH165	20.72	17.66
11ac (VHT40)	CH151	41.70	36.35
11ac (VHT40)	CH159	41.30	36.24
11ac (VHT80)	CH155	83.60	75.72

### A.3 6 dB Bandwidth

Note: Test plots please refer to the document "Annex No.: BL-SZ2030336-604 Data Part 2.pdf".

#### Test Data

Band IV (5725 - 5850 MHz)				
Mode	Channel	6 dB Bandwidth (MHz)	Limit (kHz)	Verdict
11a	CH149	16.47	500.00	Pass
11a	CH157	16.47	500.00	Pass
11a	CH165	16.42	500.00	Pass
11n (HT20)	CH149	12.77	500.00	Pass
11n (HT20)	CH157	17.67	500.00	Pass
11n (HT20)	CH165	17.67	500.00	Pass
11n (HT40)	CH151	36.47	500.00	Pass
11n (HT40)	CH159	36.42	500.00	Pass
11ac (VHT20)	CH149	17.77	500.00	Pass
11ac (VHT20)	CH157	17.27	500.00	Pass
11ac (VHT20)	CH165	17.67	500.00	Pass
11ac (VHT40)	CH151	36.47	500.00	Pass
11ac (VHT40)	CH159	34.92	500.00	Pass
11ac (VHT80)	CH155	72.67	500.00	Pass



## A.4 Power Spectral Density

Note: Test plots please refer to the document "Annex No.: BL-SZ2030336-604 Data Part 3.pdf".

### Test Data

Note 1: The RBW used in Band IV is 1 MHz, and the PSD factor is:  $10 \cdot \log(500 \text{ kHz/RBW}) = -3 \text{ dBm}$ .

Band I (5150 - 5250 MHz)				
Mode	Channel	PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
11a	CH36	7.15	11.00	Pass
11a	CH44	6.81	11.00	Pass
11a	CH48	7.34	11.00	Pass
11n (HT20)	CH36	6.55	11.00	Pass
11n (HT20)	CH44	6.28	11.00	Pass
11n (HT20)	CH48	6.88	11.00	Pass
11n (HT40)	CH38	2.81	11.00	Pass
11n (HT40)	CH46	2.97	11.00	Pass
11ac (VHT20)	CH36	6.64	11.00	Pass
11ac (VHT20)	CH44	6.21	11.00	Pass
11ac (VHT20)	CH48	6.86	11.00	Pass
11ac (VHT40)	CH38	2.55	11.00	Pass
11ac (VHT40)	CH46	2.92	11.00	Pass
11ac (VHT80)	CH42	-7.84	11.00	Pass

Band II (5250 - 5350 MHz)				
Mode	Channel	PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
11a	CH52	7.45	11.00	Pass
11a	CH60	7.51	11.00	Pass
11a	CH64	7.58	11.00	Pass
11n (HT20)	CH52	6.66	11.00	Pass
11n (HT20)	CH60	7.17	11.00	Pass
11n (HT20)	CH64	7.12	11.00	Pass
11n (HT40)	CH54	2.63	11.00	Pass
11n (HT40)	CH62	3.25	11.00	Pass
11ac (VHT20)	CH52	6.69	11.00	Pass
11ac (VHT20)	CH60	6.93	11.00	Pass
11ac (VHT20)	CH64	7.08	11.00	Pass
11ac (VHT40)	CH54	2.96	11.00	Pass
11ac (VHT40)	CH62	2.34	11.00	Pass
11ac (VHT80)	CH58	-6.20	11.00	Pass

Band III (5470 - 5725 MHz)				
Mode	Channel	PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
11a	CH100	6.66	11.00	Pass
11a	CH116	6.04	11.00	Pass
11a	CH140	5.70	11.00	Pass
11n (HT20)	CH100	6.24	11.00	Pass
11n (HT20)	CH116	5.61	11.00	Pass
11n (HT20)	CH140	5.18	11.00	Pass
11n (HT40)	CH102	2.71	11.00	Pass
11n (HT40)	CH118	1.58	11.00	Pass
11n (HT40)	CH134	0.61	11.00	Pass
11ac (VHT20)	CH100	6.26	11.00	Pass
11ac (VHT20)	CH116	5.65	11.00	Pass
11ac (VHT20)	CH140	5.08	11.00	Pass
11ac (VHT40)	CH102	2.55	11.00	Pass
11ac (VHT40)	CH118	1.32	11.00	Pass
11ac (VHT40)	CH134	0.98	11.00	Pass
11ac (VHT80)	CH106	-6.94	11.00	Pass
11ac (VHT80)	CH122	-8.15	11.00	Pass

Band IV (5725 - 5850 MHz)				
Mode	Channel	PSD (dBm/500kHz)	Limit (dBm/500kHz)	Verdict
11a	CH149	-0.05	30.00	Pass
11a	CH157	0.78	30.00	Pass
11a	CH165	0.36	30.00	Pass
11n (HT20)	CH149	-0.56	30.00	Pass
11n (HT20)	CH157	0.23	30.00	Pass
11n (HT20)	CH165	-0.17	30.00	Pass
11n (HT40)	CH151	-3.20	30.00	Pass
11n (HT40)	CH159	-2.64	30.00	Pass
11ac (VHT20)	CH149	-0.49	30.00	Pass
11ac (VHT20)	CH157	0.23	30.00	Pass
11ac (HVT20)	CH165	-0.02	30.00	Pass
11ac (VHT40)	CH151	-3.35	30.00	Pass
11ac (VHT40)	CH159	-2.56	30.00	Pass
11ac (VHT80)	CH155	-6.84	30.00	Pass


## A.5 Conducted Emissions

Note<sup>1</sup>: The EUT is working in the Normal link mode. All modes have been tested and normal link mode is worst.  
 Note<sup>2</sup>: Devices subject to Part 15 must be tested for all available U.S. voltages and frequencies (such as a nominal 120 VAC, 60 Hz and 240 VAC, 50 Hz) for which the device is capable of operation. So, The configuration 120 VAC, 60 Hz and 240 VAC, 50 Hz were tested respectively, but only the worst configuration (120 VAC, 60 Hz) shown here.

### Test Data and Plots

#### PHASE L


CE Test case\_CE\_CE\_EN 55032\_Class B



No.	Frequency (MHz)	Results (dBUV)	Factor (dB)	Limit (dBUV)	Over Limit (dB)	Detector	Line	Verdict
1	0.150	46.21	10.41	66.00	-19.79	Peak	L	Pass
1**	0.150	35.66	10.41	56.00	-20.34	AV	L	Pass
2	0.370	43.59	10.30	58.50	-14.91	Peak	L	Pass
2**	0.370	31.12	10.30	48.50	-17.38	AV	L	Pass
3	0.470	42.84	10.30	56.51	-13.67	Peak	L	Pass
3**	0.470	30.72	10.30	46.51	-15.79	AV	L	Pass
4	4.238	39.20	10.31	56.00	-16.80	Peak	L	Pass
4**	4.238	26.89	10.31	46.00	-19.11	AV	L	Pass
5	14.190	44.15	10.40	60.00	-15.85	Peak	L	Pass
5**	14.190	26.56	10.40	50.00	-23.44	AV	L	Pass
6	18.164	45.59	10.49	60.00	-14.41	Peak	L	Pass
6**	18.164	31.37	10.49	50.00	-18.63	AV	L	Pass

PHASE N

CE Test case\_CE\_CE\_EN 55032\_Class B



No.	Frequency (MHz)	Results (dBUV)	Factor (dB)	Limit (dBUV)	Over Limit (dB)	Detector	Line	Verdict
1	0.186	43.02	10.39	64.21	-21.19	Peak	N	Pass
1**	0.186	29.98	10.39	54.21	-24.23	AV	N	Pass
2	0.258	40.99	10.34	61.50	-20.51	Peak	N	Pass
2**	0.258	29.24	10.34	51.50	-22.26	AV	N	Pass
3	0.454	40.57	10.30	56.80	-16.23	Peak	N	Pass
3**	0.454	30.59	10.30	46.80	-16.21	AV	N	Pass
4	0.842	38.81	10.25	56.00	-17.19	Peak	N	Pass
4**	0.842	26.40	10.25	46.00	-19.60	AV	N	Pass
5	14.348	46.41	10.40	60.00	-13.59	Peak	N	Pass
5**	14.348	32.44	10.40	50.00	-17.56	AV	N	Pass
6	18.536	46.20	10.50	60.00	-13.80	Peak	N	Pass
6**	18.536	26.82	10.50	50.00	-23.18	AV	N	Pass

## A.6 Radiated Spurious Emissions and Band Edge (Restricted-band)

### Test Data


Note 1: The symbol of "--" in the table which means not application.

Note 2: For the test data above 1 GHz, According the ANSI C63.4, where limits are specified for both average and peak (or quasi-peak) detector functions, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement.

Note 3: The low frequency, which started from 9 kHz to 30 MHz, was pre-scanned and the result which was 20 dB lower than the limit line per 15.31(o) was not reported.

Note 4: The EUT is working in the Normal link mode below 1 GHz. All modes have been tested and normal link mode is worst.


### 30 MHz to 1 GHz, ANT V



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	42.465	30.47	-23.42	40.0	-9.53	Peak	178.40	100	Vertical	Pass
2	59.003	26.94	-24.02	40.0	-13.06	Peak	288.00	100	Vertical	Pass
3	82.477	23.56	-28.28	40.0	-16.44	Peak	309.00	200	Vertical	Pass
4	104.399	21.64	-24.35	43.5	-21.86	Peak	240.60	100	Vertical	Pass
5	150.765	31.94	-28.17	43.5	-11.56	Peak	261.70	100	Vertical	Pass
6	196.064	24.55	-24.30	43.5	-18.95	Peak	322.30	100	Vertical	Pass

30 MHz to 1 GHz, ANT H

OPPO\_RE Test case\_FCC\_Part 15B\_FCC Part 15B Class B 30MHz-1GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	39.021	24.95	-24.41	40.0	-15.05	Peak	332.10	200	Horizontal	Pass
2	42.513	23.39	-23.42	40.0	-16.61	Peak	360.00	200	Horizontal	Pass
3	82.331	18.07	-28.31	40.0	-21.93	Peak	360.00	200	Horizontal	Pass
4	151.395	26.49	-28.09	43.5	-17.01	Peak	274.10	200	Horizontal	Pass
5	196.355	23.78	-24.29	43.5	-19.72	Peak	280.80	100	Horizontal	Pass
6	599.972	25.87	-14.57	46.0	-20.13	Peak	0.30	200	Horizontal	Pass

Note: The spurious above 18G is noise only, do not show on the report.

## 11a, Band I, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1190.500	36.75	-15.07	74.0	-37.25	Peak	21.00	150	Vertical	Pass
1**	1190.500	21.66	-15.07	54.0	-32.34	AV	21.00	150	Vertical	Pass
2	2776.000	42.94	-8.77	74.0	-31.06	Peak	159.00	150	Vertical	Pass
2**	2776.000	26.73	-8.77	54.0	-27.27	AV	159.00	150	Vertical	Pass
3	3992.000	47.94	-4.49	74.0	-26.06	Peak	232.00	150	Vertical	Pass
3**	3992.000	30.40	-4.49	54.0	-23.60	AV	232.00	150	Vertical	Pass
4	5181.000	94.23	-0.58	--	-213.77	Peak	308.00	150	Vertical	N/A
4**	5181.000	85.76	-0.58	--	85.76	AV	308.00	150	Vertical	N/A
5	11772.500	51.60	20.33	74.0	-22.40	Peak	215.00	150	Vertical	Pass
5**	11772.500	36.13	20.33	54.0	-17.87	AV	215.00	150	Vertical	Pass
6	15645.375	55.02	27.06	74.0	-18.98	Peak	32.00	150	Vertical	Pass
6**	15645.375	43.80	27.06	54.0	-10.20	AV	32.00	150	Vertical	Pass

## 11a, Band I, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1571.500	37.15	-15.09	74.0	-36.85	Peak	274.00	150	Horizontal	Pass
1**	1571.500	21.62	-15.09	54.0	-32.38	AV	274.00	150	Horizontal	Pass
2	2755.000	42.96	-9.07	74.0	-31.04	Peak	31.00	150	Horizontal	Pass
2**	2755.000	26.50	-9.07	54.0	-27.50	AV	31.00	150	Horizontal	Pass
3	4168.000	47.73	-3.80	74.0	-26.27	Peak	17.00	150	Horizontal	Pass
3**	4168.000	31.21	-3.80	54.0	-22.79	AV	17.00	150	Horizontal	Pass
4	5182.000	102.88	-0.57	--	70.88	Peak	32.00	150	Horizontal	N/A
4**	5182.000	95.97	-0.57	--	95.97	AV	32.00	150	Horizontal	N/A
5	11897.562	51.79	19.67	74.0	-22.21	Peak	99.00	150	Horizontal	Pass
5**	11897.562	36.82	19.67	54.0	-17.18	AV	99.00	150	Horizontal	Pass
6	15533.813	55.32	26.05	74.0	-18.68	Peak	0.00	150	Horizontal	Pass
6**	15533.813	43.08	26.05	54.0	-10.92	AV	0.00	150	Horizontal	Pass

## 11a, Band I, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1596.500	39.98	-15.18	74.0	-34.02	Peak	211.00	150	Vertical	Pass
1**	1596.500	22.52	-15.18	54.0	-31.48	AV	211.00	150	Vertical	Pass
2	2853.000	44.07	-7.93	74.0	-29.93	Peak	308.00	150	Vertical	Pass
2**	2853.000	27.67	-7.93	54.0	-26.33	AV	308.00	150	Vertical	Pass
3	4817.000	51.39	-1.42	74.0	-22.61	Peak	114.00	150	Vertical	Pass
3**	4817.000	33.38	-1.42	54.0	-20.62	AV	114.00	150	Vertical	Pass
4	5222.000	93.28	-0.38	--	-212.72	Peak	306.00	150	Vertical	N/A
4**	5222.000	86.92	-0.38	--	86.92	AV	306.00	150	Vertical	N/A
5	12341.750	52.73	21.33	74.0	-21.27	Peak	0.00	150	Vertical	Pass
5**	12341.750	39.40	21.33	54.0	-14.60	AV	0.00	150	Vertical	Pass
6	15624.375	54.69	26.58	74.0	-19.31	Peak	80.00	150	Vertical	Pass
6**	15624.375	43.80	26.58	54.0	-10.20	AV	80.00	150	Vertical	Pass

## 11a, Band I, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1522.000	37.45	-14.90	74.0	-36.55	Peak	40.00	150	Horizontal	Pass
1**	1522.000	21.24	-14.90	54.0	-32.76	AV	40.00	150	Horizontal	Pass
2	2780.500	43.86	-8.65	74.0	-30.14	Peak	0.00	150	Horizontal	Pass
2**	2780.500	26.99	-8.65	54.0	-27.01	AV	0.00	150	Horizontal	Pass
3	3989.000	46.52	-4.33	74.0	-27.48	Peak	334.00	150	Horizontal	Pass
3**	3989.000	30.25	-4.33	54.0	-23.75	AV	334.00	150	Horizontal	Pass
4	5222.000	103.03	-0.38	--	95.03	Peak	8.00	150	Horizontal	N/A
4**	5222.000	95.93	-0.38	--	95.93	AV	8.00	150	Horizontal	N/A
5	11651.750	50.97	20.45	74.0	-23.03	Peak	223.00	150	Horizontal	Pass
5**	11651.750	36.07	20.45	54.0	-17.93	AV	223.00	150	Horizontal	Pass
6	15625.687	55.01	26.63	74.0	-18.99	Peak	209.00	150	Horizontal	Pass
6**	15625.687	44.61	26.63	54.0	-9.39	AV	209.00	150	Horizontal	Pass



## 11a, Band I, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1595.500	39.42	-15.16	74.0	-34.58	Peak	360.00	150	Vertical	Pass
1**	1595.500	23.09	-15.16	54.0	-30.91	AV	360.00	150	Vertical	Pass
2	2791.500	43.27	-8.67	74.0	-30.73	Peak	29.00	150	Vertical	Pass
2**	2791.500	27.22	-8.67	54.0	-26.78	AV	29.00	150	Vertical	Pass
3	4038.000	46.67	-4.02	74.0	-27.33	Peak	162.00	150	Vertical	Pass
3**	4038.000	30.27	-4.02	54.0	-23.73	AV	162.00	150	Vertical	Pass
4	5241.000	92.80	-0.95	--	-214.20	Peak	307.00	150	Vertical	N/A
4**	5241.000	85.17	-0.95	--	85.17	AV	307.00	150	Vertical	N/A
5	11919.126	51.28	20.30	74.0	-22.72	Peak	134.00	150	Vertical	Pass
5**	11919.126	38.44	20.30	54.0	-15.56	AV	134.00	150	Vertical	Pass
6	15637.500	54.79	27.10	74.0	-19.21	Peak	51.00	150	Vertical	Pass
6**	15637.500	44.70	27.10	54.0	-9.30	AV	51.00	150	Vertical	Pass

## 11a, Band I, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1596.500	38.87	-15.18	74.0	-35.13	Peak	292.00	150	Horizontal	Pass
1**	1596.500	21.91	-15.18	54.0	-32.09	AV	292.00	150	Horizontal	Pass
2	2798.000	42.80	-8.60	74.0	-31.20	Peak	216.00	150	Horizontal	Pass
2**	2798.000	27.15	-8.60	54.0	-26.85	AV	216.00	150	Horizontal	Pass
3	4063.000	46.64	-3.86	74.0	-27.36	Peak	60.00	150	Horizontal	Pass
3**	4063.000	30.75	-3.86	54.0	-23.25	AV	60.00	150	Horizontal	Pass
4	5238.000	103.06	-0.92	--	101.06	Peak	2.00	150	Horizontal	N/A
4**	5238.000	94.96	-0.92	--	94.96	AV	2.00	150	Horizontal	N/A
5	11771.062	52.31	20.33	74.0	-21.69	Peak	135.00	150	Horizontal	Pass
5**	11771.062	37.22	20.33	54.0	-16.78	AV	135.00	150	Horizontal	Pass
6	15557.437	54.55	26.73	74.0	-19.45	Peak	291.00	150	Horizontal	Pass
6**	15557.437	43.74	26.73	54.0	-10.26	AV	291.00	150	Horizontal	Pass

## 11n20, Band I, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1570.500	38.68	-15.09	74.0	-35.32	Peak	0.00	150	Vertical	Pass
1**	1570.500	21.17	-15.09	54.0	-32.83	AV	0.00	150	Vertical	Pass
2	2820.500	43.30	-8.08	74.0	-30.70	Peak	121.00	150	Vertical	Pass
2**	2820.500	27.10	-8.08	54.0	-26.90	AV	121.00	150	Vertical	Pass
3	4223.000	47.12	-3.69	74.0	-26.88	Peak	30.00	150	Vertical	Pass
3**	4223.000	31.31	-3.69	54.0	-22.69	AV	30.00	150	Vertical	Pass
4	5179.000	93.56	-0.65	--	-221.44	Peak	315.00	150	Vertical	N/A
4**	5179.000	86.11	-0.65	--	86.11	AV	315.00	150	Vertical	N/A
5	12205.187	52.10	21.59	74.0	-21.90	Peak	87.00	150	Vertical	Pass
5**	12205.187	35.66	21.59	54.0	-18.34	AV	87.00	150	Vertical	Pass
6	15544.313	54.76	26.31	74.0	-19.24	Peak	0.00	150	Vertical	Pass
6**	15544.313	43.97	26.31	54.0	-10.03	AV	0.00	150	Vertical	Pass

## 11n20, Band I, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1557.500	37.61	-14.93	74.0	-36.39	Peak	360.00	150	Horizontal	Pass
1**	1557.500	21.14	-14.93	54.0	-32.86	AV	360.00	150	Horizontal	Pass
2	2786.500	44.01	-8.88	74.0	-29.99	Peak	115.00	150	Horizontal	Pass
2**	2786.500	27.03	-8.88	54.0	-26.97	AV	115.00	150	Horizontal	Pass
3	4234.000	47.47	-3.48	74.0	-26.53	Peak	249.00	150	Horizontal	Pass
3**	4234.000	31.16	-3.48	54.0	-22.84	AV	249.00	150	Horizontal	Pass
4	5180.000	102.84	-0.61	--	72.84	Peak	30.00	150	Horizontal	N/A
4**	5180.000	96.02	-0.61	--	96.02	AV	30.00	150	Horizontal	N/A
5	12298.625	52.23	21.72	74.0	-21.77	Peak	320.00	150	Horizontal	Pass
5**	12298.625	36.47	21.72	54.0	-17.53	AV	320.00	150	Horizontal	Pass
6	15650.625	54.69	26.92	74.0	-19.31	Peak	163.00	150	Horizontal	Pass
6**	15650.625	43.04	26.92	54.0	-10.96	AV	163.00	150	Horizontal	Pass

## 11n20, Band I, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.000	37.65	-14.90	74.0	-36.35	Peak	158.00	150	Vertical	Pass
1**	1500.000	22.87	-14.90	54.0	-31.13	AV	158.00	150	Vertical	Pass
2	2756.500	43.10	-9.05	74.0	-30.90	Peak	338.00	150	Vertical	Pass
2**	2756.500	26.71	-9.05	54.0	-27.29	AV	338.00	150	Vertical	Pass
3	4039.000	46.91	-4.01	74.0	-27.09	Peak	166.00	150	Vertical	Pass
3**	4039.000	30.87	-4.01	54.0	-23.13	AV	166.00	150	Vertical	Pass
4	5219.000	93.36	-0.20	--	-220.64	Peak	314.00	150	Vertical	N/A
4**	5219.000	86.35	-0.20	--	86.35	AV	314.00	150	Vertical	N/A
5	11840.062	50.96	19.76	74.0	-23.04	Peak	290.00	150	Vertical	Pass
5**	11840.062	34.73	19.76	54.0	-19.27	AV	290.00	150	Vertical	Pass
6	15629.625	54.84	26.79	74.0	-19.16	Peak	120.00	150	Vertical	Pass
6**	15629.625	44.42	26.79	54.0	-9.58	AV	120.00	150	Vertical	Pass

## 11n20, Band I, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1481.500	38.16	-15.00	74.0	-35.84	Peak	151.00	150	Horizontal	Pass
1**	1481.500	21.72	-15.00	54.0	-32.28	AV	151.00	150	Horizontal	Pass
2	2745.000	43.64	-9.01	74.0	-30.36	Peak	361.00	150	Horizontal	Pass
2**	2745.000	26.26	-9.01	54.0	-27.74	AV	361.00	150	Horizontal	Pass
3	4085.000	46.73	-4.22	74.0	-27.27	Peak	30.00	150	Horizontal	Pass
3**	4085.000	31.02	-4.22	54.0	-22.98	AV	30.00	150	Horizontal	Pass
4	5222.000	102.86	-0.38	--	89.86	Peak	13.00	150	Horizontal	N/A
4**	5222.000	95.60	-0.38	--	95.60	AV	13.00	150	Horizontal	N/A
5	11792.625	50.99	20.02	74.0	-23.01	Peak	360.00	150	Horizontal	Pass
5**	11792.625	36.26	20.02	54.0	-17.74	AV	360.00	150	Horizontal	Pass
6	15637.500	54.98	27.10	74.0	-19.02	Peak	328.00	150	Horizontal	Pass
6**	15637.500	44.16	27.10	54.0	-9.84	AV	328.00	150	Horizontal	Pass

## 11n20, Band I, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1591.500	38.74	-15.07	74.0	-35.26	Peak	360.00	150	Vertical	Pass
1**	1591.500	21.21	-15.07	54.0	-32.79	AV	360.00	150	Vertical	Pass
2	2863.000	44.70	-7.91	74.0	-29.30	Peak	334.00	150	Vertical	Pass
2**	2863.000	27.48	-7.91	54.0	-26.52	AV	334.00	150	Vertical	Pass
3	3908.000	47.25	-4.93	74.0	-26.75	Peak	231.00	150	Vertical	Pass
3**	3908.000	30.34	-4.93	54.0	-23.66	AV	231.00	150	Vertical	Pass
4	5236.000	93.06	-0.78	--	-214.94	Peak	308.00	150	Vertical	N/A
4**	5236.000	85.47	-0.78	--	85.47	AV	308.00	150	Vertical	N/A
5	11980.937	51.81	20.72	74.0	-22.19	Peak	233.00	150	Vertical	Pass
5**	11980.937	37.02	20.72	54.0	-16.98	AV	233.00	150	Vertical	Pass
6	15615.188	54.52	26.30	74.0	-19.48	Peak	110.00	150	Vertical	Pass
6**	15615.188	43.55	26.30	54.0	-10.45	AV	110.00	150	Vertical	Pass

## 11n20, Band I, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1517.500	37.79	-14.94	74.0	-36.21	Peak	16.00	150	Horizontal	Pass
1**	1517.500	21.24	-14.94	54.0	-32.76	AV	16.00	150	Horizontal	Pass
2	2822.500	43.48	-8.22	74.0	-30.52	Peak	355.00	150	Horizontal	Pass
2**	2822.500	27.13	-8.22	54.0	-26.87	AV	355.00	150	Horizontal	Pass
3	4043.000	46.79	-3.90	74.0	-27.21	Peak	272.00	150	Horizontal	Pass
3**	4043.000	30.96	-3.90	54.0	-23.04	AV	272.00	150	Horizontal	Pass
4	5241.000	102.07	-0.95	--	98.07	Peak	4.00	150	Horizontal	N/A
4**	5241.000	93.91	-0.95	--	93.91	AV	4.00	150	Horizontal	N/A
5	11969.438	51.77	20.40	74.0	-22.23	Peak	193.00	150	Horizontal	Pass
5**	11969.438	36.66	20.40	54.0	-17.34	AV	193.00	150	Horizontal	Pass
6	15574.500	54.50	27.21	74.0	-19.50	Peak	253.00	150	Horizontal	Pass
6**	15574.500	42.78	27.21	54.0	-11.22	AV	253.00	150	Horizontal	Pass

## 11n40, Band I, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1582.000	40.64	-15.11	74.0	-33.36	Peak	360.00	150	Vertical	Pass
1**	1582.000	22.18	-15.11	54.0	-31.82	AV	360.00	150	Vertical	Pass
2	2825.000	43.80	-8.35	74.0	-30.20	Peak	228.00	150	Vertical	Pass
2**	2825.000	26.95	-8.35	54.0	-27.05	AV	228.00	150	Vertical	Pass
3	4093.000	46.95	-4.40	74.0	-27.05	Peak	291.00	150	Vertical	Pass
3**	4093.000	31.08	-4.40	54.0	-22.92	AV	291.00	150	Vertical	Pass
4	5187.000	89.23	-0.69	--	-220.77	Peak	310.00	150	Vertical	N/A
4**	5187.000	81.75	-0.69	--	81.75	AV	310.00	150	Vertical	N/A
5	11947.875	52.96	19.94	74.0	-21.04	Peak	360.00	150	Vertical	Pass
5**	11947.875	37.28	19.94	54.0	-16.72	AV	360.00	150	Vertical	Pass
6	15609.938	55.14	26.19	74.0	-18.86	Peak	308.00	150	Vertical	Pass
6**	15609.938	43.51	26.19	54.0	-10.49	AV	308.00	150	Vertical	Pass

## 11n40, Band I, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1470.000	37.87	-14.77	74.0	-36.13	Peak	353.00	150	Horizontal	Pass
1**	1470.000	22.52	-14.77	54.0	-31.48	AV	353.00	150	Horizontal	Pass
2	2806.500	43.24	-8.34	74.0	-30.76	Peak	334.00	150	Horizontal	Pass
2**	2806.500	26.94	-8.34	54.0	-27.06	AV	334.00	150	Horizontal	Pass
3	4030.000	46.50	-3.97	74.0	-27.50	Peak	348.00	150	Horizontal	Pass
3**	4030.000	30.52	-3.97	54.0	-23.48	AV	348.00	150	Horizontal	Pass
4	5193.000	99.33	-0.63	--	70.33	Peak	29.00	150	Horizontal	N/A
4**	5193.000	91.88	-0.63	--	91.88	AV	29.00	150	Horizontal	N/A
5	11623.000	51.86	20.39	74.0	-22.14	Peak	262.00	150	Horizontal	Pass
5**	11623.000	36.19	20.39	54.0	-17.81	AV	262.00	150	Horizontal	Pass
6	15550.875	55.08	26.50	74.0	-18.92	Peak	349.00	150	Horizontal	Pass
6**	15550.875	43.80	26.50	54.0	-10.20	AV	349.00	150	Horizontal	Pass

## 11n40, Band I, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1530.500	38.10	-14.86	74.0	-35.90	Peak	291.00	150	Vertical	Pass
1**	1530.500	22.71	-14.86	54.0	-31.29	AV	291.00	150	Vertical	Pass
2	2764.000	42.88	-8.70	74.0	-31.12	Peak	0.00	150	Vertical	Pass
2**	2764.000	26.83	-8.70	54.0	-27.17	AV	0.00	150	Vertical	Pass
3	3993.000	46.76	-4.56	74.0	-27.24	Peak	96.00	150	Vertical	Pass
3**	3993.000	30.07	-4.56	54.0	-23.93	AV	96.00	150	Vertical	Pass
4	5232.000	89.80	-0.52	--	-217.20	Peak	307.00	150	Vertical	N/A
4**	5232.000	81.54	-0.52	--	81.54	AV	307.00	150	Vertical	N/A
5	11922.000	51.87	20.28	74.0	-22.13	Peak	317.00	150	Vertical	Pass
5**	11922.000	36.88	20.28	54.0	-17.12	AV	317.00	150	Vertical	Pass
6	15623.063	55.28	26.53	74.0	-18.72	Peak	237.00	150	Vertical	Pass
6**	15623.063	43.71	26.53	54.0	-10.29	AV	237.00	150	Vertical	Pass

## 11n40, Band I, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1530.500	37.12	-14.86	74.0	-36.88	Peak	0.00	150	Horizontal	Pass
1**	1530.500	21.31	-14.86	54.0	-32.69	AV	0.00	150	Horizontal	Pass
2	2796.500	43.34	-8.76	74.0	-30.66	Peak	75.00	150	Horizontal	Pass
2**	2796.500	26.88	-8.76	54.0	-27.12	AV	75.00	150	Horizontal	Pass
3	4179.000	47.46	-3.97	74.0	-26.54	Peak	361.00	150	Horizontal	Pass
3**	4179.000	31.20	-3.97	54.0	-22.80	AV	361.00	150	Horizontal	Pass
4	5226.000	99.29	-0.47	--	98.29	Peak	1.00	150	Horizontal	N/A
4**	5226.000	91.89	-0.47	--	91.89	AV	1.00	150	Horizontal	N/A
5	11766.750	50.99	20.33	74.0	-23.01	Peak	182.00	150	Horizontal	Pass
5**	11766.750	36.40	20.33	54.0	-17.60	AV	182.00	150	Horizontal	Pass
6	15556.125	55.14	26.68	74.0	-18.86	Peak	0.00	150	Horizontal	Pass
6**	15556.125	43.33	26.68	54.0	-10.67	AV	0.00	150	Horizontal	Pass

## 11ac20, Band I, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1460.500	37.97	-14.57	74.0	-36.03	Peak	241.00	150	Vertical	Pass
1**	1460.500	21.98	-14.57	54.0	-32.02	AV	241.00	150	Vertical	Pass
2	2761.500	43.70	-8.90	74.0	-30.30	Peak	361.00	150	Vertical	Pass
2**	2761.500	26.79	-8.90	54.0	-27.21	AV	361.00	150	Vertical	Pass
3	3985.000	47.34	-4.30	74.0	-26.66	Peak	0.00	150	Vertical	Pass
3**	3985.000	30.28	-4.30	54.0	-23.72	AV	0.00	150	Vertical	Pass
4	5181.000	94.13	-0.58	--	-214.87	Peak	309.00	150	Vertical	N/A
4**	5181.000	84.82	-0.58	--	84.82	AV	309.00	150	Vertical	N/A
5	12080.125	51.25	20.75	74.0	-22.75	Peak	361.00	150	Vertical	Pass
5**	12080.125	35.30	20.75	54.0	-18.70	AV	361.00	150	Vertical	Pass
6	15548.250	54.77	26.42	74.0	-19.23	Peak	29.00	150	Vertical	Pass
6**	15548.250	43.07	26.42	54.0	-10.93	AV	29.00	150	Vertical	Pass

## 11ac20, Band I, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1498.000	37.53	-15.04	74.0	-36.47	Peak	39.00	150	Horizontal	Pass
1**	1498.000	21.59	-15.04	54.0	-32.41	AV	39.00	150	Horizontal	Pass
2	2792.000	43.23	-8.67	74.0	-30.77	Peak	353.00	150	Horizontal	Pass
2**	2792.000	26.99	-8.67	54.0	-27.01	AV	353.00	150	Horizontal	Pass
3	4155.000	47.24	-3.57	74.0	-26.76	Peak	166.00	150	Horizontal	Pass
3**	4155.000	31.01	-3.57	54.0	-22.99	AV	166.00	150	Horizontal	Pass
4	5181.000	103.01	-0.58	--	66.01	Peak	37.00	150	Horizontal	N/A
4**	5181.000	94.45	-0.58	--	94.45	AV	37.00	150	Horizontal	N/A
5	11771.062	50.93	20.33	74.0	-23.07	Peak	297.00	150	Horizontal	Pass
5**	11771.062	35.89	20.33	54.0	-18.11	AV	297.00	150	Horizontal	Pass
6	15634.875	54.46	26.99	74.0	-19.54	Peak	278.00	150	Horizontal	Pass
6**	15634.875	44.54	26.99	54.0	-9.46	AV	278.00	150	Horizontal	Pass

## 11ac20, Band I, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1537.500	39.14	-14.85	74.0	-34.86	Peak	156.00	150	Vertical	Pass
1**	1537.500	21.56	-14.85	54.0	-32.44	AV	156.00	150	Vertical	Pass
2	2822.500	43.25	-8.22	74.0	-30.75	Peak	91.00	150	Vertical	Pass
2**	2822.500	27.56	-8.22	54.0	-26.44	AV	91.00	150	Vertical	Pass
3	4133.000	47.12	-4.14	74.0	-26.88	Peak	211.00	150	Vertical	Pass
3**	4133.000	30.97	-4.14	54.0	-23.03	AV	211.00	150	Vertical	Pass
4	5219.000	93.47	-0.20	--	-204.53	Peak	298.00	150	Vertical	N/A
4**	5219.000	86.11	-0.20	--	86.11	AV	298.00	150	Vertical	N/A
5	11914.812	51.35	20.18	74.0	-22.65	Peak	328.00	150	Vertical	Pass
5**	11914.812	38.44	20.18	54.0	-15.56	AV	328.00	150	Vertical	Pass
6	15632.250	54.97	26.89	74.0	-19.03	Peak	286.00	150	Vertical	Pass
6**	15632.250	44.19	26.89	54.0	-9.81	AV	286.00	150	Vertical	Pass

## 11ac20, Band I, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1501.000	37.77	-14.88	74.0	-36.23	Peak	90.00	150	Horizontal	Pass
1**	1501.000	21.44	-14.88	54.0	-32.56	AV	90.00	150	Horizontal	Pass
2	2856.500	44.18	-7.72	74.0	-29.82	Peak	118.00	150	Horizontal	Pass
2**	2856.500	27.33	-7.72	54.0	-26.67	AV	118.00	150	Horizontal	Pass
3	4094.000	47.11	-4.41	74.0	-26.89	Peak	360.00	150	Horizontal	Pass
3**	4094.000	31.28	-4.41	54.0	-22.72	AV	360.00	150	Horizontal	Pass
4	5219.000	102.92	-0.20	--	93.92	Peak	9.00	150	Horizontal	N/A
4**	5219.000	95.62	-0.20	--	95.62	AV	9.00	150	Horizontal	N/A
5	11920.562	51.51	20.32	74.0	-22.49	Peak	118.00	150	Horizontal	Pass
5**	11920.562	38.21	20.32	54.0	-15.79	AV	118.00	150	Horizontal	Pass
6	15645.375	54.71	27.06	74.0	-19.29	Peak	175.00	150	Horizontal	Pass
6**	15645.375	43.21	27.06	54.0	-10.79	AV	175.00	150	Horizontal	Pass



## 11ac20, Band I, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1544.000	38.21	-14.74	74.0	-35.79	Peak	295.00	150	Vertical	Pass
1**	1544.000	21.82	-14.74	54.0	-32.18	AV	295.00	150	Vertical	Pass
2	2827.000	43.75	-8.32	74.0	-30.25	Peak	184.00	150	Vertical	Pass
2**	2827.000	27.38	-8.32	54.0	-26.62	AV	184.00	150	Vertical	Pass
3	4127.000	47.53	-3.95	74.0	-26.47	Peak	306.00	150	Vertical	Pass
3**	4127.000	31.09	-3.95	54.0	-22.91	AV	306.00	150	Vertical	Pass
4	5238.000	92.16	-0.92	--	-213.84	Peak	306.00	150	Vertical	N/A
4**	5238.000	85.00	-0.92	--	85.00	AV	306.00	150	Vertical	N/A
5	12324.500	53.05	21.51	74.0	-20.95	Peak	360.00	150	Vertical	Pass
5**	12324.500	37.42	21.51	54.0	-16.58	AV	360.00	150	Vertical	Pass
6	15632.250	54.58	26.89	74.0	-19.42	Peak	205.00	150	Vertical	Pass
6**	15632.250	44.05	26.89	54.0	-9.95	AV	205.00	150	Vertical	Pass

## 11ac20, Band I, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1133.000	39.14	-15.15	74.0	-34.86	Peak	268.00	150	Horizontal	Pass
1**	1133.000	22.96	-15.15	54.0	-31.04	AV	268.00	150	Horizontal	Pass
2	2782.500	42.83	-8.66	74.0	-31.17	Peak	161.00	150	Horizontal	Pass
2**	2782.500	27.67	-8.66	54.0	-26.33	AV	161.00	150	Horizontal	Pass
3	4095.000	46.74	-4.42	74.0	-27.26	Peak	0.00	150	Horizontal	Pass
3**	4095.000	31.00	-4.42	54.0	-23.00	AV	0.00	150	Horizontal	Pass
4	5240.000	102.20	-0.96	--	86.20	Peak	16.00	150	Horizontal	N/A
4**	5240.000	95.28	-0.96	--	95.28	AV	16.00	150	Horizontal	N/A
5	11980.937	51.41	20.72	74.0	-22.59	Peak	121.00	150	Horizontal	Pass
5**	11980.937	37.00	20.72	54.0	-17.00	AV	121.00	150	Horizontal	Pass
6	15637.500	55.09	27.10	74.0	-18.91	Peak	23.00	150	Horizontal	Pass
6**	15637.500	44.96	27.10	54.0	-9.04	AV	23.00	150	Horizontal	Pass

## 11ac40, Band I, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1596.500	40.17	-15.18	74.0	-33.83	Peak	360.00	150	Vertical	Pass
1**	1596.500	22.27	-15.18	54.0	-31.73	AV	360.00	150	Vertical	Pass
2	2825.500	43.30	-8.35	74.0	-30.70	Peak	326.00	150	Vertical	Pass
2**	2825.500	26.89	-8.35	54.0	-27.11	AV	326.00	150	Vertical	Pass
3	4060.000	46.72	-4.00	74.0	-27.28	Peak	200.00	150	Vertical	Pass
3**	4060.000	29.91	-4.00	54.0	-24.09	AV	200.00	150	Vertical	Pass
4	5194.000	89.19	-0.63	--	-210.81	Peak	300.00	150	Vertical	N/A
4**	5194.000	81.99	-0.63	--	81.99	AV	300.00	150	Vertical	N/A
5	12274.187	52.89	21.55	74.0	-21.11	Peak	279.00	150	Vertical	Pass
5**	12274.187	36.47	21.55	54.0	-17.53	AV	279.00	150	Vertical	Pass
6	15637.500	54.72	27.10	74.0	-19.28	Peak	201.00	150	Vertical	Pass
6**	15637.500	44.27	27.10	54.0	-9.73	AV	201.00	150	Vertical	Pass

## 11ac40, Band I, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1535.000	36.66	-14.94	74.0	-37.34	Peak	253.00	150	Horizontal	Pass
1**	1535.000	21.68	-14.94	54.0	-32.32	AV	253.00	150	Horizontal	Pass
2	2780.000	43.13	-8.66	74.0	-30.87	Peak	98.00	150	Horizontal	Pass
2**	2780.000	27.41	-8.66	54.0	-26.59	AV	98.00	150	Horizontal	Pass
3	4128.000	46.91	-4.01	74.0	-27.09	Peak	137.00	150	Horizontal	Pass
3**	4128.000	31.33	-4.01	54.0	-22.67	AV	137.00	150	Horizontal	Pass
4	5186.000	99.12	-0.68	--	69.12	Peak	30.00	150	Horizontal	N/A
4**	5186.000	91.93	-0.68	--	91.93	AV	30.00	150	Horizontal	N/A
5	11656.063	50.68	20.42	74.0	-23.32	Peak	191.00	150	Horizontal	Pass
5**	11656.063	36.36	20.42	54.0	-17.64	AV	191.00	150	Horizontal	Pass
6	15624.375	55.15	26.58	74.0	-18.85	Peak	276.00	150	Horizontal	Pass
6**	15624.375	44.03	26.58	54.0	-9.97	AV	276.00	150	Horizontal	Pass

## 11ac40, Band I, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1144.000	40.21	-14.84	74.0	-33.79	Peak	224.00	150	Vertical	Pass
1**	1144.000	20.68	-14.84	54.0	-33.32	AV	224.00	150	Vertical	Pass
2	2792.500	44.28	-8.66	74.0	-29.72	Peak	224.00	150	Vertical	Pass
2**	2792.500	26.89	-8.66	54.0	-27.11	AV	224.00	150	Vertical	Pass
3	4009.000	46.75	-4.54	74.0	-27.25	Peak	52.00	150	Vertical	Pass
3**	4009.000	30.54	-4.54	54.0	-23.46	AV	52.00	150	Vertical	Pass
4	5232.000	89.64	-0.52	--	-226.36	Peak	316.00	150	Vertical	N/A
4**	5232.000	81.97	-0.52	--	81.97	AV	316.00	150	Vertical	N/A
5	11932.063	51.40	20.05	74.0	-22.60	Peak	211.00	150	Vertical	Pass
5**	11932.063	36.99	20.05	54.0	-17.01	AV	211.00	150	Vertical	Pass
6	15571.875	55.16	27.14	74.0	-18.84	Peak	96.00	150	Vertical	Pass
6**	15571.875	42.54	27.14	54.0	-11.46	AV	96.00	150	Vertical	Pass

## 11ac40, Band I, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1493.000	37.37	-14.99	74.0	-36.63	Peak	38.00	150	Horizontal	Pass
1**	1493.000	21.56	-14.99	54.0	-32.44	AV	38.00	150	Horizontal	Pass
2	2809.000	44.12	-8.44	74.0	-29.88	Peak	294.00	150	Horizontal	Pass
2**	2809.000	26.94	-8.44	54.0	-27.06	AV	294.00	150	Horizontal	Pass
3	3973.000	47.21	-4.18	74.0	-26.79	Peak	329.00	150	Horizontal	Pass
3**	3973.000	30.18	-4.18	54.0	-23.82	AV	329.00	150	Horizontal	Pass
4	5228.000	99.33	-0.49	--	96.33	Peak	3.00	150	Horizontal	N/A
4**	5228.000	92.25	-0.49	--	92.25	AV	3.00	150	Horizontal	N/A
5	11783.999	51.14	20.23	74.0	-22.86	Peak	236.00	150	Horizontal	Pass
5**	11783.999	36.92	20.23	54.0	-17.08	AV	236.00	150	Horizontal	Pass
6	15636.187	54.67	27.04	74.0	-19.33	Peak	170.00	150	Horizontal	Pass
6**	15636.187	44.30	27.04	54.0	-9.70	AV	170.00	150	Horizontal	Pass

## 11ac80, Band I, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1595.500	41.05	-15.16	74.0	-32.95	Peak	199.00	150	Vertical	Pass
1**	1595.500	22.04	-15.16	54.0	-31.96	AV	199.00	150	Vertical	Pass
2	2841.500	44.25	-8.50	74.0	-29.75	Peak	311.00	150	Vertical	Pass
2**	2841.500	27.35	-8.50	54.0	-26.65	AV	311.00	150	Vertical	Pass
3	4123.000	46.91	-4.09	74.0	-27.09	Peak	115.00	150	Vertical	Pass
3**	4123.000	31.26	-4.09	54.0	-22.74	AV	115.00	150	Vertical	Pass
4	5233.000	79.88	-0.63	--	-238.12	Peak	318.00	150	Vertical	N/A
4**	5233.000	70.24	-0.63	--	70.24	AV	318.00	150	Vertical	N/A
5	11467.750	50.78	19.15	74.0	-23.22	Peak	360.00	150	Vertical	Pass
5**	11467.750	33.55	19.15	54.0	-20.45	AV	360.00	150	Vertical	Pass
6	15624.375	55.44	26.58	74.0	-18.56	Peak	0.00	150	Vertical	Pass
6**	15624.375	44.09	26.58	54.0	-9.91	AV	0.00	150	Vertical	Pass

## 11ac80, Band I, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1526.500	37.83	-14.91	74.0	-36.17	Peak	256.00	150	Horizontal	Pass
1**	1526.500	21.14	-14.91	54.0	-32.86	AV	256.00	150	Horizontal	Pass
2	2793.000	42.99	-8.64	74.0	-31.01	Peak	185.00	150	Horizontal	Pass
2**	2793.000	27.13	-8.64	54.0	-26.87	AV	185.00	150	Horizontal	Pass
3	3986.000	47.21	-4.33	74.0	-26.79	Peak	0.00	150	Horizontal	Pass
3**	3986.000	30.32	-4.33	54.0	-23.68	AV	0.00	150	Horizontal	Pass
4	5206.000	90.38	-0.41	--	91.38	Peak	0.00	150	Horizontal	N/A
4**	5206.000	81.93	-0.41	--	81.93	AV	0.00	150	Horizontal	N/A
5	11927.750	51.75	20.15	74.0	-22.25	Peak	357.00	150	Horizontal	Pass
5**	11927.750	37.02	20.15	54.0	-16.98	AV	357.00	150	Horizontal	Pass
6	15620.437	54.56	26.42	74.0	-19.44	Peak	340.00	150	Horizontal	Pass
6**	15620.437	44.60	26.42	54.0	-9.40	AV	340.00	150	Horizontal	Pass

## 11a, Band II, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1124.500	39.26	-15.04	74.0	-34.74	Peak	261.00	150	Vertical	Pass
1**	1124.500	22.27	-15.04	54.0	-31.73	AV	261.00	150	Vertical	Pass
2	2804.500	43.41	-8.37	74.0	-30.59	Peak	20.00	150	Vertical	Pass
2**	2804.500	27.34	-8.37	54.0	-26.66	AV	20.00	150	Vertical	Pass
3	4075.000	46.50	-4.02	74.0	-27.50	Peak	340.00	150	Vertical	Pass
3**	4075.000	30.78	-4.02	54.0	-23.22	AV	340.00	150	Vertical	Pass
4	5258.000	93.12	-1.04	--	-223.88	Peak	317.00	150	Vertical	N/A
4**	5258.000	85.99	-1.04	--	85.99	AV	317.00	150	Vertical	N/A
5	11783.999	51.26	20.23	74.0	-22.74	Peak	165.00	150	Vertical	Pass
5**	11783.999	37.26	20.23	54.0	-16.74	AV	165.00	150	Vertical	Pass
6	15662.437	54.77	26.55	74.0	-19.23	Peak	212.00	150	Vertical	Pass
6**	15662.437	42.94	26.55	54.0	-11.06	AV	212.00	150	Vertical	Pass

## 11a, Band II, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1524.000	37.25	-14.88	74.0	-36.75	Peak	76.00	150	Horizontal	Pass
1**	1524.000	22.06	-14.88	54.0	-31.94	AV	76.00	150	Horizontal	Pass
2	2761.000	43.02	-8.96	74.0	-30.98	Peak	328.00	150	Horizontal	Pass
2**	2761.000	26.67	-8.96	54.0	-27.33	AV	328.00	150	Horizontal	Pass
3	4024.000	46.56	-3.96	74.0	-27.44	Peak	318.00	150	Horizontal	Pass
3**	4024.000	30.84	-3.96	54.0	-23.16	AV	318.00	150	Horizontal	Pass
4	5258.000	103.07	-1.04	--	88.07	Peak	15.00	150	Horizontal	N/A
4**	5258.000	94.68	-1.04	--	94.68	AV	15.00	150	Horizontal	N/A
5	11646.000	50.98	20.42	74.0	-23.02	Peak	314.00	150	Horizontal	Pass
5**	11646.000	36.21	20.42	54.0	-17.79	AV	314.00	150	Horizontal	Pass
6	15549.563	54.89	26.46	74.0	-19.11	Peak	76.00	150	Horizontal	Pass
6**	15549.563	43.88	26.46	54.0	-10.12	AV	76.00	150	Horizontal	Pass

## 11a, Band II, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1575.500	39.50	-15.13	74.0	-34.50	Peak	360.00	150	Vertical	Pass
1**	1575.500	22.21	-15.13	54.0	-31.79	AV	360.00	150	Vertical	Pass
2	2796.000	42.83	-8.71	74.0	-31.17	Peak	296.00	150	Vertical	Pass
2**	2796.000	26.83	-8.71	54.0	-27.17	AV	296.00	150	Vertical	Pass
3	4160.000	47.71	-3.51	74.0	-26.29	Peak	169.00	150	Vertical	Pass
3**	4160.000	31.38	-3.51	54.0	-22.62	AV	169.00	150	Vertical	Pass
4	5302.000	94.08	0.29	--	-224.92	Peak	319.00	150	Vertical	N/A
4**	5302.000	87.39	0.29	--	87.39	AV	319.00	150	Vertical	N/A
5	11783.999	51.23	20.23	74.0	-22.77	Peak	360.00	150	Vertical	Pass
5**	11783.999	37.77	20.23	54.0	-16.23	AV	360.00	150	Vertical	Pass
6	15623.063	55.03	26.53	74.0	-18.97	Peak	233.00	150	Vertical	Pass
6**	15623.063	43.57	26.53	54.0	-10.43	AV	233.00	150	Vertical	Pass

## 11a, Band II, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1541.500	37.56	-14.71	74.0	-36.44	Peak	254.00	150	Horizontal	Pass
1**	1541.500	22.02	-14.71	54.0	-31.98	AV	254.00	150	Horizontal	Pass
2	2785.500	43.46	-8.86	74.0	-30.54	Peak	360.00	150	Horizontal	Pass
2**	2785.500	27.11	-8.86	54.0	-26.89	AV	360.00	150	Horizontal	Pass
3	4103.000	47.07	-4.34	74.0	-26.93	Peak	94.00	150	Horizontal	Pass
3**	4103.000	31.11	-4.34	54.0	-22.89	AV	94.00	150	Horizontal	Pass
4	5302.000	103.08	0.29	--	104.08	Peak	0.00	150	Horizontal	N/A
4**	5302.000	95.60	0.29	--	95.60	AV	0.00	150	Horizontal	N/A
5	11917.688	51.89	20.26	74.0	-22.11	Peak	0.00	150	Horizontal	Pass
5**	11917.688	37.04	20.26	54.0	-16.96	AV	0.00	150	Horizontal	Pass
6	15602.062	56.10	26.02	74.0	-17.90	Peak	157.00	150	Horizontal	Pass
6**	15602.062	42.93	26.02	54.0	-11.07	AV	157.00	150	Horizontal	Pass

## 11a, Band II, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1511.500	38.55	-14.92	74.0	-35.45	Peak	0.00	150	Vertical	Pass
1**	1511.500	21.41	-14.92	54.0	-32.59	AV	0.00	150	Vertical	Pass
2	2784.500	43.55	-8.76	74.0	-30.45	Peak	62.00	150	Vertical	Pass
2**	2784.500	26.81	-8.76	54.0	-27.19	AV	62.00	150	Vertical	Pass
3	4247.000	47.66	-3.22	74.0	-26.34	Peak	57.00	150	Vertical	Pass
3**	4247.000	31.93	-3.22	54.0	-22.07	AV	57.00	150	Vertical	Pass
4	5323.000	95.44	-0.00	--	-220.56	Peak	316.00	150	Vertical	N/A
4**	5323.000	88.17	-0.00	--	88.17	AV	316.00	150	Vertical	N/A
5	11979.500	52.26	20.73	74.0	-21.74	Peak	48.00	150	Vertical	Pass
5**	11979.500	36.84	20.73	54.0	-17.16	AV	48.00	150	Vertical	Pass
6	15644.063	54.70	27.09	74.0	-19.30	Peak	190.00	150	Vertical	Pass
6**	15644.063	44.24	27.09	54.0	-9.76	AV	190.00	150	Vertical	Pass

## 11a, Band II, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1534.500	37.17	-14.95	74.0	-36.83	Peak	67.00	150	Horizontal	Pass
1**	1534.500	21.59	-14.95	54.0	-32.41	AV	67.00	150	Horizontal	Pass
2	2804.500	43.57	-8.37	74.0	-30.43	Peak	150.00	150	Horizontal	Pass
2**	2804.500	27.65	-8.37	54.0	-26.35	AV	150.00	150	Horizontal	Pass
3	4249.000	47.51	-3.18	74.0	-26.49	Peak	283.00	150	Horizontal	Pass
3**	4249.000	31.14	-3.18	54.0	-22.86	AV	283.00	150	Horizontal	Pass
4	5318.000	103.62	0.05	--	91.62	Peak	12.00	150	Horizontal	N/A
4**	5318.000	95.72	0.05	--	95.72	AV	12.00	150	Horizontal	N/A
5	11776.812	51.29	20.33	74.0	-22.71	Peak	63.00	150	Horizontal	Pass
5**	11776.812	38.34	20.33	54.0	-15.66	AV	63.00	150	Horizontal	Pass
6	15633.563	54.92	26.94	74.0	-19.08	Peak	219.00	150	Horizontal	Pass
6**	15633.563	44.24	26.94	54.0	-9.76	AV	219.00	150	Horizontal	Pass

## 11n20, Band II, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.500	39.09	-15.15	74.0	-34.91	Peak	360.00	150	Vertical	Pass
1**	1599.500	23.04	-15.15	54.0	-30.96	AV	360.00	150	Vertical	Pass
2	2770.500	43.18	-8.48	74.0	-30.82	Peak	95.00	150	Vertical	Pass
2**	2770.500	27.05	-8.48	54.0	-26.95	AV	95.00	150	Vertical	Pass
3	4040.000	46.96	-3.99	74.0	-27.04	Peak	349.00	150	Vertical	Pass
3**	4040.000	30.63	-3.99	54.0	-23.37	AV	349.00	150	Vertical	Pass
4	5255.000	93.17	-1.14	--	-220.83	Peak	314.00	150	Vertical	N/A
4**	5255.000	84.85	-1.14	--	84.85	AV	314.00	150	Vertical	N/A
5	11643.125	51.96	20.39	74.0	-22.04	Peak	199.00	150	Vertical	Pass
5**	11643.125	35.69	20.39	54.0	-18.31	AV	199.00	150	Vertical	Pass
6	15638.813	55.05	27.15	74.0	-18.95	Peak	146.00	150	Vertical	Pass
6**	15638.813	44.12	27.15	54.0	-9.88	AV	146.00	150	Vertical	Pass

## 11n20, Band II, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1573.000	37.38	-15.10	74.0	-36.62	Peak	273.00	150	Horizontal	Pass
1**	1573.000	21.63	-15.10	54.0	-32.37	AV	273.00	150	Horizontal	Pass
2	2825.500	43.41	-8.35	74.0	-30.59	Peak	360.00	150	Horizontal	Pass
2**	2825.500	27.03	-8.35	54.0	-26.97	AV	360.00	150	Horizontal	Pass
3	4147.000	48.15	-3.63	74.0	-25.85	Peak	360.00	150	Horizontal	Pass
3**	4147.000	30.78	-3.63	54.0	-23.22	AV	360.00	150	Horizontal	Pass
4	5259.000	102.44	-1.05	--	103.44	Peak	0.00	150	Horizontal	N/A
4**	5259.000	95.45	-1.05	--	95.45	AV	0.00	150	Horizontal	N/A
5	11756.687	51.98	20.27	74.0	-22.02	Peak	360.00	150	Horizontal	Pass
5**	11756.687	36.88	20.27	54.0	-17.12	AV	360.00	150	Horizontal	Pass
6	15630.937	54.64	26.84	74.0	-19.36	Peak	360.00	150	Horizontal	Pass
6**	15630.937	44.02	26.84	54.0	-9.98	AV	360.00	150	Horizontal	Pass



## 11n20, Band II, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1513.500	37.83	-14.96	74.0	-36.17	Peak	343.00	150	Vertical	Pass
1**	1513.500	22.12	-14.96	54.0	-31.88	AV	343.00	150	Vertical	Pass
2	2826.000	44.53	-8.34	74.0	-29.47	Peak	97.00	150	Vertical	Pass
2**	2826.000	26.91	-8.34	54.0	-27.09	AV	97.00	150	Vertical	Pass
3	4027.000	47.38	-3.83	74.0	-26.62	Peak	277.00	150	Vertical	Pass
3**	4027.000	30.57	-3.83	54.0	-23.43	AV	277.00	150	Vertical	Pass
4	5301.000	94.54	0.28	--	-225.46	Peak	320.00	150	Vertical	N/A
4**	5301.000	85.62	0.28	--	85.62	AV	320.00	150	Vertical	N/A
5	11907.625	51.73	19.97	74.0	-22.27	Peak	21.00	150	Vertical	Pass
5**	11907.625	37.67	19.97	54.0	-16.33	AV	21.00	150	Vertical	Pass
6	15634.875	54.76	26.99	74.0	-19.24	Peak	240.00	150	Vertical	Pass
6**	15634.875	43.98	26.99	54.0	-10.02	AV	240.00	150	Vertical	Pass

## 11n20, Band II, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1481.500	37.38	-15.00	74.0	-36.62	Peak	336.00	150	Horizontal	Pass
1**	1481.500	22.21	-15.00	54.0	-31.79	AV	336.00	150	Horizontal	Pass
2	2778.000	43.52	-8.65	74.0	-30.48	Peak	136.00	150	Horizontal	Pass
2**	2778.000	26.93	-8.65	54.0	-27.07	AV	136.00	150	Horizontal	Pass
3	4041.000	47.25	-3.96	74.0	-26.75	Peak	345.00	150	Horizontal	Pass
3**	4041.000	30.83	-3.96	54.0	-23.17	AV	345.00	150	Horizontal	Pass
4	5299.000	102.66	0.26	--	80.66	Peak	22.00	150	Horizontal	N/A
4**	5299.000	95.02	0.26	--	95.02	AV	22.00	150	Horizontal	N/A
5	11922.000	51.22	20.28	74.0	-22.78	Peak	323.00	150	Horizontal	Pass
5**	11922.000	37.77	20.28	54.0	-16.23	AV	323.00	150	Horizontal	Pass
6	15637.500	54.59	27.10	74.0	-19.41	Peak	256.00	150	Horizontal	Pass
6**	15637.500	43.89	27.10	54.0	-10.11	AV	256.00	150	Horizontal	Pass

## 11n20, Band II, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1513.500	37.88	-14.96	74.0	-36.12	Peak	360.00	150	Vertical	Pass
1**	1513.500	21.67	-14.96	54.0	-32.33	AV	360.00	150	Vertical	Pass
2	2783.000	43.02	-8.68	74.0	-30.98	Peak	162.00	150	Vertical	Pass
2**	2783.000	27.20	-8.68	54.0	-26.80	AV	162.00	150	Vertical	Pass
3	4040.000	47.06	-3.99	74.0	-26.94	Peak	269.00	150	Vertical	Pass
3**	4040.000	30.65	-3.99	54.0	-23.35	AV	269.00	150	Vertical	Pass
4	5319.000	95.58	0.15	--	-220.42	Peak	316.00	150	Vertical	N/A
4**	5319.000	88.17	0.15	--	88.17	AV	316.00	150	Vertical	N/A
5	11926.313	51.13	20.18	74.0	-22.87	Peak	0.00	150	Vertical	Pass
5**	11926.313	37.45	20.18	54.0	-16.55	AV	0.00	150	Vertical	Pass
6	15546.937	55.29	26.38	74.0	-18.71	Peak	19.00	150	Vertical	Pass
6**	15546.937	44.20	26.38	54.0	-9.80	AV	19.00	150	Vertical	Pass

## 11n20, Band II, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1552.500	38.05	-14.89	74.0	-35.95	Peak	360.00	150	Horizontal	Pass
1**	1552.500	21.78	-14.89	54.0	-32.22	AV	360.00	150	Horizontal	Pass
2	2811.500	42.86	-8.26	74.0	-31.14	Peak	360.00	150	Horizontal	Pass
2**	2811.500	27.22	-8.26	54.0	-26.78	AV	360.00	150	Horizontal	Pass
3	4020.000	46.90	-4.04	74.0	-27.10	Peak	76.00	150	Horizontal	Pass
3**	4020.000	31.00	-4.04	54.0	-23.00	AV	76.00	150	Horizontal	Pass
4	5318.000	103.14	0.05	--	101.14	Peak	2.00	150	Horizontal	N/A
4**	5318.000	95.42	0.05	--	95.42	AV	2.00	150	Horizontal	N/A
5	11919.126	51.56	20.30	74.0	-22.44	Peak	77.00	150	Horizontal	Pass
5**	11919.126	38.47	20.30	54.0	-15.53	AV	77.00	150	Horizontal	Pass
6	15621.750	55.01	26.48	74.0	-18.99	Peak	246.00	150	Horizontal	Pass
6**	15621.750	44.17	26.48	54.0	-9.83	AV	246.00	150	Horizontal	Pass

## 11n40, Band II, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1577.500	39.05	-15.08	74.0	-34.95	Peak	0.00	150	Vertical	Pass
1**	1577.500	22.31	-15.08	54.0	-31.69	AV	0.00	150	Vertical	Pass
2	2818.000	42.97	-8.13	74.0	-31.03	Peak	282.00	150	Vertical	Pass
2**	2818.000	26.95	-8.13	54.0	-27.05	AV	282.00	150	Vertical	Pass
3	3981.000	46.63	-4.10	74.0	-27.37	Peak	64.00	150	Vertical	Pass
3**	3981.000	30.38	-4.10	54.0	-23.62	AV	64.00	150	Vertical	Pass
4	5280.000	89.99	-0.42	--	-228.01	Peak	318.00	150	Vertical	N/A
4**	5280.000	82.79	-0.42	--	82.79	AV	318.00	150	Vertical	N/A
5	12262.688	52.99	22.00	74.0	-21.01	Peak	261.00	150	Vertical	Pass
5**	12262.688	37.10	22.00	54.0	-16.90	AV	261.00	150	Vertical	Pass
6	15627.000	54.40	26.68	74.0	-19.60	Peak	281.00	150	Vertical	Pass
6**	15627.000	44.13	26.68	54.0	-9.87	AV	281.00	150	Vertical	Pass

## 11n40, Band II, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1538.000	37.74	-14.81	74.0	-36.26	Peak	145.00	150	Horizontal	Pass
1**	1538.000	21.82	-14.81	54.0	-32.18	AV	145.00	150	Horizontal	Pass
2	2794.500	43.18	-8.59	74.0	-30.82	Peak	280.00	150	Horizontal	Pass
2**	2794.500	27.12	-8.59	54.0	-26.88	AV	280.00	150	Horizontal	Pass
3	4007.000	46.96	-4.54	74.0	-27.04	Peak	76.00	150	Horizontal	Pass
3**	4007.000	31.08	-4.54	54.0	-22.92	AV	76.00	150	Horizontal	Pass
4	5267.000	99.04	-0.55	--	94.04	Peak	5.00	150	Horizontal	N/A
4**	5267.000	91.68	-0.55	--	91.68	AV	5.00	150	Horizontal	N/A
5	11631.625	50.90	20.38	74.0	-23.10	Peak	237.00	150	Horizontal	Pass
5**	11631.625	36.33	20.38	54.0	-17.67	AV	237.00	150	Horizontal	Pass
6	15650.625	54.76	26.92	74.0	-19.24	Peak	161.00	150	Horizontal	Pass
6**	15650.625	43.36	26.92	54.0	-10.64	AV	161.00	150	Horizontal	Pass

## 11n40, Band II, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1486.000	37.54	-14.90	74.0	-36.46	Peak	87.00	150	Vertical	Pass
1**	1486.000	21.72	-14.90	54.0	-32.28	AV	87.00	150	Vertical	Pass
2	2780.500	42.65	-8.65	74.0	-31.35	Peak	193.00	150	Vertical	Pass
2**	2780.500	27.23	-8.65	54.0	-26.77	AV	193.00	150	Vertical	Pass
3	4207.000	48.22	-4.00	74.0	-25.78	Peak	38.00	150	Vertical	Pass
3**	4207.000	30.69	-4.00	54.0	-23.31	AV	38.00	150	Vertical	Pass
4	5306.000	91.63	0.23	--	-226.37	Peak	318.00	150	Vertical	N/A
4**	5306.000	85.14	0.23	--	85.14	AV	318.00	150	Vertical	N/A
5	11758.125	51.55	20.30	74.0	-22.45	Peak	351.00	150	Vertical	Pass
5**	11758.125	36.90	20.30	54.0	-17.10	AV	351.00	150	Vertical	Pass
6	15636.187	54.32	27.04	74.0	-19.68	Peak	112.00	150	Vertical	Pass
6**	15636.187	44.61	27.04	54.0	-9.39	AV	112.00	150	Vertical	Pass

## 11n40, Band II, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1125.000	37.96	-15.07	74.0	-36.04	Peak	258.00	150	Horizontal	Pass
1**	1125.000	27.58	-15.07	54.0	-26.42	AV	258.00	150	Horizontal	Pass
2	2779.000	43.68	-8.66	74.0	-30.32	Peak	335.00	150	Horizontal	Pass
2**	2779.000	26.78	-8.66	54.0	-27.22	AV	335.00	150	Horizontal	Pass
3	3973.000	46.34	-4.18	74.0	-27.66	Peak	18.00	150	Horizontal	Pass
3**	3973.000	30.37	-4.18	54.0	-23.63	AV	18.00	150	Horizontal	Pass
4	5305.000	99.21	0.30	--	87.21	Peak	12.00	150	Horizontal	N/A
4**	5305.000	91.96	0.30	--	91.96	AV	12.00	150	Horizontal	N/A
5	11633.063	51.45	20.38	74.0	-22.55	Peak	3.00	150	Horizontal	Pass
5**	11633.063	35.38	20.38	54.0	-18.62	AV	3.00	150	Horizontal	Pass
6	15567.938	54.64	27.03	74.0	-19.36	Peak	62.00	150	Horizontal	Pass
6**	15567.938	42.93	27.03	54.0	-11.07	AV	62.00	150	Horizontal	Pass

## 11ac20, Band II, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1110.000	38.29	-15.12	74.0	-35.71	Peak	232.00	150	Vertical	Pass
1**	1110.000	22.80	-15.12	54.0	-31.20	AV	232.00	150	Vertical	Pass
2	2779.500	44.28	-8.66	74.0	-29.72	Peak	182.00	150	Vertical	Pass
2**	2779.500	26.98	-8.66	54.0	-27.02	AV	182.00	150	Vertical	Pass
3	4087.000	46.75	-4.25	74.0	-27.25	Peak	38.00	150	Vertical	Pass
3**	4087.000	31.10	-4.25	54.0	-22.90	AV	38.00	150	Vertical	Pass
4	5259.000	92.76	-1.05	--	-223.24	Peak	316.00	150	Vertical	N/A
4**	5259.000	85.93	-1.05	--	85.93	AV	316.00	150	Vertical	N/A
5	11771.062	51.50	20.33	74.0	-22.50	Peak	98.00	150	Vertical	Pass
5**	11771.062	36.27	20.33	54.0	-17.73	AV	98.00	150	Vertical	Pass
6	15625.687	55.47	26.63	74.0	-18.53	Peak	62.00	150	Vertical	Pass
6**	15625.687	44.13	26.63	54.0	-9.87	AV	62.00	150	Vertical	Pass

## 11ac20, Band II, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1547.500	37.05	-14.86	74.0	-36.95	Peak	22.00	150	Horizontal	Pass
1**	1547.500	21.51	-14.86	54.0	-32.49	AV	22.00	150	Horizontal	Pass
2	2753.500	43.00	-9.06	74.0	-31.00	Peak	83.00	150	Horizontal	Pass
2**	2753.500	26.20	-9.06	54.0	-27.80	AV	83.00	150	Horizontal	Pass
3	4209.000	48.37	-4.01	74.0	-25.63	Peak	270.00	150	Horizontal	Pass
3**	4209.000	31.28	-4.01	54.0	-22.72	AV	270.00	150	Horizontal	Pass
4	5262.000	101.96	-1.01	--	82.96	Peak	19.00	150	Horizontal	N/A
4**	5262.000	94.96	-1.01	--	94.96	AV	19.00	150	Horizontal	N/A
5	11647.438	51.48	20.43	74.0	-22.52	Peak	92.00	150	Horizontal	Pass
5**	11647.438	35.93	20.43	54.0	-18.07	AV	92.00	150	Horizontal	Pass
6	15657.187	54.26	26.75	74.0	-19.74	Peak	171.00	150	Horizontal	Pass
6**	15657.187	43.23	26.75	54.0	-10.77	AV	171.00	150	Horizontal	Pass

## 11ac20, Band II, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1165.000	39.66	-14.81	74.0	-34.34	Peak	230.00	150	Vertical	Pass
1**	1165.000	22.57	-14.81	54.0	-31.43	AV	230.00	150	Vertical	Pass
2	2763.500	43.59	-8.72	74.0	-30.41	Peak	55.00	150	Vertical	Pass
2**	2763.500	27.63	-8.72	54.0	-26.37	AV	55.00	150	Vertical	Pass
3	4084.000	46.35	-4.24	74.0	-27.65	Peak	152.00	150	Vertical	Pass
3**	4084.000	31.23	-4.24	54.0	-22.77	AV	152.00	150	Vertical	Pass
4	5299.000	96.75	0.26	--	-227.25	Peak	324.00	150	Vertical	N/A
4**	5299.000	89.15	0.26	--	89.15	AV	324.00	150	Vertical	N/A
5	11911.937	51.33	20.09	74.0	-22.67	Peak	19.00	150	Vertical	Pass
5**	11911.937	37.45	20.09	54.0	-16.55	AV	19.00	150	Vertical	Pass
6	15606.000	54.36	26.11	74.0	-19.64	Peak	80.00	150	Vertical	Pass
6**	15606.000	42.97	26.11	54.0	-11.03	AV	80.00	150	Vertical	Pass

## 11ac20, Band II, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1141.500	38.18	-14.86	74.0	-35.82	Peak	261.00	150	Horizontal	Pass
1**	1141.500	24.72	-14.86	54.0	-29.28	AV	261.00	150	Horizontal	Pass
2	2784.500	42.94	-8.76	74.0	-31.06	Peak	69.00	150	Horizontal	Pass
2**	2784.500	26.74	-8.76	54.0	-27.26	AV	69.00	150	Horizontal	Pass
3	3935.000	46.48	-4.96	74.0	-27.52	Peak	298.00	150	Horizontal	Pass
3**	3935.000	29.76	-4.96	54.0	-24.24	AV	298.00	150	Horizontal	Pass
4	5302.000	102.41	0.29	--	91.41	Peak	11.00	150	Horizontal	N/A
4**	5302.000	95.15	0.29	--	95.15	AV	11.00	150	Horizontal	N/A
5	11946.438	51.60	19.93	74.0	-22.40	Peak	134.00	150	Horizontal	Pass
5**	11946.438	36.50	19.93	54.0	-17.50	AV	134.00	150	Horizontal	Pass
6	15537.750	55.01	26.13	74.0	-18.99	Peak	28.00	150	Horizontal	Pass
6**	15537.750	43.26	26.13	54.0	-10.74	AV	28.00	150	Horizontal	Pass

## 11ac20, Band II, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1508.000	38.02	-15.03	74.0	-35.98	Peak	246.00	150	Vertical	Pass
1**	1508.000	21.17	-15.03	54.0	-32.83	AV	246.00	150	Vertical	Pass
2	2864.500	44.78	-7.92	74.0	-29.22	Peak	0.00	150	Vertical	Pass
2**	2864.500	27.08	-7.92	54.0	-26.92	AV	0.00	150	Vertical	Pass
3	4022.000	46.25	-4.04	74.0	-27.75	Peak	78.00	150	Vertical	Pass
3**	4022.000	31.92	-4.04	54.0	-22.08	AV	78.00	150	Vertical	Pass
4	5316.000	94.22	-0.01	--	-225.78	Peak	320.00	150	Vertical	N/A
4**	5316.000	87.57	-0.01	--	87.57	AV	320.00	150	Vertical	N/A
5	11752.375	51.41	20.21	74.0	-22.59	Peak	326.00	150	Vertical	Pass
5**	11752.375	35.72	20.21	54.0	-18.28	AV	326.00	150	Vertical	Pass
6	15640.125	54.69	27.19	74.0	-19.31	Peak	125.00	150	Vertical	Pass
6**	15640.125	44.45	27.19	54.0	-9.55	AV	125.00	150	Vertical	Pass

## 11ac20, Band II, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1528.500	36.91	-14.93	74.0	-37.09	Peak	73.00	150	Horizontal	Pass
1**	1528.500	20.93	-14.93	54.0	-33.07	AV	73.00	150	Horizontal	Pass
2	2803.000	43.51	-8.32	74.0	-30.49	Peak	152.00	150	Horizontal	Pass
2**	2803.000	27.05	-8.32	54.0	-26.95	AV	152.00	150	Horizontal	Pass
3	4040.000	46.77	-3.99	74.0	-27.23	Peak	111.00	150	Horizontal	Pass
3**	4040.000	31.83	-3.99	54.0	-22.17	AV	111.00	150	Horizontal	Pass
4	5319.000	102.82	0.15	--	69.82	Peak	33.00	150	Horizontal	N/A
4**	5319.000	95.65	0.15	--	95.65	AV	33.00	150	Horizontal	N/A
5	11776.812	51.35	20.33	74.0	-22.65	Peak	296.00	150	Horizontal	Pass
5**	11776.812	37.61	20.33	54.0	-16.39	AV	296.00	150	Horizontal	Pass
6	15634.875	54.83	26.99	74.0	-19.17	Peak	255.00	150	Horizontal	Pass
6**	15634.875	43.69	26.99	54.0	-10.31	AV	255.00	150	Horizontal	Pass

## 11ac40, Band II, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1584.500	40.18	-15.08	74.0	-33.82	Peak	360.00	150	Vertical	Pass
1**	1584.500	21.74	-15.08	54.0	-32.26	AV	360.00	150	Vertical	Pass
2	2772.500	43.61	-8.56	74.0	-30.39	Peak	257.00	150	Vertical	Pass
2**	2772.500	26.90	-8.56	54.0	-27.10	AV	257.00	150	Vertical	Pass
3	4170.000	47.34	-3.75	74.0	-26.66	Peak	310.00	150	Vertical	Pass
3**	4170.000	31.64	-3.75	54.0	-22.36	AV	310.00	150	Vertical	Pass
4	5274.000	90.15	-0.60	--	-231.85	Peak	322.00	150	Vertical	N/A
4**	5274.000	82.79	-0.60	--	82.79	AV	322.00	150	Vertical	N/A
5	11914.812	51.93	20.18	74.0	-22.07	Peak	147.00	150	Vertical	Pass
5**	11914.812	37.36	20.18	54.0	-16.64	AV	147.00	150	Vertical	Pass
6	15612.562	54.75	26.25	74.0	-19.25	Peak	78.00	150	Vertical	Pass
6**	15612.562	43.88	26.25	54.0	-10.12	AV	78.00	150	Vertical	Pass

## 11ac40, Band II, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1495.500	37.34	-15.00	74.0	-36.66	Peak	84.00	150	Horizontal	Pass
1**	1495.500	21.50	-15.00	54.0	-32.50	AV	84.00	150	Horizontal	Pass
2	2847.500	43.68	-8.28	74.0	-30.32	Peak	188.00	150	Horizontal	Pass
2**	2847.500	27.20	-8.28	54.0	-26.80	AV	188.00	150	Horizontal	Pass
3	3984.000	46.26	-4.28	74.0	-27.74	Peak	158.00	150	Horizontal	Pass
3**	3984.000	30.84	-4.28	54.0	-23.16	AV	158.00	150	Horizontal	Pass
4	5268.000	99.20	-0.40	--	90.20	Peak	9.00	150	Horizontal	N/A
4**	5268.000	92.34	-0.40	--	92.34	AV	9.00	150	Horizontal	N/A
5	11769.625	51.03	20.33	74.0	-22.97	Peak	342.00	150	Horizontal	Pass
5**	11769.625	36.51	20.33	54.0	-17.49	AV	342.00	150	Horizontal	Pass
6	15439.313	54.71	24.93	74.0	-19.29	Peak	138.00	150	Horizontal	Pass
6**	15439.313	42.08	24.93	54.0	-11.92	AV	138.00	150	Horizontal	Pass



## 11ac40, Band II, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1541.500	37.64	-14.71	74.0	-36.36	Peak	0.00	150	Vertical	Pass
1**	1541.500	21.55	-14.71	54.0	-32.45	AV	0.00	150	Vertical	Pass
2	2764.000	43.20	-8.70	74.0	-30.80	Peak	10.00	150	Vertical	Pass
2**	2764.000	26.64	-8.70	54.0	-27.36	AV	10.00	150	Vertical	Pass
3	4016.000	46.59	-4.09	74.0	-27.41	Peak	297.00	150	Vertical	Pass
3**	4016.000	30.52	-4.09	54.0	-23.48	AV	297.00	150	Vertical	Pass
4	5311.000	93.09	0.07	--	-220.91	Peak	314.00	150	Vertical	N/A
4**	5311.000	80.31	0.07	--	80.31	AV	314.00	150	Vertical	N/A
5	11919.126	51.87	20.30	74.0	-22.13	Peak	293.00	150	Vertical	Pass
5**	11919.126	37.87	20.30	54.0	-16.13	AV	293.00	150	Vertical	Pass
6	15636.187	54.82	27.04	74.0	-19.18	Peak	360.00	150	Vertical	Pass
6**	15636.187	44.32	27.04	54.0	-9.68	AV	360.00	150	Vertical	Pass

## 11ac40, Band II, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1519.500	37.19	-14.88	74.0	-36.81	Peak	41.00	150	Horizontal	Pass
1**	1519.500	20.86	-14.88	54.0	-33.14	AV	41.00	150	Horizontal	Pass
2	2771.000	43.72	-8.45	74.0	-30.28	Peak	162.00	150	Horizontal	Pass
2**	2771.000	26.91	-8.45	54.0	-27.09	AV	162.00	150	Horizontal	Pass
3	4222.000	46.98	-3.71	74.0	-27.02	Peak	315.00	150	Horizontal	Pass
3**	4222.000	32.14	-3.71	54.0	-21.86	AV	315.00	150	Horizontal	Pass
4	5312.000	99.02	0.12	--	97.02	Peak	2.00	150	Horizontal	N/A
4**	5312.000	91.89	0.12	--	91.89	AV	2.00	150	Horizontal	N/A
5	11663.250	51.17	20.40	74.0	-22.83	Peak	345.00	150	Horizontal	Pass
5**	11663.250	35.27	20.40	54.0	-18.73	AV	345.00	150	Horizontal	Pass
6	15634.875	54.59	26.99	74.0	-19.41	Peak	121.00	150	Horizontal	Pass
6**	15634.875	44.30	26.99	54.0	-9.70	AV	121.00	150	Horizontal	Pass

## 11ac80, Band II, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1594.500	38.71	-15.06	74.0	-35.29	Peak	203.00	150	Vertical	Pass
1**	1594.500	22.62	-15.06	54.0	-31.38	AV	203.00	150	Vertical	Pass
2	2779.000	43.47	-8.66	74.0	-30.53	Peak	292.00	150	Vertical	Pass
2**	2779.000	27.03	-8.66	54.0	-26.97	AV	292.00	150	Vertical	Pass
3	4125.000	47.55	-3.98	74.0	-26.45	Peak	189.00	150	Vertical	Pass
3**	4125.000	31.45	-3.98	54.0	-22.55	AV	189.00	150	Vertical	Pass
4	5288.000	84.38	-0.31	--	-235.62	Peak	320.00	150	Vertical	N/A
4**	5288.000	76.62	-0.31	--	76.62	AV	320.00	150	Vertical	N/A
5	11758.125	51.56	20.30	74.0	-22.44	Peak	23.00	150	Vertical	Pass
5**	11758.125	35.30	20.30	54.0	-18.70	AV	23.00	150	Vertical	Pass
6	15638.813	54.74	27.15	74.0	-19.26	Peak	0.00	150	Vertical	Pass
6**	15638.813	44.01	27.15	54.0	-9.99	AV	0.00	150	Vertical	Pass

## 11ac80, Band II, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1583.500	37.70	-15.08	74.0	-36.30	Peak	250.00	150	Horizontal	Pass
1**	1583.500	22.56	-15.08	54.0	-31.44	AV	250.00	150	Horizontal	Pass
2	2789.000	42.77	-8.74	74.0	-31.23	Peak	340.00	150	Horizontal	Pass
2**	2789.000	27.12	-8.74	54.0	-26.88	AV	340.00	150	Horizontal	Pass
3	3929.000	46.44	-4.82	74.0	-27.56	Peak	292.00	150	Horizontal	Pass
3**	3929.000	29.74	-4.82	54.0	-24.26	AV	292.00	150	Horizontal	Pass
4	5283.000	91.08	-0.29	--	90.08	Peak	1.00	150	Horizontal	N/A
4**	5283.000	83.23	-0.29	--	83.23	AV	1.00	150	Horizontal	N/A
5	11623.000	51.90	20.39	74.0	-22.10	Peak	335.00	150	Horizontal	Pass
5**	11623.000	35.60	20.39	54.0	-18.40	AV	335.00	150	Horizontal	Pass
6	15591.562	55.15	26.56	74.0	-18.85	Peak	277.00	150	Horizontal	Pass
6**	15591.562	42.05	26.56	54.0	-11.95	AV	277.00	150	Horizontal	Pass

## 11a, Band III, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1516.000	37.59	-14.95	74.0	-36.41	Peak	313.00	150	Vertical	Pass
1**	1516.000	21.35	-14.95	54.0	-32.65	AV	313.00	150	Vertical	Pass
2	2782.500	42.40	-8.66	74.0	-31.60	Peak	222.00	150	Vertical	Pass
2**	2782.500	26.98	-8.66	54.0	-27.02	AV	222.00	150	Vertical	Pass
3	4022.000	46.60	-4.04	74.0	-27.40	Peak	213.00	150	Vertical	Pass
3**	4022.000	30.48	-4.04	54.0	-23.52	AV	213.00	150	Vertical	Pass
4	5505.000	96.85	0.44	--	-220.15	Peak	317.00	150	Vertical	N/A
4**	5505.000	89.39	0.44	--	89.39	AV	317.00	150	Vertical	N/A
5	11959.375	51.71	20.09	74.0	-22.29	Peak	234.00	150	Vertical	Pass
5**	11959.375	36.53	20.09	54.0	-17.47	AV	234.00	150	Vertical	Pass
6	15628.313	54.48	26.73	74.0	-19.52	Peak	174.00	150	Vertical	Pass
6**	15628.313	43.79	26.73	54.0	-10.21	AV	174.00	150	Vertical	Pass

## 11a, Band III, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1520.500	37.28	-14.89	74.0	-36.72	Peak	356.00	150	Horizontal	Pass
1**	1520.500	21.32	-14.89	54.0	-32.68	AV	356.00	150	Horizontal	Pass
2	2816.000	43.98	-8.09	74.0	-30.02	Peak	262.00	150	Horizontal	Pass
2**	2816.000	27.22	-8.09	54.0	-26.78	AV	262.00	150	Horizontal	Pass
3	4037.000	46.63	-3.98	74.0	-27.37	Peak	107.00	150	Horizontal	Pass
3**	4037.000	30.53	-3.98	54.0	-23.47	AV	107.00	150	Horizontal	Pass
4	5503.000	105.63	0.48	--	104.63	Peak	1.00	150	Horizontal	N/A
4**	5503.000	98.01	0.48	--	98.01	AV	1.00	150	Horizontal	N/A
5	11612.937	50.94	20.28	74.0	-23.06	Peak	310.00	150	Horizontal	Pass
5**	11612.937	35.78	20.28	54.0	-18.22	AV	310.00	150	Horizontal	Pass
6	15617.812	54.64	26.36	74.0	-19.36	Peak	97.00	150	Horizontal	Pass
6**	15617.812	43.39	26.36	54.0	-10.61	AV	97.00	150	Horizontal	Pass

## 11a, Band III, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1529.500	37.30	-14.88	74.0	-36.70	Peak	327.00	150	Vertical	Pass
1**	1529.500	21.76	-14.88	54.0	-32.24	AV	327.00	150	Vertical	Pass
2	2812.500	43.25	-8.23	74.0	-30.75	Peak	185.00	150	Vertical	Pass
2**	2812.500	27.00	-8.23	54.0	-27.00	AV	185.00	150	Vertical	Pass
3	4047.000	46.33	-3.90	74.0	-27.67	Peak	289.00	150	Vertical	Pass
3**	4047.000	30.23	-3.90	54.0	-23.77	AV	289.00	150	Vertical	Pass
4	5578.000	99.72	0.75	--	-212.28	Peak	312.00	150	Vertical	N/A
4**	5578.000	92.38	0.75	--	92.38	AV	312.00	150	Vertical	N/A
5	11634.500	50.84	20.37	74.0	-23.16	Peak	200.00	150	Vertical	Pass
5**	11634.500	35.38	20.37	54.0	-18.62	AV	200.00	150	Vertical	Pass
6	15624.375	55.33	26.58	74.0	-18.67	Peak	17.00	150	Vertical	Pass
6**	15624.375	44.51	26.58	54.0	-9.49	AV	17.00	150	Vertical	Pass

## 11a, Band III, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1545.000	37.56	-14.79	74.0	-36.44	Peak	347.00	150	Horizontal	Pass
1**	1545.000	21.19	-14.79	54.0	-32.81	AV	347.00	150	Horizontal	Pass
2	2815.500	43.54	-8.10	74.0	-30.46	Peak	44.00	150	Horizontal	Pass
2**	2815.500	27.08	-8.10	54.0	-26.92	AV	44.00	150	Horizontal	Pass
3	4037.000	46.50	-3.98	74.0	-27.50	Peak	178.00	150	Horizontal	Pass
3**	4037.000	30.23	-3.98	54.0	-23.77	AV	178.00	150	Horizontal	Pass
4	5579.000	106.92	0.82	--	106.92	Peak	0.00	150	Horizontal	N/A
4**	5579.000	99.55	0.82	--	99.55	AV	0.00	150	Horizontal	N/A
5	11778.250	51.09	20.33	74.0	-22.91	Peak	79.00	150	Horizontal	Pass
5**	11778.250	36.35	20.33	54.0	-17.65	AV	79.00	150	Horizontal	Pass
6	15630.937	54.80	26.84	74.0	-19.20	Peak	133.00	150	Horizontal	Pass
6**	15630.937	43.79	26.84	54.0	-10.21	AV	133.00	150	Horizontal	Pass

## 11a, Band III, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1568.500	38.38	-15.01	74.0	-35.62	Peak	216.00	150	Vertical	Pass
1**	1568.500	22.34	-15.01	54.0	-31.66	AV	216.00	150	Vertical	Pass
2	2786.000	42.97	-8.90	74.0	-31.03	Peak	82.00	150	Vertical	Pass
2**	2786.000	26.95	-8.90	54.0	-27.05	AV	82.00	150	Vertical	Pass
3	4117.000	48.06	-4.08	74.0	-25.94	Peak	232.00	150	Vertical	Pass
3**	4117.000	30.74	-4.08	54.0	-23.26	AV	232.00	150	Vertical	Pass
4	5701.000	98.88	-0.81	--	-226.12	Peak	325.00	150	Vertical	N/A
4**	5701.000	90.39	-0.81	--	90.39	AV	325.00	150	Vertical	N/A
5	11923.438	51.74	20.25	74.0	-22.26	Peak	230.00	150	Vertical	Pass
5**	11923.438	38.00	20.25	54.0	-16.00	AV	230.00	150	Vertical	Pass
6	15642.750	55.58	27.12	74.0	-18.42	Peak	0.00	150	Vertical	Pass
6**	15642.750	44.34	27.12	54.0	-9.66	AV	0.00	150	Vertical	Pass

## 11a, Band III, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1561.000	37.74	-14.84	74.0	-36.26	Peak	308.00	150	Horizontal	Pass
1**	1561.000	21.62	-14.84	54.0	-32.38	AV	308.00	150	Horizontal	Pass
2	2791.000	42.87	-8.68	74.0	-31.13	Peak	50.00	150	Horizontal	Pass
2**	2791.000	26.79	-8.68	54.0	-27.21	AV	50.00	150	Horizontal	Pass
3	3952.000	46.25	-4.72	74.0	-27.75	Peak	260.00	150	Horizontal	Pass
3**	3952.000	30.12	-4.72	54.0	-23.88	AV	260.00	150	Horizontal	Pass
4	5698.000	106.64	-0.76	--	97.64	Peak	9.00	150	Horizontal	N/A
4**	5698.000	98.70	-0.76	--	98.70	AV	9.00	150	Horizontal	N/A
5	12340.312	53.08	21.34	74.0	-20.92	Peak	262.00	150	Horizontal	Pass
5**	12340.312	36.75	21.34	54.0	-17.25	AV	262.00	150	Horizontal	Pass
6	15557.437	54.83	26.73	74.0	-19.17	Peak	33.00	150	Horizontal	Pass
6**	15557.437	43.64	26.73	54.0	-10.36	AV	33.00	150	Horizontal	Pass

## 11n20, Band III, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1545.000	37.76	-14.79	74.0	-36.24	Peak	199.00	150	Vertical	Pass
1**	1545.000	21.29	-14.79	54.0	-32.71	AV	199.00	150	Vertical	Pass
2	2732.000	43.64	-8.86	74.0	-30.36	Peak	32.00	150	Vertical	Pass
2**	2732.000	26.69	-8.86	54.0	-27.31	AV	32.00	150	Vertical	Pass
3	4036.000	46.90	-3.91	74.0	-27.10	Peak	0.00	150	Vertical	Pass
3**	4036.000	30.52	-3.91	54.0	-23.48	AV	0.00	150	Vertical	Pass
4	5504.000	96.26	0.49	--	-216.74	Peak	313.00	150	Vertical	N/A
4**	5504.000	89.55	0.49	--	89.55	AV	313.00	150	Vertical	N/A
5	11778.250	51.89	20.33	74.0	-22.11	Peak	72.00	150	Vertical	Pass
5**	11778.250	36.36	20.33	54.0	-17.64	AV	72.00	150	Vertical	Pass
6	15644.063	54.38	27.09	74.0	-19.62	Peak	113.00	150	Vertical	Pass
6**	15644.063	43.95	27.09	54.0	-10.05	AV	113.00	150	Vertical	Pass

## 11n20, Band III, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1511.000	37.34	-14.91	74.0	-36.66	Peak	0.00	150	Horizontal	Pass
1**	1511.000	21.44	-14.91	54.0	-32.56	AV	0.00	150	Horizontal	Pass
2	2805.000	42.86	-8.39	74.0	-31.14	Peak	360.00	150	Horizontal	Pass
2**	2805.000	27.25	-8.39	54.0	-26.75	AV	360.00	150	Horizontal	Pass
3	3987.000	47.18	-4.35	74.0	-26.82	Peak	153.00	150	Horizontal	Pass
3**	3987.000	30.32	-4.35	54.0	-23.68	AV	153.00	150	Horizontal	Pass
4	5503.000	104.54	0.48	--	91.54	Peak	13.00	150	Horizontal	N/A
4**	5503.000	97.73	0.48	--	97.73	AV	13.00	150	Horizontal	N/A
5	11796.938	51.37	19.91	74.0	-22.63	Peak	252.00	150	Horizontal	Pass
5**	11796.938	36.22	19.91	54.0	-17.78	AV	252.00	150	Horizontal	Pass
6	15554.813	54.98	26.64	74.0	-19.02	Peak	227.00	150	Horizontal	Pass
6**	15554.813	43.46	26.64	54.0	-10.54	AV	227.00	150	Horizontal	Pass

## 11n20, Band III, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1140.000	38.63	-15.01	74.0	-35.37	Peak	12.00	150	Vertical	Pass
1**	1140.000	20.60	-15.01	54.0	-33.40	AV	12.00	150	Vertical	Pass
2	2807.500	43.25	-8.32	74.0	-30.75	Peak	360.00	150	Vertical	Pass
2**	2807.500	27.22	-8.32	54.0	-26.78	AV	360.00	150	Vertical	Pass
3	4010.000	47.22	-4.60	74.0	-26.78	Peak	202.00	150	Vertical	Pass
3**	4010.000	29.96	-4.60	54.0	-24.04	AV	202.00	150	Vertical	Pass
4	5581.000	99.80	0.89	--	-213.20	Peak	313.00	150	Vertical	N/A
4**	5581.000	91.14	0.89	--	91.14	AV	313.00	150	Vertical	N/A
5	11968.000	52.19	20.35	74.0	-21.81	Peak	88.00	150	Vertical	Pass
5**	11968.000	36.65	20.35	54.0	-17.35	AV	88.00	150	Vertical	Pass
6	15629.625	54.57	26.79	74.0	-19.43	Peak	107.00	150	Vertical	Pass
6**	15629.625	44.49	26.79	54.0	-9.51	AV	107.00	150	Vertical	Pass

## 11n20, Band III, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1519.500	37.01	-14.88	74.0	-36.99	Peak	324.00	150	Horizontal	Pass
1**	1519.500	21.20	-14.88	54.0	-32.80	AV	324.00	150	Horizontal	Pass
2	2810.000	42.83	-8.41	74.0	-31.17	Peak	312.00	150	Horizontal	Pass
2**	2810.000	27.16	-8.41	54.0	-26.84	AV	312.00	150	Horizontal	Pass
3	4024.000	46.28	-3.96	74.0	-27.72	Peak	12.00	150	Horizontal	Pass
3**	4024.000	30.86	-3.96	54.0	-23.14	AV	12.00	150	Horizontal	Pass
4	5581.000	106.37	0.89	--	106.37	Peak	0.00	150	Horizontal	N/A
4**	5581.000	98.22	0.89	--	98.22	AV	0.00	150	Horizontal	N/A
5	11973.750	52.95	20.54	74.0	-21.05	Peak	141.00	150	Horizontal	Pass
5**	11973.750	37.10	20.54	54.0	-16.90	AV	141.00	150	Horizontal	Pass
6	15657.187	55.17	26.75	74.0	-18.83	Peak	153.00	150	Horizontal	Pass
6**	15657.187	42.72	26.75	54.0	-11.28	AV	153.00	150	Horizontal	Pass

## 11n20, Band III, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1497.000	38.07	-15.02	74.0	-35.93	Peak	99.00	150	Vertical	Pass
1**	1497.000	22.02	-15.02	54.0	-31.98	AV	99.00	150	Vertical	Pass
2	2785.000	43.34	-8.81	74.0	-30.66	Peak	36.00	150	Vertical	Pass
2**	2785.000	26.86	-8.81	54.0	-27.14	AV	36.00	150	Vertical	Pass
3	4131.000	46.98	-4.11	74.0	-27.02	Peak	207.00	150	Vertical	Pass
3**	4131.000	30.90	-4.11	54.0	-23.10	AV	207.00	150	Vertical	Pass
4	5701.000	98.55	-0.81	--	-220.45	Peak	319.00	150	Vertical	N/A
4**	5701.000	89.31	-0.81	--	89.31	AV	319.00	150	Vertical	N/A
5	11650.312	52.27	20.46	74.0	-21.73	Peak	167.00	150	Vertical	Pass
5**	11650.312	35.57	20.46	54.0	-18.43	AV	167.00	150	Vertical	Pass
6	15627.000	55.10	26.68	74.0	-18.90	Peak	266.00	150	Vertical	Pass
6**	15627.000	44.26	26.68	54.0	-9.74	AV	266.00	150	Vertical	Pass

## 11n20, Band III, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1516.000	37.90	-14.95	74.0	-36.10	Peak	137.00	150	Horizontal	Pass
1**	1516.000	21.37	-14.95	54.0	-32.63	AV	137.00	150	Horizontal	Pass
2	2805.500	43.77	-8.38	74.0	-30.23	Peak	13.00	150	Horizontal	Pass
2**	2805.500	27.04	-8.38	54.0	-26.96	AV	13.00	150	Horizontal	Pass
3	4023.000	46.47	-4.04	74.0	-27.53	Peak	121.00	150	Horizontal	Pass
3**	4023.000	31.37	-4.04	54.0	-22.63	AV	121.00	150	Horizontal	Pass
4	5700.000	106.57	-0.85	--	95.57	Peak	11.00	150	Horizontal	N/A
4**	5700.000	99.46	-0.85	--	99.46	AV	11.00	150	Horizontal	N/A
5	11893.250	51.40	19.54	74.0	-22.60	Peak	143.00	150	Horizontal	Pass
5**	11893.250	37.52	19.54	54.0	-16.48	AV	143.00	150	Horizontal	Pass
6	15638.813	55.77	27.15	74.0	-18.23	Peak	274.00	150	Horizontal	Pass
6**	15638.813	44.36	27.15	54.0	-9.64	AV	274.00	150	Horizontal	Pass



## 11n40, Band III, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1133.500	40.92	-15.12	74.0	-33.08	Peak	228.00	150	Vertical	Pass
1**	1133.500	21.83	-15.12	54.0	-32.17	AV	228.00	150	Vertical	Pass
2	2820.000	43.75	-8.05	74.0	-30.25	Peak	300.00	150	Vertical	Pass
2**	2820.000	27.08	-8.05	54.0	-26.92	AV	300.00	150	Vertical	Pass
3	4101.000	46.85	-4.24	74.0	-27.15	Peak	245.00	150	Vertical	Pass
3**	4101.000	31.16	-4.24	54.0	-22.84	AV	245.00	150	Vertical	Pass
4	5514.000	94.62	0.36	--	-224.38	Peak	319.00	150	Vertical	N/A
4**	5514.000	87.08	0.36	--	87.08	AV	319.00	150	Vertical	N/A
5	12183.625	52.41	21.43	74.0	-21.59	Peak	127.00	150	Vertical	Pass
5**	12183.625	35.97	21.43	54.0	-18.03	AV	127.00	150	Vertical	Pass
6	15632.250	55.83	26.89	74.0	-18.17	Peak	56.00	150	Vertical	Pass
6**	15632.250	44.03	26.89	54.0	-9.97	AV	56.00	150	Vertical	Pass

## 11n40, Band III, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1567.500	37.13	-14.97	74.0	-36.87	Peak	72.00	150	Horizontal	Pass
1**	1567.500	20.85	-14.97	54.0	-33.15	AV	72.00	150	Horizontal	Pass
2	2781.000	43.48	-8.64	74.0	-30.52	Peak	195.00	150	Horizontal	Pass
2**	2781.000	27.32	-8.64	54.0	-26.68	AV	195.00	150	Horizontal	Pass
3	4035.000	46.90	-3.92	74.0	-27.10	Peak	88.00	150	Horizontal	Pass
3**	4035.000	31.06	-3.92	54.0	-22.94	AV	88.00	150	Horizontal	Pass
4	5513.000	102.36	0.27	--	94.36	Peak	8.00	150	Horizontal	N/A
4**	5513.000	94.63	0.27	--	94.63	AV	8.00	150	Horizontal	N/A
5	11783.999	51.47	20.23	74.0	-22.53	Peak	234.00	150	Horizontal	Pass
5**	11783.999	36.36	20.23	54.0	-17.64	AV	234.00	150	Horizontal	Pass
6	15619.125	54.51	26.39	74.0	-19.49	Peak	59.00	150	Horizontal	Pass
6**	15619.125	43.74	26.39	54.0	-10.26	AV	59.00	150	Horizontal	Pass

## 11n40, Band III, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1508.500	37.55	-14.99	74.0	-36.45	Peak	361.00	150	Vertical	Pass
1**	1508.500	21.36	-14.99	54.0	-32.64	AV	361.00	150	Vertical	Pass
2	2864.000	43.88	-7.92	74.0	-30.12	Peak	65.00	150	Vertical	Pass
2**	2864.000	27.11	-7.92	54.0	-26.89	AV	65.00	150	Vertical	Pass
3	4149.000	46.91	-3.52	74.0	-27.09	Peak	258.00	150	Vertical	Pass
3**	4149.000	30.96	-3.52	54.0	-23.04	AV	258.00	150	Vertical	Pass
4	5587.000	95.42	0.81	--	-223.58	Peak	319.00	150	Vertical	N/A
4**	5587.000	87.75	0.81	--	87.75	AV	319.00	150	Vertical	N/A
5	12185.062	52.36	21.44	74.0	-21.64	Peak	360.00	150	Vertical	Pass
5**	12185.062	37.04	21.44	54.0	-16.96	AV	360.00	150	Vertical	Pass
6	15628.313	55.09	26.73	74.0	-18.91	Peak	0.00	150	Vertical	Pass
6**	15628.313	44.45	26.73	54.0	-9.55	AV	0.00	150	Vertical	Pass

## 11n40, Band III, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1562.500	37.29	-14.89	74.0	-36.71	Peak	351.00	150	Horizontal	Pass
1**	1562.500	21.72	-14.89	54.0	-32.28	AV	351.00	150	Horizontal	Pass
2	2799.000	43.10	-8.50	74.0	-30.90	Peak	332.00	150	Horizontal	Pass
2**	2799.000	27.26	-8.50	54.0	-26.74	AV	332.00	150	Horizontal	Pass
3	4165.000	47.39	-3.76	74.0	-26.61	Peak	351.00	150	Horizontal	Pass
3**	4165.000	31.08	-3.76	54.0	-22.92	AV	351.00	150	Horizontal	Pass
4	5595.000	103.27	0.39	--	93.27	Peak	10.00	150	Horizontal	N/A
4**	5595.000	95.49	0.39	--	95.49	AV	10.00	150	Horizontal	N/A
5	12222.437	52.36	21.67	74.0	-21.64	Peak	360.00	150	Horizontal	Pass
5**	12222.437	36.62	21.67	54.0	-17.38	AV	360.00	150	Horizontal	Pass
6	15636.187	54.79	27.04	74.0	-19.21	Peak	292.00	150	Horizontal	Pass
6**	15636.187	43.94	27.04	54.0	-10.06	AV	292.00	150	Horizontal	Pass

## 11n40, Band III, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1370.000	37.80	-14.57	74.0	-36.20	Peak	338.00	150	Vertical	Pass
1**	1370.000	21.05	-14.57	54.0	-32.95	AV	338.00	150	Vertical	Pass
2	2823.000	43.06	-8.26	74.0	-30.94	Peak	292.00	150	Vertical	Pass
2**	2823.000	26.49	-8.26	54.0	-27.51	AV	292.00	150	Vertical	Pass
3	4212.000	46.10	-3.81	74.0	-27.90	Peak	347.00	150	Vertical	Pass
3**	4212.000	29.93	-3.81	54.0	-24.07	AV	347.00	150	Vertical	Pass
4	5667.000	91.00	0.14	--	-141.00	Peak	232.00	150	Vertical	N/A
4**	5667.000	83.64	0.14	--	83.64	AV	232.00	150	Vertical	N/A
5	8129.875	47.51	19.04	74.0	-26.49	Peak	199.00	150	Vertical	Pass
5**	8129.875	32.73	19.04	54.0	-21.27	AV	199.00	150	Vertical	Pass
6	12609.125	49.88	22.13	74.0	-24.12	Peak	51.00	150	Vertical	Pass
6**	12609.125	34.85	22.13	54.0	-19.15	AV	51.00	150	Vertical	Pass

## 11n40, Band III, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1397.500	43.25	-14.69	74.0	-30.75	Peak	152.00	150	Horizontal	Pass
1**	1397.500	21.54	-14.69	54.0	-32.46	AV	152.00	150	Horizontal	Pass
2	2804.000	43.97	-8.35	74.0	-30.03	Peak	334.00	150	Horizontal	Pass
2**	2804.000	26.54	-8.35	54.0	-27.46	AV	334.00	150	Horizontal	Pass
3	4035.000	46.05	-3.92	74.0	-27.95	Peak	214.00	150	Horizontal	Pass
3**	4035.000	29.40	-3.92	54.0	-24.60	AV	214.00	150	Horizontal	Pass
4	5668.000	101.51	0.11	--	-201.49	Peak	303.00	150	Horizontal	N/A
4**	5668.000	94.82	0.11	--	94.82	AV	303.00	150	Horizontal	N/A
5	7610.937	47.43	18.11	74.0	-26.57	Peak	85.00	150	Horizontal	Pass
5**	7610.937	31.04	18.11	54.0	-22.96	AV	85.00	150	Horizontal	Pass
6	12029.813	49.69	20.33	74.0	-24.31	Peak	51.00	150	Horizontal	Pass
6**	12029.813	32.25	20.33	54.0	-21.75	AV	51.00	150	Horizontal	Pass

## 11ac20, Band III, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1538.500	37.37	-14.78	74.0	-36.63	Peak	0.00	150	Vertical	Pass
1**	1538.500	20.66	-14.78	54.0	-33.34	AV	0.00	150	Vertical	Pass
2	2775.500	43.53	-8.81	74.0	-30.47	Peak	360.00	150	Vertical	Pass
2**	2775.500	26.51	-8.81	54.0	-27.49	AV	360.00	150	Vertical	Pass
3	3975.000	46.06	-4.14	74.0	-27.94	Peak	297.00	150	Vertical	Pass
3**	3975.000	29.83	-4.14	54.0	-24.17	AV	297.00	150	Vertical	Pass
4	5499.000	91.38	0.52	--	-150.62	Peak	242.00	150	Vertical	N/A
4**	5499.000	83.61	0.52	--	83.61	AV	242.00	150	Vertical	N/A
5	8068.063	47.27	18.64	74.0	-26.73	Peak	142.00	150	Vertical	Pass
5**	8068.063	32.21	18.64	54.0	-21.79	AV	142.00	150	Vertical	Pass
6	12229.625	49.35	21.69	74.0	-24.65	Peak	185.00	150	Vertical	Pass
6**	12229.625	32.54	21.69	54.0	-21.46	AV	185.00	150	Vertical	Pass

## 11ac20, Band III, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1528.500	37.29	-14.93	74.0	-36.71	Peak	150.00	150	Horizontal	Pass
1**	1528.500	20.45	-14.93	54.0	-33.55	AV	150.00	150	Horizontal	Pass
2	2821.000	43.06	-8.12	74.0	-30.94	Peak	36.00	150	Horizontal	Pass
2**	2821.000	26.97	-8.12	54.0	-27.03	AV	36.00	150	Horizontal	Pass
3	3947.000	46.20	-4.83	74.0	-27.80	Peak	226.00	150	Horizontal	Pass
3**	3947.000	29.32	-4.83	54.0	-24.68	AV	226.00	150	Horizontal	Pass
4	5499.000	102.78	0.52	--	-193.22	Peak	296.00	150	Horizontal	N/A
4**	5499.000	94.48	0.52	--	94.48	AV	296.00	150	Horizontal	N/A
5	7613.813	47.15	18.12	74.0	-26.85	Peak	238.00	150	Horizontal	Pass
5**	7613.813	31.31	18.12	54.0	-22.69	AV	238.00	150	Horizontal	Pass
6	11920.562	48.31	20.32	74.0	-25.69	Peak	148.00	150	Horizontal	Pass
6**	11920.562	32.74	20.32	54.0	-21.26	AV	148.00	150	Horizontal	Pass

## 11ac20, Band III, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1371.000	37.04	-14.55	74.0	-36.96	Peak	337.00	150	Vertical	Pass
1**	1371.000	21.53	-14.55	54.0	-32.47	AV	337.00	150	Vertical	Pass
2	2839.000	43.65	-8.31	74.0	-30.35	Peak	175.00	150	Vertical	Pass
2**	2839.000	26.85	-8.31	54.0	-27.15	AV	175.00	150	Vertical	Pass
3	4272.000	46.77	-3.63	74.0	-27.23	Peak	311.00	150	Vertical	Pass
3**	4272.000	29.74	-3.63	54.0	-24.26	AV	311.00	150	Vertical	Pass
4	5579.000	92.14	0.82	--	-142.86	Peak	235.00	150	Vertical	N/A
4**	5579.000	84.67	0.82	--	84.67	AV	235.00	150	Vertical	N/A
5	7602.313	46.98	18.35	74.0	-27.02	Peak	122.00	150	Vertical	Pass
5**	7602.313	31.53	18.35	54.0	-22.47	AV	122.00	150	Vertical	Pass
6	11945.000	48.58	19.91	74.0	-25.42	Peak	135.00	150	Vertical	Pass
6**	11945.000	32.50	19.91	54.0	-21.50	AV	135.00	150	Vertical	Pass

## 11ac20, Band III, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1344.500	36.92	-14.50	74.0	-37.08	Peak	354.00	150	Horizontal	Pass
1**	1344.500	20.40	-14.50	54.0	-33.60	AV	354.00	150	Horizontal	Pass
2	2820.000	43.32	-8.05	74.0	-30.68	Peak	337.00	150	Horizontal	Pass
2**	2820.000	26.84	-8.05	54.0	-27.16	AV	337.00	150	Horizontal	Pass
3	4101.000	45.60	-4.24	74.0	-28.40	Peak	50.00	150	Horizontal	Pass
3**	4101.000	29.41	-4.24	54.0	-24.59	AV	50.00	150	Horizontal	Pass
4	5581.000	103.86	0.89	--	-194.14	Peak	298.00	150	Horizontal	N/A
4**	5581.000	96.02	0.89	--	96.02	AV	298.00	150	Horizontal	N/A
5	8129.875	47.46	19.04	74.0	-26.54	Peak	177.00	150	Horizontal	Pass
5**	8129.875	32.10	19.04	54.0	-21.90	AV	177.00	150	Horizontal	Pass
6	12624.938	50.51	22.21	74.0	-23.49	Peak	177.00	150	Horizontal	Pass
6**	12624.938	33.29	22.21	54.0	-20.71	AV	177.00	150	Horizontal	Pass

## 11ac20, Band III, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1314.500	37.20	-14.62	74.0	-36.80	Peak	41.00	150	Vertical	Pass
1**	1314.500	21.26	-14.62	54.0	-32.74	AV	41.00	150	Vertical	Pass
2	2777.000	42.59	-8.70	74.0	-31.41	Peak	148.00	150	Vertical	Pass
2**	2777.000	26.45	-8.70	54.0	-27.55	AV	148.00	150	Vertical	Pass
3	3775.000	45.73	-4.96	74.0	-28.27	Peak	249.00	150	Vertical	Pass
3**	3775.000	29.40	-4.96	54.0	-24.60	AV	249.00	150	Vertical	Pass
4	5701.000	93.17	-0.81	--	-142.83	Peak	236.00	150	Vertical	N/A
4**	5701.000	84.94	-0.81	--	84.94	AV	236.00	150	Vertical	N/A
5	8135.625	46.89	18.85	74.0	-27.11	Peak	121.00	150	Vertical	Pass
5**	8135.625	32.13	18.85	54.0	-21.87	AV	121.00	150	Vertical	Pass
6	12589.000	50.39	21.77	74.0	-23.61	Peak	0.00	150	Vertical	Pass
6**	12589.000	32.90	21.77	54.0	-21.10	AV	0.00	150	Vertical	Pass

## 11ac20, Band III, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1462.500	37.49	-14.62	74.0	-36.51	Peak	106.00	150	Horizontal	Pass
1**	1462.500	21.21	-14.62	54.0	-32.79	AV	106.00	150	Horizontal	Pass
2	2808.000	42.97	-8.36	74.0	-31.03	Peak	291.00	150	Horizontal	Pass
2**	2808.000	26.73	-8.36	54.0	-27.27	AV	291.00	150	Horizontal	Pass
3	3898.000	45.97	-5.09	74.0	-28.03	Peak	22.00	150	Horizontal	Pass
3**	3898.000	28.40	-5.09	54.0	-25.60	AV	22.00	150	Horizontal	Pass
4	5698.000	104.01	-0.76	--	-194.99	Peak	299.00	150	Horizontal	N/A
4**	5698.000	96.38	-0.76	--	96.38	AV	299.00	150	Horizontal	N/A
5	7596.562	47.65	18.02	74.0	-26.35	Peak	145.00	150	Horizontal	Pass
5**	7596.562	31.49	18.02	54.0	-22.51	AV	145.00	150	Horizontal	Pass
6	11976.625	49.48	20.63	74.0	-24.52	Peak	200.00	150	Horizontal	Pass
6**	11976.625	32.44	20.63	54.0	-21.56	AV	200.00	150	Horizontal	Pass

## 11ac40, Band III, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1481.500	37.90	-15.00	74.0	-36.10	Peak	152.00	150	Vertical	Pass
1**	1481.500	21.74	-15.00	54.0	-32.26	AV	152.00	150	Vertical	Pass
2	2780.000	43.73	-8.66	74.0	-30.27	Peak	343.00	150	Vertical	Pass
2**	2780.000	26.76	-8.66	54.0	-27.24	AV	343.00	150	Vertical	Pass
3	4296.000	46.86	-3.70	74.0	-27.14	Peak	39.00	150	Vertical	Pass
3**	4296.000	29.95	-3.70	54.0	-24.05	AV	39.00	150	Vertical	Pass
4	5515.000	87.59	0.38	--	-150.41	Peak	238.00	150	Vertical	N/A
4**	5515.000	80.64	0.38	--	80.64	AV	238.00	150	Vertical	N/A
5	8070.938	47.43	18.62	74.0	-26.57	Peak	235.00	150	Vertical	Pass
5**	8070.938	31.72	18.62	54.0	-22.28	AV	235.00	150	Vertical	Pass
6	12249.750	48.90	21.95	74.0	-25.10	Peak	158.00	150	Vertical	Pass
6**	12249.750	32.89	21.95	54.0	-21.11	AV	158.00	150	Vertical	Pass

## 11ac40, Band III, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1354.000	37.10	-14.51	74.0	-36.90	Peak	173.00	150	Horizontal	Pass
1**	1354.000	20.56	-14.51	54.0	-33.44	AV	173.00	150	Horizontal	Pass
2	2820.500	43.31	-8.08	74.0	-30.69	Peak	312.00	150	Horizontal	Pass
2**	2820.500	27.69	-8.08	54.0	-26.31	AV	312.00	150	Horizontal	Pass
3	4185.000	46.13	-3.98	74.0	-27.87	Peak	193.00	150	Horizontal	Pass
3**	4185.000	29.39	-3.98	54.0	-24.61	AV	193.00	150	Horizontal	Pass
4	5513.000	99.01	0.27	--	-192.99	Peak	292.00	150	Horizontal	N/A
4**	5513.000	90.82	0.27	--	90.82	AV	292.00	150	Horizontal	N/A
5	7600.875	47.75	18.33	74.0	-26.25	Peak	298.00	150	Horizontal	Pass
5**	7600.875	31.79	18.33	54.0	-22.21	AV	298.00	150	Horizontal	Pass
6	12570.313	50.49	21.74	74.0	-23.51	Peak	52.00	150	Horizontal	Pass
6**	12570.313	33.64	21.74	54.0	-20.36	AV	52.00	150	Horizontal	Pass

## 11ac40, Band III, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1320.500	37.27	-14.58	74.0	-36.73	Peak	357.00	150	Vertical	Pass
1**	1320.500	20.71	-14.58	54.0	-33.29	AV	357.00	150	Vertical	Pass
2	2833.000	43.24	-8.47	74.0	-30.76	Peak	336.00	150	Vertical	Pass
2**	2833.000	26.80	-8.47	54.0	-27.20	AV	336.00	150	Vertical	Pass
3	4051.000	45.70	-3.78	74.0	-28.30	Peak	126.00	150	Vertical	Pass
3**	4051.000	29.30	-3.78	54.0	-24.70	AV	126.00	150	Vertical	Pass
4	5587.000	88.91	0.81	--	-143.09	Peak	232.00	150	Vertical	N/A
4**	5587.000	81.60	0.81	--	81.60	AV	232.00	150	Vertical	N/A
5	8138.500	47.39	18.67	74.0	-26.61	Peak	183.00	150	Vertical	Pass
5**	8138.500	32.39	18.67	54.0	-21.61	AV	183.00	150	Vertical	Pass
6	12616.313	49.77	22.24	74.0	-24.23	Peak	298.00	150	Vertical	Pass
6**	12616.313	33.71	22.24	54.0	-20.29	AV	298.00	150	Vertical	Pass

## 11ac40, Band III, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1563.000	37.53	-14.89	74.0	-36.47	Peak	229.00	150	Horizontal	Pass
1**	1563.000	21.01	-14.89	54.0	-32.99	AV	229.00	150	Horizontal	Pass
2	2859.000	43.30	-7.92	74.0	-30.70	Peak	117.00	150	Horizontal	Pass
2**	2859.000	27.44	-7.92	54.0	-26.56	AV	117.00	150	Horizontal	Pass
3	3870.000	49.10	-5.24	74.0	-24.90	Peak	34.00	150	Horizontal	Pass
3**	3870.000	28.08	-5.24	54.0	-25.92	AV	34.00	150	Horizontal	Pass
4	5592.000	100.93	0.51	--	-196.07	Peak	297.00	150	Horizontal	N/A
4**	5592.000	92.59	0.51	--	92.59	AV	297.00	150	Horizontal	N/A
5	8135.625	47.81	18.85	74.0	-26.19	Peak	35.00	150	Horizontal	Pass
5**	8135.625	32.67	18.85	54.0	-21.33	AV	35.00	150	Horizontal	Pass
6	12607.688	51.05	22.11	74.0	-22.95	Peak	228.00	150	Horizontal	Pass
6**	12607.688	34.09	22.11	54.0	-19.91	AV	228.00	150	Horizontal	Pass



## 11ac40, Band III, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1446.500	37.94	-14.59	74.0	-36.06	Peak	116.00	150	Vertical	Pass
1**	1446.500	21.24	-14.59	54.0	-32.76	AV	116.00	150	Vertical	Pass
2	2849.500	43.70	-8.12	74.0	-30.30	Peak	268.00	150	Vertical	Pass
2**	2849.500	27.23	-8.12	54.0	-26.77	AV	268.00	150	Vertical	Pass
3	4002.000	45.78	-4.60	74.0	-28.22	Peak	0.00	150	Vertical	Pass
3**	4002.000	29.83	-4.60	54.0	-24.17	AV	0.00	150	Vertical	Pass
4	5667.000	91.12	0.14	--	-144.88	Peak	236.00	150	Vertical	N/A
4**	5667.000	84.13	0.14	--	84.13	AV	236.00	150	Vertical	N/A
5	8141.375	47.50	18.76	74.0	-26.50	Peak	316.00	150	Vertical	Pass
5**	8141.375	31.83	18.76	54.0	-22.17	AV	316.00	150	Vertical	Pass
6	12581.812	49.26	21.61	74.0	-24.74	Peak	26.00	150	Vertical	Pass
6**	12581.812	33.21	21.61	54.0	-20.79	AV	26.00	150	Vertical	Pass

## 11ac40, Band III, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1501.000	36.92	-14.88	74.0	-37.08	Peak	42.00	150	Horizontal	Pass
1**	1501.000	20.53	-14.88	54.0	-33.47	AV	42.00	150	Horizontal	Pass
2	2820.000	43.16	-8.05	74.0	-30.84	Peak	0.00	150	Horizontal	Pass
2**	2820.000	26.99	-8.05	54.0	-27.01	AV	0.00	150	Horizontal	Pass
3	3985.000	45.62	-4.30	74.0	-28.38	Peak	360.00	150	Horizontal	Pass
3**	3985.000	29.50	-4.30	54.0	-24.50	AV	360.00	150	Horizontal	Pass
4	5672.000	101.63	-0.12	--	-200.37	Peak	302.00	150	Horizontal	N/A
4**	5672.000	94.16	-0.12	--	94.16	AV	302.00	150	Horizontal	N/A
5	7589.375	47.60	17.79	74.0	-26.40	Peak	136.00	150	Horizontal	Pass
5**	7589.375	30.82	17.79	54.0	-23.18	AV	136.00	150	Horizontal	Pass
6	11969.438	48.91	20.40	74.0	-25.09	Peak	4.00	150	Horizontal	Pass
6**	11969.438	32.75	20.40	54.0	-21.25	AV	4.00	150	Horizontal	Pass

## 11ac80, Band III, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1326.500	37.44	-14.74	74.0	-36.56	Peak	155.00	150	Vertical	Pass
1**	1326.500	20.83	-14.74	54.0	-33.17	AV	155.00	150	Vertical	Pass
2	2856.000	43.15	-7.70	74.0	-30.85	Peak	312.00	150	Vertical	Pass
2**	2856.000	27.45	-7.70	54.0	-26.55	AV	312.00	150	Vertical	Pass
3	4315.000	46.36	-3.22	74.0	-27.64	Peak	360.00	150	Vertical	Pass
3**	4315.000	29.86	-3.22	54.0	-24.14	AV	360.00	150	Vertical	Pass
4	5526.000	79.79	0.11	--	-154.21	Peak	234.00	150	Vertical	N/A
4**	5526.000	72.54	0.11	--	72.54	AV	234.00	150	Vertical	N/A
5	8128.437	47.03	19.23	74.0	-26.97	Peak	282.00	150	Vertical	Pass
5**	8128.437	32.35	19.23	54.0	-21.65	AV	282.00	150	Vertical	Pass
6	12624.938	49.69	22.21	74.0	-24.31	Peak	110.00	150	Vertical	Pass
6**	12624.938	33.20	22.21	54.0	-20.80	AV	110.00	150	Vertical	Pass

## 11ac80, Band III, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1380.000	36.99	-14.71	74.0	-37.01	Peak	147.00	150	Horizontal	Pass
1**	1380.000	21.37	-14.71	54.0	-32.63	AV	147.00	150	Horizontal	Pass
2	2855.000	43.16	-7.75	74.0	-30.84	Peak	282.00	150	Horizontal	Pass
2**	2855.000	27.06	-7.75	54.0	-26.94	AV	282.00	150	Horizontal	Pass
3	4280.000	46.81	-3.57	74.0	-27.19	Peak	94.00	150	Horizontal	Pass
3**	4280.000	30.25	-3.57	54.0	-23.75	AV	94.00	150	Horizontal	Pass
4	5544.000	90.17	0.37	--	-206.83	Peak	297.00	150	Horizontal	N/A
4**	5544.000	82.49	0.37	--	82.49	AV	297.00	150	Horizontal	N/A
5	8344.062	47.44	16.63	74.0	-26.56	Peak	155.00	150	Horizontal	Pass
5**	8344.062	31.26	16.63	54.0	-22.74	AV	155.00	150	Horizontal	Pass
6	12350.375	49.07	21.27	74.0	-24.93	Peak	339.00	150	Horizontal	Pass
6**	12350.375	31.94	21.27	54.0	-22.06	AV	339.00	150	Horizontal	Pass

## 11ac80, Band III, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1358.000	37.20	-14.64	74.0	-36.80	Peak	321.00	150	Vertical	Pass
1**	1358.000	20.62	-14.64	54.0	-33.38	AV	321.00	150	Vertical	Pass
2	2822.000	43.40	-8.19	74.0	-30.60	Peak	223.00	150	Vertical	Pass
2**	2822.000	27.11	-8.19	54.0	-26.89	AV	223.00	150	Vertical	Pass
3	4353.000	46.74	-3.17	74.0	-27.26	Peak	230.00	150	Vertical	Pass
3**	4353.000	30.03	-3.17	54.0	-23.97	AV	230.00	150	Vertical	Pass
4	5642.000	80.60	0.24	--	-149.40	Peak	230.00	150	Vertical	N/A
4**	5642.000	72.40	0.24	--	72.40	AV	230.00	150	Vertical	N/A
5	8131.313	47.50	18.95	74.0	-26.50	Peak	37.00	150	Vertical	Pass
5**	8131.313	31.78	18.95	54.0	-22.22	AV	37.00	150	Vertical	Pass
6	12555.938	49.77	21.85	74.0	-24.23	Peak	256.00	150	Vertical	Pass
6**	12555.938	33.11	21.85	54.0	-20.89	AV	256.00	150	Vertical	Pass

## 11ac80, Band III, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1486.000	37.26	-14.90	74.0	-36.74	Peak	273.00	150	Horizontal	Pass
1**	1486.000	20.92	-14.90	54.0	-33.08	AV	273.00	150	Horizontal	Pass
2	2779.500	42.71	-8.66	74.0	-31.29	Peak	56.00	150	Horizontal	Pass
2**	2779.500	26.39	-8.66	54.0	-27.61	AV	56.00	150	Horizontal	Pass
3	4278.000	46.48	-3.45	74.0	-27.52	Peak	306.00	150	Horizontal	Pass
3**	4278.000	30.87	-3.45	54.0	-23.13	AV	306.00	150	Horizontal	Pass
4	5606.000	92.57	-0.01	--	-203.43	Peak	296.00	150	Horizontal	N/A
4**	5606.000	84.37	-0.01	--	84.37	AV	296.00	150	Horizontal	N/A
5	7579.313	47.36	17.54	74.0	-26.64	Peak	299.00	150	Horizontal	Pass
5**	7579.313	30.67	17.54	54.0	-23.33	AV	299.00	150	Horizontal	Pass
6	11993.875	48.58	20.44	74.0	-25.42	Peak	195.00	150	Horizontal	Pass
6**	11993.875	32.80	20.44	54.0	-21.20	AV	195.00	150	Horizontal	Pass

## 11a, Band IV, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1458.500	37.38	-14.53	74.0	-36.62	Peak	270.00	150	Vertical	Pass
1**	1458.500	21.58	-14.53	54.0	-32.42	AV	270.00	150	Vertical	Pass
2	2846.000	43.27	-8.31	74.0	-30.73	Peak	300.00	150	Vertical	Pass
2**	2846.000	26.69	-8.31	54.0	-27.31	AV	300.00	150	Vertical	Pass
3	3974.000	45.53	-4.16	74.0	-28.47	Peak	306.00	150	Vertical	Pass
3**	3974.000	28.99	-4.16	54.0	-25.01	AV	306.00	150	Vertical	Pass
4	5744.000	91.16	0.16	--	-123.84	Peak	215.00	150	Vertical	N/A
4**	5744.000	83.73	0.16	--	83.73	AV	215.00	150	Vertical	N/A
5	8489.250	48.27	18.83	74.0	-25.73	Peak	150.00	150	Vertical	Pass
5**	8489.250	33.61	18.83	54.0	-20.39	AV	150.00	150	Vertical	Pass
6	11923.438	48.59	20.25	74.0	-25.41	Peak	109.00	150	Vertical	Pass
6**	11923.438	32.72	20.25	54.0	-21.28	AV	109.00	150	Vertical	Pass

## 11a, Band IV, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1504.500	36.90	-15.03	74.0	-37.10	Peak	110.00	150	Horizontal	Pass
1**	1504.500	20.98	-15.03	54.0	-33.02	AV	110.00	150	Horizontal	Pass
2	2848.000	43.17	-8.25	74.0	-30.83	Peak	254.00	150	Horizontal	Pass
2**	2848.000	27.05	-8.25	54.0	-26.95	AV	254.00	150	Horizontal	Pass
3	4238.000	46.41	-3.34	74.0	-27.59	Peak	262.00	150	Horizontal	Pass
3**	4238.000	29.84	-3.34	54.0	-24.16	AV	262.00	150	Horizontal	Pass
4	5748.000	102.40	0.29	--	-189.60	Peak	292.00	150	Horizontal	N/A
4**	5748.000	95.15	0.29	--	95.15	AV	292.00	150	Horizontal	N/A
5	8115.500	47.24	18.88	74.0	-26.76	Peak	153.00	150	Horizontal	Pass
5**	8115.500	32.60	18.88	54.0	-21.40	AV	153.00	150	Horizontal	Pass
6	12255.500	49.38	22.04	74.0	-24.62	Peak	4.00	150	Horizontal	Pass
6**	12255.500	32.79	22.04	54.0	-21.21	AV	4.00	150	Horizontal	Pass

## 11a, Band IV, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1474.500	36.97	-14.75	74.0	-37.03	Peak	106.00	150	Vertical	Pass
1**	1474.500	21.30	-14.75	54.0	-32.70	AV	106.00	150	Vertical	Pass
2	2735.000	42.76	-8.86	74.0	-31.24	Peak	30.00	150	Vertical	Pass
2**	2735.000	26.36	-8.86	54.0	-27.64	AV	30.00	150	Vertical	Pass
3	4255.000	46.31	-3.08	74.0	-27.69	Peak	309.00	150	Vertical	Pass
3**	4255.000	30.31	-3.08	54.0	-23.69	AV	309.00	150	Vertical	Pass
4	5786.000	91.91	0.77	--	-126.09	Peak	218.00	150	Vertical	N/A
4**	5786.000	84.69	0.77	--	84.69	AV	218.00	150	Vertical	N/A
5	7599.437	47.44	18.34	74.0	-26.56	Peak	62.00	150	Vertical	Pass
5**	7599.437	31.68	18.34	54.0	-22.32	AV	62.00	150	Vertical	Pass
6	11929.187	49.53	20.11	74.0	-24.47	Peak	360.00	150	Vertical	Pass
6**	11929.187	32.91	20.11	54.0	-21.09	AV	360.00	150	Vertical	Pass

## 11a, Band IV, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1381.500	36.98	-14.83	74.0	-37.02	Peak	133.00	150	Horizontal	Pass
1**	1381.500	21.08	-14.83	54.0	-32.92	AV	133.00	150	Horizontal	Pass
2	2782.000	43.19	-8.64	74.0	-30.81	Peak	178.00	150	Horizontal	Pass
2**	2782.000	26.59	-8.64	54.0	-27.41	AV	178.00	150	Horizontal	Pass
3	3953.000	46.14	-4.73	74.0	-27.86	Peak	234.00	150	Horizontal	Pass
3**	3953.000	29.05	-4.73	54.0	-24.95	AV	234.00	150	Horizontal	Pass
4	5784.000	102.76	0.80	--	-195.24	Peak	298.00	150	Horizontal	N/A
4**	5784.000	95.75	0.80	--	95.75	AV	298.00	150	Horizontal	N/A
5	8487.813	47.37	18.60	74.0	-26.63	Peak	19.00	150	Horizontal	Pass
5**	8487.813	33.23	18.60	54.0	-20.77	AV	19.00	150	Horizontal	Pass
6	12624.938	50.70	22.21	74.0	-23.30	Peak	269.00	150	Horizontal	Pass
6**	12624.938	34.61	22.21	54.0	-19.39	AV	269.00	150	Horizontal	Pass

## 11a, Band IV, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1354.500	37.18	-14.50	74.0	-36.82	Peak	97.00	150	Vertical	Pass
1**	1354.500	27.06	-14.50	54.0	-26.94	AV	97.00	150	Vertical	Pass
2	2805.000	44.07	-8.39	74.0	-29.93	Peak	125.00	150	Vertical	Pass
2**	2805.000	33.46	-8.39	54.0	-20.54	AV	125.00	150	Vertical	Pass
3	4071.000	46.88	-3.95	74.0	-27.12	Peak	360.00	150	Vertical	Pass
3**	4071.000	36.48	-3.95	54.0	-17.52	AV	360.00	150	Vertical	Pass
4	5824.000	94.55	0.82	--	-229.45	Peak	324.00	150	Vertical	N/A
4**	5824.000	86.82	0.82	--	86.82	AV	324.00	150	Vertical	N/A
5	11618.688	52.16	20.38	74.0	-21.84	Peak	249.00	150	Vertical	Pass
5**	11618.688	40.56	20.38	54.0	-13.44	AV	249.00	150	Vertical	Pass
6	15638.813	55.06	27.15	74.0	-18.94	Peak	356.00	150	Vertical	Pass
6**	15638.813	45.69	27.15	54.0	-8.31	AV	356.00	150	Vertical	Pass

## 11a, Band IV, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1345.500	37.85	-14.51	74.0	-36.15	Peak	134.00	150	Horizontal	Pass
1**	1345.500	27.26	-14.51	54.0	-26.74	AV	134.00	150	Horizontal	Pass
2	2817.000	43.72	-8.11	74.0	-30.28	Peak	107.00	150	Horizontal	Pass
2**	2817.000	34.11	-8.11	54.0	-19.89	AV	107.00	150	Horizontal	Pass
3	3989.000	46.55	-4.33	74.0	-27.45	Peak	47.00	150	Horizontal	Pass
3**	3989.000	36.26	-4.33	54.0	-17.74	AV	47.00	150	Horizontal	Pass
4	5824.000	102.78	0.82	--	94.78	Peak	8.00	150	Horizontal	N/A
4**	5824.000	95.31	0.82	--	95.31	AV	8.00	150	Horizontal	N/A
5	7592.250	49.15	18.00	74.0	-24.85	Peak	273.00	150	Horizontal	Pass
5**	7592.250	38.89	18.00	54.0	-15.11	AV	273.00	150	Horizontal	Pass
6	11904.750	51.20	19.89	74.0	-22.80	Peak	85.00	150	Horizontal	Pass
6**	11904.750	41.05	19.89	54.0	-12.95	AV	85.00	150	Horizontal	Pass

## 11n20, Band IV, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1549.000	38.19	-14.83	74.0	-35.81	Peak	139.00	150	Vertical	Pass
1**	1549.000	27.16	-14.83	54.0	-26.84	AV	139.00	150	Vertical	Pass
2	2767.000	44.18	-8.65	74.0	-29.82	Peak	177.00	150	Vertical	Pass
2**	2767.000	33.15	-8.65	54.0	-20.85	AV	177.00	150	Vertical	Pass
3	4022.000	46.69	-4.04	74.0	-27.31	Peak	66.00	150	Vertical	Pass
3**	4022.000	36.25	-4.04	54.0	-17.75	AV	66.00	150	Vertical	Pass
4	5743.000	94.51	0.10	--	-224.49	Peak	319.00	150	Vertical	N/A
4**	5743.000	85.49	0.10	--	85.49	AV	319.00	150	Vertical	N/A
5	11644.562	50.70	20.41	74.0	-23.30	Peak	46.00	150	Vertical	Pass
5**	11644.562	40.41	20.41	54.0	-13.59	AV	46.00	150	Vertical	Pass
6	15554.813	55.72	26.64	74.0	-18.28	Peak	272.00	150	Vertical	Pass
6**	15554.813	44.83	26.64	54.0	-9.17	AV	272.00	150	Vertical	Pass

## 11n20, Band IV, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1537.000	37.15	-14.89	74.0	-36.85	Peak	264.00	150	Horizontal	Pass
1**	1537.000	27.07	-14.89	54.0	-26.93	AV	264.00	150	Horizontal	Pass
2	2803.500	43.36	-8.33	74.0	-30.64	Peak	181.00	150	Horizontal	Pass
2**	2803.500	33.91	-8.33	54.0	-20.09	AV	181.00	150	Horizontal	Pass
3	4088.000	47.32	-4.35	74.0	-26.68	Peak	280.00	150	Horizontal	Pass
3**	4088.000	36.46	-4.35	54.0	-17.54	AV	280.00	150	Horizontal	Pass
4	5744.000	102.67	0.16	--	87.67	Peak	15.00	150	Horizontal	N/A
4**	5744.000	96.02	0.16	--	96.02	AV	15.00	150	Horizontal	N/A
5	11615.813	50.93	20.33	74.0	-23.07	Peak	117.00	150	Horizontal	Pass
5**	11615.813	41.12	20.33	54.0	-12.88	AV	117.00	150	Horizontal	Pass
6	15541.687	54.77	26.23	74.0	-19.23	Peak	339.00	150	Horizontal	Pass
6**	15541.687	44.48	26.23	54.0	-9.52	AV	339.00	150	Horizontal	Pass

## 11n20, Band IV, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1497.500	38.24	-15.03	74.0	-35.76	Peak	289.00	150	Vertical	Pass
1**	1497.500	27.17	-15.03	54.0	-26.83	AV	289.00	150	Vertical	Pass
2	2794.500	44.01	-8.59	74.0	-29.99	Peak	263.00	150	Vertical	Pass
2**	2794.500	33.95	-8.59	54.0	-20.05	AV	263.00	150	Vertical	Pass
3	4148.000	47.11	-3.58	74.0	-26.89	Peak	220.00	150	Vertical	Pass
3**	4148.000	37.22	-3.58	54.0	-16.78	AV	220.00	150	Vertical	Pass
4	5787.000	95.39	0.83	--	-228.61	Peak	324.00	150	Vertical	N/A
4**	5787.000	88.09	0.83	--	88.09	AV	324.00	150	Vertical	N/A
5	11982.375	51.24	20.69	74.0	-22.76	Peak	237.00	150	Vertical	Pass
5**	11982.375	41.29	20.69	54.0	-12.71	AV	237.00	150	Vertical	Pass
6	15637.500	55.38	27.10	74.0	-18.62	Peak	333.00	150	Vertical	Pass
6**	15637.500	45.44	27.10	54.0	-8.56	AV	333.00	150	Vertical	Pass

## 11n20, Band IV, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1539.000	37.07	-14.76	74.0	-36.93	Peak	220.00	150	Horizontal	Pass
1**	1539.000	27.22	-14.76	54.0	-26.78	AV	220.00	150	Horizontal	Pass
2	2749.000	44.30	-8.98	74.0	-29.70	Peak	35.00	150	Horizontal	Pass
2**	2749.000	33.06	-8.98	54.0	-20.94	AV	35.00	150	Horizontal	Pass
3	4025.000	46.52	-3.89	74.0	-27.48	Peak	117.00	150	Horizontal	Pass
3**	4025.000	36.98	-3.89	54.0	-17.02	AV	117.00	150	Horizontal	Pass
4	5786.000	102.63	0.77	--	88.63	Peak	14.00	150	Horizontal	N/A
4**	5786.000	94.60	0.77	--	94.60	AV	14.00	150	Horizontal	N/A
5	12037.000	51.17	20.43	74.0	-22.83	Peak	160.00	150	Horizontal	Pass
5**	12037.000	40.74	20.43	54.0	-13.26	AV	160.00	150	Horizontal	Pass
6	15615.188	55.76	26.30	74.0	-18.24	Peak	193.00	150	Horizontal	Pass
6**	15615.188	44.76	26.30	54.0	-9.24	AV	193.00	150	Horizontal	Pass



## 11n20, Band IV, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1537.500	38.03	-14.85	74.0	-35.97	Peak	147.00	150	Vertical	Pass
1**	1537.500	27.63	-14.85	54.0	-26.37	AV	147.00	150	Vertical	Pass
2	2818.500	44.12	-8.11	74.0	-29.88	Peak	90.00	150	Vertical	Pass
2**	2818.500	33.91	-8.11	54.0	-20.09	AV	90.00	150	Vertical	Pass
3	4037.000	46.66	-3.98	74.0	-27.34	Peak	0.00	150	Vertical	Pass
3**	4037.000	36.35	-3.98	54.0	-17.65	AV	0.00	150	Vertical	Pass
4	5823.000	93.87	0.86	--	-226.13	Peak	320.00	150	Vertical	N/A
4**	5823.000	87.04	0.86	--	87.04	AV	320.00	150	Vertical	N/A
5	11621.562	51.20	20.39	74.0	-22.80	Peak	190.00	150	Vertical	Pass
5**	11621.562	40.64	20.39	54.0	-13.36	AV	190.00	150	Vertical	Pass
6	15537.750	54.80	26.13	74.0	-19.20	Peak	0.00	150	Vertical	Pass
6**	15537.750	44.13	26.13	54.0	-9.87	AV	0.00	150	Vertical	Pass

## 11n20, Band IV, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1594.500	38.77	-15.06	74.0	-35.23	Peak	215.00	150	Horizontal	Pass
1**	1594.500	27.75	-15.06	54.0	-26.25	AV	215.00	150	Horizontal	Pass
2	2811.500	44.26	-8.26	74.0	-29.74	Peak	360.00	150	Horizontal	Pass
2**	2811.500	33.85	-8.26	54.0	-20.15	AV	360.00	150	Horizontal	Pass
3	4023.000	46.66	-4.04	74.0	-27.34	Peak	81.00	150	Horizontal	Pass
3**	4023.000	36.56	-4.04	54.0	-17.44	AV	81.00	150	Horizontal	Pass
4	5822.000	102.29	0.89	--	89.29	Peak	13.00	150	Horizontal	N/A
4**	5822.000	94.34	0.89	--	94.34	AV	13.00	150	Horizontal	N/A
5	12120.375	51.79	20.70	74.0	-22.21	Peak	355.00	150	Horizontal	Pass
5**	12120.375	39.93	20.70	54.0	-14.07	AV	355.00	150	Horizontal	Pass
6	15624.375	54.85	26.58	74.0	-19.15	Peak	137.00	150	Horizontal	Pass
6**	15624.375	44.88	26.58	54.0	-9.12	AV	137.00	150	Horizontal	Pass

## 11n40, Band IV, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1518.000	37.21	-14.93	74.0	-36.79	Peak	175.00	150	Vertical	Pass
1**	1518.000	27.29	-14.93	54.0	-26.71	AV	175.00	150	Vertical	Pass
2	2801.000	43.97	-8.52	74.0	-30.03	Peak	145.00	150	Vertical	Pass
2**	2801.000	33.70	-8.52	54.0	-20.30	AV	145.00	150	Vertical	Pass
3	4004.000	46.92	-4.71	74.0	-27.08	Peak	167.00	150	Vertical	Pass
3**	4004.000	36.36	-4.71	54.0	-17.64	AV	167.00	150	Vertical	Pass
4	5760.000	90.84	0.65	--	-203.16	Peak	294.00	150	Vertical	N/A
4**	5760.000	84.08	0.65	--	84.08	AV	294.00	150	Vertical	N/A
5	11648.874	51.07	20.45	74.0	-22.93	Peak	286.00	150	Vertical	Pass
5**	11648.874	40.44	20.45	54.0	-13.56	AV	286.00	150	Vertical	Pass
6	15648.000	56.72	26.99	74.0	-17.28	Peak	43.00	150	Vertical	Pass
6**	15648.000	44.76	26.99	54.0	-9.24	AV	43.00	150	Vertical	Pass

## 11n40, Band IV, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1558.000	37.80	-14.94	74.0	-36.20	Peak	28.00	150	Horizontal	Pass
1**	1558.000	27.16	-14.94	54.0	-26.84	AV	28.00	150	Horizontal	Pass
2	2835.000	44.69	-8.32	74.0	-29.31	Peak	245.00	150	Horizontal	Pass
2**	2835.000	33.64	-8.32	54.0	-20.36	AV	245.00	150	Horizontal	Pass
3	4078.000	46.43	-3.98	74.0	-27.57	Peak	276.00	150	Horizontal	Pass
3**	4078.000	36.58	-3.98	54.0	-17.42	AV	276.00	150	Horizontal	Pass
4	5757.000	101.39	0.62	--	99.39	Peak	2.00	150	Horizontal	N/A
4**	5757.000	93.15	0.62	--	93.15	AV	2.00	150	Horizontal	N/A
5	12031.250	51.47	20.35	74.0	-22.53	Peak	219.00	150	Horizontal	Pass
5**	12031.250	40.76	20.35	54.0	-13.24	AV	219.00	150	Horizontal	Pass
6	15560.063	55.80	26.82	74.0	-18.20	Peak	323.00	150	Horizontal	Pass
6**	15560.063	44.92	26.82	54.0	-9.08	AV	323.00	150	Horizontal	Pass

## 11n40, Band IV, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1553.500	37.85	-14.89	74.0	-36.15	Peak	360.00	150	Vertical	Pass
1**	1553.500	27.25	-14.89	54.0	-26.75	AV	360.00	150	Vertical	Pass
2	2780.000	44.49	-8.66	74.0	-29.51	Peak	267.00	150	Vertical	Pass
2**	2780.000	33.44	-8.66	54.0	-20.56	AV	267.00	150	Vertical	Pass
3	4029.000	47.17	-4.00	74.0	-26.83	Peak	138.00	150	Vertical	Pass
3**	4029.000	36.73	-4.00	54.0	-17.27	AV	138.00	150	Vertical	Pass
4	5790.000	91.67	0.95	--	-222.33	Peak	314.00	150	Vertical	N/A
4**	5790.000	83.17	0.95	--	83.17	AV	314.00	150	Vertical	N/A
5	11913.375	51.44	20.14	74.0	-22.56	Peak	34.00	150	Vertical	Pass
5**	11913.375	40.87	20.14	54.0	-13.13	AV	34.00	150	Vertical	Pass
6	15628.313	55.18	26.73	74.0	-18.82	Peak	83.00	150	Vertical	Pass
6**	15628.313	45.12	26.73	54.0	-8.88	AV	83.00	150	Vertical	Pass

## 11n40, Band IV, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1533.500	38.02	-14.94	74.0	-35.98	Peak	314.00	150	Horizontal	Pass
1**	1533.500	27.01	-14.94	54.0	-26.99	AV	314.00	150	Horizontal	Pass
2	2806.500	43.97	-8.34	74.0	-30.03	Peak	33.00	150	Horizontal	Pass
2**	2806.500	33.53	-8.34	54.0	-20.47	AV	33.00	150	Horizontal	Pass
3	4073.000	46.92	-4.08	74.0	-27.08	Peak	31.00	150	Horizontal	Pass
3**	4073.000	36.30	-4.08	54.0	-17.70	AV	31.00	150	Horizontal	Pass
4	5797.000	100.89	0.79	--	95.89	Peak	5.00	150	Horizontal	N/A
4**	5797.000	92.12	0.79	--	92.12	AV	5.00	150	Horizontal	N/A
5	11690.563	50.91	20.39	74.0	-23.09	Peak	132.00	150	Horizontal	Pass
5**	11690.563	39.66	20.39	54.0	-14.34	AV	132.00	150	Horizontal	Pass
6	15641.437	55.07	27.16	74.0	-18.93	Peak	285.00	150	Horizontal	Pass
6**	15641.437	45.05	27.16	54.0	-8.95	AV	285.00	150	Horizontal	Pass

## 11ac20, Band IV, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1543.500	37.65	-14.72	74.0	-36.35	Peak	360.00	150	Vertical	Pass
1**	1543.500	27.76	-14.72	54.0	-26.24	AV	360.00	150	Vertical	Pass
2	2788.000	43.61	-8.78	74.0	-30.39	Peak	69.00	150	Vertical	Pass
2**	2788.000	33.63	-8.78	54.0	-20.37	AV	69.00	150	Vertical	Pass
3	3965.000	46.96	-4.40	74.0	-27.04	Peak	107.00	150	Vertical	Pass
3**	3965.000	36.11	-4.40	54.0	-17.89	AV	107.00	150	Vertical	Pass
4	5743.000	92.04	0.10	--	-222.96	Peak	315.00	150	Vertical	N/A
4**	5743.000	85.20	0.10	--	85.20	AV	315.00	150	Vertical	N/A
5	11638.813	51.01	20.37	74.0	-22.99	Peak	258.00	150	Vertical	Pass
5**	11638.813	40.49	20.37	54.0	-13.51	AV	258.00	150	Vertical	Pass
6	15645.375	54.85	27.06	74.0	-19.15	Peak	63.00	150	Vertical	Pass
6**	15645.375	45.23	27.06	54.0	-8.77	AV	63.00	150	Vertical	Pass

## 11ac20, Band IV, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1537.500	38.16	-14.85	74.0	-35.84	Peak	221.00	150	Horizontal	Pass
1**	1537.500	27.01	-14.85	54.0	-26.99	AV	221.00	150	Horizontal	Pass
2	2798.000	43.95	-8.60	74.0	-30.05	Peak	330.00	150	Horizontal	Pass
2**	2798.000	33.57	-8.60	54.0	-20.43	AV	330.00	150	Horizontal	Pass
3	4024.000	46.73	-3.96	74.0	-27.27	Peak	290.00	150	Horizontal	Pass
3**	4024.000	36.75	-3.96	54.0	-17.25	AV	290.00	150	Horizontal	Pass
4	5745.000	103.21	0.28	--	100.21	Peak	3.00	150	Horizontal	N/A
4**	5745.000	96.39	0.28	--	96.39	AV	3.00	150	Horizontal	N/A
5	11624.438	50.47	20.39	74.0	-23.53	Peak	322.00	150	Horizontal	Pass
5**	11624.438	40.91	20.39	54.0	-13.09	AV	322.00	150	Horizontal	Pass
6	15532.500	55.17	26.03	74.0	-18.83	Peak	154.00	150	Horizontal	Pass
6**	15532.500	44.19	26.03	54.0	-9.81	AV	154.00	150	Horizontal	Pass

## 11ac20, Band IV, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1486.500	37.91	-14.91	74.0	-36.09	Peak	210.00	150	Vertical	Pass
1**	1486.500	27.45	-14.91	54.0	-26.55	AV	210.00	150	Vertical	Pass
2	2817.500	44.01	-8.12	74.0	-29.99	Peak	227.00	150	Vertical	Pass
2**	2817.500	34.04	-8.12	54.0	-19.96	AV	227.00	150	Vertical	Pass
3	4016.000	46.70	-4.09	74.0	-27.30	Peak	91.00	150	Vertical	Pass
3**	4016.000	36.70	-4.09	54.0	-17.30	AV	91.00	150	Vertical	Pass
4	5784.000	92.81	0.80	--	-223.19	Peak	316.00	150	Vertical	N/A
4**	5784.000	85.45	0.80	--	85.45	AV	316.00	150	Vertical	N/A
5	11980.937	52.33	20.72	74.0	-21.67	Peak	233.00	150	Vertical	Pass
5**	11980.937	41.32	20.72	54.0	-12.68	AV	233.00	150	Vertical	Pass
6	15655.875	54.34	26.78	74.0	-19.66	Peak	357.00	150	Vertical	Pass
6**	15655.875	44.43	26.78	54.0	-9.57	AV	357.00	150	Vertical	Pass

## 11ac20, Band IV, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1537.500	37.09	-14.85	74.0	-36.91	Peak	228.00	150	Horizontal	Pass
1**	1537.500	27.46	-14.85	54.0	-26.54	AV	228.00	150	Horizontal	Pass
2	2811.000	44.35	-8.31	74.0	-29.65	Peak	198.00	150	Horizontal	Pass
2**	2811.000	33.52	-8.31	54.0	-20.48	AV	198.00	150	Horizontal	Pass
3	4025.000	47.44	-3.89	74.0	-26.56	Peak	96.00	150	Horizontal	Pass
3**	4025.000	37.50	-3.89	54.0	-16.50	AV	96.00	150	Horizontal	Pass
4	5781.000	102.97	1.04	--	97.97	Peak	5.00	150	Horizontal	N/A
4**	5781.000	94.97	1.04	--	94.97	AV	5.00	150	Horizontal	N/A
5	11969.438	51.53	20.40	74.0	-22.47	Peak	200.00	150	Horizontal	Pass
5**	11969.438	40.89	20.40	54.0	-13.11	AV	200.00	150	Horizontal	Pass
6	15633.563	54.46	26.94	74.0	-19.54	Peak	29.00	150	Horizontal	Pass
6**	15633.563	45.45	26.94	54.0	-8.55	AV	29.00	150	Horizontal	Pass

## 11ac20, Band IV, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1485.000	37.80	-14.93	74.0	-36.20	Peak	360.00	150	Vertical	Pass
1**	1485.000	27.16	-14.93	54.0	-26.84	AV	360.00	150	Vertical	Pass
2	2765.500	44.15	-8.66	74.0	-29.85	Peak	360.00	150	Vertical	Pass
2**	2765.500	33.38	-8.66	54.0	-20.62	AV	360.00	150	Vertical	Pass
3	3961.000	46.76	-4.51	74.0	-27.24	Peak	219.00	150	Vertical	Pass
3**	3961.000	35.78	-4.51	54.0	-18.22	AV	219.00	150	Vertical	Pass
4	5828.000	93.42	0.88	--	-208.58	Peak	302.00	150	Vertical	N/A
4**	5828.000	83.97	0.88	--	83.97	AV	302.00	150	Vertical	N/A
5	12246.875	52.40	21.88	74.0	-21.60	Peak	0.00	150	Vertical	Pass
5**	12246.875	41.42	21.88	54.0	-12.58	AV	0.00	150	Vertical	Pass
6	15644.063	55.57	27.09	74.0	-18.43	Peak	222.00	150	Vertical	Pass
6**	15644.063	45.05	27.09	54.0	-8.95	AV	222.00	150	Vertical	Pass

## 11ac20, Band IV, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1541.500	37.71	-14.71	74.0	-36.29	Peak	221.00	150	Horizontal	Pass
1**	1541.500	27.40	-14.71	54.0	-26.60	AV	221.00	150	Horizontal	Pass
2	2816.000	44.13	-8.09	74.0	-29.87	Peak	122.00	150	Horizontal	Pass
2**	2816.000	33.61	-8.09	54.0	-20.39	AV	122.00	150	Horizontal	Pass
3	4038.000	46.52	-4.02	74.0	-27.48	Peak	92.00	150	Horizontal	Pass
3**	4038.000	36.52	-4.02	54.0	-17.48	AV	92.00	150	Horizontal	Pass
4	5824.000	101.90	0.82	--	88.90	Peak	13.00	150	Horizontal	N/A
4**	5824.000	94.32	0.82	--	94.32	AV	13.00	150	Horizontal	N/A
5	11623.000	50.10	20.39	74.0	-23.90	Peak	353.00	150	Horizontal	Pass
5**	11623.000	40.53	20.39	54.0	-13.47	AV	353.00	150	Horizontal	Pass
6	15633.563	55.07	26.94	74.0	-18.93	Peak	117.00	150	Horizontal	Pass
6**	15633.563	45.74	26.94	54.0	-8.26	AV	117.00	150	Horizontal	Pass

## 11ac40, Band IV, 1 GHz to 18 GHz, Low channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1353.000	37.09	-14.47	74.0	-36.91	Peak	210.00	150	Vertical	Pass
1**	1353.000	27.44	-14.47	54.0	-26.56	AV	210.00	150	Vertical	Pass
2	2767.000	44.36	-8.65	74.0	-29.64	Peak	283.00	150	Vertical	Pass
2**	2767.000	33.49	-8.65	54.0	-20.51	AV	283.00	150	Vertical	Pass
3	4137.000	47.34	-4.08	74.0	-26.66	Peak	43.00	150	Vertical	Pass
3**	4137.000	36.92	-4.08	54.0	-17.08	AV	43.00	150	Vertical	Pass
4	5760.000	92.15	0.65	--	-203.85	Peak	296.00	150	Vertical	N/A
4**	5760.000	84.04	0.65	--	84.04	AV	296.00	150	Vertical	N/A
5	11992.438	51.63	20.47	74.0	-22.37	Peak	44.00	150	Vertical	Pass
5**	11992.438	41.32	20.47	54.0	-12.68	AV	44.00	150	Vertical	Pass
6	15634.875	55.64	26.99	74.0	-18.36	Peak	295.00	150	Vertical	Pass
6**	15634.875	45.26	26.99	54.0	-8.74	AV	295.00	150	Vertical	Pass

## 11ac40, Band IV, 1 GHz to 18 GHz, Low channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1504.500	37.43	-15.03	74.0	-36.57	Peak	185.00	150	Horizontal	Pass
1**	1504.500	27.22	-15.03	54.0	-26.78	AV	185.00	150	Horizontal	Pass
2	2810.500	44.80	-8.36	74.0	-29.20	Peak	128.00	150	Horizontal	Pass
2**	2810.500	33.48	-8.36	54.0	-20.52	AV	128.00	150	Horizontal	Pass
3	3956.000	46.42	-4.50	74.0	-27.58	Peak	332.00	150	Horizontal	Pass
3**	3956.000	35.97	-4.50	54.0	-18.03	AV	332.00	150	Horizontal	Pass
4	5760.000	101.52	0.65	--	87.52	Peak	14.00	150	Horizontal	N/A
4**	5760.000	93.33	0.65	--	93.33	AV	14.00	150	Horizontal	N/A
5	11597.125	51.43	20.04	74.0	-22.57	Peak	174.00	150	Horizontal	Pass
5**	11597.125	40.06	20.04	54.0	-13.94	AV	174.00	150	Horizontal	Pass
6	15640.125	55.47	27.19	74.0	-18.53	Peak	48.00	150	Horizontal	Pass
6**	15640.125	45.25	27.19	54.0	-8.75	AV	48.00	150	Horizontal	Pass

## 11ac40, Band IV, 1 GHz to 18 GHz, High channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1503.500	37.39	-14.99	74.0	-36.61	Peak	195.00	150	Vertical	Pass
1**	1503.500	27.10	-14.99	54.0	-26.90	AV	195.00	150	Vertical	Pass
2	2788.000	43.67	-8.78	74.0	-30.33	Peak	264.00	150	Vertical	Pass
2**	2788.000	33.31	-8.78	54.0	-20.69	AV	264.00	150	Vertical	Pass
3	4048.000	46.75	-3.79	74.0	-27.25	Peak	0.00	150	Vertical	Pass
3**	4048.000	36.64	-3.79	54.0	-17.36	AV	0.00	150	Vertical	Pass
4	5780.000	91.28	1.03	--	-214.72	Peak	306.00	150	Vertical	N/A
4**	5780.000	82.24	1.03	--	82.24	AV	306.00	150	Vertical	N/A
5	11923.438	51.21	20.25	74.0	-22.79	Peak	286.00	150	Vertical	Pass
5**	11923.438	41.68	20.25	54.0	-12.32	AV	286.00	150	Vertical	Pass
6	15541.687	54.57	26.23	74.0	-19.43	Peak	327.00	150	Vertical	Pass
6**	15541.687	44.44	26.23	54.0	-9.56	AV	327.00	150	Vertical	Pass

## 11ac40, Band IV, 1 GHz to 18 GHz, High channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1474.500	38.32	-14.75	74.0	-35.68	Peak	304.00	150	Horizontal	Pass
1**	1474.500	27.18	-14.75	54.0	-26.82	AV	304.00	150	Horizontal	Pass
2	2811.500	44.57	-8.26	74.0	-29.43	Peak	304.00	150	Horizontal	Pass
2**	2811.500	33.79	-8.26	54.0	-20.21	AV	304.00	150	Horizontal	Pass
3	4052.000	46.64	-3.70	74.0	-27.36	Peak	175.00	150	Horizontal	Pass
3**	4052.000	36.43	-3.70	54.0	-17.57	AV	175.00	150	Horizontal	Pass
4	5790.000	100.74	0.95	--	96.74	Peak	4.00	150	Horizontal	N/A
4**	5790.000	92.79	0.95	--	92.79	AV	4.00	150	Horizontal	N/A
5	11982.375	52.06	20.69	74.0	-21.94	Peak	284.00	150	Horizontal	Pass
5**	11982.375	41.32	20.69	54.0	-12.68	AV	284.00	150	Horizontal	Pass
6	15535.126	55.07	26.08	74.0	-18.93	Peak	43.00	150	Horizontal	Pass
6**	15535.126	44.11	26.08	54.0	-9.89	AV	43.00	150	Horizontal	Pass



## 11ac80, Band IV, 1 GHz to 18 GHz, Middle channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1540.000	37.53	-14.74	74.0	-36.47	Peak	174.00	150	Vertical	Pass
1**	1540.000	27.47	-14.74	54.0	-26.53	AV	174.00	150	Vertical	Pass
2	2767.500	43.88	-8.63	74.0	-30.12	Peak	57.00	150	Vertical	Pass
2**	2767.500	33.24	-8.63	54.0	-20.76	AV	57.00	150	Vertical	Pass
3	4015.000	47.69	-4.08	74.0	-26.31	Peak	298.00	150	Vertical	Pass
3**	4015.000	36.15	-4.08	54.0	-17.85	AV	298.00	150	Vertical	Pass
4	5774.000	87.47	0.89	--	-220.53	Peak	308.00	150	Vertical	N/A
4**	5774.000	80.22	0.89	--	80.22	AV	308.00	150	Vertical	N/A
5	11909.063	50.81	20.01	74.0	-23.19	Peak	186.00	150	Vertical	Pass
5**	11909.063	41.07	20.01	54.0	-12.93	AV	186.00	150	Vertical	Pass
6	15636.187	55.21	27.04	74.0	-18.79	Peak	0.00	150	Vertical	Pass
6**	15636.187	45.20	27.04	54.0	-8.80	AV	0.00	150	Vertical	Pass

## 11ac80, Band IV, 1 GHz to 18 GHz, Middle channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1480.500	37.84	-14.92	74.0	-36.16	Peak	210.00	150	Horizontal	Pass
1**	1480.500	27.23	-14.92	54.0	-26.77	AV	210.00	150	Horizontal	Pass
2	2770.500	44.02	-8.48	74.0	-29.98	Peak	317.00	150	Horizontal	Pass
2**	2770.500	33.74	-8.48	54.0	-20.26	AV	317.00	150	Horizontal	Pass
3	4148.000	47.45	-3.58	74.0	-26.55	Peak	296.00	150	Horizontal	Pass
3**	4148.000	36.97	-3.58	54.0	-17.03	AV	296.00	150	Horizontal	Pass
4	5769.000	98.25	0.95	--	82.25	Peak	16.00	150	Horizontal	N/A
4**	5769.000	90.70	0.95	--	90.70	AV	16.00	150	Horizontal	N/A
5	11917.688	51.45	20.26	74.0	-22.55	Peak	355.00	150	Horizontal	Pass
5**	11917.688	41.11	20.26	54.0	-12.89	AV	355.00	150	Horizontal	Pass
6	15636.187	55.41	27.04	74.0	-18.59	Peak	139.00	150	Horizontal	Pass
6**	15636.187	45.41	27.04	54.0	-8.59	AV	139.00	150	Horizontal	Pass


## A.6.2 Band Edge (Restricted-band)

Test Band	Mode	Channel	Verdict
Band I	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
802.11ac(VHT40)	Low	Pass	
	High	Pass	
802.11ac(VHT80)	Middle	Pass	
	Band II	802.11a	Low
High			Pass
802.11n(HT20)		Low	Pass
		High	Pass
802.11n(HT40)		Low	Pass
		High	Pass
802.11ac(VHT20)		Low	Pass
		High	Pass
802.11ac(VHT40)	Low	Pass	
	High	Pass	
802.11ac(VHT80)	Middle	Pass	
	Band III	802.11a	Low
High			Pass
802.11n(HT20)		Low	Pass
		High	Pass
802.11n(HT40)		Low	Pass
		High	Pass
802.11ac(VHT20)		Low	Pass
		High	Pass
802.11ac(VHT40)	Low	Pass	
	High	Pass	
802.11ac(VHT80)	Low	Pass	
	High	Pass	
Band IV	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
802.11ac(VHT40)	Low	Pass	
	High	Pass	


	802.11ac(VHT80)	Middle	Pass
--	-----------------	--------	------

Test Plots


Band I 11a CH36 Peak




Band I 11a CH48 Peak




Band I 11a CH36 AV




Band I 11a CH36 AV




Band I 11n20 CH36 Peak




Band I 11n20 CH48 Peak




## Band I 11n20 CH36 AV




## Band I 11n20 CH36 AV




## Band I 11n40 CH38 Peak




## Band I 11n40 CH46 Peak




## Band I 11n40 CH38 AV




## Band I 11n40 CH38 AV




Band I 11ac20 CH36 Peak




Band I 11ac20 CH48 Peak




Band I 11ac20 CH36 AV




Band I 11ac20 CH36 AV




Band I 11ac40 CH38 Peak




Band I 11ac40 CH46 Peak




Band I 11ac40 CH38 AV




Band I 11ac40 CH38 AV




Band I 11ac80 CH42 Peak




Band I 11ac80 CH42 Peak




Band II 11a CH52 Peak




Band II 11a CH64 Peak




Band II 11n20 CH52 Peak




Band II 11n20 CH64 Peak




Band II 11n20 CH64 AV




Band II 11n40 CH54 Peak




Band II 11n40 CH62 Peak




Band II 11ac20 CH52 Peak




Band II 11ac20 CH64 Peak



Band II 11ac20 CH64 AV




Band II 11ac40 CH54 Peak







Band II 11ac40 CH62 Peak




Band II 11ac40 CH62 AV




Band II 11ac80 CH58 Peak




Band II 11ac80 CH58 Peak




Band III 11a CH100 Peak




Band III 11a CH140 Peak




Band III 11n20 CH100 Peak




Band III 11n20 CH140 Peak




Band III 11n40 CH102 Peak




Band III 11n40 CH102 AV




Band III 11n40 CH134 Peak




Band III 11ac20 CH100 Peak




Band III 11ac20 CH140 Peak




Band III 11ac40 CH102 Peak




Band III 11ac40 CH102 AV




Band III 11ac40 CH134 Peak



Band III 11ac80 CH106 Peak



Band III 11ac80 CH122 Peak




Band IV 11a CH149 Peak



Band IV 11a CH165 Peak




Band IV 11n20 CH149 Peak




Band IV 11n20 CH165 Peak




Band IV 11n40 CH151 Peak




Band IV 11n40 CH159 Peak




Band IV 11ac20 CH149 Peak



Band IV 11ac20 CH165 Peak



Band IV 11ac40 CH151 Peak




Band IV 11ac40 CH159 Peak



Band IV 11ac80 CH155 Peak

Band IV 11ac80 CH155 Peak



## **ANNEX B TEST SETUP PHOTOS**

Please refer the document "BL-SZ2030336-AR.PDF".

## **ANNEX C EUT EXTERNAL PHOTOS**

Please refer the document "BL-SZ2030336-AW.PDF".

## **ANNEX D EUT INTERNAL PHOTOS**

Please refer the document "BL-SZ2030336-AI.PDF".

--END OF REPORT--