


## 25 LTE Band 4

### 25.1 LTE Band 4 BW1.4, Middle Channel


RSE-H&H LTE Band 4 BW1.4 CH20175



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|------------|---------|
| 136.070         | -72.15       | -18.05      | -13.0          | -59.15          | 190.00    | Horizontal | Horizontal | Pass    |
| 862.599         | -66.06       | 2.12        | -13.0          | -53.06          | 320.00    | Horizontal | Horizontal | Pass    |
| 1731.900        | -45.67       | -4.11       | -13.0          | -32.67          | 107.00    | Horizontal | Horizontal | N/A     |
| 2132.300        | -26.16       | -2.30       | -13.0          | -13.16          | 201.00    | Horizontal | Horizontal | N/A     |
| 6980.400        | -41.84       | 13.92       | -13.0          | -28.84          | 190.00    | Horizontal | Horizontal | Pass    |
| 19339.700       | -34.86       | 24.32       | -13.0          | -21.86          | 336.00    | Horizontal | Horizontal | Pass    |

RSE-H&V LTE Band 4 BW1.4 CH20175


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_1700\_WCDMA B4&LTE B4



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 100.664         | -76.46       | -22.28      | -13.0          | -63.46          | 32.00     | Horizontal | Vertical | Pass    |
| 843.782         | -66.62       | 1.50        | -13.0          | -53.62          | 181.00    | Horizontal | Vertical | Pass    |
| 1732.500        | -47.20       | -4.11       | -13.0          | -34.20          | 94.00     | Horizontal | Vertical | N/A     |
| 2132.900        | -24.82       | -2.25       | -13.0          | -11.82          | 185.00    | Horizontal | Vertical | N/A     |
| 6986.000        | -41.34       | 13.58       | -13.0          | -28.34          | 321.00    | Horizontal | Vertical | Pass    |
| 17300.537       | -35.85       | 17.83       | -13.0          | -22.85          | 351.00    | Horizontal | Vertical | Pass    |

RSE-V&V LTE Band 4 BW1.4 CH20175


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_1700\_WCDMA B4&LTE B4



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 42.319          | -73.63       | -18.76      | -13.0          | -60.63          | 105.00    | Vertical | Vertical | Pass    |
| 888.401         | -65.47       | 3.01        | -13.0          | -52.47          | 360.00    | Vertical | Vertical | Pass    |
| 1732.500        | -50.35       | -4.11       | -13.0          | -37.35          | 107.00    | Vertical | Vertical | N/A     |
| 2132.900        | -39.90       | -2.25       | -13.0          | -26.90          | 255.00    | Vertical | Vertical | N/A     |
| 6972.800        | -42.12       | 13.87       | -13.0          | -29.12          | 237.00    | Vertical | Vertical | Pass    |
| 15300.225       | -36.70       | 17.84       | -13.0          | -23.70          | 291.00    | Vertical | Vertical | Pass    |

RSE-V&H LTE Band 4 BW1.4 CH20175

OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_1700\_WCDMA B4&LTE B4




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|------------|---------|
| 49.400          | -70.87       | -17.59      | -13.0          | -57.87          | 316.00    | Vertical | Horizontal | Pass    |
| 923.273         | -65.06       | 3.09        | -13.0          | -52.06          | 218.00    | Vertical | Horizontal | Pass    |
| 1732.300        | -52.03       | -4.11       | -13.0          | -39.03          | 351.00    | Vertical | Horizontal | N/A     |
| 2132.800        | -44.06       | -2.26       | -13.0          | -31.06          | 154.00    | Vertical | Horizontal | N/A     |
| 6690.800        | -41.61       | 11.97       | -13.0          | -28.61          | 302.00    | Vertical | Horizontal | Pass    |
| 17101.199       | -34.93       | 19.43       | -13.0          | -21.93          | 349.00    | Vertical | Horizontal | Pass    |

## 25.2 LTE Band 4 BW3, Middle Channel

RSE-H&H LTE Band 4 BW3 CH20175


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_1700\_WCDMA B4&LTE B4



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|------------|---------|
| 136.021         | -72.36       | -18.06      | -13.0          | -59.36          | 206.00    | Horizontal | Horizontal | Pass    |
| 854.306         | -66.21       | 1.63        | -13.0          | -53.21          | 319.00    | Horizontal | Horizontal | Pass    |
| 1731.100        | -54.80       | -4.12       | -13.0          | -41.80          | 11.00     | Horizontal | Horizontal | N/A     |
| 2133.500        | -25.55       | -2.21       | -13.0          | -12.55          | 189.00    | Horizontal | Horizontal | N/A     |
| 4767.800        | -46.49       | 7.89        | -13.0          | -33.49          | 302.00    | Horizontal | Horizontal | Pass    |
| 19295.302       | -35.71       | 24.10       | -13.0          | -22.71          | 150.00    | Horizontal | Horizontal | Pass    |

RSE-H&V LTE Band 4 BW3 CH20175


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_1700\_WCDMA B4&LTE B4



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 217.550         | -76.98       | -17.04      | -13.0          | -63.98          | 75.00     | Horizontal | Vertical | Pass    |
| 906.831         | -65.46       | 3.07        | -13.0          | -52.46          | 40.00     | Horizontal | Vertical | Pass    |
| 1345.500        | -57.25       | -4.55       | -13.0          | -44.25          | 13.00     | Horizontal | Vertical | Pass    |
| 2133.300        | -23.89       | -2.22       | -13.0          | -10.89          | 210.00    | Horizontal | Vertical | N/A     |
| 6987.000        | -42.02       | 13.54       | -13.0          | -29.02          | 241.00    | Horizontal | Vertical | Pass    |
| 17099.350       | -36.68       | 19.42       | -13.0          | -23.68          | 200.00    | Horizontal | Vertical | Pass    |

RSE-V&V LTE Band 4 BW3 CH20175


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_1700\_WCDMA B4&LTE B4



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 57.209          | -73.79       | -15.24      | -13.0          | -60.79          | 85.00     | Vertical | Vertical | Pass    |
| 900.235         | -65.46       | 3.13        | -13.0          | -52.46          | 32.00     | Vertical | Vertical | Pass    |
| 1421.800        | -57.45       | -4.59       | -13.0          | -44.45          | 13.00     | Vertical | Vertical | Pass    |
| 2133.600        | -43.98       | -2.20       | -13.0          | -30.98          | 119.00    | Vertical | Vertical | N/A     |
| 6982.400        | -42.12       | 13.79       | -13.0          | -29.12          | 155.00    | Vertical | Vertical | Pass    |
| 19305.937       | -35.86       | 24.33       | -13.0          | -22.86          | 13.00     | Vertical | Vertical | Pass    |

RSE-V&H LTE Band 4 BW3 CH20175

OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_1700\_WCDMA B4&LTE B4




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|------------|---------|
| 49.545          | -70.40       | -17.58      | -13.0          | -57.40          | 256.00    | Vertical | Horizontal | Pass    |
| 886.995         | -65.74       | 2.90        | -13.0          | -52.74          | -1.00     | Vertical | Horizontal | Pass    |
| 1373.100        | -57.29       | -4.62       | -13.0          | -44.29          | 167.00    | Vertical | Horizontal | Pass    |
| 2132.200        | -42.44       | -2.30       | -13.0          | -29.44          | 249.00    | Vertical | Horizontal | N/A     |
| 6983.800        | -42.13       | 13.69       | -13.0          | -29.13          | 88.00     | Vertical | Horizontal | Pass    |
| 19336.925       | -35.19       | 24.33       | -13.0          | -22.19          | -1.00     | Vertical | Horizontal | Pass    |



## 25.3 LTE Band 4 BW5, Middle Channel

RSE-H&H LTE Band 4 BW5 CH20175


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_1700\_WCDMA B4&LTE B4



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|------------|---------|
| 135.633         | -72.99       | -18.13      | -13.0          | -59.99          | 195.00    | Horizontal | Horizontal | Pass    |
| 896.550         | -65.22       | 3.06        | -13.0          | -52.22          | 94.00     | Horizontal | Horizontal | Pass    |
| 1730.900        | -49.16       | -4.12       | -13.0          | -36.16          | 96.00     | Horizontal | Horizontal | N/A     |
| 2132.600        | -24.34       | -2.27       | -13.0          | -11.34          | 197.00    | Horizontal | Horizontal | N/A     |
| 6978.000        | -42.29       | 13.95       | -13.0          | -29.29          | 253.00    | Horizontal | Horizontal | Pass    |
| 17200.175       | -35.86       | 18.55       | -13.0          | -22.86          | 276.00    | Horizontal | Horizontal | Pass    |

RSE-H&V LTE Band 4 BW5 CH20175


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_1700\_WCDMA B4&LTE B4



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 100.228         | -75.41       | -22.24      | -13.0          | -62.41          | 53.00     | Horizontal | Vertical | Pass    |
| 826.467         | -66.67       | 1.14        | -13.0          | -53.67          | 109.00    | Horizontal | Vertical | Pass    |
| 1730.700        | -49.22       | -4.12       | -13.0          | -36.22          | 96.00     | Horizontal | Vertical | N/A     |
| 2131.800        | -24.63       | -2.33       | -13.0          | -11.63          | 185.00    | Horizontal | Vertical | N/A     |
| 6985.000        | -41.91       | 13.62       | -13.0          | -28.91          | 14.00     | Horizontal | Vertical | Pass    |
| 17180.287       | -36.87       | 18.47       | -13.0          | -23.87          | 248.00    | Horizontal | Vertical | Pass    |

RSE-V&V LTE Band 4 BW5 CH20175


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_1700\_WCDMA B4&LTE B4



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 57.160          | -74.01       | -15.25      | -13.0          | -61.01          | 360.00    | Vertical | Vertical | Pass    |
| 871.233         | -66.41       | 2.32        | -13.0          | -53.41          | 138.00    | Vertical | Vertical | Pass    |
| 1730.600        | -52.94       | -4.12       | -13.0          | -39.94          | 125.00    | Vertical | Vertical | N/A     |
| 2133.600        | -41.16       | -2.20       | -13.0          | -28.16          | 235.00    | Vertical | Vertical | N/A     |
| 6665.200        | -42.25       | 11.90       | -13.0          | -29.25          | 62.00     | Vertical | Vertical | Pass    |
| 15304.388       | -36.87       | 17.85       | -13.0          | -23.87          | 7.00      | Vertical | Vertical | Pass    |

RSE-V&H LTE Band 4 BW5 CH20175

OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_1700\_WCDMA B4&LTE B4




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|------------|---------|
| 49.352          | -70.23       | -17.59      | -13.0          | -57.23          | 267.00    | Vertical | Horizontal | Pass    |
| 935.204         | -64.72       | 3.28        | -13.0          | -51.72          | -1.00     | Vertical | Horizontal | Pass    |
| 1730.600        | -54.92       | -4.12       | -13.0          | -41.92          | 297.00    | Vertical | Horizontal | N/A     |
| 2133.600        | -42.16       | -2.20       | -13.0          | -29.16          | 244.00    | Vertical | Horizontal | N/A     |
| 6974.000        | -42.16       | 13.88       | -13.0          | -29.16          | 346.00    | Vertical | Horizontal | Pass    |
| 19329.526       | -35.57       | 24.38       | -13.0          | -22.57          | 220.00    | Vertical | Horizontal | Pass    |

## 25.4 LTE Band 4 BW10, Middle Channel

RSE-H&H LTE Band 4 BW10 CH20175


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_1700\_WCDMA B4&LTE B4



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|------------|---------|
| 135.584         | -71.73       | -18.14      | -13.0          | -58.73          | 217.00    | Horizontal | Horizontal | Pass    |
| 863.909         | -66.90       | 2.12        | -13.0          | -53.90          | 252.00    | Horizontal | Horizontal | Pass    |
| 1728.500        | -44.01       | -4.12       | -13.0          | -31.01          | 19.00     | Horizontal | Horizontal | N/A     |
| 2136.400        | -22.99       | -2.08       | -13.0          | -9.99           | 195.00    | Horizontal | Horizontal | N/A     |
| 5848.800        | -45.01       | 8.99        | -13.0          | -32.01          | 296.00    | Horizontal | Horizontal | Pass    |
| 19922.448       | -35.33       | 25.06       | -13.0          | -22.33          | 117.00    | Horizontal | Horizontal | Pass    |

RSE-H&V LTE Band 4 BW10 CH20175


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_1700\_WCDMA B4&LTE B4



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 214.688         | -76.06       | -17.27      | -13.0          | -63.06          | 95.00     | Horizontal | Vertical | Pass    |
| 886.655         | -65.60       | 2.88        | -13.0          | -52.60          | 360.00    | Horizontal | Vertical | Pass    |
| 1728.600        | -44.26       | -4.12       | -13.0          | -31.26          | 119.00    | Horizontal | Vertical | N/A     |
| 2129.500        | -24.45       | -2.30       | -13.0          | -11.45          | 208.00    | Horizontal | Vertical | N/A     |
| 6993.600        | -41.37       | 12.95       | -13.0          | -28.37          | 70.00     | Horizontal | Vertical | Pass    |
| 15327.974       | -37.17       | 17.69       | -13.0          | -24.17          | 115.00    | Horizontal | Vertical | Pass    |

RSE-V&V LTE Band 4 BW10 CH20175


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_1700\_WCDMA B4&LTE B4



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 49.060          | -70.35       | -17.63      | -13.0          | -57.35          | 268.00    | Vertical | Vertical | Pass    |
| 925.601         | -65.93       | 3.21        | -13.0          | -52.93          | 102.00    | Vertical | Vertical | Pass    |
| 1728.500        | -47.84       | -4.12       | -13.0          | -34.84          | 85.00     | Vertical | Vertical | N/A     |
| 2129.600        | -42.77       | -2.31       | -13.0          | -29.77          | 121.00    | Vertical | Vertical | N/A     |
| 6975.600        | -42.47       | 13.91       | -13.0          | -29.47          | 13.00     | Vertical | Vertical | Pass    |
| 15293.287       | -37.05       | 17.74       | -13.0          | -24.05          | 89.00     | Vertical | Vertical | Pass    |

RSE-V&H LTE Band 4 BW10 CH20175

OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_1700\_WCDMA B4&LTE B4




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|------------|---------|
| 49.739          | -70.87       | -17.56      | -13.0          | -57.87          | 240.00    | Vertical | Horizontal | Pass    |
| 892.088         | -65.57       | 2.85        | -13.0          | -52.57          | 288.00    | Vertical | Horizontal | Pass    |
| 1728.500        | -49.56       | -4.12       | -13.0          | -36.56          | 279.00    | Vertical | Horizontal | N/A     |
| 2129.500        | -42.18       | -2.30       | -13.0          | -29.18          | 156.00    | Vertical | Horizontal | N/A     |
| 6852.200        | -42.47       | 11.83       | -13.0          | -29.47          | 127.00    | Vertical | Horizontal | Pass    |
| 21044.474       | -34.28       | 23.27       | -13.0          | -21.28          | 205.00    | Vertical | Horizontal | Pass    |



## 25.5 LTE Band 4 BW15, Middle Channel

RSE-H&H LTE Band 4 BW15 CH20175


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_1700\_WCDMA B4&LTE B4



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|------------|---------|
| 137.088         | -72.27       | -17.89      | -13.0          | -59.27          | 196.00    | Horizontal | Horizontal | Pass    |
| 886.704         | -65.78       | 2.88        | -13.0          | -52.78          | 208.00    | Horizontal | Horizontal | Pass    |
| 1726.200        | -45.44       | -4.13       | -13.0          | -32.44          | 103.00    | Horizontal | Horizontal | N/A     |
| 2126.800        | -24.05       | -2.23       | -13.0          | -11.05          | 190.00    | Horizontal | Horizontal | N/A     |
| 6986.400        | -41.96       | 13.56       | -13.0          | -28.96          | 86.00     | Horizontal | Horizontal | Pass    |
| 17073.449       | -36.22       | 18.21       | -13.0          | -23.22          | 177.00    | Horizontal | Horizontal | Pass    |

RSE-H&V LTE Band 4 BW15 CH20175


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_1700\_WCDMA B4&LTE B4



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 99.695          | -74.72       | -22.24      | -13.0          | -61.72          | 54.00     | Horizontal | Vertical | Pass    |
| 799.937         | -66.65       | 1.58        | -13.0          | -53.65          | 171.00    | Horizontal | Vertical | Pass    |
| 1726.300        | -45.71       | -4.13       | -13.0          | -32.71          | 103.00    | Horizontal | Vertical | N/A     |
| 2138.100        | -23.89       | -2.11       | -13.0          | -10.89          | 177.00    | Horizontal | Vertical | N/A     |
| 6969.600        | -40.88       | 13.63       | -13.0          | -27.88          | 361.00    | Horizontal | Vertical | Pass    |
| 21022.276       | -33.87       | 23.26       | -13.0          | -20.87          | 311.00    | Horizontal | Vertical | Pass    |

RSE-V&V LTE Band 4 BW15 CH20175


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_1700\_WCDMA B4&LTE B4



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 49.642          | -69.56       | -17.57      | -13.0          | -56.56          | 295.00    | Vertical | Vertical | Pass    |
| 924.631         | -65.00       | 3.21        | -13.0          | -52.00          | 348.00    | Vertical | Vertical | Pass    |
| 1726.300        | -49.82       | -4.13       | -13.0          | -36.82          | 98.00     | Vertical | Vertical | N/A     |
| 2135.200        | -41.27       | -2.11       | -13.0          | -28.27          | 234.00    | Vertical | Vertical | N/A     |
| 6978.400        | -40.63       | 13.96       | -13.0          | -27.63          | 206.00    | Vertical | Vertical | Pass    |
| 17192.313       | -36.36       | 18.52       | -13.0          | -23.36          | 219.00    | Vertical | Vertical | Pass    |

RSE-V&H LTE Band 4 BW15 CH20175

OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_1700\_WCDMA B4&LTE B4




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|------------|---------|
| 49.400          | -70.44       | -17.59      | -13.0          | -57.44          | 268.00    | Vertical | Horizontal | Pass    |
| 886.122         | -65.98       | 2.84        | -13.0          | -52.98          | 268.00    | Vertical | Horizontal | Pass    |
| 1726.200        | -50.88       | -4.13       | -13.0          | -37.88          | 289.00    | Vertical | Horizontal | N/A     |
| 2133.700        | -40.58       | -2.20       | -13.0          | -27.58          | 252.00    | Vertical | Horizontal | N/A     |
| 6982.000        | -41.59       | 13.82       | -13.0          | -28.59          | 231.00    | Vertical | Horizontal | Pass    |
| 17088.250       | -36.40       | 18.79       | -13.0          | -23.40          | 273.00    | Vertical | Horizontal | Pass    |

## 25.6 LTE Band 4 BW20, Middle Channel

RSE-H&H LTE Band 4 BW20 CH20175


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_1700\_WCDMA B4&LTE B4



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|------------|---------|
| 134.857         | -72.68       | -18.27      | -13.0          | -59.68          | 204.00    | Horizontal | Horizontal | Pass    |
| 942.721         | -65.47       | 3.11        | -13.0          | -52.47          | 99.00     | Horizontal | Horizontal | Pass    |
| 1723.900        | -54.16       | -4.14       | -13.0          | -41.16          | 104.00    | Horizontal | Horizontal | N/A     |
| 2134.400        | -22.26       | -2.16       | -13.0          | -9.26           | 197.00    | Horizontal | Horizontal | N/A     |
| 6987.200        | -42.07       | 13.51       | -13.0          | -29.07          | 74.00     | Horizontal | Horizontal | Pass    |
| 17100.276       | -36.53       | 19.45       | -13.0          | -23.53          | 201.00    | Horizontal | Horizontal | Pass    |

RSE-H&V LTE Band 4 BW20 CH20175


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_1700\_WCDMA B4&LTE B4



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 210.372         | -74.17       | -17.26      | -13.0          | -61.17          | 75.00     | Horizontal | Vertical | Pass    |
| 914.591         | -64.45       | 3.00        | -13.0          | -51.45          | 227.00    | Horizontal | Vertical | Pass    |
| 1723.800        | -54.09       | -4.14       | -13.0          | -41.09          | 361.00    | Horizontal | Vertical | N/A     |
| 2125.900        | -23.62       | -2.20       | -13.0          | -10.62          | 193.00    | Horizontal | Vertical | N/A     |
| 6998.600        | -41.54       | 13.03       | -13.0          | -28.54          | 143.00    | Horizontal | Vertical | Pass    |
| 15308.550       | -36.27       | 17.87       | -13.0          | -23.27          | 259.00    | Horizontal | Vertical | Pass    |

RSE-V&V LTE Band 4 BW20 CH20175


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_1700\_WCDMA B4&LTE B4



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 49.400          | -69.98       | -17.59      | -13.0          | -56.98          | 319.00    | Vertical | Vertical | Pass    |
| 902.612         | -66.31       | 3.02        | -13.0          | -53.31          | 139.00    | Vertical | Vertical | Pass    |
| 1387.600        | -56.89       | -4.59       | -13.0          | -43.89          | -1.00     | Vertical | Vertical | Pass    |
| 2139.800        | -41.76       | -2.24       | -13.0          | -28.76          | 216.00    | Vertical | Vertical | N/A     |
| 6622.800        | -42.34       | 11.95       | -13.0          | -29.34          | 234.00    | Vertical | Vertical | Pass    |
| 17105.363       | -35.89       | 19.35       | -13.0          | -22.89          | 101.00    | Vertical | Vertical | Pass    |

RSE-V&H LTE Band 4 BW20 CH20175

OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_1700\_WCDMA B4&LTE B4




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|------------|---------|
| 49.303          | -70.37       | -17.60      | -13.0          | -57.37          | 219.00    | Vertical | Horizontal | Pass    |
| 873.076         | -65.75       | 2.33        | -13.0          | -52.75          | 125.00    | Vertical | Horizontal | Pass    |
| 1478.300        | -56.96       | -4.78       | -13.0          | -43.96          | 74.00     | Vertical | Horizontal | Pass    |
| 2132.100        | -40.34       | -2.31       | -13.0          | -27.34          | 261.00    | Vertical | Horizontal | N/A     |
| 6973.600        | -41.87       | 13.88       | -13.0          | -28.87          | 95.00     | Vertical | Horizontal | Pass    |
| 17102.125       | -36.34       | 19.41       | -13.0          | -23.34          | 241.00    | Vertical | Horizontal | Pass    |



## 26 LTE Band 5

### 26.1 LTE Band 5 BW1.4, Middle Channel


RSE-H&H LTE Band 5 BW1.4 CH20525



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|------------|---------|
| 138.058         | -72.42       | -17.71      | -13.0          | -59.42          | 221.00    | Horizontal | Horizontal | Pass    |
| 836.119         | -50.65       | 2.30        | -13.0          | -37.65          | 80.00     | Horizontal | Horizontal | N/A     |
| 881.127         | -31.78       | 2.86        | -13.0          | -18.78          | 262.00    | Horizontal | Horizontal | N/A     |
| 2424.100        | -52.88       | -0.21       | -13.0          | -39.88          | 43.00     | Horizontal | Horizontal | Pass    |
| 5121.800        | -47.52       | 8.32        | -13.0          | -34.52          | 280.00    | Horizontal | Horizontal | Pass    |
| 9299.800        | -40.10       | 17.71       | -13.0          | -27.10          | 339.00    | Horizontal | Horizontal | Pass    |

RSE-H&V LTE Band 5 BW1.4 CH20525


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 22\_850\_GSM 850&CDMA BC0&WCDMA B5&LTE B5&26



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 99.598          | -74.86       | -22.16      | -13.0          | -61.86          | 25.00     | Horizontal | Vertical | Pass    |
| 836.119         | -46.10       | 2.30        | -13.0          | -33.10          | 240.00    | Horizontal | Vertical | N/A     |
| 881.660         | -32.69       | 2.88        | -13.0          | -19.69          | 287.00    | Horizontal | Vertical | N/A     |
| 1672.500        | -52.25       | -5.59       | -13.0          | -39.25          | 140.00    | Horizontal | Vertical | Pass    |
| 5158.200        | -46.36       | 7.91        | -13.0          | -33.36          | 264.00    | Horizontal | Vertical | Pass    |
| 9346.300        | -40.39       | 17.13       | -13.0          | -27.39          | 131.00    | Horizontal | Vertical | Pass    |


RSE-V&V LTE Band 5 BW1.4 CH20525

OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 22\_850\_GSM 850&CDMA BC0&WCDMA B5&LTE B5&26



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 49.545          | -70.33       | -17.52      | -13.0          | -57.33          | 265.00    | Vertical | Vertical | Pass    |
| 836.119         | -44.17       | 2.30        | -13.0          | -31.17          | 45.00     | Vertical | Vertical | N/A     |
| 881.175         | -38.41       | 2.86        | -13.0          | -25.41          | 298.00    | Vertical | Vertical | N/A     |
| 1672.500        | -48.67       | -5.59       | -13.0          | -35.67          | 140.00    | Vertical | Vertical | Pass    |
| 4789.400        | -47.92       | 8.20        | -13.0          | -34.92          | 161.00    | Vertical | Vertical | Pass    |
| 9232.900        | -40.17       | 16.89       | -13.0          | -27.17          | -1.00     | Vertical | Vertical | Pass    |


RSE-V&H LTE Band 5 BW1.4 CH20525



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|------------|---------|
| 39.409          | -72.52       | -19.60      | -13.0          | -59.52          | 310.00    | Vertical | Horizontal | Pass    |
| 836.119         | -50.38       | 2.30        | -13.0          | -37.38          | 22.00     | Vertical | Horizontal | N/A     |
| 881.612         | -39.00       | 2.88        | -13.0          | -26.00          | 283.00    | Vertical | Horizontal | N/A     |
| 2393.600        | -53.19       | -0.77       | -13.0          | -40.19          | 145.00    | Vertical | Horizontal | Pass    |
| 5093.800        | -47.22       | 8.10        | -13.0          | -34.22          | 92.00     | Vertical | Horizontal | Pass    |
| 9262.000        | -40.83       | 17.14       | -13.0          | -27.83          | 295.00    | Vertical | Horizontal | Pass    |

## 26.2 LTE Band 5 BW3, Middle Channel


RSE-H&H LTE Band 5 BW3 CH20525



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|------------|---------|
| 137.670         | -73.25       | -17.78      | -13.0          | -60.25          | 207.00    | Horizontal | Horizontal | Pass    |
| 835.197         | -52.79       | 2.28        | -13.0          | -39.79          | 236.00    | Horizontal | Horizontal | N/A     |
| 881.999         | -32.27       | 2.90        | -13.0          | -19.27          | 279.00    | Horizontal | Horizontal | N/A     |
| 2230.200        | -53.56       | -0.57       | -13.0          | -40.56          | 281.00    | Horizontal | Horizontal | Pass    |
| 4750.000        | -47.76       | 7.19        | -13.0          | -34.76          | 256.00    | Horizontal | Horizontal | Pass    |
| 9264.850        | -40.30       | 17.16       | -13.0          | -27.30          | -1.00     | Horizontal | Horizontal | Pass    |

RSE-H&V LTE Band 5 BW3 CH20525


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 22\_850\_GSM 850&CDMA BC0&WCDMA B5&LTE B5&26



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 99.840          | -75.30       | -22.18      | -13.0          | -62.30          | 39.00     | Horizontal | Vertical | Pass    |
| 835.197         | -48.09       | 2.28        | -13.0          | -35.09          | 218.00    | Horizontal | Vertical | N/A     |
| 880.447         | -32.13       | 2.83        | -13.0          | -19.13          | 262.00    | Horizontal | Vertical | N/A     |
| 1671.100        | -51.89       | -5.62       | -13.0          | -38.89          | 141.00    | Horizontal | Vertical | Pass    |
| 5357.000        | -46.23       | 7.53        | -13.0          | -33.23          | 296.00    | Horizontal | Vertical | Pass    |
| 9303.550        | -40.09       | 17.71       | -13.0          | -27.09          | 35.00     | Horizontal | Vertical | Pass    |

RSE-V&V LTE Band 5 BW3 CH20525


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 22\_850\_GSM 850&CDMA BC0&WCDMA B5&LTE B5&26



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 49.739          | -70.35       | -17.50      | -13.0          | -57.35          | 348.00    | Vertical | Vertical | Pass    |
| 835.197         | -45.68       | 2.28        | -13.0          | -32.68          | 113.00    | Vertical | Vertical | N/A     |
| 880.641         | -38.23       | 2.84        | -13.0          | -25.23          | 304.00    | Vertical | Vertical | N/A     |
| 1670.900        | -48.25       | -5.63       | -13.0          | -35.25          | 142.00    | Vertical | Vertical | Pass    |
| 4363.200        | -49.10       | 7.08        | -13.0          | -36.10          | 25.00     | Vertical | Vertical | Pass    |
| 6982.000        | -40.39       | 13.82       | -13.0          | -27.39          | 220.00    | Vertical | Vertical | Pass    |

RSE-V&H LTE Band 5 BW3 CH20525

OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 22\_850\_GSM 850&CDMA BC0&WCDMA B5&LTE B5&26




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|------------|---------|
| 46.538          | -73.03       | -18.76      | -13.0          | -60.03          | 210.00    | Vertical | Horizontal | Pass    |
| 835.294         | -53.96       | 2.28        | -13.0          | -40.96          | 24.00     | Vertical | Horizontal | N/A     |
| 881.030         | -38.72       | 2.86        | -13.0          | -25.72          | 312.00    | Vertical | Horizontal | N/A     |
| 2206.300        | -53.59       | -0.68       | -13.0          | -40.59          | 248.00    | Vertical | Horizontal | Pass    |
| 4888.000        | -46.22       | 7.46        | -13.0          | -33.22          | 243.00    | Vertical | Horizontal | Pass    |
| 9307.600        | -40.40       | 17.70       | -13.0          | -27.40          | 64.00     | Vertical | Horizontal | Pass    |



## 26.3 LTE Band 5 BW5, Middle Channel


RSE-H&H LTE Band 5 BW5 CH20525



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|------------|---------|
| 38.439          | -78.39       | -19.86      | -13.0          | -65.39          | 91.00     | Horizontal | Horizontal | Pass    |
| 834.372         | -49.86       | 2.25        | -13.0          | -36.86          | 226.00    | Horizontal | Horizontal | N/A     |
| 880.545         | -31.74       | 2.84        | -13.0          | -18.74          | 248.00    | Horizontal | Horizontal | N/A     |
| 1669.100        | -55.64       | -5.60       | -13.0          | -42.64          | 65.00     | Horizontal | Horizontal | Pass    |
| 5107.200        | -45.92       | 8.14        | -13.0          | -32.92          | 228.00    | Horizontal | Horizontal | Pass    |
| 9374.349        | -40.26       | 17.25       | -13.0          | -27.26          | 268.00    | Horizontal | Horizontal | Pass    |

RSE-H&V LTE Band 5 BW5 CH20525


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 22\_850\_GSM 850&CDMA BC0&WCDMA B5&LTE B5&26



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 38.681          | -78.04       | -19.83      | -13.0          | -65.04          | 115.00    | Horizontal | Vertical | Pass    |
| 834.324         | -52.36       | 2.25        | -13.0          | -39.36          | 50.00     | Horizontal | Vertical | N/A     |
| 883.503         | -32.17       | 2.92        | -13.0          | -19.17          | 269.00    | Horizontal | Vertical | N/A     |
| 1669.000        | -55.11       | -5.60       | -13.0          | -42.11          | 152.00    | Horizontal | Vertical | Pass    |
| 4919.800        | -46.90       | 8.02        | -13.0          | -33.90          | 52.00     | Horizontal | Vertical | Pass    |
| 9304.901        | -40.33       | 17.70       | -13.0          | -27.33          | 66.00     | Horizontal | Vertical | Pass    |

RSE-V&V LTE Band 5 BW5 CH20525


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 22\_850\_GSM 850&CDMA BC0&WCDMA B5&LTE B5&26



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 46.587          | -72.90       | -18.73      | -13.0          | -59.90          | 100.00    | Vertical | Vertical | Pass    |
| 834.421         | -48.13       | 2.25        | -13.0          | -35.13          | 60.00     | Vertical | Vertical | N/A     |
| 880.447         | -37.92       | 2.83        | -13.0          | -24.92          | 231.00    | Vertical | Vertical | N/A     |
| 1668.900        | -52.74       | -5.60       | -13.0          | -39.74          | 211.00    | Vertical | Vertical | Pass    |
| 4724.200        | -47.70       | 7.10        | -13.0          | -34.70          | 317.00    | Vertical | Vertical | Pass    |
| 9288.250        | -39.33       | 17.44       | -13.0          | -26.33          | 307.00    | Vertical | Vertical | Pass    |

RSE-V&H LTE Band 5 BW5 CH20525


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 22\_850\_GSM 850&CDMA BC0&WCDMA B5&LTE B5&26



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|------------|---------|
| 46.199          | -72.39       | -18.95      | -13.0          | -59.39          | 104.00    | Vertical | Horizontal | Pass    |
| 834.324         | -51.53       | 2.25        | -13.0          | -38.53          | 342.00    | Vertical | Horizontal | N/A     |
| 881.612         | -37.18       | 2.88        | -13.0          | -24.18          | 280.00    | Vertical | Horizontal | N/A     |
| 1669.100        | -55.14       | -5.60       | -13.0          | -42.14          | 168.00    | Vertical | Horizontal | Pass    |
| 5356.600        | -46.32       | 7.51        | -13.0          | -33.32          | 201.00    | Vertical | Horizontal | Pass    |
| 9254.799        | -38.99       | 17.13       | -13.0          | -25.99          | 82.00     | Vertical | Horizontal | Pass    |

## 26.4 LTE Band 5 BW10, Middle Channel


RSE-H&H LTE Band 5 BW10 CH20525



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|------------|---------|
| 102.168         | -73.83       | -22.35      | -13.0          | -60.83          | -1.00     | Horizontal | Horizontal | Pass    |
| 832.093         | -42.09       | 2.19        | -13.0          | -29.09          | 5.00      | Horizontal | Horizontal | N/A     |
| 883.309         | -31.64       | 2.92        | -13.0          | -18.64          | 168.00    | Horizontal | Horizontal | N/A     |
| 1664.100        | -56.24       | -5.67       | -13.0          | -43.24          | 242.00    | Horizontal | Horizontal | Pass    |
| 4394.800        | -49.15       | 6.62        | -13.0          | -36.15          | 278.00    | Horizontal | Horizontal | Pass    |
| 9278.050        | -40.37       | 17.24       | -13.0          | -27.37          | 335.00    | Horizontal | Horizontal | Pass    |

RSE-H&V LTE Band 5 BW10 CH20525


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 22\_850\_GSM 850&CDMA BC0&WCDMA B5&LTE B5&26



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 103.866         | -73.78       | -22.45      | -13.0          | -60.78          | 24.00     | Horizontal | Vertical | Pass    |
| 832.093         | -42.59       | 2.19        | -13.0          | -29.59          | 39.00     | Horizontal | Vertical | N/A     |
| 881.708         | -32.61       | 2.89        | -13.0          | -19.61          | 174.00    | Horizontal | Vertical | N/A     |
| 2197.100        | -53.41       | -1.25       | -13.0          | -40.41          | 82.00     | Horizontal | Vertical | Pass    |
| 5128.400        | -47.30       | 8.08        | -13.0          | -34.30          | 154.00    | Horizontal | Vertical | Pass    |
| 9279.700        | -40.39       | 17.25       | -13.0          | -27.39          | 205.00    | Horizontal | Vertical | Pass    |

RSE-V&V LTE Band 5 BW10 CH20525


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 22\_850\_GSM 850&CDMA BC0&WCDMA B5&LTE B5&26



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 49.352          | -69.03       | -17.54      | -13.0          | -56.03          | 246.00    | Vertical | Vertical | Pass    |
| 832.093         | -38.00       | 2.19        | -13.0          | -25.00          | 127.00    | Vertical | Vertical | N/A     |
| 881.708         | -39.46       | 2.89        | -13.0          | -26.46          | 200.00    | Vertical | Vertical | N/A     |
| 2216.000        | -52.64       | -0.54       | -13.0          | -39.64          | 220.00    | Vertical | Vertical | Pass    |
| 5669.600        | -45.70       | 8.66        | -13.0          | -32.70          | 361.00    | Vertical | Vertical | Pass    |
| 9311.799        | -40.11       | 17.70       | -13.0          | -27.11          | 48.00     | Vertical | Vertical | Pass    |

RSE-V&H LTE Band 5 BW10 CH20525

OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 22\_850\_GSM 850&CDMA BC0&WCDMA B5&LTE B5&26




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|------------|---------|
| 49.642          | -69.26       | -17.51      | -13.0          | -56.26          | 281.00    | Vertical | Horizontal | Pass    |
| 832.142         | -46.83       | 2.19        | -13.0          | -33.83          | 318.00    | Vertical | Horizontal | N/A     |
| 877.392         | -38.63       | 2.67        | -13.0          | -25.63          | 200.00    | Vertical | Horizontal | N/A     |
| 2183.300        | -53.76       | -1.50       | -13.0          | -40.76          | 259.00    | Vertical | Horizontal | Pass    |
| 5188.600        | -47.10       | 7.82        | -13.0          | -34.10          | 282.00    | Vertical | Horizontal | Pass    |
| 9276.100        | -39.60       | 17.23       | -13.0          | -26.60          | 201.00    | Vertical | Horizontal | Pass    |



## 27 LTE Band 7

### 27.1 LTE Band 7 BW5, Middle Channel


RSE-H&H LTE Band 7 BW5 CH21100



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|------------|---------|
| 40.864          | -77.46       | -18.45      | -25.0          | -52.46          | 338.00    | Horizontal | Horizontal | Pass    |
| 171.814         | -78.56       | -14.67      | -25.0          | -53.56          | 66.00     | Horizontal | Horizontal | Pass    |
| 2655.500        | -33.38       | 2.16        | -25.0          | -8.38           | 151.00    | Horizontal | Horizontal | N/A     |
| 4777.000        | -46.79       | 8.10        | -25.0          | -21.79          | 171.00    | Horizontal | Horizontal | Pass    |
| 9250.838        | -39.63       | 17.13       | -25.0          | -14.63          | 0.00      | Horizontal | Horizontal | Pass    |
| 17193.525       | -36.72       | 18.52       | -25.0          | -11.72          | 90.00     | Horizontal | Horizontal | Pass    |


RSE-H&V LTE Band 7 BW5 CH21100

OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B7




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 103.187         | -74.20       | -22.03      | -25.0          | -49.20          | 29.00     | Horizontal | Vertical | Pass    |
| 863.958         | -65.29       | 3.45        | -25.0          | -40.29          | 198.00    | Horizontal | Vertical | Pass    |
| 1412.400        | -55.63       | -3.01       | -25.0          | -30.63          | 104.00    | Horizontal | Vertical | Pass    |
| 2656.500        | -40.45       | 2.12        | -25.0          | -15.45          | 357.00    | Horizontal | Vertical | N/A     |
| 6984.400        | -42.54       | 13.66       | -25.0          | -17.54          | 69.00     | Horizontal | Vertical | Pass    |
| 17080.787       | -37.19       | 18.37       | -25.0          | -12.19          | 87.00     | Horizontal | Vertical | Pass    |

RSE-V&V LTE Band 7 BW5 CH21100



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 49.497          | -69.07       | -17.31      | -25.0          | -44.07          | 275.00    | Vertical | Vertical | Pass    |
| 861.581         | -65.51       | 3.43        | -25.0          | -40.51          | 289.00    | Vertical | Vertical | Pass    |
| 1414.400        | -55.79       | -2.98       | -25.0          | -30.79          | 23.00     | Vertical | Vertical | Pass    |
| 2656.300        | -39.99       | 2.12        | -25.0          | -14.99          | 175.00    | Vertical | Vertical | N/A     |
| 9288.787        | -39.27       | 17.45       | -25.0          | -14.27          | 271.00    | Vertical | Vertical | Pass    |
| 22223.000       | -36.54       | 23.59       | -25.0          | -11.54          | 188.00    | Vertical | Vertical | Pass    |


RSE-V&H LTE Band 7 BW5 CH21100



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|------------|---------|
| 48.915          | -67.47       | -17.41      | -25.0          | -42.47          | 279.00    | Vertical | Horizontal | Pass    |
| 1374.500        | -55.06       | -2.86       | -25.0          | -30.06          | 326.00    | Vertical | Horizontal | Pass    |
| 2656.900        | -40.61       | 2.17        | -25.0          | -15.61          | 139.00    | Vertical | Horizontal | N/A     |
| 4778.800        | -45.44       | 8.09        | -25.0          | -20.44          | 280.00    | Vertical | Horizontal | Pass    |
| 13467.025       | -37.70       | 19.14       | -25.0          | -12.70          | 36.00     | Vertical | Horizontal | Pass    |
| 17218.900       | -36.50       | 18.10       | -25.0          | -11.50          | 92.00     | Vertical | Horizontal | Pass    |

## 27.2 LTE Band 7 BW10, Middle Channel


RSE-H&H LTE Band 7 BW10 CH21100



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|------------|---------|
| 176.761         | -72.27       | -14.50      | -25.0          | -47.27          | 50.00     | Horizontal | Horizontal | Pass    |
| 1316.900        | -56.03       | -3.24       | -25.0          | -31.03          | 37.00     | Horizontal | Horizontal | Pass    |
| 2658.100        | -31.46       | 2.30        | -25.0          | -6.46           | 157.00    | Horizontal | Horizontal | N/A     |
| 4732.600        | -47.67       | 7.12        | -25.0          | -22.67          | 16.00     | Horizontal | Horizontal | Pass    |
| 9291.950        | -40.03       | 17.53       | -25.0          | -15.03          | 216.00    | Horizontal | Horizontal | Pass    |
| 17060.488       | -37.26       | 18.00       | -25.0          | -12.26          | 12.00     | Horizontal | Horizontal | Pass    |

RSE-H&V LTE Band 7 BW10 CH21100


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B7



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 109.007         | -75.29       | -22.36      | -25.0          | -50.29          | 360.00    | Horizontal | Vertical | Pass    |
| 931.033         | -63.23       | 4.36        | -25.0          | -38.23          | 190.00    | Horizontal | Vertical | Pass    |
| 1407.400        | -56.08       | -3.02       | -25.0          | -31.08          | 157.00    | Horizontal | Vertical | Pass    |
| 2654.400        | -39.42       | 2.21        | -25.0          | -14.42          | 173.00    | Horizontal | Vertical | N/A     |
| 6975.000        | -41.48       | 13.90       | -25.0          | -16.48          | 279.00    | Horizontal | Vertical | Pass    |
| 21627.927       | -36.32       | 23.43       | -25.0          | -11.32          | 79.00     | Horizontal | Vertical | Pass    |


RSE-V&V LTE Band 7 BW10 CH21100

OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B7



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 49.060          | -70.41       | -17.37      | -25.0          | -45.41          | 317.00    | Vertical | Vertical | Pass    |
| 890.487         | -63.93       | 4.33        | -25.0          | -38.93          | 34.00     | Vertical | Vertical | Pass    |
| 1375.200        | -55.33       | -2.84       | -25.0          | -30.33          | 0.00      | Vertical | Vertical | Pass    |
| 2657.300        | -39.98       | 2.21        | -25.0          | -14.98          | 351.00    | Vertical | Vertical | N/A     |
| 6979.200        | -42.02       | 13.94       | -25.0          | -17.02          | 63.00     | Vertical | Vertical | Pass    |
| 17225.062       | -37.44       | 18.05       | -25.0          | -12.44          | 107.00    | Vertical | Vertical | Pass    |

RSE-V&H LTE Band 7 BW10 CH21100




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|------------|---------|
| 33.346          | -71.62       | -18.93      | -25.0          | -46.62          | -1.00     | Vertical | Horizontal | Pass    |
| 1346.300        | -56.25       | -3.02       | -25.0          | -31.25          | 238.00    | Vertical | Horizontal | Pass    |
| 2654.000        | -40.58       | 2.20        | -25.0          | -15.58          | 138.00    | Vertical | Horizontal | N/A     |
| 5123.400        | -47.10       | 8.32        | -25.0          | -22.10          | 30.00     | Vertical | Horizontal | Pass    |
| 9259.463        | -40.67       | 17.13       | -25.0          | -15.67          | 52.00     | Vertical | Horizontal | Pass    |
| 17097.099       | -36.54       | 19.29       | -25.0          | -11.54          | 20.00     | Vertical | Horizontal | Pass    |




## 27.3 LTE Band 7 BW15, Middle Channel

RSE-H&H LTE Band 7 BW15 CH21100



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|------------|---------|
| 40.573          | -78.56       | -18.72      | -25.0          | -53.56          | 329.00    | Horizontal | Horizontal | Pass    |
| 773.844         | -65.25       | 2.28        | -25.0          | -40.25          | 209.00    | Horizontal | Horizontal | Pass    |
| 2578.500        | -45.15       | 3.33        | -25.0          | -20.15          | 96.00     | Horizontal | Horizontal | N/A     |
| 2655.200        | -33.15       | 2.18        | -25.0          | -8.15           | 156.00    | Horizontal | Horizontal | N/A     |
| 6983.600        | -42.12       | 13.71       | -25.0          | -17.12          | 186.00    | Horizontal | Horizontal | Pass    |
| 17097.099       | -36.33       | 19.29       | -25.0          | -11.33          | 264.00    | Horizontal | Horizontal | Pass    |


RSE-H&V LTE Band 7 BW15 CH21100



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 108.230         | -75.57       | -22.34      | -25.0          | -50.57          | 33.00     | Horizontal | Vertical | Pass    |
| 903.194         | -64.09       | 4.39        | -25.0          | -39.09          | 33.00     | Horizontal | Vertical | Pass    |
| 1401.500        | -55.63       | -3.03       | -25.0          | -30.63          | 234.00    | Horizontal | Vertical | Pass    |
| 2649.900        | -31.95       | 2.14        | -25.0          | -6.95           | 130.00    | Horizontal | Vertical | N/A     |
| 6983.400        | -42.40       | 13.72       | -25.0          | -17.40          | 147.00    | Horizontal | Vertical | Pass    |
| 17054.324       | -36.69       | 17.83       | -25.0          | -11.69          | 99.00     | Horizontal | Vertical | Pass    |

RSE-V&V LTE Band 7 BW15 CH21100


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B7



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 46.393          | -72.29       | -18.59      | -25.0          | -47.29          | 316.00    | Vertical | Vertical | Pass    |
| 789.607         | -65.99       | 2.81        | -25.0          | -40.99          | 233.00    | Vertical | Vertical | Pass    |
| 1391.200        | -55.24       | -2.91       | -25.0          | -30.24          | 198.00    | Vertical | Vertical | Pass    |
| 2654.800        | -39.56       | 2.19        | -25.0          | -14.56          | 84.00     | Vertical | Vertical | N/A     |
| 6699.800        | -42.77       | 11.68       | -25.0          | -17.77          | 227.00    | Vertical | Vertical | Pass    |
| 15316.138       | -37.33       | 17.89       | -25.0          | -12.33          | 238.00    | Vertical | Vertical | Pass    |

RSE-V&H LTE Band 7 BW15 CH21100


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B7



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|------------|---------|
| 49.255          | -73.75       | -17.34      | -25.0          | -48.75          | 261.00    | Vertical | Horizontal | Pass    |
| 788.492         | -65.06       | 2.79        | -25.0          | -40.06          | 200.00    | Vertical | Horizontal | Pass    |
| 1329.300        | -55.55       | -2.97       | -25.0          | -30.55          | 15.00     | Vertical | Horizontal | Pass    |
| 2658.500        | -40.24       | 2.34        | -25.0          | -15.24          | 352.00    | Vertical | Horizontal | Pass    |
| 6975.200        | -42.42       | 13.90       | -25.0          | -17.42          | -3.00     | Vertical | Horizontal | Pass    |
| 17100.000       | -36.61       | 19.46       | -25.0          | -11.61          | 296.00    | Vertical | Horizontal | Pass    |

## 27.4 LTE Band 7 BW20, Middle Channel


RSE-H&H LTE Band 7 BW20 CH21100



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|------------|---------|
| 100.810         | -74.92       | -21.91      | -25.0          | -49.92          | 172.00    | Horizontal | Horizontal | Pass    |
| 899.750         | -64.72       | 4.41        | -25.0          | -39.72          | 359.00    | Horizontal | Horizontal | Pass    |
| 1380.600        | -56.16       | -2.89       | -25.0          | -31.16          | 141.00    | Horizontal | Horizontal | Pass    |
| 2646.600        | -31.56       | 2.30        | -25.0          | -6.56           | 141.00    | Horizontal | Horizontal | N/A     |
| 6683.400        | -42.52       | 12.15       | -25.0          | -17.52          | -1.00     | Horizontal | Horizontal | Pass    |
| 21618.176       | -36.45       | 23.42       | -25.0          | -11.45          | 362.00    | Horizontal | Horizontal | Pass    |

RSE-H&V LTE Band 7 BW20 CH21100


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B7



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 103.914         | -75.48       | -22.11      | -25.0          | -50.48          | 347.00    | Horizontal | Vertical | Pass    |
| 906.929         | -64.47       | 4.36        | -25.0          | -39.47          | 312.00    | Horizontal | Vertical | Pass    |
| 1390.200        | -56.05       | -2.84       | -25.0          | -31.05          | 189.00    | Horizontal | Vertical | Pass    |
| 2654.300        | -32.52       | 2.21        | -25.0          | -7.52           | 135.00    | Horizontal | Vertical | N/A     |
| 6986.000        | -42.08       | 13.58       | -25.0          | -17.08          | 242.00    | Horizontal | Vertical | Pass    |
| 17089.488       | -36.81       | 18.86       | -25.0          | -11.81          | 253.00    | Horizontal | Vertical | Pass    |


RSE-V&V LTE Band 7 BW20 CH21100

OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B7



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 46.393          | -71.89       | -18.59      | -25.0          | -46.89          | -1.00     | Vertical | Vertical | Pass    |
| 808.765         | -65.94       | 2.39        | -25.0          | -40.94          | 310.00    | Vertical | Vertical | Pass    |
| 1368.800        | -55.64       | -2.82       | -25.0          | -30.64          | 309.00    | Vertical | Vertical | Pass    |
| 2657.700        | -39.71       | 2.26        | -25.0          | -14.71          | 355.00    | Vertical | Vertical | N/A     |
| 6982.200        | -42.16       | 13.80       | -25.0          | -17.16          | 299.00    | Vertical | Vertical | Pass    |
| 17096.375       | -37.15       | 19.25       | -25.0          | -12.15          | -1.00     | Vertical | Vertical | Pass    |

RSE-V&H LTE Band 7 BW20 CH21100




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|------------|---------|
| 46.636          | -73.14       | -18.45      | -25.0          | -48.14          | 226.00    | Vertical | Horizontal | Pass    |
| 827.146         | -65.37       | 2.27        | -25.0          | -40.37          | 226.00    | Vertical | Horizontal | Pass    |
| 1366.600        | -56.18       | -2.77       | -25.0          | -31.18          | 2.00      | Vertical | Horizontal | Pass    |
| 2651.900        | -39.21       | 2.13        | -25.0          | -14.21          | 360.00    | Vertical | Horizontal | N/A     |
| 6981.000        | -42.77       | 13.89       | -25.0          | -17.77          | -3.00     | Vertical | Horizontal | Pass    |
| 17103.262       | -36.80       | 19.39       | -25.0          | -11.80          | 226.00    | Vertical | Horizontal | Pass    |



## 28 LTE Band 26 (Part22)

### 28.1 LTE Band 26 (Part22) BW1.4, Middle Channel


RSE-H&H LTE Band 26 (Part22) BW1.4 CH26915



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|------------|---------|
| 167.692         | -75.08       | -15.19      | -13.0          | -62.08          | 175.00    | Horizontal | Horizontal | Pass    |
| 836.070         | -53.47       | 2.30        | -13.0          | -40.47          | 333.00    | Horizontal | Horizontal | N/A     |
| 881.127         | -33.10       | 2.86        | -13.0          | -20.10          | 294.00    | Horizontal | Horizontal | N/A     |
| 1672.500        | -53.45       | -5.59       | -13.0          | -40.45          | 246.00    | Horizontal | Horizontal | Pass    |
| 4322.800        | -48.20       | 6.48        | -13.0          | -35.20          | 174.00    | Horizontal | Horizontal | Pass    |
| 9297.849        | -39.88       | 17.66       | -13.0          | -26.88          | 110.00    | Horizontal | Horizontal | Pass    |

RSE-H&V LTE Band 26 (Part22) BW1.4 CH26915


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 22\_850\_GSM 850&CDMA BC0&WCDMA B5&LTE B5&26



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 174.094         | -77.54       | -15.03      | -13.0          | -64.54          | 320.00    | Horizontal | Vertical | Pass    |
| 836.119         | -45.83       | 2.30        | -13.0          | -32.83          | 5.00      | Horizontal | Vertical | N/A     |
| 881.175         | -34.06       | 2.86        | -13.0          | -21.06          | 280.00    | Horizontal | Vertical | N/A     |
| 1494.200        | -56.53       | -4.69       | -13.0          | -43.53          | 161.00    | Horizontal | Vertical | Pass    |
| 4211.400        | -48.65       | 5.79        | -13.0          | -35.65          | 276.00    | Horizontal | Vertical | Pass    |
| 9877.450        | -39.78       | 17.05       | -13.0          | -26.78          | 232.00    | Horizontal | Vertical | Pass    |


RSE-V&V LTE Band 26 (Part22) BW1.4 CH26915

OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 22\_850\_GSM 850&CDMA BC0&WCDMA B5&LTE B5&26



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 49.739          | -72.46       | -17.50      | -13.0          | -59.46          | 253.00    | Vertical | Vertical | Pass    |
| 836.119         | -42.46       | 2.30        | -13.0          | -29.46          | 266.00    | Vertical | Vertical | N/A     |
| 881.903         | -39.98       | 2.89        | -13.0          | -26.98          | 361.00    | Vertical | Vertical | N/A     |
| 1884.300        | -55.63       | -4.51       | -13.0          | -42.63          | 105.00    | Vertical | Vertical | Pass    |
| 4364.400        | -48.47       | 6.98        | -13.0          | -35.47          | 287.00    | Vertical | Vertical | Pass    |
| 9219.250        | -40.52       | 16.64       | -13.0          | -27.52          | 320.00    | Vertical | Vertical | Pass    |


RSE-V&H LTE Band 26 (Part22) BW1.4 CH26915



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|------------|---------|
| 46.490          | -72.13       | -18.79      | -13.0          | -59.13          | 313.00    | Vertical | Horizontal | Pass    |
| 3227.000        | -50.29       | 4.40        | -13.0          | -37.29          | 294.00    | Vertical | Horizontal | N/A     |
| 836.119         | -50.13       | 2.30        | -13.0          | -37.13          | 199.00    | Vertical | Horizontal | N/A     |
| 881.951         | -41.92       | 2.90        | -13.0          | -28.92          | 275.00    | Vertical | Horizontal | Pass    |
| 1672.600        | -53.90       | -5.58       | -13.0          | -40.90          | 152.00    | Vertical | Horizontal | Pass    |
| 9300.100        | -40.50       | 17.71       | -13.0          | -27.50          | 225.00    | Vertical | Horizontal | Pass    |

## 28.2 LTE Band 26 (Part22) BW3, Middle Channel


RSE-H&H LTE Band 26 (Part22) BW3 CH26915



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|------------|---------|
| 166.430         | -74.22       | -15.19      | -13.0          | -61.22          | 321.00    | Horizontal | Horizontal | Pass    |
| 836.409         | -50.72       | 2.31        | -13.0          | -37.72          | 283.00    | Horizontal | Horizontal | N/A     |
| 882.484         | -37.65       | 2.91        | -13.0          | -24.65          | 283.00    | Horizontal | Horizontal | N/A     |
| 1674.100        | -55.97       | -5.51       | -13.0          | -42.97          | -1.00     | Horizontal | Horizontal | Pass    |
| 4129.200        | -49.43       | 5.72        | -13.0          | -36.43          | 348.00    | Horizontal | Horizontal | Pass    |
| 9381.250        | -39.96       | 17.31       | -13.0          | -26.96          | 263.00    | Horizontal | Horizontal | Pass    |

RSE-H&V LTE Band 26 (Part22) BW3 CH26915


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 22\_850\_GSM 850&CDMA BC0&WCDMA B5&LTE B5&26



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 173.027         | -77.41       | -15.05      | -13.0          | -64.41          | 131.00    | Horizontal | Vertical | Pass    |
| 835.197         | -46.96       | 2.28        | -13.0          | -33.96          | 195.00    | Horizontal | Vertical | N/A     |
| 882.242         | -34.55       | 2.91        | -13.0          | -21.55          | 284.00    | Horizontal | Vertical | N/A     |
| 1845.100        | -56.17       | -4.28       | -13.0          | -43.17          | 275.00    | Horizontal | Vertical | Pass    |
| 3560.600        | -50.09       | 4.78        | -13.0          | -37.09          | 135.00    | Horizontal | Vertical | Pass    |
| 9268.000        | -39.81       | 17.18       | -13.0          | -26.81          | 276.00    | Horizontal | Vertical | Pass    |

RSE-V&V LTE Band 26 (Part22) BW3 CH26915


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 22\_850\_GSM 850&CDMA BC0&WCDMA B5&LTE B5&26



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 33.541          | -71.12       | -19.12      | -13.0          | -58.12          | 0.00      | Vertical | Vertical | Pass    |
| 835.246         | -44.45       | 2.28        | -13.0          | -31.45          | 271.00    | Vertical | Vertical | N/A     |
| 881.903         | -40.55       | 2.89        | -13.0          | -27.55          | 362.00    | Vertical | Vertical | N/A     |
| 1720.900        | -57.14       | -5.34       | -13.0          | -44.14          | 220.00    | Vertical | Vertical | Pass    |
| 3176.600        | -50.46       | 3.72        | -13.0          | -37.46          | 75.00     | Vertical | Vertical | Pass    |
| 9303.700        | -40.63       | 17.71       | -13.0          | -27.63          | -1.00     | Vertical | Vertical | Pass    |

RSE-V&H LTE Band 26 (Part22) BW3 CH26915

OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 22\_850\_GSM 850&CDMA BC0&WCDMA B5&LTE B5&26




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|------------|---------|
| 56.578          | -74.49       | -15.37      | -13.0          | -61.49          | 263.00    | Vertical | Horizontal | Pass    |
| 835.197         | -49.10       | 2.28        | -13.0          | -36.10          | 226.00    | Vertical | Horizontal | N/A     |
| 880.836         | -38.95       | 2.85        | -13.0          | -25.95          | 196.00    | Vertical | Horizontal | N/A     |
| 1670.600        | -55.63       | -5.64       | -13.0          | -42.63          | 175.00    | Vertical | Horizontal | Pass    |
| 4211.800        | -48.91       | 5.81        | -13.0          | -35.91          | 199.00    | Vertical | Horizontal | Pass    |
| 9376.600        | -40.24       | 17.27       | -13.0          | -27.24          | 4.00      | Vertical | Horizontal | Pass    |



### 28.3 LTE Band 26 (Part22) BW5, Middle Channel


RSE-H&H LTE Band 26 (Part22) BW5 CH26915



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|------------|---------|
| 164.248         | -74.31       | -15.26      | -13.0          | -61.31          | 344.00    | Horizontal | Horizontal | Pass    |
| 834.324         | -51.25       | 2.25        | -13.0          | -38.25          | 293.00    | Horizontal | Horizontal | N/A     |
| 879.332         | -33.54       | 2.77        | -13.0          | -20.54          | 286.00    | Horizontal | Horizontal | N/A     |
| 1669.000        | -52.91       | -5.60       | -13.0          | -39.91          | 245.00    | Horizontal | Horizontal | Pass    |
| 5171.800        | -46.50       | 7.88        | -13.0          | -33.50          | 240.00    | Horizontal | Horizontal | Pass    |
| 9263.050        | -40.08       | 17.15       | -13.0          | -27.08          | -3.00     | Horizontal | Horizontal | Pass    |

RSE-H&V LTE Band 26 (Part22) BW5 CH26915


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 22\_850\_GSM 850&CDMA BC0&WCDMA B5&LTE B5&26



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 173.318         | -78.65       | -15.04      | -13.0          | -65.65          | 335.00    | Horizontal | Vertical | Pass    |
| 834.421         | -46.01       | 2.25        | -13.0          | -33.01          | 186.00    | Horizontal | Vertical | N/A     |
| 881.321         | -33.75       | 2.87        | -13.0          | -20.75          | 278.00    | Horizontal | Vertical | N/A     |
| 1669.300        | -57.04       | -5.61       | -13.0          | -44.04          | 139.00    | Horizontal | Vertical | Pass    |
| 3823.800        | -49.71       | 5.95        | -13.0          | -36.71          | 166.00    | Horizontal | Vertical | Pass    |
| 9312.400        | -40.28       | 17.70       | -13.0          | -27.28          | 3.00      | Horizontal | Vertical | Pass    |

RSE-V&V LTE Band 26 (Part22) BW5 CH26915


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 22\_850\_GSM 850&CDMA BC0&WCDMA B5&LTE B5&26



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 49.060          | -70.38       | -17.58      | -13.0          | -57.38          | 303.00    | Vertical | Vertical | Pass    |
| 834.324         | -44.13       | 2.25        | -13.0          | -31.13          | 266.00    | Vertical | Vertical | N/A     |
| 879.671         | -38.32       | 2.79        | -13.0          | -25.32          | 350.00    | Vertical | Vertical | N/A     |
| 1669.100        | -56.99       | -5.60       | -13.0          | -43.99          | 66.00     | Vertical | Vertical | Pass    |
| 3945.800        | -49.10       | 6.39        | -13.0          | -36.10          | 335.00    | Vertical | Vertical | Pass    |
| 9338.651        | -40.79       | 17.18       | -13.0          | -27.79          | 351.00    | Vertical | Vertical | Pass    |

RSE-V&H LTE Band 26 (Part22) BW5 CH26915


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 22\_850\_GSM 850&CDMA BC0&WCDMA B5&LTE B5&26



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|------------|---------|
| 46.441          | -74.08       | -18.81      | -13.0          | -61.08          | 260.00    | Vertical | Horizontal | Pass    |
| 834.276         | -48.08       | 2.25        | -13.0          | -35.08          | 220.00    | Vertical | Horizontal | N/A     |
| 880.641         | -39.42       | 2.84        | -13.0          | -26.42          | 201.00    | Vertical | Horizontal | N/A     |
| 1668.900        | -55.87       | -5.60       | -13.0          | -42.87          | 167.00    | Vertical | Horizontal | Pass    |
| 3642.800        | -49.95       | 4.60        | -13.0          | -36.95          | 159.00    | Vertical | Horizontal | Pass    |
| 9298.600        | -40.33       | 17.68       | -13.0          | -27.33          | 67.00     | Vertical | Horizontal | Pass    |

## 28.4 LTE Band 26 (Part22) BW10, Middle Channel


RSE-H&H LTE Band 26 (Part22) BW10 CH26915



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|------------|---------|
| 167.255         | -73.72       | -15.19      | -13.0          | -60.72          | 163.00    | Horizontal | Horizontal | Pass    |
| 832.093         | -45.83       | 2.19        | -13.0          | -32.83          | 290.00    | Horizontal | Horizontal | N/A     |
| 884.134         | -34.31       | 2.92        | -13.0          | -21.31          | 274.00    | Horizontal | Horizontal | N/A     |
| 1664.500        | -51.88       | -5.64       | -13.0          | -38.88          | 248.00    | Horizontal | Horizontal | Pass    |
| 4592.400        | -48.67       | 6.57        | -13.0          | -35.67          | 355.00    | Horizontal | Horizontal | Pass    |
| 9305.950        | -40.32       | 17.70       | -13.0          | -27.32          | 99.00     | Horizontal | Horizontal | Pass    |

RSE-H&V LTE Band 26 (Part22) BW10 CH26915


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 22\_850\_GSM 850&CDMA BC0&WCDMA B5&LTE B5&26



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 169.534         | -78.43       | -15.18      | -13.0          | -65.43          | 321.00    | Horizontal | Vertical | Pass    |
| 832.142         | -41.26       | 2.19        | -13.0          | -28.26          | 11.00     | Horizontal | Vertical | N/A     |
| 879.138         | -33.53       | 2.76        | -13.0          | -20.53          | 281.00    | Horizontal | Vertical | N/A     |
| 2261.100        | -53.85       | -1.10       | -13.0          | -40.85          | 44.00     | Horizontal | Vertical | Pass    |
| 4774.200        | -47.56       | 8.18        | -13.0          | -34.56          | 87.00     | Horizontal | Vertical | Pass    |
| 9269.500        | -40.36       | 17.19       | -13.0          | -27.36          | 360.00    | Horizontal | Vertical | Pass    |

RSE-V&V LTE Band 26 (Part22) BW10 CH26915


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 22\_850\_GSM 850&CDMA BC0&WCDMA B5&LTE B5&26



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 46.441          | -73.14       | -18.81      | -13.0          | -60.14          | 257.00    | Vertical | Vertical | Pass    |
| 832.093         | -39.70       | 2.19        | -13.0          | -26.70          | 257.00    | Vertical | Vertical | N/A     |
| 880.447         | -38.93       | 2.83        | -13.0          | -25.93          | 363.00    | Vertical | Vertical | N/A     |
| 1664.500        | -56.06       | -5.64       | -13.0          | -43.06          | 83.00     | Vertical | Vertical | Pass    |
| 4796.400        | -47.08       | 8.09        | -13.0          | -34.08          | 85.00     | Vertical | Vertical | Pass    |
| 9401.201        | -39.48       | 17.31       | -13.0          | -26.48          | 139.00    | Vertical | Vertical | Pass    |

RSE-V&H LTE Band 26 (Part22) BW10 CH26915

OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 22\_850\_GSM 850&CDMA BC0&WCDMA B5&LTE B5&26




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|------------|---------|
| 46.538          | -73.89       | -18.76      | -13.0          | -60.89          | 340.00    | Vertical | Horizontal | Pass    |
| 832.142         | -43.33       | 2.19        | -13.0          | -30.33          | 222.00    | Vertical | Horizontal | N/A     |
| 882.630         | -38.49       | 2.91        | -13.0          | -25.49          | 189.00    | Vertical | Horizontal | N/A     |
| 1664.500        | -53.02       | -5.64       | -13.0          | -40.02          | 153.00    | Vertical | Horizontal | Pass    |
| 3936.400        | -48.67       | 5.61        | -13.0          | -35.67          | 0.00      | Vertical | Horizontal | Pass    |
| 9260.349        | -39.72       | 17.13       | -13.0          | -26.72          | 144.00    | Vertical | Horizontal | Pass    |



## 28.5 LTE Band 26 (Part22) BW15, Middle Channel


RSE-H&H LTE Band 26 (Part22) BW15 CH26915



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|------------|---------|
| 170.408         | -78.25       | -15.16      | -13.0          | -65.25          | 123.00    | Horizontal | Horizontal | Pass    |
| 829.911         | -42.01       | 2.13        | -13.0          | -29.01          | 349.00    | Horizontal | Horizontal | N/A     |
| 879.769         | -34.33       | 2.80        | -13.0          | -21.33          | 273.00    | Horizontal | Horizontal | N/A     |
| 1660.100        | -52.42       | -5.84       | -13.0          | -39.42          | 256.00    | Horizontal | Horizontal | Pass    |
| 3940.600        | -50.02       | 5.90        | -13.0          | -37.02          | 313.00    | Horizontal | Horizontal | Pass    |
| 9316.600        | -40.47       | 17.69       | -13.0          | -27.47          | 48.00     | Horizontal | Horizontal | Pass    |

RSE-H&V LTE Band 26 (Part22) BW15 CH26915


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 22\_850\_GSM 850&CDMA BC0&WCDMA B5&LTE B5&26



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 170.698         | -78.45       | -15.15      | -13.0          | -65.45          | 163.00    | Horizontal | Vertical | Pass    |
| 829.814         | -41.26       | 2.13        | -13.0          | -28.26          | 201.00    | Horizontal | Vertical | N/A     |
| 877.780         | -34.45       | 2.67        | -13.0          | -21.45          | 278.00    | Horizontal | Vertical | N/A     |
| 2847.000        | -50.89       | 1.50        | -13.0          | -37.89          | 329.00    | Horizontal | Vertical | Pass    |
| 4796.000        | -46.92       | 8.12        | -13.0          | -33.92          | 335.00    | Horizontal | Vertical | Pass    |
| 9362.201        | -40.21       | 17.11       | -13.0          | -27.21          | 293.00    | Horizontal | Vertical | Pass    |

RSE-V&V LTE Band 26 (Part22) BW15 CH26915


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 22\_850\_GSM 850&CDMA BC0&WCDMA B5&LTE B5&26



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 46.344          | -72.25       | -18.87      | -13.0          | -59.25          | 297.00    | Vertical | Vertical | Pass    |
| 829.911         | -39.70       | 2.13        | -13.0          | -26.70          | 247.00    | Vertical | Vertical | N/A     |
| 878.362         | -39.75       | 2.70        | -13.0          | -26.75          | 362.00    | Vertical | Vertical | N/A     |
| 1660.100        | -56.09       | -5.84       | -13.0          | -43.09          | 73.00     | Vertical | Vertical | Pass    |
| 3360.200        | -50.34       | 3.59        | -13.0          | -37.34          | 26.00     | Vertical | Vertical | Pass    |
| 9228.401        | -40.57       | 16.80       | -13.0          | -27.57          | 24.00     | Vertical | Vertical | Pass    |

RSE-V&H LTE Band 26 (Part22) BW15 CH26915

OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 22\_850\_GSM 850&CDMA BC0&WCDMA B5&LTE B5&26




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|------------|---------|
| 46.441          | -71.79       | -18.81      | -13.0          | -58.79          | 361.00    | Vertical | Horizontal | Pass    |
| 829.862         | -42.80       | 2.13        | -13.0          | -29.80          | 193.00    | Vertical | Horizontal | N/A     |
| 880.302         | -38.77       | 2.83        | -13.0          | -25.77          | 361.00    | Vertical | Horizontal | N/A     |
| 1660.200        | -54.91       | -5.83       | -13.0          | -41.91          | 11.00     | Vertical | Horizontal | Pass    |
| 3562.400        | -50.35       | 4.82        | -13.0          | -37.35          | 227.00    | Vertical | Horizontal | Pass    |
| 9303.550        | -40.32       | 17.71       | -13.0          | -27.32          | 219.00    | Vertical | Horizontal | Pass    |

## 29 LTE Band 26 (Part90)

### 29.1 LTE Band 26 (Part90) BW1.4, Middle Channel


RSE-H&H LTE Band 26 (Part90) BW1.4 CH26740



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|------------|---------|
| 100.955         | -75.42       | -22.26      | -13.0          | -62.42          | 11.00     | Horizontal | Horizontal | Pass    |
| 818.562         | -41.09       | 1.87        | -13.0          | -28.09          | 121.00    | Horizontal | Horizontal | N/A     |
| 863.812         | -33.21       | 2.47        | -13.0          | -20.21          | 185.00    | Horizontal | Horizontal | N/A     |
| 1637.000        | -49.58       | -5.43       | -13.0          | -36.58          | 224.00    | Horizontal | Horizontal | Pass    |
| 4310.600        | -48.71       | 6.28        | -13.0          | -35.71          | 122.00    | Horizontal | Horizontal | Pass    |
| 9281.050        | -39.94       | 17.28       | -13.0          | -26.94          | 361.00    | Horizontal | Horizontal | Pass    |

RSE-H&V LTE Band 26 (Part90) BW1.4 CH26740


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 22\_850\_GSM 850&CDMA BC0&WCDMA B5&LTE B5&26



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 102.993         | -76.02       | -22.40      | -13.0          | -63.02          | 11.00     | Horizontal | Vertical | Pass    |
| 818.513         | -47.48       | 1.87        | -13.0          | -34.48          | 85.00     | Horizontal | Vertical | N/A     |
| 863.618         | -32.00       | 2.47        | -13.0          | -19.00          | 178.00    | Horizontal | Vertical | N/A     |
| 2318.000        | -53.16       | -0.90       | -13.0          | -40.16          | 0.00      | Horizontal | Vertical | Pass    |
| 4768.000        | -46.47       | 7.89        | -13.0          | -33.47          | 116.00    | Horizontal | Vertical | Pass    |
| 9310.300        | -40.58       | 17.70       | -13.0          | -27.58          | 251.00    | Horizontal | Vertical | Pass    |


RSE-V&V LTE Band 26 (Part90) BW1.4 CH26740

OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 22\_850\_GSM 850&CDMA BC0&WCDMA B5&LTE B5&26



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 42.270          | -73.43       | -18.67      | -13.0          | -60.43          | 85.00     | Vertical | Vertical | Pass    |
| 818.562         | -42.04       | 1.87        | -13.0          | -29.04          | 140.00    | Vertical | Vertical | N/A     |
| 864.151         | -38.98       | 2.46        | -13.0          | -25.98          | 196.00    | Vertical | Vertical | N/A     |
| 2239.900        | -53.13       | -0.64       | -13.0          | -40.13          | 200.00    | Vertical | Vertical | Pass    |
| 4897.800        | -47.11       | 7.94        | -13.0          | -34.11          | 188.00    | Vertical | Vertical | Pass    |
| 9272.050        | -40.37       | 17.20       | -13.0          | -27.37          | 0.00      | Vertical | Vertical | Pass    |

RSE-V&H LTE Band 26 (Part90) BW1.4 CH26740




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|------------|---------|
| 40.718          | -72.32       | -18.70      | -13.0          | -59.32          | 74.00     | Vertical | Horizontal | Pass    |
| 818.513         | -48.24       | 1.87        | -13.0          | -35.24          | 159.00    | Vertical | Horizontal | N/A     |
| 863.570         | -39.10       | 2.47        | -13.0          | -26.10          | 182.00    | Vertical | Horizontal | N/A     |
| 1637.000        | -50.00       | -5.43       | -13.0          | -37.00          | 310.00    | Vertical | Horizontal | Pass    |
| 4776.600        | -47.53       | 8.12        | -13.0          | -34.53          | 111.00    | Vertical | Horizontal | Pass    |
| 9292.900        | -40.39       | 17.55       | -13.0          | -27.39          | 25.00     | Vertical | Horizontal | Pass    |



## 29.2 LTE Band 26 (Part90) BW3, Middle Channel


RSE-H&H LTE Band 26 (Part90) BW3 CH26740



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|------------|---------|
| 102.653         | -74.12       | -22.38      | -13.0          | -61.12          | 341.00    | Horizontal | Horizontal | Pass    |
| 817.688         | -38.64       | 1.88        | -13.0          | -25.64          | 126.00    | Horizontal | Horizontal | N/A     |
| 864.636         | -32.86       | 2.45        | -13.0          | -19.86          | 171.00    | Horizontal | Horizontal | N/A     |
| 1635.300        | -50.83       | -5.39       | -13.0          | -37.83          | 129.00    | Horizontal | Horizontal | Pass    |
| 4799.000        | -46.55       | 7.90        | -13.0          | -33.55          | 58.00     | Horizontal | Horizontal | Pass    |
| 9283.450        | -40.33       | 17.33       | -13.0          | -27.33          | 164.00    | Horizontal | Horizontal | Pass    |

RSE-H&V LTE Band 26 (Part90) BW3 CH26740


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 22\_850\_GSM 850&CDMA BC0&WCDMA B5&LTE B5&26



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 40.428          | -78.67       | -18.96      | -13.0          | -65.67          | 58.00     | Horizontal | Vertical | Pass    |
| 817.688         | -44.69       | 1.88        | -13.0          | -31.69          | 20.00     | Horizontal | Vertical | N/A     |
| 863.812         | -33.54       | 2.47        | -13.0          | -20.54          | 192.00    | Horizontal | Vertical | N/A     |
| 2226.900        | -53.48       | -0.42       | -13.0          | -40.48          | 133.00    | Horizontal | Vertical | Pass    |
| 5118.400        | -46.61       | 8.12        | -13.0          | -33.61          | 36.00     | Horizontal | Vertical | Pass    |
| 9279.849        | -40.80       | 17.25       | -13.0          | -27.80          | 88.00     | Horizontal | Vertical | Pass    |

RSE-V&V LTE Band 26 (Part90) BW3 CH26740


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 22\_850\_GSM 850&CDMA BC0&WCDMA B5&LTE B5&26



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 46.441          | -72.04       | -18.81      | -13.0          | -59.04          | 286.00    | Vertical | Vertical | Pass    |
| 817.737         | -39.36       | 1.88        | -13.0          | -26.36          | 132.00    | Vertical | Vertical | N/A     |
| 864.151         | -39.11       | 2.46        | -13.0          | -26.11          | 190.00    | Vertical | Vertical | N/A     |
| 2199.100        | -53.39       | -1.03       | -13.0          | -40.39          | 82.00     | Vertical | Vertical | Pass    |
| 5549.400        | -46.24       | 8.54        | -13.0          | -33.24          | -1.00     | Vertical | Vertical | Pass    |
| 9304.750        | -39.47       | 17.70       | -13.0          | -26.47          | 361.00    | Vertical | Vertical | Pass    |

RSE-V&H LTE Band 26 (Part90) BW3 CH26740


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 22\_850\_GSM 850&CDMA BC0&WCDMA B5&LTE B5&26



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|------------|---------|
| 49.157          | -71.72       | -17.56      | -13.0          | -58.72          | 247.00    | Vertical | Horizontal | Pass    |
| 817.737         | -45.32       | 1.88        | -13.0          | -32.32          | 159.00    | Vertical | Horizontal | N/A     |
| 863.860         | -39.45       | 2.47        | -13.0          | -26.45          | 181.00    | Vertical | Horizontal | N/A     |
| 1635.500        | -51.08       | -5.39       | -13.0          | -38.08          | 301.00    | Vertical | Horizontal | Pass    |
| 4760.200        | -47.56       | 7.52        | -13.0          | -34.56          | -3.00     | Vertical | Horizontal | Pass    |
| 9302.200        | -39.13       | 17.71       | -13.0          | -26.13          | 28.00     | Vertical | Horizontal | Pass    |

### 29.3 LTE Band 26 (Part90) BW5, Middle Channel


RSE-H&H LTE Band 26 (Part90) BW5 CH26740



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|------------|---------|
| 101.925         | -80.45       | -22.33      | -13.0          | -67.45          | 173.00    | Horizontal | Horizontal | Pass    |
| 816.815         | -40.32       | 1.88        | -13.0          | -27.32          | 131.00    | Horizontal | Horizontal | N/A     |
| 865.607         | -31.07       | 2.44        | -13.0          | -18.07          | 173.00    | Horizontal | Horizontal | N/A     |
| 1633.600        | -50.63       | -5.41       | -13.0          | -37.63          | 189.00    | Horizontal | Horizontal | Pass    |
| 5543.800        | -45.94       | 8.24        | -13.0          | -32.94          | 331.00    | Horizontal | Horizontal | Pass    |
| 9243.700        | -40.65       | 17.06       | -13.0          | -27.65          | 363.00    | Horizontal | Horizontal | Pass    |

RSE-H&V LTE Band 26 (Part90) BW5 CH26740


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 22\_850\_GSM 850&CDMA BC0&WCDMA B5&LTE B5&26



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 40.525          | -78.50       | -18.87      | -13.0          | -65.50          | 46.00     | Horizontal | Vertical | Pass    |
| 816.767         | -46.65       | 1.88        | -13.0          | -33.65          | 27.00     | Horizontal | Vertical | N/A     |
| 865.364         | -32.86       | 2.44        | -13.0          | -19.86          | 188.00    | Horizontal | Vertical | N/A     |
| 2146.500        | -53.59       | -1.88       | -13.0          | -40.59          | 240.00    | Horizontal | Vertical | Pass    |
| 5000.400        | -47.33       | 7.64        | -13.0          | -34.33          | 345.00    | Horizontal | Vertical | Pass    |
| 9298.150        | -40.33       | 17.67       | -13.0          | -27.33          | 70.00     | Horizontal | Vertical | Pass    |

RSE-V&V LTE Band 26 (Part90) BW5 CH26740


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 22\_850\_GSM 850&CDMA BC0&WCDMA B5&LTE B5&26



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 46.393          | -71.65       | -18.84      | -13.0          | -58.65          | 283.00    | Vertical | Vertical | Pass    |
| 816.864         | -40.78       | 1.88        | -13.0          | -27.78          | 123.00    | Vertical | Vertical | N/A     |
| 862.018         | -37.73       | 2.55        | -13.0          | -24.73          | 183.00    | Vertical | Vertical | N/A     |
| 1633.700        | -56.06       | -5.40       | -13.0          | -43.06          | 169.00    | Vertical | Vertical | Pass    |
| 5159.400        | -46.21       | 7.81        | -13.0          | -33.21          | 293.00    | Vertical | Vertical | Pass    |
| 9670.300        | -39.75       | 16.74       | -13.0          | -26.75          | 14.00     | Vertical | Vertical | Pass    |

RSE-V&H LTE Band 26 (Part90) BW5 CH26740

OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 22\_850\_GSM 850&CDMA BC0&WCDMA B5&LTE B5&26




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|------------|---------|
| 46.441          | -72.47       | -18.81      | -13.0          | -59.47          | 278.00    | Vertical | Horizontal | Pass    |
| 816.912         | -45.99       | 1.88        | -13.0          | -32.99          | 166.00    | Vertical | Horizontal | N/A     |
| 863.182         | -39.08       | 2.48        | -13.0          | -26.08          | 189.00    | Vertical | Horizontal | N/A     |
| 1633.300        | -50.99       | -5.43       | -13.0          | -37.99          | 307.00    | Vertical | Horizontal | Pass    |
| 6293.200        | -42.70       | 11.45       | -13.0          | -29.70          | 151.00    | Vertical | Horizontal | Pass    |
| 9326.800        | -40.55       | 17.50       | -13.0          | -27.55          | 361.00    | Vertical | Horizontal | Pass    |



## 29.4 LTE Band 26 (Part90) BW10, Middle Channel

RSE-H&H LTE Band 26 (Part90) BW10 CH26740


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 22\_850\_GSM 850&CDMA BC0&WCDMA B5&LTE B5&26



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|------------|---------|
| 40.379          | -78.80       | -19.00      | -13.0          | -65.80          | 92.00     | Horizontal | Horizontal | Pass    |
| 814.536         | -49.44       | 1.90        | -13.0          | -36.44          | 70.00     | Horizontal | Horizontal | N/A     |
| 861.678         | -32.28       | 2.58        | -13.0          | -19.28          | 176.00    | Horizontal | Horizontal | N/A     |
| 1629.000        | -52.26       | -5.39       | -13.0          | -39.26          | 186.00    | Horizontal | Horizontal | Pass    |
| 4408.200        | -48.57       | 6.29        | -13.0          | -35.57          | 24.00     | Horizontal | Horizontal | Pass    |
| 9291.850        | -40.47       | 17.52       | -13.0          | -27.47          | 216.00    | Horizontal | Horizontal | Pass    |

RSE-H&V LTE Band 26 (Part90) BW10 CH26740


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 22\_850\_GSM 850&CDMA BC0&WCDMA B5&LTE B5&26



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 40.233          | -78.06       | -19.13      | -13.0          | -65.06          | 58.00     | Horizontal | Vertical | Pass    |
| 814.487         | -54.63       | 1.90        | -13.0          | -41.63          | 98.00     | Horizontal | Vertical | N/A     |
| 866.188         | -32.03       | 2.43        | -13.0          | -19.03          | 178.00    | Horizontal | Vertical | N/A     |
| 1629.100        | -56.38       | -5.39       | -13.0          | -43.38          | 104.00    | Horizontal | Vertical | Pass    |
| 4909.600        | -47.37       | 8.09        | -13.0          | -34.37          | 281.00    | Horizontal | Vertical | Pass    |
| 9332.050        | -40.24       | 17.36       | -13.0          | -27.24          | 361.00    | Horizontal | Vertical | Pass    |

RSE-V&V LTE Band 26 (Part90) BW10 CH26740


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 22\_850\_GSM 850&CDMA BC0&WCDMA B5&LTE B5&26



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 46.538          | -71.82       | -18.76      | -13.0          | -58.82          | 223.00    | Vertical | Vertical | Pass    |
| 814.536         | -48.58       | 1.90        | -13.0          | -35.58          | 145.00    | Vertical | Vertical | N/A     |
| 860.708         | -38.07       | 2.63        | -13.0          | -25.07          | 103.00    | Vertical | Vertical | N/A     |
| 1629.100        | -56.55       | -5.39       | -13.0          | -43.55          | 0.00      | Vertical | Vertical | Pass    |
| 4981.200        | -47.35       | 7.72        | -13.0          | -34.35          | 328.00    | Vertical | Vertical | Pass    |
| 9353.349        | -39.78       | 17.10       | -13.0          | -26.78          | 343.00    | Vertical | Vertical | Pass    |

RSE-V&H LTE Band 26 (Part90) BW10 CH26740

OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 22\_850\_GSM 850&CDMA BC0&WCDMA B5&LTE B5&26




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|------------|---------|
| 46.490          | -71.94       | -18.79      | -13.0          | -58.94          | 280.00    | Vertical | Horizontal | Pass    |
| 814.487         | -55.32       | 1.90        | -13.0          | -42.32          | 178.00    | Vertical | Horizontal | N/A     |
| 860.271         | -38.30       | 2.64        | -13.0          | -25.30          | 178.00    | Vertical | Horizontal | N/A     |
| 1629.100        | -50.42       | -5.39       | -13.0          | -37.42          | 86.00     | Vertical | Horizontal | Pass    |
| 4789.400        | -47.05       | 8.20        | -13.0          | -34.05          | 106.00    | Vertical | Horizontal | Pass    |
| 9460.600        | -39.92       | 17.25       | -13.0          | -26.92          | 161.00    | Vertical | Horizontal | Pass    |

30 LTE Band 38  
30.1 LTE Band 38 BW5, Middle Channel

RSE-H&H LTE Band 38 BW5 CH38000


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|------------|---------|
| 170.990         | -77.94       | -14.67      | -25.0          | -52.94          | 173.00    | Horizontal | Horizontal | Pass    |
| 937.774         | -63.98       | 4.62        | -25.0          | -38.98          | 97.00     | Horizontal | Horizontal | Pass    |
| 1582.200        | -55.19       | -3.26       | -25.0          | -30.19          | 313.00    | Horizontal | Horizontal | Pass    |
| 2558.800        | -42.70       | 2.28        | -25.0          | -17.70          | 55.00     | Horizontal | Horizontal | N/A     |
| 4699.200        | -46.13       | 7.17        | -25.0          | -21.13          | 227.00    | Horizontal | Horizontal | Pass    |
| 17106.162       | -36.83       | 19.33       | -25.0          | -11.83          | 225.00    | Horizontal | Horizontal | Pass    |

RSE-H&V LTE Band 38 BW5 CH38000


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 172.542         | -78.50       | -14.61      | -25.0          | -53.50          | 146.00    | Horizontal | Vertical | Pass    |
| 931.227         | -63.74       | 4.34        | -25.0          | -38.74          | 7.00      | Horizontal | Vertical | Pass    |
| 1323.200        | -55.45       | -3.20       | -25.0          | -30.45          | 294.00    | Horizontal | Vertical | Pass    |
| 2593.200        | -41.94       | 2.43        | -25.0          | -16.94          | 161.00    | Horizontal | Vertical | N/A     |
| 7778.838        | -43.51       | 11.10       | -25.0          | -18.51          | 122.00    | Horizontal | Vertical | Pass    |
| 17099.637       | -36.17       | 19.44       | -25.0          | -11.17          | 64.00     | Horizontal | Vertical | Pass    |

RSE-V&V LTE Band 38 BW5 CH38000


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 49.642          | -72.95       | -17.32      | -25.0          | -47.95          | 295.00    | Vertical | Vertical | Pass    |
| 778.549         | -66.35       | 2.43        | -25.0          | -41.35          | 253.00    | Vertical | Vertical | Pass    |
| 1429.000        | -55.11       | -2.96       | -25.0          | -30.11          | 340.00    | Vertical | Vertical | Pass    |
| 2593.300        | -42.04       | 2.43        | -25.0          | -17.04          | 229.00    | Vertical | Vertical | N/A     |
| 6987.600        | -42.01       | 13.46       | -25.0          | -17.01          | 126.00    | Vertical | Vertical | Pass    |
| 17109.063       | -37.63       | 19.27       | -25.0          | -12.63          | 200.00    | Vertical | Vertical | Pass    |

RSE-V&H LTE Band 38 BW5 CH38000

OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|------------|---------|
| 47.315          | -73.12       | -18.11      | -25.0          | -48.12          | 363.00    | Vertical | Horizontal | Pass    |
| 802.265         | -66.58       | 2.72        | -25.0          | -41.58          | 153.00    | Vertical | Horizontal | Pass    |
| 1458.500        | -55.97       | -3.20       | -25.0          | -30.97          | 126.00    | Vertical | Horizontal | Pass    |
| 2593.300        | -45.67       | 2.43        | -25.0          | -20.67          | 47.00     | Vertical | Horizontal | N/A     |
| 6687.200        | -42.15       | 11.96       | -25.0          | -17.15          | 74.00     | Vertical | Horizontal | Pass    |
| 17093.474       | -36.45       | 19.09       | -25.0          | -11.45          | 94.00     | Vertical | Horizontal | Pass    |



## 30.2 LTE Band 38 BW10, Middle Channel

RSE-H&H LTE Band 38 BW10 CH38000


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|------------|---------|
| 172.396         | -76.98       | -14.63      | -25.0          | -51.98          | 341.00    | Horizontal | Horizontal | Pass    |
| 800.277         | -65.28       | 2.81        | -25.0          | -40.28          | 361.00    | Horizontal | Horizontal | Pass    |
| 1443.300        | -55.38       | -3.08       | -25.0          | -30.38          | 126.00    | Horizontal | Horizontal | Pass    |
| 2590.900        | -39.89       | 2.42        | -25.0          | -14.89          | 233.00    | Horizontal | Horizontal | N/A     |
| 6939.000        | -41.68       | 13.23       | -25.0          | -16.68          | 214.00    | Horizontal | Horizontal | Pass    |
| 17106.525       | -35.83       | 19.32       | -25.0          | -10.83          | 361.00    | Horizontal | Horizontal | Pass    |

RSE-H&V LTE Band 38 BW10 CH38000


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 172.154         | -79.85       | -14.63      | -25.0          | -54.85          | 99.00     | Horizontal | Vertical | Pass    |
| 886.946         | -64.85       | 4.27        | -25.0          | -39.85          | 167.00    | Horizontal | Vertical | Pass    |
| 1297.100        | -55.61       | -3.26       | -25.0          | -30.61          | 235.00    | Horizontal | Vertical | Pass    |
| 2590.900        | -38.39       | 2.42        | -25.0          | -13.39          | 160.00    | Horizontal | Vertical | N/A     |
| 6663.000        | -42.45       | 11.95       | -25.0          | -17.45          | 296.00    | Horizontal | Vertical | Pass    |
| 19306.537       | -35.86       | 24.34       | -25.0          | -10.86          | 362.00    | Horizontal | Vertical | Pass    |

RSE-V&V LTE Band 38 BW10 CH38000


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 46.781          | -73.37       | -18.38      | -25.0          | -48.37          | 346.00    | Vertical | Vertical | Pass    |
| 869.729         | -64.67       | 3.68        | -25.0          | -39.67          | 363.00    | Vertical | Vertical | Pass    |
| 1285.700        | -56.44       | -3.19       | -25.0          | -31.44          | -3.00     | Vertical | Vertical | Pass    |
| 2591.000        | -38.49       | 2.42        | -25.0          | -13.49          | 225.00    | Vertical | Vertical | N/A     |
| 7907.925        | -43.86       | 12.26       | -25.0          | -18.86          | 360.00    | Vertical | Vertical | Pass    |
| 17106.525       | -37.09       | 19.32       | -25.0          | -12.09          | 252.00    | Vertical | Vertical | Pass    |

RSE-V&H LTE Band 38 BW10 CH38000

OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|------------|---------|
| 42.270          | -73.35       | -18.45      | -25.0          | -48.35          | 363.00    | Vertical | Horizontal | Pass    |
| 870.117         | -64.62       | 3.70        | -25.0          | -39.62          | 361.00    | Vertical | Horizontal | Pass    |
| 1364.700        | -56.10       | -2.83       | -25.0          | -31.10          | 335.00    | Vertical | Horizontal | Pass    |
| 2590.900        | -43.02       | 2.42        | -25.0          | -18.02          | 20.00     | Vertical | Horizontal | N/A     |
| 7772.225        | -42.64       | 11.16       | -25.0          | -17.64          | 165.00    | Vertical | Horizontal | Pass    |
| 15286.776       | -37.68       | 17.65       | -25.0          | -12.68          | 361.00    | Vertical | Horizontal | Pass    |

### 30.3 LTE Band 38 BW15, Middle Channel

RSE-H&H LTE Band 38 BW15 CH38000


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|------------|---------|
| 171.814         | -78.10       | -14.64      | -25.0          | -53.10          | 119.00    | Horizontal | Horizontal | Pass    |
| 934.428         | -64.10       | 4.56        | -25.0          | -39.10          | 270.00    | Horizontal | Horizontal | Pass    |
| 1373.800        | -55.52       | -2.90       | -25.0          | -30.52          | 214.00    | Horizontal | Horizontal | Pass    |
| 2588.600        | -48.46       | 2.41        | -25.0          | -23.46          | 340.00    | Horizontal | Horizontal | N/A     |
| 9383.663        | -39.51       | 17.31       | -25.0          | -14.51          | 25.00     | Horizontal | Horizontal | Pass    |
| 17113.775       | -36.70       | 19.17       | -25.0          | -11.70          | 22.00     | Horizontal | Horizontal | Pass    |

RSE-H&V LTE Band 38 BW15 CH38000


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 172.348         | -76.70       | -14.63      | -25.0          | -51.70          | 350.00    | Horizontal | Vertical | Pass    |
| 867.886         | -64.51       | 3.52        | -25.0          | -39.51          | 363.00    | Horizontal | Vertical | Pass    |
| 1361.700        | -55.54       | -2.89       | -25.0          | -30.54          | 203.00    | Horizontal | Vertical | Pass    |
| 2588.800        | -47.07       | 2.41        | -25.0          | -22.07          | 187.00    | Horizontal | Vertical | N/A     |
| 6992.000        | -41.90       | 12.93       | -25.0          | -16.90          | 219.00    | Horizontal | Vertical | Pass    |
| 17099.637       | -36.05       | 19.44       | -25.0          | -11.05          | 360.00    | Horizontal | Vertical | Pass    |

RSE-V&V LTE Band 38 BW15 CH38000


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 46.878          | -73.21       | -18.32      | -25.0          | -48.21          | 353.00    | Vertical | Vertical | Pass    |
| 780.343         | -65.15       | 2.45        | -25.0          | -40.15          | 145.00    | Vertical | Vertical | Pass    |
| 1442.000        | -55.87       | -2.99       | -25.0          | -30.87          | 225.00    | Vertical | Vertical | Pass    |
| 2588.700        | -47.31       | 2.41        | -25.0          | -22.31          | 274.00    | Vertical | Vertical | N/A     |
| 6967.600        | -41.98       | 13.42       | -25.0          | -16.98          | 200.00    | Vertical | Vertical | Pass    |
| 17095.650       | -37.47       | 19.21       | -25.0          | -12.47          | 59.00     | Vertical | Vertical | Pass    |

RSE-V&H LTE Band 38 BW15 CH38000

OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|------------|---------|
| 47.023          | -73.30       | -18.24      | -25.0          | -48.30          | 304.00    | Vertical | Horizontal | Pass    |
| 935.834         | -64.01       | 4.59        | -25.0          | -39.01          | 221.00    | Vertical | Horizontal | Pass    |
| 1523.800        | -55.82       | -3.44       | -25.0          | -30.82          | 133.00    | Vertical | Horizontal | Pass    |
| 2588.800        | -50.25       | 2.41        | -25.0          | -25.25          | 32.00     | Vertical | Horizontal | N/A     |
| 6973.000        | -42.00       | 13.87       | -25.0          | -17.00          | 206.00    | Vertical | Horizontal | Pass    |
| 15244.000       | -37.09       | 17.82       | -25.0          | -12.09          | 289.00    | Vertical | Horizontal | Pass    |



### 30.4 LTE Band 38 BW20, Middle Channel

RSE-H&H LTE Band 38 BW20 CH38000


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|------------|---------|
| 170.553         | -76.98       | -14.68      | -25.0          | -51.98          | 142.00    | Horizontal | Horizontal | Pass    |
| 902.709         | -63.50       | 4.36        | -25.0          | -38.50          | 191.00    | Horizontal | Horizontal | Pass    |
| 1381.300        | -55.58       | -2.85       | -25.0          | -30.58          | 230.00    | Horizontal | Horizontal | Pass    |
| 2586.500        | -40.04       | 2.40        | -25.0          | -15.04          | 54.00     | Horizontal | Horizontal | N/A     |
| 6997.000        | -41.97       | 13.06       | -25.0          | -16.97          | 361.00    | Horizontal | Horizontal | Pass    |
| 17095.287       | -35.76       | 19.19       | -25.0          | -10.76          | 230.00    | Horizontal | Horizontal | Pass    |

RSE-H&V LTE Band 38 BW20 CH38000


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 171.474         | -77.49       | -14.65      | -25.0          | -52.49          | 327.00    | Horizontal | Vertical | Pass    |
| 878.508         | -64.37       | 3.91        | -25.0          | -39.37          | 261.00    | Horizontal | Vertical | Pass    |
| 1337.800        | -55.42       | -2.90       | -25.0          | -30.42          | 112.00    | Horizontal | Vertical | Pass    |
| 2586.600        | -38.16       | 2.40        | -25.0          | -13.16          | 165.00    | Horizontal | Vertical | N/A     |
| 5556.600        | -45.16       | 8.42        | -25.0          | -20.16          | 301.00    | Horizontal | Vertical | Pass    |
| 17101.813       | -36.08       | 19.42       | -25.0          | -11.08          | 52.00     | Horizontal | Vertical | Pass    |

RSE-V&V LTE Band 38 BW20 CH38000


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 46.538          | -73.28       | -18.52      | -25.0          | -48.28          | 292.00    | Vertical | Vertical | Pass    |
| 862.406         | -65.25       | 3.47        | -25.0          | -40.25          | 117.00    | Vertical | Vertical | Pass    |
| 1397.100        | -55.87       | -2.91       | -25.0          | -30.87          | 181.00    | Vertical | Vertical | Pass    |
| 2586.500        | -39.29       | 2.40        | -25.0          | -14.29          | 221.00    | Vertical | Vertical | N/A     |
| 9999.776        | -39.33       | 16.92       | -25.0          | -14.33          | 31.00     | Vertical | Vertical | Pass    |
| 17111.963       | -37.15       | 19.21       | -25.0          | -12.15          | 360.00    | Vertical | Vertical | Pass    |

RSE-V&H LTE Band 38 BW20 CH38000

OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|------------|---------|
| 42.755          | -72.83       | -18.66      | -25.0          | -47.83          | 305.00    | Vertical | Horizontal | Pass    |
| 935.883         | -63.76       | 4.59        | -25.0          | -38.76          | 305.00    | Vertical | Horizontal | Pass    |
| 1663.200        | -55.44       | -3.85       | -25.0          | -30.44          | 106.00    | Vertical | Horizontal | Pass    |
| 2586.600        | -43.52       | 2.40        | -25.0          | -18.52          | 16.00     | Vertical | Horizontal | N/A     |
| 9346.575        | -40.53       | 17.13       | -25.0          | -15.53          | 0.00      | Vertical | Horizontal | Pass    |
| 17107.974       | -36.54       | 19.29       | -25.0          | -11.54          | 184.00    | Vertical | Horizontal | Pass    |

### 31 LTE Band 41

#### 31.1 LTE Band 41 BW5, Middle Channel


RSE-H&H LTE Band 41 BW5 CH40620



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|------------|---------|
| 171.960         | -76.11       | -14.64      | -25.0          | -51.11          | 122.00    | Horizontal | Horizontal | Pass    |
| 879.284         | -64.94       | 3.93        | -25.0          | -39.94          | 358.00    | Horizontal | Horizontal | Pass    |
| 1380.100        | -55.21       | -2.87       | -25.0          | -30.21          | 101.00    | Horizontal | Horizontal | Pass    |
| 2591.200        | -39.06       | 2.42        | -25.0          | -14.06          | 6.00      | Horizontal | Horizontal | N/A     |
| 9271.825        | -39.94       | 17.20       | -25.0          | -14.94          | 245.00    | Horizontal | Horizontal | Pass    |
| 17657.162       | -36.54       | 17.70       | -25.0          | -11.54          | 115.00    | Horizontal | Horizontal | Pass    |

RSE-H&V LTE Band 41 BW5 CH40620


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 172.056         | -79.24       | -14.64      | -25.0          | -54.24          | 119.00    | Horizontal | Vertical | Pass    |
| 804.885         | -65.29       | 2.56        | -25.0          | -40.29          | 138.00    | Horizontal | Vertical | Pass    |
| 1453.900        | -55.29       | -3.02       | -25.0          | -30.29          | -3.00     | Horizontal | Vertical | Pass    |
| 2591.200        | -37.86       | 2.42        | -25.0          | -12.86          | 166.00    | Horizontal | Vertical | N/A     |
| 6996.600        | -41.01       | 13.06       | -25.0          | -16.01          | 362.00    | Horizontal | Vertical | Pass    |
| 17086.224       | -35.92       | 18.68       | -25.0          | -10.92          | 346.00    | Horizontal | Vertical | Pass    |

RSE-V&V LTE Band 41 BW5 CH40620


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 46.538          | -72.74       | -18.52      | -25.0          | -47.74          | 296.00    | Vertical | Vertical | Pass    |
| 887.044         | -64.06       | 4.27        | -25.0          | -39.06          | 352.00    | Vertical | Vertical | Pass    |
| 1421.900        | -55.87       | -2.94       | -25.0          | -30.87          | 115.00    | Vertical | Vertical | Pass    |
| 2591.200        | -38.09       | 2.42        | -25.0          | -13.09          | 223.00    | Vertical | Vertical | N/A     |
| 6680.000        | -42.56       | 12.14       | -25.0          | -17.56          | 360.00    | Vertical | Vertical | Pass    |
| 17101.088       | -36.50       | 19.44       | -25.0          | -11.50          | 274.00    | Vertical | Vertical | Pass    |

RSE-V&H LTE Band 41 BW5 CH40620

OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|------------|---------|
| 42.950          | -72.83       | -18.77      | -25.0          | -47.83          | 327.00    | Vertical | Horizontal | Pass    |
| 890.778         | -64.60       | 4.28        | -25.0          | -39.60          | 279.00    | Vertical | Horizontal | Pass    |
| 1276.100        | -55.78       | -3.31       | -25.0          | -30.78          | 342.00    | Vertical | Horizontal | Pass    |
| 2591.200        | -42.32       | 2.42        | -25.0          | -17.32          | 31.00     | Vertical | Horizontal | N/A     |
| 6690.600        | -42.47       | 11.99       | -25.0          | -17.47          | 44.00     | Vertical | Horizontal | Pass    |
| 17099.637       | -36.75       | 19.44       | -25.0          | -11.75          | 20.00     | Vertical | Horizontal | Pass    |



### 31.2 LTE Band 41 BW10, Middle Channel

RSE-H&H LTE Band 41 BW10 CH40620


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|------------|---------|
| 171.378         | -74.85       | -14.66      | -25.0          | -49.85          | 133.00    | Horizontal | Horizontal | Pass    |
| 884.521         | -63.88       | 4.11        | -25.0          | -38.88          | 361.00    | Horizontal | Horizontal | Pass    |
| 1319.300        | -55.32       | -3.24       | -25.0          | -30.32          | 251.00    | Horizontal | Horizontal | Pass    |
| 2589.000        | -46.29       | 2.41        | -25.0          | -21.29          | 1.00      | Horizontal | Horizontal | N/A     |
| 6984.600        | -42.21       | 13.64       | -25.0          | -17.21          | 348.00    | Horizontal | Horizontal | Pass    |
| 17096.375       | -36.57       | 19.25       | -25.0          | -11.57          | 67.00     | Horizontal | Horizontal | Pass    |

RSE-H&V LTE Band 41 BW10 CH40620


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 172.930         | -78.00       | -14.58      | -25.0          | -53.00          | 327.00    | Horizontal | Vertical | Pass    |
| 915.998         | -63.70       | 4.55        | -25.0          | -38.70          | 12.00     | Horizontal | Vertical | Pass    |
| 1432.300        | -55.61       | -2.95       | -25.0          | -30.61          | 145.00    | Horizontal | Vertical | Pass    |
| 2589.000        | -44.91       | 2.41        | -25.0          | -19.91          | 164.00    | Horizontal | Vertical | N/A     |
| 7766.188        | -42.85       | 11.04       | -25.0          | -17.85          | 99.00     | Horizontal | Vertical | Pass    |
| 17105.801       | -36.55       | 19.34       | -25.0          | -11.55          | 78.00     | Horizontal | Vertical | Pass    |

RSE-V&V LTE Band 41 BW10 CH40620


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 46.538          | -72.69       | -18.52      | -25.0          | -47.69          | 280.00    | Vertical | Vertical | Pass    |
| 899.459         | -64.38       | 4.39        | -25.0          | -39.38          | 125.00    | Vertical | Vertical | Pass    |
| 1433.200        | -55.39       | -2.95       | -25.0          | -30.39          | 152.00    | Vertical | Vertical | Pass    |
| 2588.800        | -44.83       | 2.41        | -25.0          | -19.83          | 232.00    | Vertical | Vertical | N/A     |
| 6978.000        | -41.36       | 13.95       | -25.0          | -16.36          | 199.00    | Vertical | Vertical | Pass    |
| 17106.162       | -37.08       | 19.33       | -25.0          | -12.08          | 275.00    | Vertical | Vertical | Pass    |

RSE-V&H LTE Band 41 BW10 CH40620


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|------------|---------|
| 42.270          | -72.41       | -18.45      | -25.0          | -47.41          | 267.00    | Vertical | Horizontal | Pass    |
| 899.847         | -65.00       | 4.40        | -25.0          | -40.00          | 0.00      | Vertical | Horizontal | Pass    |
| 1477.100        | -54.90       | -3.04       | -25.0          | -29.90          | -1.00     | Vertical | Horizontal | Pass    |
| 2556.000        | -47.34       | 2.30        | -25.0          | -22.34          | 16.00     | Vertical | Horizontal | N/A     |
| 6989.600        | -41.78       | 13.18       | -25.0          | -16.78          | 203.00    | Vertical | Horizontal | Pass    |
| 17093.474       | -36.89       | 19.09       | -25.0          | -11.89          | 233.00    | Vertical | Horizontal | Pass    |

### 31.3 LTE Band 41 BW15, Middle Channel


RSE-H&H LTE Band 41 BW15 CH40620



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|------------|---------|
| 169.050         | -71.62       | -14.78      | -25.0          | -46.62          | 104.00    | Horizontal | Horizontal | Pass    |
| 882.484         | -64.38       | 3.98        | -25.0          | -39.38          | 213.00    | Horizontal | Horizontal | Pass    |
| 1434.200        | -54.80       | -2.96       | -25.0          | -29.80          | 323.00    | Horizontal | Horizontal | Pass    |
| 2586.800        | -39.63       | 2.40        | -25.0          | -14.63          | 58.00     | Horizontal | Horizontal | N/A     |
| 6604.600        | -42.68       | 12.30       | -25.0          | -17.68          | 14.00     | Horizontal | Horizontal | Pass    |
| 17205.850       | -36.96       | 18.41       | -25.0          | -11.96          | 86.00     | Horizontal | Horizontal | Pass    |

RSE-H&V LTE Band 41 BW15 CH40620


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 172.056         | -78.86       | -14.64      | -25.0          | -53.86          | 312.00    | Horizontal | Vertical | Pass    |
| 927.492         | -63.60       | 4.39        | -25.0          | -38.60          | 229.00    | Horizontal | Vertical | Pass    |
| 1372.600        | -55.22       | -2.95       | -25.0          | -30.22          | 205.00    | Horizontal | Vertical | Pass    |
| 2586.800        | -37.97       | 2.40        | -25.0          | -12.97          | 164.00    | Horizontal | Vertical | N/A     |
| 6672.200        | -42.61       | 11.78       | -25.0          | -17.61          | 363.00    | Horizontal | Vertical | Pass    |
| 17210.200       | -36.63       | 18.31       | -25.0          | -11.63          | 78.00     | Horizontal | Vertical | Pass    |

RSE-V&V LTE Band 41 BW15 CH40620


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 46.587          | -73.17       | -18.49      | -25.0          | -48.17          | 269.00    | Vertical | Vertical | Pass    |
| 792.905         | -65.91       | 2.87        | -25.0          | -40.91          | 288.00    | Vertical | Vertical | Pass    |
| 1444.800        | -55.53       | -3.09       | -25.0          | -30.53          | 169.00    | Vertical | Vertical | Pass    |
| 2586.700        | -39.05       | 2.40        | -25.0          | -14.05          | 248.00    | Vertical | Vertical | N/A     |
| 6612.400        | -42.82       | 12.37       | -25.0          | -17.82          | 361.00    | Vertical | Vertical | Pass    |
| 17201.863       | -37.19       | 18.51       | -25.0          | -12.19          | 363.00    | Vertical | Vertical | Pass    |

RSE-V&H LTE Band 41 BW15 CH40620

OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|------------|---------|
| 42.125          | -72.47       | -18.39      | -25.0          | -47.47          | 307.00    | Vertical | Horizontal | Pass    |
| 915.707         | -64.31       | 4.53        | -25.0          | -39.31          | 84.00     | Vertical | Horizontal | Pass    |
| 1497.400        | -55.47       | -3.22       | -25.0          | -30.47          | 186.00    | Vertical | Horizontal | Pass    |
| 2586.800        | -43.29       | 2.40        | -25.0          | -18.29          | 5.00      | Vertical | Horizontal | N/A     |
| 6973.200        | -42.14       | 13.87       | -25.0          | -17.14          | 176.00    | Vertical | Horizontal | Pass    |
| 15199.412       | -36.59       | 18.33       | -25.0          | -11.59          | 40.00     | Vertical | Horizontal | Pass    |



### 31.4 LTE Band 41 BW20, Middle Channel

RSE-H&H LTE Band 41 BW20 CH40620


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|------------|---------|
| 170.504         | -77.26       | -14.69      | -25.0          | -52.26          | 138.00    | Horizontal | Horizontal | Pass    |
| 917.550         | -64.17       | 4.48        | -25.0          | -39.17          | 355.00    | Horizontal | Horizontal | Pass    |
| 1331.300        | -54.96       | -2.92       | -25.0          | -29.96          | 156.00    | Horizontal | Horizontal | Pass    |
| 2584.500        | -42.02       | 2.39        | -25.0          | -17.02          | 0.00      | Horizontal | Horizontal | N/A     |
| 6992.600        | -41.09       | 12.93       | -25.0          | -16.09          | 324.00    | Horizontal | Horizontal | Pass    |
| 17099.637       | -37.01       | 19.44       | -25.0          | -12.01          | 105.00    | Horizontal | Horizontal | Pass    |

RSE-H&V LTE Band 41 BW20 CH40620


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 171.862         | -77.59       | -14.64      | -25.0          | -52.59          | 309.00    | Horizontal | Vertical | Pass    |
| 857.070         | -65.16       | 3.29        | -25.0          | -40.16          | 361.00    | Horizontal | Vertical | Pass    |
| 1431.500        | -55.41       | -2.96       | -25.0          | -30.41          | 78.00     | Horizontal | Vertical | Pass    |
| 2584.600        | -41.98       | 2.39        | -25.0          | -16.98          | 160.00    | Horizontal | Vertical | N/A     |
| 7752.963        | -43.10       | 10.97       | -25.0          | -18.10          | 111.00    | Horizontal | Vertical | Pass    |
| 17105.438       | -36.05       | 19.34       | -25.0          | -11.05          | 361.00    | Horizontal | Vertical | Pass    |

RSE-V&V LTE Band 41 BW20 CH40620


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 46.490          | -73.27       | -18.55      | -25.0          | -48.27          | 269.00    | Vertical | Vertical | Pass    |
| 864.927         | -65.04       | 3.41        | -25.0          | -40.04          | 331.00    | Vertical | Vertical | Pass    |
| 1481.000        | -55.66       | -2.98       | -25.0          | -30.66          | 276.00    | Vertical | Vertical | Pass    |
| 2584.500        | -43.16       | 2.39        | -25.0          | -18.16          | 230.00    | Vertical | Vertical | N/A     |
| 6970.400        | -42.15       | 13.71       | -25.0          | -17.15          | 361.00    | Vertical | Vertical | Pass    |
| 17097.099       | -36.73       | 19.29       | -25.0          | -11.73          | 168.00    | Vertical | Vertical | Pass    |

RSE-V&H LTE Band 41 BW20 CH40620

OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|------------|---------|
| 47.218          | -73.04       | -18.15      | -25.0          | -48.04          | 361.00    | Vertical | Horizontal | Pass    |
| 797.658         | -64.73       | 2.72        | -25.0          | -39.73          | 34.00     | Vertical | Horizontal | Pass    |
| 1450.100        | -55.72       | -3.12       | -25.0          | -30.72          | 111.00    | Vertical | Horizontal | Pass    |
| 2584.500        | -46.39       | 2.39        | -25.0          | -21.39          | 4.00      | Vertical | Horizontal | N/A     |
| 6973.400        | -42.80       | 13.87       | -25.0          | -17.80          | 105.00    | Vertical | Horizontal | Pass    |
| 17106.162       | -37.09       | 19.33       | -25.0          | -12.09          | 196.00    | Vertical | Horizontal | Pass    |

CA


32 CA\_38C

32.1 CA\_38C 15MHz+15MHz, QPSK, Low Channel


RSE-H&H PCC 37825 BW15 QPSK RB1 74 SCC 37975 BW15 QPSK RB1 0




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|------------|---------|
| 220.314         | -73.15       | -16.10      | -25.0          | -48.15          | 81.00     | Horizontal | Horizontal | Pass    |
| 1412.100        | -54.90       | -2.98       | -25.0          | -29.90          | 21.00     | Horizontal | Horizontal | Pass    |
| 2584.500        | -43.57       | 2.39        | -25.0          | -18.57          | 129.00    | Horizontal | Horizontal | N/A     |
| 4796.800        | -46.85       | 8.06        | -25.0          | -21.85          | 297.00    | Horizontal | Horizontal | Pass    |
| 12753.988       | -37.70       | 20.20       | -25.0          | -12.70          | 363.00    | Horizontal | Horizontal | Pass    |
| 17101.813       | -35.80       | 19.42       | -25.0          | -10.80          | 131.00    | Horizontal | Horizontal | Pass    |



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 109.977         | -78.24       | -22.31      | -25.0          | -53.24          | 9.00      | Horizontal | Vertical | Pass    |
| 1727.700        | -56.13       | -3.45       | -25.0          | -31.13          | 350.00    | Horizontal | Vertical | Pass    |
| 2584.500        | -43.12       | 2.39        | -25.0          | -18.12          | 165.00    | Horizontal | Vertical | N/A     |
| 6680.000        | -42.28       | 12.14       | -25.0          | -17.28          | 183.00    | Horizontal | Vertical | Pass    |
| 11237.463       | -39.28       | 17.13       | -25.0          | -14.28          | 329.00    | Horizontal | Vertical | Pass    |
| 17098.188       | -35.99       | 19.36       | -25.0          | -10.99          | 339.00    | Horizontal | Vertical | Pass    |



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 46.490          | -72.11       | -18.55      | -25.0          | -47.11          | 363.00    | Vertical | Vertical | Pass    |
| 650.849         | -69.33       | -1.20       | -25.0          | -44.33          | 202.00    | Vertical | Vertical | Pass    |
| 1367.100        | -54.87       | -2.83       | -25.0          | -29.87          | 203.00    | Vertical | Vertical | Pass    |
| 2584.500        | -42.61       | 2.39        | -25.0          | -17.61          | 130.00    | Vertical | Vertical | N/A     |
| 5202.400        | -46.45       | 7.49        | -25.0          | -21.45          | 96.00     | Vertical | Vertical | Pass    |
| 17088.400       | -36.14       | 18.80       | -25.0          | -11.14          | 335.00    | Vertical | Vertical | Pass    |




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|------------|---------|
| 40.961          | -72.14       | -18.27      | -25.0          | -47.14          | 117.00    | Vertical | Horizontal | Pass    |
| 603.998         | -69.36       | -1.79       | -25.0          | -44.36          | 363.00    | Vertical | Horizontal | Pass    |
| 1446.200        | -54.54       | -3.02       | -25.0          | -29.54          | -3.00     | Vertical | Horizontal | Pass    |
| 2584.400        | -49.07       | 2.39        | -25.0          | -24.07          | -1.00     | Vertical | Horizontal | N/A     |
| 5450.200        | -45.16       | 8.65        | -25.0          | -20.16          | 66.00     | Vertical | Horizontal | Pass    |
| 12755.075       | -37.43       | 20.16       | -25.0          | -12.43          | 123.00    | Vertical | Horizontal | Pass    |




### 32.2 CA\_38C 15MHz+15MHz, 16-QAM, Low Channel


RSE-H&H PCC 37825 BW15 16-QAM RB1 74 SCC 37975 BW15 16-QAM RB1 0



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|------------|---------|
| 101.925         | -72.98       | -22.03      | -25.0          | -47.98          | 363.00    | Horizontal | Horizontal | Pass    |
| 1362.900        | -55.09       | -2.85       | -25.0          | -30.09          | 350.00    | Horizontal | Horizontal | Pass    |
| 2584.500        | -42.45       | 2.39        | -25.0          | -17.45          | 123.00    | Horizontal | Horizontal | N/A     |
| 4194.200        | -48.24       | 5.95        | -25.0          | -23.24          | 126.00    | Horizontal | Horizontal | Pass    |
| 5663.600        | -44.92       | 8.43        | -25.0          | -19.92          | 235.00    | Horizontal | Horizontal | Pass    |
| 17093.474       | -36.76       | 19.09       | -25.0          | -11.76          | 157.00    | Horizontal | Horizontal | Pass    |



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 101.246         | -73.08       | -21.99      | -25.0          | -48.08          | 363.00    | Horizontal | Vertical | Pass    |
| 1446.500        | -55.79       | -2.99       | -25.0          | -30.79          | 121.00    | Horizontal | Vertical | Pass    |
| 2584.700        | -42.94       | 2.40        | -25.0          | -17.94          | 4.00      | Horizontal | Vertical | N/A     |
| 4203.800        | -48.54       | 5.80        | -25.0          | -23.54          | 223.00    | Horizontal | Vertical | Pass    |
| 9360.375        | -40.49       | 17.08       | -25.0          | -15.49          | 267.00    | Horizontal | Vertical | Pass    |
| 17105.438       | -36.75       | 19.34       | -25.0          | -11.75          | 208.00    | Horizontal | Vertical | Pass    |



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 50.370          | -71.17       | -17.26      | -25.0          | -46.17          | 291.00    | Vertical | Vertical | Pass    |
| 1460.600        | -55.61       | -3.05       | -25.0          | -30.61          | 68.00     | Vertical | Vertical | Pass    |
| 2584.500        | -41.97       | 2.39        | -25.0          | -16.97          | 140.00    | Vertical | Vertical | N/A     |
| 5076.800        | -46.49       | 7.73        | -25.0          | -21.49          | 192.00    | Vertical | Vertical | Pass    |
| 12741.950       | -38.40       | 20.13       | -25.0          | -13.40          | -3.00     | Vertical | Vertical | Pass    |
| 17203.313       | -36.56       | 18.47       | -25.0          | -11.56          | 48.00     | Vertical | Vertical | Pass    |


RSE-V&H PCC 37825 BW15 16-QAM RB1 74 SCC 37975 BW15 16-QAM RB1 0



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|------------|---------|
| 40.961          | -71.94       | -18.27      | -25.0          | -46.94          | 157.00    | Vertical | Horizontal | Pass    |
| 635.231         | -69.22       | -1.23       | -25.0          | -44.22          | 12.00     | Vertical | Horizontal | Pass    |
| 2584.500        | -49.21       | 2.39        | -25.0          | -24.21          | 126.00    | Vertical | Horizontal | N/A     |
| 4660.200        | -47.19       | 6.74        | -25.0          | -22.19          | 143.00    | Vertical | Horizontal | Pass    |
| 9304.600        | -39.74       | 17.70       | -25.0          | -14.74          | -1.00     | Vertical | Horizontal | Pass    |
| 17102.537       | -37.20       | 19.41       | -25.0          | -12.20          | 361.00    | Vertical | Horizontal | Pass    |


### 32.3 CA\_38C 15MHz+15MHz, QPSK, Middle Channel

RSE-H&H PCC 37925 BW15 QPSK RB1 74 SCC 38075 BW15 QPSK RB1 0



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|------------|---------|
| 222.982         | -73.58       | -15.84      | -25.0          | -48.58          | 269.00    | Horizontal | Horizontal | Pass    |
| 1417.800        | -55.58       | -2.87       | -25.0          | -30.58          | 155.00    | Horizontal | Horizontal | Pass    |
| 2596.100        | -46.07       | 2.44        | -25.0          | -21.07          | 113.00    | Horizontal | Horizontal | N/A     |
| 4336.800        | -48.26       | 6.45        | -25.0          | -23.26          | 159.00    | Horizontal | Horizontal | Pass    |
| 9950.037        | -40.35       | 17.40       | -25.0          | -15.35          | 269.00    | Horizontal | Horizontal | Pass    |
| 17201.138       | -36.14       | 18.52       | -25.0          | -11.14          | 363.00    | Horizontal | Horizontal | Pass    |

RSE-H&V PCC 37925 BW15 QPSK RB1 74 SCC 38075 BW15 QPSK RB1 0



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 109.346         | -79.11       | -22.33      | -25.0          | -54.11          | 361.00    | Horizontal | Vertical | Pass    |
| 2028.400        | -52.01       | -1.03       | -25.0          | -27.01          | -1.00     | Horizontal | Vertical | Pass    |
| 2596.100        | -46.67       | 2.44        | -25.0          | -21.67          | 310.00    | Horizontal | Vertical | N/A     |
| 6679.400        | -41.49       | 12.18       | -25.0          | -16.49          | 273.00    | Horizontal | Vertical | Pass    |
| 13500.375       | -37.90       | 19.19       | -25.0          | -12.90          | 361.00    | Horizontal | Vertical | Pass    |
| 16544.650       | -37.44       | 16.73       | -25.0          | -12.44          | 194.00    | Horizontal | Vertical | Pass    |



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 46.490          | -71.81       | -18.55      | -25.0          | -46.81          | 363.00    | Vertical | Vertical | Pass    |
| 636.444         | -68.94       | -1.20       | -25.0          | -43.94          | 250.00    | Vertical | Vertical | Pass    |
| 1364.800        | -54.76       | -2.83       | -25.0          | -29.76          | -1.00     | Vertical | Vertical | Pass    |
| 2596.200        | -45.13       | 2.44        | -25.0          | -20.13          | 267.00    | Vertical | Vertical | N/A     |
| 5711.600        | -45.67       | 8.45        | -25.0          | -20.67          | 7.00      | Vertical | Vertical | Pass    |
| 17103.989       | -36.91       | 19.38       | -25.0          | -11.91          | 268.00    | Vertical | Vertical | Pass    |




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|------------|---------|
| 46.248          | -71.50       | -18.69      | -25.0          | -46.50          | 249.00    | Vertical | Horizontal | Pass    |
| 1280.400        | -55.84       | -3.39       | -25.0          | -30.84          | 306.00    | Vertical | Horizontal | Pass    |
| 2596.100        | -50.69       | 2.44        | -25.0          | -25.69          | 67.00     | Vertical | Horizontal | N/A     |
| 5692.400        | -45.48       | 8.87        | -25.0          | -20.48          | 248.00    | Vertical | Horizontal | Pass    |
| 12750.725       | -37.66       | 20.35       | -25.0          | -12.66          | 128.00    | Vertical | Horizontal | Pass    |
| 16536.675       | -37.18       | 16.70       | -25.0          | -12.18          | 218.00    | Vertical | Horizontal | Pass    |




### 32.4 CA\_38C 15MHz+15MHz, 16-QAM, Middle Channel

RSE-H&H PCC 37925 BW15 16-QAM RB1 74 SCC 38075 BW15 16-QAM RB1 0



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|------------|---------|
| 217.695         | -75.34       | -16.37      | -25.0          | -50.34          | 292.00    | Horizontal | Horizontal | Pass    |
| 1938.400        | -53.90       | -1.78       | -25.0          | -28.90          | -1.00     | Horizontal | Horizontal | Pass    |
| 2596.200        | -45.25       | 2.44        | -25.0          | -20.25          | 139.00    | Horizontal | Horizontal | N/A     |
| 4786.000        | -47.86       | 8.22        | -25.0          | -22.86          | 321.00    | Horizontal | Horizontal | Pass    |
| 9300.000        | -39.11       | 17.71       | -25.0          | -14.11          | -3.00     | Horizontal | Horizontal | Pass    |
| 15224.063       | -36.67       | 18.06       | -25.0          | -11.67          | 56.00     | Horizontal | Horizontal | Pass    |



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 40.961          | -77.85       | -18.27      | -25.0          | -52.85          | 44.00     | Horizontal | Vertical | Pass    |
| 2184.200        | -51.61       | 0.52        | -25.0          | -26.61          | 34.00     | Horizontal | Vertical | Pass    |
| 2596.300        | -46.54       | 2.44        | -25.0          | -21.54          | -1.00     | Horizontal | Vertical | N/A     |
| 4697.200        | -47.18       | 7.16        | -25.0          | -22.18          | 199.00    | Horizontal | Vertical | Pass    |
| 9329.901        | -40.04       | 17.42       | -25.0          | -15.04          | 46.00     | Horizontal | Vertical | Pass    |
| 13475.363       | -37.71       | 19.18       | -25.0          | -12.71          | 363.00    | Horizontal | Vertical | Pass    |

RSE-V&V PCC 37925 BW15 16-QAM RB1 74 SCC 38075 BW15 16-QAM RB1 0




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 46.393          | -71.55       | -18.61      | -25.0          | -46.55          | 350.00    | Vertical | Vertical | Pass    |
| 781.993         | -66.93       | 2.54        | -25.0          | -41.93          | 360.00    | Vertical | Vertical | Pass    |
| 1760.300        | -55.28       | -3.25       | -25.0          | -30.28          | 233.00    | Vertical | Vertical | Pass    |
| 2596.300        | -46.05       | 2.44        | -25.0          | -21.05          | 311.00    | Vertical | Vertical | N/A     |
| 5667.400        | -45.12       | 8.53        | -25.0          | -20.12          | 216.00    | Vertical | Vertical | Pass    |
| 17095.650       | -35.44       | 19.21       | -25.0          | -10.44          | 8.00      | Vertical | Vertical | Pass    |




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|------------|---------|
| 46.441          | -71.76       | -18.58      | -25.0          | -46.76          | 301.00    | Vertical | Horizontal | Pass    |
| 1934.500        | -53.85       | -1.97       | -25.0          | -28.85          | -1.00     | Vertical | Horizontal | Pass    |
| 2596.400        | -50.50       | 2.45        | -25.0          | -25.50          | 23.00     | Vertical | Horizontal | N/A     |
| 5103.800        | -47.03       | 8.04        | -25.0          | -22.03          | 6.00      | Vertical | Horizontal | Pass    |
| 9314.375        | -40.19       | 17.69       | -25.0          | -15.19          | 228.00    | Vertical | Horizontal | Pass    |
| 17102.900       | -36.13       | 19.40       | -25.0          | -11.13          | 361.00    | Vertical | Horizontal | Pass    |

### 32.5 CA\_38C 15MHz+15MHz, QPSK, High Channel


RSE-H&H PCC 38025 BW15 QPSK RB1 74 SCC 38175 BW15 QPSK RB1 0



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|------------|---------|
| 41.203          | -78.23       | -18.26      | -25.0          | -53.23          | 125.00    | Horizontal | Horizontal | Pass    |
| 790.383         | -64.82       | 2.88        | -25.0          | -39.82          | 125.00    | Horizontal | Horizontal | Pass    |
| 1381.600        | -56.03       | -2.86       | -25.0          | -31.03          | 168.00    | Horizontal | Horizontal | Pass    |
| 2604.600        | -41.99       | 2.49        | -25.0          | -16.99          | 131.00    | Horizontal | Horizontal | N/A     |
| 4995.600        | -47.44       | 7.96        | -25.0          | -22.44          | 7.00      | Horizontal | Horizontal | Pass    |
| 19298.927       | -35.78       | 24.25       | -25.0          | -10.78          | 363.00    | Horizontal | Horizontal | Pass    |



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 40.961          | -78.35       | -18.27      | -25.0          | -53.35          | 166.00    | Horizontal | Vertical | Pass    |
| 1307.200        | -54.89       | -3.21       | -25.0          | -29.89          | 344.00    | Horizontal | Vertical | Pass    |
| 2604.700        | -41.61       | 2.49        | -25.0          | -16.61          | 298.00    | Horizontal | Vertical | N/A     |
| 6679.800        | -42.29       | 12.15       | -25.0          | -17.29          | 224.00    | Horizontal | Vertical | Pass    |
| 9854.588        | -40.14       | 17.11       | -25.0          | -15.14          | 78.00     | Horizontal | Vertical | Pass    |
| 12761.600       | -36.64       | 19.86       | -25.0          | -11.64          | 288.00    | Horizontal | Vertical | Pass    |



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 46.441          | -71.67       | -18.58      | -25.0          | -46.67          | 280.00    | Vertical | Vertical | Pass    |
| 1350.600        | -55.07       | -2.93       | -25.0          | -30.07          | 102.00    | Vertical | Vertical | Pass    |
| 2604.600        | -39.46       | 2.49        | -25.0          | -14.46          | 263.00    | Vertical | Vertical | N/A     |
| 5150.800        | -46.80       | 7.78        | -25.0          | -21.80          | 70.00     | Vertical | Vertical | Pass    |
| 9292.526        | -40.48       | 17.54       | -25.0          | -15.48          | 291.00    | Vertical | Vertical | Pass    |
| 17092.750       | -36.50       | 19.05       | -25.0          | -11.50          | 318.00    | Vertical | Vertical | Pass    |




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|------------|---------|
| 46.344          | -71.72       | -18.64      | -25.0          | -46.72          | 275.00    | Vertical | Horizontal | Pass    |
| 641.828         | -68.62       | -1.10       | -25.0          | -43.62          | 84.00     | Vertical | Horizontal | Pass    |
| 1474.800        | -54.68       | -3.13       | -25.0          | -29.68          | 198.00    | Vertical | Horizontal | Pass    |
| 2604.600        | -46.68       | 2.49        | -25.0          | -21.68          | 10.00     | Vertical | Horizontal | N/A     |
| 5714.800        | -46.03       | 8.40        | -25.0          | -21.03          | 98.00     | Vertical | Horizontal | Pass    |
| 17231.587       | -36.72       | 18.02       | -25.0          | -11.72          | 311.00    | Vertical | Horizontal | Pass    |



### 32.6 CA\_38C 15MHz+15MHz, 16-QAM, High Channel


RSE-H&H PCC 38025 BW15 16-QAM RB1 74 SCC 38175 BW15 16-QAM RB1 0



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|------------|---------|
| 221.090         | -74.75       | -16.05      | -25.0          | -49.75          | 269.00    | Horizontal | Horizontal | Pass    |
| 1346.800        | -55.79       | -3.02       | -25.0          | -30.79          | 91.00     | Horizontal | Horizontal | Pass    |
| 2604.700        | -41.99       | 2.49        | -25.0          | -16.99          | 135.00    | Horizontal | Horizontal | N/A     |
| 5742.200        | -45.12       | 8.07        | -25.0          | -20.12          | 138.00    | Horizontal | Horizontal | Pass    |
| 9379.637        | -40.22       | 17.31       | -25.0          | -15.22          | 354.00    | Horizontal | Horizontal | Pass    |
| 17112.324       | -36.67       | 19.20       | -25.0          | -11.67          | 216.00    | Horizontal | Horizontal | Pass    |



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 101.537         | -78.18       | -22.01      | -25.0          | -53.18          | 363.00    | Horizontal | Vertical | Pass    |
| 1354.500        | -55.46       | -2.78       | -25.0          | -30.46          | 204.00    | Horizontal | Vertical | Pass    |
| 2604.600        | -42.30       | 2.49        | -25.0          | -17.30          | 299.00    | Horizontal | Vertical | N/A     |
| 3657.800        | -50.30       | 4.40        | -25.0          | -25.30          | 282.00    | Horizontal | Vertical | Pass    |
| 9345.138        | -40.14       | 17.13       | -25.0          | -15.14          | -3.00     | Horizontal | Vertical | Pass    |
| 15247.263       | -37.30       | 17.75       | -25.0          | -12.30          | 233.00    | Horizontal | Vertical | Pass    |




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 46.636          | -71.48       | -18.47      | -25.0          | -46.48          | 338.00    | Vertical | Vertical | Pass    |
| 1366.600        | -54.94       | -2.82       | -25.0          | -29.94          | 33.00     | Vertical | Vertical | Pass    |
| 2604.600        | -39.16       | 2.49        | -25.0          | -14.16          | 234.00    | Vertical | Vertical | N/A     |
| 5143.400        | -47.00       | 7.81        | -25.0          | -22.00          | 265.00    | Vertical | Vertical | Pass    |
| 9263.776        | -40.55       | 17.15       | -25.0          | -15.55          | -1.00     | Vertical | Vertical | Pass    |
| 17204.038       | -35.82       | 18.45       | -25.0          | -10.82          | 363.00    | Vertical | Vertical | Pass    |




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|------------|---------|
| 46.538          | -71.52       | -18.52      | -25.0          | -46.52          | 317.00    | Vertical | Horizontal | Pass    |
| 400.685         | -72.41       | -8.56       | -25.0          | -47.41          | 361.00    | Vertical | Horizontal | Pass    |
| 1468.000        | -55.36       | -3.14       | -25.0          | -30.36          | 236.00    | Vertical | Horizontal | Pass    |
| 2604.500        | -46.68       | 2.49        | -25.0          | -21.68          | 3.00      | Vertical | Horizontal | N/A     |
| 5967.000        | -45.57       | 8.85        | -25.0          | -20.57          | 288.00    | Vertical | Horizontal | Pass    |
| 17110.875       | -36.58       | 19.23       | -25.0          | -11.58          | 250.00    | Vertical | Horizontal | Pass    |

### 32.7 CA\_38C 20MHz+20MHz, QPSK, Low Channel

RSE-H&H PCC 37850 BW20 QPSK RB1 99 SCC 38048 BW20 QPSK RB1 0



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|------------|---------|
| 220.314         | -75.37       | -16.10      | -25.0          | -50.37          | 241.00    | Horizontal | Horizontal | Pass    |
| 1413.200        | -55.21       | -2.97       | -25.0          | -30.21          | 166.00    | Horizontal | Horizontal | Pass    |
| 2589.300        | -46.54       | 2.41        | -25.0          | -21.54          | 230.00    | Horizontal | Horizontal | N/A     |
| 3429.000        | -50.33       | 4.09        | -25.0          | -25.33          | 81.00     | Horizontal | Horizontal | Pass    |
| 9299.138        | -40.87       | 17.69       | -25.0          | -15.87          | 292.00    | Horizontal | Horizontal | Pass    |
| 17101.088       | -35.50       | 19.44       | -25.0          | -10.50          | 160.00    | Horizontal | Horizontal | Pass    |



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 41.252          | -78.26       | -18.26      | -25.0          | -53.26          | 119.00    | Horizontal | Vertical | Pass    |
| 1380.200        | -54.79       | -2.87       | -25.0          | -29.79          | 14.00     | Horizontal | Vertical | Pass    |
| 2589.300        | -42.69       | 2.41        | -25.0          | -17.69          | -3.00     | Horizontal | Vertical | N/A     |
| 4222.200        | -48.90       | 5.64        | -25.0          | -23.90          | 179.00    | Horizontal | Vertical | Pass    |
| 9327.313        | -40.30       | 17.49       | -25.0          | -15.30          | 89.00     | Horizontal | Vertical | Pass    |
| 17115.949       | -37.21       | 19.12       | -25.0          | -12.21          | 73.00     | Horizontal | Vertical | Pass    |



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 46.344          | -72.40       | -18.64      | -25.0          | -47.40          | 234.00    | Vertical | Vertical | Pass    |
| 1513.100        | -55.26       | -3.33       | -25.0          | -30.26          | 105.00    | Vertical | Vertical | Pass    |
| 2589.300        | -43.07       | 2.41        | -25.0          | -18.07          | 320.00    | Vertical | Vertical | N/A     |
| 5678.400        | -45.59       | 8.79        | -25.0          | -20.59          | 115.00    | Vertical | Vertical | Pass    |
| 9192.188        | -40.33       | 16.27       | -25.0          | -15.33          | 25.00     | Vertical | Vertical | Pass    |
| 21035.776       | -36.10       | 23.26       | -25.0          | -11.10          | 272.00    | Vertical | Vertical | Pass    |




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|------------|---------|
| 46.684          | -70.77       | -18.44      | -25.0          | -45.77          | 253.00    | Vertical | Horizontal | Pass    |
| 1385.100        | -55.88       | -2.99       | -25.0          | -30.88          | -3.00     | Vertical | Horizontal | Pass    |
| 2589.400        | -48.29       | 2.42        | -25.0          | -23.29          | 78.00     | Vertical | Horizontal | N/A     |
| 4943.400        | -47.21       | 7.49        | -25.0          | -22.21          | 167.00    | Vertical | Horizontal | Pass    |
| 9322.424        | -40.27       | 17.62       | -25.0          | -15.27          | 106.00    | Vertical | Horizontal | Pass    |
| 17102.176       | -36.99       | 19.41       | -25.0          | -11.99          | 199.00    | Vertical | Horizontal | Pass    |



### 32.8 CA\_38C 20MHz+20MHz, 16-QAM, Low Channel


RSE-H&H PCC 37850 BW20 16-QAM RB1 99 SCC 38048 BW20 16-QAM RB1 0



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|------------|---------|
| 214.979         | -74.71       | -16.62      | -25.0          | -49.71          | 81.00     | Horizontal | Horizontal | Pass    |
| 1451.200        | -55.00       | -3.09       | -25.0          | -30.00          | 103.00    | Horizontal | Horizontal | Pass    |
| 2589.400        | -46.16       | 2.42        | -25.0          | -21.16          | 232.00    | Horizontal | Horizontal | N/A     |
| 5082.000        | -47.08       | 7.85        | -25.0          | -22.08          | 91.00     | Horizontal | Horizontal | Pass    |
| 9525.687        | -39.74       | 17.11       | -25.0          | -14.74          | 74.00     | Horizontal | Horizontal | Pass    |
| 17100.000       | -36.11       | 19.46       | -25.0          | -11.11          | 40.00     | Horizontal | Horizontal | Pass    |



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 162.939         | -78.41       | -14.91      | -25.0          | -53.41          | 70.00     | Horizontal | Vertical | Pass    |
| 2589.300        | -41.82       | 2.41        | -25.0          | -16.82          | -3.00     | Horizontal | Vertical | N/A     |
| 3636.800        | -50.11       | 4.23        | -25.0          | -25.11          | 325.00    | Horizontal | Vertical | Pass    |
| 7769.350        | -43.68       | 11.15       | -25.0          | -18.68          | 98.00     | Horizontal | Vertical | Pass    |
| 12744.537       | -38.37       | 20.21       | -25.0          | -13.37          | 206.00    | Horizontal | Vertical | Pass    |
| 17227.962       | -37.27       | 18.04       | -25.0          | -12.27          | 363.00    | Horizontal | Vertical | Pass    |




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 46.344          | -72.11       | -18.64      | -25.0          | -47.11          | 361.00    | Vertical | Vertical | Pass    |
| 1431.500        | -55.75       | -2.96       | -25.0          | -30.75          | 348.00    | Vertical | Vertical | Pass    |
| 2589.400        | -42.42       | 2.42        | -25.0          | -17.42          | 136.00    | Vertical | Vertical | N/A     |
| 5011.000        | -46.91       | 7.27        | -25.0          | -21.91          | 286.00    | Vertical | Vertical | Pass    |
| 9990.575        | -39.20       | 17.12       | -25.0          | -14.20          | 6.00      | Vertical | Vertical | Pass    |
| 17099.275       | -37.03       | 19.42       | -25.0          | -12.03          | 161.00    | Vertical | Vertical | Pass    |




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|------------|---------|
| 46.296          | -71.05       | -18.67      | -25.0          | -46.05          | 299.00    | Vertical | Horizontal | Pass    |
| 1858.000        | -54.21       | -2.31       | -25.0          | -29.21          | -3.00     | Vertical | Horizontal | Pass    |
| 2589.200        | -48.10       | 2.41        | -25.0          | -23.10          | 78.00     | Vertical | Horizontal | N/A     |
| 9472.213        | -40.29       | 17.23       | -25.0          | -15.29          | 16.00     | Vertical | Horizontal | Pass    |
| 15177.662       | -37.50       | 17.89       | -25.0          | -12.50          | 361.00    | Vertical | Horizontal | Pass    |

### 32.9 CA\_38C 20MHz+20MHz, QPSK, Middle Channel


RSE-H&H PCC 37901 BW20 QPSK RB1 99 SCC 38099 BW20 QPSK RB1 0




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|------------|---------|
| 215.367         | -75.70       | -16.59      | -25.0          | -50.70          | 69.00     | Horizontal | Horizontal | Pass    |
| 1269.300        | -55.79       | -3.43       | -25.0          | -30.79          | 14.00     | Horizontal | Horizontal | Pass    |
| 2596.600        | -47.71       | 2.45        | -25.0          | -22.71          | 233.00    | Horizontal | Horizontal | N/A     |
| 4776.200        | -47.77       | 8.13        | -25.0          | -22.77          | 80.00     | Horizontal | Horizontal | Pass    |
| 9383.088        | -40.52       | 17.31       | -25.0          | -15.52          | 235.00    | Horizontal | Horizontal | Pass    |
| 17204.038       | -35.71       | 18.45       | -25.0          | -10.71          | 169.00    | Horizontal | Horizontal | Pass    |



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 205.570         | -77.34       | -17.11      | -25.0          | -52.34          | 266.00    | Horizontal | Vertical | Pass    |
| 2252.200        | -50.15       | 1.18        | -25.0          | -25.15          | 99.00     | Horizontal | Vertical | Pass    |
| 2596.400        | -44.82       | 2.45        | -25.0          | -19.82          | 298.00    | Horizontal | Vertical | N/A     |
| 6678.200        | -41.79       | 12.12       | -25.0          | -16.79          | 112.00    | Horizontal | Vertical | Pass    |
| 9469.912        | -40.48       | 17.23       | -25.0          | -15.48          | 247.00    | Horizontal | Vertical | Pass    |
| 17101.449       | -36.46       | 19.43       | -25.0          | -11.46          | 121.00    | Horizontal | Vertical | Pass    |



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 46.538          | -71.80       | -18.52      | -25.0          | -46.80          | 340.00    | Vertical | Vertical | Pass    |
| 616.268         | -69.59       | -1.56       | -25.0          | -44.59          | 361.00    | Vertical | Vertical | Pass    |
| 1430.200        | -54.71       | -2.97       | -25.0          | -29.71          | 18.00     | Vertical | Vertical | Pass    |
| 2596.500        | -46.18       | 2.45        | -25.0          | -21.18          | 206.00    | Vertical | Vertical | N/A     |
| 9428.799        | -40.40       | 17.13       | -25.0          | -15.40          | 271.00    | Vertical | Vertical | Pass    |
| 21628.574       | -36.22       | 23.43       | -25.0          | -11.22          | -1.00     | Vertical | Vertical | Pass    |




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|------------|---------|
| 46.975          | -71.50       | -18.27      | -25.0          | -46.50          | 283.00    | Vertical | Horizontal | Pass    |
| 1490.400        | -55.43       | -3.27       | -25.0          | -30.43          | 325.00    | Vertical | Horizontal | Pass    |
| 2596.500        | -48.87       | 2.45        | -25.0          | -23.87          | 76.00     | Vertical | Horizontal | N/A     |
| 6682.000        | -42.16       | 12.11       | -25.0          | -17.16          | 78.00     | Vertical | Horizontal | Pass    |
| 11454.238       | -38.97       | 17.19       | -25.0          | -13.97          | -1.00     | Vertical | Horizontal | Pass    |
| 17227.600       | -36.29       | 18.04       | -25.0          | -11.29          | 363.00    | Vertical | Horizontal | Pass    |




### 32.10 CA\_38C 20MHz+20MHz, 16-QAM, Middle Channel

RSE-H&H PCC 37901 BW20 16-QAM RB1 99 SCC 38099 BW20 16-QAM RB1 0



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|------------|---------|
| 218.083         | -75.03       | -16.31      | -25.0          | -50.03          | 276.00    | Horizontal | Horizontal | Pass    |
| 1398.400        | -54.13       | -3.00       | -25.0          | -29.13          | 173.00    | Horizontal | Horizontal | Pass    |
| 2596.300        | -48.65       | 2.44        | -25.0          | -23.65          | 295.00    | Horizontal | Horizontal | N/A     |
| 4653.800        | -47.14       | 6.39        | -25.0          | -22.14          | 361.00    | Horizontal | Horizontal | Pass    |
| 7782.862        | -42.71       | 11.32       | -25.0          | -17.71          | 39.00     | Horizontal | Horizontal | Pass    |
| 17093.113       | -36.57       | 19.07       | -25.0          | -11.57          | 194.00    | Horizontal | Horizontal | Pass    |



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 40.476          | -78.26       | -18.72      | -25.0          | -53.26          | 157.00    | Horizontal | Vertical | Pass    |
| 1360.700        | -54.95       | -2.94       | -25.0          | -29.95          | 267.00    | Horizontal | Vertical | Pass    |
| 2596.400        | -43.70       | 2.45        | -25.0          | -18.70          | 173.00    | Horizontal | Vertical | N/A     |
| 3837.400        | -49.60       | 6.30        | -25.0          | -24.60          | 82.00     | Horizontal | Vertical | Pass    |
| 7782.862        | -43.36       | 11.32       | -25.0          | -18.36          | 91.00     | Horizontal | Vertical | Pass    |
| 17098.550       | -36.35       | 19.38       | -25.0          | -11.35          | 4.00      | Horizontal | Vertical | Pass    |



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 46.441          | -71.88       | -18.58      | -25.0          | -46.88          | 289.00    | Vertical | Vertical | Pass    |
| 400.249         | -72.19       | -8.53       | -25.0          | -47.19          | 363.00    | Vertical | Vertical | Pass    |
| 2596.400        | -45.61       | 2.45        | -25.0          | -20.61          | 236.00    | Vertical | Vertical | N/A     |
| 3938.400        | -49.64       | 5.67        | -25.0          | -24.64          | 198.00    | Vertical | Vertical | Pass    |
| 9874.713        | -39.79       | 17.04       | -25.0          | -14.79          | 0.00      | Vertical | Vertical | Pass    |
| 17103.262       | -36.88       | 19.39       | -25.0          | -11.88          | 228.00    | Vertical | Vertical | Pass    |




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|------------|---------|
| 46.296          | -71.35       | -18.67      | -25.0          | -46.35          | 302.00    | Vertical | Horizontal | Pass    |
| 402.141         | -71.55       | -8.63       | -25.0          | -46.55          | 363.00    | Vertical | Horizontal | Pass    |
| 2596.400        | -50.55       | 2.45        | -25.0          | -25.55          | 10.00     | Vertical | Horizontal | N/A     |
| 5070.200        | -46.80       | 7.94        | -25.0          | -21.80          | 361.00    | Vertical | Horizontal | Pass    |
| 9242.500        | -40.02       | 17.04       | -25.0          | -15.02          | 358.00    | Vertical | Horizontal | Pass    |
| 21033.175       | -35.53       | 23.26       | -25.0          | -10.53          | 359.00    | Vertical | Horizontal | Pass    |

### 32.11 CA\_38C 20MHz+20MHz, QPSK, High Channel


RSE-H&H PCC 37952 BW20 QPSK RB1 99 SCC 38150 BW20 QPSK RB1 0



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|------------|---------|
| 102.701         | -73.59       | -22.09      | -25.0          | -48.59          | 363.00    | Horizontal | Horizontal | Pass    |
| 216.676         | -72.75       | -16.49      | -25.0          | -47.75          | 281.00    | Horizontal | Horizontal | Pass    |
| 1925.100        | -53.87       | -1.95       | -25.0          | -28.87          | 111.00    | Horizontal | Horizontal | Pass    |
| 2601.500        | -48.16       | 2.47        | -25.0          | -23.16          | 160.00    | Horizontal | Horizontal | N/A     |
| 4727.800        | -47.06       | 7.08        | -25.0          | -22.06          | 39.00     | Horizontal | Horizontal | Pass    |
| 17114.864       | -37.12       | 19.14       | -25.0          | -12.12          | 179.00    | Horizontal | Horizontal | Pass    |



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 164.005         | -77.66       | -14.81      | -25.0          | -52.66          | 114.00    | Horizontal | Vertical | Pass    |
| 1353.400        | -55.21       | -2.77       | -25.0          | -30.21          | 77.00     | Horizontal | Vertical | Pass    |
| 2599.500        | -45.92       | 2.46        | -25.0          | -20.92          | 190.00    | Horizontal | Vertical | N/A     |
| 4313.400        | -48.76       | 6.28        | -25.0          | -23.76          | 361.00    | Horizontal | Vertical | Pass    |
| 7799.538        | -43.36       | 11.82       | -25.0          | -18.36          | 96.00     | Horizontal | Vertical | Pass    |
| 17098.550       | -36.26       | 19.38       | -25.0          | -11.26          | 127.00    | Horizontal | Vertical | Pass    |



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 39.943          | -73.31       | -19.19      | -25.0          | -48.31          | 137.00    | Vertical | Vertical | Pass    |
| 1360.900        | -55.47       | -2.93       | -25.0          | -30.47          | 57.00     | Vertical | Vertical | Pass    |
| 2599.400        | -45.57       | 2.46        | -25.0          | -20.57          | 222.00    | Vertical | Vertical | N/A     |
| 3658.000        | -49.95       | 4.38        | -25.0          | -24.95          | 85.00     | Vertical | Vertical | Pass    |
| 12755.800       | -37.40       | 20.12       | -25.0          | -12.40          | 175.00    | Vertical | Vertical | Pass    |
| 17097.463       | -36.43       | 19.32       | -25.0          | -11.43          | 61.00     | Vertical | Vertical | Pass    |




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|------------|---------|
| 41.203          | -71.35       | -18.26      | -25.0          | -46.35          | 41.00     | Vertical | Horizontal | Pass    |
| 1351.400        | -55.55       | -2.85       | -25.0          | -30.55          | 102.00    | Vertical | Horizontal | Pass    |
| 2599.500        | -49.28       | 2.46        | -25.0          | -24.28          | -1.00     | Vertical | Horizontal | N/A     |
| 4799.600        | -47.06       | 7.86        | -25.0          | -22.06          | 292.00    | Vertical | Horizontal | Pass    |
| 9288.787        | -39.80       | 17.45       | -25.0          | -14.80          | 198.00    | Vertical | Horizontal | Pass    |
| 15222.974       | -36.99       | 18.07       | -25.0          | -11.99          | 112.00    | Vertical | Horizontal | Pass    |




### 32.12 CA\_38C 20MHz+20MHz, 16-QAM, High Channel


RSE-H&H PCC 37952 BW20 16-QAM RB1 99 SCC 38150 BW20 16-QAM RB1 0



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|------------|---------|
| 215.610         | -72.86       | -16.57      | -25.0          | -47.86          | 264.00    | Horizontal | Horizontal | Pass    |
| 1458.400        | -55.64       | -3.21       | -25.0          | -30.64          | 76.00     | Horizontal | Horizontal | Pass    |
| 2599.600        | -46.29       | 2.46        | -25.0          | -21.29          | 162.00    | Horizontal | Horizontal | N/A     |
| 4777.400        | -46.74       | 8.10        | -25.0          | -21.74          | 334.00    | Horizontal | Horizontal | Pass    |
| 10253.350       | -40.15       | 18.15       | -25.0          | -15.15          | 333.00    | Horizontal | Horizontal | Pass    |
| 17098.188       | -36.92       | 19.36       | -25.0          | -11.92          | 305.00    | Horizontal | Horizontal | Pass    |



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 108.182         | -75.22       | -22.31      | -25.0          | -50.22          | 361.00    | Horizontal | Vertical | Pass    |
| 1366.500        | -55.55       | -2.82       | -25.0          | -30.55          | 82.00     | Horizontal | Vertical | Pass    |
| 2601.600        | -44.24       | 2.47        | -25.0          | -19.24          | 167.00    | Horizontal | Vertical | N/A     |
| 3157.800        | -49.18       | 4.01        | -25.0          | -24.18          | 91.00     | Horizontal | Vertical | Pass    |
| 6747.200        | -41.27       | 11.90       | -25.0          | -16.27          | 159.00    | Horizontal | Vertical | Pass    |
| 15192.526       | -37.62       | 18.18       | -25.0          | -12.62          | 314.00    | Horizontal | Vertical | Pass    |



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 46.393          | -73.17       | -18.61      | -25.0          | -48.17          | 352.00    | Vertical | Vertical | Pass    |
| 595.995         | -69.02       | -1.99       | -25.0          | -44.02          | 182.00    | Vertical | Vertical | Pass    |
| 1433.400        | -55.12       | -2.95       | -25.0          | -30.12          | 302.00    | Vertical | Vertical | Pass    |
| 2599.500        | -46.23       | 2.46        | -25.0          | -21.23          | 220.00    | Vertical | Vertical | N/A     |
| 3961.200        | -49.39       | 6.22        | -25.0          | -24.39          | 137.00    | Vertical | Vertical | Pass    |
| 17232.675       | -36.10       | 18.01       | -25.0          | -11.10          | 360.00    | Vertical | Vertical | Pass    |



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|------------|---------|
| 40.816          | -71.68       | -18.40      | -25.0          | -46.68          | 57.00     | Vertical | Horizontal | Pass    |
| 1345.200        | -55.18       | -2.96       | -25.0          | -30.18          | -3.00     | Vertical | Horizontal | Pass    |
| 2599.300        | -49.36       | 2.46        | -25.0          | -24.36          | -1.00     | Vertical | Horizontal | N/A     |
| 5639.400        | -44.90       | 8.56        | -25.0          | -19.90          | 21.00     | Vertical | Horizontal | Pass    |
| 9310.638        | -40.19       | 17.70       | -25.0          | -15.19          | 5.00      | Vertical | Horizontal | Pass    |
| 17101.813       | -37.19       | 19.42       | -25.0          | -12.19          | 267.00    | Vertical | Horizontal | Pass    |