



**19.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.52	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.81	-25	Pass	2986
30	1000	0.1	RMS	724.6	-57.48	-25	Pass	9701
1000	2486	1	RMS	2482	-46.65	-25	Pass	1487
2486	2700	1	RMS	2685.02	24.98	60	Pass	401
2700	3000	1	RMS	2944.5	-45.09	-25	Pass	401
3000	12000	1	RMS	11703	-45.86	-25	Pass	9002
12000	27000	1	RMS	26000	-31.01	-25	Pass	15002




**19.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.28	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.64	-25	Pass	2986
30	1000	0.1	RMS	724.6	-57.93	-25	Pass	9701
1000	2486	1	RMS	2481	-46.64	-25	Pass	1487
2486	2700	1	RMS	2685.02	23.59	60	Pass	401
2700	3000	1	RMS	2958.75	-45.1	-25	Pass	401
3000	12000	1	RMS	11703	-45.84	-25	Pass	9002
12000	27000	1	RMS	26017	-31.14	-25	Pass	15002




19.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.71	-25	Pass	401
0.15	30	0.01	RMS	0.2	-68.79	-25	Pass	2986
30	1000	0.1	RMS	859.307	-59.81	-25	Pass	9701
1000	2486	1	RMS	2486	-41.99	-25	Pass	1487
2486	2700	1	RMS	2496.165	24.86	60	Pass	401
2700	3000	1	RMS	2949	-45.09	-25	Pass	401
3000	12000	1	RMS	11701	-45.81	-25	Pass	9002
12000	27000	1	RMS	25997	-31.07	-25	Pass	15002




**19.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.74	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.73	-25	Pass	2986
30	1000	0.1	RMS	854.504	-59.91	-25	Pass	9701
1000	2486	1	RMS	2486	-40.56	-25	Pass	1487
2486	2700	1	RMS	2496.165	22.91	60	Pass	401
2700	3000	1	RMS	2944.5	-45.09	-25	Pass	401
3000	12000	1	RMS	11691	-45.89	-25	Pass	9002
12000	27000	1	RMS	25995	-31.13	-25	Pass	15002




19.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:40620, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.55	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.59	-25	Pass	2986
30	1000	0.1	RMS	835.2	-59.87	-25	Pass	9701
1000	2486	1	RMS	2486	-46.61	-25	Pass	1487
2486	2700	1	RMS	2588.185	24.81	60	Pass	401
2700	3000	1	RMS	2957.25	-45.08	-25	Pass	401
3000	12000	1	RMS	11701	-45.85	-25	Pass	9002
12000	27000	1	RMS	26000	-31.04	-25	Pass	15002




**19.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:40620, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.14	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.95	-25	Pass	2986
30	1000	0.1	RMS	857.105	-59.91	-25	Pass	9701
1000	2486	1	RMS	2479	-46.67	-25	Pass	1487
2486	2700	1	RMS	2588.185	23.31	60	Pass	401
2700	3000	1	RMS	2952	-45.1	-25	Pass	401
3000	12000	1	RMS	11704	-45.83	-25	Pass	9002
12000	27000	1	RMS	25991	-31.14	-25	Pass	15002




**19.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.43	-25	Pass	401
0.15	30	0.01	RMS	0.19	-68.63	-25	Pass	2986
30	1000	0.1	RMS	719.9	-58.81	-25	Pass	9701
1000	2486	1	RMS	2483	-46.61	-25	Pass	1487
2486	2700	1	RMS	2680.205	23.69	60	Pass	401
2700	3000	1	RMS	2700	-44.6	-25	Pass	401
3000	12000	1	RMS	11690	-45.83	-25	Pass	9002
12000	27000	1	RMS	25993	-31.09	-25	Pass	15002




**19.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.5	-25	Pass	401
0.15	30	0.01	RMS	0.18	-68.44	-25	Pass	2986
30	1000	0.1	RMS	719.9	-58.96	-25	Pass	9701
1000	2486	1	RMS	2477	-46.68	-25	Pass	1487
2486	2700	1	RMS	2680.205	24.34	60	Pass	401
2700	3000	1	RMS	2700	-44.95	-25	Pass	401
3000	12000	1	RMS	11716	-45.85	-25	Pass	9002
12000	27000	1	RMS	26019	-31.05	-25	Pass	15002




19.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.22	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.8	-25	Pass	2986
30	1000	0.1	RMS	861.608	-59.92	-25	Pass	9701
1000	2486	1	RMS	2486	-39.92	-25	Pass	1487
2486	2700	1	RMS	2496.7	23.78	60	Pass	401
2700	3000	1	RMS	2958.75	-45.11	-25	Pass	401
3000	12000	1	RMS	11710	-45.83	-25	Pass	9002
12000	27000	1	RMS	25996	-31.09	-25	Pass	15002




**19.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:39725, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.11	-25	Pass	401
0.15	30	0.01	RMS	0.33	-68.74	-25	Pass	2986
30	1000	0.1	RMS	853.103	-59.9	-25	Pass	9701
1000	2486	1	RMS	2485	-39.15	-25	Pass	1487
2486	2700	1	RMS	2496.7	23.72	60	Pass	401
2700	3000	1	RMS	2956.5	-45.07	-25	Pass	401
3000	12000	1	RMS	11699	-45.87	-25	Pass	9002
12000	27000	1	RMS	25994	-31.15	-25	Pass	15002




**19.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:40620, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.71	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.3	-25	Pass	2986
30	1000	0.1	RMS	625.6	-59.63	-25	Pass	9701
1000	2486	1	RMS	2486	-46.56	-25	Pass	1487
2486	2700	1	RMS	2586.045	24.48	60	Pass	401
2700	3000	1	RMS	2955	-45.07	-25	Pass	401
3000	12000	1	RMS	11724	-45.87	-25	Pass	9002
12000	27000	1	RMS	25996	-31.11	-25	Pass	15002




**19.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:40620, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.37	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.39	-25	Pass	2986
30	1000	0.1	RMS	847.4	-59.9	-25	Pass	9701
1000	2486	1	RMS	2482	-46.68	-25	Pass	1487
2486	2700	1	RMS	2586.045	23.99	60	Pass	401
2700	3000	1	RMS	2958.75	-45.1	-25	Pass	401
3000	12000	1	RMS	11699	-45.87	-25	Pass	9002
12000	27000	1	RMS	26008	-31	-25	Pass	15002




**19.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.96	-25	Pass	401
0.15	30	0.01	RMS	0.25	-68.9	-25	Pass	2986
30	1000	0.1	RMS	715.1	-59.25	-25	Pass	9701
1000	2486	1	RMS	2479	-46.65	-25	Pass	1487
2486	2700	1	RMS	2675.39	24.63	60	Pass	401
2700	3000	1	RMS	2702.25	-42.29	-25	Pass	401
3000	12000	1	RMS	11704	-45.89	-25	Pass	9002
12000	27000	1	RMS	26004	-31.11	-25	Pass	15002




**19.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.37	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.14	-25	Pass	2986
30	1000	0.1	RMS	715.1	-59.37	-25	Pass	9701
1000	2486	1	RMS	2485	-46.7	-25	Pass	1487
2486	2700	1	RMS	2675.39	23.29	60	Pass	401
2700	3000	1	RMS	2702.25	-41.48	-25	Pass	401
3000	12000	1	RMS	11701	-45.85	-25	Pass	9002
12000	27000	1	RMS	26005	-31.07	-25	Pass	15002




**19.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.84	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.14	-25	Pass	2986
30	1000	0.1	RMS	822.4	-59.84	-25	Pass	9701
1000	2486	1	RMS	2486	-38.08	-25	Pass	1487
2486	2700	1	RMS	2496.7	23.73	60	Pass	401
2700	3000	1	RMS	2948.25	-45.06	-25	Pass	401
3000	12000	1	RMS	11702	-45.76	-25	Pass	9002
12000	27000	1	RMS	26006	-31.08	-25	Pass	15002




**19.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.86	-25	Pass	401
0.15	30	0.01	RMS	0.18	-68.56	-25	Pass	2986
30	1000	0.1	RMS	828.5	-59.68	-25	Pass	9701
1000	2486	1	RMS	2482	-40.76	-25	Pass	1487
2486	2700	1	RMS	2496.7	23.18	60	Pass	401
2700	3000	1	RMS	2956.5	-45.08	-25	Pass	401
3000	12000	1	RMS	11701	-45.85	-25	Pass	9002
12000	27000	1	RMS	26009	-31.06	-25	Pass	15002




**19.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:40620, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.8	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.01	-25	Pass	2986
30	1000	0.1	RMS	840.9	-59.91	-25	Pass	9701
1000	2486	1	RMS	2486	-46.59	-25	Pass	1487
2486	2700	1	RMS	2583.905	24.81	60	Pass	401
2700	3000	1	RMS	2944.5	-45.1	-25	Pass	401
3000	12000	1	RMS	11702	-45.79	-25	Pass	9002
12000	27000	1	RMS	26017	-31.13	-25	Pass	15002




**19.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:40620, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.23	-25	Pass	401
0.15	30	0.01	RMS	0.23	-69.08	-25	Pass	2986
30	1000	0.1	RMS	826.3	-59.84	-25	Pass	9701
1000	2486	1	RMS	2485	-46.49	-25	Pass	1487
2486	2700	1	RMS	2583.905	22.55	60	Pass	401
2700	3000	1	RMS	2964	-45.07	-25	Pass	401
3000	12000	1	RMS	11707	-45.91	-25	Pass	9002
12000	27000	1	RMS	26005	-31.09	-25	Pass	15002




**19.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-69.93	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.08	-25	Pass	2986
30	1000	0.1	RMS	854.103	-59.8	-25	Pass	9701
1000	2486	1	RMS	2474	-46.68	-25	Pass	1487
2486	2700	1	RMS	2670.575	24.18	60	Pass	401
2700	3000	1	RMS	2706	-43.26	-25	Pass	401
3000	12000	1	RMS	11704	-45.81	-25	Pass	9002
12000	27000	1	RMS	26006	-31.09	-25	Pass	15002



**19.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.67	-25	Pass	401
0.15	30	0.01	RMS	0.2	-68.79	-25	Pass	2986
30	1000	0.1	RMS	941.261	-59.82	-25	Pass	9701
1000	2486	1	RMS	2485	-46.62	-25	Pass	1487
2486	2700	1	RMS	2670.575	23.38	60	Pass	401
2700	3000	1	RMS	2706	-43.47	-25	Pass	401
3000	12000	1	RMS	11703	-45.86	-25	Pass	9002
12000	27000	1	RMS	26015	-31.19	-25	Pass	15002



20. CA_7C


20.1. LTE-A Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:20850|20994, Bandwidth:20|10, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-75.78	-25	Pass	401
0.15	30	0.01	RMS	0.22	-72.68	-25	Pass	2986
30	1000	0.1	RMS	863.109	-63.93	-25	Pass	9701
1000	2475	1	RMS	2474	-50.79	-25	Pass	1476
2475	2735	1	RMS	2528.3	11.72	60	Pass	401
2735	3000	1	RMS	2958.925	-49.12	-25	Pass	401
3000	12000	1	RMS	11703	-49.86	-25	Pass	9002
12000	26000	1	RMS	25984	-35.2	-25	Pass	14002




**20.2. LTE-A Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:20850|20994, Bandwidth:20|10, Modulation:QPSK, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.99	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.76	-25	Pass	2986
30	1000	0.1	RMS	850.001	-64.03	-25	Pass	9701
1000	2475	1	RMS	2475	-50.77	-25	Pass	1476
2475	2735	1	RMS	2521.8	9.83	60	Pass	401
2735	3000	1	RMS	2954.95	-49.14	-25	Pass	401
3000	12000	1	RMS	11699	-49.9	-25	Pass	9002
12000	26000	1	RMS	26000	-35.11	-25	Pass	14002




**20.3. LTE-A Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:20850|20994, Bandwidth:20|10, Modulation:16QAM, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.36	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.43	-25	Pass	2986
30	1000	0.1	RMS	858.806	-63.88	-25	Pass	9701
1000	2475	1	RMS	2475	-50.82	-25	Pass	1476
2475	2735	1	RMS	2528.3	11.71	60	Pass	401
2735	3000	1	RMS	2956.938	-49.12	-25	Pass	401
3000	12000	1	RMS	11718	-49.89	-25	Pass	9002
12000	26000	1	RMS	25995	-35.14	-25	Pass	14002




**20.4. LTE-A Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:20850|20994, Bandwidth:20|10, Modulation:16QAM, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75.09	-25	Pass	401
0.15	30	0.01	RMS	0.29	-72.81	-25	Pass	2986
30	1000	0.1	RMS	855.004	-63.95	-25	Pass	9701
1000	2475	1	RMS	2474	-50.86	-25	Pass	1476
2475	2735	1	RMS	2525.05	8.87	60	Pass	401
2735	3000	1	RMS	2952.3	-49.13	-25	Pass	401
3000	12000	1	RMS	11707	-49.9	-25	Pass	9002
12000	26000	1	RMS	25997	-35.18	-25	Pass	14002




**20.5. LTE-A Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:21051|21195, Bandwidth:20|10, Modulation:QPSK, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.32	-25	Pass	401
0.15	30	0.01	RMS	0.18	-72.89	-25	Pass	2986
30	1000	0.1	RMS	833.8	-63.9	-25	Pass	9701
1000	2475	1	RMS	2474	-50.74	-25	Pass	1476
2475	2735	1	RMS	2548.45	11.64	60	Pass	401
2735	3000	1	RMS	2949.65	-49.13	-25	Pass	401
3000	12000	1	RMS	11713	-49.86	-25	Pass	9002
12000	26000	1	RMS	25998	-35.19	-25	Pass	14002




**20.6. LTE-A Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:21051|21195, Bandwidth:20|10, Modulation:QPSK, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.6	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.87	-25	Pass	2986
30	1000	0.1	RMS	865.411	-63.82	-25	Pass	9701
1000	2475	1	RMS	2469	-50.8	-25	Pass	1476
2475	2735	1	RMS	2543.9	9.98	60	Pass	401
2735	3000	1	RMS	2964.888	-49.13	-25	Pass	401
3000	12000	1	RMS	11691	-49.93	-25	Pass	9002
12000	26000	1	RMS	25990	-35.1	-25	Pass	14002




**20.7. LTE-A Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:21051|21195, Bandwidth:20|10, Modulation:16QAM, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.01	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.61	-25	Pass	2986
30	1000	0.1	RMS	810	-63.94	-25	Pass	9701
1000	2475	1	RMS	2469	-50.78	-25	Pass	1476
2475	2735	1	RMS	2548.45	11.6	60	Pass	401
2735	3000	1	RMS	2955.613	-49.13	-25	Pass	401
3000	12000	1	RMS	11706	-49.88	-25	Pass	9002
12000	26000	1	RMS	25995	-35.17	-25	Pass	14002




**20.8. LTE-A Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:21051|21195, Bandwidth:20|10, Modulation:16QAM, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75.1	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.94	-25	Pass	2986
30	1000	0.1	RMS	842.9	-63.97	-25	Pass	9701
1000	2475	1	RMS	2471	-50.79	-25	Pass	1476
2475	2735	1	RMS	2542.6	8.93	60	Pass	401
2735	3000	1	RMS	2954.288	-49.11	-25	Pass	401
3000	12000	1	RMS	11701	-49.87	-25	Pass	9002
12000	26000	1	RMS	25998	-35.22	-25	Pass	14002




**20.9. LTE-A Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:21251|21395, Bandwidth:20|10, Modulation:QPSK, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.99	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.68	-25	Pass	2986
30	1000	0.1	RMS	841.6	-63.89	-25	Pass	9701
1000	2475	1	RMS	2475	-50.82	-25	Pass	1476
2475	2735	1	RMS	2540.65	11.71	60	Pass	401
2735	3000	1	RMS	2945.013	-49.13	-25	Pass	401
3000	12000	1	RMS	11700	-49.82	-25	Pass	9002
12000	26000	1	RMS	25995	-35.1	-25	Pass	14002




20.10. LTE-A Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:21251|21395, Bandwidth:20|10, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.78	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.38	-25	Pass	2986
30	1000	0.1	RMS	834	-63.91	-25	Pass	9701
1000	2475	1	RMS	2475	-50.8	-25	Pass	1476
2475	2735	1	RMS	2562.1	9.76	60	Pass	401
2735	3000	1	RMS	2954.288	-49.11	-25	Pass	401
3000	12000	1	RMS	11700	-49.76	-25	Pass	9002
12000	26000	1	RMS	25990	-35.16	-25	Pass	14002




20.11. LTE-A Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:21251|21395, Bandwidth:20|10, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.63	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.46	-25	Pass	2986
30	1000	0.1	RMS	833	-63.77	-25	Pass	9701
1000	2475	1	RMS	2471	-50.74	-25	Pass	1476
2475	2735	1	RMS	2540.65	11.76	60	Pass	401
2735	3000	1	RMS	2948.988	-49.13	-25	Pass	401
3000	12000	1	RMS	11697	-49.91	-25	Pass	9002
12000	26000	1	RMS	25997	-35.16	-25	Pass	14002




20.12. LTE-A Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:21251|21395, Bandwidth:20|10, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.47	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.66	-25	Pass	2986
30	1000	0.1	RMS	854.904	-63.82	-25	Pass	9701
1000	2475	1	RMS	2472	-50.81	-25	Pass	1476
2475	2735	1	RMS	2562.1	8.76	60	Pass	401
2735	3000	1	RMS	2962.9	-49.15	-25	Pass	401
3000	12000	1	RMS	11698	-49.88	-25	Pass	9002
12000	26000	1	RMS	26000	-35.19	-25	Pass	14002




**20.13. LTE-A Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:20850|21048, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.07	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.99	-25	Pass	2986
30	1000	0.1	RMS	836.6	-63.96	-25	Pass	9701
1000	2475	1	RMS	2473	-50.85	-25	Pass	1476
2475	2735	1	RMS	2538.7	11.05	60	Pass	401
2735	3000	1	RMS	2945.675	-49.13	-25	Pass	401
3000	12000	1	RMS	11695	-49.87	-25	Pass	9002
12000	26000	1	RMS	25998	-35.19	-25	Pass	14002




20.14. LTE-A Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:20850|21048, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.3	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.67	-25	Pass	2986
30	1000	0.1	RMS	828.9	-63.8	-25	Pass	9701
1000	2475	1	RMS	2475	-50.77	-25	Pass	1476
2475	2735	1	RMS	2527	6.93	60	Pass	401
2735	3000	1	RMS	2954.288	-49.12	-25	Pass	401
3000	12000	1	RMS	11703	-49.84	-25	Pass	9002
12000	26000	1	RMS	25999	-35.17	-25	Pass	14002




**20.15. LTE-A Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:20850|21048, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.2	-25	Pass	401
0.15	30	0.01	RMS	0.2	-72.18	-25	Pass	2986
30	1000	0.1	RMS	842.7	-63.74	-25	Pass	9701
1000	2475	1	RMS	2472	-50.86	-25	Pass	1476
2475	2735	1	RMS	2538.7	11.05	60	Pass	401
2735	3000	1	RMS	2950.313	-49.14	-25	Pass	401
3000	12000	1	RMS	11706	-49.85	-25	Pass	9002
12000	26000	1	RMS	25994	-35.16	-25	Pass	14002




20.16. LTE-A Spurious Emission at Antenna Terminals(NTNV)(Subtest:16, Channel:20850|21048, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.25	-25	Pass	401
0.15	30	0.01	RMS	0.25	-72.84	-25	Pass	2986
30	1000	0.1	RMS	846.1	-63.99	-25	Pass	9701
1000	2475	1	RMS	2473	-50.8	-25	Pass	1476
2475	2735	1	RMS	2532.2	5.98	60	Pass	401
2735	3000	1	RMS	2970.188	-49.14	-25	Pass	401
3000	12000	1	RMS	11702	-49.88	-25	Pass	9002
12000	26000	1	RMS	25992	-35.16	-25	Pass	14002




**20.17. LTE-A Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:21001|21199, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.68	-25	Pass	401
0.15	30	0.01	RMS	0.24	-73.1	-25	Pass	2986
30	1000	0.1	RMS	858.006	-63.94	-25	Pass	9701
1000	2475	1	RMS	2469	-50.85	-25	Pass	1476
2475	2735	1	RMS	2515.95	11.38	60	Pass	401
2735	3000	1	RMS	2958.263	-49.13	-25	Pass	401
3000	12000	1	RMS	11699	-49.85	-25	Pass	9002
12000	26000	1	RMS	25991	-35.19	-25	Pass	14002




20.18. LTE-A Spurious Emission at Antenna Terminals(NTNV)(Subtest:18, Channel:21001|21199, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.09	-25	Pass	401
0.15	30	0.01	RMS	0.31	-73.1	-25	Pass	2986
30	1000	0.1	RMS	828.2	-63.87	-25	Pass	9701
1000	2475	1	RMS	2474	-50.82	-25	Pass	1476
2475	2735	1	RMS	2539.35	7	60	Pass	401
2735	3000	1	RMS	2954.288	-49.09	-25	Pass	401
3000	12000	1	RMS	11690	-49.9	-25	Pass	9002
12000	26000	1	RMS	25995	-35.08	-25	Pass	14002




**20.19. LTE-A Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:21001|21199, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.66	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.53	-25	Pass	2986
30	1000	0.1	RMS	984.49	-63.91	-25	Pass	9701
1000	2475	1	RMS	2467	-50.8	-25	Pass	1476
2475	2735	1	RMS	2515.95	11.4	60	Pass	401
2735	3000	1	RMS	2945.675	-49.05	-25	Pass	401
3000	12000	1	RMS	11702	-49.91	-25	Pass	9002
12000	26000	1	RMS	25998	-35.24	-25	Pass	14002




20.20. LTE-A Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:21001|21199, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.6	-25	Pass	401
0.15	30	0.01	RMS	0.35	-72.83	-25	Pass	2986
30	1000	0.1	RMS	842.4	-63.89	-25	Pass	9701
1000	2475	1	RMS	2475	-50.82	-25	Pass	1476
2475	2735	1	RMS	2543.25	5.96	60	Pass	401
2735	3000	1	RMS	2957.6	-49.13	-25	Pass	401
3000	12000	1	RMS	11701	-49.84	-25	Pass	9002
12000	26000	1	RMS	25999	-35.13	-25	Pass	14002




**20.21. LTE-A Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:21152|21350, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.53	-25	Pass	401
0.15	30	0.01	RMS	0.21	-72.61	-25	Pass	2986
30	1000	0.1	RMS	854.604	-63.83	-25	Pass	9701
1000	2475	1	RMS	2474	-50.81	-25	Pass	1476
2475	2735	1	RMS	2530.9	11.85	60	Pass	401
2735	3000	1	RMS	2956.938	-49.14	-25	Pass	401
3000	12000	1	RMS	11698	-49.85	-25	Pass	9002
12000	26000	1	RMS	25994	-35.13	-25	Pass	14002




20.22. LTE-A Spurious Emission at Antenna Terminals(NTNV)(Subtest:22, Channel:21152|21350, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.55	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.15	-25	Pass	2986
30	1000	0.1	RMS	844.8	-63.94	-25	Pass	9701
1000	2475	1	RMS	2473	-50.89	-25	Pass	1476
2475	2735	1	RMS	2539.35	7.1	60	Pass	401
2735	3000	1	RMS	2956.938	-49.13	-25	Pass	401
3000	12000	1	RMS	11702	-49.87	-25	Pass	9002
12000	26000	1	RMS	26000	-35.12	-25	Pass	14002




**20.23. LTE-A Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:21152|21350, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.28	-25	Pass	401
0.15	30	0.01	RMS	0.15	-73.17	-25	Pass	2986
30	1000	0.1	RMS	844.8	-63.9	-25	Pass	9701
1000	2475	1	RMS	2470	-50.83	-25	Pass	1476
2475	2735	1	RMS	2530.9	11.96	60	Pass	401
2735	3000	1	RMS	2944.35	-49.1	-25	Pass	401
3000	12000	1	RMS	11707	-49.85	-25	Pass	9002
12000	26000	1	RMS	25999	-35.18	-25	Pass	14002



**20.24. LTE-A Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:21152|21350, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full,
RB Position:Low|Low)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.76	-25	Pass	401
0.15	30	0.01	RMS	0.22	-72.7	-25	Pass	2986
30	1000	0.1	RMS	836.7	-63.98	-25	Pass	9701
1000	2475	1	RMS	2474	-50.79	-25	Pass	1476
2475	2735	1	RMS	2538.7	6.18	60	Pass	401
2735	3000	1	RMS	2956.938	-49.11	-25	Pass	401
3000	12000	1	RMS	11998	-49.84	-25	Pass	9002
12000	26000	1	RMS	25996	-35.15	-25	Pass	14002



21. CA_38C


21.1. LTE-A Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:37825|37975, Bandwidth:15|15, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.85	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.78	-25	Pass	2986
30	1000	0.1	RMS	843.4	-59.8	-25	Pass	9701
1000	2525	1	RMS	2515	-34.05	-25	Pass	1526
2525	2665	1	RMS	2570.5	12.22	60	Pass	401
2665	3000	1	RMS	2683.425	-40.56	-25	Pass	401
3000	12000	1	RMS	11718	-49.89	-25	Pass	9002
12000	26500	1	RMS	26000	-35.02	-25	Pass	14502




**21.2. LTE-A Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:37825|37975, Bandwidth:15|15, Modulation:QPSK, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.97	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.56	-25	Pass	2986
30	1000	0.1	RMS	854.404	-59.99	-25	Pass	9701
1000	2525	1	RMS	2525	-40.57	-25	Pass	1526
2525	2665	1	RMS	2589.4	8.93	60	Pass	401
2665	3000	1	RMS	2665	-43.98	-25	Pass	401
3000	12000	1	RMS	11695	-49.83	-25	Pass	9002
12000	26500	1	RMS	26004	-35.06	-25	Pass	14502




**21.3. LTE-A Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:37825|37975, Bandwidth:15|15, Modulation:16QAM, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.46	-25	Pass	401
0.15	30	0.01	RMS	0.19	-69	-25	Pass	2986
30	1000	0.1	RMS	830.9	-60	-25	Pass	9701
1000	2525	1	RMS	2514	-34.65	-25	Pass	1526
2525	2665	1	RMS	2599.2	12.13	60	Pass	401
2665	3000	1	RMS	2683.425	-40.24	-25	Pass	401
3000	12000	1	RMS	11702	-49.85	-25	Pass	9002
12000	26500	1	RMS	25991	-35.02	-25	Pass	14502




**21.4. LTE-A Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:37825|37975, Bandwidth:15|15, Modulation:16QAM, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.65	-25	Pass	401
0.15	30	0.01	RMS	0.2	-69.03	-25	Pass	2986
30	1000	0.1	RMS	826.4	-59.91	-25	Pass	9701
1000	2525	1	RMS	2523	-42.35	-25	Pass	1526
2525	2665	1	RMS	2594.3	7.9	60	Pass	401
2665	3000	1	RMS	2665.838	-44.75	-25	Pass	401
3000	12000	1	RMS	11703	-49.88	-25	Pass	9002
12000	26500	1	RMS	26013	-35	-25	Pass	14502




**21.5. LTE-A Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:37925|38075, Bandwidth:15|15, Modulation:QPSK, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.45	-25	Pass	401
0.15	30	0.01	RMS	0.26	-68.96	-25	Pass	2986
30	1000	0.1	RMS	863.81	-59.87	-25	Pass	9701
1000	2525	1	RMS	2525	-34.71	-25	Pass	1526
2525	2665	1	RMS	2580.65	12.49	60	Pass	401
2665	3000	1	RMS	2665	-32.99	-25	Pass	401
3000	12000	1	RMS	11705	-49.86	-25	Pass	9002
12000	26500	1	RMS	26001	-34.85	-25	Pass	14502




**21.6. LTE-A Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:37925|38075, Bandwidth:15|15, Modulation:QPSK, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.55	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.1	-25	Pass	2986
30	1000	0.1	RMS	835.7	-59.83	-25	Pass	9701
1000	2525	1	RMS	2522	-42.63	-25	Pass	1526
2525	2665	1	RMS	2588.35	8.91	60	Pass	401
2665	3000	1	RMS	2668.35	-42.71	-25	Pass	401
3000	12000	1	RMS	11720	-49.87	-25	Pass	9002
12000	26500	1	RMS	26012	-35.1	-25	Pass	14502




**21.7. LTE-A Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:37925|38075, Bandwidth:15|15, Modulation:16QAM, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.15	-25	Pass	401
0.15	30	0.01	RMS	0.23	-69.11	-25	Pass	2986
30	1000	0.1	RMS	824	-59.89	-25	Pass	9701
1000	2525	1	RMS	2524	-34.91	-25	Pass	1526
2525	2665	1	RMS	2609	12.88	60	Pass	401
2665	3000	1	RMS	2665	-34.13	-25	Pass	401
3000	12000	1	RMS	11705	-49.84	-25	Pass	9002
12000	26500	1	RMS	26008	-35.01	-25	Pass	14502




**21.8. LTE-A Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:37925|38075, Bandwidth:15|15, Modulation:16QAM, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.16	-25	Pass	401
0.15	30	0.01	RMS	0.18	-68.1	-25	Pass	2986
30	1000	0.1	RMS	847.2	-59.94	-25	Pass	9701
1000	2525	1	RMS	2525	-43.39	-25	Pass	1526
2525	2665	1	RMS	2585.55	7.24	60	Pass	401
2665	3000	1	RMS	2665	-43.69	-25	Pass	401
3000	12000	1	RMS	11711	-49.85	-25	Pass	9002
12000	26500	1	RMS	26003	-35	-25	Pass	14502




**21.9. LTE-A Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:38025|38175, Bandwidth:15|15, Modulation:QPSK, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.34	-25	Pass	401
0.15	30	0.01	RMS	0.19	-68.42	-25	Pass	2986
30	1000	0.1	RMS	825.3	-59.91	-25	Pass	9701
1000	2525	1	RMS	2506	-42.66	-25	Pass	1526
2525	2665	1	RMS	2618.8	11.92	60	Pass	401
2665	3000	1	RMS	2675.05	-33.07	-25	Pass	401
3000	12000	1	RMS	11702	-49.78	-25	Pass	9002
12000	26500	1	RMS	25999	-35.01	-25	Pass	14502




21.10. LTE-A Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:38025|38175, Bandwidth:15|15, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.9	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.69	-25	Pass	2986
30	1000	0.1	RMS	834.8	-59.88	-25	Pass	9701
1000	2525	1	RMS	2520	-43.73	-25	Pass	1526
2525	2665	1	RMS	2600.6	8.8	60	Pass	401
2665	3000	1	RMS	2665.838	-40.8	-25	Pass	401
3000	12000	1	RMS	11703	-49.78	-25	Pass	9002
12000	26500	1	RMS	26010	-34.98	-25	Pass	14502




21.11. LTE-A Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:38025|38175, Bandwidth:15|15, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.51	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.18	-25	Pass	2986
30	1000	0.1	RMS	844.8	-59.89	-25	Pass	9701
1000	2525	1	RMS	2506	-40.95	-25	Pass	1526
2525	2665	1	RMS	2619.15	12.59	60	Pass	401
2665	3000	1	RMS	2675.05	-34.17	-25	Pass	401
3000	12000	1	RMS	11696	-49.85	-25	Pass	9002
12000	26500	1	RMS	25998	-35.02	-25	Pass	14502




21.12. LTE-A Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:38025|38175, Bandwidth:15|15, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.55	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.6	-25	Pass	2986
30	1000	0.1	RMS	852.702	-59.96	-25	Pass	9701
1000	2525	1	RMS	2524	-44.5	-25	Pass	1526
2525	2665	1	RMS	2595.7	7.76	60	Pass	401
2665	3000	1	RMS	2665	-42.53	-25	Pass	401
3000	12000	1	RMS	11698	-49.81	-25	Pass	9002
12000	26500	1	RMS	26004	-35.03	-25	Pass	14502




21.13. LTE-A Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:37850|38048, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.36	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.17	-25	Pass	2986
30	1000	0.1	RMS	846.7	-59.8	-25	Pass	9701
1000	2525	1	RMS	2496	-37.17	-25	Pass	1526
2525	2665	1	RMS	2608.65	11.72	60	Pass	401
2665	3000	1	RMS	2683.425	-32.96	-25	Pass	401
3000	12000	1	RMS	11707	-49.83	-25	Pass	9002
12000	26500	1	RMS	26014	-35.07	-25	Pass	14502




21.14. LTE-A Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:37850|38048, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.94	-25	Pass	401
0.15	30	0.01	RMS	0.21	-69.12	-25	Pass	2986
30	1000	0.1	RMS	852.002	-59.76	-25	Pass	9701
1000	2525	1	RMS	2525	-40.76	-25	Pass	1526
2525	2665	1	RMS	2578.9	7.65	60	Pass	401
2665	3000	1	RMS	2665.838	-40.91	-25	Pass	401
3000	12000	1	RMS	11698	-49.81	-25	Pass	9002
12000	26500	1	RMS	25999	-34.97	-25	Pass	14502




**21.15. LTE-A Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:37850|38048, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.05	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68	-25	Pass	2986
30	1000	0.1	RMS	847.4	-59.91	-25	Pass	9701
1000	2525	1	RMS	2496	-34.24	-25	Pass	1526
2525	2665	1	RMS	2608.3	11.41	60	Pass	401
2665	3000	1	RMS	2683.425	-34.72	-25	Pass	401
3000	12000	1	RMS	11700	-49.75	-25	Pass	9002
12000	26500	1	RMS	25998	-34.98	-25	Pass	14502




**21.16. LTE-A Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:37850|38048, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.71	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.93	-25	Pass	2986
30	1000	0.1	RMS	864.41	-59.9	-25	Pass	9701
1000	2525	1	RMS	2525	-41.39	-25	Pass	1526
2525	2665	1	RMS	2579.95	6.68	60	Pass	401
2665	3000	1	RMS	2665.838	-42.21	-25	Pass	401
3000	12000	1	RMS	11694	-49.82	-25	Pass	9002
12000	26500	1	RMS	25998	-35.06	-25	Pass	14502




**21.17. LTE-A Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:37901|38099, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.21	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.44	-25	Pass	2986
30	1000	0.1	RMS	875.918	-59.95	-25	Pass	9701
1000	2525	1	RMS	2500	-36.52	-25	Pass	1526
2525	2665	1	RMS	2576.1	12.05	60	Pass	401
2665	3000	1	RMS	2688.45	-33.58	-25	Pass	401
3000	12000	1	RMS	11706	-49.85	-25	Pass	9002
12000	26500	1	RMS	26000	-35	-25	Pass	14502




**21.18. LTE-A Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:37901|38099, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.99	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.79	-25	Pass	2986
30	1000	0.1	RMS	834.2	-59.91	-25	Pass	9701
1000	2525	1	RMS	2515	-41.52	-25	Pass	1526
2525	2665	1	RMS	2589.4	7.41	60	Pass	401
2665	3000	1	RMS	2665	-40.08	-25	Pass	401
3000	12000	1	RMS	11697	-49.78	-25	Pass	9002
12000	26500	1	RMS	26000	-34.94	-25	Pass	14502




**21.19. LTE-A Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:37901|38099, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.42	-25	Pass	401
0.15	30	0.01	RMS	0.21	-68.98	-25	Pass	2986
30	1000	0.1	RMS	841.1	-59.82	-25	Pass	9701
1000	2525	1	RMS	2500	-37.67	-25	Pass	1526
2525	2665	1	RMS	2576.1	11.88	60	Pass	401
2665	3000	1	RMS	2688.45	-34.11	-25	Pass	401
3000	12000	1	RMS	11703	-49.89	-25	Pass	9002
12000	26500	1	RMS	26000	-34.93	-25	Pass	14502




21.20. LTE-A Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:37901|38099, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.31	-25	Pass	401
0.15	30	0.01	RMS	0.21	-69.08	-25	Pass	2986
30	1000	0.1	RMS	825	-59.8	-25	Pass	9701
1000	2525	1	RMS	2525	-41.87	-25	Pass	1526
2525	2665	1	RMS	2584.15	6.71	60	Pass	401
2665	3000	1	RMS	2665.838	-41.52	-25	Pass	401
3000	12000	1	RMS	11699	-49.86	-25	Pass	9002
12000	26500	1	RMS	25991	-35	-25	Pass	14502




**21.21. LTE-A Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:37952|38150, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.41	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.2	-25	Pass	2986
30	1000	0.1	RMS	853.003	-59.87	-25	Pass	9701
1000	2525	1	RMS	2506	-34.55	-25	Pass	1526
2525	2665	1	RMS	2618.8	12.62	60	Pass	401
2665	3000	1	RMS	2693.475	-33.23	-25	Pass	401
3000	12000	1	RMS	11698	-49.86	-25	Pass	9002
12000	26500	1	RMS	26005	-35.05	-25	Pass	14502




**21.22. LTE-A Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:37952|38150, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.31	-25	Pass	401
0.15	30	0.01	RMS	0.21	-68.36	-25	Pass	2986
30	1000	0.1	RMS	861.508	-59.92	-25	Pass	9701
1000	2525	1	RMS	2520	-41.48	-25	Pass	1526
2525	2665	1	RMS	2591.15	7.62	60	Pass	401
2665	3000	1	RMS	2665.838	-39.48	-25	Pass	401
3000	12000	1	RMS	11707	-49.81	-25	Pass	9002
12000	26500	1	RMS	26013	-35.05	-25	Pass	14502




**21.23. LTE-A Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:37952|38150, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.25	-25	Pass	401
0.15	30	0.01	RMS	0.19	-68.66	-25	Pass	2986
30	1000	0.1	RMS	848.3	-59.89	-25	Pass	9701
1000	2525	1	RMS	2506	-32.17	-25	Pass	1526
2525	2665	1	RMS	2618.8	11.65	60	Pass	401
2665	3000	1	RMS	2693.475	-35.28	-25	Pass	401
3000	12000	1	RMS	11695	-49.78	-25	Pass	9002
12000	26500	1	RMS	26001	-35.04	-25	Pass	14502



**21.24. LTE-A Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:37952|38150, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full,
RB Position:Low|Low)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.46	-25	Pass	401
0.15	30	0.01	RMS	0.33	-69.46	-25	Pass	2986
30	1000	0.1	RMS	846.6	-59.79	-25	Pass	9701
1000	2525	1	RMS	2524	-42.52	-25	Pass	1526
2525	2665	1	RMS	2608.3	6.13	60	Pass	401
2665	3000	1	RMS	2665	-40.93	-25	Pass	401
3000	12000	1	RMS	11702	-49.79	-25	Pass	9002
12000	26500	1	RMS	26010	-34.99	-25	Pass	14502



22. CA_41C_full


22.1. LTE-A Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:39750|39867, Bandwidth:20|5, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.14	-25	Pass	401
0.15	30	0.01	RMS	0.26	-68.89	-25	Pass	2986
30	1000	0.1	RMS	844.4	-60.04	-25	Pass	9701
1000	2475	1	RMS	2474	-42.35	-25	Pass	1476
2475	2735	1	RMS	2519.85	9.5	60	Pass	401
2735	3000	1	RMS	2944.35	-45.32	-25	Pass	401
3000	12000	1	RMS	11849	-51.34	-25	Pass	9002
12000	27000	1	RMS	25999	-37.62	-25	Pass	15002




**22.2. LTE-A Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:39750|39867, Bandwidth:20|5, Modulation:QPSK, RB Number:Full|Full, RB
Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.73	-25	Pass	401
0.15	30	0.01	RMS	0.21	-69.08	-25	Pass	2986
30	1000	0.1	RMS	829.8	-59.92	-25	Pass	9701
1000	2475	1	RMS	2475	-46.51	-25	Pass	1476
2475	2735	1	RMS	2517.9	11.29	60	Pass	401
2735	3000	1	RMS	2947	-45.29	-25	Pass	401
3000	12000	1	RMS	11856	-51.23	-25	Pass	9002
12000	27000	1	RMS	26004	-37.6	-25	Pass	15002




**22.3. LTE-A Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:39750|39867, Bandwidth:20|5, Modulation:16QAM, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.3	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.12	-25	Pass	2986
30	1000	0.1	RMS	967.078	-59.93	-25	Pass	9701
1000	2475	1	RMS	2474	-44.36	-25	Pass	1476
2475	2735	1	RMS	2519.85	9.86	60	Pass	401
2735	3000	1	RMS	2945.013	-45.33	-25	Pass	401
3000	12000	1	RMS	11853	-51.26	-25	Pass	9002
12000	27000	1	RMS	26002	-37.71	-25	Pass	15002




**22.4. LTE-A Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:39750|39867, Bandwidth:20|5, Modulation:16QAM, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.61	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.87	-25	Pass	2986
30	1000	0.1	RMS	847.6	-59.82	-25	Pass	9701
1000	2475	1	RMS	2475	-46.03	-25	Pass	1476
2475	2735	1	RMS	2517.9	10.13	60	Pass	401
2735	3000	1	RMS	2944.35	-45.33	-25	Pass	401
3000	12000	1	RMS	11841	-51.27	-25	Pass	9002
12000	27000	1	RMS	25995	-37.64	-25	Pass	15002




**22.5. LTE-A Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:40595|40712, Bandwidth:20|5, Modulation:QPSK, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.37	-25	Pass	401
0.15	30	0.01	RMS	0.18	-68.45	-25	Pass	2986
30	1000	0.1	RMS	850.001	-59.91	-25	Pass	9701
1000	2475	1	RMS	2475	-47	-25	Pass	1476
2475	2735	1	RMS	2604.35	9.72	60	Pass	401
2735	3000	1	RMS	2956.938	-45.29	-25	Pass	401
3000	12000	1	RMS	11848	-51.24	-25	Pass	9002
12000	27000	1	RMS	26014	-37.77	-25	Pass	15002




**22.6. LTE-A Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:40595|40712, Bandwidth:20|5, Modulation:QPSK, RB Number:Full|Full, RB
Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.92	-25	Pass	401
0.15	30	0.01	RMS	0.27	-68.9	-25	Pass	2986
30	1000	0.1	RMS	828.5	-59.93	-25	Pass	9701
1000	2475	1	RMS	2442	-47.03	-25	Pass	1476
2475	2735	1	RMS	2601.1	11.48	60	Pass	401
2735	3000	1	RMS	2957.6	-45.28	-25	Pass	401
3000	12000	1	RMS	11851	-51.26	-25	Pass	9002
12000	27000	1	RMS	26006	-37.6	-25	Pass	15002




**22.7. LTE-A Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:40595|40712, Bandwidth:20|5, Modulation:16QAM, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.05	-25	Pass	401
0.15	30	0.01	RMS	0.2	-68.64	-25	Pass	2986
30	1000	0.1	RMS	854.003	-59.98	-25	Pass	9701
1000	2475	1	RMS	2462	-47.04	-25	Pass	1476
2475	2735	1	RMS	2603.7	9.55	60	Pass	401
2735	3000	1	RMS	2957.6	-45.32	-25	Pass	401
3000	12000	1	RMS	11850	-51.24	-25	Pass	9002
12000	27000	1	RMS	26003	-37.64	-25	Pass	15002




**22.8. LTE-A Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:40595|40712, Bandwidth:20|5, Modulation:16QAM, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.68	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.05	-25	Pass	2986
30	1000	0.1	RMS	855.104	-59.96	-25	Pass	9701
1000	2475	1	RMS	2466	-47.07	-25	Pass	1476
2475	2735	1	RMS	2601.1	10.66	60	Pass	401
2735	3000	1	RMS	2956.938	-45.3	-25	Pass	401
3000	12000	1	RMS	11845	-51.22	-25	Pass	9002
12000	27000	1	RMS	26001	-37.67	-25	Pass	15002




**22.9. LTE-A Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:41440|41557, Bandwidth:20|5, Modulation:QPSK, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.44	-25	Pass	401
0.15	30	0.01	RMS	0.23	-68.5	-25	Pass	2986
30	1000	0.1	RMS	840	-60.01	-25	Pass	9701
1000	2475	1	RMS	2457	-47.11	-25	Pass	1476
2475	2735	1	RMS	2666.1	9.67	60	Pass	401
2735	3000	1	RMS	2735	-43.61	-25	Pass	401
3000	12000	1	RMS	11849	-51.15	-25	Pass	9002
12000	27000	1	RMS	26000	-37.66	-25	Pass	15002




22.10. LTE-A Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:41440|41557, Bandwidth:20|5, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.47	-25	Pass	401
0.15	30	0.01	RMS	0.23	-68.97	-25	Pass	2986
30	1000	0.1	RMS	825.5	-60.04	-25	Pass	9701
1000	2475	1	RMS	2471	-47.08	-25	Pass	1476
2475	2735	1	RMS	2686.9	11.08	60	Pass	401
2735	3000	1	RMS	2735	-44.96	-25	Pass	401
3000	12000	1	RMS	11845	-51.2	-25	Pass	9002
12000	27000	1	RMS	26008	-37.68	-25	Pass	15002




22.11. LTE-A Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:41440|41557, Bandwidth:20|5, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.69	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.98	-25	Pass	2986
30	1000	0.1	RMS	834.8	-59.81	-25	Pass	9701
1000	2475	1	RMS	2471	-47.05	-25	Pass	1476
2475	2735	1	RMS	2665.45	9.56	60	Pass	401
2735	3000	1	RMS	2735	-43.49	-25	Pass	401
3000	12000	1	RMS	11845	-51.23	-25	Pass	9002
12000	27000	1	RMS	26008	-37.67	-25	Pass	15002




22.12. LTE-A Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:41440|41557, Bandwidth:20|5, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.13	-25	Pass	401
0.15	30	0.01	RMS	0.28	-69.03	-25	Pass	2986
30	1000	0.1	RMS	840.3	-59.85	-25	Pass	9701
1000	2475	1	RMS	2475	-47.08	-25	Pass	1476
2475	2735	1	RMS	2685.6	10.56	60	Pass	401
2735	3000	1	RMS	2735	-45.31	-25	Pass	401
3000	12000	1	RMS	11845	-51.25	-25	Pass	9002
12000	27000	1	RMS	26001	-37.58	-25	Pass	15002




**22.13. LTE-A Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:39750|39948, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.4	-25	Pass	401
0.15	30	0.01	RMS	0.48	-68.97	-25	Pass	2986
30	1000	0.1	RMS	837.2	-59.85	-25	Pass	9701
1000	2475	1	RMS	2475	-47.06	-25	Pass	1476
2475	2735	1	RMS	2534.15	9.35	60	Pass	401
2735	3000	1	RMS	2956.938	-45.3	-25	Pass	401
3000	12000	1	RMS	11848	-51.24	-25	Pass	9002
12000	27000	1	RMS	26004	-37.64	-25	Pass	15002




**22.14. LTE-A Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:39750|39948, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.06	-25	Pass	401
0.15	30	0.01	RMS	0.23	-68.74	-25	Pass	2986
30	1000	0.1	RMS	867.212	-59.96	-25	Pass	9701
1000	2475	1	RMS	2475	-44.02	-25	Pass	1476
2475	2735	1	RMS	2522.45	5.25	60	Pass	401
2735	3000	1	RMS	2956.275	-45.3	-25	Pass	401
3000	12000	1	RMS	11842	-51.2	-25	Pass	9002
12000	27000	1	RMS	25990	-37.7	-25	Pass	15002




**22.15. LTE-A Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:39750|39948, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.78	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.64	-25	Pass	2986
30	1000	0.1	RMS	852.002	-60.02	-25	Pass	9701
1000	2475	1	RMS	2470	-47.03	-25	Pass	1476
2475	2735	1	RMS	2534.15	9.56	60	Pass	401
2735	3000	1	RMS	2939.713	-45.32	-25	Pass	401
3000	12000	1	RMS	11844	-51.2	-25	Pass	9002
12000	27000	1	RMS	26002	-37.68	-25	Pass	15002




22.16. LTE-A Spurious Emission at Antenna Terminals(NTNV)(Subtest:16, Channel:39750|39948, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.39	-25	Pass	401
0.15	30	0.01	RMS	0.18	-68.69	-25	Pass	2986
30	1000	0.1	RMS	842.2	-59.86	-25	Pass	9701
1000	2475	1	RMS	2475	-45.07	-25	Pass	1476
2475	2735	1	RMS	2525.05	4.6	60	Pass	401
2735	3000	1	RMS	2956.275	-45.3	-25	Pass	401
3000	12000	1	RMS	11849	-51.26	-25	Pass	9002
12000	27000	1	RMS	26006	-37.66	-25	Pass	15002




**22.17. LTE-A Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:40521|40719, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.35	-25	Pass	401
0.15	30	0.01	RMS	0.19	-69.04	-25	Pass	2986
30	1000	0.1	RMS	842.8	-59.97	-25	Pass	9701
1000	2475	1	RMS	2469	-47.13	-25	Pass	1476
2475	2735	1	RMS	2611.5	10.27	60	Pass	401
2735	3000	1	RMS	2956.938	-45.31	-25	Pass	401
3000	12000	1	RMS	11848	-51.2	-25	Pass	9002
12000	27000	1	RMS	26019	-37.73	-25	Pass	15002




**22.18. LTE-A Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:40521|40719, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full,
RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.08	-25	Pass	401
0.15	30	0.01	RMS	0.3	-68.79	-25	Pass	2986
30	1000	0.1	RMS	854.704	-59.96	-25	Pass	9701
1000	2475	1	RMS	2475	-46.95	-25	Pass	1476
2475	2735	1	RMS	2601.75	5.9	60	Pass	401
2735	3000	1	RMS	2958.925	-45.33	-25	Pass	401
3000	12000	1	RMS	11850	-51.3	-25	Pass	9002
12000	27000	1	RMS	25992	-37.65	-25	Pass	15002




**22.19. LTE-A Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:40521|40719, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.62	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.59	-25	Pass	2986
30	1000	0.1	RMS	831	-59.8	-25	Pass	9701
1000	2475	1	RMS	2465	-47.09	-25	Pass	1476
2475	2735	1	RMS	2611.5	10.42	60	Pass	401
2735	3000	1	RMS	2952.963	-45.32	-25	Pass	401
3000	12000	1	RMS	11853	-51.23	-25	Pass	9002
12000	27000	1	RMS	25997	-37.68	-25	Pass	15002




22.20. LTE-A Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:40521|40719, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.22	-25	Pass	401
0.15	30	0.01	RMS	0.17	-69.14	-25	Pass	2986
30	1000	0.1	RMS	841.5	-59.97	-25	Pass	9701
1000	2475	1	RMS	2475	-47.05	-25	Pass	1476
2475	2735	1	RMS	2601.75	4.21	60	Pass	401
2735	3000	1	RMS	2958.925	-45.33	-25	Pass	401
3000	12000	1	RMS	11848	-51.3	-25	Pass	9002
12000	27000	1	RMS	26013	-37.69	-25	Pass	15002




**22.21. LTE-A Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:41292|41490, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.63	-25	Pass	401
0.15	30	0.01	RMS	0.19	-68.74	-25	Pass	2986
30	1000	0.1	RMS	842.8	-59.97	-25	Pass	9701
1000	2475	1	RMS	2474	-47.05	-25	Pass	1476
2475	2735	1	RMS	2651.15	10.4	60	Pass	401
2735	3000	1	RMS	2960.25	-45.31	-25	Pass	401
3000	12000	1	RMS	11845	-51.3	-25	Pass	9002
12000	27000	1	RMS	26005	-37.61	-25	Pass	15002




22.22. LTE-A Spurious Emission at Antenna Terminals(NTNV)(Subtest:22, Channel:41292|41490, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.62	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.37	-25	Pass	2986
30	1000	0.1	RMS	862.609	-60.01	-25	Pass	9701
1000	2475	1	RMS	2474	-47	-25	Pass	1476
2475	2735	1	RMS	2658.95	6.04	60	Pass	401
2735	3000	1	RMS	2735	-44.07	-25	Pass	401
3000	12000	1	RMS	11852	-51.26	-25	Pass	9002
12000	27000	1	RMS	26017	-37.74	-25	Pass	15002




**22.23. LTE-A Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:41292|41490, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB
Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.74	-25	Pass	401
0.15	30	0.01	RMS	0.22	-68.67	-25	Pass	2986
30	1000	0.1	RMS	849.3	-60	-25	Pass	9701
1000	2475	1	RMS	2470	-47.13	-25	Pass	1476
2475	2735	1	RMS	2651.15	9.83	60	Pass	401
2735	3000	1	RMS	2956.938	-45.33	-25	Pass	401
3000	12000	1	RMS	11851	-51.21	-25	Pass	9002
12000	27000	1	RMS	26003	-37.73	-25	Pass	15002



**22.24. LTE-A Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:41292|41490, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full,
RB Position:Low|Low)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.08	-25	Pass	401
0.15	30	0.01	RMS	0.19	-68.62	-25	Pass	2986
30	1000	0.1	RMS	839.9	-60.04	-25	Pass	9701
1000	2475	1	RMS	2464	-47.1	-25	Pass	1476
2475	2735	1	RMS	2658.95	4.38	60	Pass	401
2735	3000	1	RMS	2735.663	-44.86	-25	Pass	401
3000	12000	1	RMS	11849	-51.23	-25	Pass	9002
12000	27000	1	RMS	25997	-37.7	-25	Pass	15002



23. n5


23.1. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:1, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-74.92	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.35	-13	Pass	2986
30	814	0.1	RMS	813.7	-63.58	-13	Pass	7841
814	859	0.1	RMS	824.3	17.38	60	Pass	451
859	1000	0.1	RMS	904.6	-63.07	-13	Pass	1411
1000	3000	1	RMS	2961	-48.02	-13	Pass	2001
3000	10000	1	RMS	6962	-56.64	-13	Pass	7001




23.2. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:2, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.45	-13	Pass	401
0.15	30	0.01	RMS	14.23	-71.69	-13	Pass	2986
30	814	0.1	RMS	626	-61.8	-13	Pass	7841
814	859	0.1	RMS	828.6	16.92	60	Pass	451
859	1000	0.1	RMS	901.3	-61.24	-13	Pass	1411
1000	3000	1	RMS	2966	-48.02	-13	Pass	2001
3000	10000	1	RMS	9997	-59.37	-13	Pass	7001




23.3. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:3, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.7	-13	Pass	401
0.15	30	0.01	RMS	2	-70.9	-13	Pass	2986
30	814	0.1	RMS	813.9	-60.36	-13	Pass	7841
814	859	0.1	RMS	825.3	4.43	60	Pass	451
859	1000	0.1	RMS	896.2	-62.88	-13	Pass	1411
1000	3000	1	RMS	2961	-48.08	-13	Pass	2001
3000	10000	1	RMS	9995	-59.42	-13	Pass	7001




23.4. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:1, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.46	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.62	-13	Pass	2986
30	814	0.1	RMS	747.4	-63.56	-13	Pass	7841
814	859	0.1	RMS	834.3	17.48	60	Pass	451
859	1000	0.1	RMS	905.9	-63.2	-13	Pass	1411
1000	3000	1	RMS	2955	-48.07	-13	Pass	2001
3000	10000	1	RMS	9995	-59.53	-13	Pass	7001




23.5. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:2, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.57	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.76	-13	Pass	2986
30	814	0.1	RMS	476.5	-63.63	-13	Pass	7841
814	859	0.1	RMS	838.6	17	60	Pass	451
859	1000	0.1	RMS	901.7	-63.15	-13	Pass	1411
1000	3000	1	RMS	2963	-48.16	-13	Pass	2001
3000	10000	1	RMS	9997	-59.6	-13	Pass	7001




23.6. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:3, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.5	-13	Pass	401
0.15	30	0.01	RMS	0.18	-70.4	-13	Pass	2986
30	814	0.1	RMS	748.1	-63.58	-13	Pass	7841
814	859	0.1	RMS	835.2	4.73	60	Pass	451
859	1000	0.1	RMS	912.9	-62.88	-13	Pass	1411
1000	3000	1	RMS	2971	-48.17	-13	Pass	2001
3000	10000	1	RMS	6972	-58.18	-13	Pass	7001




23.7. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:1, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-74.31	-13	Pass	401
0.15	30	0.01	RMS	0.43	-71.54	-13	Pass	2986
30	814	0.1	RMS	746.9	-63.4	-13	Pass	7841
814	859	0.1	RMS	844.3	17.38	60	Pass	451
859	1000	0.1	RMS	985.6	-63	-13	Pass	1411
1000	3000	1	RMS	2959	-48.14	-13	Pass	2001
3000	10000	1	RMS	9995	-59.53	-13	Pass	7001




23.8. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:2, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-75.25	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.22	-13	Pass	2986
30	814	0.1	RMS	730.4	-63.59	-13	Pass	7841
814	859	0.1	RMS	848.6	16.91	60	Pass	451
859	1000	0.1	RMS	905.7	-63.04	-13	Pass	1411
1000	3000	1	RMS	2958	-48.09	-13	Pass	2001
3000	10000	1	RMS	9999	-59.57	-13	Pass	7001




23.9. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:3, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.48	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.3	-13	Pass	2986
30	814	0.1	RMS	483.1	-63.54	-13	Pass	7841
814	859	0.1	RMS	845.2	4.56	60	Pass	451
859	1000	0.1	RMS	910.5	-62.85	-13	Pass	1411
1000	3000	1	RMS	2961	-48.1	-13	Pass	2001
3000	10000	1	RMS	10000	-59.58	-13	Pass	7001




23.10. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:1, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.84	-13	Pass	401
0.15	30	0.01	RMS	0.22	-71.79	-13	Pass	2986
30	814	0.1	RMS	814	-55.83	-13	Pass	7841
814	859	0.1	RMS	824.5	17.33	60	Pass	451
859	1000	0.1	RMS	997.9	-62.92	-13	Pass	1411
1000	3000	1	RMS	2964	-48.14	-13	Pass	2001
3000	10000	1	RMS	6976	-57.54	-13	Pass	7001




23.11. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:2, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.19	-13	Pass	401
0.15	30	0.01	RMS	0.21	-70.94	-13	Pass	2986
30	814	0.1	RMS	810.6	-53.51	-13	Pass	7841
814	859	0.1	RMS	838.5	17.63	60	Pass	451
859	1000	0.1	RMS	893.8	-63	-13	Pass	1411
1000	3000	1	RMS	2961	-48.11	-13	Pass	2001
3000	10000	1	RMS	9993	-59.68	-13	Pass	7001




23.12. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:3, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.3	-13	Pass	2986
30	814	0.1	RMS	814	-43.21	-13	Pass	7841
814	859	0.1	RMS	831.5	-0.34	60	Pass	451
859	1000	0.1	RMS	883.4	-62.94	-13	Pass	1411
1000	3000	1	RMS	2963	-48.16	-13	Pass	2001
3000	10000	1	RMS	9998	-59.63	-13	Pass	7001




23.13. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:1, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.57	-13	Pass	2986
30	814	0.1	RMS	813.8	-59.72	-13	Pass	7841
814	859	0.1	RMS	829.5	17.3	60	Pass	451
859	1000	0.1	RMS	913.9	-62.91	-13	Pass	1411
1000	3000	1	RMS	2966	-48.14	-13	Pass	2001
3000	10000	1	RMS	9999	-59.68	-13	Pass	7001




23.14. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:2, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.46	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.71	-13	Pass	2986
30	814	0.1	RMS	814	-59.43	-13	Pass	7841
814	859	0.1	RMS	843.5	17.52	60	Pass	451
859	1000	0.1	RMS	895	-62.71	-13	Pass	1411
1000	3000	1	RMS	2962	-48.12	-13	Pass	2001
3000	10000	1	RMS	9997	-59.66	-13	Pass	7001




23.15. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:3, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.43	-13	Pass	401
0.15	30	0.01	RMS	0.21	-71.02	-13	Pass	2986
30	814	0.1	RMS	814	-49.77	-13	Pass	7841
814	859	0.1	RMS	830.8	-0.38	60	Pass	451
859	1000	0.1	RMS	909	-62.94	-13	Pass	1411
1000	3000	1	RMS	2966	-48.13	-13	Pass	2001
3000	10000	1	RMS	6981	-57.23	-13	Pass	7001




23.16. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:1, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.89	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.58	-13	Pass	2986
30	814	0.1	RMS	813.5	-62.31	-13	Pass	7841
814	859	0.1	RMS	834.5	17.38	60	Pass	451
859	1000	0.1	RMS	898.4	-62.96	-13	Pass	1411
1000	3000	1	RMS	2960	-48.13	-13	Pass	2001
3000	10000	1	RMS	9992	-59.65	-13	Pass	7001




23.17. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:2, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.54	-13	Pass	2986
30	814	0.1	RMS	814	-62.79	-13	Pass	7841
814	859	0.1	RMS	848.5	17.5	60	Pass	451
859	1000	0.1	RMS	923.2	-63.06	-13	Pass	1411
1000	3000	1	RMS	2960	-48.11	-13	Pass	2001
3000	10000	1	RMS	9996	-59.56	-13	Pass	7001




23.18. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:3, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.37	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.05	-13	Pass	2986
30	814	0.1	RMS	814	-55.89	-13	Pass	7841
814	859	0.1	RMS	835.7	-0.39	60	Pass	451
859	1000	0.1	RMS	981.9	-63.01	-13	Pass	1411
1000	3000	1	RMS	2962	-48.13	-13	Pass	2001
3000	10000	1	RMS	9998	-59.55	-13	Pass	7001




23.19. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:1, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.82	-13	Pass	401
0.15	30	0.01	RMS	0.21	-71.68	-13	Pass	2986
30	814	0.1	RMS	813.9	-55.94	-13	Pass	7841
814	859	0.1	RMS	824.5	17.08	60	Pass	451
859	1000	0.1	RMS	890	-63.01	-13	Pass	1411
1000	3000	1	RMS	2961	-48.13	-13	Pass	2001
3000	10000	1	RMS	9997	-59.51	-13	Pass	7001




23.20. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:2, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.31	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.39	-13	Pass	2986
30	814	0.1	RMS	812.7	-56.09	-13	Pass	7841
814	859	0.1	RMS	843.4	17.09	60	Pass	451
859	1000	0.1	RMS	907	-62.91	-13	Pass	1411
1000	3000	1	RMS	2957	-48.13	-13	Pass	2001
3000	10000	1	RMS	6982	-57.97	-13	Pass	7001




23.21. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:3, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-75.46	-13	Pass	401
0.15	30	0.01	RMS	0.27	-71.89	-13	Pass	2986
30	814	0.1	RMS	813.6	-42.05	-13	Pass	7841
814	859	0.1	RMS	831.1	-1.66	60	Pass	451
859	1000	0.1	RMS	898.3	-62.84	-13	Pass	1411
1000	3000	1	RMS	2971	-48.13	-13	Pass	2001
3000	10000	1	RMS	9999	-59.61	-13	Pass	7001




23.22. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:1, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.31	-13	Pass	401
0.15	30	0.01	RMS	0.44	-71.49	-13	Pass	2986
30	814	0.1	RMS	814	-57.76	-13	Pass	7841
814	859	0.1	RMS	827	17.07	60	Pass	451
859	1000	0.1	RMS	899.3	-62.95	-13	Pass	1411
1000	3000	1	RMS	2958	-48.13	-13	Pass	2001
3000	10000	1	RMS	9997	-59.54	-13	Pass	7001




23.23. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:2, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.5	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.34	-13	Pass	2986
30	814	0.1	RMS	813.6	-57.78	-13	Pass	7841
814	859	0.1	RMS	845.9	17.02	60	Pass	451
859	1000	0.1	RMS	905.3	-63.06	-13	Pass	1411
1000	3000	1	RMS	2962	-48.1	-13	Pass	2001
3000	10000	1	RMS	9998	-59.65	-13	Pass	7001




23.24. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:3, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.98	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.79	-13	Pass	2986
30	814	0.1	RMS	814	-43.67	-13	Pass	7841
814	859	0.1	RMS	831.3	-1.62	60	Pass	451
859	1000	0.1	RMS	997.6	-63.06	-13	Pass	1411
1000	3000	1	RMS	2968	-48.13	-13	Pass	2001
3000	10000	1	RMS	10000	-59.59	-13	Pass	7001




23.25. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:1, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.52	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.41	-13	Pass	2986
30	814	0.1	RMS	813.9	-59.22	-13	Pass	7841
814	859	0.1	RMS	829.5	17.14	60	Pass	451
859	1000	0.1	RMS	900.8	-63.09	-13	Pass	1411
1000	3000	1	RMS	2963	-48.13	-13	Pass	2001
3000	10000	1	RMS	6979	-58.12	-13	Pass	7001




23.26. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:2, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.9	-13	Pass	401
0.15	30	0.01	RMS	0.22	-71.6	-13	Pass	2986
30	814	0.1	RMS	810.7	-56.45	-13	Pass	7841
814	859	0.1	RMS	848.4	17.06	60	Pass	451
859	1000	0.1	RMS	987	-63.01	-13	Pass	1411
1000	3000	1	RMS	2962	-48.15	-13	Pass	2001
3000	10000	1	RMS	9992	-59.65	-13	Pass	7001



23.27. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:3, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.95	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.15	-13	Pass	2986
30	814	0.1	RMS	814	-46.54	-13	Pass	7841
814	859	0.1	RMS	831.8	-1.66	60	Pass	451
859	1000	0.1	RMS	900.6	-63.05	-13	Pass	1411
1000	3000	1	RMS	2961	-48.14	-13	Pass	2001
3000	10000	1	RMS	9999	-59.58	-13	Pass	7001



24. n7


24.1. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:1, Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.23	-25	Pass	401
0.15	30	0.01	RMS	0.23	-71.84	-25	Pass	2986
30	1000	0.1	RMS	747.6	-61.3	-25	Pass	9701
1000	2490	1	RMS	2490	-49.19	-25	Pass	1491
2490	2580	1	RMS	2500.125	20.17	60	Pass	401
2580	3000	1	RMS	2955	-48.1	-25	Pass	421
3000	6500	1	RMS	5001	-62.44	-25	Pass	3501
6500	26000	1	RMS	25098	-50.76	-25	Pass	19503




24.2. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:2, Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.92	-25	Pass	401
0.15	30	0.01	RMS	23.09	-70.65	-25	Pass	2986
30	1000	0.1	RMS	967.779	-60.89	-25	Pass	9701
1000	2490	1	RMS	2488	-49.35	-25	Pass	1491
2490	2580	1	RMS	2504.625	20.22	60	Pass	401
2580	3000	1	RMS	2968	-48.17	-25	Pass	421
3000	6500	1	RMS	5009	-62.73	-25	Pass	3501
6500	26000	1	RMS	25104	-50.78	-25	Pass	19503




24.3. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:3, Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-74.73	-25	Pass	401
0.15	30	0.01	RMS	0.32	-71.12	-25	Pass	2986
30	1000	0.1	RMS	913.743	-60.53	-25	Pass	9701
1000	2490	1	RMS	2490	-45.34	-25	Pass	1491
2490	2580	1	RMS	2501.25	14.15	60	Pass	401
2580	3000	1	RMS	2962	-48.02	-25	Pass	421
3000	6500	1	RMS	5006	-63.7	-25	Pass	3501
6500	26000	1	RMS	25101	-50.78	-25	Pass	19503




24.4. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:1, Channel:507000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.52	-25	Pass	401
0.15	30	0.01	RMS	0.18	-71.74	-25	Pass	2986
30	1000	0.1	RMS	887.626	-63.1	-25	Pass	9701
1000	2490	1	RMS	2486	-49.48	-25	Pass	1491
2490	2580	1	RMS	2532.75	20.18	60	Pass	401
2580	3000	1	RMS	2965	-48.08	-25	Pass	421
3000	6500	1	RMS	5066	-61.58	-25	Pass	3501
6500	26000	1	RMS	25101	-50.83	-25	Pass	19503




24.5. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:2, Channel:507000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-75.14	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.51	-25	Pass	2986
30	1000	0.1	RMS	920.547	-63.19	-25	Pass	9701
1000	2490	1	RMS	2490	-49.4	-25	Pass	1491
2490	2580	1	RMS	2537.025	20.18	60	Pass	401
2580	3000	1	RMS	2964	-48.17	-25	Pass	421
3000	6500	1	RMS	5074	-62.31	-25	Pass	3501
6500	26000	1	RMS	24101	-50.81	-25	Pass	19503




24.6. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:3, Channel:507000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.33	-25	Pass	401
0.15	30	0.01	RMS	0.19	-71.82	-25	Pass	2986
30	1000	0.1	RMS	901.335	-63.03	-25	Pass	9701
1000	2490	1	RMS	2489	-49.42	-25	Pass	1491
2490	2580	1	RMS	2533.65	14.1	60	Pass	401
2580	3000	1	RMS	2955	-48.24	-25	Pass	421
3000	6500	1	RMS	3390	-64.64	-25	Pass	3501
6500	26000	1	RMS	25103	-50.8	-25	Pass	19503




24.7. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:1, Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-74.88	-25	Pass	401
0.15	30	0.01	RMS	0.26	-72.08	-25	Pass	2986
30	1000	0.1	RMS	902.535	-63.01	-25	Pass	9701
1000	2490	1	RMS	2490	-49.5	-25	Pass	1491
2490	2580	1	RMS	2565.15	20.15	60	Pass	401
2580	3000	1	RMS	2960	-48.25	-25	Pass	421
3000	6500	1	RMS	3388	-64.61	-25	Pass	3501
6500	26000	1	RMS	24103	-50.9	-25	Pass	19503




24.8. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:2, Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.29	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.52	-25	Pass	2986
30	1000	0.1	RMS	895.731	-62.99	-25	Pass	9701
1000	2490	1	RMS	2489	-49.54	-25	Pass	1491
2490	2580	1	RMS	2569.65	20.24	60	Pass	401
2580	3000	1	RMS	2964	-48.25	-25	Pass	421
3000	6500	1	RMS	3391	-64.76	-25	Pass	3501
6500	26000	1	RMS	24100	-50.96	-25	Pass	19503




24.9. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:3, Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.33	-25	Pass	401
0.15	30	0.01	RMS	0.22	-71.82	-25	Pass	2986
30	1000	0.1	RMS	902.335	-62.79	-25	Pass	9701
1000	2490	1	RMS	2488	-49.5	-25	Pass	1491
2490	2580	1	RMS	2566.05	14.28	60	Pass	401
2580	3000	1	RMS	2580	-45.29	-25	Pass	421
3000	6500	1	RMS	3404	-64.78	-25	Pass	3501
6500	26000	1	RMS	25104	-50.84	-25	Pass	19503




24.10. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:1, Channel:502000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.54	-25	Pass	401
0.15	30	0.01	RMS	0.22	-71.96	-25	Pass	2986
30	1000	0.1	RMS	899.233	-63.09	-25	Pass	9701
1000	2490	1	RMS	2490	-45.66	-25	Pass	1491
2490	2580	1	RMS	2500.35	20.05	60	Pass	401
2580	3000	1	RMS	2956	-48.24	-25	Pass	421
3000	6500	1	RMS	5001	-62.03	-25	Pass	3501
6500	26000	1	RMS	25104	-50.8	-25	Pass	19503




24.11. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:2, Channel:502000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.76	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.64	-25	Pass	2986
30	1000	0.1	RMS	917.245	-62.9	-25	Pass	9701
1000	2490	1	RMS	2490	-46.15	-25	Pass	1491
2490	2580	1	RMS	2519.25	20.01	60	Pass	401
2580	3000	1	RMS	2962	-48.2	-25	Pass	421
3000	6500	1	RMS	5039	-61.59	-25	Pass	3501
6500	26000	1	RMS	25101	-50.89	-25	Pass	19503




24.12. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:3, Channel:502000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.17	-25	Pass	401
0.15	30	0.01	RMS	0.43	-72.16	-25	Pass	2986
30	1000	0.1	RMS	901.435	-62.95	-25	Pass	9701
1000	2490	1	RMS	2490	-36.75	-25	Pass	1491
2490	2580	1	RMS	2517.225	7.91	60	Pass	401
2580	3000	1	RMS	2959	-48.25	-25	Pass	421
3000	6500	1	RMS	3396	-64.85	-25	Pass	3501
6500	26000	1	RMS	24105	-50.9	-25	Pass	19503




24.13. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:1, Channel:507000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.54	-25	Pass	401
0.15	30	0.01	RMS	0.19	-71.41	-25	Pass	2986
30	1000	0.1	RMS	889.527	-62.98	-25	Pass	9701
1000	2490	1	RMS	2488	-49.51	-25	Pass	1491
2490	2580	1	RMS	2525.325	19.91	60	Pass	401
2580	3000	1	RMS	2960	-48.27	-25	Pass	421
3000	6500	1	RMS	5051	-63.4	-25	Pass	3501
6500	26000	1	RMS	24104	-50.92	-25	Pass	19503




24.14. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:2, Channel:507000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-75.22	-25	Pass	401
0.15	30	0.01	RMS	0.18	-72.27	-25	Pass	2986
30	1000	0.1	RMS	906.438	-62.94	-25	Pass	9701
1000	2490	1	RMS	2490	-49.6	-25	Pass	1491
2490	2580	1	RMS	2544.225	19.92	60	Pass	401
2580	3000	1	RMS	2962	-48.3	-25	Pass	421
3000	6500	1	RMS	3390	-64.81	-25	Pass	3501
6500	26000	1	RMS	25094	-50.93	-25	Pass	19503




24.15. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:3, Channel:507000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.93	-25	Pass	2986
30	1000	0.1	RMS	905.337	-63	-25	Pass	9701
1000	2490	1	RMS	2490	-47.68	-25	Pass	1491
2490	2580	1	RMS	2540.4	7.84	60	Pass	401
2580	3000	1	RMS	2580	-47.81	-25	Pass	421
3000	6500	1	RMS	3389	-64.84	-25	Pass	3501
6500	26000	1	RMS	24105	-50.91	-25	Pass	19503




24.16. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:1, Channel:512000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.71	-25	Pass	401
0.15	30	0.01	RMS	0.26	-71.5	-25	Pass	2986
30	1000	0.1	RMS	890.127	-62.95	-25	Pass	9701
1000	2490	1	RMS	2485	-49.66	-25	Pass	1491
2490	2580	1	RMS	2550.525	19.94	60	Pass	401
2580	3000	1	RMS	2580	-46.98	-25	Pass	421
3000	6500	1	RMS	5101	-64.51	-25	Pass	3501
6500	26000	1	RMS	25102	-50.99	-25	Pass	19503




24.17. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:2, Channel:512000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-74.25	-25	Pass	401
0.15	30	0.01	RMS	0.27	-72.04	-25	Pass	2986
30	1000	0.1	RMS	912.242	-63.03	-25	Pass	9701
1000	2490	1	RMS	2489	-49.57	-25	Pass	1491
2490	2580	1	RMS	2569.425	20.13	60	Pass	401
2580	3000	1	RMS	2580	-46.47	-25	Pass	421
3000	6500	1	RMS	3394	-64.82	-25	Pass	3501
6500	26000	1	RMS	24103	-50.97	-25	Pass	19503



24.18. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:3, Channel:512000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.5	-25	Pass	401
0.15	30	0.01	RMS	0.26	-71.31	-25	Pass	2986
30	1000	0.1	RMS	902.836	-63.08	-25	Pass	9701
1000	2490	1	RMS	2490	-49.49	-25	Pass	1491
2490	2580	1	RMS	2554.125	8.12	60	Pass	401
2580	3000	1	RMS	2580	-35.92	-25	Pass	421
3000	6500	1	RMS	3390	-64.83	-25	Pass	3501
6500	26000	1	RMS	25110	-50.89	-25	Pass	19503




24.19. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:1, Channel:504000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.96	-25	Pass	401
0.15	30	0.01	RMS	0.18	-71.61	-25	Pass	2986
30	1000	0.1	RMS	909.54	-63.03	-25	Pass	9701
1000	2490	1	RMS	2490	-46.92	-25	Pass	1491
2490	2580	1	RMS	2500.575	19.69	60	Pass	401
2580	3000	1	RMS	2959	-48.23	-25	Pass	421
3000	6500	1	RMS	5001	-62.98	-25	Pass	3501
6500	26000	1	RMS	25101	-50.87	-25	Pass	19503




24.20. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:2, Channel:504000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.69	-25	Pass	401
0.15	30	0.01	RMS	0.19	-71.65	-25	Pass	2986
30	1000	0.1	RMS	898.233	-62.97	-25	Pass	9701
1000	2490	1	RMS	2490	-46.74	-25	Pass	1491
2490	2580	1	RMS	2539.275	19.61	60	Pass	401
2580	3000	1	RMS	2960	-48.28	-25	Pass	421
3000	6500	1	RMS	5079	-64.39	-25	Pass	3501
6500	26000	1	RMS	25096	-50.88	-25	Pass	19503




24.21. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:3, Channel:504000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.56	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.79	-25	Pass	2986
30	1000	0.1	RMS	904.637	-62.76	-25	Pass	9701
1000	2490	1	RMS	2490	-38.25	-25	Pass	1491
2490	2580	1	RMS	2526.45	4.72	60	Pass	401
2580	3000	1	RMS	2580	-44.84	-25	Pass	421
3000	6500	1	RMS	3389	-64.87	-25	Pass	3501
6500	26000	1	RMS	24104	-50.9	-25	Pass	19503



24.22. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:1, Channel:507000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.77	-25	Pass	401
0.15	30	0.01	RMS	0.18	-72	-25	Pass	2986
30	1000	0.1	RMS	901.935	-63.07	-25	Pass	9701
1000	2490	1	RMS	2490	-48.28	-25	Pass	1491
2490	2580	1	RMS	2515.425	19.5	60	Pass	401
2580	3000	1	RMS	2959	-48.31	-25	Pass	421
3000	6500	1	RMS	5031	-56.07	-25	Pass	3501
6500	26000	1	RMS	25099	-50.91	-25	Pass	19503




24.23. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:2, Channel:507000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.41	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.71	-25	Pass	2986
30	1000	0.1	RMS	903.736	-62.91	-25	Pass	9701
1000	2490	1	RMS	2490	-48.52	-25	Pass	1491
2490	2580	1	RMS	2554.125	19.46	60	Pass	401
2580	3000	1	RMS	2962	-48.26	-25	Pass	421
3000	6500	1	RMS	5109	-64.53	-25	Pass	3501
6500	26000	1	RMS	24106	-50.99	-25	Pass	19503




24.24. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:3, Channel:507000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.56	-25	Pass	401
0.15	30	0.01	RMS	0.18	-71.81	-25	Pass	2986
30	1000	0.1	RMS	900.634	-63.08	-25	Pass	9701
1000	2490	1	RMS	2490	-42.28	-25	Pass	1491
2490	2580	1	RMS	2538.15	4.65	60	Pass	401
2580	3000	1	RMS	2580	-42.14	-25	Pass	421
3000	6500	1	RMS	3387	-64.81	-25	Pass	3501
6500	26000	1	RMS	25092	-50.97	-25	Pass	19503




24.25. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:1, Channel:510000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.85	-25	Pass	401
0.15	30	0.01	RMS	0.2	-71.65	-25	Pass	2986
30	1000	0.1	RMS	903.636	-63.02	-25	Pass	9701
1000	2490	1	RMS	2489	-49.45	-25	Pass	1491
2490	2580	1	RMS	2530.5	19.61	60	Pass	401
2580	3000	1	RMS	2583	-47.18	-25	Pass	421
3000	6500	1	RMS	3403	-64.84	-25	Pass	3501
6500	26000	1	RMS	25104	-50.89	-25	Pass	19503




24.26. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:2, Channel:510000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.34	-25	Pass	401
0.15	30	0.01	RMS	0.23	-72.19	-25	Pass	2986
30	1000	0.1	RMS	908.84	-62.97	-25	Pass	9701
1000	2490	1	RMS	2490	-49.24	-25	Pass	1491
2490	2580	1	RMS	2569.2	19.77	60	Pass	401
2580	3000	1	RMS	2580	-47.13	-25	Pass	421
3000	6500	1	RMS	3391	-64.85	-25	Pass	3501
6500	26000	1	RMS	25095	-50.98	-25	Pass	19503



24.27. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:3, Channel:510000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.13	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.37	-25	Pass	2986
30	1000	0.1	RMS	910.241	-63	-25	Pass	9701
1000	2490	1	RMS	2490	-45.4	-25	Pass	1491
2490	2580	1	RMS	2543.325	4.75	60	Pass	401
2580	3000	1	RMS	2580	-38.41	-25	Pass	421
3000	6500	1	RMS	3388	-64.85	-25	Pass	3501
6500	26000	1	RMS	25104	-50.94	-25	Pass	19503



25. n66 15kHz


25.1. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:1, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.28	-13	Pass	2986
30	1000	0.1	RMS	996.298	-62.69	-13	Pass	9701
1000	1700	1	RMS	1700	-51.56	-13	Pass	701
1700	1790	1	RMS	1710.125	19.86	60	Pass	401
1790	3000	1	RMS	2968	-48.27	-13	Pass	1211
3000	6500	1	RMS	3421	-64.49	-13	Pass	3501
6500	20000	1	RMS	18100	-52.07	-13	Pass	13502




25.2. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:2, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.83	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.95	-13	Pass	2986
30	1000	0.1	RMS	909.34	-62.76	-13	Pass	9701
1000	1700	1	RMS	1698	-51.8	-13	Pass	701
1700	1790	1	RMS	1714.625	19.81	60	Pass	401
1790	3000	1	RMS	2961	-48.18	-13	Pass	1211
3000	6500	1	RMS	3392	-64.73	-13	Pass	3501
6500	20000	1	RMS	18088	-52.09	-13	Pass	13502




25.3. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:3, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.64	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.47	-13	Pass	2986
30	1000	0.1	RMS	897.332	-62.83	-13	Pass	9701
1000	1700	1	RMS	1700	-48.37	-13	Pass	701
1700	1790	1	RMS	1711.475	13.89	60	Pass	401
1790	3000	1	RMS	2959	-48.24	-13	Pass	1211
3000	6500	1	RMS	6220	-64.79	-13	Pass	3501
6500	20000	1	RMS	18101	-52.11	-13	Pass	13502




25.4. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:1, Channel:349000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.38	-13	Pass	2986
30	1000	0.1	RMS	921.848	-62.9	-13	Pass	9701
1000	1700	1	RMS	1695	-52	-13	Pass	701
1700	1790	1	RMS	1742.75	19.8	60	Pass	401
1790	3000	1	RMS	2959	-48.26	-13	Pass	1211
3000	6500	1	RMS	3396	-64.79	-13	Pass	3501
6500	20000	1	RMS	18085	-52.18	-13	Pass	13502




25.5. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:2, Channel:349000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.69	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.8	-13	Pass	2986
30	1000	0.1	RMS	896.531	-62.91	-13	Pass	9701
1000	1700	1	RMS	1694	-51.96	-13	Pass	701
1700	1790	1	RMS	1747.025	19.84	60	Pass	401
1790	3000	1	RMS	2963	-48.27	-13	Pass	1211
3000	6500	1	RMS	3390	-64.81	-13	Pass	3501
6500	20000	1	RMS	18097	-52.13	-13	Pass	13502




25.6. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:3, Channel:349000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.11	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.7	-13	Pass	2986
30	1000	0.1	RMS	909.14	-62.89	-13	Pass	9701
1000	1700	1	RMS	1699	-52.01	-13	Pass	701
1700	1790	1	RMS	1743.65	13.77	60	Pass	401
1790	3000	1	RMS	2959	-48.27	-13	Pass	1211
3000	6500	1	RMS	3401	-64.84	-13	Pass	3501
6500	20000	1	RMS	18100	-52.12	-13	Pass	13502




25.7. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:1, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.9	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.54	-13	Pass	2986
30	1000	0.1	RMS	903.536	-62.85	-13	Pass	9701
1000	1700	1	RMS	1700	-51.99	-13	Pass	701
1700	1790	1	RMS	1775.15	19.83	60	Pass	401
1790	3000	1	RMS	2960	-48.18	-13	Pass	1211
3000	6500	1	RMS	3405	-64.83	-13	Pass	3501
6500	20000	1	RMS	18106	-52.16	-13	Pass	13502




25.8. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:2, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.44	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72	-13	Pass	2986
30	1000	0.1	RMS	911.241	-62.81	-13	Pass	9701
1000	1700	1	RMS	1698	-52.05	-13	Pass	701
1700	1790	1	RMS	1779.65	19.62	60	Pass	401
1790	3000	1	RMS	2954	-48.3	-13	Pass	1211
3000	6500	1	RMS	3396	-64.79	-13	Pass	3501
6500	20000	1	RMS	18100	-52.12	-13	Pass	13502




25.9. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:3, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.37	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.77	-13	Pass	2986
30	1000	0.1	RMS	913.343	-62.97	-13	Pass	9701
1000	1700	1	RMS	1698	-52.06	-13	Pass	701
1700	1790	1	RMS	1776.05	13.86	60	Pass	401
1790	3000	1	RMS	2958	-48.28	-13	Pass	1211
3000	6500	1	RMS	3389	-64.79	-13	Pass	3501
6500	20000	1	RMS	18111	-52.05	-13	Pass	13502




25.10. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:1, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-75.41	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.42	-13	Pass	2986
30	1000	0.1	RMS	911.141	-62.75	-13	Pass	9701
1000	1700	1	RMS	1700	-47.05	-13	Pass	701
1700	1790	1	RMS	1710.35	19.76	60	Pass	401
1790	3000	1	RMS	2959	-48.28	-13	Pass	1211
3000	6500	1	RMS	3421	-64.83	-13	Pass	3501
6500	20000	1	RMS	18103	-52.11	-13	Pass	13502




25.11. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:2, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.28	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.11	-13	Pass	2986
30	1000	0.1	RMS	987.992	-62.84	-13	Pass	9701
1000	1700	1	RMS	1692	-46.22	-13	Pass	701
1700	1790	1	RMS	1729.25	19.77	60	Pass	401
1790	3000	1	RMS	2960	-48.3	-13	Pass	1211
3000	6500	1	RMS	3389	-64.79	-13	Pass	3501
6500	20000	1	RMS	18099	-52.14	-13	Pass	13502




25.12. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:3, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-75.12	-13	Pass	401
0.15	30	0.01	RMS	0.24	-71.57	-13	Pass	2986
30	1000	0.1	RMS	913.042	-62.74	-13	Pass	9701
1000	1700	1	RMS	1700	-37.66	-13	Pass	701
1700	1790	1	RMS	1714.4	7.63	60	Pass	401
1790	3000	1	RMS	2980	-48.25	-13	Pass	1211
3000	6500	1	RMS	3397	-64.83	-13	Pass	3501
6500	20000	1	RMS	18095	-52.06	-13	Pass	13502




25.13. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:1, Channel:349000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.61	-13	Pass	401
0.15	30	0.01	RMS	0.33	-71.68	-13	Pass	2986
30	1000	0.1	RMS	894.63	-62.91	-13	Pass	9701
1000	1700	1	RMS	1698	-51.77	-13	Pass	701
1700	1790	1	RMS	1735.55	19.6	60	Pass	401
1790	3000	1	RMS	2973	-48.26	-13	Pass	1211
3000	6500	1	RMS	3400	-64.82	-13	Pass	3501
6500	20000	1	RMS	18095	-52.17	-13	Pass	13502




25.14. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:2, Channel:349000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.73	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.64	-13	Pass	2986
30	1000	0.1	RMS	863.61	-62.92	-13	Pass	9701
1000	1700	1	RMS	1695	-51.99	-13	Pass	701
1700	1790	1	RMS	1754.225	19.71	60	Pass	401
1790	3000	1	RMS	2953	-48.24	-13	Pass	1211
3000	6500	1	RMS	3388	-64.82	-13	Pass	3501
6500	20000	1	RMS	18099	-52.2	-13	Pass	13502




25.15. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:3, Channel:349000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.6	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.48	-13	Pass	2986
30	1000	0.1	RMS	997.698	-62.86	-13	Pass	9701
1000	1700	1	RMS	1700	-49.89	-13	Pass	701
1700	1790	1	RMS	1748.825	7.59	60	Pass	401
1790	3000	1	RMS	2961	-48.25	-13	Pass	1211
3000	6500	1	RMS	3389	-64.76	-13	Pass	3501
6500	20000	1	RMS	18101	-52.21	-13	Pass	13502




25.16. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:1, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75.2	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.47	-13	Pass	2986
30	1000	0.1	RMS	902.635	-62.96	-13	Pass	9701
1000	1700	1	RMS	1694	-52.02	-13	Pass	701
1700	1790	1	RMS	1760.525	19.54	60	Pass	401
1790	3000	1	RMS	1790	-47.1	-13	Pass	1211
3000	6500	1	RMS	3402	-64.83	-13	Pass	3501
6500	20000	1	RMS	18091	-52.17	-13	Pass	13502




25.17. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:2, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.92	-13	Pass	2986
30	1000	0.1	RMS	988.592	-62.99	-13	Pass	9701
1000	1700	1	RMS	1700	-52.06	-13	Pass	701
1700	1790	1	RMS	1779.425	19.56	60	Pass	401
1790	3000	1	RMS	1790	-47.33	-13	Pass	1211
3000	6500	1	RMS	3395	-64.77	-13	Pass	3501
6500	20000	1	RMS	18101	-52.14	-13	Pass	13502




25.18. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:3, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.38	-13	Pass	2986
30	1000	0.1	RMS	996.598	-62.84	-13	Pass	9701
1000	1700	1	RMS	1699	-52.02	-13	Pass	701
1700	1790	1	RMS	1774.925	7.61	60	Pass	401
1790	3000	1	RMS	1790	-39.35	-13	Pass	1211
3000	6500	1	RMS	3397	-64.8	-13	Pass	3501
6500	20000	1	RMS	18081	-52.24	-13	Pass	13502




25.19. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:1, Channel:346000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.14	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.76	-13	Pass	2986
30	1000	0.1	RMS	876.418	-62.91	-13	Pass	9701
1000	1700	1	RMS	1700	-48.19	-13	Pass	701
1700	1790	1	RMS	1710.575	19.26	60	Pass	401
1790	3000	1	RMS	2967	-48.19	-13	Pass	1211
3000	6500	1	RMS	3401	-64.81	-13	Pass	3501
6500	20000	1	RMS	18101	-52.18	-13	Pass	13502




25.20. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:2, Channel:346000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.29	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.87	-13	Pass	2986
30	1000	0.1	RMS	913.343	-63	-13	Pass	9701
1000	1700	1	RMS	1700	-47.45	-13	Pass	701
1700	1790	1	RMS	1749.275	19.3	60	Pass	401
1790	3000	1	RMS	2963	-48.26	-13	Pass	1211
3000	6500	1	RMS	3392	-64.8	-13	Pass	3501
6500	20000	1	RMS	18103	-52.24	-13	Pass	13502




25.21. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:3, Channel:346000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.65	-13	Pass	2986
30	1000	0.1	RMS	895.131	-62.83	-13	Pass	9701
1000	1700	1	RMS	1700	-38.6	-13	Pass	701
1700	1790	1	RMS	1720.925	4.52	60	Pass	401
1790	3000	1	RMS	1790	-44.97	-13	Pass	1211
3000	6500	1	RMS	3389	-64.87	-13	Pass	3501
6500	20000	1	RMS	18105	-52.16	-13	Pass	13502




25.22. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:1, Channel:349000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-74.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.13	-13	Pass	2986
30	1000	0.1	RMS	879.02	-62.89	-13	Pass	9701
1000	1700	1	RMS	1700	-50	-13	Pass	701
1700	1790	1	RMS	1725.425	19.17	60	Pass	401
1790	3000	1	RMS	2960	-48.29	-13	Pass	1211
3000	6500	1	RMS	3389	-64.85	-13	Pass	3501
6500	20000	1	RMS	18101	-52.17	-13	Pass	13502




25.23. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:2, Channel:349000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.86	-13	Pass	401
0.15	30	0.01	RMS	0.23	-71.96	-13	Pass	2986
30	1000	0.1	RMS	894.33	-63.01	-13	Pass	9701
1000	1700	1	RMS	1700	-50	-13	Pass	701
1700	1790	1	RMS	1764.125	19.11	60	Pass	401
1790	3000	1	RMS	2964	-48.29	-13	Pass	1211
3000	6500	1	RMS	3388	-64.79	-13	Pass	3501
6500	20000	1	RMS	18089	-52.16	-13	Pass	13502




25.24. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:3, Channel:349000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.42	-13	Pass	2986
30	1000	0.1	RMS	900.134	-63.02	-13	Pass	9701
1000	1700	1	RMS	1700	-43.78	-13	Pass	701
1700	1790	1	RMS	1744.325	4.57	60	Pass	401
1790	3000	1	RMS	1790	-41.72	-13	Pass	1211
3000	6500	1	RMS	3399	-64.85	-13	Pass	3501
6500	20000	1	RMS	18100	-52.18	-13	Pass	13502




25.25. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:1, Channel:352000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.12	-13	Pass	401
0.15	30	0.01	RMS	0.38	-71.69	-13	Pass	2986
30	1000	0.1	RMS	985.991	-63.08	-13	Pass	9701
1000	1700	1	RMS	1700	-51.66	-13	Pass	701
1700	1790	1	RMS	1740.5	19.27	60	Pass	401
1790	3000	1	RMS	1790	-47.7	-13	Pass	1211
3000	6500	1	RMS	3395	-64.91	-13	Pass	3501
6500	20000	1	RMS	18094	-52.2	-13	Pass	13502




25.26. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:2, Channel:352000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.4	-13	Pass	2986
30	1000	0.1	RMS	912.342	-63.16	-13	Pass	9701
1000	1700	1	RMS	1700	-51.54	-13	Pass	701
1700	1790	1	RMS	1779.2	19.32	60	Pass	401
1790	3000	1	RMS	1790	-48.01	-13	Pass	1211
3000	6500	1	RMS	3398	-64.85	-13	Pass	3501
6500	20000	1	RMS	18100	-52.2	-13	Pass	13502



25.27. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:3, Channel:352000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.09	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.68	-13	Pass	2986
30	1000	0.1	RMS	905.337	-63.08	-13	Pass	9701
1000	1700	1	RMS	1700	-47.25	-13	Pass	701
1700	1790	1	RMS	1745.9	4.66	60	Pass	401
1790	3000	1	RMS	1790	-38.84	-13	Pass	1211
3000	6500	1	RMS	3389	-64.9	-13	Pass	3501
6500	20000	1	RMS	18112	-52.24	-13	Pass	13502



26. n38_PC3


26.1. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:1, Channel:515000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.37	-25	Pass	401
0.15	30	0.01	RMS	0.28	-67.71	-25	Pass	2986
30	1000	0.1	RMS	884.123	-60.82	-25	Pass	9701
1000	2560	1	RMS	2560	-47.11	-25	Pass	1561
2560	2630	1	RMS	2570.85	20.05	60	Pass	401
2630	3000	1	RMS	2954.675	-48.33	-25	Pass	401
3000	6500	1	RMS	3400	-64.33	-25	Pass	3501
6500	27000	1	RMS	25863	-49.98	-25	Pass	20503




26.2. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:2, Channel:515000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.14	-25	Pass	401
0.15	30	0.01	RMS	0.27	-69.79	-25	Pass	2986
30	1000	0.1	RMS	866.211	-60.7	-25	Pass	9701
1000	2560	1	RMS	2560	-46.09	-25	Pass	1561
2560	2630	1	RMS	2579.075	20.1	60	Pass	401
2630	3000	1	RMS	2958.375	-48.32	-25	Pass	401
3000	6500	1	RMS	3389	-64.7	-25	Pass	3501
6500	27000	1	RMS	24137	-50.03	-25	Pass	20503




26.3. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:3, Channel:515000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-74.36	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.81	-25	Pass	2986
30	1000	0.1	RMS	754.2	-61.24	-25	Pass	9701
1000	2560	1	RMS	2560	-38.35	-25	Pass	1561
2560	2630	1	RMS	2577.325	11.33	60	Pass	401
2630	3000	1	RMS	2962.075	-48.29	-25	Pass	401
3000	6500	1	RMS	6278	-64.59	-25	Pass	3501
6500	27000	1	RMS	25424	-50.17	-25	Pass	20503




26.4. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:1, Channel:519000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-74.77	-25	Pass	401
0.15	30	0.01	RMS	0.32	-69.42	-25	Pass	2986
30	1000	0.1	RMS	881.622	-61.04	-25	Pass	9701
1000	2560	1	RMS	2510	-49.3	-25	Pass	1561
2560	2630	1	RMS	2590.8	20	60	Pass	401
2630	3000	1	RMS	2948.2	-48.34	-25	Pass	401
3000	6500	1	RMS	6495	-64.31	-25	Pass	3501
6500	27000	1	RMS	24080	-50.27	-25	Pass	20503




26.5. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:2, Channel:519000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.48	-25	Pass	401
0.15	30	0.01	RMS	0.38	-69.67	-25	Pass	2986
30	1000	0.1	RMS	990.494	-60.84	-25	Pass	9701
1000	2560	1	RMS	2507	-49.43	-25	Pass	1561
2560	2630	1	RMS	2599.2	19.91	60	Pass	401
2630	3000	1	RMS	2957.45	-48.33	-25	Pass	401
3000	6500	1	RMS	3396	-64.53	-25	Pass	3501
6500	27000	1	RMS	24799	-50.07	-25	Pass	20503




26.6. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:3, Channel:519000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-74.88	-25	Pass	401
0.15	30	0.01	RMS	0.2	-69.74	-25	Pass	2986
30	1000	0.1	RMS	964.577	-60.71	-25	Pass	9701
1000	2560	1	RMS	2502	-49.34	-25	Pass	1561
2560	2630	1	RMS	2597.45	11.15	60	Pass	401
2630	3000	1	RMS	2963.925	-48.23	-25	Pass	401
3000	6500	1	RMS	6474	-64.3	-25	Pass	3501
6500	27000	1	RMS	25117	-50.09	-25	Pass	20503




26.7. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:1, Channel:523000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.75	-25	Pass	401
0.15	30	0.01	RMS	0.36	-68.36	-25	Pass	2986
30	1000	0.1	RMS	983.489	-61.09	-25	Pass	9701
1000	2560	1	RMS	2526	-49.33	-25	Pass	1561
2560	2630	1	RMS	2610.925	19.98	60	Pass	401
2630	3000	1	RMS	2630	-46.67	-25	Pass	401
3000	6500	1	RMS	3369	-64.62	-25	Pass	3501
6500	27000	1	RMS	24109	-50.17	-25	Pass	20503




26.8. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:2, Channel:523000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.5	-25	Pass	401
0.15	30	0.01	RMS	0.17	-69.47	-25	Pass	2986
30	1000	0.1	RMS	999.3	-61.13	-25	Pass	9701
1000	2560	1	RMS	2501	-49.35	-25	Pass	1561
2560	2630	1	RMS	2619.15	20.2	60	Pass	401
2630	3000	1	RMS	2630	-47.14	-25	Pass	401
3000	6500	1	RMS	6397	-64.43	-25	Pass	3501
6500	27000	1	RMS	24100	-50.06	-25	Pass	20503




26.9. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:3, Channel:523000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.05	-25	Pass	401
0.15	30	0.01	RMS	0.78	-69.24	-25	Pass	2986
30	1000	0.1	RMS	483.4	-60.84	-25	Pass	9701
1000	2560	1	RMS	2504	-49.32	-25	Pass	1561
2560	2630	1	RMS	2617.225	11.37	60	Pass	401
2630	3000	1	RMS	2630	-37.66	-25	Pass	401
3000	6500	1	RMS	3405	-64.47	-25	Pass	3501
6500	27000	1	RMS	25102	-50.11	-25	Pass	20503




26.10. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:1, Channel:516000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.58	-25	Pass	401
0.15	30	0.01	RMS	0.23	-69.83	-25	Pass	2986
30	1000	0.1	RMS	796	-60.51	-25	Pass	9701
1000	2560	1	RMS	2560	-45.53	-25	Pass	1561
2560	2630	1	RMS	2571.025	19.92	60	Pass	401
2630	3000	1	RMS	2958.375	-48.29	-25	Pass	401
3000	6500	1	RMS	6394	-64.54	-25	Pass	3501
6500	27000	1	RMS	25081	-50.3	-25	Pass	20503




26.11. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:2, Channel:516000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-73.85	-25	Pass	401
0.15	30	0.01	RMS	0.18	-68.82	-25	Pass	2986
30	1000	0.1	RMS	986.691	-60.29	-25	Pass	9701
1000	2560	1	RMS	2553	-44.97	-25	Pass	1561
2560	2630	1	RMS	2589.05	19.94	60	Pass	401
2630	3000	1	RMS	2961.15	-48.28	-25	Pass	401
3000	6500	1	RMS	6235	-64.46	-25	Pass	3501
6500	27000	1	RMS	24100	-49.99	-25	Pass	20503




26.12. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:3, Channel:516000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-73.72	-25	Pass	401
0.15	30	0.01	RMS	0.16	-70.63	-25	Pass	2986
30	1000	0.1	RMS	800	-60.79	-25	Pass	9701
1000	2560	1	RMS	2560	-34.95	-25	Pass	1561
2560	2630	1	RMS	2586.425	7.97	60	Pass	401
2630	3000	1	RMS	2630	-47.62	-25	Pass	401
3000	6500	1	RMS	6399	-64.52	-25	Pass	3501
6500	27000	1	RMS	25113	-49.99	-25	Pass	20503




26.13. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:1, Channel:519000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.67	-25	Pass	401
0.15	30	0.01	RMS	23.3	-69.21	-25	Pass	2986
30	1000	0.1	RMS	985.19	-61.06	-25	Pass	9701
1000	2560	1	RMS	2506	-49.42	-25	Pass	1561
2560	2630	1	RMS	2585.9	19.87	60	Pass	401
2630	3000	1	RMS	2961.15	-48.31	-25	Pass	401
3000	6500	1	RMS	3395	-64.46	-25	Pass	3501
6500	27000	1	RMS	25149	-50	-25	Pass	20503




26.14. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:2, Channel:519000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.95	-25	Pass	401
0.15	30	0.01	RMS	0.29	-68.36	-25	Pass	2986
30	1000	0.1	RMS	757.4	-60.81	-25	Pass	9701
1000	2560	1	RMS	2498	-49.32	-25	Pass	1561
2560	2630	1	RMS	2603.925	19.95	60	Pass	401
2630	3000	1	RMS	2963.925	-48.28	-25	Pass	401
3000	6500	1	RMS	6387	-64.46	-25	Pass	3501
6500	27000	1	RMS	25415	-50.17	-25	Pass	20503




26.15. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:3, Channel:519000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.84	-25	Pass	401
0.15	30	0.01	RMS	0.17	-69.08	-25	Pass	2986
30	1000	0.1	RMS	800.7	-61.08	-25	Pass	9701
1000	2560	1	RMS	2559	-42.96	-25	Pass	1561
2560	2630	1	RMS	2601.475	7.95	60	Pass	401
2630	3000	1	RMS	2630	-42.25	-25	Pass	401
3000	6500	1	RMS	6256	-64.42	-25	Pass	3501
6500	27000	1	RMS	25066	-50.01	-25	Pass	20503




26.16. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:1, Channel:522000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.72	-25	Pass	401
0.15	30	0.01	RMS	0.18	-68.25	-25	Pass	2986
30	1000	0.1	RMS	908.039	-60.99	-25	Pass	9701
1000	2560	1	RMS	2506	-49.15	-25	Pass	1561
2560	2630	1	RMS	2600.95	19.9	60	Pass	401
2630	3000	1	RMS	2636.475	-45.01	-25	Pass	401
3000	6500	1	RMS	6253	-64.48	-25	Pass	3501
6500	27000	1	RMS	25081	-50.1	-25	Pass	20503




26.17. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:2, Channel:522000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.95	-25	Pass	401
0.15	30	0.01	RMS	0.25	-69.76	-25	Pass	2986
30	1000	0.1	RMS	911.541	-60.6	-25	Pass	9701
1000	2560	1	RMS	2505	-49.26	-25	Pass	1561
2560	2630	1	RMS	2618.975	20.15	60	Pass	401
2630	3000	1	RMS	2630	-45.23	-25	Pass	401
3000	6500	1	RMS	3408	-64.37	-25	Pass	3501
6500	27000	1	RMS	25059	-50.06	-25	Pass	20503




26.18. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:3, Channel:522000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74	-25	Pass	401
0.15	30	0.01	RMS	0.31	-69.78	-25	Pass	2986
30	1000	0.1	RMS	929.653	-60.65	-25	Pass	9701
1000	2560	1	RMS	2560	-47.92	-25	Pass	1561
2560	2630	1	RMS	2616.525	8.06	60	Pass	401
2630	3000	1	RMS	2630	-34.77	-25	Pass	401
3000	6500	1	RMS	3396	-64.31	-25	Pass	3501
6500	27000	1	RMS	24106	-49.47	-25	Pass	20503




26.19. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:1, Channel:517000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.035	-74.26	-25	Pass	401
0.15	30	0.01	RMS	0.18	-68.56	-25	Pass	2986
30	1000	0.1	RMS	899.433	-60.85	-25	Pass	9701
1000	2560	1	RMS	2559	-44.19	-25	Pass	1561
2560	2630	1	RMS	2571.2	19.72	60	Pass	401
2630	3000	1	RMS	2630	-47.58	-25	Pass	401
3000	6500	1	RMS	6372	-64.41	-25	Pass	3501
6500	27000	1	RMS	24084	-49.86	-25	Pass	20503




26.20. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:2, Channel:517000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:77)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.58	-25	Pass	401
0.15	30	0.01	RMS	0.31	-69.06	-25	Pass	2986
30	1000	0.1	RMS	900.834	-61.02	-25	Pass	9701
1000	2560	1	RMS	2543	-43.72	-25	Pass	1561
2560	2630	1	RMS	2598.85	19.77	60	Pass	401
2630	3000	1	RMS	2630	-47.66	-25	Pass	401
3000	6500	1	RMS	6222	-64.54	-25	Pass	3501
6500	27000	1	RMS	25834	-50.27	-25	Pass	20503




26.21. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:3, Channel:517000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:78, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.12	-25	Pass	401
0.15	30	0.01	RMS	0.38	-70.14	-25	Pass	2986
30	1000	0.1	RMS	981.588	-61.25	-25	Pass	9701
1000	2560	1	RMS	2559	-35.1	-25	Pass	1561
2560	2630	1	RMS	2587.825	6.12	60	Pass	401
2630	3000	1	RMS	2630	-40.41	-25	Pass	401
3000	6500	1	RMS	6484	-64.46	-25	Pass	3501
6500	27000	1	RMS	25112	-50.07	-25	Pass	20503




26.22. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:1, Channel:519000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-73.13	-25	Pass	401
0.15	30	0.01	RMS	0.61	-68.03	-25	Pass	2986
30	1000	0.1	RMS	515.3	-61.21	-25	Pass	9701
1000	2560	1	RMS	2560	-46.81	-25	Pass	1561
2560	2630	1	RMS	2581.175	19.81	60	Pass	401
2630	3000	1	RMS	2636.475	-42.74	-25	Pass	401
3000	6500	1	RMS	3386	-64.32	-25	Pass	3501
6500	27000	1	RMS	25363	-50.12	-25	Pass	20503




26.23. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:2, Channel:519000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:77)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.42	-25	Pass	401
0.15	30	0.01	RMS	0.52	-69.74	-25	Pass	2986
30	1000	0.1	RMS	873.116	-61.09	-25	Pass	9701
1000	2560	1	RMS	2554	-43.94	-25	Pass	1561
2560	2630	1	RMS	2608.825	19.84	60	Pass	401
2630	3000	1	RMS	2630	-46.68	-25	Pass	401
3000	6500	1	RMS	6379	-64.23	-25	Pass	3501
6500	27000	1	RMS	25067	-50.12	-25	Pass	20503




26.24. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:3, Channel:519000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:78, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-74.56	-25	Pass	401
0.15	30	0.01	RMS	0.26	-69.65	-25	Pass	2986
30	1000	0.1	RMS	895.131	-61.13	-25	Pass	9701
1000	2560	1	RMS	2560	-38.79	-25	Pass	1561
2560	2630	1	RMS	2602.7	6.04	60	Pass	401
2630	3000	1	RMS	2630	-37.44	-25	Pass	401
3000	6500	1	RMS	6499	-64.45	-25	Pass	3501
6500	27000	1	RMS	24136	-49.92	-25	Pass	20503




26.25. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:1, Channel:521000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.79	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.42	-25	Pass	2986
30	1000	0.1	RMS	834.8	-60.98	-25	Pass	9701
1000	2560	1	RMS	2560	-47.95	-25	Pass	1561
2560	2630	1	RMS	2591.15	19.73	60	Pass	401
2630	3000	1	RMS	2646.65	-42.79	-25	Pass	401
3000	6500	1	RMS	6404	-64.42	-25	Pass	3501
6500	27000	1	RMS	24143	-50.09	-25	Pass	20503




26.26. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:2, Channel:521000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:77)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-74.52	-25	Pass	401
0.15	30	0.01	RMS	0.17	-69.18	-25	Pass	2986
30	1000	0.1	RMS	638.5	-61.14	-25	Pass	9701
1000	2560	1	RMS	2559	-47.88	-25	Pass	1561
2560	2630	1	RMS	2618.8	19.98	60	Pass	401
2630	3000	1	RMS	2630.925	-43.73	-25	Pass	401
3000	6500	1	RMS	6253	-64.5	-25	Pass	3501
6500	27000	1	RMS	24142	-50.01	-25	Pass	20503



26.27. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:3, Channel:521000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:78, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.19	-25	Pass	401
0.15	30	0.01	RMS	0.48	-69.66	-25	Pass	2986
30	1000	0.1	RMS	999.4	-60.91	-25	Pass	9701
1000	2560	1	RMS	2560	-41.87	-25	Pass	1561
2560	2630	1	RMS	2612.325	6.1	60	Pass	401
2630	3000	1	RMS	2630	-34.93	-25	Pass	401
3000	6500	1	RMS	6401	-64.36	-25	Pass	3501
6500	27000	1	RMS	24135	-49.75	-25	Pass	20503



27. n41


27.1. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:1, Channel:501204, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-69.29	-25	Pass	401
0.15	30	0.01	RMS	0.27	-69.1	-25	Pass	2986
30	1000	0.1	RMS	464	-60.71	-25	Pass	9701
1000	2486	1	RMS	2486	-45.05	-25	Pass	1487
2486	2700	1	RMS	2497.235	20.58	60	Pass	401
2700	3000	1	RMS	2964.75	-48.08	-25	Pass	401
3000	6500	1	RMS	6386	-64.51	-25	Pass	3501
6500	27000	1	RMS	24123	-50	-25	Pass	20503




27.2. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:2, Channel:501204, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.54	-25	Pass	401
0.15	30	0.01	RMS	1.51	-70.62	-25	Pass	2986
30	1000	0.1	RMS	885.924	-60.46	-25	Pass	9701
1000	2486	1	RMS	2486	-45.32	-25	Pass	1487
2486	2700	1	RMS	2514.89	20.87	60	Pass	401
2700	3000	1	RMS	2960.25	-48.08	-25	Pass	401
3000	6500	1	RMS	3408	-64.36	-25	Pass	3501
6500	26500	1	RMS	25094	-49.73	-25	Pass	20003




27.3. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:3, Channel:501204, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-71.01	-25	Pass	401
0.15	30	0.01	RMS	0.79	-69.25	-25	Pass	2986
30	1000	0.1	RMS	628.6	-59.86	-25	Pass	9701
1000	2486	1	RMS	2486	-34.47	-25	Pass	1487
2486	2700	1	RMS	2512.75	9.79	60	Pass	401
2700	3000	1	RMS	2964.75	-47.99	-25	Pass	401
3000	6500	1	RMS	6436	-64.34	-25	Pass	3501
6500	26500	1	RMS	25069	-49.85	-25	Pass	20003




27.4. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:1, Channel:518598, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.67	-25	Pass	401
0.15	30	0.01	RMS	0.79	-69.74	-25	Pass	2986
30	1000	0.1	RMS	638	-60.02	-25	Pass	9701
1000	2486	1	RMS	2479	-49.54	-25	Pass	1487
2486	2700	1	RMS	2583.905	20.79	60	Pass	401
2700	3000	1	RMS	2962.5	-48.06	-25	Pass	401
3000	6500	1	RMS	6500	-64.21	-25	Pass	3501
6500	26500	1	RMS	24784	-49.65	-25	Pass	20003




27.5. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:2, Channel:518598, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-71.73	-25	Pass	401
0.15	30	0.01	RMS	1.08	-69.77	-25	Pass	2986
30	1000	0.1	RMS	697.4	-60.66	-25	Pass	9701
1000	2486	1	RMS	2484	-49.34	-25	Pass	1487
2486	2700	1	RMS	2602.095	20.72	60	Pass	401
2700	3000	1	RMS	2960.25	-48.09	-25	Pass	401
3000	6500	1	RMS	6219	-64.25	-25	Pass	3501
6500	26500	1	RMS	25088	-49.68	-25	Pass	20003




27.6. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:3, Channel:518598, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-71.61	-25	Pass	401
0.15	30	0.01	RMS	0.77	-69.63	-25	Pass	2986
30	1000	0.1	RMS	795.3	-60.18	-25	Pass	9701
1000	2486	1	RMS	2484	-49.41	-25	Pass	1487
2486	2700	1	RMS	2599.42	9.65	60	Pass	401
2700	3000	1	RMS	2955.75	-48.08	-25	Pass	401
3000	6500	1	RMS	6249	-64.31	-25	Pass	3501
6500	26500	1	RMS	25070	-49.65	-25	Pass	20003




27.7. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:1, Channel:535998, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.31	-25	Pass	401
0.15	30	0.01	RMS	0.83	-70.27	-25	Pass	2986
30	1000	0.1	RMS	450.4	-60.13	-25	Pass	9701
1000	2486	1	RMS	2478	-49.37	-25	Pass	1487
2486	2700	1	RMS	2671.11	20.69	60	Pass	401
2700	3000	1	RMS	2702.25	-44.91	-25	Pass	401
3000	6500	1	RMS	6216	-64.31	-25	Pass	3501
6500	26500	1	RMS	25101	-49.73	-25	Pass	20003




27.8. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:2, Channel:535998, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.65	-25	Pass	401
0.15	30	0.01	RMS	0.3	-69.34	-25	Pass	2986
30	1000	0.1	RMS	984.59	-60.07	-25	Pass	9701
1000	2486	1	RMS	2486	-49.31	-25	Pass	1487
2486	2700	1	RMS	2688.765	20.56	60	Pass	401
2700	3000	1	RMS	2700	-44.79	-25	Pass	401
3000	6500	1	RMS	3366	-64.43	-25	Pass	3501
6500	26500	1	RMS	24096	-49.6	-25	Pass	20003




27.9. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:3, Channel:535998, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-72.8	-25	Pass	401
0.15	30	0.01	RMS	1.57	-70.03	-25	Pass	2986
30	1000	0.1	RMS	888.526	-59.49	-25	Pass	9701
1000	2486	1	RMS	2486	-49.34	-25	Pass	1487
2486	2700	1	RMS	2673.785	9.81	60	Pass	401
2700	3000	1	RMS	2700	-33.85	-25	Pass	401
3000	6500	1	RMS	6496	-64.14	-25	Pass	3501
6500	26500	1	RMS	24142	-49.93	-25	Pass	20003




27.10. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:1, Channel:505200, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-71.55	-25	Pass	401
0.15	30	0.01	RMS	0.2	-68.5	-25	Pass	2986
30	1000	0.1	RMS	470.4	-60.26	-25	Pass	9701
1000	2486	1	RMS	2486	-47	-25	Pass	1487
2486	2700	1	RMS	2497.235	20.2	60	Pass	401
2700	3000	1	RMS	2953.5	-48.08	-25	Pass	401
3000	6500	1	RMS	6408	-64.39	-25	Pass	3501
6500	26500	1	RMS	24182	-50.09	-25	Pass	20003




27.11. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:2, Channel:505200, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-72.18	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.63	-25	Pass	2986
30	1000	0.1	RMS	918.846	-60.13	-25	Pass	9701
1000	2486	1	RMS	2486	-47.13	-25	Pass	1487
2486	2700	1	RMS	2555.015	20.57	60	Pass	401
2700	3000	1	RMS	2960.25	-48.06	-25	Pass	401
3000	6500	1	RMS	6395	-64.15	-25	Pass	3501
6500	26500	1	RMS	24100	-49.77	-25	Pass	20003




27.12. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:3, Channel:505200, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.11	-25	Pass	401
0.15	30	0.01	RMS	0.17	-69.06	-25	Pass	2986
30	1000	0.1	RMS	666.6	-60.24	-25	Pass	9701
1000	2486	1	RMS	2486	-34.88	-25	Pass	1487
2486	2700	1	RMS	2515.96	4.63	60	Pass	401
2700	3000	1	RMS	2954.25	-48.08	-25	Pass	401
3000	6500	1	RMS	3391	-64.27	-25	Pass	3501
6500	26500	1	RMS	24119	-49.99	-25	Pass	20003




27.13. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:1, Channel:518598, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-71.62	-25	Pass	401
0.15	30	0.01	RMS	0.77	-70.83	-25	Pass	2986
30	1000	0.1	RMS	456.9	-60.81	-25	Pass	9701
1000	2486	1	RMS	2486	-49.42	-25	Pass	1487
2486	2700	1	RMS	2564.11	20.21	60	Pass	401
2700	3000	1	RMS	2944.5	-48.12	-25	Pass	401
3000	6500	1	RMS	3384	-64.07	-25	Pass	3501
6500	26500	1	RMS	25081	-49.68	-25	Pass	20003




27.14. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:2, Channel:518598, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-72.45	-25	Pass	401
0.15	30	0.01	RMS	0.21	-69.42	-25	Pass	2986
30	1000	0.1	RMS	453.6	-60.52	-25	Pass	9701
1000	2486	1	RMS	2486	-49.58	-25	Pass	1487
2486	2700	1	RMS	2621.89	20.53	60	Pass	401
2700	3000	1	RMS	2953.5	-48.16	-25	Pass	401
3000	6500	1	RMS	5244	-63.77	-25	Pass	3501
6500	26500	1	RMS	24092	-50.1	-25	Pass	20003




27.15. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:3, Channel:518598, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-72.25	-25	Pass	401
0.15	30	0.01	RMS	0.21	-69.18	-25	Pass	2986
30	1000	0.1	RMS	905.037	-60.22	-25	Pass	9701
1000	2486	1	RMS	2486	-46.19	-25	Pass	1487
2486	2700	1	RMS	2607.445	4.54	60	Pass	401
2700	3000	1	RMS	2700	-44.49	-25	Pass	401
3000	6500	1	RMS	3395	-64.45	-25	Pass	3501
6500	26500	1	RMS	24107	-49.73	-25	Pass	20003




27.16. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:1, Channel:531996, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-71.77	-25	Pass	401
0.15	30	0.01	RMS	1.19	-69.96	-25	Pass	2986
30	1000	0.1	RMS	893.73	-60.64	-25	Pass	9701
1000	2486	1	RMS	2482	-49.47	-25	Pass	1487
2486	2700	1	RMS	2630.985	20.59	60	Pass	401
2700	3000	1	RMS	2711.25	-46.66	-25	Pass	401
3000	6500	1	RMS	6387	-64.29	-25	Pass	3501
6500	26500	1	RMS	24107	-49.97	-25	Pass	20003




27.17. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:2, Channel:531996, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-72.33	-25	Pass	401
0.15	30	0.01	RMS	0.18	-69.73	-25	Pass	2986
30	1000	0.1	RMS	738.6	-59.98	-25	Pass	9701
1000	2486	1	RMS	2479	-49.33	-25	Pass	1487
2486	2700	1	RMS	2688.765	20.37	60	Pass	401
2700	3000	1	RMS	2700	-46.93	-25	Pass	401
3000	6500	1	RMS	6492	-64.39	-25	Pass	3501
6500	26500	1	RMS	25114	-49.68	-25	Pass	20003




27.18. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:3, Channel:531996, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.24	-25	Pass	401
0.15	30	0.01	RMS	0.2	-68.14	-25	Pass	2986
30	1000	0.1	RMS	831.6	-59.98	-25	Pass	9701
1000	2486	1	RMS	2486	-49.37	-25	Pass	1487
2486	2700	1	RMS	2644.895	4.67	60	Pass	401
2700	3000	1	RMS	2700	-36.03	-25	Pass	401
3000	6500	1	RMS	6254	-64.45	-25	Pass	3501
6500	26500	1	RMS	25393	-49.97	-25	Pass	20003




27.19. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:1, Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-73.93	-25	Pass	401
0.15	30	0.01	RMS	0.6	-69.61	-25	Pass	2986
30	1000	0.1	RMS	859.707	-60.51	-25	Pass	9701
1000	2486	1	RMS	2486	-44.83	-25	Pass	1487
2486	2700	1	RMS	2497.235	19.57	60	Pass	401
2700	3000	1	RMS	2970	-48.17	-25	Pass	401
3000	6500	1	RMS	3396	-64.39	-25	Pass	3501
6500	26500	1	RMS	25797	-50.05	-25	Pass	20003




27.20. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:2, Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-72.46	-25	Pass	401
0.15	30	0.01	RMS	0.17	-70.1	-25	Pass	2986
30	1000	0.1	RMS	742.1	-60.02	-25	Pass	9701
1000	2486	1	RMS	2486	-44.01	-25	Pass	1487
2486	2700	1	RMS	2595.14	19.64	60	Pass	401
2700	3000	1	RMS	2967	-48.1	-25	Pass	401
3000	6500	1	RMS	6253	-64.14	-25	Pass	3501
6500	26500	1	RMS	25037	-50.13	-25	Pass	20003




27.21. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:3, Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.43	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.62	-25	Pass	2986
30	1000	0.1	RMS	902.635	-60.19	-25	Pass	9701
1000	2486	1	RMS	2485	-37.81	-25	Pass	1487
2486	2700	1	RMS	2579.625	2.45	60	Pass	401
2700	3000	1	RMS	2700.75	-43.63	-25	Pass	401
3000	6500	1	RMS	3411	-64.19	-25	Pass	3501
6500	26500	1	RMS	25124	-49.83	-25	Pass	20003




27.22. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:1, Channel:518598, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-72.29	-25	Pass	401
0.15	30	0.01	RMS	0.34	-70.58	-25	Pass	2986
30	1000	0.1	RMS	919.146	-60.31	-25	Pass	9701
1000	2486	1	RMS	2486	-49.28	-25	Pass	1487
2486	2700	1	RMS	2543.78	19.33	60	Pass	401
2700	3000	1	RMS	2980.5	-47.92	-25	Pass	401
3000	6500	1	RMS	3393	-64.05	-25	Pass	3501
6500	26500	1	RMS	24103	-49.8	-25	Pass	20003




27.23. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:2, Channel:518598, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.9	-25	Pass	401
0.15	30	0.01	RMS	0.61	-68.59	-25	Pass	2986
30	1000	0.1	RMS	898.032	-60.36	-25	Pass	9701
1000	2486	1	RMS	2486	-49.18	-25	Pass	1487
2486	2700	1	RMS	2641.685	19.49	60	Pass	401
2700	3000	1	RMS	2958	-47.95	-25	Pass	401
3000	6500	1	RMS	3387	-64.17	-25	Pass	3501
6500	26500	1	RMS	25022	-50.12	-25	Pass	20003




27.24. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:3, Channel:518598, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-70.92	-25	Pass	401
0.15	30	0.01	RMS	0.56	-69.29	-25	Pass	2986
30	1000	0.1	RMS	992.695	-60.6	-25	Pass	9701
1000	2486	1	RMS	2486	-42.69	-25	Pass	1487
2486	2700	1	RMS	2624.565	2.49	60	Pass	401
2700	3000	1	RMS	2700	-38.9	-25	Pass	401
3000	6500	1	RMS	6236	-64.02	-25	Pass	3501
6500	26500	1	RMS	25130	-49.99	-25	Pass	20003




27.25. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:1, Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.86	-25	Pass	401
0.15	30	0.01	RMS	0.35	-68.5	-25	Pass	2986
30	1000	0.1	RMS	738.3	-60.24	-25	Pass	9701
1000	2486	1	RMS	2482	-49.37	-25	Pass	1487
2486	2700	1	RMS	2590.86	19.65	60	Pass	401
2700	3000	1	RMS	2700	-42.96	-25	Pass	401
3000	6500	1	RMS	6390	-64.39	-25	Pass	3501
6500	26500	1	RMS	25084	-49.45	-25	Pass	20003




27.26. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:2, Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-72.44	-25	Pass	401
0.15	30	0.01	RMS	0.31	-69.49	-25	Pass	2986
30	1000	0.1	RMS	867.712	-60.35	-25	Pass	9701
1000	2486	1	RMS	2484	-49.48	-25	Pass	1487
2486	2700	1	RMS	2688.765	19.78	60	Pass	401
2700	3000	1	RMS	2710.5	-42.52	-25	Pass	401
3000	6500	1	RMS	6440	-64.18	-25	Pass	3501
6500	26500	1	RMS	24117	-50.01	-25	Pass	20003



27.27. Spurious Emission at Antenna Terminals for SA-1(NTNV)(Subtest:3, Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-72.78	-25	Pass	401
0.15	30	0.01	RMS	1.19	-70.25	-25	Pass	2986
30	1000	0.1	RMS	990.494	-59.86	-25	Pass	9701
1000	2486	1	RMS	2486	-46.05	-25	Pass	1487
2486	2700	1	RMS	2608.515	2.34	60	Pass	401
2700	3000	1	RMS	2700	-37.17	-25	Pass	401
3000	6500	1	RMS	6386	-64.13	-25	Pass	3501
6500	26500	1	RMS	25122	-49.63	-25	Pass	20003



--BLANK BELOW--