


Test Mode	UNII-3_TX AC (VHT40) Mode
-----------	---------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
151	5755	35.41	500	Complies
159	5795	35.99	500	Complies

CH151



Date: 29_SEP.2019 14:40:23


CH159



Date: 29_SEP.2019 14:41:24


Channel	Frequency (MHz)	99 % Emission Bandwidth (MHz)	Result
151	5755	36.60	Complies
159	5795	36.80	Complies

CH151



Date: 29_SEP.2019 15:12:21

CH159




Date: 29_SEP.2019 15:12:31

Test Mode	UNII-3_TX AC (VHT80)
-----------	----------------------

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
155	5775	76.00	500	Complies


CH155



Date: 29_SEP.2019 14:56:41

Channel	Frequency (MHz)	99 % Emission Bandwidth (MHz)	Result
155	5775	76.00	Complies

CH155



Date: 29_SEP.2019 15:13:48

APPENDIX F - MAXIMUM OUTPUT POWER

Test Mode	UNII-1_TX A Mode
-----------	------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	17.89	0.00	17.89	24.00	0.25	Complies
40	5200	17.76	0.00	17.76	24.00	0.25	Complies
48	5240	17.56	0.00	17.56	24.00	0.25	Complies

Test Mode	UNII-1_TX N (HT20) Mode
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	17.75	0.09	17.84	24.00	0.25	Complies
40	5200	17.58	0.09	17.67	24.00	0.25	Complies
48	5240	17.85	0.09	17.94	24.00	0.25	Complies

Test Mode	UNII-1_TX N (HT40) Mode
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	14.55	0.18	14.73	24.00	0.25	Complies
46	5230	16.61	0.18	16.79	24.00	0.25	Complies

Test Mode	UNII-2A_TX A Mode
-----------	-------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	17.65	0.00	17.65	24.00	0.25	Complies
60	5300	17.98	0.00	17.98	24.00	0.25	Complies
64	5320	17.77	0.00	17.77	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT20) Mode
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	17.89	0.09	17.98	24.00	0.25	Complies
60	5300	17.89	0.09	17.98	24.00	0.25	Complies
64	5320	17.63	0.09	17.72	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT40) Mode
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	16.64	0.18	16.82	24.00	0.25	Complies
62	5310	16.58	0.18	16.76	24.00	0.25	Complies

Test Mode	UNII-2C_TX A Mode
-----------	-------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.42	0.00	14.42	24.00	0.25	Complies
116	5580	14.38	0.00	14.38	24.00	0.25	Complies
140	5700	14.38	0.00	14.38	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT20) Mode
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.38	0.09	14.47	24.00	0.25	Complies
116	5580	14.24	0.09	14.33	24.00	0.25	Complies
140	5700	14.19	0.09	14.28	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT40) Mode
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	13.72	0.18	13.90	24.00	0.25	Complies
110	5550	13.59	0.18	13.77	24.00	0.25	Complies
134	5670	13.77	0.18	13.95	24.00	0.25	Complies

Test Mode	UNII-3_TX A Mode
-----------	------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	14.97	0.00	14.97	30.00	1.00	Complies
157	5785	14.66	0.00	14.66	30.00	1.00	Complies
165	5825	14.60	0.00	14.60	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT20) Mode
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	14.81	0.09	14.90	30.00	1.00	Complies
157	5785	14.50	0.09	14.59	30.00	1.00	Complies
165	5825	14.87	0.09	14.96	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT40) Mode
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	14.03	0.18	14.21	30.00	1.00	Complies
159	5795	14.28	0.18	14.46	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode
-----------	---------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	17.75	0.09	17.84	24.00	0.25	Complies
40	5200	17.54	0.09	17.63	24.00	0.25	Complies
48	5240	17.85	0.09	17.94	24.00	0.25	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode
-----------	---------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	14.22	0.18	14.40	24.00	0.25	Complies
46	5230	16.64	0.18	16.82	24.00	0.25	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode
-----------	---------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	13.46	0.37	13.83	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode
-----------	----------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	17.87	0.09	17.96	24.00	0.25	Complies
60	5300	17.85	0.09	17.94	24.00	0.25	Complies
64	5320	17.59	0.09	17.68	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode
-----------	----------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	16.62	0.18	16.80	24.00	0.25	Complies
62	5310	16.61	0.18	16.79	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode
-----------	----------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	16.39	0.37	16.76	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode
-----------	----------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.35	0.09	14.44	24.00	0.25	Complies
116	5580	14.21	0.09	14.30	24.00	0.25	Complies
140	5700	14.20	0.09	14.29	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode
-----------	----------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	13.71	0.18	13.89	24.00	0.25	Complies
110	5550	13.78	0.18	13.96	24.00	0.25	Complies
134	5670	13.72	0.18	13.90	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode
-----------	----------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	11.47	0.37	11.84	24.00	0.25	Complies
122	5610	13.82	0.37	14.19	24.00	0.25	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode
-----------	---------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	14.88	0.09	14.97	30.00	1.00	Complies
157	5785	14.43	0.09	14.52	30.00	1.00	Complies
165	5825	14.85	0.09	14.94	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode
-----------	---------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	13.92	0.18	14.10	30.00	1.00	Complies
159	5795	14.21	0.18	14.39	30.00	1.00	Complies




Test Mode	UNII-3_TX AC (VHT80) Mode
-----------	---------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	13.96	0.37	14.33	30.00	1.00	Complies

APPENDIX G - POWER SPECTRAL DENSITY




Test Mode UNII-1_TX A Mode

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	6.37	0.00	6.37	11.00	Complies
40	5200	6.72	0.00	6.72	11.00	Complies
48	5240	7.03	0.00	7.03	11.00	Complies




Test Mode UNII-1_TX N (HT20) Mode

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	6.05	0.09	6.14	11.00	Complies
40	5200	6.47	0.09	6.56	11.00	Complies
48	5240	7.32	0.09	7.41	11.00	Complies




Test Mode	UNII-1_TX N (HT40) Mode
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	0.62	0.18	0.80	11.00	Complies
46	5230	3.11	0.18	3.29	11.00	Complies




Date: 29_SEP.2019 14:23:59




Date: 29_SEP.2019 14:24:54

Test Mode	UNII-2A_TX A Mode
-----------	-------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	7.15	0.00	7.15	11.00	Complies
60	5300	7.32	0.00	7.32	11.00	Complies
64	5320	7.01	0.00	7.01	11.00	Complies



Date: 29_SEP.2019 13:45:25




Date: 29_SEP.2019 13:47:54




Date: 29_SEP.2019 13:48:46

Test Mode	UNII-2A_TX N (HT20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	7.25	0.09	7.34	11.00	Complies
60	5300	7.03	0.09	7.12	11.00	Complies
64	5320	6.77	0.09	6.86	11.00	Complies



Date: 29_SEP.2019 14:01:14




Date: 29_SEP.2019 14:02:01




Date: 29_SEP.2019 14:02:49

Test Mode	UNII-2A_TX N (HT40) Mode
-----------	--------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	3.13	0.18	3.31	11.00	Complies
62	5310	2.89	0.18	3.07	11.00	Complies




Date: 29_SEP.2019 14:25:58




Date: 29_SEP.2019 14:26:55

Test Mode	UNII-2C_TX A Mode
-----------	-------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	7.75	0.00	7.75	11.00	Complies
116	5580	7.39	0.00	7.39	11.00	Complies
140	5700	8.08	0.00	8.08	11.00	Complies



Date: 29_SEP.2019 13:49:37




Date: 29_SEP.2019 13:52:04




Date: 29_SEP.2019 13:52:57

Test Mode	UNII-2C_TX N (HT20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	7.50	0.09	7.59	11.00	Complies
116	5580	7.20	0.09	7.29	11.00	Complies
140	5700	7.88	0.09	7.97	11.00	Complies



Date: 29_SEP.2019 14:03:34



Date: 29_SEP.2019 14:04:20




Date: 29_SEP.2019 14:05:11

Test Mode UNII-2C_TX N (HT40) Mode


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	0.96	0.18	1.14	11.00	Complies
110	5550	3.40	0.18	3.58	11.00	Complies
134	5670	3.67	0.18	3.85	11.00	Complies

CH102




Date: 29_SEP.2019 15:00:21

CH110



Date: 29_SEP.2019 14:28:56




CH134



Date: 29_SEP.2019 14:30:01




Test Mode	UNII-3_TX A Mode
-----------	------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	5.41	0.00	5.41	30.00	Complies
157	5785	5.18	0.00	5.18	30.00	Complies
165	5825	4.66	0.00	4.66	30.00	Complies



Test Mode	UNII-3_TX N (HT20) Mode
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	5.31	0.09	5.40	30.00	Complies
157	5785	4.94	0.09	5.03	30.00	Complies
165	5825	4.53	0.09	4.62	30.00	Complies



Test Mode UNII-3_TX N (HT40) Mode


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	1.10	0.18	1.28	30.00	Complies
159	5795	0.69	0.18	0.87	30.00	Complies

CH151



Date: 29_SEP.2019 14:31:26




CH159



Date: 29_SEP.2019 14:32:23

Test Mode UNII-1_TX AC (VHT20) Mode

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	6.16	0.09	6.25	11.00	Complies
40	5200	6.50	0.09	6.59	11.00	Complies
48	5240	7.38	0.09	7.47	11.00	Complies





Date: 29_SEP.2019 14:10:11

Date: 29_SEP.2019 14:11:20

Date: 29_SEP.2019 14:12:10

Test Mode UNII-1_TX AC (VHT40) Mode

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-0.08	0.18	0.10	11.00	Complies
46	5230	2.77	0.18	2.95	11.00	Complies




Date: 29_SEP.2019 14:33:31

Date: 29_SEP.2019 14:34:23

Test Mode UNII-1_TX AC (VHT80) Mode

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-3.53	0.37	-3.16	11.00	Complies




CH42



Date: 29_SEP.2019 14:42:42

Test Mode UNII-2A_TX AC (VHT20) Mode

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	7.35	0.09	7.44	11.00	Complies
60	5300	7.10	0.09	7.19	11.00	Complies
64	5320	6.75	0.09	6.84	11.00	Complies





Date: 29_SEP.2019 14:13:06

Date: 29_SEP.2019 14:13:59

Date: 29_SEP.2019 14:14:51

Test Mode UNII-2A_TX AC (VHT40) Mode

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	2.84	0.18	3.02	11.00	Complies
62	5310	2.65	0.18	2.83	11.00	Complies




Date: 29_SEP.2019 14:35:21

Date: 29_SEP.2019 14:36:19

Test Mode UNII-2A_TX AC (VHT80) Mode

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-0.57	0.37	-0.20	11.00	Complies




CH58



Date: 29_SEP.2019 14:43:43

Test Mode UNII-2C_TX AC (VHT20) Mode

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	7.44	0.09	7.53	11.00	Complies
116	5580	7.05	0.09	7.14	11.00	Complies
140	5700	7.74	0.09	7.83	11.00	Complies






Date: 29_SEP.2019 14:16:49

Date: 29_SEP.2019 14:17:35

Date: 29_SEP.2019 14:18:30

Test Mode UNII-2C_TX AC (VHT40) Mode

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	1.00	0.18	1.18	11.00	Complies
110	5550	3.38	0.18	3.56	11.00	Complies
134	5670	3.63	0.18	3.81	11.00	Complies



Date: 29_SEP.2019 15:02:34


Date: 29_SEP.2019 14:38:30

Date: 29_SEP.2019 14:39:32

Test Mode UNII-2C_TX AC (VHT80) Mode


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-4.79	0.37	-4.42	11.00	Complies
122	5610	-0.38	0.37	-0.01	11.00	Complies

CH106



Date: 29_SEP.2019 14:45:33




CH122



Date: 29_SEP.2019 14:46:46

Test Mode UNII-3_TX AC (VHT20) Mode

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	5.15	0.09	5.24	30.00	Complies
157	5785	4.78	0.09	4.87	30.00	Complies
165	5825	4.19	0.09	4.28	30.00	Complies





Date: 29_SEP.2019 14:19:14

Date: 29_SEP.2019 14:20:03

Date: 29_SEP.2019 14:20:56

Test Mode UNII-3_TX AC (VHT40) Mode

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	0.98	0.18	1.16	30.00	Complies
159	5795	0.75	0.18	0.93	30.00	Complies




Date: 29_SEP.2019 14:40:35

Date: 29_SEP.2019 14:41:36

Test Mode UNII-3_TX AC (VHT80) Mode

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-2.23	0.37	-1.86	30.00	Complies

CH155



Date: 29_SEP.2019 14:56:53

APPENDIX H - FREQUENCY STABILITY

Test Mode	UNII-1
-----------	--------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5180.0000
4.45	5179.9824
3.87	5179.9824
3.60	5179.9820
Maximum Deviation (MHz)	-0.0180
Maximum Deviation (ppm)	-3.4749

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5180.0000
0	5179.9824
5	5179.9824
15	5179.9820
25	5179.9820
35	5179.9816
Maximum Deviation (MHz)	-0.0184
Maximum Deviation (ppm)	-3.5521

Test Mode	UNII-2A
-----------	---------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5260.0000
4.45	5259.9800
3.87	5259.9804
3.60	5259.9800
Maximum Deviation (MHz)	-0.0200
Maximum Deviation (ppm)	-3.8023

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5260.0000
0	5259.9804
5	5259.9800
15	5259.9800
25	5259.9800
35	5259.9804
Maximum Deviation (MHz)	-0.0200
Maximum Deviation (ppm)	-3.8023

Test Mode	UNII-2C
-----------	---------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5500.0000
4.45	5499.9796
3.87	5499.9796
3.60	5499.9792
Maximum Deviation (MHz)	-0.0208
Maximum Deviation (ppm)	-3.7818

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5500.0000
0	5499.9792
5	5499.9792
15	5499.9792
25	5499.9796
35	5499.9796
Maximum Deviation (MHz)	-0.0208
Maximum Deviation (ppm)	-3.7818

Test Mode	UNII-3
-----------	--------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5745.0000
4.45	5744.9784
3.87	5744.9784
3.60	5744.9784
Maximum Deviation (MHz)	-0.0216
Maximum Deviation (ppm)	-3.7598

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5745.0000
0	5744.9788
5	5744.9788
15	5744.9788
25	5744.9784
35	5744.9788
Maximum Deviation (MHz)	-0.0216
Maximum Deviation (ppm)	-3.7598

End of Test Report