



10. LTE_Band26(part22)


10.1. LTE Peak to Average Ratio(NTNV)(Subtest:1, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)




10.2. LTE Peak to Average Ratio(NTNV)(Subtest:2, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)



10.3. LTE Peak to Average Ratio(NTNV)(Subtest:3, Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)




10.4. LTE Peak to Average Ratio(NTNV)(Subtest:4, Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)




10.5. LTE Peak to Average Ratio(NTNV)(Subtest:5, Channel:26915, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	3.42	13	Pass




10.6. LTE Peak to Average Ratio(NTNV)(Subtest:6, Channel:26915, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)




10.7. LTE Peak to Average Ratio(NTNV)(Subtest:7, Channel:26915, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	5.3	13	Pass




10.8. LTE Peak to Average Ratio(NTNV)(Subtest:8, Channel:26915, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	5.97	13	Pass




10.9. LTE Peak to Average Ratio(NTNV)(Subtest:9, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
841.5	0.1	3.45	13	Pass




10.10. LTE Peak to Average Ratio(NTNV)(Subtest:10, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
841.5	0.1	5.19	13	Pass




10.11. LTE Peak to Average Ratio(NTNV)(Subtest:11, Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
841.5	0.1	5.42	13	Pass



10.12. LTE Peak to Average Ratio(NTNV)(Subtest:12, Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
841.5	0.1	5.88	13	Pass



Date: 12.JAN.2020 08:32:51


11. LTE_Band26(part90)

11.1. LTE Peak to Average Ratio(NTNV)(Subtest:1, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)




11.2. LTE Peak to Average Ratio(NTNV)(Subtest:2, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
819	0.1	5.04	13	Pass



11.3. LTE Peak to Average Ratio(NTNV)(Subtest:3, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)




11.4. LTE Peak to Average Ratio(NTNV)(Subtest:4, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)




12. LTE_Band38

12.1. LTE Peak to Average Ratio(NTNV)(Subtest:1, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




12.2. LTE Peak to Average Ratio(NTNV)(Subtest:2, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2580	0.1	8.35	13	Pass




12.3. LTE Peak to Average Ratio(NTNV)(Subtest:3, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2580	0.1	9.48	13	Pass




12.4. LTE Peak to Average Ratio(NTNV)(Subtest:4, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2580	0.1	9.68	13	Pass




12.5. LTE Peak to Average Ratio(NTNV)(Subtest:5, Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	7.48	13	Pass



12.6. LTE Peak to Average Ratio(NTNV)(Subtest:6, Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	8.46	13	Pass



Date: 12.JAN.2020 08:45:18

12.7. LTE Peak to Average Ratio(NTNV)(Subtest:7, Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	8.9	13	Pass



Date: 12.JAN.2020 08:45:24

12.8. LTE Peak to Average Ratio(NTNV)(Subtest:8, Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	9.28	13	Pass



Date: 12.JAN.2020 08:45:29


12.9. LTE Peak to Average Ratio(NTNV)(Subtest:9, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2610	0.1	7.42	13	Pass



12.10. LTE Peak to Average Ratio(NTNV)(Subtest:10, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2610	0.1	8.67	13	Pass



Date: 12.JAN.2020 08:45:42


12.11. LTE Peak to Average Ratio(NTNV)(Subtest:11, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2610	0.1	9.07	13	Pass




12.12. LTE Peak to Average Ratio(NTNV)(Subtest:12, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2610	0.1	9.68	13	Pass




13. LTE_Band41 full

13.1. LTE Peak to Average Ratio(NTNV)(Subtest:1, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)



13.2. LTE Peak to Average Ratio(NTNV)(Subtest:2, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2506	0.1	8.41	13	Pass



Date: 12.JAN.2020 08:46:19


13.3. LTE Peak to Average Ratio(NTNV)(Subtest:3, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2506	0.1	9.48	13	Pass




13.4. LTE Peak to Average Ratio(NTNV)(Subtest:4, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2506	0.1	9.3	13	Pass




13.5. LTE Peak to Average Ratio(NTNV)(Subtest:5, Channel:40620, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2593	0.1	7.8	13	Pass




13.6. LTE Peak to Average Ratio(NTNV)(Subtest:6, Channel:40620, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2593	0.1	8.46	13	Pass



13.7. LTE Peak to Average Ratio(NTNV)(Subtest:7, Channel:40620, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2593	0.1	9.42	13	Pass



Date: 12.JAN.2020 08:46:47


13.8. LTE Peak to Average Ratio(NTNV)(Subtest:8, Channel:40620, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2593	0.1	9.48	13	Pass




13.9. LTE Peak to Average Ratio(NTNV)(Subtest:9, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2680	0.1	7.68	13	Pass




13.10. LTE Peak to Average Ratio(NTNV)(Subtest:10, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2680	0.1	8.38	13	Pass



13.11. LTE Peak to Average Ratio(NTNV)(Subtest:11, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2680	0.1	9.54	13	Pass




13.12. LTE Peak to Average Ratio(NTNV)(Subtest:12, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2680	0.1	9.65	13	Pass




14. LTE_Band66

14.1. LTE Peak to Average Ratio(NTNV)(Subtest:1, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




14.2. LTE Peak to Average Ratio(NTNV)(Subtest:2, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1720	0.1	4.7	13	Pass




14.3. LTE Peak to Average Ratio(NTNV)(Subtest:3, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1720	0.1	5.28	13	Pass




14.4. LTE Peak to Average Ratio(NTNV)(Subtest:4, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




14.5. LTE Peak to Average Ratio(NTNV)(Subtest:5, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1745	0.1	3.48	13	Pass




14.6. LTE Peak to Average Ratio(NTNV)(Subtest:6, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1745	0.1	4.81	13	Pass




14.7. LTE Peak to Average Ratio(NTNV)(Subtest:7, Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1745	0.1	5.28	13	Pass




14.8. LTE Peak to Average Ratio(NTNV)(Subtest:8, Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




14.9. LTE Peak to Average Ratio(NTNV)(Subtest:9, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1770	0.1	3.3	13	Pass




14.10. LTE Peak to Average Ratio(NTNV)(Subtest:10, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1770	0.1	4.78	13	Pass



14.11. LTE Peak to Average Ratio(NTNV)(Subtest:11, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1770	0.1	4.49	13	Pass



Date: 12.JAN.2020 08:40:10

14.12. LTE Peak to Average Ratio(NTNV)(Subtest:12, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1770	0.1	5.77	13	Pass




Date: 12.JAN.2020 08:40:15

CA

15. CA_7C


15.1. CA_7C_10M+20M_P50@0+S100@0_Mid_QPSK

15.1.1. CA Peak to Average Ratio(NTNV)




15.2. CA_7C_10M+20M_P50@0+S100@0_Mid_16QAM

15.2.1. CA Peak to Average Ratio(NTNV)




15.3. CA_7C_20M+10M_P100@0+S50@0_Mid_QPSK

15.3.1. CA Peak to Average Ratio(NTNV)




15.4. CA_7C_20M+10M_P100@0+S50@0_Mid_16QAM

15.4.1. CA Peak to Average Ratio(NTNV)




15.5. CA_7C_15M+15M_P75@0+S75@0_Mid_QPSK

15.5.1. CA Peak to Average Ratio(NTNV)




15.6. CA_7C_15M+15M_P75@0+S75@0_Mid_16QAM

15.6.1. CA Peak to Average Ratio(NTNV)




15.7. CA_7C_15M+20M_P75@0+S100@0_Mid_QPSK

15.7.1. CA Peak to Average Ratio(NTNV)




15.8. CA_7C_15M+20M_P75@0+S100@0_Mid_16QAM

15.8.1. CA Peak to Average Ratio(NTNV)




15.9. CA_7C_20M+15M_P100@0+S75@0_Mid_QPSK

15.9.1. CA Peak to Average Ratio(NTNV)




15.10. CA_7C_20M+15M_P100@0+S75@0_Mid_16QAM

15.10.1. CA Peak to Average Ratio(NTNV)




15.11. CA_7C_20M+20M_P100@0+S100@0_Mid_QPSK

15.11.1. CA Peak to Average Ratio(NTNV)



15.12. CA_7C_20M+20M_P100@0+S100@0_Mid_16QAM


15.12.1. CA Peak to Average Ratio(NTNV)



16. CA_38C


16.1. CA_38C_15M+15M_P75@0+S75@0_Mid_QPSK

16.1.1. CA Peak to Average Ratio(NTNV)




16.2. CA_38C_15M+15M_P75@0+S75@0_Mid_16QAM

16.2.1. CA Peak to Average Ratio(NTNV)




16.3. CA_38C_20M+20M_P100@0+S100@0_Mid_QPSK

16.3.1. CA Peak to Average Ratio(NTNV)



16.4. CA_38C_20M+20M_P100@0+S100@0_Mid_16QAM


16.4.1. CA Peak to Average Ratio(NTNV)



17. CA_41C


17.1. CA_41C_5M+20M_P25@0+S100@0_Mid (full)_QPSK

17.1.1. CA Peak to Average Ratio(NTNV)




17.2. CA_41C_5M+20M_P25@0+S100@0_Mid (full)_16QAM

17.2.1. CA Peak to Average Ratio(NTNV)




17.3. CA_41C_20M+5M_P100@0+S25@0_Mid (full)_QPSK

17.3.1. CA Peak to Average Ratio(NTNV)




17.4. CA_41C_20M+5M_P100@0+S25@0_Mid (full)_16QAM

17.4.1. CA Peak to Average Ratio(NTNV)




17.5. CA_41C_10M+20M_P50@0+S100@0_Mid (full)_QPSK

17.5.1. CA Peak to Average Ratio(NTNV)




17.6. CA_41C_10M+20M_P50@0+S100@0_Mid (full)_16QAM

17.6.1. CA Peak to Average Ratio(NTNV)




17.7. CA_41C_20M+10M_P100@0+S50@0_Mid (full)_QPSK

17.7.1. CA Peak to Average Ratio(NTNV)




17.8. CA_41C_20M+10M_P100@0+S50@0_Mid (full)_16QAM

17.8.1. CA Peak to Average Ratio(NTNV)




17.9. CA_41C_15M+15M_P75@0+S75@0_Mid (full)_QPSK

17.9.1. CA Peak to Average Ratio(NTNV)




17.10. CA_41C_15M+15M_P75@0+S75@0_Mid (full)_16QAM

17.10.1. CA Peak to Average Ratio(NTNV)




17.11. CA_41C_15M+20M_P75@0+S100@0_Mid (full)_QPSK

17.11.1. CA Peak to Average Ratio(NTNV)




17.12. CA_41C_15M+20M_P75@0+S100@0_Mid (full)_16QAM

17.12.1. CA Peak to Average Ratio(NTNV)




17.13. CA_41C_20M+15M_P100@0+S75@0_Mid (full)_QPSK

17.13.1. CA Peak to Average Ratio(NTNV)




17.14. CA_41C_20M+15M_P100@0+S75@0_Mid (full)_16QAM

17.14.1. CA Peak to Average Ratio(NTNV)




17.15. CA_41C_20M+20M_P100@0+S100@0_Mid (full)_QPSK

17.15.1. CA Peak to Average Ratio(NTNV)



17.16. CA_41C_20M+20M_P100@0+S100@0_Mid (full)_16QAM

17.16.1. CA Peak to Average Ratio(NTNV)



END