


### 32 LTE Band 7


#### 32.1 LTE Band 7 BW5, Middle Channel

RSE-H&H LTE Band 7 BW5 CH20525




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
177.925	-68.51	-14.35	-25.0	-43.51	271.00	Horizontal	Horizontal	Pass
895.531	-64.22	4.48	-25.0	-39.22	165.00	Horizontal	Horizontal	Pass
2580.200	-49.43	3.24	-25.0	-24.43	23.00	Horizontal	Horizontal	N/A
2655.700	-32.18	2.21	-25.0	-7.18	133.00	Horizontal	Horizontal	N/A
9290.800	-40.32	17.50	-25.0	-15.32	192.00	Horizontal	Horizontal	Pass
17092.025	-36.49	19.01	-25.0	-11.49	178.00	Horizontal	Horizontal	Pass

RSE-H&V LTE Band 7 BW5 CH20525




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
358.685	-71.36	-10.13	-25.0	-46.36	150.00	Horizontal	Vertical	Pass
864.006	-65.58	3.22	-25.0	-40.58	242.00	Horizontal	Vertical	Pass
2564.000	-49.24	3.07	-25.0	-24.24	56.00	Horizontal	Vertical	N/A
2653.500	-31.84	2.20	-25.0	-6.84	105.00	Horizontal	Vertical	N/A
4790.000	-45.73	8.04	-25.0	-20.73	53.00	Horizontal	Vertical	Pass
19460.962	-37.23	22.58	-25.0	-12.23	294.00	Horizontal	Vertical	Pass

RSE-V&V LTE Band 7 BW5 CH20525



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
42.416	-74.02	-18.65	-25.0	-49.02	68.00	Vertical	Vertical	Pass
781.799	-66.16	2.52	-25.0	-41.16	349.00	Vertical	Vertical	Pass
1532.200	-55.59	-3.44	-25.0	-30.59	262.00	Vertical	Vertical	Pass
2656.800	-42.11	2.19	-25.0	-17.11	245.00	Vertical	Vertical	N/A
6681.000	-41.81	12.13	-25.0	-16.81	268.00	Vertical	Vertical	Pass
17098.912	-36.18	19.40	-25.0	-11.18	142.00	Vertical	Vertical	Pass


RSE-V&H LTE Band 7 BW5 CH20525



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
322.504	-71.14	-11.32	-25.0	-46.14	180.00	Vertical	Horizontal	Pass
913.428	-64.40	4.56	-25.0	-39.40	71.00	Vertical	Horizontal	Pass
2434.800	-50.36	1.77	-25.0	-25.36	105.00	Vertical	Horizontal	N/A
2655.600	-40.16	2.22	-25.0	-15.16	0.00	Vertical	Horizontal	N/A
9341.400	-39.95	17.14	-25.0	-14.95	188.00	Vertical	Horizontal	Pass
17089.849	-36.72	18.88	-25.0	-11.72	142.00	Vertical	Horizontal	Pass


## 32.2 LTE Band 7 BW10, Middle Channel

RSE-H&H LTE Band 7 BW10 CH20525




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
178.119	-68.48	-14.34	-25.0	-43.48	90.00	Horizontal	Horizontal	Pass
741.932	-66.78	0.49	-25.0	-41.78	193.00	Horizontal	Horizontal	Pass
2460.900	-50.40	1.60	-25.0	-25.40	163.00	Horizontal	Horizontal	N/A
2652.000	-31.53	2.13	-25.0	-6.53	126.00	Horizontal	Horizontal	N/A
9299.425	-40.08	17.70	-25.0	-15.08	324.00	Horizontal	Horizontal	Pass
17091.300	-36.17	18.96	-25.0	-11.17	201.00	Horizontal	Horizontal	Pass

RSE-H&V LTE Band 7 BW10 CH20525




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
357.763	-71.60	-10.04	-25.0	-46.60	151.00	Horizontal	Vertical	Pass
832.481	-65.27	2.40	-25.0	-40.27	137.00	Horizontal	Vertical	Pass
1353.800	-54.84	-3.02	-25.0	-29.84	3.00	Horizontal	Vertical	Pass
2652.900	-31.61	2.17	-25.0	-6.61	125.00	Horizontal	Vertical	N/A
6685.600	-42.02	12.06	-25.0	-17.02	88.00	Horizontal	Vertical	Pass
21044.300	-36.36	23.27	-25.0	-11.36	133.00	Horizontal	Vertical	Pass

RSE-V&V LTE Band 7 BW10 CH20525



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
49.982	-74.20	-17.36	-25.0	-49.20	260.00	Vertical	Vertical	Pass
910.275	-64.61	4.38	-25.0	-39.61	18.00	Vertical	Vertical	Pass
1550.400	-55.21	-3.65	-25.0	-30.21	165.00	Vertical	Vertical	Pass
2653.800	-42.32	2.21	-25.0	-17.32	243.00	Vertical	Vertical	N/A
4785.600	-46.51	8.27	-25.0	-21.51	48.00	Vertical	Vertical	Pass
21624.801	-37.46	23.42	-25.0	-12.46	98.00	Vertical	Vertical	Pass

RSE-V&H LTE Band 7 BW10 CH20525




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
49.982	-74.70	-17.36	-25.0	-49.70	9.00	Vertical	Horizontal	Pass
847.904	-65.11	2.72	-25.0	-40.11	46.00	Vertical	Horizontal	Pass
2426.400	-51.25	2.29	-25.0	-26.25	256.00	Vertical	Horizontal	Pass
2652.900	-40.42	2.17	-25.0	-15.42	1.00	Vertical	Horizontal	N/A
6645.200	-42.17	11.95	-25.0	-17.17	338.00	Vertical	Horizontal	Pass
17094.925	-36.61	19.17	-25.0	-11.61	196.00	Vertical	Horizontal	Pass



### 32.3 LTE Band 7 BW15, Middle Channel


RSE-H&H LTE Band 7 BW15 CH20525



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
178.798	-68.03	-14.32	-25.0	-43.03	273.00	Horizontal	Horizontal	Pass
857.070	-64.86	3.11	-25.0	-39.86	319.00	Horizontal	Horizontal	Pass
1662.000	-55.26	-3.92	-25.0	-30.26	38.00	Horizontal	Horizontal	Pass
2651.000	-30.60	2.05	-25.0	-5.60	125.00	Horizontal	Horizontal	N/A
6590.800	-42.24	11.06	-25.0	-17.24	30.00	Horizontal	Horizontal	Pass
17102.176	-37.22	19.41	-25.0	-12.22	359.00	Horizontal	Horizontal	Pass


RSE-H&V LTE Band 7 BW15 CH20525

OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B7




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
357.375	-71.32	-10.00	-25.0	-46.32	156.00	Horizontal	Vertical	Pass
905.959	-63.35	4.38	-25.0	-38.35	18.00	Horizontal	Vertical	Pass
1323.800	-55.43	-3.18	-25.0	-30.43	209.00	Horizontal	Vertical	Pass
2651.700	-30.59	2.11	-25.0	-5.59	98.00	Horizontal	Vertical	N/A
9329.325	-39.28	17.44	-25.0	-14.28	255.00	Horizontal	Vertical	Pass
17092.750	-35.78	19.05	-25.0	-10.78	208.00	Horizontal	Vertical	Pass

RSE-V&V LTE Band 7 BW15 CH20525



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
31.988	-70.03	-18.50	-25.0	-45.03	288.00	Vertical	Vertical	Pass
443.754	-71.51	-7.18	-25.0	-46.51	123.00	Vertical	Vertical	Pass
1411.800	-55.37	-3.11	-25.0	-30.37	273.00	Vertical	Vertical	Pass
2650.100	-41.65	1.98	-25.0	-16.65	2.00	Vertical	Vertical	N/A
6678.000	-41.61	12.08	-25.0	-16.61	272.00	Vertical	Vertical	Pass
17096.012	-36.69	19.23	-25.0	-11.69	331.00	Vertical	Vertical	Pass


RSE-V&H LTE Band 7 BW15 CH20525



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
178.313	-73.55	-14.33	-25.0	-48.55	166.00	Vertical	Horizontal	Pass
909.693	-64.61	4.36	-25.0	-39.61	243.00	Vertical	Horizontal	Pass
1440.500	-54.90	-3.08	-25.0	-29.90	243.00	Vertical	Horizontal	Pass
2649.800	-40.73	1.99	-25.0	-15.73	0.00	Vertical	Horizontal	N/A
9325.875	-40.33	17.53	-25.0	-15.33	87.00	Vertical	Horizontal	Pass
17207.663	-37.01	18.37	-25.0	-12.01	82.00	Vertical	Horizontal	Pass


### 32.4 LTE Band 7 BW20, Middle Channel

RSE-H&H LTE Band 7 BW20 CH20525




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
178.119	-67.47	-14.34	-25.0	-42.47	270.00	Horizontal	Horizontal	Pass
930.596	-64.84	4.44	-25.0	-39.84	202.00	Horizontal	Horizontal	Pass
2526.700	-48.15	2.46	-25.0	-23.15	50.00	Horizontal	Horizontal	N/A
2655.200	-30.99	2.22	-25.0	-5.99	134.00	Horizontal	Horizontal	N/A
6975.800	-42.19	14.03	-25.0	-17.19	12.00	Horizontal	Horizontal	Pass
17205.850	-37.31	18.41	-25.0	-12.31	131.00	Horizontal	Horizontal	Pass

RSE-H&V LTE Band 7 BW20 CH20525




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
358.199	-71.44	-10.08	-25.0	-46.44	146.00	Horizontal	Vertical	Pass
789.122	-65.63	2.75	-25.0	-40.63	317.00	Horizontal	Vertical	Pass
2526.600	-47.07	2.46	-25.0	-22.07	183.00	Horizontal	Vertical	N/A
2658.000	-31.08	2.10	-25.0	-6.08	121.00	Horizontal	Vertical	N/A
6681.000	-41.13	12.13	-25.0	-16.13	94.00	Horizontal	Vertical	Pass
17098.912	-36.67	19.40	-25.0	-11.67	311.00	Horizontal	Vertical	Pass



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
33.492	-70.48	-19.17	-25.0	-45.48	98.00	Vertical	Vertical	Pass
812.111	-65.98	2.28	-25.0	-40.98	50.00	Vertical	Vertical	Pass
2526.300	-49.92	2.46	-25.0	-24.92	259.00	Vertical	Vertical	N/A
2655.500	-40.52	2.22	-25.0	-15.52	248.00	Vertical	Vertical	N/A
6681.200	-41.77	12.14	-25.0	-16.77	295.00	Vertical	Vertical	Pass
17068.100	-37.18	18.13	-25.0	-12.18	187.00	Vertical	Vertical	Pass

RSE-V&H LTE Band 7 BW20 CH20525




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
50.031	-74.72	-17.35	-25.0	-49.72	354.00	Vertical	Horizontal	Pass
908.432	-64.49	4.38	-25.0	-39.49	295.00	Vertical	Horizontal	Pass
2476.700	-50.94	2.16	-25.0	-25.94	301.00	Vertical	Horizontal	N/A
2662.600	-40.48	2.16	-25.0	-15.48	360.00	Vertical	Horizontal	N/A
6975.600	-41.09	14.02	-25.0	-16.09	264.00	Vertical	Horizontal	Pass
17109.787	-36.77	19.25	-25.0	-11.77	292.00	Vertical	Horizontal	Pass



### 33 LTE Band 12


#### 33.1 LTE Band 12 BW1.4, Middle Channel

RSE-H&H LTE Band 12 BW1.4 CH23095




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
142.860	-75.08	-16.38	-13.0	-62.08	195.00	Horizontal	Horizontal	Pass
364.553	-69.75	-9.64	-13.0	-56.75	317.00	Horizontal	Horizontal	Pass
707.060	-39.84	0.39	-13.0	-26.84	192.00	Horizontal	Horizontal	N/A
1790.200	-50.84	3.19	-13.0	-37.84	106.00	Horizontal	Horizontal	Pass
4614.800	-47.34	6.35	-13.0	-34.34	264.00	Horizontal	Horizontal	Pass
9300.250	-39.66	17.71	-13.0	-26.66	131.00	Horizontal	Horizontal	Pass

RSE-H&V LTE Band 12 BW1.4 CH23095




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
163.569	-72.58	-14.69	-13.0	-59.58	105.00	Horizontal	Vertical	Pass
356.550	-71.99	-9.90	-13.0	-58.99	68.00	Horizontal	Vertical	Pass
707.011	-43.38	0.39	-13.0	-30.38	41.00	Horizontal	Vertical	N/A
1791.400	-50.68	3.07	-13.0	-37.68	165.00	Horizontal	Vertical	Pass
4701.000	-47.76	7.16	-13.0	-34.76	68.00	Horizontal	Vertical	Pass
9257.349	-39.89	17.13	-13.0	-26.89	28.00	Horizontal	Vertical	Pass

RSE-V&V LTE Band 12 BW1.4 CH23095



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
42.270	-68.17	-18.54	-13.0	-55.17	63.00	Vertical	Vertical	Pass
352.525	-69.32	-10.06	-13.0	-56.32	282.00	Vertical	Vertical	Pass
707.060	-35.62	0.39	-13.0	-22.62	27.00	Vertical	Vertical	N/A
1764.400	-50.70	1.91	-13.0	-37.70	360.00	Vertical	Vertical	Pass
5143.000	-46.28	7.77	-13.0	-33.28	20.00	Vertical	Vertical	Pass
9306.550	-40.52	17.70	-13.0	-27.52	351.00	Vertical	Vertical	Pass


RSE-V&H LTE Band 12 BW1.4 CH23095



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
42.562	-69.35	-18.69	-13.0	-56.35	124.00	Vertical	Horizontal	Pass
380.849	-67.53	-8.71	-13.0	-54.53	184.00	Vertical	Horizontal	Pass
707.060	-44.10	0.39	-13.0	-31.10	180.00	Vertical	Horizontal	N/A
1795.100	-50.50	2.72	-13.0	-37.50	32.00	Vertical	Horizontal	Pass
4736.600	-46.45	7.43	-13.0	-33.45	126.00	Vertical	Horizontal	Pass
9288.401	-39.69	17.45	-13.0	-26.69	143.00	Vertical	Horizontal	Pass


### 33.2 LTE Band 12 BW3, Middle Channel

RSE-H&H LTE Band 12 BW3 CH23095




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
142.811	-74.48	-16.39	-13.0	-61.48	167.00	Horizontal	Horizontal	Pass
373.817	-69.88	-9.09	-13.0	-56.88	293.00	Horizontal	Horizontal	Pass
706.333	-39.47	0.36	-13.0	-26.47	192.00	Horizontal	Horizontal	N/A
1793.700	-50.12	2.79	-13.0	-37.12	253.00	Horizontal	Horizontal	Pass
4364.600	-48.76	7.36	-13.0	-35.76	229.00	Horizontal	Horizontal	Pass
9314.500	-39.73	17.69	-13.0	-26.73	245.00	Horizontal	Horizontal	Pass

RSE-H&V LTE Band 12 BW3 CH23095




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
163.327	-71.49	-14.71	-13.0	-58.49	108.00	Horizontal	Vertical	Pass
357.909	-71.17	-9.84	-13.0	-58.17	82.00	Horizontal	Vertical	Pass
706.235	-42.37	0.35	-13.0	-29.37	234.00	Horizontal	Vertical	N/A
1780.900	-50.59	3.66	-13.0	-37.59	190.00	Horizontal	Vertical	Pass
4380.400	-48.45	6.84	-13.0	-35.45	334.00	Horizontal	Vertical	Pass
9325.300	-40.31	17.54	-13.0	-27.31	121.00	Horizontal	Vertical	Pass

RSE-V&V LTE Band 12 BW3 CH23095



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
42.416	-70.79	-18.61	-13.0	-57.79	76.00	Vertical	Vertical	Pass
358.199	-69.12	-9.86	-13.0	-56.12	283.00	Vertical	Vertical	Pass
706.284	-34.88	0.35	-13.0	-21.88	24.00	Vertical	Vertical	N/A
1784.800	-50.60	3.63	-13.0	-37.60	92.00	Vertical	Vertical	Pass
4200.800	-49.02	6.03	-13.0	-36.02	301.00	Vertical	Vertical	Pass
9300.100	-40.48	17.71	-13.0	-27.48	271.00	Vertical	Vertical	Pass

RSE-V&H LTE Band 12 BW3 CH23095




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
42.610	-70.76	-18.72	-13.0	-57.76	120.00	Vertical	Horizontal	Pass
382.450	-67.73	-8.78	-13.0	-54.73	183.00	Vertical	Horizontal	Pass
706.235	-43.61	0.35	-13.0	-30.61	178.00	Vertical	Horizontal	N/A
1795.800	-50.56	2.68	-13.0	-37.56	230.00	Vertical	Horizontal	Pass
3658.400	-49.53	4.20	-13.0	-36.53	58.00	Vertical	Horizontal	Pass
9316.150	-39.95	17.69	-13.0	-26.95	16.00	Vertical	Horizontal	Pass




### 33.3 LTE Band 12 BW5, Middle Channel

RSE-H&H LTE Band 12 BW5 CH23095




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
142.374	-74.62	-16.46	-13.0	-61.62	219.00	Horizontal	Horizontal	Pass
338.606	-70.62	-10.80	-13.0	-57.62	110.00	Horizontal	Horizontal	Pass
705.362	-40.15	0.31	-13.0	-27.15	191.00	Horizontal	Horizontal	N/A
1787.200	-50.06	3.59	-13.0	-37.06	143.00	Horizontal	Horizontal	Pass
4877.400	-46.20	7.25	-13.0	-33.20	81.00	Horizontal	Horizontal	Pass
9355.450	-39.12	17.10	-13.0	-26.12	260.00	Horizontal	Horizontal	Pass

RSE-H&V LTE Band 12 BW5 CH23095




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
163.763	-71.47	-14.67	-13.0	-58.47	138.00	Horizontal	Vertical	Pass
348.888	-71.40	-10.27	-13.0	-58.40	90.00	Horizontal	Vertical	Pass
705.314	-43.04	0.31	-13.0	-30.04	154.00	Horizontal	Vertical	N/A
1781.500	-50.71	3.64	-13.0	-37.71	170.00	Horizontal	Vertical	Pass
5084.200	-46.60	7.89	-13.0	-33.60	242.00	Horizontal	Vertical	Pass
9269.500	-39.23	17.19	-13.0	-26.23	185.00	Horizontal	Vertical	Pass

RSE-V&V LTE Band 12 BW5 CH23095



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
42.319	-70.91	-18.56	-13.0	-57.91	103.00	Vertical	Vertical	Pass
351.070	-69.43	-10.18	-13.0	-56.43	274.00	Vertical	Vertical	Pass
705.362	-35.11	0.31	-13.0	-22.11	18.00	Vertical	Vertical	N/A
1785.700	-49.86	3.62	-13.0	-36.86	29.00	Vertical	Vertical	Pass
4796.800	-47.21	8.04	-13.0	-34.21	258.00	Vertical	Vertical	Pass
9455.799	-40.16	17.24	-13.0	-27.16	322.00	Vertical	Vertical	Pass


RSE-V&H LTE Band 12 BW5 CH23095



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
42.319	-72.84	-18.56	-13.0	-59.84	102.00	Vertical	Horizontal	Pass
378.375	-67.37	-8.80	-13.0	-54.37	190.00	Vertical	Horizontal	Pass
705.314	-44.65	0.31	-13.0	-31.65	167.00	Vertical	Horizontal	N/A
1775.400	-50.27	2.95	-13.0	-37.27	198.00	Vertical	Horizontal	Pass
4791.800	-47.45	8.24	-13.0	-34.45	156.00	Vertical	Horizontal	Pass
9293.650	-40.46	17.57	-13.0	-27.46	256.00	Vertical	Horizontal	Pass


### 33.4 LTE Band 12 BW10, Middle Channel

RSE-H&H LTE Band 12 BW10 CH23095




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
141.647	-75.05	-16.57	-13.0	-62.05	180.00	Horizontal	Horizontal	Pass
347.772	-69.69	-10.31	-13.0	-56.69	111.00	Horizontal	Horizontal	Pass
703.131	-57.70	0.20	-13.0	-44.70	194.00	Horizontal	Horizontal	N/A
1781.900	-50.50	3.62	-13.0	-37.50	105.00	Horizontal	Horizontal	Pass
5645.400	-45.68	8.43	-13.0	-32.68	235.00	Horizontal	Horizontal	Pass
9357.550	-39.93	17.09	-13.0	-26.93	56.00	Horizontal	Horizontal	Pass

RSE-H&V LTE Band 12 BW10 CH23095




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
163.908	-73.11	-14.66	-13.0	-60.11	132.00	Horizontal	Vertical	Pass
365.571	-71.80	-9.57	-13.0	-58.80	68.00	Horizontal	Vertical	Pass
703.131	-60.27	0.20	-13.0	-47.27	249.00	Horizontal	Vertical	N/A
1799.300	-50.63	2.40	-13.0	-37.63	218.00	Horizontal	Vertical	Pass
4766.800	-47.73	7.94	-13.0	-34.73	0.00	Horizontal	Vertical	Pass
9295.600	-40.11	17.61	-13.0	-27.11	236.00	Horizontal	Vertical	Pass

RSE-V&V LTE Band 12 BW10 CH23095



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
34.365	-68.92	-19.28	-13.0	-55.92	241.00	Vertical	Vertical	Pass
356.987	-69.40	-9.84	-13.0	-56.40	263.00	Vertical	Vertical	Pass
703.131	-54.26	0.20	-13.0	-41.26	31.00	Vertical	Vertical	N/A
1786.100	-50.49	3.61	-13.0	-37.49	67.00	Vertical	Vertical	Pass
4364.400	-47.84	7.37	-13.0	-34.84	207.00	Vertical	Vertical	Pass
9320.350	-39.36	17.68	-13.0	-26.36	6.00	Vertical	Vertical	Pass

RSE-V&H LTE Band 12 BW10 CH23095




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
42.416	-74.37	-18.61	-13.0	-61.37	119.00	Vertical	Horizontal	Pass
381.382	-66.99	-8.73	-13.0	-53.99	196.00	Vertical	Horizontal	Pass
703.180	-61.78	0.21	-13.0	-48.78	177.00	Vertical	Horizontal	N/A
1797.200	-50.91	2.53	-13.0	-37.91	282.00	Vertical	Horizontal	Pass
5308.200	-46.04	7.16	-13.0	-33.04	242.00	Vertical	Horizontal	Pass
9335.200	-39.15	17.28	-13.0	-26.15	176.00	Vertical	Horizontal	Pass



### 34 LTE Band 17

#### 34.1 LTE Band 17 BW5, Middle Channel


RSE-H&H LTE Band 17 BW5 CH23790



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
160.611	-72.97	-14.86	-13.0	-59.97	170.00	Horizontal	Horizontal	Pass
329.973	-72.02	-11.10	-13.0	-59.02	51.00	Horizontal	Horizontal	Pass
707.787	-44.09	0.42	-13.0	-31.09	242.00	Horizontal	Horizontal	N/A
1418.800	-54.98	-2.61	-13.0	-41.98	9.00	Horizontal	Horizontal	Pass
2720.900	-40.36	14.97	-13.0	-27.36	166.00	Horizontal	Horizontal	Pass
9277.000	-40.08	17.24	-13.0	-27.08	156.00	Horizontal	Horizontal	Pass

RSE-H&V LTE Band 17 BW5 CH23790


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 22\_LTE B17



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
146.060	-76.79	-15.83	-13.0	-63.79	159.00	Horizontal	Vertical	Pass
352.428	-72.05	-10.07	-13.0	-59.05	159.00	Horizontal	Vertical	Pass
707.787	-43.67	0.42	-13.0	-30.67	147.00	Horizontal	Vertical	N/A
1318.200	-54.91	-2.82	-13.0	-41.91	141.00	Horizontal	Vertical	Pass
2706.200	-40.50	12.12	-13.0	-27.50	161.00	Horizontal	Vertical	Pass
9330.099	-39.61	17.41	-13.0	-26.61	274.00	Horizontal	Vertical	Pass

RSE-V&V LTE Band 17 BW5 CH23790


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 22\_LTE B17



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
76.802	-75.12	-18.36	-13.0	-62.12	136.00	Vertical	Vertical	Pass
353.253	-71.36	-10.03	-13.0	-58.36	123.00	Vertical	Vertical	Pass
707.836	-38.30	0.43	-13.0	-25.30	59.00	Vertical	Vertical	N/A
1332.400	-54.37	-2.75	-13.0	-41.37	75.00	Vertical	Vertical	Pass
2721.100	-39.93	15.00	-13.0	-26.93	252.00	Vertical	Vertical	Pass
9321.550	-39.59	17.65	-13.0	-26.59	224.00	Vertical	Vertical	Pass

RSE-V&H LTE Band 17 BW5 CH23790

OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 22\_LTE B17




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
42.465	-74.60	-18.64	-13.0	-61.60	48.00	Vertical	Horizontal	Pass
284.237	-70.56	-11.48	-13.0	-57.56	349.00	Vertical	Horizontal	Pass
707.836	-52.10	0.43	-13.0	-39.10	168.00	Vertical	Horizontal	N/A
1274.900	-55.60	-3.02	-13.0	-42.60	348.00	Vertical	Horizontal	Pass
2732.800	-40.60	14.61	-13.0	-27.60	331.00	Vertical	Horizontal	Pass
9245.799	-40.09	17.08	-13.0	-27.09	178.00	Vertical	Horizontal	Pass

### 34.2 LTE Band 17 BW10, Middle Channel

RSE-H&H LTE Band 17 BW10 CH23790


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 22\_LTE B17



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
160.999	-71.89	-14.85	-13.0	-58.89	189.00	Horizontal	Horizontal	Pass
285.934	-72.05	-11.54	-13.0	-59.05	64.00	Horizontal	Horizontal	Pass
705.557	-42.13	0.32	-13.0	-29.13	244.00	Horizontal	Horizontal	N/A
1599.000	-54.36	-2.95	-13.0	-41.36	75.00	Horizontal	Horizontal	Pass
2715.000	-40.39	13.50	-13.0	-27.39	190.00	Horizontal	Horizontal	Pass
9267.100	-39.87	17.17	-13.0	-26.87	167.00	Horizontal	Horizontal	Pass

RSE-H&V LTE Band 17 BW10 CH23790


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 22\_LTE B17



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
354.174	-72.36	-10.05	-13.0	-59.36	163.00	Horizontal	Vertical	Pass
705.557	-42.56	0.32	-13.0	-29.56	152.00	Horizontal	Vertical	N/A
755.026	-65.07	2.04	-13.0	-52.07	359.00	Horizontal	Vertical	N/A
1417.400	-54.91	-2.57	-13.0	-41.91	53.00	Horizontal	Vertical	Pass
2720.800	-40.85	14.96	-13.0	-27.85	330.00	Horizontal	Vertical	Pass
6691.800	-42.18	11.68	-13.0	-29.18	90.00	Horizontal	Vertical	Pass

RSE-V&V LTE Band 17 BW10 CH23790


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 22\_LTE B17



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
49.982	-75.29	-17.33	-13.0	-62.29	0.00	Vertical	Vertical	Pass
354.417	-71.36	-10.06	-13.0	-58.36	116.00	Vertical	Vertical	Pass
705.605	-36.46	0.32	-13.0	-23.46	45.00	Vertical	Vertical	N/A
1354.200	-54.62	-2.56	-13.0	-41.62	228.00	Vertical	Vertical	Pass
2686.000	-40.12	14.22	-13.0	-27.12	335.00	Vertical	Vertical	Pass
6614.000	-42.19	12.42	-13.0	-29.19	165.00	Vertical	Vertical	Pass

RSE-V&H LTE Band 17 BW10 CH23790

OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 22\_LTE B17




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
42.319	-73.98	-18.56	-13.0	-60.98	48.00	Vertical	Horizontal	Pass
287.195	-70.00	-11.51	-13.0	-57.00	0.00	Vertical	Horizontal	Pass
705.654	-49.99	0.32	-13.0	-36.99	164.00	Vertical	Horizontal	N/A
1344.400	-55.28	-2.66	-13.0	-42.28	334.00	Vertical	Horizontal	Pass
2716.300	-40.60	13.89	-13.0	-27.60	191.00	Vertical	Horizontal	Pass
9277.600	-40.06	17.24	-13.0	-27.06	-1.00	Vertical	Horizontal	Pass



### 35 LTE Band 26 (Part22)

### 35.1 LTE Band 26 (Part22) BW1.4, Middle Channel


RSE-H&H LTE Band 26 (Part22) BW1.4 CH26915



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
160.659	-71.65	-15.40	-13.0	-58.65	173.00	Horizontal	Horizontal	Pass
289.523	-70.49	-12.56	-13.0	-57.49	61.00	Horizontal	Horizontal	Pass
831.026	-40.64	2.09	-13.0	-27.64	207.00	Horizontal	Horizontal	N/A
876.325	-29.96	2.64	-13.0	-16.96	195.00	Horizontal	Horizontal	N/A
2431.000	-52.33	0.12	-13.0	-39.33	173.00	Horizontal	Horizontal	Pass
5715.600	-45.14	8.28	-13.0	-32.14	159.00	Horizontal	Horizontal	Pass

RSE-H&V LTE Band 26 (Part22) BW1.4 CH26915


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 22\_850\_GSM 850&CDMA BC0&WCDMA B5&LTE B5&26



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
341.370	-71.81	-11.48	-13.0	-58.81	129.00	Horizontal	Vertical	Pass
830.977	-41.51	2.09	-13.0	-28.51	154.00	Horizontal	Vertical	N/A
876.131	-32.21	2.62	-13.0	-19.21	206.00	Horizontal	Vertical	N/A
1841.600	-56.34	-4.53	-13.0	-43.34	227.00	Horizontal	Vertical	Pass
4772.200	-46.20	8.02	-13.0	-33.20	281.00	Horizontal	Vertical	Pass
9318.250	-40.27	17.69	-13.0	-27.27	10.00	Horizontal	Vertical	Pass

RSE-V&V LTE Band 26 (Part22) BW1.4 CH26915


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 22\_850\_GSM 850&CDMA BC0&WCDMA B5&LTE B5&26



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
342.486	-72.99	-11.35	-13.0	-59.99	105.00	Vertical	Vertical	Pass
830.977	-37.67	2.09	-13.0	-24.67	149.00	Vertical	Vertical	N/A
876.422	-39.24	2.64	-13.0	-26.24	349.00	Vertical	Vertical	N/A
1768.900	-57.44	-5.25	-13.0	-44.44	268.00	Vertical	Vertical	Pass
4307.000	-48.49	6.63	-13.0	-35.49	178.00	Vertical	Vertical	Pass
9338.050	-40.31	17.20	-13.0	-27.31	-1.00	Vertical	Vertical	Pass

RSE-V&H LTE Band 26 (Part22) BW1.4 CH26915


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 22\_850\_GSM 850&CDMA BC0&WCDMA B5&LTE B5&26



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
287.583	-69.81	-12.54	-13.0	-56.81	346.00	Vertical	Horizontal	Pass
831.074	-42.62	2.09	-13.0	-29.62	64.00	Vertical	Horizontal	N/A
876.567	-37.45	2.65	-13.0	-24.45	108.00	Vertical	Horizontal	N/A
1690.000	-57.59	-5.42	-13.0	-44.59	300.00	Vertical	Horizontal	Pass
3383.400	-50.49	3.97	-13.0	-37.49	123.00	Vertical	Horizontal	Pass
9353.800	-39.50	17.10	-13.0	-26.50	191.00	Vertical	Horizontal	Pass


### 35.2 LTE Band 26 (Part22) BW3, Middle Channel

RSE-H&H LTE Band 26 (Part22) BW3 CH26915




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
161.581	-70.33	-15.37	-13.0	-57.33	157.00	Horizontal	Horizontal	Pass
830.298	-39.43	2.07	-13.0	-26.43	204.00	Horizontal	Horizontal	N/A
877.198	-29.16	2.70	-13.0	-16.16	186.00	Horizontal	Horizontal	N/A
2197.800	-53.47	-1.19	-13.0	-40.47	359.00	Horizontal	Horizontal	Pass
5012.400	-46.85	7.13	-13.0	-33.85	64.00	Horizontal	Horizontal	Pass
9336.849	-40.08	17.23	-13.0	-27.08	77.00	Horizontal	Horizontal	Pass

RSE-H&V LTE Band 26 (Part22) BW3 CH26915



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
341.952	-71.97	-11.41	-13.0	-58.97	138.00	Horizontal	Vertical	Pass
830.298	-40.17	2.07	-13.0	-27.17	65.00	Horizontal	Vertical	N/A
877.004	-32.59	2.68	-13.0	-19.59	181.00	Horizontal	Vertical	N/A
1391.500	-56.73	-4.27	-13.0	-43.73	67.00	Horizontal	Vertical	Pass
3837.800	-49.01	6.22	-13.0	-36.01	299.00	Horizontal	Vertical	Pass
9310.451	-39.91	17.70	-13.0	-26.91	41.00	Horizontal	Vertical	Pass


RSE-V&V LTE Band 26 (Part22) BW3 CH26915



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
341.903	-73.00	-11.42	-13.0	-60.00	81.00	Vertical	Vertical	Pass
830.250	-38.02	2.07	-13.0	-25.02	135.00	Vertical	Vertical	N/A
877.101	-37.94	2.69	-13.0	-24.94	111.00	Vertical	Vertical	N/A
1335.000	-56.35	-4.24	-13.0	-43.35	338.00	Vertical	Vertical	Pass
4365.800	-47.41	7.27	-13.0	-34.41	85.00	Vertical	Vertical	Pass
9269.650	-40.07	17.19	-13.0	-27.07	0.00	Vertical	Vertical	Pass

RSE-V&H LTE Band 26 (Part22) BW3 CH26915

OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 22\_850\_GSM 850&CDMA BC0&WCDMA B5&LTE B5&26




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
287.438	-70.44	-12.54	-13.0	-57.44	354.00	Vertical	Horizontal	Pass
830.347	-41.28	2.07	-13.0	-28.28	81.00	Vertical	Horizontal	N/A
876.374	-37.89	2.64	-13.0	-24.89	114.00	Vertical	Horizontal	N/A
1687.000	-57.42	-5.43	-13.0	-44.42	327.00	Vertical	Horizontal	Pass
3944.200	-49.38	5.98	-13.0	-36.38	74.00	Vertical	Horizontal	Pass
9311.651	-40.20	17.70	-13.0	-27.20	0.00	Vertical	Horizontal	Pass



### 35.3 LTE Band 26 (Part22) BW5, Middle Channel


RSE-H&H LTE Band 26 (Part22) BW5 CH26915



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
160.902	-70.85	-15.39	-13.0	-57.85	185.00	Horizontal	Horizontal	Pass
829.425	-46.21	2.05	-13.0	-33.21	212.00	Horizontal	Horizontal	N/A
877.392	-29.71	2.71	-13.0	-16.71	185.00	Horizontal	Horizontal	N/A
2178.000	-53.40	-1.29	-13.0	-40.40	360.00	Horizontal	Horizontal	Pass
4917.800	-47.10	7.71	-13.0	-34.10	258.00	Horizontal	Horizontal	Pass
9245.500	-40.11	17.08	-13.0	-27.11	133.00	Horizontal	Horizontal	Pass

RSE-H&V LTE Band 26 (Part22) BW5 CH26915


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 22\_850\_GSM 850&CDMA BC0&WCDMA B5&LTE B5&26



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
342.243	-71.55	-11.37	-13.0	-58.55	148.00	Horizontal	Vertical	Pass
829.329	-48.41	2.04	-13.0	-35.41	67.00	Horizontal	Vertical	N/A
874.579	-31.82	2.55	-13.0	-18.82	189.00	Horizontal	Vertical	N/A
1351.400	-56.77	-4.36	-13.0	-43.77	343.00	Horizontal	Vertical	Pass
2724.400	-52.05	0.32	-13.0	-39.05	331.00	Horizontal	Vertical	Pass
9330.700	-39.27	17.40	-13.0	-26.27	179.00	Horizontal	Vertical	Pass


RSE-V&V LTE Band 26 (Part22) BW5 CH26915

OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 22\_850\_GSM 850&CDMA BC0&WCDMA B5&LTE B5&26



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
340.303	-72.89	-11.62	-13.0	-59.89	92.00	Vertical	Vertical	Pass
829.425	-45.50	2.05	-13.0	-32.50	199.00	Vertical	Vertical	N/A
875.791	-37.36	2.60	-13.0	-24.36	109.00	Vertical	Vertical	N/A
1348.400	-56.13	-4.45	-13.0	-43.13	254.00	Vertical	Vertical	Pass
3009.000	-50.48	3.22	-13.0	-37.48	313.00	Vertical	Vertical	Pass
9299.200	-40.55	17.69	-13.0	-27.55	171.00	Vertical	Vertical	Pass


RSE-V&H LTE Band 26 (Part22) BW5 CH26915



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
286.177	-70.33	-12.57	-13.0	-57.33	334.00	Vertical	Horizontal	Pass
829.377	-48.16	2.04	-13.0	-35.16	69.00	Vertical	Horizontal	N/A
876.422	-36.92	2.64	-13.0	-23.92	113.00	Vertical	Horizontal	N/A
2468.200	-52.93	-0.91	-13.0	-39.93	195.00	Vertical	Horizontal	Pass
4767.000	-47.10	7.92	-13.0	-34.10	275.00	Vertical	Horizontal	Pass
9312.700	-39.84	17.70	-13.0	-26.84	7.00	Vertical	Horizontal	Pass


### 35.4 LTE Band 26 (Part22) BW10, Middle Channel

RSE-H&H LTE Band 26 (Part22) BW10 CH26915



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
160.368	-71.99	-15.41	-13.0	-58.99	149.00	Horizontal	Horizontal	Pass
827.049	-54.29	1.98	-13.0	-41.29	216.00	Horizontal	Horizontal	N/A
874.530	-29.43	2.55	-13.0	-16.43	185.00	Horizontal	Horizontal	N/A
2304.600	-53.12	-1.04	-13.0	-40.12	320.00	Horizontal	Horizontal	Pass
5149.400	-46.67	7.67	-13.0	-33.67	21.00	Horizontal	Horizontal	Pass
9295.000	-40.38	17.60	-13.0	-27.38	91.00	Horizontal	Horizontal	Pass


RSE-H&V LTE Band 26 (Part22) BW10 CH26915



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
340.158	-71.82	-11.63	-13.0	-58.82	162.00	Horizontal	Vertical	Pass
827.097	-57.39	1.98	-13.0	-44.39	65.00	Horizontal	Vertical	Pass
879.284	-31.56	2.68	-13.0	-18.56	194.00	Horizontal	Vertical	Pass
2221.700	-53.84	-0.54	-13.0	-40.84	134.00	Horizontal	Vertical	Pass
4682.000	-47.45	7.47	-13.0	-34.45	190.00	Horizontal	Vertical	Pass
9286.300	-39.06	17.40	-13.0	-26.06	136.00	Horizontal	Vertical	Pass

RSE-V&V LTE Band 26 (Part22) BW10 CH26915


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 22\_850\_GSM 850&CDMA BC0&WCDMA B5&LTE B5&26



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
42.270	-74.35	-18.83	-13.0	-61.35	42.00	Vertical	Vertical	Pass
827.049	-54.11	1.98	-13.0	-41.11	135.00	Vertical	Vertical	N/A
877.537	-38.15	2.72	-13.0	-25.15	113.00	Vertical	Vertical	N/A
2049.400	-54.91	-2.54	-13.0	-41.91	353.00	Vertical	Vertical	Pass
5182.000	-46.54	7.87	-13.0	-33.54	26.00	Vertical	Vertical	Pass
9371.650	-38.80	17.21	-13.0	-25.80	315.00	Vertical	Vertical	Pass

RSE-V&H LTE Band 26 (Part22) BW10 CH26915

OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 22\_850\_GSM 850&CDMA BC0&WCDMA B5&LTE B5&26




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
286.856	-70.23	-12.55	-13.0	-57.23	13.00	Vertical	Horizontal	Pass
827.049	-57.02	1.98	-13.0	-44.02	73.00	Vertical	Horizontal	N/A
873.463	-37.15	2.51	-13.0	-24.15	115.00	Vertical	Horizontal	N/A
2406.800	-52.74	-0.65	-13.0	-39.74	360.00	Vertical	Horizontal	Pass
5126.000	-46.06	8.08	-13.0	-33.06	285.00	Vertical	Horizontal	Pass
9455.651	-40.05	17.24	-13.0	-27.05	231.00	Vertical	Horizontal	Pass




### 35.5 LTE Band 26 (Part22) BW15, Middle Channel

RSE-H&H LTE Band 26 (Part22) BW15 CH26915




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
160.708	-71.94	-15.40	-13.0	-58.94	177.00	Horizontal	Horizontal	Pass
824.866	-60.84	1.92	-13.0	-47.84	214.00	Horizontal	Horizontal	N/A
878.702	-31.73	2.71	-13.0	-18.73	200.00	Horizontal	Horizontal	N/A
1419.100	-56.88	-4.59	-13.0	-43.88	209.00	Horizontal	Horizontal	Pass
3969.800	-49.58	5.91	-13.0	-36.58	117.00	Horizontal	Horizontal	Pass
9339.099	-39.68	17.17	-13.0	-26.68	31.00	Horizontal	Horizontal	Pass

RSE-H&V LTE Band 26 (Part22) BW15 CH26915




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
340.206	-71.54	-11.63	-13.0	-58.54	137.00	Horizontal	Vertical	Pass
824.915	-63.98	1.92	-13.0	-50.98	127.00	Horizontal	Vertical	N/A
881.175	-31.37	2.63	-13.0	-18.37	179.00	Horizontal	Vertical	N/A
1333.200	-56.78	-4.33	-13.0	-43.78	24.00	Horizontal	Vertical	Pass
3550.200	-50.24	4.45	-13.0	-37.24	119.00	Horizontal	Vertical	Pass
9269.950	-40.34	17.19	-13.0	-27.34	48.00	Horizontal	Vertical	Pass

RSE-V&V LTE Band 26 (Part22) BW15 CH26915



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
341.079	-72.47	-11.52	-13.0	-59.47	91.00	Vertical	Vertical	Pass
824.915	-60.87	1.92	-13.0	-47.87	116.00	Vertical	Vertical	N/A
870.602	-37.67	2.46	-13.0	-24.67	106.00	Vertical	Vertical	N/A
2199.100	-53.83	-1.04	-13.0	-40.83	251.00	Vertical	Vertical	Pass
5464.200	-45.98	8.20	-13.0	-32.98	36.00	Vertical	Vertical	Pass
9282.550	-39.69	17.31	-13.0	-26.69	271.00	Vertical	Vertical	Pass

RSE-V&H LTE Band 26 (Part22) BW15 CH26915




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
288.845	-70.54	-12.55	-13.0	-57.54	0.00	Vertical	Horizontal	Pass
824.915	-63.26	1.92	-13.0	-50.26	70.00	Vertical	Horizontal	N/A
871.135	-38.58	2.44	-13.0	-25.58	104.00	Vertical	Horizontal	N/A
1336.400	-56.62	-4.31	-13.0	-43.62	208.00	Vertical	Horizontal	Pass
4589.200	-47.54	6.81	-13.0	-34.54	227.00	Vertical	Horizontal	Pass
9805.300	-40.03	17.37	-13.0	-27.03	35.00	Vertical	Horizontal	Pass

### 36 LTE Band 26 (Part90)

#### 36.1 LTE Band 26 (Part90) BW1.4, Middle Channel


RSE-H&H LTE Band 26 (Part90) BW1.4 CH26740



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
329.342	-70.60	-11.82	-13.0	-57.60	103.00	Horizontal	Horizontal	Pass
818.562	-46.33	1.79	-13.0	-33.33	355.00	Horizontal	Horizontal	N/A
863.860	-32.71	2.25	-13.0	-19.71	195.00	Horizontal	Horizontal	N/A
2213.200	-53.60	-0.73	-13.0	-40.60	254.00	Horizontal	Horizontal	Pass
5085.400	-46.09	7.91	-13.0	-33.09	252.00	Horizontal	Horizontal	Pass
9500.200	-40.15	17.20	-13.0	-27.15	315.00	Horizontal	Horizontal	Pass

RSE-H&V LTE Band 26 (Part90) BW1.4 CH26740


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 22\_850\_GSM 850&CDMA BC0&WCDMA B5&LTE B5&26



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
154.596	-76.51	-15.37	-13.0	-63.51	91.00	Horizontal	Vertical	Pass
818.513	-43.62	1.79	-13.0	-30.62	30.00	Horizontal	Vertical	N/A
863.909	-30.66	2.25	-13.0	-17.66	1.00	Horizontal	Vertical	N/A
2382.000	-52.77	-0.81	-13.0	-39.77	66.00	Horizontal	Vertical	Pass
4895.600	-46.90	7.77	-13.0	-33.90	80.00	Horizontal	Vertical	Pass
9312.550	-39.96	17.70	-13.0	-26.96	237.00	Horizontal	Vertical	Pass


RSE-V&V LTE Band 26 (Part90) BW1.4 CH26740

OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 22\_850\_GSM 850&CDMA BC0&WCDMA B5&LTE B5&26



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
49.934	-75.39	-17.63	-13.0	-62.39	270.00	Vertical	Vertical	Pass
818.562	-39.79	1.79	-13.0	-26.79	360.00	Vertical	Vertical	N/A
864.151	-34.72	2.26	-13.0	-21.72	115.00	Vertical	Vertical	N/A
3218.400	-50.69	4.37	-13.0	-37.69	144.00	Vertical	Vertical	Pass
5166.400	-46.19	7.84	-13.0	-33.19	51.00	Vertical	Vertical	Pass
9388.900	-39.77	17.31	-13.0	-26.77	-1.00	Vertical	Vertical	Pass

RSE-V&H LTE Band 26 (Part90) BW1.4 CH26740




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
42.416	-72.99	-18.90	-13.0	-59.99	48.00	Vertical	Horizontal	Pass
818.562	-49.25	1.79	-13.0	-36.25	134.00	Vertical	Horizontal	N/A
864.200	-33.99	2.26	-13.0	-20.99	126.00	Vertical	Horizontal	N/A
2427.000	-52.84	-0.20	-13.0	-39.84	265.00	Vertical	Horizontal	Pass
4783.000	-47.30	8.23	-13.0	-34.30	319.00	Vertical	Horizontal	Pass
9296.050	-39.64	17.62	-13.0	-26.64	361.00	Vertical	Horizontal	Pass



### 36.2 LTE Band 26 (Part90) BW3, Middle Channel


RSE-H&H LTE Band 26 (Part90) BW3 CH26740



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
157.604	-72.12	-15.39	-13.0	-59.12	82.00	Horizontal	Horizontal	Pass
817.737	-45.33	1.80	-13.0	-32.33	360.00	Horizontal	Horizontal	N/A
864.734	-31.50	2.27	-13.0	-18.50	185.00	Horizontal	Horizontal	N/A
2052.300	-54.73	-2.49	-13.0	-41.73	79.00	Horizontal	Horizontal	Pass
5258.400	-46.43	7.39	-13.0	-33.43	122.00	Horizontal	Horizontal	Pass
9310.451	-40.34	17.70	-13.0	-27.34	211.00	Horizontal	Horizontal	Pass


RSE-H&V LTE Band 26 (Part90) BW3 CH26740

OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 22\_850\_GSM 850&CDMA BC0&WCDMA B5&LTE B5&26




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
285.498	-75.22	-12.59	-13.0	-62.22	213.00	Horizontal	Vertical	Pass
817.737	-42.93	1.80	-13.0	-29.93	43.00	Horizontal	Vertical	N/A
864.588	-30.91	2.27	-13.0	-17.91	190.00	Horizontal	Vertical	N/A
2272.700	-53.58	-1.15	-13.0	-40.58	40.00	Horizontal	Vertical	Pass
4761.600	-47.32	7.67	-13.0	-34.32	162.00	Horizontal	Vertical	Pass
9791.799	-38.66	17.13	-13.0	-25.66	229.00	Horizontal	Vertical	Pass

RSE-V&V LTE Band 26 (Part90) BW3 CH26740



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
46.393	-75.17	-18.92	-13.0	-62.17	273.00	Vertical	Vertical	Pass
817.688	-39.15	1.80	-13.0	-26.15	216.00	Vertical	Vertical	N/A
864.151	-33.23	2.26	-13.0	-20.23	127.00	Vertical	Vertical	N/A
2914.900	-51.58	2.61	-13.0	-38.58	289.00	Vertical	Vertical	Pass
6679.200	-41.95	12.06	-13.0	-28.95	340.00	Vertical	Vertical	Pass
9275.201	-40.57	17.22	-13.0	-27.57	325.00	Vertical	Vertical	Pass


RSE-V&H LTE Band 26 (Part90) BW3 CH26740



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
42.270	-72.72	-18.83	-13.0	-59.72	73.00	Vertical	Horizontal	Pass
817.737	-48.35	1.80	-13.0	-35.35	143.00	Vertical	Horizontal	N/A
864.976	-34.69	2.28	-13.0	-21.69	108.00	Vertical	Horizontal	N/A
2385.000	-53.17	-0.82	-13.0	-40.17	327.00	Vertical	Horizontal	Pass
5075.800	-47.02	7.99	-13.0	-34.02	71.00	Vertical	Horizontal	Pass
9354.250	-39.65	17.10	-13.0	-26.65	32.00	Vertical	Horizontal	Pass


### 36.3 LTE Band 26 (Part90) BW5, Middle Channel

RSE-H&H LTE Band 26 (Part90) BW5 CH26740



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
328.226	-70.58	-11.85	-13.0	-57.58	87.00	Horizontal	Horizontal	Pass
816.912	-48.40	1.80	-13.0	-35.40	360.00	Horizontal	Horizontal	N/A
862.890	-31.01	2.25	-13.0	-18.01	192.00	Horizontal	Horizontal	N/A
2296.200	-53.39	-1.12	-13.0	-40.39	360.00	Horizontal	Horizontal	Pass
4773.600	-47.01	8.05	-13.0	-34.01	360.00	Horizontal	Horizontal	Pass
9284.350	-40.47	17.35	-13.0	-27.47	-1.00	Horizontal	Horizontal	Pass


RSE-H&V LTE Band 26 (Part90) BW5 CH26740



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
284.334	-74.94	-12.53	-13.0	-61.94	221.00	Horizontal	Vertical	Pass
816.864	-46.78	1.80	-13.0	-33.78	47.00	Horizontal	Vertical	N/A
865.994	-31.28	2.33	-13.0	-18.28	188.00	Horizontal	Vertical	N/A
2029.700	-55.06	-3.25	-13.0	-42.06	311.00	Horizontal	Vertical	Pass
3648.400	-50.40	4.61	-13.0	-37.40	309.00	Horizontal	Vertical	Pass
9303.250	-40.11	17.71	-13.0	-27.11	89.00	Horizontal	Vertical	Pass

RSE-V&V LTE Band 26 (Part90) BW5 CH26740


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 22\_850\_GSM 850&CDMA BC0&WCDMA B5&LTE B5&26



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
49.982	-74.40	-17.62	-13.0	-61.40	310.00	Vertical	Vertical	Pass
816.864	-42.72	1.80	-13.0	-29.72	1.00	Vertical	Vertical	N/A
865.607	-33.82	2.31	-13.0	-20.82	111.00	Vertical	Vertical	N/A
2182.900	-54.06	-1.35	-13.0	-41.06	72.00	Vertical	Vertical	Pass
5079.400	-46.14	8.03	-13.0	-33.14	310.00	Vertical	Vertical	Pass
9456.850	-39.86	17.24	-13.0	-26.86	26.00	Vertical	Vertical	Pass

RSE-V&H LTE Band 26 (Part90) BW5 CH26740

OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 22\_850\_GSM 850&CDMA BC0&WCDMA B5&LTE B5&26




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
42.222	-72.84	-18.80	-13.0	-59.84	52.00	Vertical	Horizontal	Pass
816.912	-52.24	1.80	-13.0	-39.24	140.00	Vertical	Horizontal	N/A
864.588	-33.86	2.27	-13.0	-20.86	121.00	Vertical	Horizontal	N/A
1415.400	-57.19	-4.72	-13.0	-44.19	360.00	Vertical	Horizontal	Pass
3939.200	-48.70	5.86	-13.0	-35.70	334.00	Vertical	Horizontal	Pass
9270.850	-39.69	17.20	-13.0	-26.69	9.00	Vertical	Horizontal	Pass



### 36.4 LTE Band 26 (Part90) BW10, Middle Channel


RSE-H&H LTE Band 26 (Part90) BW10 CH26740



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
156.973	-72.02	-15.39	-13.0	-59.02	57.00	Horizontal	Horizontal	Pass
814.536	-43.07	1.82	-13.0	-30.07	360.00	Horizontal	Horizontal	N/A
864.879	-31.25	2.27	-13.0	-18.25	187.00	Horizontal	Horizontal	N/A
2424.800	-53.45	-0.44	-13.0	-40.45	136.00	Horizontal	Horizontal	Pass
5202.600	-46.72	7.41	-13.0	-33.72	180.00	Horizontal	Horizontal	Pass
9524.350	-40.21	17.11	-13.0	-27.21	32.00	Horizontal	Horizontal	Pass


RSE-H&V LTE Band 26 (Part90) BW10 CH26740

OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 22\_850\_GSM 850&CDMA BC0&WCDMA B5&LTE B5&26




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
108.085	-75.84	-22.68	-13.0	-62.84	360.00	Horizontal	Vertical	Pass
814.536	-41.82	1.82	-13.0	-28.82	129.00	Horizontal	Vertical	N/A
861.678	-30.79	2.45	-13.0	-17.79	190.00	Horizontal	Vertical	N/A
2228.300	-53.13	-0.72	-13.0	-40.13	0.00	Horizontal	Vertical	Pass
4907.200	-47.11	8.04	-13.0	-34.11	0.00	Horizontal	Vertical	Pass
9282.099	-39.65	17.30	-13.0	-26.65	159.00	Horizontal	Vertical	Pass

RSE-V&V LTE Band 26 (Part90) BW10 CH26740



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
46.393	-75.05	-18.92	-13.0	-62.05	333.00	Vertical	Vertical	Pass
814.536	-37.89	1.82	-13.0	-24.89	215.00	Vertical	Vertical	N/A
860.951	-33.22	2.56	-13.0	-20.22	122.00	Vertical	Vertical	N/A
1533.400	-57.15	-5.16	-13.0	-44.15	-1.00	Vertical	Vertical	Pass
2975.800	-51.16	2.16	-13.0	-38.16	118.00	Vertical	Vertical	Pass
8816.950	-41.16	15.89	-13.0	-28.16	130.00	Vertical	Vertical	Pass

RSE-V&H LTE Band 26 (Part90) BW10 CH26740




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
35.141	-71.44	-19.62	-13.0	-58.44	227.00	Vertical	Horizontal	Pass
814.536	-48.20	1.82	-13.0	-35.20	127.00	Vertical	Horizontal	N/A
860.659	-33.10	2.57	-13.0	-20.10	116.00	Vertical	Horizontal	N/A
2215.900	-53.06	-0.82	-13.0	-40.06	205.00	Vertical	Horizontal	Pass
5685.200	-45.60	9.04	-13.0	-32.60	295.00	Vertical	Horizontal	Pass
9289.150	-39.86	17.46	-13.0	-26.86	9.00	Vertical	Horizontal	Pass

### 37 LTE Band 38

### 37.1 LTE Band 38 BW5, Middle Channel


RSE-H&H LTE Band 38 BW5 CH38000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
149.989	-70.23	-15.23	-25.0	-45.23	108.00	Horizontal	Horizontal	Pass
904.698	-64.85	4.43	-25.0	-39.85	88.00	Horizontal	Horizontal	Pass
1371.600	-54.83	-2.86	-25.0	-29.83	113.00	Horizontal	Horizontal	Pass
2592.800	-41.71	2.38	-25.0	-16.71	251.00	Horizontal	Horizontal	N/A
6978.600	-40.52	14.03	-25.0	-15.52	109.00	Horizontal	Horizontal	Pass
17230.137	-36.72	18.03	-25.0	-11.72	311.00	Horizontal	Horizontal	Pass

RSE-H&V LTE Band 38 BW5 CH38000


OPPO 特殊要求\_RSE Test case\_FCC PART2&24&27\_FCC PART 27\_2535\_LTE B38 & B41



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
359.606	-69.52	-10.22	-25.0	-44.52	246.00	Horizontal	Vertical	Pass
862.114	-65.41	3.27	-25.0	-40.41	297.00	Horizontal	Vertical	Pass
1354.600	-55.53	-2.98	-25.0	-30.53	35.00	Horizontal	Vertical	Pass
2593.200	-39.15	2.38	-25.0	-14.15	180.00	Horizontal	Vertical	N/A
6978.400	-41.98	14.03	-25.0	-16.98	9.00	Horizontal	Vertical	Pass
19299.287	-36.27	24.26	-25.0	-11.27	311.00	Horizontal	Vertical	Pass

RSE-V&V LTE Band 38 BW5 CH38000


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
42.319	-73.39	-18.61	-25.0	-48.39	313.00	Vertical	Vertical	Pass
360.527	-70.31	-10.13	-25.0	-45.31	32.00	Vertical	Vertical	Pass
1442.600	-55.38	-3.09	-25.0	-30.38	334.00	Vertical	Vertical	Pass
2593.200	-43.89	2.38	-25.0	-18.89	218.00	Vertical	Vertical	N/A
6419.000	-42.28	11.52	-25.0	-17.28	179.00	Vertical	Vertical	Pass
17097.824	-36.75	19.34	-25.0	-11.75	291.00	Vertical	Vertical	Pass

RSE-V&H LTE Band 38 BW5 CH38000

OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
42.173	-68.73	-18.53	-25.0	-43.73	81.00	Vertical	Horizontal	Pass
903.679	-65.45	4.48	-25.0	-40.45	219.00	Vertical	Horizontal	Pass
1405.700	-55.93	-3.00	-25.0	-30.93	14.00	Vertical	Horizontal	Pass
2592.800	-45.65	2.38	-25.0	-20.65	48.00	Vertical	Horizontal	N/A
6971.000	-41.59	13.64	-25.0	-16.59	173.00	Vertical	Horizontal	Pass
17102.176	-36.83	19.41	-25.0	-11.83	0.00	Vertical	Horizontal	Pass



### 37.2 LTE Band 38 BW10, Middle Channel

RSE-H&H LTE Band 38 BW10 CH38000


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
150.620	-70.83	-15.17	-25.0	-45.83	93.00	Horizontal	Horizontal	Pass
792.226	-66.07	2.85	-25.0	-41.07	207.00	Horizontal	Horizontal	Pass
1401.800	-55.21	-2.95	-25.0	-30.21	134.00	Horizontal	Horizontal	Pass
2590.900	-39.46	2.37	-25.0	-14.46	248.00	Horizontal	Horizontal	N/A
6604.000	-42.41	12.20	-25.0	-17.41	308.00	Horizontal	Horizontal	Pass
15187.812	-36.95	18.07	-25.0	-11.95	15.00	Horizontal	Horizontal	Pass

RSE-H&V LTE Band 38 BW10 CH38000


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
360.770	-69.37	-10.10	-25.0	-44.37	246.00	Horizontal	Vertical	Pass
890.584	-64.55	4.34	-25.0	-39.55	105.00	Horizontal	Vertical	Pass
1346.600	-54.98	-2.96	-25.0	-29.98	163.00	Horizontal	Vertical	Pass
2591.000	-35.89	2.37	-25.0	-10.89	189.00	Horizontal	Vertical	N/A
6275.000	-43.27	11.18	-25.0	-18.27	294.00	Horizontal	Vertical	Pass
17103.625	-37.01	19.38	-25.0	-12.01	282.00	Horizontal	Vertical	Pass

RSE-V&V LTE Band 38 BW10 CH38000


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
40.864	-72.55	-18.30	-25.0	-47.55	152.00	Vertical	Vertical	Pass
360.770	-70.11	-10.10	-25.0	-45.11	76.00	Vertical	Vertical	Pass
1344.700	-55.41	-2.98	-25.0	-30.41	285.00	Vertical	Vertical	Pass
2590.900	-40.91	2.37	-25.0	-15.91	292.00	Vertical	Vertical	N/A
6688.000	-41.81	11.99	-25.0	-16.81	92.00	Vertical	Vertical	Pass
17103.262	-36.98	19.39	-25.0	-11.98	284.00	Vertical	Vertical	Pass

RSE-V&H LTE Band 38 BW10 CH38000

OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
42.367	-68.66	-18.64	-25.0	-43.66	124.00	Vertical	Horizontal	Pass
938.356	-64.20	4.52	-25.0	-39.20	33.00	Vertical	Horizontal	Pass
1339.300	-55.35	-2.98	-25.0	-30.35	260.00	Vertical	Horizontal	Pass
2590.900	-43.26	2.37	-25.0	-18.26	92.00	Vertical	Horizontal	N/A
6678.800	-42.64	12.06	-25.0	-17.64	146.00	Vertical	Horizontal	Pass
17104.349	-37.12	19.37	-25.0	-12.12	297.00	Vertical	Horizontal	Pass

### 37.3 LTE Band 38 BW15, Middle Channel

RSE-H&H LTE Band 38 BW15 CH38000


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
150.329	-71.07	-15.20	-25.0	-46.07	101.00	Horizontal	Horizontal	Pass
825.497	-65.80	2.32	-25.0	-40.80	0.00	Horizontal	Horizontal	Pass
1358.700	-55.65	-2.85	-25.0	-30.65	291.00	Horizontal	Horizontal	Pass
2560.200	-42.17	2.20	-25.0	-17.17	94.00	Horizontal	Horizontal	N/A
6682.000	-42.68	12.20	-25.0	-17.68	9.00	Horizontal	Horizontal	Pass
17201.863	-37.11	18.51	-25.0	-12.11	332.00	Horizontal	Horizontal	Pass

RSE-H&V LTE Band 38 BW15 CH38000


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
147.758	-71.44	-15.70	-25.0	-46.44	122.00	Horizontal	Vertical	Pass
794.942	-66.12	2.90	-25.0	-41.12	271.00	Horizontal	Vertical	Pass
1282.100	-55.00	-3.49	-25.0	-30.00	167.00	Horizontal	Vertical	Pass
2632.400	-40.20	2.70	-25.0	-15.20	175.00	Horizontal	Vertical	N/A
6974.600	-41.17	13.94	-25.0	-16.17	204.00	Horizontal	Vertical	Pass
19317.051	-36.29	24.42	-25.0	-11.29	158.00	Horizontal	Vertical	Pass

RSE-V&V LTE Band 38 BW15 CH38000


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
57.403	-71.08	-14.82	-25.0	-46.08	1.00	Vertical	Vertical	Pass
802.314	-65.49	2.68	-25.0	-40.49	220.00	Vertical	Vertical	Pass
1421.400	-55.58	-2.89	-25.0	-30.58	360.00	Vertical	Vertical	Pass
2557.100	-43.13	2.17	-25.0	-18.13	286.00	Vertical	Vertical	N/A
6682.000	-42.06	12.20	-25.0	-17.06	291.00	Vertical	Vertical	Pass
21637.675	-36.28	23.43	-25.0	-11.28	325.00	Vertical	Vertical	Pass

RSE-V&H LTE Band 38 BW15 CH38000

OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
42.562	-72.54	-18.75	-25.0	-47.54	56.00	Vertical	Horizontal	Pass
890.244	-65.72	4.32	-25.0	-40.72	0.00	Vertical	Horizontal	Pass
1588.400	-55.68	-3.27	-25.0	-30.68	84.00	Vertical	Horizontal	Pass
2564.300	-46.06	2.23	-25.0	-21.06	80.00	Vertical	Horizontal	N/A
9224.100	-40.06	16.73	-25.0	-15.06	279.00	Vertical	Horizontal	Pass
17223.975	-36.18	18.06	-25.0	-11.18	154.00	Vertical	Horizontal	Pass



### 37.4 LTE Band 38 BW20, Middle Channel

RSE-H&H LTE Band 38 BW20 CH38000


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
149.795	-70.86	-15.27	-25.0	-45.86	104.00	Horizontal	Horizontal	Pass
864.636	-64.73	3.34	-25.0	-39.73	226.00	Horizontal	Horizontal	Pass
1285.700	-55.83	-3.54	-25.0	-30.83	40.00	Horizontal	Horizontal	Pass
2562.500	-37.82	2.22	-25.0	-12.82	36.00	Horizontal	Horizontal	N/A
9289.075	-39.71	17.46	-25.0	-14.71	311.00	Horizontal	Horizontal	Pass
17106.525	-36.58	19.32	-25.0	-11.58	42.00	Horizontal	Horizontal	Pass

RSE-H&V LTE Band 38 BW20 CH38000


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
148.146	-70.85	-15.61	-25.0	-45.85	111.00	Horizontal	Vertical	Pass
358.006	-69.66	-10.15	-25.0	-44.66	236.00	Horizontal	Vertical	Pass
1307.400	-55.66	-3.32	-25.0	-30.66	340.00	Horizontal	Vertical	Pass
2561.400	-36.13	2.21	-25.0	-11.13	225.00	Horizontal	Vertical	N/A
6992.200	-41.50	13.59	-25.0	-16.50	335.00	Horizontal	Vertical	Pass
17110.150	-36.57	19.24	-25.0	-11.57	98.00	Horizontal	Vertical	Pass

RSE-V&V LTE Band 38 BW20 CH38000


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
57.063	-71.49	-14.93	-25.0	-46.49	187.00	Vertical	Vertical	Pass
597.547	-68.32	-1.82	-25.0	-43.32	158.00	Vertical	Vertical	Pass
1361.200	-55.33	-2.89	-25.0	-30.33	166.00	Vertical	Vertical	Pass
2561.200	-39.91	2.21	-25.0	-14.91	328.00	Vertical	Vertical	N/A
6708.200	-42.60	11.29	-25.0	-17.60	106.00	Vertical	Vertical	Pass
17100.364	-36.10	19.45	-25.0	-11.10	339.00	Vertical	Vertical	Pass

RSE-V&H LTE Band 38 BW20 CH38000

OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
42.077	-72.10	-18.47	-25.0	-47.10	61.00	Vertical	Horizontal	Pass
898.635	-65.08	4.46	-25.0	-40.08	360.00	Vertical	Horizontal	Pass
1513.000	-55.54	-3.49	-25.0	-30.54	341.00	Vertical	Horizontal	Pass
2586.500	-42.34	2.35	-25.0	-17.34	92.00	Vertical	Horizontal	N/A
6676.600	-41.28	12.09	-25.0	-16.28	166.00	Vertical	Horizontal	Pass
17227.962	-36.74	18.04	-25.0	-11.74	360.00	Vertical	Horizontal	Pass

### 38 LTE Band 41

### 38.1 LTE Band 41 BW5, Middle Channel


RSE-H&H LTE Band 41 BW5 CH40620



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
150.135	-71.02	-15.22	-25.0	-46.02	102.00	Horizontal	Horizontal	Pass
829.716	-65.83	2.36	-25.0	-40.83	191.00	Horizontal	Horizontal	Pass
1354.300	-55.38	-2.98	-25.0	-30.38	301.00	Horizontal	Horizontal	Pass
2591.200	-39.60	2.37	-25.0	-14.60	311.00	Horizontal	Horizontal	N/A
6989.600	-42.14	13.59	-25.0	-17.14	108.00	Horizontal	Horizontal	Pass
17132.988	-36.83	18.44	-25.0	-11.83	284.00	Horizontal	Horizontal	Pass

RSE-H&V LTE Band 41 BW5 CH40620


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
146.788	-70.44	-15.89	-25.0	-45.44	121.00	Horizontal	Vertical	Pass
926.231	-63.51	4.44	-25.0	-38.51	26.00	Horizontal	Vertical	Pass
1449.600	-54.05	-3.04	-25.0	-29.05	360.00	Horizontal	Vertical	Pass
2591.100	-35.62	2.37	-25.0	-10.62	186.00	Horizontal	Vertical	N/A
6686.200	-41.48	12.02	-25.0	-16.48	325.00	Horizontal	Vertical	Pass
17215.638	-37.23	18.18	-25.0	-12.23	286.00	Horizontal	Vertical	Pass

RSE-V&V LTE Band 41 BW5 CH40620


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
362.807	-70.01	-9.94	-25.0	-45.01	37.00	Vertical	Vertical	Pass
896.356	-64.57	4.41	-25.0	-39.57	24.00	Vertical	Vertical	Pass
1358.900	-55.29	-2.86	-25.0	-30.29	172.00	Vertical	Vertical	Pass
2591.100	-40.58	2.37	-25.0	-15.58	218.00	Vertical	Vertical	N/A
6974.800	-41.31	13.95	-25.0	-16.31	215.00	Vertical	Vertical	Pass
17105.074	-36.00	19.35	-25.0	-11.00	217.00	Vertical	Vertical	Pass

RSE-V&H LTE Band 41 BW5 CH40620

OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
42.028	-72.64	-18.44	-25.0	-47.64	121.00	Vertical	Horizontal	Pass
793.729	-66.33	2.86	-25.0	-41.33	155.00	Vertical	Horizontal	Pass
1450.000	-55.51	-3.05	-25.0	-30.51	33.00	Vertical	Horizontal	Pass
2591.100	-42.49	2.37	-25.0	-17.49	87.00	Vertical	Horizontal	N/A
6694.800	-41.84	11.77	-25.0	-16.84	354.00	Vertical	Horizontal	Pass
17059.037	-36.95	17.97	-25.0	-11.95	197.00	Vertical	Horizontal	Pass



## 38.2 LTE Band 41 BW10, Middle Channel


RSE-H&H LTE Band 41 BW10 CH40620



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
149.553	-73.73	-15.32	-25.0	-48.73	120.00	Horizontal	Horizontal	Pass
908.529	-64.61	4.40	-25.0	-39.61	139.00	Horizontal	Horizontal	Pass
1333.700	-55.36	-3.01	-25.0	-30.36	153.00	Horizontal	Horizontal	Pass
2563.500	-42.13	2.22	-25.0	-17.13	35.00	Horizontal	Horizontal	N/A
9343.412	-40.34	17.14	-25.0	-15.34	275.00	Horizontal	Horizontal	Pass
17107.614	-36.42	19.30	-25.0	-11.42	305.00	Horizontal	Horizontal	Pass

RSE-H&V LTE Band 41 BW10 CH40620


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
147.516	-70.31	-15.75	-25.0	-45.31	111.00	Horizontal	Vertical	Pass
909.984	-63.62	4.35	-25.0	-38.62	360.00	Horizontal	Vertical	Pass
1343.900	-55.59	-3.02	-25.0	-30.59	350.00	Horizontal	Vertical	Pass
2559.900	-42.50	2.20	-25.0	-17.50	314.00	Horizontal	Vertical	N/A
6684.200	-41.23	12.18	-25.0	-16.23	203.00	Horizontal	Vertical	Pass
19349.311	-35.99	23.98	-25.0	-10.99	360.00	Horizontal	Vertical	Pass

RSE-V&V LTE Band 41 BW10 CH40620


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
57.014	-72.29	-14.95	-25.0	-47.29	0.00	Vertical	Vertical	Pass
601.185	-68.63	-1.87	-25.0	-43.63	182.00	Vertical	Vertical	Pass
1311.100	-55.82	-3.02	-25.0	-30.82	288.00	Vertical	Vertical	Pass
2558.000	-47.08	2.18	-25.0	-22.08	325.00	Vertical	Vertical	N/A
6649.600	-42.15	11.83	-25.0	-17.15	345.00	Vertical	Vertical	Pass
17123.926	-36.79	18.85	-25.0	-11.79	172.00	Vertical	Vertical	Pass

RSE-V&H LTE Band 41 BW10 CH40620

OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
42.416	-71.81	-18.66	-25.0	-46.81	126.00	Vertical	Horizontal	Pass
920.169	-64.44	4.40	-25.0	-39.44	99.00	Vertical	Horizontal	Pass
1254.500	-55.71	-3.51	-25.0	-30.71	47.00	Vertical	Horizontal	Pass
2556.500	-48.36	2.17	-25.0	-23.36	83.00	Vertical	Horizontal	N/A
9311.213	-39.79	17.70	-25.0	-14.79	98.00	Vertical	Horizontal	Pass
17114.500	-36.55	19.15	-25.0	-11.55	274.00	Vertical	Horizontal	Pass

### 38.3 LTE Band 41 BW15, Middle Channel

RSE-H&H LTE Band 41 BW15 CH40620


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
149.795	-71.46	-15.27	-25.0	-46.46	95.00	Horizontal	Horizontal	Pass
866.528	-65.29	3.52	-25.0	-40.29	282.00	Horizontal	Horizontal	Pass
1389.600	-55.19	-2.95	-25.0	-30.19	98.00	Horizontal	Horizontal	Pass
2586.700	-40.44	2.35	-25.0	-15.44	351.00	Horizontal	Horizontal	N/A
6679.400	-42.24	12.07	-25.0	-17.24	312.00	Horizontal	Horizontal	Pass
15233.487	-36.32	17.97	-25.0	-11.32	265.00	Horizontal	Horizontal	Pass

RSE-H&V LTE Band 41 BW15 CH40620


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
358.927	-69.11	-10.21	-25.0	-44.11	246.00	Horizontal	Vertical	Pass
938.938	-64.62	4.51	-25.0	-39.62	22.00	Horizontal	Vertical	Pass
1348.700	-55.04	-2.99	-25.0	-30.04	202.00	Horizontal	Vertical	Pass
2586.700	-37.13	2.35	-25.0	-12.13	188.00	Horizontal	Vertical	N/A
6672.400	-42.11	11.81	-25.0	-17.11	198.00	Horizontal	Vertical	Pass
17101.813	-37.34	19.42	-25.0	-12.34	205.00	Horizontal	Vertical	Pass

RSE-V&V LTE Band 41 BW15 CH40620


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
41.592	-71.77	-18.34	-25.0	-46.77	23.00	Vertical	Vertical	Pass
905.667	-64.23	4.39	-25.0	-39.23	322.00	Vertical	Vertical	Pass
1270.800	-55.46	-3.44	-25.0	-30.46	169.00	Vertical	Vertical	Pass
2586.600	-41.49	2.35	-25.0	-16.49	217.00	Vertical	Vertical	N/A
6683.000	-40.96	12.27	-25.0	-15.96	130.00	Vertical	Vertical	Pass
17822.824	-37.28	19.11	-25.0	-12.28	333.00	Vertical	Vertical	Pass

RSE-V&H LTE Band 41 BW15 CH40620

OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
57.694	-71.96	-14.73	-25.0	-46.96	140.00	Vertical	Horizontal	Pass
891.651	-64.67	4.32	-25.0	-39.67	78.00	Vertical	Horizontal	Pass
1473.200	-55.60	-3.01	-25.0	-30.60	298.00	Vertical	Horizontal	Pass
2586.900	-43.77	2.35	-25.0	-18.77	88.00	Vertical	Horizontal	N/A
6607.800	-42.83	12.40	-25.0	-17.83	175.00	Vertical	Horizontal	Pass
17100.364	-36.55	19.45	-25.0	-11.55	338.00	Vertical	Horizontal	Pass



### 38.4 LTE Band 41 BW20, Middle Channel

RSE-H&H LTE Band 41 BW20 CH40620


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
151.347	-71.05	-15.11	-25.0	-46.05	106.00	Horizontal	Horizontal	Pass
852.948	-65.04	2.89	-25.0	-40.04	280.00	Horizontal	Horizontal	Pass
1464.800	-54.91	-3.18	-25.0	-29.91	144.00	Horizontal	Horizontal	Pass
2562.900	-41.45	2.22	-25.0	-16.45	125.00	Horizontal	Horizontal	N/A
6420.000	-42.59	11.35	-25.0	-17.59	276.00	Horizontal	Horizontal	Pass
17105.801	-37.17	19.34	-25.0	-12.17	88.00	Horizontal	Horizontal	Pass

RSE-H&V LTE Band 41 BW20 CH40620


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
147.322	-70.55	-15.79	-25.0	-45.55	110.00	Horizontal	Vertical	Pass
900.430	-64.03	4.43	-25.0	-39.03	8.00	Horizontal	Vertical	Pass
1299.500	-55.58	-3.12	-25.0	-30.58	0.00	Horizontal	Vertical	Pass
2562.000	-39.14	2.21	-25.0	-14.14	314.00	Horizontal	Vertical	N/A
6692.400	-42.33	11.73	-25.0	-17.33	89.00	Horizontal	Vertical	Pass
17102.537	-37.16	19.41	-25.0	-12.16	55.00	Horizontal	Vertical	Pass

RSE-V&V LTE Band 41 BW20 CH40620


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
57.014	-72.90	-14.95	-25.0	-47.90	246.00	Vertical	Vertical	Pass
884.521	-63.80	4.17	-25.0	-38.80	0.00	Vertical	Vertical	Pass
1420.400	-54.83	-2.98	-25.0	-29.83	130.00	Vertical	Vertical	Pass
2584.500	-44.89	2.34	-25.0	-19.89	190.00	Vertical	Vertical	N/A
6980.800	-41.73	14.12	-25.0	-16.73	18.00	Vertical	Vertical	Pass
17107.250	-36.03	19.31	-25.0	-11.03	351.00	Vertical	Vertical	Pass

RSE-V&H LTE Band 41 BW20 CH40620

OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
34.753	-72.96	-19.40	-25.0	-47.96	360.00	Vertical	Horizontal	Pass
927.492	-64.09	4.43	-25.0	-39.09	240.00	Vertical	Horizontal	Pass
1352.100	-55.31	-2.87	-25.0	-30.31	247.00	Vertical	Horizontal	Pass
2559.900	-47.01	2.20	-25.0	-22.01	95.00	Vertical	Horizontal	N/A
6683.600	-41.83	12.24	-25.0	-16.83	195.00	Vertical	Horizontal	Pass
17341.063	-36.91	17.37	-25.0	-11.91	231.00	Vertical	Horizontal	Pass

### 39 LTE Band 66


### 39.1 LTE Band 66 BW1.4, Middle Channel

RSE-H&H LTE Band 66 BW1.4 CH132322



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
321.388	-71.34	-12.03	-13.0	-58.34	72.00	Horizontal	Horizontal	Pass
926.571	-65.75	3.24	-13.0	-52.75	209.00	Horizontal	Horizontal	Pass
1745.000	-43.91	-4.20	-13.0	-30.91	121.00	Horizontal	Horizontal	N/A
2145.100	-24.19	-2.11	-13.0	-11.19	106.00	Horizontal	Horizontal	N/A
6663.400	-42.34	11.75	-13.0	-29.34	286.00	Horizontal	Horizontal	Pass
17100.276	-35.74	19.45	-13.0	-22.74	179.00	Horizontal	Horizontal	Pass


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_1700\_WCDMA B4&LTE B4



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
138.883	-73.73	-17.66	-13.0	-60.73	125.00	Horizontal	Vertical	Pass
859.253	-66.36	1.95	-13.0	-53.36	0.00	Horizontal	Vertical	Pass
1744.900	-44.13	-4.20	-13.0	-31.13	112.00	Horizontal	Vertical	N/A
2145.500	-27.56	-2.10	-13.0	-14.56	122.00	Horizontal	Vertical	N/A
6596.200	-42.18	11.34	-13.0	-29.18	116.00	Horizontal	Vertical	Pass
17105.363	-35.73	19.35	-13.0	-22.73	18.00	Horizontal	Vertical	Pass


RSE-V&V LTE Band 66 BW1.4 CH132322

OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_1700\_WCDMA B4&LTE B4



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
346.850	-74.05	-11.42	-13.0	-61.05	269.00	Vertical	Vertical	Pass
933.943	-65.83	3.28	-13.0	-52.83	216.00	Vertical	Vertical	Pass
1745.000	-47.08	-4.20	-13.0	-34.08	77.00	Vertical	Vertical	N/A
2145.400	-41.68	-2.11	-13.0	-28.68	87.00	Vertical	Vertical	N/A
6601.400	-41.73	11.90	-13.0	-28.73	244.00	Vertical	Vertical	Pass
19289.287	-35.33	23.85	-13.0	-22.33	312.00	Vertical	Vertical	Pass

OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_1700\_WCDMA B4&LTE B4




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
50.031	-76.29	-17.59	-13.0	-63.29	271.00	Vertical	Horizontal	Pass
869.438	-66.08	2.19	-13.0	-53.08	156.00	Vertical	Horizontal	Pass
1744.900	-49.96	-4.20	-13.0	-36.96	94.00	Vertical	Horizontal	N/A
2145.800	-39.92	-2.10	-13.0	-26.92	72.00	Vertical	Horizontal	N/A
6270.200	-42.91	10.78	-13.0	-29.91	43.00	Vertical	Horizontal	Pass
17839.813	-36.08	18.95	-13.0	-23.08	77.00	Vertical	Horizontal	Pass



### 39.2 LTE Band 66 BW3, Middle Channel

RSE-H&H LTE Band 66 BW3 CH132322


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_1700\_WCDMA B4&LTE B4



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
154.839	-73.44	-15.47	-13.0	-60.44	126.00	Horizontal	Horizontal	Pass
797.706	-67.31	1.44	-13.0	-54.31	231.00	Horizontal	Horizontal	Pass
1744.100	-45.92	-4.20	-13.0	-32.92	126.00	Horizontal	Horizontal	N/A
2144.600	-22.63	-2.12	-13.0	-9.63	126.00	Horizontal	Horizontal	N/A
6682.600	-41.70	12.24	-13.0	-28.70	288.00	Horizontal	Horizontal	Pass
19277.261	-36.33	23.35	-13.0	-23.33	82.00	Horizontal	Horizontal	Pass

RSE-H&V LTE Band 66 BW3 CH132322


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_1700\_WCDMA B4&LTE B4



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
139.416	-74.18	-17.55	-13.0	-61.18	136.00	Horizontal	Vertical	Pass
872.881	-66.41	2.32	-13.0	-53.41	228.00	Horizontal	Vertical	Pass
1744.100	-46.16	-4.20	-13.0	-33.16	103.00	Horizontal	Vertical	N/A
2144.800	-23.95	-2.12	-13.0	-10.95	113.00	Horizontal	Vertical	N/A
5849.600	-44.74	9.06	-13.0	-31.74	89.00	Horizontal	Vertical	Pass
17331.526	-36.12	17.45	-13.0	-23.12	361.00	Horizontal	Vertical	Pass

RSE-V&V LTE Band 66 BW3 CH132322


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_1700\_WCDMA B4&LTE B4



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
349.324	-73.64	-11.21	-13.0	-60.64	254.00	Vertical	Vertical	Pass
933.604	-65.13	3.27	-13.0	-52.13	289.00	Vertical	Vertical	Pass
1744.200	-48.92	-4.20	-13.0	-35.92	89.00	Vertical	Vertical	N/A
2144.700	-39.63	-2.12	-13.0	-26.63	89.00	Vertical	Vertical	N/A
6397.400	-42.78	10.78	-13.0	-29.78	93.00	Vertical	Vertical	Pass
17105.363	-36.17	19.35	-13.0	-23.17	256.00	Vertical	Vertical	Pass

RSE-V&H LTE Band 66 BW3 CH132322

OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_1700\_WCDMA B4&LTE B4




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
49.982	-75.85	-17.60	-13.0	-62.85	256.00	Vertical	Horizontal	Pass
769.625	-67.24	0.70	-13.0	-54.24	312.00	Vertical	Horizontal	Pass
1743.900	-50.85	-4.20	-13.0	-37.85	93.00	Vertical	Horizontal	N/A
2145.000	-36.00	-2.12	-13.0	-23.00	63.00	Vertical	Horizontal	N/A
6607.400	-42.31	12.43	-13.0	-29.31	270.00	Vertical	Horizontal	Pass
21039.387	-34.96	23.26	-13.0	-21.96	153.00	Vertical	Horizontal	Pass

### 39.3 LTE Band 66 BW5, Middle Channel

RSE-H&H LTE Band 66 BW5 CH132322


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_1700\_WCDMA B4&LTE B4



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
154.888	-73.68	-15.47	-13.0	-60.68	145.00	Horizontal	Horizontal	Pass
780.974	-67.33	1.36	-13.0	-54.33	0.00	Horizontal	Horizontal	Pass
1743.300	-50.74	-4.21	-13.0	-37.74	231.00	Horizontal	Horizontal	N/A
2146.100	-22.59	-2.09	-13.0	-9.59	116.00	Horizontal	Horizontal	N/A
5129.400	-45.78	7.94	-13.0	-32.78	278.00	Horizontal	Horizontal	Pass
15331.675	-36.55	17.59	-13.0	-23.55	258.00	Horizontal	Horizontal	Pass

RSE-H&V LTE Band 66 BW5 CH132322


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_1700\_WCDMA B4&LTE B4



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
139.949	-74.32	-17.44	-13.0	-61.32	121.00	Horizontal	Vertical	Pass
872.930	-66.43	2.32	-13.0	-53.43	323.00	Horizontal	Vertical	Pass
1743.200	-49.82	-4.21	-13.0	-36.82	121.00	Horizontal	Vertical	N/A
2145.700	-25.15	-2.10	-13.0	-12.15	121.00	Horizontal	Vertical	N/A
6417.200	-42.60	11.73	-13.0	-29.60	283.00	Horizontal	Vertical	Pass
17113.224	-36.75	19.18	-13.0	-23.75	291.00	Horizontal	Vertical	Pass

RSE-V&V LTE Band 66 BW5 CH132322


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_1700\_WCDMA B4&LTE B4



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
323.037	-74.45	-12.10	-13.0	-61.45	73.00	Vertical	Vertical	Pass
904.018	-65.06	3.10	-13.0	-52.06	245.00	Vertical	Vertical	Pass
1743.300	-52.78	-4.21	-13.0	-39.78	62.00	Vertical	Vertical	N/A
2145.100	-36.14	-2.11	-13.0	-23.14	82.00	Vertical	Vertical	N/A
6409.800	-42.60	11.17	-13.0	-29.60	116.00	Vertical	Vertical	Pass
17095.650	-35.93	19.21	-13.0	-22.93	198.00	Vertical	Vertical	Pass

RSE-V&H LTE Band 66 BW5 CH132322

OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_1700\_WCDMA B4&LTE B4




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
49.982	-76.30	-17.60	-13.0	-63.30	275.00	Vertical	Horizontal	Pass
616.898	-70.01	-2.55	-13.0	-57.01	177.00	Vertical	Horizontal	Pass
1743.200	-55.65	-4.21	-13.0	-42.65	93.00	Vertical	Horizontal	N/A
2145.600	-36.81	-2.10	-13.0	-23.81	70.00	Vertical	Horizontal	N/A
4795.400	-45.40	8.03	-13.0	-32.40	166.00	Vertical	Horizontal	Pass
17105.363	-35.86	19.35	-13.0	-22.86	201.00	Vertical	Horizontal	Pass



### 39.4 LTE Band 66 BW10, Middle Channel

RSE-H&H LTE Band 66 BW10 CH132322


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_1700\_WCDMA B4&LTE B4



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
155.033	-73.38	-15.47	-13.0	-60.38	129.00	Horizontal	Horizontal	Pass
882.145	-65.84	2.47	-13.0	-52.84	360.00	Horizontal	Horizontal	Pass
1741.000	-49.21	-4.22	-13.0	-36.21	235.00	Horizontal	Horizontal	N/A
2145.700	-22.32	-2.10	-13.0	-9.32	129.00	Horizontal	Horizontal	N/A
6994.800	-41.34	13.43	-13.0	-28.34	329.00	Horizontal	Horizontal	Pass
13602.388	-36.29	19.50	-13.0	-23.29	73.00	Horizontal	Horizontal	Pass

RSE-H&V LTE Band 66 BW10 CH132322


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_1700\_WCDMA B4&LTE B4



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
141.356	-74.19	-17.20	-13.0	-61.19	164.00	Horizontal	Vertical	Pass
882.533	-65.99	2.52	-13.0	-52.99	355.00	Horizontal	Vertical	Pass
1741.000	-49.03	-4.22	-13.0	-36.03	108.00	Horizontal	Vertical	N/A
2142.200	-25.07	-2.33	-13.0	-12.07	126.00	Horizontal	Vertical	N/A
6684.200	-42.15	12.18	-13.0	-29.15	57.00	Horizontal	Vertical	Pass
17091.950	-36.04	19.00	-13.0	-23.04	195.00	Horizontal	Vertical	Pass

RSE-V&V LTE Band 66 BW10 CH132322


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_1700\_WCDMA B4&LTE B4



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
347.384	-73.57	-11.36	-13.0	-60.57	255.00	Vertical	Vertical	Pass
900.381	-65.84	3.14	-13.0	-52.84	1.00	Vertical	Vertical	Pass
1740.900	-52.17	-4.22	-13.0	-39.17	75.00	Vertical	Vertical	N/A
2145.500	-38.64	-2.10	-13.0	-25.64	85.00	Vertical	Vertical	N/A
6682.400	-41.60	12.23	-13.0	-28.60	2.00	Vertical	Vertical	Pass
12750.000	-39.99	20.38	-13.0	-26.99	1.00	Vertical	Vertical	Pass

RSE-V&H LTE Band 66 BW10 CH132322

OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_1700\_WCDMA B4&LTE B4




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
50.031	-76.61	-17.59	-13.0	-63.61	244.00	Vertical	Horizontal	Pass
785.484	-67.34	1.57	-13.0	-54.34	280.00	Vertical	Horizontal	Pass
1740.900	-53.95	-4.22	-13.0	-40.95	88.00	Vertical	Horizontal	N/A
2143.400	-38.15	-2.22	-13.0	-25.15	64.00	Vertical	Horizontal	N/A
4596.200	-47.34	6.74	-13.0	-34.34	121.00	Vertical	Horizontal	Pass
17100.739	-36.24	19.44	-13.0	-23.24	122.00	Vertical	Horizontal	Pass

### 39.5 LTE Band 66 BW15, Middle Channel

RSE-H&H LTE Band 66 BW15 CH132322


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_1700\_WCDMA B4&LTE B4



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
313.871	-71.12	-12.42	-13.0	-58.12	38.00	Horizontal	Horizontal	Pass
792.614	-66.14	1.49	-13.0	-53.14	190.00	Horizontal	Horizontal	Pass
1738.800	-48.76	-4.23	-13.0	-35.76	230.00	Horizontal	Horizontal	N/A
2143.600	-23.08	-2.20	-13.0	-10.08	123.00	Horizontal	Horizontal	N/A
4742.400	-45.91	7.33	-13.0	-32.91	66.00	Horizontal	Horizontal	Pass
17092.875	-36.84	19.05	-13.0	-23.84	212.00	Horizontal	Horizontal	Pass

RSE-H&V LTE Band 66 BW15 CH132322


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_1700\_WCDMA B4&LTE B4



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
139.998	-73.71	-17.43	-13.0	-60.71	121.00	Horizontal	Vertical	Pass
644.883	-69.59	-2.30	-13.0	-56.59	254.00	Horizontal	Vertical	Pass
1738.700	-48.92	-4.23	-13.0	-35.92	119.00	Horizontal	Vertical	N/A
2139.900	-24.47	-2.29	-13.0	-11.47	119.00	Horizontal	Vertical	N/A
6741.200	-42.18	11.90	-13.0	-29.18	150.00	Horizontal	Vertical	Pass
19325.825	-36.04	24.41	-13.0	-23.04	225.00	Horizontal	Vertical	Pass

RSE-V&V LTE Band 66 BW15 CH132322


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_1700\_WCDMA B4&LTE B4



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
347.044	-73.31	-11.40	-13.0	-60.31	286.00	Vertical	Vertical	Pass
807.843	-66.58	1.27	-13.0	-53.58	47.00	Vertical	Vertical	Pass
1738.800	-51.69	-4.23	-13.0	-38.69	68.00	Vertical	Vertical	N/A
2141.300	-38.36	-2.32	-13.0	-25.36	84.00	Vertical	Vertical	N/A
6604.800	-42.40	12.28	-13.0	-29.40	107.00	Vertical	Vertical	Pass
17208.500	-36.52	18.35	-13.0	-23.52	162.00	Vertical	Vertical	Pass

RSE-V&H LTE Band 66 BW15 CH132322

OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_1700\_WCDMA B4&LTE B4




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
311.737	-74.22	-12.52	-13.0	-61.22	312.00	Vertical	Horizontal	Pass
923.661	-65.39	3.17	-13.0	-52.39	283.00	Vertical	Horizontal	Pass
1738.800	-53.86	-4.23	-13.0	-40.86	109.00	Vertical	Horizontal	N/A
2139.800	-39.29	-2.29	-13.0	-26.29	142.00	Vertical	Horizontal	N/A
6684.600	-42.53	12.15	-13.0	-29.53	227.00	Vertical	Horizontal	Pass
17092.412	-36.20	19.03	-13.0	-23.20	360.00	Vertical	Horizontal	Pass



### 39.6 LTE Band 66 BW20, Middle Channel

RSE-H&H LTE Band 66 BW20 CH132322


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_1700\_WCDMA B4&LTE B4



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
313.531	-71.30	-12.42	-13.0	-58.30	30.00	Horizontal	Horizontal	Pass
830.396	-65.73	1.22	-13.0	-52.73	184.00	Horizontal	Horizontal	Pass
1736.400	-55.65	-4.24	-13.0	-42.65	34.00	Horizontal	Horizontal	Pass
2141.100	-25.30	-2.32	-13.0	-12.30	130.00	Horizontal	Horizontal	N/A
6407.000	-42.34	10.93	-13.0	-29.34	282.00	Horizontal	Horizontal	Pass
19256.449	-35.79	22.49	-13.0	-22.79	25.00	Horizontal	Horizontal	Pass

RSE-H&V LTE Band 66 BW20 CH132322


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_1700\_WCDMA B4&LTE B4



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
138.349	-73.10	-17.76	-13.0	-60.10	123.00	Horizontal	Vertical	Pass
925.310	-65.48	3.21	-13.0	-52.48	324.00	Horizontal	Vertical	Pass
1736.300	-55.26	-4.24	-13.0	-42.26	170.00	Horizontal	Vertical	N/A
2147.100	-24.39	-2.06	-13.0	-11.39	126.00	Horizontal	Vertical	N/A
6282.800	-43.31	11.45	-13.0	-30.31	36.00	Horizontal	Vertical	Pass
17065.125	-36.35	18.08	-13.0	-23.35	227.00	Horizontal	Vertical	Pass

RSE-V&V LTE Band 66 BW20 CH132322


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_1700\_WCDMA B4&LTE B4



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
344.765	-73.96	-11.43	-13.0	-60.96	235.00	Vertical	Vertical	Pass
884.134	-65.24	2.72	-13.0	-52.24	329.00	Vertical	Vertical	Pass
2139.400	-38.91	-2.27	-13.0	-25.91	89.00	Vertical	Vertical	N/A
5175.400	-45.40	7.86	-13.0	-32.40	36.00	Vertical	Vertical	Pass
9287.349	-39.42	17.42	-13.0	-26.42	77.00	Vertical	Vertical	Pass
17105.363	-35.89	19.35	-13.0	-22.89	36.00	Vertical	Vertical	Pass

RSE-V&H LTE Band 66 BW20 CH132322

OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_1700\_WCDMA B4&LTE B4



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
49.982	-76.62	-17.60	-13.0	-63.62	315.00	Vertical	Horizontal	Pass
879.865	-66.18	2.44	-13.0	-53.18	132.00	Vertical	Horizontal	Pass
1416.800	-56.34	-4.61	-13.0	-43.34	114.00	Vertical	Horizontal	Pass
2143.600	-40.22	-2.20	-13.0	-27.22	63.00	Vertical	Horizontal	N/A
5707.600	-44.30	8.47	-13.0	-31.30	305.00	Vertical	Horizontal	Pass
21031.989	-34.61	23.26	-13.0	-21.61	110.00	Vertical	Horizontal	Pass


CA

40 CA\_7C

40.1 CA\_7C 20MHz+10MHz, QPSK, Low Channel


RSE-H&H PCC 20850 20M QPSK RB100 0 SCC 20994 BW10 QPSK RB50 0

OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B7




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
109.201	-72.09	-22.32	-25.0	-47.09	40.00	Horizontal	Horizontal	Pass
824.042	-65.62	2.25	-25.0	-40.62	83.00	Horizontal	Horizontal	Pass
2489.100	-31.65	1.89	-25.0	-6.65	118.00	Horizontal	Horizontal	N/A
2577.800	-36.46	3.25	-25.0	-11.46	48.00	Horizontal	Horizontal	N/A
6281.800	-43.06	11.41	-25.0	-18.06	269.00	Horizontal	Horizontal	Pass
17099.637	-36.42	19.44	-25.0	-11.42	104.00	Horizontal	Horizontal	Pass


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B7



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
159.446	-76.91	-14.97	-25.0	-51.91	200.00	Horizontal	Vertical	Pass
859.641	-65.89	3.28	-25.0	-40.89	307.00	Horizontal	Vertical	Pass
2488.400	-34.17	1.88	-25.0	-9.17	183.00	Horizontal	Vertical	N/A
2628.300	-35.88	1.91	-25.0	-10.88	344.00	Horizontal	Vertical	N/A
9299.425	-40.53	17.70	-25.0	-15.53	107.00	Horizontal	Vertical	Pass
17792.375	-37.20	17.87	-25.0	-12.20	27.00	Horizontal	Vertical	Pass



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
42.416	-74.58	-18.65	-25.0	-49.58	261.00	Vertical	Vertical	Pass
880.641	-64.96	3.79	-25.0	-39.96	274.00	Vertical	Vertical	Pass
2488.600	-39.35	1.89	-25.0	-14.35	232.00	Vertical	Vertical	N/A
2624.200	-33.53	1.67	-25.0	-8.53	360.00	Vertical	Vertical	N/A
9260.325	-40.70	17.13	-25.0	-15.70	126.00	Vertical	Vertical	Pass
17098.188	-36.49	19.36	-25.0	-11.49	223.00	Vertical	Vertical	Pass




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
57.306	-71.13	-15.01	-25.0	-46.13	250.00	Vertical	Horizontal	Pass
312.610	-69.75	-11.40	-25.0	-44.75	161.00	Vertical	Horizontal	Pass
2488.800	-39.04	1.89	-25.0	-14.04	83.00	Vertical	Horizontal	N/A
2577.500	-40.33	3.25	-25.0	-15.33	88.00	Vertical	Horizontal	N/A
9318.974	-40.28	17.69	-25.0	-15.28	330.00	Vertical	Horizontal	Pass
17101.813	-35.79	19.42	-25.0	-10.79	353.00	Vertical	Horizontal	Pass




## 40.2 CA\_7C 20MHz+10MHz, 16-QAM, Low Channel

RSE-H&H PCC 20850 20M 16-QAM RB1 99 SCC 20994 BW10 16-QAM RB1 0


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B7




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
133.499	-73.10	-18.01	-25.0	-48.10	193.00	Horizontal	Horizontal	Pass
919.684	-64.86	4.36	-25.0	-39.86	318.00	Horizontal	Horizontal	Pass
2519.300	-46.74	2.33	-25.0	-21.74	41.00	Horizontal	Horizontal	N/A
2627.100	-37.28	1.74	-25.0	-12.28	114.00	Horizontal	Horizontal	N/A
9344.850	-40.29	17.13	-25.0	-15.29	225.00	Horizontal	Horizontal	Pass
17101.449	-37.20	19.43	-25.0	-12.20	213.00	Horizontal	Horizontal	Pass



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
159.786	-72.01	-14.98	-25.0	-47.01	186.00	Horizontal	Vertical	Pass
877.683	-65.46	3.93	-25.0	-40.46	198.00	Horizontal	Vertical	Pass
2518.800	-43.15	2.32	-25.0	-18.15	205.00	Horizontal	Vertical	N/A
2637.400	-35.09	2.18	-25.0	-10.09	346.00	Horizontal	Vertical	N/A
9294.537	-39.77	17.59	-25.0	-14.77	308.00	Horizontal	Vertical	Pass
17103.625	-36.42	19.38	-25.0	-11.42	148.00	Horizontal	Vertical	Pass




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
47.218	-74.24	-18.26	-25.0	-49.24	290.00	Vertical	Vertical	Pass
877.780	-65.47	3.94	-25.0	-40.47	11.00	Vertical	Vertical	Pass
2519.000	-47.11	2.32	-25.0	-22.11	284.00	Vertical	Vertical	N/A
2628.800	-32.41	1.98	-25.0	-7.41	17.00	Vertical	Vertical	N/A
9250.838	-40.47	17.13	-25.0	-15.47	87.00	Vertical	Vertical	Pass
17065.200	-36.79	18.08	-25.0	-11.79	360.00	Vertical	Vertical	Pass




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
307.905	-70.69	-11.78	-25.0	-45.69	157.00	Vertical	Horizontal	Pass
869.147	-64.94	3.63	-25.0	-39.94	298.00	Vertical	Horizontal	Pass
1362.600	-55.59	-2.88	-25.0	-30.59	254.00	Vertical	Horizontal	Pass
2628.700	-45.66	1.97	-25.0	-20.66	15.00	Vertical	Horizontal	N/A
6636.600	-42.82	12.17	-25.0	-17.82	267.00	Vertical	Horizontal	Pass
17212.738	-37.04	18.25	-25.0	-12.04	249.00	Vertical	Horizontal	Pass

### 40.3 CA\_7C 20MHz+10MHz, QPSK, Middle Channel


RSE-H&H PCC CH21051 20M QPSK RB100 0 SCC 21195 BW10 QPSK RB50 0



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
131.122	-73.13	-18.48	-25.0	-48.13	17.00	Horizontal	Horizontal	Pass
899.702	-64.47	4.47	-25.0	-39.47	192.00	Horizontal	Horizontal	Pass
2489.200	-37.39	1.89	-25.0	-12.39	42.00	Horizontal	Horizontal	N/A
2580.200	-33.59	3.24	-25.0	-8.59	254.00	Horizontal	Horizontal	N/A
9200.238	-39.27	16.35	-25.0	-14.27	150.00	Horizontal	Horizontal	Pass
17102.537	-36.28	19.41	-25.0	-11.28	228.00	Horizontal	Horizontal	Pass



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
160.368	-72.12	-14.98	-25.0	-47.12	196.00	Horizontal	Vertical	Pass
796.882	-65.86	2.78	-25.0	-40.86	263.00	Horizontal	Vertical	Pass
2538.800	-46.45	2.69	-25.0	-21.45	188.00	Horizontal	Vertical	N/A
2644.500	-36.49	2.08	-25.0	-11.49	22.00	Horizontal	Vertical	N/A
9288.212	-39.99	17.44	-25.0	-14.99	18.00	Horizontal	Vertical	Pass
19298.562	-36.54	24.23	-25.0	-11.54	110.00	Horizontal	Vertical	Pass




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
42.513	-73.85	-18.70	-25.0	-48.85	277.00	Vertical	Vertical	Pass
872.881	-65.04	3.82	-25.0	-40.04	174.00	Vertical	Vertical	Pass
2538.800	-49.45	2.69	-25.0	-24.45	318.00	Vertical	Vertical	N/A
2645.900	-34.21	2.04	-25.0	-9.21	24.00	Vertical	Vertical	N/A
9259.463	-40.27	17.13	-25.0	-15.27	137.00	Vertical	Vertical	Pass
17097.463	-37.36	19.32	-25.0	-12.36	242.00	Vertical	Vertical	Pass



RSE-V&H PCC 21051 20M QPSK RB100 0 SCC 21195 BW10 QPSK RB50 0

OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B7




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
56.917	-70.91	-15.10	-25.0	-45.91	228.00	Vertical	Horizontal	Pass
800.519	-66.66	2.68	-25.0	-41.66	179.00	Vertical	Horizontal	Pass
2489.100	-42.64	1.89	-25.0	-17.64	149.00	Vertical	Horizontal	N/A
2576.700	-37.33	3.24	-25.0	-12.33	113.00	Vertical	Horizontal	N/A
6688.200	-42.29	12.00	-25.0	-17.29	0.00	Vertical	Horizontal	Pass
17110.150	-35.97	19.24	-25.0	-10.97	4.00	Vertical	Horizontal	Pass



### 40.4 CA\_7C 20MHz+10MHz, 16-QAM, Middle Channel


RSE-H&H PCC 21051 20M 16-QAM RB1 99 SCC 21195 BW10 16-QAM RB1 0




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
133.451	-73.13	-18.02	-25.0	-48.13	193.00	Horizontal	Horizontal	Pass
863.715	-65.76	3.21	-25.0	-40.76	339.00	Horizontal	Horizontal	Pass
2540.400	-47.83	2.72	-25.0	-22.83	119.00	Horizontal	Horizontal	N/A
2646.200	-39.72	2.05	-25.0	-14.72	110.00	Horizontal	Horizontal	N/A
6670.000	-42.60	11.79	-25.0	-17.60	77.00	Horizontal	Horizontal	Pass
17214.550	-37.10	18.21	-25.0	-12.10	127.00	Horizontal	Horizontal	Pass

RSE-H&V PCC 21051 20M 16-QAM RB1 99 SCC 21195 BW10 16-QAM RB1 0


OPPO 特殊要求\_RSE Test case\_FCC PART2&24&27\_FCC PART 27\_2535\_LTE B7



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
159.932	-72.07	-14.99	-25.0	-47.07	183.00	Horizontal	Vertical	Pass
894.513	-64.71	4.43	-25.0	-39.71	21.00	Horizontal	Vertical	Pass
2539.100	-47.12	2.69	-25.0	-22.12	174.00	Horizontal	Vertical	N/A
2641.600	-36.89	2.23	-25.0	-11.89	23.00	Horizontal	Vertical	N/A
9346.000	-40.16	17.13	-25.0	-15.16	129.00	Horizontal	Vertical	Pass
17094.925	-36.94	19.17	-25.0	-11.94	54.00	Horizontal	Vertical	Pass




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
46.975	-74.29	-18.37	-25.0	-49.29	255.00	Vertical	Vertical	Pass
893.300	-63.61	4.33	-25.0	-38.61	356.00	Vertical	Vertical	Pass
2539.200	-49.39	2.69	-25.0	-24.39	288.00	Vertical	Vertical	N/A
2644.200	-33.96	2.09	-25.0	-8.96	149.00	Vertical	Vertical	N/A
9349.737	-39.69	17.12	-25.0	-14.69	283.00	Vertical	Vertical	Pass
21045.801	-35.87	23.27	-25.0	-10.87	242.00	Vertical	Vertical	Pass




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
309.214	-70.65	-11.76	-25.0	-45.65	154.00	Vertical	Horizontal	Pass
897.762	-64.82	4.52	-25.0	-39.82	360.00	Vertical	Horizontal	Pass
1308.200	-55.51	-3.24	-25.0	-30.51	112.00	Vertical	Horizontal	Pass
2646.800	-47.38	2.06	-25.0	-22.38	288.00	Vertical	Horizontal	N/A
6684.800	-42.62	12.13	-25.0	-17.62	55.00	Vertical	Horizontal	Pass
17100.724	-36.41	19.44	-25.0	-11.41	183.00	Vertical	Horizontal	Pass

### 40.5 CA\_7C 20MHz+10MHz, QPSK, High Channel


RSE-H&H PCC 21251 20M QPSK RB100 0 SCC 21395 BW10 QPSK RB50 0




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
130.831	-73.40	-18.54	-25.0	-48.40	34.00	Horizontal	Horizontal	Pass
908.383	-64.06	4.38	-25.0	-39.06	98.00	Horizontal	Horizontal	Pass
2577.300	-24.41	3.25	-25.0	0.59	120.00	Horizontal	Horizontal	N/A
2666.800	-38.50	2.27	-25.0	-13.50	114.00	Horizontal	Horizontal	N/A
9251.125	-40.46	17.13	-25.0	-15.46	68.00	Horizontal	Horizontal	Pass
17082.599	-36.00	18.47	-25.0	-11.00	56.00	Horizontal	Horizontal	Pass



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
160.805	-73.09	-14.98	-25.0	-48.09	157.00	Horizontal	Vertical	Pass
900.381	-64.59	4.44	-25.0	-39.59	157.00	Horizontal	Vertical	Pass
2558.900	-40.30	3.01	-25.0	-15.30	194.00	Horizontal	Vertical	N/A
2669.000	-37.44	2.30	-25.0	-12.44	350.00	Horizontal	Vertical	N/A
9281.599	-40.28	17.29	-25.0	-15.28	97.00	Horizontal	Vertical	Pass
17109.787	-36.43	19.25	-25.0	-11.43	53.00	Horizontal	Vertical	Pass



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
42.513	-73.57	-18.70	-25.0	-48.57	197.00	Vertical	Vertical	Pass
916.628	-64.29	4.38	-25.0	-39.29	197.00	Vertical	Vertical	Pass
2558.900	-43.97	3.01	-25.0	-18.97	284.00	Vertical	Vertical	N/A
2664.300	-33.92	2.34	-25.0	-8.92	213.00	Vertical	Vertical	N/A
9289.075	-39.44	17.46	-25.0	-14.44	204.00	Vertical	Vertical	Pass
17210.563	-36.48	18.30	-25.0	-11.48	231.00	Vertical	Vertical	Pass




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
306.450	-70.56	-11.76	-25.0	-45.56	147.00	Vertical	Horizontal	Pass
909.499	-64.71	4.36	-25.0	-39.71	236.00	Vertical	Horizontal	Pass
2578.900	-27.40	3.27	-25.0	-2.40	108.00	Vertical	Horizontal	N/A
2677.500	-47.41	2.96	-25.0	-22.41	345.00	Vertical	Horizontal	N/A
9495.213	-39.82	17.20	-25.0	-14.82	276.00	Vertical	Horizontal	Pass
17216.725	-36.64	18.16	-25.0	-11.64	194.00	Vertical	Horizontal	Pass



### 40.6 CA\_7C 20MHz+10MHz, 16-QAM, High Channel

RSE-H&H PCC CH21251 20M 16-QAM RB1 99 SCC 21395 BW10 16-QAM RB1 0


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B7



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
132.044	-72.75	-18.29	-25.0	-47.75	213.00	Horizontal	Horizontal	Pass
912.409	-64.08	4.49	-25.0	-39.08	0.00	Horizontal	Horizontal	Pass
2576.900	-38.25	3.24	-25.0	-13.25	48.00	Horizontal	Horizontal	N/A
2678.700	-38.94	2.98	-25.0	-13.94	144.00	Horizontal	Horizontal	N/A
6602.800	-42.12	12.08	-25.0	-17.12	207.00	Horizontal	Horizontal	Pass
17195.338	-36.97	18.53	-25.0	-11.97	32.00	Horizontal	Horizontal	Pass




RSE-H&V PCC CH21251 20M 16-QAM RB1 99 SCC 21395 BW10 16-QAM RB1 0




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
161.678	-72.21	-14.96	-25.0	-47.21	105.00	Horizontal	Vertical	Pass
811.771	-65.84	2.30	-25.0	-40.84	291.00	Horizontal	Vertical	Pass
2559.400	-40.76	3.01	-25.0	-15.76	183.00	Horizontal	Vertical	N/A
2677.800	-30.49	2.97	-25.0	-5.49	121.00	Horizontal	Vertical	N/A
9274.700	-40.51	17.22	-25.0	-15.51	255.00	Horizontal	Vertical	Pass
17094.199	-36.62	19.13	-25.0	-11.62	87.00	Horizontal	Vertical	Pass

RSE-V&V PCC CH21251 20M 16-QAM RB1 99 SCC 21395 BW10 16-QAM RB1 0




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
42.222	-68.27	-18.56	-25.0	-43.27	225.00	Vertical	Vertical	Pass
889.420	-63.81	4.23	-25.0	-38.81	270.00	Vertical	Vertical	Pass
2579.200	-43.16	3.27	-25.0	-18.16	327.00	Vertical	Vertical	N/A
2669.200	-39.85	2.31	-25.0	-14.85	198.00	Vertical	Vertical	N/A
6602.600	-42.39	12.06	-25.0	-17.39	240.00	Vertical	Vertical	Pass
15230.224	-36.25	18.00	-25.0	-11.25	95.00	Vertical	Vertical	Pass




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
307.274	-71.18	-11.77	-25.0	-46.18	116.00	Vertical	Horizontal	Pass
907.414	-64.52	4.39	-25.0	-39.52	8.00	Vertical	Horizontal	Pass
2579.400	-41.66	3.27	-25.0	-16.66	100.00	Vertical	Horizontal	N/A
2682.000	-47.96	2.95	-25.0	-22.96	344.00	Vertical	Horizontal	N/A
6604.000	-42.95	12.20	-25.0	-17.95	271.00	Vertical	Horizontal	Pass
15075.075	-37.55	17.45	-25.0	-12.55	341.00	Vertical	Horizontal	Pass

### 40.7 CA\_7C 20MHz+20MHz, QPSK, Low Channel

RSE-H&H PCC CH20850 20M QPSK RB1 99 SCC 21048 BW20 QPSK RB1 0




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
131.995	-71.93	-18.30	-25.0	-46.93	202.00	Horizontal	Horizontal	Pass
852.366	-65.55	2.94	-25.0	-40.55	182.00	Horizontal	Horizontal	Pass
2519.300	-45.27	2.33	-25.0	-20.27	50.00	Horizontal	Horizontal	N/A
2622.900	-38.22	1.75	-25.0	-13.22	123.00	Horizontal	Horizontal	N/A
6677.000	-43.06	12.10	-25.0	-18.06	165.00	Horizontal	Horizontal	Pass
17105.074	-35.90	19.35	-25.0	-10.90	125.00	Horizontal	Horizontal	Pass




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
162.454	-72.67	-14.89	-25.0	-47.67	307.00	Horizontal	Vertical	Pass
917.841	-64.54	4.34	-25.0	-39.54	108.00	Horizontal	Vertical	Pass
2518.700	-44.06	2.31	-25.0	-19.06	181.00	Horizontal	Vertical	N/A
2627.300	-28.72	1.77	-25.0	-3.72	125.00	Horizontal	Vertical	N/A
9314.088	-40.32	17.69	-25.0	-15.32	81.00	Horizontal	Vertical	Pass
17054.687	-37.43	17.84	-25.0	-12.43	259.00	Horizontal	Vertical	Pass

RSE-V&V PCC CH20850 20M QPSK RB1 99 SCC 21048 BW20 QPSK RB1 0



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
42.077	-72.47	-18.49	-25.0	-47.47	98.00	Vertical	Vertical	Pass
830.250	-66.83	2.46	-25.0	-41.83	0.00	Vertical	Vertical	Pass
2518.500	-48.87	2.31	-25.0	-23.87	192.00	Vertical	Vertical	N/A
2623.800	-39.44	1.70	-25.0	-14.44	136.00	Vertical	Vertical	N/A
11282.312	-39.29	17.96	-25.0	-14.29	270.00	Vertical	Vertical	Pass
17097.463	-37.09	19.32	-25.0	-12.09	360.00	Vertical	Vertical	Pass




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
57.257	-72.14	-15.02	-25.0	-47.14	295.00	Vertical	Horizontal	Pass
892.912	-65.07	4.31	-25.0	-40.07	2.00	Vertical	Horizontal	Pass
2519.200	-50.00	2.32	-25.0	-25.00	124.00	Vertical	Horizontal	N/A
2629.400	-46.58	2.02	-25.0	-21.58	0.00	Vertical	Horizontal	N/A
9302.587	-39.87	17.71	-25.0	-14.87	147.00	Vertical	Horizontal	Pass
17098.188	-36.95	19.36	-25.0	-11.95	50.00	Vertical	Horizontal	Pass




### 40.8 CA\_7C 20MHz+20MHz, 16-QAM, Low Channel


RSE-H&H PCC 20850 20M 16-QAM RB1 99 SCC 21048 BW20 16-QAM RB1 0




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
131.025	-72.04	-18.50	-25.0	-47.04	29.00	Horizontal	Horizontal	Pass
879.575	-65.13	3.81	-25.0	-40.13	176.00	Horizontal	Horizontal	Pass
2519.300	-45.11	2.33	-25.0	-20.11	50.00	Horizontal	Horizontal	N/A
2625.100	-36.74	1.66	-25.0	-11.74	123.00	Horizontal	Horizontal	N/A
9988.850	-39.22	17.16	-25.0	-14.22	348.00	Horizontal	Horizontal	Pass
17098.188	-36.98	19.36	-25.0	-11.98	296.00	Horizontal	Horizontal	Pass



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
161.823	-73.14	-14.95	-25.0	-48.14	117.00	Horizontal	Vertical	Pass
873.900	-64.47	3.86	-25.0	-39.47	25.00	Horizontal	Vertical	Pass
2519.300	-44.20	2.33	-25.0	-19.20	194.00	Horizontal	Vertical	N/A
2638.500	-27.98	2.14	-25.0	-2.98	114.00	Horizontal	Vertical	N/A
9299.138	-39.96	17.69	-25.0	-14.96	354.00	Horizontal	Vertical	Pass
17101.449	-37.01	19.43	-25.0	-12.01	87.00	Horizontal	Vertical	Pass




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
42.125	-71.33	-18.51	-25.0	-46.33	285.00	Vertical	Vertical	Pass
839.708	-65.48	2.52	-25.0	-40.48	193.00	Vertical	Vertical	Pass
2518.900	-48.66	2.32	-25.0	-23.66	317.00	Vertical	Vertical	N/A
2622.900	-40.49	1.75	-25.0	-15.49	317.00	Vertical	Vertical	N/A
9364.400	-40.16	17.13	-25.0	-15.16	76.00	Vertical	Vertical	Pass
17102.537	-37.29	19.41	-25.0	-12.29	325.00	Vertical	Vertical	Pass




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
312.367	-71.00	-11.44	-25.0	-46.00	134.00	Vertical	Horizontal	Pass
910.226	-64.03	4.38	-25.0	-39.03	144.00	Vertical	Horizontal	Pass
1424.700	-55.42	-2.89	-25.0	-30.42	206.00	Vertical	Horizontal	Pass
2623.800	-45.75	1.70	-25.0	-20.75	8.00	Vertical	Horizontal	N/A
8699.412	-40.91	14.67	-25.0	-15.91	302.00	Vertical	Horizontal	Pass
17070.637	-36.74	18.17	-25.0	-11.74	229.00	Vertical	Horizontal	Pass

### 40.9 CA\_7C 20MHz+20MHz, QPSK, Middle Channel


RSE-H&H PCC CH21001 20M QPSK RB1 99 SCC 21199 BW20 QPSK RB1 0




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
130.928	-71.96	-18.52	-25.0	-46.96	197.00	Horizontal	Horizontal	Pass
922.691	-64.87	4.51	-25.0	-39.87	125.00	Horizontal	Horizontal	Pass
1372.600	-54.93	-2.76	-25.0	-29.93	0.00	Horizontal	Horizontal	Pass
2640.100	-38.57	2.15	-25.0	-13.57	118.00	Horizontal	Horizontal	N/A
9289.075	-40.60	17.46	-25.0	-15.60	174.00	Horizontal	Horizontal	Pass
17086.588	-36.69	18.70	-25.0	-11.69	263.00	Horizontal	Horizontal	Pass



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
110.413	-75.42	-22.31	-25.0	-50.42	25.00	Horizontal	Vertical	Pass
797.464	-65.25	2.77	-25.0	-40.25	0.00	Horizontal	Vertical	Pass
2534.100	-50.47	2.60	-25.0	-25.47	322.00	Horizontal	Vertical	Pass
2640.100	-29.05	2.15	-25.0	-4.05	122.00	Horizontal	Vertical	N/A
6708.200	-42.41	11.29	-25.0	-17.41	234.00	Horizontal	Vertical	Pass
15184.912	-37.63	18.01	-25.0	-12.63	33.00	Horizontal	Vertical	Pass



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
47.266	-74.04	-18.24	-25.0	-49.04	301.00	Vertical	Vertical	Pass
926.911	-64.55	4.40	-25.0	-39.55	290.00	Vertical	Vertical	Pass
1395.900	-56.01	-2.90	-25.0	-31.01	317.00	Vertical	Vertical	Pass
2651.400	-40.22	2.09	-25.0	-15.22	134.00	Vertical	Vertical	N/A
9250.550	-40.36	17.13	-25.0	-15.36	70.00	Vertical	Vertical	Pass
17099.275	-36.30	19.42	-25.0	-11.30	172.00	Vertical	Vertical	Pass




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
311.542	-71.40	-11.56	-25.0	-46.40	155.00	Vertical	Horizontal	Pass
785.775	-66.15	2.79	-25.0	-41.15	191.00	Vertical	Horizontal	Pass
1426.800	-55.65	-3.05	-25.0	-30.65	70.00	Vertical	Horizontal	Pass
2639.800	-47.04	2.13	-25.0	-22.04	294.00	Vertical	Horizontal	N/A
6683.400	-41.52	12.26	-25.0	-16.52	301.00	Vertical	Horizontal	Pass
17102.900	-36.82	19.40	-25.0	-11.82	82.00	Vertical	Horizontal	Pass




### 40.10 CA\_7C 20MHz+20MHz, 16-QAM, Middle Channel


RSE-H&H PCC CH21001 20M 16-QAM RB1 99 SCC 21199 BW20 16-QAM RB1 0



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
129.861	-72.43	-18.73	-25.0	-47.43	14.00	Horizontal	Horizontal	Pass
790.722	-66.21	2.86	-25.0	-41.21	282.00	Horizontal	Horizontal	Pass
1422.800	-56.00	-2.80	-25.0	-31.00	360.00	Horizontal	Horizontal	Pass
2666.200	-38.95	2.32	-25.0	-13.95	149.00	Horizontal	Horizontal	N/A
10035.138	-39.20	17.25	-25.0	-14.20	331.00	Horizontal	Horizontal	Pass
17206.938	-36.95	18.39	-25.0	-11.95	204.00	Horizontal	Horizontal	Pass




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
161.726	-73.73	-14.96	-25.0	-48.73	88.00	Horizontal	Vertical	Pass
867.207	-65.01	3.59	-25.0	-40.01	61.00	Horizontal	Vertical	Pass
1358.100	-55.12	-2.88	-25.0	-30.12	147.00	Horizontal	Vertical	Pass
2639.600	-29.55	2.12	-25.0	-4.55	147.00	Horizontal	Vertical	N/A
10212.525	-39.25	17.63	-25.0	-14.25	172.00	Horizontal	Vertical	Pass
17102.537	-36.99	19.41	-25.0	-11.99	242.00	Horizontal	Vertical	Pass



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
47.072	-73.78	-18.32	-25.0	-48.78	267.00	Vertical	Vertical	Pass
906.298	-64.00	4.38	-25.0	-39.00	243.00	Vertical	Vertical	Pass
1529.200	-55.38	-3.53	-25.0	-30.38	139.00	Vertical	Vertical	Pass
2639.400	-38.97	2.11	-25.0	-13.97	132.00	Vertical	Vertical	N/A
9302.587	-40.04	17.71	-25.0	-15.04	321.00	Vertical	Vertical	Pass
17129.725	-37.08	18.59	-25.0	-12.08	300.00	Vertical	Vertical	Pass


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B7




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
312.367	-71.23	-11.44	-25.0	-46.23	136.00	Vertical	Horizontal	Pass
912.797	-64.55	4.52	-25.0	-39.55	182.00	Vertical	Horizontal	Pass
1467.400	-55.96	-3.11	-25.0	-30.96	202.00	Vertical	Horizontal	Pass
2652.400	-47.28	2.16	-25.0	-22.28	352.00	Vertical	Horizontal	N/A
6268.200	-43.13	10.69	-25.0	-18.13	283.00	Vertical	Horizontal	Pass
15192.887	-37.32	18.18	-25.0	-12.32	81.00	Vertical	Horizontal	Pass

### 40.11 CA\_7C 20MHz+20MHz, QPSK, High Channel


RSE-H&H PCC CH21152 20M QPSK RB1 99 SCC 21350 BW20 QPSK RB1 0




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
131.074	-72.41	-18.49	-25.0	-47.41	195.00	Horizontal	Horizontal	Pass
810.898	-66.12	2.36	-25.0	-41.12	180.00	Horizontal	Horizontal	Pass
2551.400	-41.63	2.91	-25.0	-16.63	119.00	Horizontal	Horizontal	N/A
2678.700	-39.56	2.98	-25.0	-14.56	80.00	Horizontal	Horizontal	N/A
6691.000	-42.28	11.82	-25.0	-17.28	161.00	Horizontal	Horizontal	Pass
17107.974	-37.03	19.29	-25.0	-12.03	250.00	Horizontal	Horizontal	Pass



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
162.405	-73.13	-14.89	-25.0	-48.13	129.00	Horizontal	Vertical	Pass
801.683	-66.21	2.60	-25.0	-41.21	360.00	Horizontal	Vertical	Pass
2549.600	-45.47	2.89	-25.0	-20.47	184.00	Horizontal	Vertical	N/A
2656.800	-30.06	2.19	-25.0	-5.06	150.00	Horizontal	Vertical	N/A
9269.812	-39.95	17.19	-25.0	-14.95	119.00	Horizontal	Vertical	Pass
17209.475	-36.65	18.33	-25.0	-11.65	169.00	Horizontal	Vertical	Pass



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
47.072	-73.94	-18.32	-25.0	-48.94	318.00	Vertical	Vertical	Pass
797.318	-66.10	2.77	-25.0	-41.10	357.00	Vertical	Vertical	Pass
2549.400	-48.74	2.88	-25.0	-23.74	196.00	Vertical	Vertical	N/A
2660.100	-39.49	2.20	-25.0	-14.49	132.00	Vertical	Vertical	N/A
6994.200	-41.77	13.50	-25.0	-16.77	249.00	Vertical	Vertical	Pass
17107.250	-37.17	19.31	-25.0	-12.17	107.00	Vertical	Vertical	Pass




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
307.954	-71.38	-11.78	-25.0	-46.38	155.00	Vertical	Horizontal	Pass
941.218	-63.96	4.57	-25.0	-38.96	81.00	Vertical	Horizontal	Pass
2551.400	-45.99	2.91	-25.0	-20.99	99.00	Vertical	Horizontal	N/A
2653.000	-47.63	2.18	-25.0	-22.63	341.00	Vertical	Horizontal	N/A
9270.963	-40.13	17.20	-25.0	-15.13	34.00	Vertical	Horizontal	Pass
17105.438	-37.28	19.34	-25.0	-12.28	333.00	Vertical	Horizontal	Pass




### 40.12 CA\_7C 20MHz+20MHz, 16-QAM, High Channel


RSE-H&H PCC CH21152 20M 16-QAM RB1 99 SCC 21350 BW20 16-QAM RB1 0




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
150.765	-69.17	-15.14	-25.0	-44.17	81.00	Horizontal	Horizontal	Pass
894.561	-64.27	4.43	-25.0	-39.27	360.00	Horizontal	Horizontal	Pass
2551.500	-40.27	2.91	-25.0	-15.27	109.00	Horizontal	Horizontal	N/A
2683.200	-39.15	2.99	-25.0	-14.15	129.00	Horizontal	Horizontal	N/A
9290.512	-39.78	17.49	-25.0	-14.78	136.00	Horizontal	Horizontal	Pass
17833.699	-37.45	19.00	-25.0	-12.45	223.00	Horizontal	Horizontal	Pass



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
162.357	-72.73	-14.90	-25.0	-47.73	295.00	Horizontal	Vertical	Pass
860.611	-64.55	3.34	-25.0	-39.55	18.00	Horizontal	Vertical	Pass
2549.500	-44.94	2.88	-25.0	-19.94	192.00	Horizontal	Vertical	N/A
2667.400	-30.15	2.26	-25.0	-5.15	147.00	Horizontal	Vertical	N/A
9312.938	-40.58	17.70	-25.0	-15.58	159.00	Horizontal	Vertical	Pass
17217.812	-36.37	18.13	-25.0	-11.37	312.00	Horizontal	Vertical	Pass



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
42.562	-74.06	-18.72	-25.0	-49.06	360.00	Vertical	Vertical	Pass
781.265	-66.26	2.49	-25.0	-41.26	37.00	Vertical	Vertical	Pass
2549.300	-48.36	2.88	-25.0	-23.36	301.00	Vertical	Vertical	N/A
2667.400	-38.77	2.26	-25.0	-13.77	78.00	Vertical	Vertical	N/A
9300.000	-40.11	17.71	-25.0	-15.11	112.00	Vertical	Vertical	Pass
17100.724	-36.63	19.44	-25.0	-11.63	320.00	Vertical	Vertical	Pass




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
42.416	-70.69	-18.65	-25.0	-45.69	119.00	Vertical	Horizontal	Pass
913.039	-63.91	4.53	-25.0	-38.91	20.00	Vertical	Horizontal	Pass
2551.500	-43.74	2.91	-25.0	-18.74	52.00	Vertical	Horizontal	N/A
2662.100	-48.83	2.19	-25.0	-23.83	262.00	Vertical	Horizontal	N/A
9228.701	-40.61	16.81	-25.0	-15.61	133.00	Vertical	Horizontal	Pass
17101.449	-36.66	19.43	-25.0	-11.66	209.00	Vertical	Horizontal	Pass

41 CA\_38C

41.1 CA\_38C 15MHz+15MHz, QPSK, Low Channel


RSE-H&H PCC 37825 15M QPSK RB1 74 SCC 37975 BW15 QPSK RB1 0



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
319.982	-72.16	-11.31	-25.0	-47.16	1.00	Horizontal	Horizontal	Pass
795.039	-65.80	2.90	-25.0	-40.80	217.00	Horizontal	Horizontal	Pass
1237.700	-55.79	-3.87	-25.0	-30.79	149.00	Horizontal	Horizontal	Pass
2584.000	-41.60	2.33	-25.0	-16.60	106.00	Horizontal	Horizontal	N/A
6982.600	-41.74	14.10	-25.0	-16.74	259.00	Horizontal	Horizontal	Pass
17103.262	-37.24	19.39	-25.0	-12.24	274.00	Horizontal	Horizontal	Pass

RSE-H&V PCC 37825 15M QPSK RB1 74 SCC 37975 BW15 QPSK RB1 0


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
361.691	-72.38	-10.00	-25.0	-47.38	59.00	Horizontal	Vertical	Pass
920.023	-64.04	4.40	-25.0	-39.04	361.00	Horizontal	Vertical	Pass
1370.400	-55.88	-2.89	-25.0	-30.88	0.00	Horizontal	Vertical	Pass
2560.000	-33.87	2.20	-25.0	-8.87	171.00	Horizontal	Vertical	N/A
6699.000	-42.86	11.43	-25.0	-17.86	178.00	Horizontal	Vertical	Pass
17318.949	-37.42	17.58	-25.0	-12.42	80.00	Horizontal	Vertical	Pass

RSE-V&V PCC 37825 15M QPSK RB1 74 SCC 37975 BW15 QPSK RB1 0

OPPO 特殊要求\_RSE Test case\_FCC PART2&24&27\_FCC PART 27\_2535\_LTE B38 & B41



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
42.755	-71.95	-18.86	-25.0	-46.95	326.00	Vertical	Vertical	Pass
908.432	-64.32	4.40	-25.0	-39.32	361.00	Vertical	Vertical	Pass
1360.900	-55.48	-2.91	-25.0	-30.48	78.00	Vertical	Vertical	Pass
2564.600	-38.42	2.23	-25.0	-13.42	283.00	Vertical	Vertical	N/A
9317.250	-40.21	17.69	-25.0	-15.21	101.00	Vertical	Vertical	Pass
17100.364	-36.93	19.45	-25.0	-11.93	257.00	Vertical	Vertical	Pass




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
41.931	-67.71	-18.41	-25.0	-42.71	73.00	Vertical	Horizontal	Pass
911.584	-64.64	4.50	-25.0	-39.64	45.00	Vertical	Horizontal	Pass
1510.200	-54.77	-3.49	-25.0	-29.77	51.00	Vertical	Horizontal	Pass
2584.000	-45.52	2.33	-25.0	-20.52	63.00	Vertical	Horizontal	N/A
6674.400	-42.61	11.92	-25.0	-17.61	334.00	Vertical	Horizontal	Pass
13487.688	-36.87	19.20	-25.0	-11.87	50.00	Vertical	Horizontal	Pass



## 41.2 CA\_38C 15MHz+15MHz, 16-QAM, Low Channel

RSE-H&H PCC 37825 15M 16-QAM RB1 74 SCC 37975 BW15 16-QAM RB1 0


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
130.783	-73.78	-18.51	-25.0	-48.78	199.00	Horizontal	Horizontal	Pass
783.011	-66.41	2.59	-25.0	-41.41	19.00	Horizontal	Horizontal	Pass
1358.800	-55.21	-2.86	-25.0	-30.21	341.00	Horizontal	Horizontal	Pass
2561.900	-38.82	2.21	-25.0	-13.82	96.00	Horizontal	Horizontal	N/A
9292.526	-40.12	17.54	-25.0	-15.12	100.00	Horizontal	Horizontal	Pass
21036.751	-36.05	23.26	-25.0	-11.05	319.00	Horizontal	Horizontal	Pass


RSE-H&V PCC 37825 15M 16-QAM RB1 74 SCC 37975 BW15 16-QAM RB1 0

OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
165.412	-74.30	-14.70	-25.0	-49.30	280.00	Horizontal	Vertical	Pass
920.994	-64.39	4.42	-25.0	-39.39	145.00	Horizontal	Vertical	Pass
1375.700	-55.36	-2.97	-25.0	-30.36	32.00	Horizontal	Vertical	Pass
2562.700	-29.84	2.22	-25.0	-4.84	204.00	Horizontal	Vertical	N/A
9308.912	-39.70	17.70	-25.0	-14.70	1.00	Horizontal	Vertical	Pass
17097.099	-36.36	19.29	-25.0	-11.36	324.00	Horizontal	Vertical	Pass


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
42.319	-71.96	-18.61	-25.0	-46.96	358.00	Vertical	Vertical	Pass
776.367	-66.43	2.24	-25.0	-41.43	100.00	Vertical	Vertical	Pass
1375.800	-55.65	-2.96	-25.0	-30.65	300.00	Vertical	Vertical	Pass
2552.200	-38.11	2.23	-25.0	-13.11	294.00	Vertical	Vertical	N/A
6975.000	-41.83	13.97	-25.0	-16.83	312.00	Vertical	Vertical	Pass
17097.463	-37.39	19.32	-25.0	-12.39	233.00	Vertical	Vertical	Pass

RSE-V&H PCC 37825 15M 16-QAM RB1 74 SCC 37975 BW15 16-QAM RB1 0

OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
41.203	-68.80	-18.25	-25.0	-43.80	172.00	Vertical	Horizontal	Pass
806.776	-64.81	2.51	-25.0	-39.81	63.00	Vertical	Horizontal	Pass
1387.000	-55.80	-2.90	-25.0	-30.80	190.00	Vertical	Horizontal	Pass
2584.000	-46.09	2.33	-25.0	-21.09	64.00	Vertical	Horizontal	N/A
9466.463	-39.65	17.24	-25.0	-14.65	99.00	Vertical	Horizontal	Pass
17101.449	-36.60	19.43	-25.0	-11.60	181.00	Vertical	Horizontal	Pass

### 41.3 CA\_38C 15MHz+15MHz, QPSK, Middle Channel


RSE-H&H PCC 37925 15M QPSK RB1 74 SCC 38075 BW15 QPSK RB1 0

OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
131.947	-74.43	-18.28	-25.0	-49.43	195.00	Horizontal	Horizontal	Pass
799.210	-65.72	2.68	-25.0	-40.72	195.00	Horizontal	Horizontal	Pass
1350.900	-56.00	-2.91	-25.0	-31.00	5.00	Horizontal	Horizontal	Pass
2595.800	-44.64	2.40	-25.0	-19.64	106.00	Horizontal	Horizontal	N/A
9249.974	-40.62	17.12	-25.0	-15.62	162.00	Horizontal	Horizontal	Pass
17054.324	-36.66	17.83	-25.0	-11.66	198.00	Horizontal	Horizontal	Pass

OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
108.910	-72.85	-22.31	-25.0	-47.85	34.00	Horizontal	Vertical	Pass
905.570	-64.60	4.39	-25.0	-39.60	361.00	Horizontal	Vertical	Pass
2561.800	-38.07	2.21	-25.0	-13.07	320.00	Horizontal	Vertical	N/A
2635.200	-42.34	2.64	-25.0	-17.34	328.00	Horizontal	Vertical	N/A
9350.025	-40.84	17.11	-25.0	-15.84	186.00	Horizontal	Vertical	Pass
17213.100	-37.14	18.24	-25.0	-12.14	321.00	Horizontal	Vertical	Pass

OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
30.873	-72.84	-19.46	-25.0	-47.84	307.00	Vertical	Vertical	Pass
884.473	-64.50	4.17	-25.0	-39.50	16.00	Vertical	Vertical	Pass
2562.400	-40.52	2.22	-25.0	-15.52	279.00	Vertical	Vertical	N/A
2632.900	-46.22	2.72	-25.0	-21.22	268.00	Vertical	Vertical	N/A
9261.187	-39.94	17.14	-25.0	-14.94	235.00	Vertical	Vertical	Pass
17151.475	-36.48	17.88	-25.0	-11.48	53.00	Vertical	Vertical	Pass

OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
57.694	-69.74	-14.73	-25.0	-44.74	271.00	Vertical	Horizontal	Pass
789.655	-66.36	2.76	-25.0	-41.36	114.00	Vertical	Horizontal	Pass
1330.400	-55.88	-3.04	-25.0	-30.88	65.00	Vertical	Horizontal	Pass
2562.100	-46.07	2.21	-25.0	-21.07	90.00	Vertical	Horizontal	N/A
9469.625	-40.07	17.23	-25.0	-15.07	0.00	Vertical	Horizontal	Pass
17213.463	-36.39	18.23	-25.0	-11.39	296.00	Vertical	Horizontal	Pass



### 41.4 CA\_38C 15MHz+15MHz, 16-QAM, Middle Channel


RSE-H&H PCC 37925 15M 16-QAM RB1 74 SCC 38075 BW15 16-QAM RB1 0

OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
131.025	-73.77	-18.46	-25.0	-48.77	202.00	Horizontal	Horizontal	Pass
877.198	-64.05	3.82	-25.0	-39.05	5.00	Horizontal	Horizontal	Pass
1470.100	-55.12	-3.18	-25.0	-30.12	36.00	Horizontal	Horizontal	Pass
2595.700	-43.27	2.40	-25.0	-18.27	109.00	Horizontal	Horizontal	N/A
9384.526	-39.78	17.31	-25.0	-14.78	273.00	Horizontal	Horizontal	Pass
17107.614	-36.72	19.30	-25.0	-11.72	200.00	Horizontal	Horizontal	Pass

OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
111.141	-74.94	-22.18	-25.0	-49.94	40.00	Horizontal	Vertical	Pass
908.190	-64.02	4.41	-25.0	-39.02	149.00	Horizontal	Vertical	Pass
1387.400	-55.21	-2.89	-25.0	-30.21	201.00	Horizontal	Vertical	Pass
2562.400	-38.84	2.22	-25.0	-13.84	316.00	Horizontal	Vertical	N/A
6670.600	-42.67	11.77	-25.0	-17.67	88.00	Horizontal	Vertical	Pass
17097.824	-35.98	19.34	-25.0	-10.98	236.00	Horizontal	Vertical	Pass

OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
42.610	-74.48	-18.77	-25.0	-49.48	338.00	Vertical	Vertical	Pass
903.873	-64.85	4.47	-25.0	-39.85	45.00	Vertical	Vertical	Pass
1389.700	-55.71	-2.95	-25.0	-30.71	346.00	Vertical	Vertical	Pass
2557.600	-42.86	2.18	-25.0	-17.86	361.00	Vertical	Vertical	N/A
6690.400	-42.37	11.94	-25.0	-17.37	262.00	Vertical	Vertical	Pass
17116.676	-36.80	19.11	-25.0	-11.80	48.00	Vertical	Vertical	Pass

OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
41.543	-69.55	-18.32	-25.0	-44.55	178.00	Vertical	Horizontal	Pass
902.175	-64.81	4.44	-25.0	-39.81	185.00	Vertical	Horizontal	Pass
1327.300	-55.07	-3.10	-25.0	-30.07	153.00	Vertical	Horizontal	Pass
2595.800	-48.91	2.40	-25.0	-23.91	54.00	Vertical	Horizontal	N/A
9285.049	-39.48	17.37	-25.0	-14.48	254.00	Vertical	Horizontal	Pass
19297.114	-36.52	24.17	-25.0	-11.52	186.00	Vertical	Horizontal	Pass

### 41.5 CA\_38C 15MHz+15MHz, QPSK, High Channel


RSE-H&H PCC 38025 15M QPSK RB1 74 SCC 38175 BW15 QPSK RB1 0

OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
315.180	-72.65	-11.41	-25.0	-47.65	346.00	Horizontal	Horizontal	Pass
897.568	-65.24	4.44	-25.0	-40.24	239.00	Horizontal	Horizontal	Pass
1357.900	-55.36	-2.83	-25.0	-30.36	34.00	Horizontal	Horizontal	Pass
2604.100	-40.98	2.45	-25.0	-15.98	360.00	Horizontal	Horizontal	N/A
9273.838	-40.42	17.22	-25.0	-15.42	244.00	Horizontal	Horizontal	Pass
17098.188	-36.95	19.36	-25.0	-11.95	123.00	Horizontal	Horizontal	Pass


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
165.751	-75.36	-14.72	-25.0	-50.36	100.00	Horizontal	Vertical	Pass
856.537	-65.38	3.11	-25.0	-40.38	332.00	Horizontal	Vertical	Pass
1435.900	-55.59	-3.15	-25.0	-30.59	244.00	Horizontal	Vertical	Pass
2604.600	-36.86	2.46	-25.0	-11.86	191.00	Horizontal	Vertical	N/A
9268.662	-40.33	17.18	-25.0	-15.33	332.00	Horizontal	Vertical	Pass
17091.300	-37.24	18.96	-25.0	-12.24	170.00	Horizontal	Vertical	Pass


RSE-V&V PCC 38025 15M QPSK RB1 74 SCC 38175 BW15 QPSK RB1 0

OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
41.106	-70.02	-18.22	-25.0	-45.02	165.00	Vertical	Vertical	Pass
885.346	-64.50	4.15	-25.0	-39.50	147.00	Vertical	Vertical	Pass
1398.400	-55.33	-3.06	-25.0	-30.33	21.00	Vertical	Vertical	Pass
2604.600	-41.30	2.46	-25.0	-16.30	216.00	Vertical	Vertical	N/A
9445.188	-40.51	17.19	-25.0	-15.51	91.00	Vertical	Vertical	Pass
17097.099	-37.20	19.29	-25.0	-12.20	52.00	Vertical	Vertical	Pass

OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
40.718	-67.52	-18.42	-25.0	-42.52	81.00	Vertical	Horizontal	Pass
923.418	-64.50	4.45	-25.0	-39.50	81.00	Vertical	Horizontal	Pass
1351.600	-54.97	-2.86	-25.0	-29.97	224.00	Vertical	Horizontal	Pass
2604.000	-44.42	2.45	-25.0	-19.42	93.00	Vertical	Horizontal	N/A
6613.200	-42.06	12.42	-25.0	-17.06	318.00	Vertical	Horizontal	Pass
17100.364	-37.16	19.45	-25.0	-12.16	238.00	Vertical	Horizontal	Pass



### 41.6 CA\_38C 15MHz+15MHz, 16-QAM, High Channel

RSE-H&H PCC 38025 15M 16-QAM RB1 74 SCC 38175 BW15 16-QAM RB1 0


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
34.656	-70.64	-19.38	-25.0	-45.64	249.00	Horizontal	Horizontal	Pass
878.119	-65.35	3.84	-25.0	-40.35	-1.00	Horizontal	Horizontal	Pass
1358.100	-55.18	-2.82	-25.0	-30.18	281.00	Horizontal	Horizontal	Pass
2604.300	-45.44	2.45	-25.0	-20.44	97.00	Horizontal	Horizontal	N/A
9257.162	-40.78	17.13	-25.0	-15.78	223.00	Horizontal	Horizontal	Pass
17210.200	-36.47	18.31	-25.0	-11.47	189.00	Horizontal	Horizontal	Pass

RSE-H&V PCC 38025 15M 16-QAM RB1 74 SCC 38175 BW15 16-QAM RB1 0


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
166.382	-74.40	-14.71	-25.0	-49.40	93.00	Horizontal	Vertical	Pass
888.790	-64.70	4.24	-25.0	-39.70	209.00	Horizontal	Vertical	Pass
1433.100	-55.61	-3.02	-25.0	-30.61	344.00	Horizontal	Vertical	Pass
2604.500	-36.77	2.46	-25.0	-11.77	195.00	Horizontal	Vertical	N/A
9370.150	-39.88	17.20	-25.0	-14.88	267.00	Horizontal	Vertical	Pass
17093.113	-37.02	19.07	-25.0	-12.02	253.00	Horizontal	Vertical	Pass

RSE-V&V PCC 38025 15M 16-QAM RB1 74 SCC 38175 BW15 16-QAM RB1 0


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
42.222	-71.83	-18.55	-25.0	-46.83	201.00	Vertical	Vertical	Pass
901.254	-64.48	4.40	-25.0	-39.48	311.00	Vertical	Vertical	Pass
1436.500	-55.77	-3.18	-25.0	-30.77	0.00	Vertical	Vertical	Pass
2627.100	-39.12	2.64	-25.0	-14.12	309.00	Vertical	Vertical	N/A
6985.800	-41.35	14.07	-25.0	-16.35	26.00	Vertical	Vertical	Pass
17206.938	-35.94	18.39	-25.0	-10.94	87.00	Vertical	Vertical	Pass

RSE-V&H PCC 38025 15M 16-QAM RB1 74 SCC 38175 BW15 16-QAM RB1 0

OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
41.155	-66.33	-18.24	-25.0	-41.33	64.00	Vertical	Horizontal	Pass
870.942	-64.43	3.70	-25.0	-39.43	360.00	Vertical	Horizontal	Pass
1323.600	-55.54	-3.23	-25.0	-30.54	123.00	Vertical	Horizontal	Pass
2604.000	-44.21	2.45	-25.0	-19.21	97.00	Vertical	Horizontal	N/A
6990.200	-42.18	13.59	-25.0	-17.18	328.00	Vertical	Horizontal	Pass
17098.188	-36.55	19.36	-25.0	-11.55	225.00	Vertical	Horizontal	Pass

### 41.7 CA\_38C 20MHz+20MHz, QPSK, Low Channel


RSE-H&H PCC 37850 20M QPSK RB1 99 SCC 38048 BW20 QPSK RB1 0

OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
319.448	-72.80	-11.33	-25.0	-47.80	-1.00	Horizontal	Horizontal	Pass
842.278	-64.47	2.57	-25.0	-39.47	105.00	Horizontal	Horizontal	Pass
1422.500	-55.85	-2.87	-25.0	-30.85	302.00	Horizontal	Horizontal	Pass
2561.100	-38.15	2.21	-25.0	-13.15	263.00	Horizontal	Horizontal	N/A
9288.212	-39.88	17.44	-25.0	-14.88	79.00	Horizontal	Horizontal	Pass
17102.176	-36.80	19.41	-25.0	-11.80	342.00	Horizontal	Horizontal	Pass

OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
165.363	-75.09	-14.69	-25.0	-50.09	83.00	Horizontal	Vertical	Pass
880.932	-64.56	3.88	-25.0	-39.56	21.00	Horizontal	Vertical	Pass
1480.800	-55.85	-3.16	-25.0	-30.85	1.00	Horizontal	Vertical	Pass
2562.500	-36.34	2.22	-25.0	-11.34	5.00	Horizontal	Vertical	N/A
9444.037	-39.96	17.18	-25.0	-14.96	221.00	Horizontal	Vertical	Pass
17111.599	-36.83	19.21	-25.0	-11.83	360.00	Horizontal	Vertical	Pass

OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
42.852	-73.88	-18.91	-25.0	-48.88	152.00	Vertical	Vertical	Pass
923.952	-63.63	4.45	-25.0	-38.63	127.00	Vertical	Vertical	Pass
1429.300	-55.18	-3.10	-25.0	-30.18	112.00	Vertical	Vertical	Pass
2561.600	-36.92	2.21	-25.0	-11.92	0.00	Vertical	Vertical	N/A
6980.800	-41.02	14.12	-25.0	-16.02	71.00	Vertical	Vertical	Pass
17100.724	-36.99	19.44	-25.0	-11.99	128.00	Vertical	Vertical	Pass

OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
57.354	-70.91	-14.84	-25.0	-45.91	137.00	Vertical	Horizontal	Pass
863.764	-65.29	3.30	-25.0	-40.29	79.00	Vertical	Horizontal	Pass
1407.700	-55.60	-2.98	-25.0	-30.60	349.00	Vertical	Horizontal	Pass
2559.100	-41.73	2.20	-25.0	-16.73	54.00	Vertical	Horizontal	N/A
9358.075	-40.03	17.09	-25.0	-15.03	46.00	Vertical	Horizontal	Pass
17080.063	-36.96	18.33	-25.0	-11.96	12.00	Vertical	Horizontal	Pass




### 41.8 CA\_38C 20MHz+20MHz, 16-QAM, Low Channel

RSE-H&H PCC 37850 20M 16-QAM RB1 99 SCC 38048 BW20 16-QAM RB1 0




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
311.688	-72.26	-11.58	-25.0	-47.26	352.00	Horizontal	Horizontal	Pass
786.358	-65.46	2.80	-25.0	-40.46	352.00	Horizontal	Horizontal	Pass
1438.500	-55.22	-3.18	-25.0	-30.22	159.00	Horizontal	Horizontal	Pass
2553.200	-33.42	2.23	-25.0	-8.42	99.00	Horizontal	Horizontal	N/A
9319.838	-39.80	17.69	-25.0	-14.80	60.00	Horizontal	Horizontal	Pass
19296.025	-37.17	24.13	-25.0	-12.17	309.00	Horizontal	Horizontal	Pass

OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
110.316	-74.74	-22.38	-25.0	-49.74	25.00	Horizontal	Vertical	Pass
900.187	-65.01	4.43	-25.0	-40.01	324.00	Horizontal	Vertical	Pass
1369.500	-55.11	-2.96	-25.0	-30.11	361.00	Horizontal	Vertical	Pass
2559.500	-35.31	2.20	-25.0	-10.31	331.00	Horizontal	Vertical	N/A
9248.250	-40.24	17.11	-25.0	-15.24	96.00	Horizontal	Vertical	Pass
17098.912	-36.86	19.40	-25.0	-11.86	207.00	Horizontal	Vertical	Pass

OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
46.733	-74.31	-18.38	-25.0	-49.31	300.00	Vertical	Vertical	Pass
896.210	-64.84	4.41	-25.0	-39.84	127.00	Vertical	Vertical	Pass
1390.800	-55.32	-2.97	-25.0	-30.32	0.00	Vertical	Vertical	Pass
2559.300	-35.58	2.20	-25.0	-10.58	244.00	Vertical	Vertical	N/A
6601.800	-42.75	11.96	-25.0	-17.75	19.00	Vertical	Vertical	Pass
17218.175	-36.96	18.12	-25.0	-11.96	101.00	Vertical	Vertical	Pass

OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
57.451	-69.18	-14.81	-25.0	-44.18	231.00	Vertical	Horizontal	Pass
880.787	-65.32	3.88	-25.0	-40.32	112.00	Vertical	Horizontal	Pass
1487.200	-55.33	-3.27	-25.0	-30.33	333.00	Vertical	Horizontal	Pass
2559.400	-39.66	2.20	-25.0	-14.66	92.00	Vertical	Horizontal	N/A
6677.600	-42.05	12.09	-25.0	-17.05	256.00	Vertical	Horizontal	Pass
17106.887	-36.82	19.31	-25.0	-11.82	317.00	Vertical	Horizontal	Pass

### 41.9 CA\_38C 20MHz+20MHz, QPSK, Middle Channel


RSE-H&H PCC 37901 20M QPSK RB1 99 SCC 38099 BW20 QPSK RB1 0

OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
319.884	-72.41	-11.32	-25.0	-47.41	-1.00	Horizontal	Horizontal	Pass
903.534	-65.03	4.49	-25.0	-40.03	317.00	Horizontal	Horizontal	Pass
1353.800	-56.10	-2.99	-25.0	-31.10	54.00	Horizontal	Horizontal	Pass
2629.900	-35.39	2.66	-25.0	-10.39	245.00	Horizontal	Horizontal	N/A
9322.138	-40.60	17.63	-25.0	-15.60	337.00	Horizontal	Horizontal	Pass
17099.637	-37.53	19.44	-25.0	-12.53	245.00	Horizontal	Horizontal	Pass


OPPO 特殊要求\_RSE Test case\_FCC PART2&24&27\_FCC PART 27\_2535\_LTE B38 & B41



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
166.916	-75.32	-14.68	-25.0	-50.32	289.00	Horizontal	Vertical	Pass
800.229	-66.19	2.72	-25.0	-41.19	0.00	Horizontal	Vertical	Pass
1444.100	-55.40	-3.12	-25.0	-30.40	107.00	Horizontal	Vertical	Pass
2557.100	-35.73	2.17	-25.0	-10.73	174.00	Horizontal	Vertical	N/A
9325.875	-39.93	17.53	-25.0	-14.93	306.00	Horizontal	Vertical	Pass
17094.199	-36.10	19.13	-25.0	-11.10	134.00	Horizontal	Vertical	Pass


RSE-V&V PCC 37901 20M QPSK RB1 99 SCC 38099 BW20 QPSK RB1 0

OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
57.063	-72.75	-14.93	-25.0	-47.75	311.00	Vertical	Vertical	Pass
910.323	-64.24	4.39	-25.0	-39.24	57.00	Vertical	Vertical	Pass
1289.200	-55.62	-3.39	-25.0	-30.62	139.00	Vertical	Vertical	Pass
2560.400	-40.70	2.20	-25.0	-15.70	226.00	Vertical	Vertical	N/A
9276.137	-40.41	17.23	-25.0	-15.41	342.00	Vertical	Vertical	Pass
17103.262	-36.60	19.39	-25.0	-11.60	327.00	Vertical	Vertical	Pass

OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
40.816	-67.99	-18.34	-25.0	-42.99	134.00	Vertical	Horizontal	Pass
892.524	-65.29	4.30	-25.0	-40.29	2.00	Vertical	Horizontal	Pass
1337.600	-55.93	-3.04	-25.0	-30.93	165.00	Vertical	Horizontal	Pass
2554.700	-42.99	2.23	-25.0	-17.99	57.00	Vertical	Horizontal	N/A
9295.688	-40.10	17.61	-25.0	-15.10	44.00	Vertical	Horizontal	Pass
17099.275	-36.16	19.42	-25.0	-11.16	215.00	Vertical	Horizontal	Pass



### 41.10 CA\_38C 20MHz+20MHz, 16-QAM, Middle Channel


RSE-H&H PCC 37901 20M 16-QAM RB1 99 SCC 38099 BW20 16-QAM RB1 0

OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
115.263	-75.14	-20.89	-25.0	-50.14	189.00	Horizontal	Horizontal	Pass
871.572	-65.70	3.71	-25.0	-40.70	84.00	Horizontal	Horizontal	Pass
1270.400	-56.14	-3.47	-25.0	-31.14	8.00	Horizontal	Horizontal	Pass
2557.500	-35.34	2.18	-25.0	-10.34	315.00	Horizontal	Horizontal	N/A
6694.400	-41.81	11.80	-25.0	-16.81	135.00	Horizontal	Horizontal	Pass
15221.526	-37.87	18.08	-25.0	-12.87	137.00	Horizontal	Horizontal	Pass

OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
364.892	-72.17	-9.82	-25.0	-47.17	75.00	Horizontal	Vertical	Pass
924.194	-63.73	4.45	-25.0	-38.73	267.00	Horizontal	Vertical	Pass
1600.800	-55.27	-3.59	-25.0	-30.27	205.00	Horizontal	Vertical	Pass
2562.100	-32.91	2.21	-25.0	-7.91	284.00	Horizontal	Vertical	N/A
9319.262	-40.08	17.69	-25.0	-15.08	260.00	Horizontal	Vertical	Pass
17103.989	-37.43	19.38	-25.0	-12.43	161.00	Horizontal	Vertical	Pass

OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
57.403	-72.10	-14.82	-25.0	-47.10	66.00	Vertical	Vertical	Pass
872.881	-65.25	3.76	-25.0	-40.25	79.00	Vertical	Vertical	Pass
1427.100	-54.95	-3.10	-25.0	-29.95	144.00	Vertical	Vertical	Pass
2554.800	-37.95	2.23	-25.0	-12.95	295.00	Vertical	Vertical	N/A
9302.300	-39.90	17.71	-25.0	-14.90	317.00	Vertical	Vertical	Pass
17097.099	-37.23	19.29	-25.0	-12.23	68.00	Vertical	Vertical	Pass

OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
58.761	-71.10	-15.60	-25.0	-46.10	209.00	Vertical	Horizontal	Pass
836.119	-65.48	2.43	-25.0	-40.48	334.00	Vertical	Horizontal	Pass
1408.600	-55.87	-2.99	-25.0	-30.87	134.00	Vertical	Horizontal	Pass
2628.500	-40.50	2.65	-25.0	-15.50	79.00	Vertical	Horizontal	N/A
6973.600	-41.09	13.86	-25.0	-16.09	219.00	Vertical	Horizontal	Pass
17216.725	-36.94	18.16	-25.0	-11.94	95.00	Vertical	Horizontal	Pass

### 41.11 CA\_38C 20MHz+20MHz, QPSK, High Channel


RSE-H&H PCC 37952 20M QPSK RB1 99 SCC 38150 BW20 QPSK RB1 0

OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
307.614	-72.41	-11.71	-25.0	-47.41	-1.00	Horizontal	Horizontal	Pass
942.236	-64.64	4.49	-25.0	-39.64	295.00	Horizontal	Horizontal	Pass
1374.700	-56.11	-2.96	-25.0	-31.11	96.00	Horizontal	Horizontal	Pass
2625.200	-35.43	2.62	-25.0	-10.43	10.00	Horizontal	Horizontal	N/A
6672.400	-41.16	11.81	-25.0	-16.16	301.00	Horizontal	Horizontal	Pass
17066.651	-37.45	18.10	-25.0	-12.45	351.00	Horizontal	Horizontal	Pass

OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
130.831	-75.06	-18.50	-25.0	-50.06	41.00	Horizontal	Vertical	Pass
912.506	-63.93	4.53	-25.0	-38.93	312.00	Horizontal	Vertical	Pass
1380.000	-55.27	-2.93	-25.0	-30.27	51.00	Horizontal	Vertical	Pass
2552.700	-37.68	2.23	-25.0	-12.68	172.00	Horizontal	Vertical	N/A
9306.900	-39.59	17.70	-25.0	-14.59	19.00	Horizontal	Vertical	Pass
17098.550	-37.68	19.38	-25.0	-12.68	269.00	Horizontal	Vertical	Pass

OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
41.688	-70.89	-18.36	-25.0	-45.89	361.00	Vertical	Vertical	Pass
934.428	-64.16	4.43	-25.0	-39.16	361.00	Vertical	Vertical	Pass
1461.900	-55.41	-3.13	-25.0	-30.41	23.00	Vertical	Vertical	Pass
2563.200	-42.06	2.22	-25.0	-17.06	213.00	Vertical	Vertical	N/A
6413.200	-42.40	11.34	-25.0	-17.40	189.00	Vertical	Vertical	Pass
15191.075	-37.32	18.14	-25.0	-12.32	120.00	Vertical	Vertical	Pass

OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
40.525	-68.08	-18.58	-25.0	-43.08	107.00	Vertical	Horizontal	Pass
907.850	-64.65	4.43	-25.0	-39.65	196.00	Vertical	Horizontal	Pass
1595.100	-55.38	-3.42	-25.0	-30.38	242.00	Vertical	Horizontal	Pass
2559.900	-40.23	2.20	-25.0	-15.23	96.00	Vertical	Horizontal	N/A
9293.674	-39.57	17.57	-25.0	-14.57	312.00	Vertical	Horizontal	Pass
17088.037	-37.44	18.78	-25.0	-12.44	158.00	Vertical	Horizontal	Pass



### 41.12 CA\_38C 20MHz+20MHz, 16-QAM, High Channel


RSE-H&H PCC 37952 20M 16-QAM RB1 99 SCC 38150 BW20 16-QAM RB1 0

OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
311.737	-72.14	-11.57	-25.0	-47.14	360.00	Horizontal	Horizontal	Pass
881.369	-65.17	3.89	-25.0	-40.17	210.00	Horizontal	Horizontal	Pass
1496.500	-55.26	-3.30	-25.0	-30.26	74.00	Horizontal	Horizontal	Pass
2635.300	-34.89	2.63	-25.0	-9.89	99.00	Horizontal	Horizontal	N/A
9186.725	-40.52	16.21	-25.0	-15.52	360.00	Horizontal	Horizontal	Pass
17085.500	-36.97	18.63	-25.0	-11.97	155.00	Horizontal	Horizontal	Pass

OPPO 特殊要求\_RSE Test case\_FCC PART2&24&27\_FCC PART 27\_2535\_LTE B38 & B41




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
166.285	-74.64	-14.72	-25.0	-49.64	99.00	Horizontal	Vertical	Pass
957.175	-63.66	4.35	-25.0	-38.66	361.00	Horizontal	Vertical	Pass
1282.600	-55.80	-3.49	-25.0	-30.80	138.00	Horizontal	Vertical	Pass
2555.800	-37.83	2.19	-25.0	-12.83	188.00	Horizontal	Vertical	N/A
9263.776	-39.66	17.15	-25.0	-14.66	126.00	Horizontal	Vertical	Pass
17100.364	-36.80	19.45	-25.0	-11.80	173.00	Horizontal	Vertical	Pass

OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
41.688	-71.77	-18.36	-25.0	-46.77	361.00	Vertical	Vertical	Pass
898.150	-64.75	4.45	-25.0	-39.75	292.00	Vertical	Vertical	Pass
1359.200	-55.53	-2.88	-25.0	-30.53	262.00	Vertical	Vertical	Pass
2563.700	-39.97	2.22	-25.0	-14.97	250.00	Vertical	Vertical	N/A
9279.875	-39.88	17.25	-25.0	-14.88	172.00	Vertical	Vertical	Pass
17098.912	-36.94	19.40	-25.0	-11.94	74.00	Vertical	Vertical	Pass

OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
58.227	-69.64	-14.97	-25.0	-44.64	273.00	Vertical	Horizontal	Pass
859.447	-65.73	3.22	-25.0	-40.73	63.00	Vertical	Horizontal	Pass
1534.200	-54.72	-3.59	-25.0	-29.72	236.00	Vertical	Horizontal	Pass
2628.200	-40.07	2.65	-25.0	-15.07	42.00	Vertical	Horizontal	N/A
6612.800	-42.83	12.42	-25.0	-17.83	231.00	Vertical	Horizontal	Pass
17070.276	-37.07	18.16	-25.0	-12.07	295.00	Vertical	Horizontal	Pass

42 CA\_41C


42.1 CA\_41C 20MHz+5MHz, QPSK, Low Channel

RSE-H&H PCC 39750 20M QPSK RB1 99 SCC 39867 BW5 QPSK RB1 0




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
161.338	-70.24	-14.97	-25.0	-45.24	160.00	Horizontal	Horizontal	Pass
868.904	-64.33	3.62	-25.0	-39.33	103.00	Horizontal	Horizontal	Pass
1500.200	-56.05	-3.18	-25.0	-31.05	360.00	Horizontal	Horizontal	Pass
2486.900	-41.22	1.87	-25.0	-16.22	36.00	Horizontal	Horizontal	N/A
6987.200	-41.45	13.80	-25.0	-16.45	226.00	Horizontal	Horizontal	Pass
17201.500	-36.86	18.51	-25.0	-11.86	233.00	Horizontal	Horizontal	Pass

OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
126.515	-74.67	-19.05	-25.0	-49.67	352.00	Horizontal	Vertical	Pass
798.580	-65.44	2.76	-25.0	-40.44	317.00	Horizontal	Vertical	Pass
1305.700	-55.41	-3.34	-25.0	-30.41	43.00	Horizontal	Vertical	Pass
2490.400	-40.16	1.90	-25.0	-15.16	193.00	Horizontal	Vertical	N/A
9308.625	-40.00	17.70	-25.0	-15.00	309.00	Horizontal	Vertical	Pass
17210.563	-36.25	18.30	-25.0	-11.25	15.00	Horizontal	Vertical	Pass

OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
42.125	-67.01	-18.51	-25.0	-42.01	60.00	Vertical	Vertical	Pass
930.063	-64.21	4.42	-25.0	-39.21	34.00	Vertical	Vertical	Pass
1388.700	-55.38	-2.89	-25.0	-30.38	360.00	Vertical	Vertical	Pass
2484.900	-39.78	1.86	-25.0	-14.78	316.00	Vertical	Vertical	N/A
6683.800	-42.03	12.22	-25.0	-17.03	278.00	Vertical	Vertical	Pass
17892.426	-36.61	18.73	-25.0	-11.61	228.00	Vertical	Vertical	Pass

OPPO 特殊要求\_RSE Test case\_FCC PART2&24&27\_FCC PART 27\_2535\_LTE B38 & B41




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
41.300	-66.51	-18.36	-25.0	-41.51	70.00	Vertical	Horizontal	Pass
921.964	-64.37	4.47	-25.0	-39.37	307.00	Vertical	Horizontal	Pass
1365.600	-55.43	-2.88	-25.0	-30.43	328.00	Vertical	Horizontal	Pass
2480.400	-44.56	2.03	-25.0	-19.56	60.00	Vertical	Horizontal	N/A
9260.325	-39.97	17.13	-25.0	-14.97	324.00	Vertical	Horizontal	Pass
17101.088	-37.11	19.44	-25.0	-12.11	95.00	Vertical	Horizontal	Pass



## 42.2 CA\_41C 20MHz+5MHz, 16-QAM, Low Channel


RSE-H&H PCC 39750 20M 16-QAM RB1 99 SCC 39867 BW5 16-QAM RB1 0

OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
159.544	-70.58	-14.97	-25.0	-45.58	158.00	Horizontal	Horizontal	Pass
802.120	-66.04	2.59	-25.0	-41.04	11.00	Horizontal	Horizontal	Pass
1245.000	-55.87	-3.70	-25.0	-30.87	273.00	Horizontal	Horizontal	Pass
2487.700	-33.98	1.88	-25.0	-8.98	258.00	Horizontal	Horizontal	N/A
10521.300	-39.70	16.21	-25.0	-14.70	302.00	Horizontal	Horizontal	Pass
17100.000	-36.29	19.46	-25.0	-11.29	73.00	Horizontal	Horizontal	Pass

OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
111.335	-76.26	-22.04	-25.0	-51.26	360.00	Horizontal	Vertical	Pass
795.378	-65.99	2.84	-25.0	-40.99	271.00	Horizontal	Vertical	Pass
1349.400	-55.58	-3.07	-25.0	-30.58	286.00	Horizontal	Vertical	Pass
2487.500	-42.39	1.88	-25.0	-17.39	286.00	Horizontal	Vertical	N/A
6646.000	-42.95	11.87	-25.0	-17.95	26.00	Horizontal	Vertical	Pass
17102.537	-37.11	19.41	-25.0	-12.11	360.00	Horizontal	Vertical	Pass


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
41.203	-73.35	-18.35	-25.0	-48.35	220.00	Vertical	Vertical	Pass
372.264	-70.38	-9.39	-25.0	-45.38	344.00	Vertical	Vertical	Pass
1361.100	-55.54	-2.90	-25.0	-30.54	24.00	Vertical	Vertical	Pass
2487.700	-36.99	1.88	-25.0	-11.99	316.00	Vertical	Vertical	N/A
6306.400	-43.23	10.60	-25.0	-18.23	272.00	Vertical	Vertical	Pass
17212.738	-36.53	18.25	-25.0	-11.53	281.00	Vertical	Vertical	Pass

RSE-V&H PCC 39750 20M 16-QAM RB1 99 SCC 39867 BW5 16-QAM RB1 0

OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
42.513	-72.14	-18.70	-25.0	-47.14	0.00	Vertical	Horizontal	Pass
800.907	-66.51	2.64	-25.0	-41.51	270.00	Vertical	Horizontal	Pass
1354.800	-55.59	-3.02	-25.0	-30.59	96.00	Vertical	Horizontal	Pass
2487.500	-38.07	1.88	-25.0	-13.07	17.00	Vertical	Horizontal	N/A
9286.200	-39.68	17.40	-25.0	-14.68	190.00	Vertical	Horizontal	Pass
17094.563	-36.57	19.15	-25.0	-11.57	293.00	Vertical	Horizontal	Pass

### 42.3 CA\_41C 20MHz+5MHz, QPSK, Middle Channel


RSE-H&H PCC 40595 20M QPSK RB1 99 SCC 40712 BW5 QPSK RB1 0

OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
158.525	-71.80	-14.99	-25.0	-46.80	143.00	Horizontal	Horizontal	Pass
894.222	-64.41	4.35	-25.0	-39.41	297.00	Horizontal	Horizontal	Pass
1345.200	-56.10	-2.95	-25.0	-31.10	286.00	Horizontal	Horizontal	Pass
2561.700	-25.34	2.21	-25.0	-0.34	38.00	Horizontal	Horizontal	N/A
6676.000	-41.80	12.04	-25.0	-16.80	51.00	Horizontal	Horizontal	Pass
17108.338	-36.39	19.28	-25.0	-11.39	155.00	Horizontal	Horizontal	Pass

OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
111.141	-75.65	-22.18	-25.0	-50.65	350.00	Horizontal	Vertical	Pass
886.607	-65.30	4.14	-25.0	-40.30	163.00	Horizontal	Vertical	Pass
1371.900	-55.13	-2.87	-25.0	-30.13	157.00	Horizontal	Vertical	Pass
2599.500	-45.32	2.42	-25.0	-20.32	187.00	Horizontal	Vertical	N/A
9372.162	-38.82	17.22	-25.0	-13.82	55.00	Horizontal	Vertical	Pass
17324.386	-37.15	17.52	-25.0	-12.15	31.00	Horizontal	Vertical	Pass


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
42.222	-67.30	-18.55	-25.0	-42.30	71.00	Vertical	Vertical	Pass
922.012	-64.35	4.43	-25.0	-39.35	250.00	Vertical	Vertical	Pass
1777.700	-54.55	-3.39	-25.0	-29.55	360.00	Vertical	Vertical	Pass
2624.500	-44.45	2.62	-25.0	-19.45	327.00	Vertical	Vertical	N/A
9289.650	-39.84	17.47	-25.0	-14.84	270.00	Vertical	Vertical	Pass
17102.537	-36.52	19.41	-25.0	-11.52	162.00	Vertical	Vertical	Pass

RSE-V&H PCC 40595 20M QPSK RB1 99 SCC 40712 BW5 QPSK RB1 0

OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
40.379	-71.73	-18.72	-25.0	-46.73	22.00	Vertical	Horizontal	Pass
796.785	-65.58	2.76	-25.0	-40.58	253.00	Vertical	Horizontal	Pass
1553.200	-55.47	-3.50	-25.0	-30.47	358.00	Vertical	Horizontal	Pass
2560.900	-31.21	2.21	-25.0	-6.21	61.00	Vertical	Horizontal	N/A
9850.276	-38.89	17.21	-25.0	-13.89	230.00	Vertical	Horizontal	Pass
17285.599	-37.45	17.93	-25.0	-12.45	182.00	Vertical	Horizontal	Pass



### 42.4 CA\_41C 20MHz+5MHz, 16-QAM, Middle Channel


RSE-H&H PCC 40595 20M 16-QAM RB1 99 SCC 40712 BW5 16-QAM RB1 0

OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
159.883	-71.56	-15.01	-25.0	-46.56	132.00	Horizontal	Horizontal	Pass
885.152	-64.48	4.16	-25.0	-39.48	213.00	Horizontal	Horizontal	Pass
2562.400	-22.55	2.22	-25.0	2.45	43.00	Horizontal	Horizontal	N/A
2625.000	-31.62	2.62	-25.0	-6.62	308.00	Horizontal	Horizontal	N/A
9339.388	-40.34	17.16	-25.0	-15.34	240.00	Horizontal	Horizontal	Pass
17215.275	-37.37	18.19	-25.0	-12.37	164.00	Horizontal	Horizontal	Pass

OPPO 特殊要求\_RSE Test case\_FCC PART2&24&27\_FCC PART 27\_2535\_LTE B38 & B41




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
221.139	-75.22	-16.12	-25.0	-50.22	84.00	Horizontal	Vertical	Pass
893.979	-64.84	4.35	-25.0	-39.84	104.00	Horizontal	Vertical	Pass
1392.400	-56.32	-2.98	-25.0	-31.32	233.00	Horizontal	Vertical	Pass
2599.400	-44.02	2.42	-25.0	-19.02	179.00	Horizontal	Vertical	N/A
6275.800	-44.12	11.16	-25.0	-19.12	180.00	Horizontal	Vertical	Pass
17095.650	-36.96	19.21	-25.0	-11.96	309.00	Horizontal	Vertical	Pass

OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
41.931	-68.28	-18.41	-25.0	-43.28	82.00	Vertical	Vertical	Pass
792.905	-65.47	2.83	-25.0	-40.47	78.00	Vertical	Vertical	Pass
1454.300	-55.55	-3.15	-25.0	-30.55	65.00	Vertical	Vertical	Pass
2599.300	-44.58	2.42	-25.0	-19.58	280.00	Vertical	Vertical	Pass
9263.487	-40.03	17.15	-25.0	-15.03	266.00	Vertical	Vertical	Pass
17097.099	-36.74	19.29	-25.0	-11.74	90.00	Vertical	Vertical	Pass

OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
43.095	-71.04	-19.01	-25.0	-46.04	258.00	Vertical	Horizontal	Pass
289.960	-71.82	-11.72	-25.0	-46.82	346.00	Vertical	Horizontal	Pass
2562.400	-31.77	2.22	-25.0	-6.77	57.00	Vertical	Horizontal	N/A
2624.400	-38.05	2.61	-25.0	-13.05	57.00	Vertical	Horizontal	N/A
9259.463	-40.36	17.13	-25.0	-15.36	360.00	Vertical	Horizontal	Pass
17064.475	-37.47	18.07	-25.0	-12.47	317.00	Vertical	Horizontal	Pass

### 42.5 CA\_41C 20MHz+5MHz, QPSK, High Channel


RSE-H&H PCC 41440 20M QPSK RB1 99 SCC 41557 BW5 QPSK RB1 0

OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
160.514	-70.05	-14.97	-25.0	-45.05	156.00	Horizontal	Horizontal	Pass
801.732	-65.62	2.66	-25.0	-40.62	198.00	Horizontal	Horizontal	Pass
2611.900	-46.62	2.16	-25.0	-21.62	350.00	Horizontal	Horizontal	Pass
2705.000	-22.77	3.67	-25.0	2.23	53.00	Horizontal	Horizontal	N/A
9293.674	-40.14	17.57	-25.0	-15.14	134.00	Horizontal	Horizontal	Pass
17199.325	-37.05	18.55	-25.0	-12.05	360.00	Horizontal	Horizontal	Pass

OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
119.967	-77.08	-19.74	-25.0	-52.08	357.00	Horizontal	Vertical	Pass
887.092	-64.49	4.15	-25.0	-39.49	276.00	Horizontal	Vertical	Pass
1592.300	-53.24	-3.47	-25.0	-28.24	229.00	Horizontal	Vertical	Pass
2698.200	-34.66	3.57	-25.0	-9.66	285.00	Horizontal	Vertical	N/A
9326.451	-40.00	17.51	-25.0	-15.00	71.00	Horizontal	Vertical	Pass
17204.763	-37.07	18.44	-25.0	-12.07	79.00	Horizontal	Vertical	Pass

OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
42.465	-68.04	-18.70	-25.0	-43.04	42.00	Vertical	Vertical	Pass
853.724	-64.35	3.08	-25.0	-39.35	56.00	Vertical	Vertical	Pass
1352.000	-55.71	-2.84	-25.0	-30.71	190.00	Vertical	Vertical	Pass
2698.600	-36.80	3.58	-25.0	-11.80	196.00	Vertical	Vertical	N/A
4334.600	-46.91	6.82	-25.0	-21.91	37.00	Vertical	Vertical	Pass
17085.137	-36.56	18.61	-25.0	-11.56	143.00	Vertical	Vertical	Pass

OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
41.252	-68.09	-18.36	-25.0	-43.09	113.00	Vertical	Horizontal	Pass
884.473	-65.09	4.02	-25.0	-40.09	113.00	Vertical	Horizontal	Pass
1428.800	-55.81	-3.05	-25.0	-30.81	238.00	Vertical	Horizontal	Pass
2699.600	-29.10	3.60	-25.0	-4.10	48.00	Vertical	Horizontal	N/A
9352.612	-39.91	17.11	-25.0	-14.91	270.00	Vertical	Horizontal	Pass
17100.000	-36.80	19.46	-25.0	-11.80	347.00	Vertical	Horizontal	Pass



## 42.6 CA\_41C 20MHz+5MHz, 16-QAM, High Channel


RSE-H&H PCC 41440 20M 16-QAM RB1 99 SCC 41557 BW5 16-QAM RB1 0

OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
161.775	-70.63	-14.86	-25.0	-45.63	161.00	Horizontal	Horizontal	Pass
800.956	-66.15	2.71	-25.0	-41.15	199.00	Horizontal	Horizontal	Pass
2608.700	-47.54	2.13	-25.0	-22.54	302.00	Horizontal	Horizontal	N/A
2704.900	-25.12	3.67	-25.0	-0.12	37.00	Horizontal	Horizontal	N/A
9327.313	-40.32	17.49	-25.0	-15.32	257.00	Horizontal	Horizontal	Pass
17105.074	-36.92	19.35	-25.0	-11.92	259.00	Horizontal	Horizontal	Pass

OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
108.910	-74.52	-22.32	-25.0	-49.52	360.00	Horizontal	Vertical	Pass
915.367	-64.21	4.50	-25.0	-39.21	14.00	Horizontal	Vertical	Pass
1250.800	-56.29	-3.65	-25.0	-31.29	18.00	Horizontal	Vertical	Pass
2696.400	-37.97	3.53	-25.0	-12.97	174.00	Horizontal	Vertical	N/A
6519.200	-41.78	10.57	-25.0	-16.78	68.00	Horizontal	Vertical	Pass
17214.913	-36.68	18.20	-25.0	-11.68	255.00	Horizontal	Vertical	Pass


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
56.966	-71.36	-15.01	-25.0	-46.36	318.00	Vertical	Vertical	Pass
931.955	-63.82	4.43	-25.0	-38.82	272.00	Vertical	Vertical	Pass
1356.600	-55.77	-2.81	-25.0	-30.77	308.00	Vertical	Vertical	Pass
2699.900	-36.80	3.61	-25.0	-11.80	84.00	Vertical	Vertical	N/A
9309.200	-40.11	17.70	-25.0	-15.11	143.00	Vertical	Vertical	Pass
17104.349	-37.30	19.37	-25.0	-12.30	106.00	Vertical	Vertical	Pass

RSE-V&H PCC 41440 20M 16-QAM RB1 99 SCC 41557 BW5 16-QAM RB1 0

OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
34.705	-72.18	-19.36	-25.0	-47.18	157.00	Vertical	Horizontal	Pass
792.517	-65.23	2.81	-25.0	-40.23	110.00	Vertical	Horizontal	Pass
1548.200	-55.85	-3.60	-25.0	-30.85	227.00	Vertical	Horizontal	Pass
2704.700	-26.27	3.67	-25.0	-1.27	81.00	Vertical	Horizontal	N/A
9330.763	-39.92	17.40	-25.0	-14.92	70.00	Vertical	Horizontal	Pass
17101.813	-36.96	19.42	-25.0	-11.96	218.00	Vertical	Horizontal	Pass

### 42.7 CA\_41C 20MHz+20MHz, QPSK, Low Channel


RSE-H&H PCC 39750 20M QPSK RB1 99 SCC 39948 BW20 QPSK RB1 0

OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
159.786	-70.21	-14.98	-25.0	-45.21	143.00	Horizontal	Horizontal	Pass
795.185	-65.62	2.84	-25.0	-40.62	360.00	Horizontal	Horizontal	Pass
1457.600	-55.37	-3.15	-25.0	-30.37	206.00	Horizontal	Horizontal	Pass
2489.600	-24.12	1.89	-25.0	0.88	0.00	Horizontal	Horizontal	N/A
9293.674	-40.37	17.57	-25.0	-15.37	286.00	Horizontal	Horizontal	Pass
17101.088	-37.25	19.44	-25.0	-12.25	360.00	Horizontal	Horizontal	Pass


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
110.753	-76.18	-22.24	-25.0	-51.18	360.00	Horizontal	Vertical	Pass
870.942	-64.85	3.69	-25.0	-39.85	180.00	Horizontal	Vertical	Pass
1346.500	-55.76	-2.99	-25.0	-30.76	-1.00	Horizontal	Vertical	Pass
2487.800	-40.36	1.88	-25.0	-15.36	358.00	Horizontal	Vertical	N/A
6286.400	-43.58	11.43	-25.0	-18.58	321.00	Horizontal	Vertical	Pass
17102.537	-36.47	19.41	-25.0	-11.47	67.00	Horizontal	Vertical	Pass


RSE-V&V PCC 39750 20M QPSK RB1 99 SCC 39948 BW20 QPSK RB1 0

OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
42.513	-74.40	-18.70	-25.0	-49.40	25.00	Vertical	Vertical	Pass
784.563	-66.66	2.69	-25.0	-41.66	131.00	Vertical	Vertical	Pass
1347.100	-55.77	-2.99	-25.0	-30.77	-1.00	Vertical	Vertical	Pass
2487.600	-40.26	1.88	-25.0	-15.26	237.00	Vertical	Vertical	N/A
6424.800	-42.55	11.02	-25.0	-17.55	69.00	Vertical	Vertical	Pass
17217.812	-36.99	18.13	-25.0	-11.99	137.00	Vertical	Vertical	Pass

OPPO 特殊要求\_RSE Test case\_FCC PART2&24&27\_FCC PART 27\_2535\_LTE B38 & B41




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
40.718	-71.59	-18.56	-25.0	-46.59	182.00	Vertical	Horizontal	Pass
905.037	-64.34	4.39	-25.0	-39.34	98.00	Vertical	Horizontal	Pass
1238.000	-56.51	-3.87	-25.0	-31.51	162.00	Vertical	Horizontal	Pass
2484.800	-26.84	1.86	-25.0	-1.84	49.00	Vertical	Horizontal	N/A
6606.800	-43.20	12.48	-25.0	-18.20	0.00	Vertical	Horizontal	Pass
17105.801	-35.99	19.34	-25.0	-10.99	188.00	Vertical	Horizontal	Pass



## 42.8 CA\_41C 20MHz+20MHz, 16-QAM, Low Channel

RSE-H&H PCC 39750 20M 16-QAM RB1 99 SCC 39948 BW20 16-QAM RB1 0


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
161.629	-70.94	-14.96	-25.0	-45.94	161.00	Horizontal	Horizontal	Pass
893.930	-65.23	4.38	-25.0	-40.23	89.00	Horizontal	Horizontal	Pass
1438.600	-55.36	-3.18	-25.0	-30.36	136.00	Horizontal	Horizontal	Pass
2484.700	-25.37	1.86	-25.0	-0.37	302.00	Horizontal	Horizontal	N/A
6614.000	-42.81	12.42	-25.0	-17.81	258.00	Horizontal	Horizontal	Pass
21617.850	-36.49	23.42	-25.0	-11.49	212.00	Horizontal	Horizontal	Pass


RSE-H&V PCC 39750 20M 16-QAM RB1 99 SCC 39948 BW20 16-QAM RB1 0

OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
112.110	-75.97	-21.77	-25.0	-50.97	351.00	Horizontal	Vertical	Pass
869.098	-64.47	3.62	-25.0	-39.47	196.00	Horizontal	Vertical	Pass
1447.200	-55.64	-3.33	-25.0	-30.64	113.00	Horizontal	Vertical	Pass
2488.100	-41.39	1.88	-25.0	-16.39	350.00	Horizontal	Vertical	N/A
9277.287	-40.63	17.24	-25.0	-15.63	82.00	Horizontal	Vertical	Pass
17097.824	-37.17	19.34	-25.0	-12.17	152.00	Horizontal	Vertical	Pass


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
55.414	-73.99	-15.62	-25.0	-48.99	339.00	Vertical	Vertical	Pass
791.596	-65.53	2.88	-25.0	-40.53	360.00	Vertical	Vertical	Pass
1373.400	-55.52	-2.79	-25.0	-30.52	87.00	Vertical	Vertical	Pass
2485.600	-40.33	1.86	-25.0	-15.33	234.00	Vertical	Vertical	N/A
6680.800	-42.26	12.13	-25.0	-17.26	133.00	Vertical	Vertical	Pass
17219.262	-36.48	18.10	-25.0	-11.48	244.00	Vertical	Vertical	Pass

RSE-V&H PCC 39750 20M 16-QAM RB1 99 SCC 39948 BW20 16-QAM RB1 0

OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
292.530	-71.65	-11.85	-25.0	-46.65	347.00	Vertical	Horizontal	Pass
884.376	-65.29	4.08	-25.0	-40.29	263.00	Vertical	Horizontal	Pass
1358.300	-56.11	-2.88	-25.0	-31.11	245.00	Vertical	Horizontal	Pass
2489.200	-26.50	1.89	-25.0	-1.50	61.00	Vertical	Horizontal	N/A
9308.049	-39.77	17.70	-25.0	-14.77	319.00	Vertical	Horizontal	Pass
17132.261	-37.07	18.47	-25.0	-12.07	269.00	Vertical	Horizontal	Pass

### 42.9 CA\_41C 20MHz+20MHz, QPSK, Middle Channel


RSE-H&H PCC 40521 20M QPSK RB1 99 SCC 40719 BW20 QPSK RB1 0

OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
159.592	-71.75	-15.01	-25.0	-46.75	113.00	Horizontal	Horizontal	Pass
831.996	-65.76	2.41	-25.0	-40.76	196.00	Horizontal	Horizontal	Pass
1313.700	-56.09	-3.18	-25.0	-31.09	294.00	Horizontal	Horizontal	Pass
2558.000	-24.76	2.18	-25.0	0.24	0.00	Horizontal	Horizontal	N/A
9320.700	-40.07	17.67	-25.0	-15.07	126.00	Horizontal	Horizontal	Pass
17103.989	-36.86	19.38	-25.0	-11.86	330.00	Horizontal	Horizontal	Pass

OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
112.595	-76.55	-21.65	-25.0	-51.55	360.00	Horizontal	Vertical	Pass
827.194	-65.58	2.26	-25.0	-40.58	38.00	Horizontal	Vertical	Pass
1329.100	-55.40	-3.04	-25.0	-30.40	140.00	Horizontal	Vertical	Pass
2592.300	-38.75	2.38	-25.0	-13.75	190.00	Horizontal	Vertical	N/A
9251.700	-40.23	17.13	-25.0	-15.23	254.00	Horizontal	Vertical	Pass
17096.375	-35.63	19.25	-25.0	-10.63	54.00	Horizontal	Vertical	Pass

OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
41.883	-69.39	-18.40	-25.0	-44.39	157.00	Vertical	Vertical	Pass
897.810	-64.70	4.44	-25.0	-39.70	278.00	Vertical	Vertical	Pass
1374.200	-55.78	-2.94	-25.0	-30.78	148.00	Vertical	Vertical	Pass
2592.300	-38.95	2.38	-25.0	-13.95	325.00	Vertical	Vertical	N/A
6984.200	-42.00	14.20	-25.0	-17.00	222.00	Vertical	Vertical	Pass
17094.925	-36.60	19.17	-25.0	-11.60	125.00	Vertical	Vertical	Pass

OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
42.222	-73.81	-18.55	-25.0	-48.81	106.00	Vertical	Horizontal	Pass
763.369	-66.71	1.50	-25.0	-41.71	338.00	Vertical	Horizontal	Pass
1426.800	-55.80	-3.11	-25.0	-30.80	160.00	Vertical	Horizontal	Pass
2557.800	-24.69	2.18	-25.0	0.31	45.00	Vertical	Horizontal	N/A
8829.650	-41.47	16.02	-25.0	-16.47	325.00	Vertical	Horizontal	Pass
17194.250	-37.46	18.53	-25.0	-12.46	207.00	Vertical	Horizontal	Pass



## 42.10 CA\_41C 20MHz+20MHz, 16-QAM, Middle Channel


RSE-H&H PCC 40521 20M 16-QAM RB1 99 SCC 40719 BW20 16-QAM RB1 0

OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
159.592	-70.99	-15.01	-25.0	-45.99	147.00	Horizontal	Horizontal	Pass
897.326	-65.05	4.43	-25.0	-40.05	159.00	Horizontal	Horizontal	Pass
1354.400	-55.71	-2.98	-25.0	-30.71	31.00	Horizontal	Horizontal	Pass
2558.100	-26.01	2.19	-25.0	-1.01	31.00	Horizontal	Horizontal	N/A
8743.975	-40.60	14.92	-25.0	-15.60	44.00	Horizontal	Horizontal	Pass
17107.614	-36.97	19.30	-25.0	-11.97	317.00	Horizontal	Horizontal	Pass

OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
113.371	-76.52	-21.41	-25.0	-51.52	349.00	Horizontal	Vertical	Pass
901.787	-65.07	4.42	-25.0	-40.07	118.00	Horizontal	Vertical	Pass
1252.000	-56.03	-3.58	-25.0	-31.03	0.00	Horizontal	Vertical	Pass
2592.400	-38.85	2.38	-25.0	-13.85	195.00	Horizontal	Vertical	N/A
8869.037	-41.02	15.81	-25.0	-16.02	25.00	Horizontal	Vertical	Pass
17102.900	-36.32	19.40	-25.0	-11.32	293.00	Horizontal	Vertical	Pass

OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
41.058	-73.73	-18.21	-25.0	-48.73	-1.00	Vertical	Vertical	Pass
918.714	-64.48	4.34	-25.0	-39.48	89.00	Vertical	Vertical	Pass
1259.500	-56.23	-3.68	-25.0	-31.23	126.00	Vertical	Vertical	Pass
2592.300	-38.87	2.38	-25.0	-13.87	282.00	Vertical	Vertical	Pass
6679.200	-42.35	12.06	-25.0	-17.35	191.00	Vertical	Vertical	Pass
17096.012	-35.99	19.23	-25.0	-10.99	187.00	Vertical	Vertical	Pass

OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
42.367	-71.42	-18.64	-25.0	-46.42	142.00	Vertical	Horizontal	Pass
651.867	-69.09	-1.23	-25.0	-44.09	166.00	Vertical	Horizontal	Pass
1371.300	-55.56	-2.85	-25.0	-30.56	170.00	Vertical	Horizontal	Pass
2560.900	-31.65	2.21	-25.0	-6.65	48.00	Vertical	Horizontal	N/A
9302.013	-40.78	17.71	-25.0	-15.78	24.00	Vertical	Horizontal	Pass
17101.088	-36.28	19.44	-25.0	-11.28	174.00	Vertical	Horizontal	Pass

## 42.11 CA\_41C 20MHz+20MHz, QPSK, High Channel

RSE-H&H HIGH PCC 41292 20M QPSK RB1 99 SCC 41490 BW20 QPSK RB1 0


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
160.126	-69.37	-15.00	-25.0	-44.37	138.00	Horizontal	Horizontal	Pass
923.516	-63.65	4.47	-25.0	-38.65	253.00	Horizontal	Horizontal	Pass
2608.700	-43.15	2.13	-25.0	-18.15	121.00	Horizontal	Horizontal	N/A
2694.200	-38.45	3.48	-25.0	-13.45	17.00	Horizontal	Horizontal	N/A
9443.174	-40.57	17.18	-25.0	-15.57	3.00	Horizontal	Horizontal	Pass
17095.650	-37.16	19.21	-25.0	-12.16	50.00	Horizontal	Horizontal	Pass

RSE-H&V HIGH PCC 41292 20M QPSK RB1 99 SCC 41490 BW20 QPSK RB1 0


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
112.886	-75.97	-21.43	-25.0	-50.97	348.00	Horizontal	Vertical	Pass
812.839	-66.18	2.25	-25.0	-41.18	333.00	Horizontal	Vertical	Pass
1394.400	-55.76	-2.93	-25.0	-30.76	23.00	Horizontal	Vertical	Pass
2699.300	-48.00	3.59	-25.0	-23.00	37.00	Horizontal	Vertical	N/A
6668.800	-42.89	11.85	-25.0	-17.89	239.00	Horizontal	Vertical	Pass
17102.176	-35.83	19.41	-25.0	-10.83	28.00	Horizontal	Vertical	Pass

RSE-V&V HIGH PCC 41292 20M QPSK RB1 99 SCC 41490 BW20 QPSK RB1 0


OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
40.525	-71.10	-18.73	-25.0	-46.10	8.00	Vertical	Vertical	Pass
906.977	-64.55	4.36	-25.0	-39.55	109.00	Vertical	Vertical	Pass
1410.500	-56.20	-2.92	-25.0	-31.20	164.00	Vertical	Vertical	Pass
2701.200	-45.72	3.62	-25.0	-20.72	303.00	Vertical	Vertical	N/A
6609.600	-42.90	12.34	-25.0	-17.90	101.00	Vertical	Vertical	Pass
17324.386	-37.64	17.52	-25.0	-12.64	189.00	Vertical	Vertical	Pass

RSE-V&H HIGH PCC 41292 20M QPSK RB1 99 SCC 41490 BW20 QPSK RB1 0

OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
41.300	-67.76	-18.37	-25.0	-42.76	32.00	Vertical	Horizontal	Pass
842.084	-64.76	2.60	-25.0	-39.76	206.00	Vertical	Horizontal	Pass
2610.000	-45.52	2.14	-25.0	-20.52	89.00	Vertical	Horizontal	N/A
2695.200	-40.22	3.50	-25.0	-15.22	140.00	Vertical	Horizontal	N/A
9297.412	-40.15	17.65	-25.0	-15.15	82.00	Vertical	Horizontal	Pass
17107.974	-37.26	19.29	-25.0	-12.26	309.00	Vertical	Horizontal	Pass



## 42.12 CA\_41C 20MHz+20MHz, 16-QAM, High Channel


RSE-H&H PCC 41292 20M 16-QAM RB1 99 SCC 41490 BW20 16-QAM RB1 0

OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
160.756	-68.86	-14.95	-25.0	-43.86	152.00	Horizontal	Horizontal	Pass
895.337	-64.50	4.41	-25.0	-39.50	297.00	Horizontal	Horizontal	Pass
2602.200	-44.16	2.14	-25.0	-19.16	114.00	Horizontal	Horizontal	N/A
2696.100	-36.77	3.52	-25.0	-11.77	247.00	Horizontal	Horizontal	N/A
9281.599	-40.61	17.29	-25.0	-15.61	241.00	Horizontal	Horizontal	Pass
17093.474	-37.15	19.09	-25.0	-12.15	231.00	Horizontal	Horizontal	Pass

OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
327.450	-71.96	-11.28	-25.0	-46.96	163.00	Horizontal	Vertical	Pass
924.873	-63.97	4.49	-25.0	-38.97	226.00	Horizontal	Vertical	Pass
2603.400	-39.97	2.17	-25.0	-14.97	193.00	Horizontal	Vertical	N/A
2695.200	-30.33	3.50	-25.0	-5.33	292.00	Horizontal	Vertical	N/A
9275.850	-39.88	17.23	-25.0	-14.88	189.00	Horizontal	Vertical	Pass
17208.750	-35.95	18.34	-25.0	-10.95	127.00	Horizontal	Vertical	Pass

OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
42.852	-71.45	-18.89	-25.0	-46.45	258.00	Vertical	Vertical	Pass
901.206	-64.78	4.45	-25.0	-39.78	217.00	Vertical	Vertical	Pass
2604.900	-44.83	2.12	-25.0	-19.83	265.00	Vertical	Vertical	N/A
2697.700	-36.71	3.56	-25.0	-11.71	210.00	Vertical	Vertical	N/A
9343.700	-39.77	17.13	-25.0	-14.77	164.00	Vertical	Vertical	Pass
17098.188	-37.47	19.36	-25.0	-12.47	149.00	Vertical	Vertical	Pass

OPPO 特殊要求\_RSE Test case\_FCC PART22&24&27\_FCC PART 27\_2535\_LTE B38 & B41



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
41.446	-71.62	-18.39	-25.0	-46.62	286.00	Vertical	Horizontal	Pass
861.532	-65.25	3.33	-25.0	-40.25	299.00	Vertical	Horizontal	Pass
2610.000	-44.94	2.14	-25.0	-19.94	92.00	Vertical	Horizontal	N/A
2694.500	-40.08	3.49	-25.0	-15.08	52.00	Vertical	Horizontal	N/A
6976.600	-41.51	14.08	-25.0	-16.51	353.00	Vertical	Horizontal	Pass
17384.200	-36.05	18.45	-25.0	-11.05	123.00	Vertical	Horizontal	Pass