

# FCC Radio Test Report

## FCC ID: R9C-CPH2015

This report concerns: **Original Grant**

**Project No.** : 1911C066  
**Equipment** : Mobile Phone  
**Brand Name** : OPPO  
**Test Model** : CPH2015  
**Series Model** : N/A  
**Applicant** : GuangDong Oppo Mobile Telecommunications Corp., Ltd.  
**Address** : NO. 18 HaiBin Road, WuSha village, Chang An Town, DongGuan City,Guangdong,China.  
**Manufacturer** : GuangDong Oppo Mobile Telecommunications Corp., Ltd.  
**Address** : NO. 18 HaiBin Road, WuSha village, Chang An Town, DongGuan City,Guangdong,China.  
**Factory** : GuangDong Oppo Mobile Telecommunications Corp., Ltd.  
**Address** : NO. 18 HaiBin Road, WuSha village, Chang An Town, DongGuan City,Guangdong,China.  
**Date of Receipt** : Nov. 12, 2019  
**Date of Test** : Nov. 12, 2019 ~ Dec. 18, 2019  
**Issued Date** : Dec. 24, 2019  
**Report Version** : R00  
**Test Sample** : Engineering Sample No.: DG2019112566 for conducted, DG2019112565 for radiated.  
**Standard(s)** : 47 CFR FCC Part 27 Subpart L  
47 CFR FCC Part 27 Subpart M  
47 CFR FCC Part 2  
ANSI/TIA/EIA-603-E-2016  
KDB 971168 D01 Power Meas License Digital Systems v03r01

The above equipment has been tested and found compliance with the requirement of the relative standards by BTL Inc.

*Trey Chen*

Prepared by: Trey Chen

*Steven Lu*

Approved by: Steven Lu



Certificate #5123.02

Add: No.3, Jinshagang 1st Road, Shixia, Dalang Town,Dongguan, Guangdong, China.

Tel: +86-769-8318-3000

Web: www.newbtl.com

**Declaration**

**BTL** represents to the client that testing is done in accordance with standard procedures as applicable and that test instruments used has been calibrated with standards traceable to international standard(s) and/or national standard(s).

**BTL's** reports apply only to the specific samples tested under conditions. It is manufacture's responsibility to ensure that additional production units of this model are manufactured with the identical electrical and mechanical components. **BTL** shall have no liability for any declarations, inferences or generalizations drawn by the client or others from **BTL** issued reports.

The report must not be used by the client to claim product certification, approval, or endorsement by NIST, A2LA, or any agency of the U.S. Government.

This report is the confidential property of the client. As a mutual protection to the clients, the public and ourselves, the test report shall not be reproduced, except in full, without our written approval.

**BTL's** laboratory quality assurance procedures are in compliance with the **ISO/IEC 17025** requirements, and accredited by the conformity assessment authorities listed in this test report.

**BTL** is not responsible for the sampling stage, so the results only apply to the sample as received.

The information, data and test plan are provided by manufacturer which may affect the validity of results, so it is manufacturer's responsibility to ensure that the apparatus meets the essential requirements of applied standards and in all the possible configurations as representative of its intended use.

**Limitation**

For the use of the authority's logo is limited unless the Test Standard(s)/Scope(s)/Item(s) mentioned in this test report is (are) included in the conformity assessment authorities acceptance respective.

Please note that the measurement uncertainty is provided for informational purpose only and is not use in determining the Pass/Fail results.

<b>Table of Contents</b>	<b>Page</b>
<b>REPORT ISSUED HISTORY</b>	<b>5</b>
<b>1 . SUMMARY OF TEST RESULTS</b>	<b>6</b>
1.1 TEST FACILITY	7
1.2 MEASUREMENT UNCERTAINTY	7
1.3 TEST ENVIRONMENT CONDITIONS	7
<b>2 . GENERAL INFORMATION</b>	<b>8</b>
2.1 GENERAL DESCRIPTION OF EUT	8
2.2 DESCRIPTION OF TEST MODES	12
2.3 BLOCK DIGRAM SHOWING THECONFIGURATIONOFSYSTEMTESTED	19
3.4 DESCRIPTION OF SUPPORT UNITS	19
<b>3 . TEST RESULT</b>	<b>20</b>
3.1 OUTPUT POWER MEASUREMENT	20
3.1.1 LIMIT	20
3.1.2 TEST PROCEDURE	20
3.1.3 TEST SETUP LAYOUT	20
3.1.4 TEST DEVIATION	20
3.1.5 TEST RESULTS	20
3.2 OCCUPIED BANDWIDTH MEASUREMENT	21
3.2.1 TEST PROCEDURE	21
3.2.2 TEST SETUP LAYOUT	21
3.2.3 TEST DEVIATION	21
3.2.4 TEST RESULTS	21
3.3 CONDUCTED SPURIOUS EMISSIONS MEASUREMENT	22
3.3.1 LIMIT	22
3.3.2 TEST PROCEDURES	22
3.3.3 TEST SETUP LAYOUT	22
3.3.4 TEST DEVIATION	22
3.3.5 TEST RESULTS	22
3.4 RADIATED SPURIOUS EMISSIONS MEASUREMENT	23
3.4.1 LIMIT	23
3.4.2 TEST PROCEDURES	23
3.4.3 TEST SETUP LAYOUT	24
3.4.4 TEST RESULTS (9KHZ TO 30MHZ)	25
3.4.5 TEST RESULTS (30MHZ TO 1000MHZ)	25
3.4.6 TEST RESULTS (ABOVE 1000MHZ)	25
3.5 BAND EDGE MEASUREMENT	26
3.5.1 LIMIT	26
3.5.2 TEST PROCEDURES	26

<b>Table of Contents</b>	<b>Page</b>
3.5.3 TEST SETUP LAYOUT	26
3.5.4 TEST DEVIATION	26
3.5.5 TEST RESULTS	26
3.6 PEAK TO AVERAGE RATIO MEASUREMENT	27
3.6.1 LIMIT	27
3.6.2 TEST PROCEDURES	27
3.6.3 TEST SETUP LAYOUT	27
3.6.4 TEST DEVIATION	27
3.6.5 TEST RESULTS	27
3.7 FREQUENCY STABILITY MEASUREMENT	28
3.7.1 LIMIT	28
3.7.2 TEST PROCEDURES	28
3.7.3 TEST SETUP LAYOUT	28
3.7.4 TEST DEVIATION	28
3.7.5 TEST RESULTS	28
4. LIST OF MEASUREMENT EQUIPMENTS	29
APPENDIX A - OUTPUT POWER	31
APPENDIX B - OCCUPIED BANDWIDTH	58
APPENDIX C - CONDUCTED SPURIOUS EMISSIONS	134
APPENDIX D - RADIATED SPURIOUS EMISSIONS (9KHZ TO 30MHZ)	148
APPENDIX E - RADIATED SPURIOUS EMISSIONS (30MHZ TO 1GHZ)	153
APPENDIX F - RADIATED SPURIOUS EMISSIONS (ABOVE 1GHZ)	206
APPENDIX G - BAND EDGE	259
APPENDIX H - PEAK TO AVERAGE RATIO	285
APPENDIX I - FREQUENCY STABILITY	337

**REPORT ISSUED HISTORY**

Report Version	Description	Issued Date
R00	Original Issue.	Dec. 24, 2019

## 1. SUMMARY OF TEST RESULTS

Test procedures according to the technical standard(s):

FCC Part 27 Subpart L, M & Part 2			
Standard(s) Section	Test Item	Judgment	Remark
2.1046 27.50(d)(4) 27.50(h)(2)	Equivalent Isotropic Radiated Power	PASS	-----
2.1049	Occupied Bandwidth	PASS	-----
2.1051 27.53(h) 27.53(m)(4)	Conducted Spurious Emissions	PASS	-----
2.1053 27.53(h) 27.53(m)(4)	Radiated Spurious Emissions	PASS	-----
2.1051 27.53(h) 27.53(m)(4)	Band Edge Measurements	PASS	-----
-	Peak To Average Ratio	PASS	Record Only
2.1055 27.54	Frequency Stability	PASS	-----

Note:

(1) "N/A" denotes test is not applicable in this test report.

### 1.1 TEST FACILITY

The test facilities used to collect the test data in this report is at the location of No.3, Jinshagang 1st Road, Shixia, Dalang Town, Dongguan, Guangdong, China.

BTL's Test Firm Registration Number for FCC: 357015

BTL's Designation Number for FCC: CN1240

### 1.2 MEASUREMENT UNCERTAINTY

The measurement uncertainty figures shall be calculated according the methods described in the ETSI TR 100 028 and shall correspond to an expansion factor (coverage factor)  $k=1.96$  or  $k=2$ (which provide confidence levels of respectively 90% and 95.45% in the case where the distributions characterizing the actual measurement uncertainties are normal (Gaussian)).

Measurement Uncertainty for a Level of Confidence of 95 %,  $U=2xUc(y)$ .

The BTL measurement uncertainty as below table:

#### A. Radiated Measurement :

Test Site	Method	Measurement Frequency Range	Ant. H / V	U,(dB)
DG-CB03 (3m)	CISPR	9KHz ~ 30MHz	V	3.79
		9KHz ~ 30MHz	H	3.57
		30MHz ~ 200MHz	V	4.88
		30MHz ~ 200MHz	H	4.14
		200MHz ~ 1,000MHz	V	4.62
		200MHz ~ 1,000MHz	H	4.80

Test Site	Method	Measurement Frequency Range	U,(dB)
DG-CB03 (3m)	CISPR	1GHz ~ 6GHz	4.58
		6GHz ~ 18GHz	5.18

Note: Unless specifically mentioned, the uncertainty of measurement has not been taken into account to declare the compliance or non-compliance to the specification.

### 1.3 TEST ENVIRONMENT CONDITIONS

Test Item	Temperature	Humidity	Test Voltage	Tested By
Output Power & EIRP	22.6°C	50.5%	DC 3.85V	Vegeta Li
Occupied Bandwidth	22.6°C	50.5%	DC 3.85V	Vegeta Li
Conducted Spurious Emissions	22.6°C	50.5%	DC 3.85V	Vegeta Li
Radiated Spurious Emissions	24°C	68%	AC 120V/60Hz	Berton Luo
Band Edge	22.6°C	50.5%	DC 3.85V	Vegeta Li
Peak to Average Ratio	22.6°C	50.5%	DC 3.85V	Vegeta Li
Frequency Stability	Normal and Extreme			Vegeta Li

## 2. GENERAL INFORMATION

### 2.1 GENERAL DESCRIPTION OF EUT

Equipment	Mobile Phone				
Brand Name	OPPO				
Test Model	CPH2015				
Series Model	N/A				
Model Difference(s)	N/A				
Hardware Version	11				
Software Version	ColorOS V6.1.2				
Power Source	1. DC Voltage supplied from AC/DC adapter. 1# Model: OP52KAUH 2# Model: OP52JAUH 3# Model: OP52JBUH 4# Model: OP52YAUH 2. Supplied from Li-ion Polymer battery. 1# Factory / Model: Scud / BLP673 2# Factory / Model: Desay / BLP673 3. Supplied from USB port.				
Power Rating	1. I/P:100-240V~ 50/60Hz 0.4A O/P:5V --- 2A 2. 3.85Vdc, 4100mAh/15.78Wh 3. DC 5V				
IEMI No.	Radiated	867898040019951			
	Conducted	867898040019977			
Modulation Type	WCDMA/HSDPA/HSUPA	UL: QPSK DL: QPSK, 16QAM			
	LTE	UL: QPSK, 16QAM, 64QAM DL: QPSK, 16QAM, 64QAM			
Max. EIRP	WCDMA Band IV	QPSK	21.58	dBm	
	HSDPA Band IV	QPSK	21.12	dBm	
	HSUPA Band IV	QPSK	20.59	dBm	
	LTE	Channel Bandwidth (MHz)	QPSK (dBm)	16QAM (dBm)	64QAM (dBm)
	Band 4	1.4	21.34	20.46	19.46
		3	20.40	19.79	18.70
		5	20.32	19.81	18.64
		10	20.44	19.82	18.69
		15	20.33	19.72	18.90
		20	20.51	19.96	19.12
	Band 7	5	23.77	23.17	21.95
		10	23.91	23.10	22.04
		15	23.80	23.13	22.18
		20	23.97	23.16	22.11
	Band 38	5	23.57	22.90	22.03
		10	23.81	23.16	22.22
		15	23.62	22.89	21.94
		20	23.85	23.14	22.30
	Band 41	5	23.47	22.50	21.34
		10	23.64	22.59	21.54
		15	23.40	22.47	21.28
		20	23.68	22.69	21.59
Band 66	1.4	21.24	20.44	19.39	
	3	20.31	19.66	18.66	
	5	20.22	19.66	18.47	
	10	20.30	19.65	18.63	
	15	20.18	19.69	18.83	
	20	20.48	19.83	18.95	



**Note:**

1. For a more detailed features description, please refer to the manufacturer's specifications or the user's manual.

**2. Channel List:**

WCDMA Band IV				
Test Frequency ID	UARFCN	Frequency of Uplink (MHz)	UARFCN	Frequency of Downlink (MHz)
Low Range	1312	1712.4	1537	2112.4
Mid Range	1413	1732.6	1638	2132.6
High Range	1513	1752.6	1738	2152.6

LTE Band 4					
Test Frequency ID	Bandwidth (MHz)	N <sub>UL</sub>	Frequency of Uplink (MHz)	N <sub>DL</sub>	Frequency of Downlink (MHz)
Low Range	1.4	19957	1710.7	1957	2110.7
	3	19965	1711.5	1965	2111.5
	5	19975	1712.5	1975	2112.5
	10	20000	1715	2000	2115
	15	20025	1717.5	2025	2117.5
	20	20050	1720	2050	2120
Mid Range	1.4/3/5/10/15/20	20175	1732.5	2175	2132.5
High Range	1.4	20393	1754.3	2393	2154.3
	3	20385	1753.5	2385	2153.5
	5	20375	1752.5	2375	2152.5
	10	20350	1750	2350	2150
	15	20325	1747.5	2325	2147.5
	20	20300	1745	2300	2145

LTE Band 7					
Test Frequency ID	Bandwidth (MHz)	N <sub>UL</sub>	Frequency of Uplink (MHz)	N <sub>DL</sub>	Frequency of Downlink (MHz)
Low Range	5	20775	2502.5	2775	2622.5
	10	20800	2505	2800	2625
	15	20825	2507.5	2825	2627.5
	20	20850	2510	2850	2630
Mid Range	5/10/15/20	21100	2535	3100	2655
High Range	5	21425	2567.5	3425	2687.5
	10	21400	2565	3400	2685
	15	21375	2562.5	3375	2682.5
	20	21350	2560	3350	2680

LTE Band 38			
Test Frequency ID	Bandwidth (MHz)	EARFCN	Frequency (UL and DL) (MHz)
Low Range	5	37775	2572.5
	10	37800	2575
	15	37825	2577.5
	20	37850	2580
Mid Range	5/10/15/20	38000	2595
High Range	5	38225	2617.5
	10	38200	2615
	15	38175	2612.5
	20	38150	2610

LTE Band 41			
Test Frequency ID	Bandwidth (MHz)	EARFCN	Frequency (UL and DL) (MHz)
Low Range	5	40065	2537.5
	10	40090	2540
	15	40115	2542.5
	20	40140	2545
Mid Range	5/10/15/20	40640	2595
High Range	5	41215	2652.5
	10	41190	2650
	15	41165	2647.5
	20	41140	2645

LTE Band 66					
Test Frequency ID	Bandwidth (MHz)	N <sub>UL</sub>	Frequency of Uplink (MHz)	N <sub>DL</sub>	Frequency of Downlink (MHz)
Low Range	1.4	131979	1710.7	66443	2110.7
	3	131987	1711.5	66451	2111.5
	5	131997	1712.5	66461	2112.5
	10	132022	1715	66486	2115
	15	132047	1717.5	66511	2117.5
	20	132072	1720	66536	2120
Mid Range	1.4/3/5/10/15/20	132322	1745	66786	2145
High Range	1.4	132665	1779.3	67129	2179.3
	3	132657	1778.5	67121	2178.5
	5	132647	1777.5	67111	2177.5
	10	132622	1775	67086	2175
	15	132597	1772.5	67061	2172.5
	20	132572	1770	67036	2170

## 3. Table for Filed Antenna:

## Main Antenna

Brand	Model Name	Antenna Type	Connector	Gain (dBi)	Note
N/A	N/A	Internal	N/A	-1.53	WCDMA Band IV
N/A	N/A	Internal	N/A	-1.53	LTE Band 4
N/A	N/A	Internal	N/A	0.68	LTE Band 7
N/A	N/A	Internal	N/A	1.39	LTE Band 38
N/A	N/A	Internal	N/A	0.68	LTE Band 41
N/A	N/A	Internal	N/A	-1.53	LTE Band 66

## Second Antenna

Brand	Model Name	Antenna Type	Connector	Gain (dBi)	Note
N/A	N/A	Internal	N/A	-1.53	WCDMA Band IV
N/A	N/A	Internal	N/A	-1.53	LTE Band 4
N/A	N/A	Internal	N/A	0.68	LTE Band 7
N/A	N/A	Internal	N/A	1.39	LTE Band 38
N/A	N/A	Internal	N/A	0.68	LTE Band 41
N/A	N/A	Internal	N/A	-1.53	LTE Band 66

## 2.2 DESCRIPTION OF TEST MODES

Following mode(s) is (were) found to be the worst case(s) and selected for the final test.

WCDMA BAND IV MODE			
Test Item	Available Channel	Tested Channel	Mode
Output Power & EIRP	1312 to 1513	1312, 1413, 1513	WCDMA,HSDPA, HSUPA
Occupied Bandwidth	1312 to 1513	1312, 1413, 1513	WCDMA,HSDPA, HSUPA
Conducted Spurious Emissions	1312 to 1513	1413	WCDMA
Radiated Spurious Emissions	1312 to 1513	1413	WCDMA
Band Edge	1312 to 1513	1312, 1513	WCDMA,HSDPA, HSUPA
Peak to Average Ratio	1312 to 1513	1312, 1413, 1513	WCDMA,HSDPA, HSUPA
Frequency Stability	1312 to 1513	1413	WCDMA

LTE BAND 4 MODE					
Test Item	Available Channel	Tested Channel	Channel Bandwidth	Modulation	Mode
Output Power & EIRP	19957 to 20393	19957, 20175, 20393	1.4MHz	QPSK, 16QAM, 64QAM	1RB/3RB/6RB
	19965 to 20385	19965, 20175, 20385	3MHz	QPSK, 16QAM, 64QAM	1RB/8RB/15RB
	19975 to 20375	19975, 20175, 20375	5MHz	QPSK, 16QAM, 64QAM	1RB/12RB/25RB
	20000 to 20350	20000, 20175, 20350	10MHz	QPSK, 16QAM, 64QAM	1RB/25RB/50RB
	20025 to 20325	20025, 20175, 20325	15MHz	QPSK, 16QAM, 64QAM	1RB/36RB/75RB
	20050 to 20300	20050, 20175, 20300	20MHz	QPSK, 16QAM, 64QAM	1RB/50RB/100RB
Occupied Bandwidth	19957 to 20393	19957, 20175, 20393	1.4MHz	QPSK, 16QAM, 64QAM	6RB
	19965 to 20385	19965, 20175, 20385	3MHz	QPSK, 16QAM, 64QAM	15RB
	19975 to 20375	19975, 20175, 20375	5MHz	QPSK, 16QAM, 64QAM	25RB
	20000 to 20350	20000, 20175, 20350	10MHz	QPSK, 16QAM, 64QAM	50RB
	20025 to 20325	20025, 20175, 20325	15MHz	QPSK, 16QAM, 64QAM	75 RB
	20050 to 20300	20050, 20175, 20300	20MHz	QPSK, 16QAM, 64QAM	100RB

LTE BAND 4 MODE					
Test Item	Available Channel	Tested Channel	Channel Bandwidth	Modulation	Mode
Conducted Spurious Emissions	19957 to 20393	20175	1.4MHz	QPSK	1RB
	19975 to 20375	20175	5MHz	QPSK	1RB
	20050 to 20300	20175	20MHz	QPSK	1RB
Radiated Spurious Emissions	19957 to 20393	20175	1.4MHz	QPSK	1RB
	19975 to 20375	20175	5MHz	QPSK	1RB
	20050 to 20300	20175	20MHz	QPSK	1RB
Band Edge	19957 to 20393	19957, 20393	1.4MHz	QPSK	1RB/6RB
	19965 to 20385	19965, 20385	3MHz	QPSK	1RB/15RB
	19975 to 20375	19975, 20375	5MHz	QPSK	1RB/25RB
	20000 to 20350	20000, 20350	10MHz	QPSK	1RB/50RB
	20025 to 20325	20025, 20325	15MHz	QPSK	1RB/75RB
	20050 to 20300	20050, 20300	20MHz	QPSK	1RB/100RB
Peak To Average Ratio	19957 to 20393	19957, 20175, 20393	1.4MHz	QPSK, 16QAM, 64QAM	1RB
	19965 to 20385	19965, 20175, 20385	3MHz	QPSK, 16QAM, 64QAM	1RB
	19975 to 20375	19975, 20175, 20375	5MHz	QPSK, 16QAM, 64QAM	1RB
	20000 to 20350	20000, 20175, 20350	10MHz	QPSK, 16QAM, 64QAM	1RB
	20025 to 20325	20025, 20175, 20325	15MHz	QPSK, 16QAM, 64QAM	1RB
	20050 to 20300	20050, 20175, 20300	20MHz	QPSK, 16QAM, 64QAM	1RB
Frequency Stability	19957 to 20393	20175	1.4MHz	QPSK	1RB
	19965 to 20385	20175	3MHz	QPSK	1RB
	19975 to 20375	20175	5MHz	QPSK	1RB
	20000 to 20350	20175	10MHz	QPSK	1RB
	20025 to 20325	20175	15MHz	QPSK	1RB
	20050 to 20300	20175	20MHz	QPSK	1RB

LTE BAND 7 MODE					
Test Item	Available Channel	Tested Channel	Channel Bandwidth	Modulation	Mode
Output Power & EIRP	20775 to 21425	20775, 21100, 21425	5MHz	QPSK, 16QAM, 64QAM	1RB/12RB/25RB
	20800 to 21400	20800, 21100, 21400	10MHz	QPSK, 16QAM, 64QAM	1RB/25RB/50RB
	20825 to 21375	20825, 21100, 21375	15MHz	QPSK, 16QAM, 64QAM	1RB/36RB/75RB
	20850 to 21350	20850, 21100, 21350	20MHz	QPSK, 16QAM, 64QAM	1RB/50RB/100RB
Occupied Bandwidth	20775 to 21425	20775, 21100, 21425	5MHz	QPSK, 16QAM, 64QAM	25RB
	20800 to 21400	20800, 21100, 21400	10MHz	QPSK, 16QAM, 64QAM	50RB
	20825 to 21375	20825, 21100, 21375	15MHz	QPSK, 16QAM, 64QAM	75RB
	20850 to 21350	20850, 21100, 21350	20MHz	QPSK, 16QAM, 64QAM	100RB
Conducted Spurious Emissions	20775 to 21425	21100	5MHz	QPSK	1RB
	20850 to 21350	21100	20MHz	QPSK	1RB
Radiated Spurious Emissions	20775 to 21425	21100	5MHz	QPSK	1RB
	20850 to 21350	21100	20MHz	QPSK	1RB
Band Edge	20775 to 21425	20775, 21425	5MHz	QPSK	1RB/25RB
	20800 to 21400	20800, 21400	10MHz	QPSK	1RB/50RB
	20825 to 21375	20825, 21375	15MHz	QPSK	1RB/75RB
	20850 to 21350	20850, 21350	20MHz	QPSK	1RB/100RB
Peak To Average Ratio	20775 to 21425	20775, 21100, 21425	5MHz	QPSK, 16QAM, 64QAM	1RB
	20800 to 21400	20800, 21100, 21400	10MHz	QPSK, 16QAM, 64QAM	1RB
	20825 to 21375	20825, 21100, 21375	15MHz	QPSK, 16QAM, 64QAM	1RB
	20850 to 21350	20850, 21100, 21350	20MHz	QPSK, 16QAM, 64QAM	1RB
Frequency Stability	20775 to 21425	21100	5MHz	QPSK	1RB
	20800 to 21400	21100	10MHz	QPSK	1RB
	20825 to 21375	21100	15MHz	QPSK	1RB
	20850 to 21350	21100	20MHz	QPSK	1RB

LTE BAND 38 MODE					
Test Item	Available Channel	Tested Channel	Channel Bandwidth	Modulation	Mode
Output Power & EIRP	37775 to 38225	37775, 38000, 38225	5MHz	QPSK, 16QAM, 64QAM	1RB/12RB/25RB
	37800 to 38200	37800, 38000, 38200	10MHz	QPSK, 16QAM, 64QAM	1RB/25RB/50RB
	37825 to 38175	37825, 38000, 38175	15MHz	QPSK, 16QAM, 64QAM	1RB/36RB/75RB
	37850 to 38150	37850, 38000, 38150	20MHz	QPSK, 16QAM, 64QAM	1RB/50RB/100RB
Occupied Bandwidth	37775 to 38225	37775, 38000, 38225	5MHz	QPSK, 16QAM, 64QAM	25RB
	37800 to 38200	37800, 38000, 38200	10MHz	QPSK, 16QAM, 64QAM	50RB
	37825 to 38175	37825, 38000, 38175	15MHz	QPSK, 16QAM, 64QAM	75RB
	37850 to 38150	37850, 38000, 38150	20MHz	QPSK, 16QAM, 64QAM	100RB
Conducted Spurious Emissions	37850 to 38150	38000	5MHz	QPSK	1RB
	37850 to 38150	38000	20MHz	QPSK	1RB
Radiated Spurious Emissions	37850 to 38150	38000	5MHz	QPSK	1RB
	37850 to 38150	38000	20MHz	QPSK	1RB
Band Edge	37775 to 38225	37775, 38225	5MHz	QPSK	1RB/25RB
	37800 to 38200	37800, 38200	10MHz	QPSK	1RB/50RB
	37825 to 38175	37825, 38175	15MHz	QPSK	1RB/75RB
	37850 to 38150	37850, 38150	20MHz	QPSK	1RB/100RB
Peak to Average Ratio	37775 to 38225	37775, 38000, 38225	5MHz	QPSK, 16QAM, 64QAM	1RB
	37800 to 38200	37800, 38000, 38200	10MHz	QPSK, 16QAM, 64QAM	1RB
	37825 to 38175	37825, 38000, 38175	15MHz	QPSK, 16QAM, 64QAM	1RB
	37850 to 38150	37850, 38000, 38150	20MHz	QPSK, 16QAM, 64QAM	1RB
Frequency Stability	37775 to 38225	38000	5MHz	QPSK	1RB
	37800 to 38200	38000	20MHz	QPSK	1RB
	37825 to 38175	38000	5MHz	QPSK	1RB
	37850 to 38150	38000	20MHz	QPSK	1RB


LTE BAND 41 MODE					
Test Item	Available Channel	Tested Channel	Channel Bandwidth	Modulation	Mode
Output Power & EIRP	40065 to 41215	40065, 40640, 41215	5MHz	QPSK, 16QAM, 64QAM	1RB/12RB/25RB
	40090 to 41190	40090, 40640, 41190	10MHz	QPSK, 16QAM, 64QAM	1RB/25RB/50RB
	40115 to 41165	40115, 40640, 41545	15MHz	QPSK, 16QAM, 64QAM	1RB/36RB/75RB
	40140 to 41140	40140, 40640, 41140	20MHz	QPSK, 16QAM, 64QAM	1RB/50RB/100RB
Occupied Bandwidth	40065 to 41215	40065, 40640, 41215	5MHz	QPSK, 16QAM, 64QAM	25RB
	40090 to 41190	40090, 40640, 41190	10MHz	QPSK, 16QAM, 64QAM	50RB
	40115 to 41165	40115, 40640, 41545	15MHz	QPSK, 16QAM, 64QAM	75RB
	40140 to 41140	40140, 40640, 41140	20MHz	QPSK, 16QAM, 64QAM	100RB
Conducted Spurious Emissions	40065 to 41215	40640	5MHz	QPSK	1RB
	40140 to 41140	40640	20MHz	QPSK	1RB
Radiated Spurious Emissions	40065 to 41215	40640	5MHz	QPSK	1RB
	40140 to 41140	40640	20MHz	QPSK	1RB
Band Edge	40065 to 41215	40065, 41215	5MHz	QPSK	1RB/25RB
	40090 to 41190	40090, 41190	10MHz	QPSK	1RB/50RB
	40115 to 41165	40115, 41545	15MHz	QPSK	1RB/75RB
	40140 to 41140	40140, 41140	20MHz	QPSK	1RB/100RB
Peak to Average Ratio	40065 to 41215	40065, 40640, 41215	5MHz	QPSK, 16QAM, 64QAM	1RB
	40090 to 41190	40090, 40640, 41190	10MHz	QPSK, 16QAM, 64QAM	1RB
	40115 to 41165	40115, 40640, 41545	15MHz	QPSK, 16QAM, 64QAM	1RB
	40140 to 41140	40140, 40640, 41140	20MHz	QPSK, 16QAM, 64QAM	1RB
Frequency Stability	40065 to 41215	40640	5MHz	QPSK	1RB
	40090 to 41190	40640	20MHz	QPSK	1RB
	40115 to 41165	40640	5MHz	QPSK	1RB
	40140 to 41140	40640	20MHz	QPSK	1RB



LTE BAND 66 MODE					
Test Item	Available Channel	Tested Channel	Channel Bandwidth	Modulation	Mode
Output Power & EIRP	131979 to 132665	131979, 132322, 132665	1.4MHz	QPSK, 16QAM, 64QAM	1RB/3RB/6RB
	131987 to 132657	131987, 132322, 132657	3MHz	QPSK, 16QAM, 64QAM	1RB/8RB/15RB
	131997 to 132647	131997, 132322, 132647	5MHz	QPSK, 16QAM, 64QAM	1RB/12RB/25RB
	132022 to 132622	132022, 132322, 132622	10MHz	QPSK, 16QAM, 64QAM	1RB/25RB/50RB
	132047 to 132597	132047, 132322, 132597	15MHz	QPSK, 16QAM, 64QAM	1RB/36RB/75RB
	132072 to 132572	132072, 132322, 132572	20MHz	QPSK, 16QAM, 64QAM	1RB/50RB/100RB
Occupied Bandwidth	131979 to 132665	131979, 132322, 132665	1.4MHz	QPSK, 16QAM, 64QAM	6RB
	131987 to 132657	131987, 132322, 132657	3MHz	QPSK, 16QAM, 64QAM	15RB
	131997 to 132647	131997, 132322, 132647	5MHz	QPSK, 16QAM, 64QAM	25RB
	132022 to 132622	132022, 132322, 132622	10MHz	QPSK, 16QAM, 64QAM	50RB
	132047 to 132597	132047, 132322, 132597	15MHz	QPSK, 16QAM, 64QAM	75 RB
	132072 to 132572	132072, 132322, 132572	20MHz	QPSK, 16QAM, 64QAM	100RB
Conducted Spurious Emissions	131979 to 132665	132322	1.4MHz	QPSK	1RB
	131997 to 132647	132322	5MHz	QPSK	1RB
	132072 to 132572	132322	20MHz	QPSK	1RB
Radiated Spurious Emissions	131979 to 132665	132322	1.4MHz	QPSK	1RB
	131997 to 132647	132322	5MHz	QPSK	1RB
	132072 to 132572	132322	20MHz	QPSK	1RB
Band Edge	131979 to 132665	131979, 132665	1.4MHz	QPSK	1RB/6RB
	131987 to 132657	131987, 132657	3MHz	QPSK	1RB/15RB
	131997 to 132647	131997, 132647	5MHz	QPSK	1RB/25RB
	132022 to 132622	132022, 132622	10MHz	QPSK	1RB/50RB
	132047 to 132597	132047, 132597	15MHz	QPSK	1RB/75RB
	132072 to 132572	132072, 132572	20MHz	QPSK	1RB/100RB

LTE BAND 66 MODE					
Test Item	Available Channel	Tested Channel	Channel Bandwidth	Modulation	Mode
Peak to Average Ratio	131979 to 132665	131979, 132322, 132665	1.4MHz	QPSK, 16QAM, 64QAM	1RB/3RB/6RB
	131987 to 132657	131987, 132322, 132657	3MHz	QPSK, 16QAM, 64QAM	1RB/8RB/15RB
	131997 to 132647	131997, 132322, 132647	5MHz	QPSK, 16QAM, 64QAM	1RB/12RB/25RB
	132022 to 132622	132022, 132322, 132622	10MHz	QPSK, 16QAM, 64QAM	1RB/25RB/50RB
	132047 to 132597	132047, 132322, 132597	15MHz	QPSK, 16QAM, 64QAM	1RB/36RB/75RB
	132072 to 132572	132072, 132322, 132572	20MHz	QPSK, 16QAM, 64QAM	1RB/50RB/100RB
Frequency Stability	131979 to 132665	132322	1.4MHz	QPSK	1RB
	131987 to 132657	132322	3MHz	QPSK	1RB
	131997 to 132647	132322	5MHz	QPSK	1RB
	132022 to 132622	132322	10MHz	QPSK	1RB
	132047 to 132597	132322	15MHz	QPSK	1RB
	132072 to 132572	132322	20MHz	QPSK	1RB

### 2.3 BLOCK DIGRAM SHOWING THE CONFIGURATION OF SYSTEM TESTED



### 3.4 DESCRIPTION OF SUPPORT UNITS

The EUT has been tested as an independent unit together with other necessary accessories or support units. The following support units or accessories were used to form a representative test configuration during the tests.

Item	Equipment	Mfr/Brand	Model/Type No.	Series No.
-	-	-	-	-

Item	Cable Type	Shielded Type	Ferrite Core	Length
1	USB Cable	YES	NO	1m

### 3. TEST RESULT

#### 3.1 OUTPUT POWER MEASUREMENT

##### 3.1.1 LIMIT

Mobile / Portable station are limited to 1 watts e.i.r.p. (Part 27 Subpart L)

Mobile / Portable station are limited to 2 watts e.i.r.p. (Part 27 Subpart M)

##### 3.1.2 TEST PROCEDURE

The testing follows FCC KDB 971168 v03r01 Section 5.

##### EIRP:


$EIRP = \text{Output Power} + \text{Antenan gain}$

##### Output Power:

The EUT was set up for the maximum power with WCDMA and LTE link data modulation and link up with simulator. Set the EUT to transmit under low, middle and high channel and record the power level shown on simulator.

##### 3.1.3 TEST SETUP LAYOUT

Output Power Measurement



##### 3.1.4 TEST DEVIATION

No deviation

##### 3.1.5 TEST RESULTS

Please refer to the APPENDIX A.


## 3.2 OCCUPIED BANDWIDTH MEASUREMENT

### 3.2.1 TEST PROCEDURE

The testing follows FCC KDB 971168 v03r01 Section 4.

1. The EUT makes a call to the communication simulator. All measurements were done at low, middle and high operational frequency range. The communication simulator station system controlled a EUT to export maximum output power under transmission mode and specific channel frequency. Use OBW measurement function of Spectrum analyzer to measure 99 % occupied bandwidth and 26dB bandwidth.
2. The EUT was connected to spectrum analyzer and system simulator via a power divider.
3.  $RBW=(1\% \sim 5\%)*EBW$   
 $VBW \geq 3* RBW$
4. Set spectrum analyzer with Peak detector.

### 3.2.2 TEST SETUP LAYOUT



### 3.2.3 TEST DEVIATION

No deviation

### 3.2.4 TEST RESULTS

Please refer to the APPENDIX B.

### 3.3 CONDUCTED SPURIOUS EMISSIONS MEASUREMENT

#### 3.3.1 LIMIT

The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least  $43 + 10 \log(P)$  dB. The emission limit equal to -13dBm. (Part 27 Subpart L)


The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least  $55 + 10 \log(P)$  dB. The emission limit equal to -25dBm. (Part 27 Subpart M)

#### 3.3.2 TEST PROCEDURES

The testing follows FCC KDB 971168 v03r01 Section 6.

1. The EUT was connected to spectrum analyzer and system simulator via a power divider.
2. The band edges of low and high channels for the highest RF powers were measured. Set RBW $\geq$ 1% EBW in the 1MHz band immediately outside and adjacent to the band edge.
3. Set spectrum analyzer with Peak detector.
4. The RF fundamental frequency should be excluded against the limit line in the operating frequency band.

#### 3.3.3 TEST SETUP LAYOUT



#### 3.3.4 TEST DEVIATION

No deviation

#### 3.3.5 TEST RESULTS

Please refer to the APPENDIX C.

### **3.4 RADIATED SPURIOUS EMISSIONS MEASUREMENT**

#### **3.4.1 LIMIT**



The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least  $43 + 10 \log(P)$  dB. The emission limit equal to -13dBm. (Part 27 Subpart L)

The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least  $55 + 10 \log(P)$  dB. The emission limit equal to -25dBm. (Part 27 Subpart M)


#### **3.4.2 TEST PROCEDURES**

The testing follows FCC KDB 971168 v03r01 Section 6.2.

1. In the semi-anechoic chamber, EUT placed on the 0.8m height of Turn Table, rotated the table around 360 degrees to search the maximum radiation power and receiver antenna shall be rotated vertical and horizontal polarization and moved height from 1m to 4m to find the maximum polar radiated power. The "Read Value" is the spectrum reading the maximum power value.
2. The substitution horn antenna is substituted for EUT at the same position and signals generator export the CW signal to the substitution antenna via a TX cable. Rotated the Turn Table and moved receiving antenna to find the maximum radiation power. Adjust output power level of S.G to get a Value of spectrum reading equal to "Read Value " of step a. Record the power level of S.G
3.  $EIRP = \text{Output power level of S.G} - \text{TX cable loss} + \text{Antenna gain of substitution horn.}$
4. ERP can be calculated form EIRP by subtracting the gain of dipole,  $ERP = EIPR - 2.15\text{dBi.}$
5. The resolution bandwidth and video bandwidth of test receiver/spectrum analyzer is 1MHz/3MHz.

**3.4.3 TEST SETUP LAYOUT****Below 30MHz****30MHz to 1GHz**





#### 3.4.4 TEST RESULTS (9KHZ TO 30MHZ)

Please refer to the APPENDIX D.

#### 3.4.5 TEST RESULTS (30MHZ TO 1000MHZ)

Please refer to the APPENDIX E.

#### 3.4.6 TEST RESULTS (ABOVE 1000MHZ)

Please refer to the APPENDIX F.

### 3.5 BAND EDGE MEASUREMENT

#### 3.5.1 LIMIT

The power of any emission outside a licensee's frequency band(s) of operation shall be attenuated below the transmitter power (P) within the licensed band(s) of operation, measured in watts, by at least  $43 + 10 \log (P)$  dB. Compliance with this provision is based on the use of measurement instrumentation employing a resolution bandwidth of 100 kilohertz or greater. However, in the 100 kilohertz bands immediately outside and adjacent to a licensee's frequency block, a resolution bandwidth of at least 30 kHz may be employed. (Part 27 Subpart L)


For mobile digital stations, the attenuation factor shall be not less than  $40 + 10 \log (P)$  dB on all frequencies between the channel edge and 5 megahertz from the channel edge,  $43 + 10 \log (P)$  dB on all frequencies between 5 megahertz and X megahertz from the channel edge, and  $55 + 10 \log (P)$  dB on all frequencies more than X megahertz from the channel edge, where X is the greater of 6 megahertz or the actual emission bandwidth as defined in paragraph (m)(6) of this section. In addition, the attenuation factor shall not be less that  $43 + 10 \log (P)$  dB on all frequencies between 2490.5 MHz and 2496 MHz and  $55 + 10 \log (P)$  dB at or below 2490.5 MHz. Mobile Satellite Service licensees operating on frequencies below 2495 MHz may also submit a documented interference complaint against BRS licensees operating on channel BRS Channel 1 on the same terms and conditions as adjacent channel BRS or EBS licensees. (Part 27 Subpart M)

#### 3.5.2 TEST PROCEDURES

The testing follows FCC KDB 971168 v03r01 Section 6.

1. All measurements were done at low and high operational frequency range.
2. Record the max trace plot into the test report.

#### 3.5.3 TEST SETUP LAYOUT



#### 3.5.4 TEST DEVIATION

No deviation

#### 3.5.5 TEST RESULTS

Please refer to the APPENDIX G.

### 3.6 PEAK TO AVERAGE RATIO MEASUREMENT

#### 3.6.1 LIMIT


In measuring transmissions in this band using an average power technique, the peak to-average ratio (PAR) of the transmission may not exceed 13 dB.

#### 3.6.2 TEST PROCEDURES

The testing follows FCC KDB 971168 v03r01 Section 5.7.

1. Set resolution/measurement bandwidth  $\geq$  signal's occupied bandwidth;
2. Set the number of counts to a value that stabilizes the measured CCDF curve;
3. Record the maximum PAPR level associated with a probability of 0.1%.

#### 3.6.3 TEST SETUP LAYOUT



#### 3.6.4 TEST DEVIATION

No deviation

#### 3.6.5 TEST RESULTS

Please refer to the APPENDIX H.

### 3.7 FREQUENCY STABILITY MEASUREMENT

#### 3.7.1 LIMIT


$\pm 1.5$  ppm is for base and fixed station.  $\pm 2.5$  ppm is for mobile station.

#### 3.7.2 TEST PROCEDURES

The testing follows FCC KDB 971168 v03r01 Section 9.

1. Device is placed at the oven room. The oven room could control the temperatures and humidity. Power warm up is at least 15 min and power applied should perform before recording frequency error.
2. EUT is connected the external power supply to control the DC input power. The test voltage range is from minimum to maximum working voltage. Each step shall be record the frequency error rate.
3. The temperature range step is 10 degrees in this test items. All temperature levels shall be hold the  $\pm 0.5^{\circ}\text{C}$  during the measurement testing. The each temperature step shall be at least 0.5 hours, consider the EUT could be test under the stability condition.
4. The frequency error was recorded frequency error from the communication simulator.

#### 3.7.3 TEST SETUP LAYOUT



#### 3.7.4 TEST DEVIATION

No deviation

#### 3.7.5 TEST RESULTS

Please refer to the APPENDIX I.

#### 4. LIST OF MEASUREMENT EQUIPMENTS

Radiated Spurious Emission Measurement					
Item	Kind of Equipment	Manufacturer	Type No.	Serial No.	Calibrated until
1	Antenna	Schwarzbeck	VULB9160	9160-3232	Mar. 09, 2020
2	Amplifier	Agilent	8449B	3008A02274	Mar. 10, 2020
3	HighPass Filter	Wairwright Instruments Gmbh	WHK 1.5/15G-10ST	11	Mar. 10, 2020
4	Band Reject Filter	Wairwright Instruments Gmbh	WRCG 1710/1785-1690/1805-60/12SS	38	Mar. 10, 2020
5	Band Reject Filter	Wairwright Instruments Gmbh	WRCG 824/849-810/863-60/9SS	7	Mar. 10, 2020
6	Band Reject Filter	Wairwright Instruments Gmbh	WRCG 880/915-860/935-60/9SS	14	Mar. 10, 2020
7	Band Reject Filter	Wairwright Instruments Gmbh	WRCG 1850/1910-1830/1930-60/10SS	17	Mar. 10, 2020
8	HighPass Filter	Wairwright Instruments Gmbh	WHK3.1/18G-10SS	24	Mar. 10, 2020
9	Wireless Communication Test SET	Agilent	E5515C	MY48364183	Mar. 10, 2020
10	Microwave Preamplifier With Adaptor	EMC INSTRUMENT	EMC2654045	980039 & HA01	Mar. 10, 2020
11	Receiver	Agilent	N9038A	MY52130039	Aug. 03, 2020
12	wideband radio communication tester	R&S	CMW500	152372	Mar. 10, 2020
13	High pass filter	KANGMAIWEI	ZHPF-M3-12.75G-3869	B2015073763	Feb. 12, 2020
14	High pass filter	KANGMAIWEI	ZHPF-M1000-4000-1	B2015073762	Feb. 12, 2020
15	High pass filter	KANGMAIWEI	ZHPF-M6-186-1727	B2015073764	Feb. 12, 2020
16	Cable	emci	LMR-400(30MHz-1GHz)(8m+5m)	N/A	May 24, 2020
17	Cable	mitron	B10-01-01-12M	18072744	Jun. 29, 2020
18	Controller	ETS-Lindgren	2090	N/A	N/A
19	Measurement Software	Farad	EZ-EMC Ver.NB-03A1-01	N/A	N/A
20	Loop Antenna	EM	EM-6876-1	230	Jan. 15, 2020
21	Double Ridged Guide Antenna	ETS	3115	75789	Mar. 09, 2020
22	Broad-Band Horn Antenna	Schwarzbeck	BBHA 9170	9170319	Jun. 23, 2020

Conducted Measurement					
Item	Kind of Equipment	Manufacturer	Type No.	Serial No.	Calibrated until
1	Wireless Communication Test SET	Agilent	E5515C	MY48364183	Mar. 10, 2020
2	EXA Spectrum Analyzer	Agilent	N9010A	MY50520044	Mar. 10, 2020
3	POWER SPLITTER	Mini-Circuits	ZFRSC-123-S+	331000910-1	Mar. 10, 2020
4	wideband radio communication tester	R&S	CMW500	152372	Mar. 10, 2020

Frequency Stability Measurement					
Item	Kind of Equipment	Manufacturer	Type No.	Serial No.	Calibrated until
1	Wireless Communication Test SET	Agilent	E5515C	MY48364183	Mar. 10, 2020
2	Multi-output DC Power Supply	GW Instek	GPC-3030DN	EK880675	Sep. 26, 2020
3	POWER SPLITTER	Mini-Circuits	ZFRSC-123-S+	331000910-1	Mar. 10, 2020
4	wideband radio communication tester	R&S	CMW500	152372	Mar. 10, 2020
5	Const Temp, & Humidity Chamber	Bell	BTH-50C	20170306001	Mar. 10, 2020

Remark: "N/A" denotes no model name, serial no. or calibration specified.  
 All calibration period of equipment list is one year.

## APPENDIX A - OUTPUT POWER

**Output Power (dBm):**

Modulation	Band	WCDMA Band IV		
	Tx Channel	1312CH	1413CH	1513CH
	Frequency	1712.4MHz	1732.6MHz	1752.6MHz
QPSK	RMC 12.2K	23.07	23.06	23.02
	RMC 64K	23.11	23.07	23.05
	RMC 144K	23.09	23.02	23.06
	RMC 384K	23.1	23.04	23.03
	HSDPA Subtest-1	22.61	22.58	22.62
	HSDPA Subtest-2	22.65	22.57	22.57
	HSDPA Subtest-3	22.13	22.1	22.11
	HSDPA Subtest-4	22.13	22.09	22.09
	HSUPA Subtest-1	21.15	21.12	21.13
	HSUPA Subtest-2	21.14	21.11	21.12
	HSUPA Subtest-3	22.12	22.07	22.08
	HSUPA Subtest-4	20.67	20.63	20.64
	HSUPA Subtest-5	22.08	22.03	22.05



LTE Band / BW	Modulation	RB Size	RB Offset	Low CH	Mid CH	High CH
				19957CH	20175CH	20393CH
				1710.7MHz	1732.5MHz	1754.3MHz
4 / 1.4M	QPSK	1	0	21.69	21.74	21.60
		1	2	21.80	21.85	21.75
		1	5	21.72	21.75	21.63
		3	0	22.79	22.83	22.77
		3	1	22.85	22.87	22.82
		3	2	22.85	22.84	22.76
		6	0	21.81	21.75	21.65
	16QAM	1	0	21.14	20.81	20.78
		1	2	21.21	20.92	20.89
		1	5	21.11	20.80	20.80
		3	0	21.99	21.98	21.81
		3	1	21.94	21.90	21.84
		3	2	21.91	21.95	21.81
		6	0	20.71	20.91	20.83
	64QAM	1	0	20.15	19.92	19.84
		1	2	20.33	20.06	19.95
		1	5	20.18	19.91	19.88
		3	0	20.98	20.94	20.69
		3	1	20.92	20.99	20.73
		3	2	20.95	20.95	20.71
		6	0	19.81	19.92	19.79

LTE Band / BW	Modulation	RB Size	RB Offset	Low CH	Mid CH	High CH
				19965CH	20175CH	20385CH
				1711.5MHz	1732.5MHz	1753.5MHz
4 / 3M	QPSK	1	0	21.78	21.86	21.71
		1	7	21.85	21.93	21.73
		1	14	21.77	21.83	21.63
		8	0	21.77	21.75	21.64
		8	4	21.79	21.79	21.66
		8	7	21.74	21.74	21.63
		15	0	21.76	21.76	21.67
	16QAM	1	0	20.74	21.24	20.81
		1	7	20.84	21.32	20.86
		1	14	20.72	21.22	20.73
		8	0	20.86	20.88	20.71
		8	4	20.90	20.94	20.76
		8	7	20.85	20.86	20.70
		15	0	20.79	20.82	20.68
	64QAM	1	0	20.10	19.95	19.97
		1	7	20.23	20.08	20.04
		1	14	20.10	19.97	19.86
		8	0	19.85	19.84	19.66
		8	4	19.88	19.88	19.68
		8	7	19.82	19.82	19.63
		15	0	19.76	19.81	19.75

LTE Band / BW	Modulation	RB Size	RB Offset	Low CH	Mid CH	High CH
				19975CH	20175CH	20375CH
				1712.5MHz	1732.5MHz	1752.5MHz
4 / 5M	QPSK	1	0	21.79	21.79	21.67
		1	13	21.85	21.81	21.71
		1	24	21.75	21.76	21.70
		12	0	21.78	21.80	21.69
		12	6	21.81	21.85	21.74
		12	11	21.80	21.83	21.74
		25	0	21.80	21.81	21.70
	16QAM	1	0	20.94	21.29	20.80
		1	13	21.00	21.34	20.82
		1	24	20.90	21.25	20.76
		12	0	20.82	20.97	20.78
		12	6	20.88	20.99	20.81
		12	11	20.89	20.98	20.84
		25	0	20.80	20.92	20.71
	64QAM	1	0	19.72	20.09	19.91
		1	13	19.79	20.17	19.99
		1	24	19.65	20.08	19.86
		12	0	19.81	19.72	19.75
		12	6	19.84	19.78	19.83
		12	11	19.84	19.77	19.81
		25	0	19.77	19.79	19.74

LTE Band / BW	Modulation	RB Size	RB Offset	Low CH	Mid CH	High CH
				20000CH	20175CH	20350CH
				1715MHz	1732.5MHz	1750MHz
4 / 10M	QPSK	1	0	21.78	21.81	21.67
		1	25	21.84	21.97	21.76
		1	49	21.75	21.79	21.60
		25	0	21.84	21.86	21.73
		25	13	21.79	21.87	21.74
		25	25	21.79	21.92	21.76
		50	0	21.81	21.91	21.78
	16QAM	1	0	20.75	21.23	20.80
		1	25	20.85	21.35	20.89
		1	49	20.75	21.17	20.71
		25	0	20.86	20.93	20.89
		25	13	20.81	20.92	20.88
		25	25	20.82	20.95	20.92
		50	0	20.79	20.92	20.87
	64QAM	1	0	20.13	19.98	19.96
		1	25	20.22	20.12	20.01
		1	49	20.12	19.97	19.88
		25	0	19.90	19.95	19.80
		25	13	19.88	19.95	19.85
		25	25	19.85	19.96	19.83
		50	0	19.83	19.93	19.77

LTE Band / BW	Modulation	RB Size	RB Offset	Low CH	Mid CH	High CH
				20025CH	20175CH	20325CH
				1717.5MHz	1732.5MHz	1747.5MHz
4 / 15M	QPSK	1	0	21.70	21.77	21.66
		1	38	21.74	21.84	21.68
		1	74	21.58	21.72	21.54
		36	0	21.79	21.79	21.72
		36	18	21.78	21.80	21.72
		36	39	21.78	21.86	21.76
		75	0	21.85	21.82	21.72
	16QAM	1	0	20.68	21.17	21.25
		1	38	20.73	21.21	21.22
		1	74	20.65	21.05	21.05
		36	0	20.74	20.82	20.67
		36	18	20.74	20.86	20.69
		36	39	20.73	20.88	20.73
		75	0	20.79	20.84	20.77
	64QAM	1	0	20.02	19.93	20.43
		1	38	20.06	19.99	20.40
		1	74	19.97	19.82	20.23
		36	0	19.79	19.89	19.77
		36	18	19.79	19.87	19.75
		36	39	19.81	19.92	19.72
		75	0	19.82	19.88	19.78

LTE Band / BW	Modulation	RB Size	RB Offset	Low CH	Mid CH	High CH
				20050CH	20175CH	20300CH
				1720MHz	1732.5MHz	1745MHz
4 / 20M	QPSK	1	0	21.58	21.52	21.46
		1	50	22.04	22.01	21.88
		1	99	21.53	21.45	21.35
		50	0	21.80	21.82	21.72
		50	25	21.84	21.86	21.80
		50	50	21.76	21.90	21.83
		100	0	21.80	21.84	21.78
	16QAM	1	0	21.07	21.06	21.06
		1	50	21.44	21.49	21.31
		1	99	21.06	21.02	20.84
		50	0	20.83	20.88	20.78
		50	25	20.87	20.91	20.84
		50	50	20.79	20.90	20.79
		100	0	20.84	20.85	20.83
	64QAM	1	0	20.25	20.29	20.34
		1	50	20.11	20.31	20.65
		1	99	19.91	19.83	20.14
		50	0	19.78	19.90	19.89
		50	25	19.86	19.94	19.92
		50	50	19.82	19.93	19.86
		100	0	19.85	19.90	19.86

LTE Band / BW	Modulation	RB Size	RB Offset	Low CH	Mid CH	High CH
				20775CH	21100CH	21425CH
				2502.5MHz	2535MHz	2567.5MHz
7 / 5M	QPSK	1	0	22.91	23.04	22.99
		1	13	22.99	23.09	23.04
		1	24	22.91	23.02	22.97
		12	0	21.92	21.97	22.03
		12	6	22.00	22.03	22.05
		12	11	21.96	21.99	22.05
		25	0	21.93	21.99	21.99
	16QAM	1	0	22.00	22.16	22.48
		1	13	22.02	22.18	22.49
		1	24	21.98	22.12	22.40
		12	0	20.96	21.06	21.09
		12	6	21.02	21.10	21.14
		12	11	21.02	21.08	21.16
		25	0	20.92	21.04	21.06
	64QAM	1	0	21.20	21.12	20.91
		1	2	21.27	21.19	20.91
		1	5	21.18	21.13	20.86
		3	0	19.80	19.99	19.96
		3	1	19.88	20.04	20.00
		3	2	19.91	20.03	20.01
		6	0	19.88	19.97	19.94

LTE Band / BW	Modulation	RB Size	RB Offset	Low CH	Mid CH	High CH
				20800CH	21100CH	21400CH
				2505MHz	2535MHz	2565MHz
7 / 10M	QPSK	1	0	22.96	23.09	23.03
		1	25	23.09	23.23	23.19
		1	49	22.96	23.05	23.00
		25	0	21.99	22.03	22.08
		25	13	22.01	22.05	22.10
		25	25	22.05	22.07	22.07
		50	0	22.01	22.05	22.05
	16QAM	1	0	21.91	22.40	22.10
		1	25	22.03	22.42	22.21
		1	49	21.89	22.35	22.00
		25	0	20.98	21.09	21.22
		25	13	21.01	21.11	21.18
		25	25	21.07	21.10	21.15
		50	0	21.00	21.12	21.12
	64QAM	1	0	21.24	21.13	21.22
		1	25	21.36	21.22	21.34
		1	49	21.20	21.11	21.14
		25	0	19.99	20.07	20.11
		25	13	20.01	20.09	20.11
		25	25	20.05	20.12	20.10
		50	0	20.01	20.09	20.03

LTE Band / BW	Modulation	RB Size	RB Offset	Low CH	Mid CH	High CH
				20825CH	21100CH	21375CH
				2507.5MHz	2535MHz	2562.5MHz
7 / 15M	QPSK	1	0	22.92	22.99	23.02
		1	38	22.98	23.05	23.12
		1	74	22.85	22.90	22.95
		36	0	22.02	22.05	22.09
		36	18	22.04	22.09	22.12
		36	39	22.03	22.07	22.09
		75	0	22.03	22.06	22.14
	16QAM	1	0	21.86	22.30	22.39
		1	38	21.93	22.34	22.45
		1	74	21.77	22.20	22.34
		36	0	20.96	21.07	21.11
		36	18	20.99	21.10	21.09
		36	39	20.98	21.09	21.05
		75	0	20.95	21.08	21.11
	64QAM	1	0	21.16	21.07	21.50
		1	38	21.21	21.10	21.45
		1	74	21.08	20.97	21.42
		36	0	20.00	20.11	20.09
		36	18	20.03	20.10	20.08
		36	39	20.05	20.09	20.08
		75	0	20.00	20.06	20.15

LTE Band / BW	Modulation	RB Size	RB Offset	Low CH	Mid CH	High CH
				20850CH	21100CH	21350CH
				2510MHz	2535MHz	2560MHz
7 / 20M	QPSK	1	0	22.81	22.83	22.81
		1	50	23.28	23.29	23.21
		1	99	22.78	22.79	22.77
		50	0	21.93	22.02	22.12
		50	25	22.04	22.06	22.09
		50	50	21.98	22.02	22.10
		100	0	21.95	22.03	22.08
	16QAM	1	0	22.26	22.27	22.26
		1	50	22.48	22.42	22.48
		1	99	22.25	22.25	22.25
		50	0	20.98	21.06	21.11
		50	25	21.03	21.08	21.11
		50	50	21.01	21.07	21.12
		100	0	21.01	21.03	21.14
	64QAM	1	0	21.06	21.36	20.94
		1	50	21.40	21.43	21.36
		1	99	21.03	21.34	20.93
		50	0	19.96	20.02	20.07
		50	25	20.04	20.04	20.05
		50	50	20.00	20.04	20.03
		100	0	19.96	19.99	20.05

LTE Band / BW	Modulation	RB Sizer	RB Offset	Low CH	Mid CH	High CH
				37775CH	38000CH	38225CH
				2572.5MHz	2595MHz	2617.5MHz
38 / 5M	QPSK	1	0	22.03	21.92	22.00
		1	13	22.12	22.05	22.18
		1	24	21.95	21.94	22.04
		12	0	22.10	21.98	22.08
		12	6	22.13	22.04	22.15
		12	11	22.12	22.08	22.14
		25	0	22.10	22.06	22.10
	16QAM	1	0	21.41	21.15	21.26
		1	13	21.51	21.29	21.41
		1	24	21.32	21.18	21.29
		12	0	21.18	21.05	21.06
		12	6	21.23	21.10	21.12
		12	11	21.24	21.15	21.15
		25	0	21.12	21.08	21.16
	64QAM	1	0	20.33	20.02	20.54
		1	13	20.43	20.14	20.64
		1	24	20.26	20.03	20.55
		12	0	20.08	20.00	20.18
		12	6	20.10	20.06	20.25
		12	11	20.12	20.11	20.24
		25	0	20.05	20.15	20.08

LTE Band / BW	Modulation	RB Sizer	RB Offset	Low CH	Mid CH	High CH
				37800CH	38000CH	38200CH
				2575MHz	2595MHz	2615MHz
38 / 10M	QPSK	1	0	22.09	22.16	22.05
		1	25	22.29	22.42	22.34
		1	49	21.99	22.16	22.09
		25	0	22.12	22.06	22.16
		25	13	22.10	22.09	22.15
		25	25	22.09	22.08	22.12
		50	0	22.08	22.10	22.11
	16QAM	1	0	21.42	21.48	21.49
		1	25	21.62	21.76	21.77
		1	49	21.34	21.48	21.52
		25	0	21.18	21.10	21.21
		25	13	21.15	21.13	21.19
		25	25	21.14	21.14	21.18
		50	0	21.13	21.16	21.22
	64QAM	1	0	20.27	20.55	20.30
		1	25	20.48	20.83	20.58
		1	49	20.18	20.56	20.29
		25	0	20.23	20.05	20.09
		25	13	20.17	20.10	20.08
		25	25	20.17	20.11	20.09
		50	0	20.15	20.10	20.15

LTE Band / BW	Modulation	RB Sizer	RB Offset	Low CH	Mid CH	High CH
				37825CH	38000CH	38175CH
				2577.5MHz	2595MHz	2612.5MHz
38 / 15M	QPSK	1	0	22.00	21.94	22.13
		1	38	22.00	22.01	22.23
		1	74	21.83	21.84	22.09
		36	0	22.03	22.01	22.09
		36	18	22.06	22.02	22.15
		36	39	22.04	22.06	22.12
		75	0	22.06	22.07	22.13
	16QAM	1	0	21.33	21.44	21.33
		1	38	21.32	21.50	21.43
		1	74	21.17	21.36	21.27
		36	0	21.05	20.99	21.10
		36	18	21.04	21.02	21.15
		36	39	21.04	21.05	21.12
		75	0	21.06	21.08	21.12
	64QAM	1	0	20.18	20.48	20.10
		1	38	20.16	20.55	20.20
		1	74	20.02	20.41	20.08
		36	0	20.11	20.05	20.04
		36	18	20.14	20.08	20.07
		36	39	20.11	20.13	20.05
		75	0	20.06	20.07	20.13

LTE Band / BW	Modulation	RB Sizer	RB Offset	Low CH	Mid CH	High CH
				37850CH	38000CH	38150CH
				2580MHz	2595MHz	2610MHz
38 / 20M	QPSK	1	0	21.87	21.88	21.88
		1	50	22.35	22.39	22.46
		1	99	21.74	21.85	21.93
		50	0	22.04	22.03	22.07
		50	25	22.10	22.12	22.16
		50	50	22.05	22.11	22.09
		100	0	22.07	22.06	22.08
	16QAM	1	0	21.17	21.05	21.24
		1	50	21.67	21.51	21.75
		1	99	21.05	21.02	21.28
		50	0	21.06	21.07	21.15
		50	25	21.14	21.15	21.23
		50	50	21.08	21.13	21.15
		100	0	21.09	21.11	21.09
	64QAM	1	0	20.42	20.20	20.36
		1	50	20.91	20.40	20.86
		1	99	20.31	20.22	20.41
		50	0	20.13	20.07	20.16
		50	25	20.20	20.17	20.19
		50	50	20.16	20.17	20.18
		100	0	20.15	20.13	20.13

LTE Band / BW	Modulation	RB Sizer	RB Offset	Low CH	Mid CH	High CH
				40065CH	40640CH	41215CH
				2537.5MHz	2595MHz	2652.5MHz
41 / 5M	QPSK	1	0	22.40	22.63	22.64
		1	13	22.48	22.79	22.77
		1	24	22.41	22.67	22.64
		12	0	22.42	22.64	22.72
		12	6	22.39	22.65	22.67
		12	11	22.43	22.64	22.67
		25	0	22.44	22.64	22.67
	16QAM	1	0	21.39	21.50	21.69
		1	13	21.50	21.63	21.82
		1	24	21.39	21.49	21.70
		12	0	21.41	21.55	21.71
		12	6	21.37	21.54	21.59
		12	11	21.38	21.53	21.64
		25	0	21.32	21.59	21.58
	64QAM	1	0	20.16	20.55	20.47
		1	13	20.28	20.66	20.62
		1	24	20.15	20.55	20.48
		12	0	20.12	20.08	20.33
		12	6	20.11	20.18	20.20
		12	11	20.18	20.15	20.28
		25	0	20.16	20.14	20.12

LTE Band / BW	Modulation	RB Sizer	RB Offset	Low CH	Mid CH	High CH
				40090CH	40640CH	41190CH
				2540MHz	2595MHz	2650MHz
41 / 10M	QPSK	1	0	22.47	22.65	22.72
		1	25	22.82	22.96	22.90
		1	49	22.50	22.63	22.67
		25	0	22.44	22.69	22.73
		25	13	22.45	22.66	22.72
		25	25	22.53	22.69	22.69
		50	0	22.42	22.67	22.71
	16QAM	1	0	21.30	21.61	21.56
		1	25	21.60	21.91	21.86
		1	49	21.27	21.61	21.54
		25	0	21.46	21.63	21.70
		25	13	21.47	21.61	21.67
		25	25	21.49	21.62	21.69
		50	0	21.44	21.63	21.70
	64QAM	1	0	20.39	20.62	20.77
		1	25	20.64	20.20	20.86
		1	49	20.32	20.25	20.78
		25	0	20.08	20.19	20.36
		25	13	20.12	20.15	20.22
		25	25	20.16	20.21	20.27
		50	0	20.14	20.14	20.28



LTE Band / BW	Modulation	RB Sizer	RB Offset	Low CH	Mid CH	High CH
				40115CH	40640CH	41165CH
				2542.5MHz	2595MHz	2647.5MHz
41 / 15M	QPSK	1	0	22.31	22.56	22.51
		1	38	22.44	22.68	22.67
		1	74	22.31	22.54	22.50
		36	0	22.47	22.68	22.71
		36	18	22.45	22.68	22.72
		36	39	22.55	22.70	22.69
		75	0	22.51	22.67	22.72
	16QAM	1	0	21.39	21.54	21.65
		1	38	21.51	21.65	21.79
		1	74	21.41	21.48	21.63
		36	0	21.45	21.61	21.72
		36	18	21.42	21.63	21.70
		36	39	21.54	21.63	21.72
		75	0	21.44	21.59	21.70
	64QAM	1	0	20.41	20.53	20.26
		1	38	20.36	20.60	20.39
		1	74	20.15	20.45	20.28
		36	0	20.22	20.15	20.24
		36	18	20.25	20.20	20.22
		36	39	20.23	20.19	20.21
		75	0	20.17	20.15	20.25

LTE Band / BW	Modulation	RB Sizer	RB Offset	Low CH	Mid CH	High CH
				40140CH	40640CH	41140CH
				2545MHz	2595MHz	2645MHz
41 / 20M	QPSK	1	0	22.49	22.41	22.43
		1	50	23.00	22.92	22.91
		1	99	22.40	22.35	22.41
		50	0	22.59	22.59	22.60
		50	25	22.57	22.63	22.64
		50	50	22.68	22.62	22.66
		100	0	22.70	22.61	22.66
	16QAM	1	0	21.31	21.52	21.23
		1	50	21.84	22.01	21.74
		1	99	21.24	21.43	21.18
		50	0	21.51	21.65	21.69
		50	25	21.51	21.57	21.68
		50	50	21.64	21.60	21.65
		100	0	21.64	21.59	21.60
	64QAM	1	0	20.46	20.28	20.40
		1	50	20.89	20.48	20.91
		1	99	20.38	19.97	20.42
		50	0	20.13	20.12	20.33
		50	25	20.20	20.14	20.33
		50	50	20.24	20.18	20.24
		100	0	20.15	20.11	20.24

LTE Band / BW	Modulation	RB Sizer	RB Offset	Low CH	Mid CH	High CH
				131979CH	132322CH	132665CH
				1710.7MHz	1745MHz	1779.3MHz
66 / 1.4M	QPSK	1	0	21.65	21.62	21.50
		1	2	21.79	21.74	21.67
		1	5	21.62	21.56	21.54
		3	0	22.73	22.66	22.69
		3	1	22.77	22.73	22.73
		3	2	22.72	22.69	22.75
		6	0	21.71	21.68	21.61
	16QAM	1	0	20.72	20.75	21.03
		1	2	20.79	20.87	21.11
		1	5	20.71	20.74	21.03
		3	0	21.87	21.71	21.92
		3	1	21.94	21.75	21.97
		3	2	21.92	21.71	21.92
		6	0	20.87	20.81	20.58
	64QAM	1	0	19.82	19.75	20.12
		1	2	19.94	19.86	20.27
		1	5	19.75	19.76	20.10
		3	0	20.79	20.55	20.90
		3	1	20.86	20.62	20.92
		3	2	20.85	20.62	20.90
		6	0	19.83	19.73	19.70

LTE Band / BW	Modulation	RB Sizer	RB Offset	Low CH	Mid CH	High CH
				131987CH	132322CH	132657CH
				1711.5MHz	1745MHz	1778.5MHz
66 / 3M	QPSK	1	0	21.65	21.71	21.62
		1	7	21.80	21.84	21.75
		1	14	21.65	21.73	21.59
		8	0	21.67	21.63	21.64
		8	4	21.70	21.68	21.67
		8	7	21.63	21.63	21.63
		15	0	21.67	21.63	21.66
	16QAM	1	0	20.66	21.04	20.78
		1	7	20.78	21.19	20.89
		1	14	20.62	21.05	20.70
		8	0	20.83	20.76	20.74
		8	4	20.85	20.80	20.80
		8	7	20.77	20.72	20.72
		15	0	20.70	20.68	20.67
	64QAM	1	0	20.03	19.80	19.97
		1	7	20.19	19.92	20.08
		1	14	20.01	19.81	19.90
		8	0	19.81	19.68	19.70
		8	4	19.83	19.74	19.74
		8	7	19.75	19.70	19.64
		15	0	19.69	19.65	19.81

LTE Band / BW	Modulation	RB Sizer	RB Offset	Low CH	Mid CH	High CH
				131997CH	132322CH	132647CH
				1712.5MHz	1745MHz	1777.5MHz
66 / 5M	QPSK	1	0	21.68	21.58	21.64
		1	13	21.74	21.69	21.70
		1	24	21.64	21.57	21.61
		12	0	21.69	21.63	21.71
		12	6	21.70	21.69	21.75
		12	11	21.68	21.70	21.70
		25	0	21.68	21.66	21.68
	16QAM	1	0	20.83	21.09	20.71
		1	13	20.85	21.19	20.84
		1	24	20.79	21.07	20.72
		12	0	20.71	20.73	20.83
		12	6	20.77	20.84	20.82
		12	11	20.79	20.82	20.78
		25	0	20.71	20.72	20.70
	64QAM	1	0	19.60	19.93	19.94
		1	13	19.70	19.99	20.00
		1	24	19.58	19.86	19.84
		12	0	19.69	19.53	19.82
		12	6	19.77	19.66	19.88
		12	11	19.77	19.63	19.85
		25	0	19.69	19.60	19.83

LTE Band / BW	Modulation	RB Sizer	RB Offset	Low CH	Mid CH	High CH
				132022CH	132322CH	132622CH
				1715MHz	1745MHz	1775MHz
66 / 10M	QPSK	1	0	21.60	21.63	21.57
		1	25	21.75	21.83	21.74
		1	49	21.57	21.59	21.50
		25	0	21.68	21.64	21.73
		25	13	21.68	21.69	21.70
		25	25	21.65	21.70	21.63
		50	0	21.67	21.67	21.72
	16QAM	1	0	20.61	20.98	20.68
		1	25	20.77	21.18	20.84
		1	49	20.60	20.93	20.63
		25	0	20.75	20.68	20.87
		25	13	20.73	20.73	20.85
		25	25	20.71	20.73	20.80
		50	0	20.67	20.70	20.81
	64QAM	1	0	20.01	19.78	19.82
		1	25	20.16	19.96	20.04
		1	49	19.93	19.75	19.82
		25	0	19.75	19.66	19.87
		25	13	19.80	19.76	19.86
		25	25	19.74	19.71	19.85
		50	0	19.72	19.70	19.75

LTE Band / BW	Modulation	RB Siset	RB Offset	Low CH	Mid CH	High CH
				132047CH	132322CH	132597CH
				1717.5MHz	1745MHz	1772.5MHz
66 / 15M	QPSK	1	0	21.54	21.59	21.56
		1	38	21.63	21.69	21.65
		1	74	21.47	21.54	21.51
		36	0	21.66	21.61	21.65
		36	18	21.65	21.65	21.71
		36	39	21.66	21.67	21.63
		75	0	21.65	21.65	21.69
	16QAM	1	0	20.59	20.96	21.09
		1	38	20.68	21.02	21.22
		1	74	20.55	20.80	21.02
		36	0	20.65	20.68	20.66
		36	18	20.63	20.70	20.69
		36	39	20.66	20.70	20.65
		75	0	20.67	20.69	20.70
	64QAM	1	0	19.93	19.74	20.25
		1	38	20.03	19.78	20.36
		1	74	19.87	19.64	20.21
		36	0	19.69	19.71	19.69
		36	18	19.70	19.72	19.69
		36	39	19.71	19.71	19.67
		75	0	19.67	19.68	19.73

LTE Band / BW	Modulation	RB Siset	RB Offset	Low CH	Mid CH	High CH
				132072CH	132322CH	132572CH
				1720MHz	1745MHz	1770MHz
66 / 20M	QPSK	1	0	21.65	21.57	21.50
		1	50	22.01	21.97	21.89
		1	99	21.57	21.51	21.48
		50	0	21.68	21.64	21.68
		50	25	21.66	21.69	21.70
		50	50	21.65	21.65	21.60
		100	0	21.62	21.68	21.66
	16QAM	1	0	20.95	20.87	20.87
		1	50	21.36	21.18	21.28
		1	99	20.90	20.68	20.86
		50	0	20.73	20.58	20.79
		50	25	20.72	20.64	20.79
		50	50	20.69	20.61	20.67
		100	0	20.67	20.63	20.72
	64QAM	1	0	20.10	19.67	19.76
		1	50	20.48	19.98	20.16
		1	99	20.07	19.52	19.80
		50	0	19.72	19.65	19.84
		50	25	19.72	19.68	19.83
		50	50	19.72	19.67	19.75
		100	0	19.69	19.64	19.74

**EIRP (dBm):**

Modulation	Band	WCDMA Band IV		
	Tx Channel	1312CH	1413CH	1513CH
	Frequency	1712.4MHz	1732.6MHz	1752.6MHz
QPSK	RMC 12.2K	21.54	21.53	21.49
	RMC 64K	21.58	21.54	21.52
	RMC 144K	21.56	21.49	21.53
	RMC 384K	21.57	21.51	21.50
	HSDPA Subtest-1	21.08	21.05	21.09
	HSDPA Subtest-2	21.12	21.04	21.04
	HSDPA Subtest-3	20.60	20.57	20.58
	HSDPA Subtest-4	20.60	20.56	20.56
	HSUPA Subtest-1	19.62	19.59	19.60
	HSUPA Subtest-2	19.61	19.58	19.59
	HSUPA Subtest-3	20.59	20.54	20.55
	HSUPA Subtest-4	19.14	19.10	19.11
	HSUPA Subtest-5	20.55	20.50	20.52

LTE Band / BW	Modulation	RB Size	RB Offset	Low CH	Mid CH	High CH
				19957CH	20175CH	20393CH
				1710.7MHz	1732.5MHz	1754.3MHz
4 / 1.4M	QPSK	1	0	20.16	20.21	20.07
		1	2	20.27	20.32	20.22
		1	5	20.19	20.22	20.10
		3	0	21.26	21.30	21.24
		3	1	21.32	21.34	21.29
		3	2	21.32	21.31	21.23
		6	0	20.28	20.22	20.12
	16QAM	1	0	19.61	19.28	19.25
		1	2	19.68	19.39	19.36
		1	5	19.58	19.27	19.27
		3	0	20.46	20.45	20.28
		3	1	20.41	20.37	20.31
		3	2	20.38	20.42	20.28
		6	0	19.18	19.38	19.30
	64QAM	1	0	18.62	18.39	18.31
		1	2	18.80	18.53	18.42
		1	5	18.65	18.38	18.35
		3	0	19.45	19.41	19.16
		3	1	19.39	19.46	19.20
		3	2	19.42	19.42	19.18
		6	0	18.28	18.39	18.26

LTE Band / BW	Modulation	RB Size	RB Offset	Low CH	Mid CH	High CH
				19965CH	20175CH	20385CH
				1711.5MHz	1732.5MHz	1753.5MHz
4 / 3M	QPSK	1	0	20.25	20.33	20.18
		1	7	20.32	20.40	20.20
		1	14	20.24	20.30	20.10
		8	0	20.24	20.22	20.11
		8	4	20.26	20.26	20.13
		8	7	20.21	20.21	20.10
		15	0	20.23	20.23	20.14
	16QAM	1	0	19.21	19.71	19.28
		1	7	19.31	19.79	19.33
		1	14	19.19	19.69	19.20
		8	0	19.33	19.35	19.18
		8	4	19.37	19.41	19.23
		8	7	19.32	19.33	19.17
		15	0	19.26	19.29	19.15
	64QAM	1	0	18.57	18.42	18.44
		1	7	18.70	18.55	18.51
		1	14	18.57	18.44	18.33
		8	0	18.32	18.31	18.13
		8	4	18.35	18.35	18.15
		8	7	18.29	18.29	18.10
		15	0	18.23	18.28	18.22

LTE Band / BW	Modulation	RB Size	RB Offset	Low CH	Mid CH	High CH
				19975CH	20175CH	20375CH
				1712.5MHz	1732.5MHz	1752.5MHz
4 / 5M	QPSK	1	0	20.26	20.26	20.14
		1	13	20.32	20.28	20.18
		1	24	20.22	20.23	20.17
		12	0	20.25	20.27	20.16
		12	6	20.28	20.32	20.21
		12	11	20.27	20.30	20.21
		25	0	20.27	20.28	20.17
	16QAM	1	0	19.41	19.76	19.27
		1	13	19.47	19.81	19.29
		1	24	19.37	19.72	19.23
		12	0	19.29	19.44	19.25
		12	6	19.35	19.46	19.28
		12	11	19.36	19.45	19.31
		25	0	19.27	19.39	19.18
	64QAM	1	0	18.19	18.56	18.38
		1	13	18.26	18.64	18.46
		1	24	18.12	18.55	18.33
		12	0	18.28	18.19	18.22
		12	6	18.31	18.25	18.30
		12	11	18.31	18.24	18.28
		25	0	18.24	18.26	18.21

LTE Band / BW	Modulation	RB Size	RB Offset	Low CH	Mid CH	High CH
				20000CH	20175CH	20350CH
				1715MHz	1732.5MHz	1750MHz
4 / 10M	QPSK	1	0	20.25	20.28	20.14
		1	25	20.31	20.44	20.23
		1	49	20.22	20.26	20.07
		25	0	20.31	20.33	20.20
		25	13	20.26	20.34	20.21
		25	25	20.26	20.39	20.23
		50	0	20.28	20.38	20.25
	16QAM	1	0	19.22	19.70	19.27
		1	25	19.32	19.82	19.36
		1	49	19.22	19.64	19.18
		25	0	19.33	19.40	19.36
		25	13	19.28	19.39	19.35
		25	25	19.29	19.42	19.39
		50	0	19.26	19.39	19.34
	64QAM	1	0	18.60	18.45	18.43
		1	25	18.69	18.59	18.48
		1	49	18.59	18.44	18.35
		25	0	18.37	18.42	18.27
		25	13	18.35	18.42	18.32
		25	25	18.32	18.43	18.30
		50	0	18.30	18.40	18.24

LTE Band / BW	Modulation	RB Size	RB Offset	Low CH	Mid CH	High CH
				20025CH	20175CH	20325CH
				1717.5MHz	1732.5MHz	1747.5MHz
4 / 15M	QPSK	1	0	20.17	20.24	20.13
		1	38	20.21	20.31	20.15
		1	74	20.05	20.19	20.01
		36	0	20.26	20.26	20.19
		36	18	20.25	20.27	20.19
		36	39	20.25	20.33	20.23
		75	0	20.32	20.29	20.19
	16QAM	1	0	19.15	19.64	19.72
		1	38	19.20	19.68	19.69
		1	74	19.12	19.52	19.52
		36	0	19.21	19.29	19.14
		36	18	19.21	19.33	19.16
		36	39	19.20	19.35	19.20
		75	0	19.26	19.31	19.24
	64QAM	1	0	18.49	18.40	18.90
		1	38	18.53	18.46	18.87
		1	74	18.44	18.29	18.70
		36	0	18.26	18.36	18.24
		36	18	18.26	18.34	18.22
		36	39	18.28	18.39	18.19
		75	0	18.29	18.35	18.25

LTE Band / BW	Modulation	RB Size	RB Offset	Low CH	Mid CH	High CH
				20050CH	20175CH	20300CH
				1720MHz	1732.5MHz	1745MHz
4 / 20M	QPSK	1	0	20.05	19.99	19.93
		1	50	20.51	20.48	20.35
		1	99	20.00	19.92	19.82
		50	0	20.27	20.29	20.19
		50	25	20.31	20.33	20.27
		50	50	20.23	20.37	20.30
		100	0	20.27	20.31	20.25
	16QAM	1	0	19.54	19.53	19.53
		1	50	19.91	19.96	19.78
		1	99	19.53	19.49	19.31
		50	0	19.30	19.35	19.25
		50	25	19.34	19.38	19.31
		50	50	19.26	19.37	19.26
		100	0	19.31	19.32	19.30
	64QAM	1	0	18.72	18.76	18.81
		1	50	18.58	18.78	19.12
		1	99	18.38	18.30	18.61
		50	0	18.25	18.37	18.36
		50	25	18.33	18.41	18.39
		50	50	18.29	18.40	18.33
		100	0	18.32	18.37	18.33



LTE Band / BW	Modulation	RB Size	RB Offset	Low CH	Mid CH	High CH
				20775CH	21100CH	21425CH
				2502.5MHz	2535MHz	2567.5MHz
7 / 5M	QPSK	1	0	23.59	23.72	23.67
		1	13	23.67	23.77	23.72
		1	24	23.59	23.70	23.65
		12	0	22.60	22.65	22.71
		12	6	22.68	22.71	22.73
		12	11	22.64	22.67	22.73
		25	0	22.61	22.67	22.67
	16QAM	1	0	22.68	22.84	23.16
		1	13	22.70	22.86	23.17
		1	24	22.66	22.80	23.08
		12	0	21.64	21.74	21.77
		12	6	21.70	21.78	21.82
		12	11	21.70	21.76	21.84
		25	0	21.60	21.72	21.74
	64QAM	1	0	21.88	21.80	21.59
		1	2	21.95	21.87	21.59
		1	5	21.86	21.81	21.54
		3	0	20.48	20.67	20.64
		3	1	20.56	20.72	20.68
		3	2	20.59	20.71	20.69
		6	0	20.56	20.65	20.62

LTE Band / BW	Modulation	RB Size	RB Offset	Low CH	Mid CH	High CH
				20800CH	21100CH	21400CH
				2505MHz	2535MHz	2565MHz
7 / 10M	QPSK	1	0	23.64	23.77	23.71
		1	25	23.77	23.91	23.87
		1	49	23.64	23.73	23.68
		25	0	22.67	22.71	22.76
		25	13	22.69	22.73	22.78
		25	25	22.73	22.75	22.75
		50	0	22.69	22.73	22.73
	16QAM	1	0	22.59	23.08	22.78
		1	25	22.71	23.10	22.89
		1	49	22.57	23.03	22.68
		25	0	21.66	21.77	21.90
		25	13	21.69	21.79	21.86
		25	25	21.75	21.78	21.83
		50	0	21.68	21.80	21.80
	64QAM	1	0	21.92	21.81	21.90
		1	25	22.04	21.90	22.02
		1	49	21.88	21.79	21.82
		25	0	20.67	20.75	20.79
		25	13	20.69	20.77	20.79
		25	25	20.73	20.80	20.78
		50	0	20.69	20.77	20.71

LTE Band / BW	Modulation	RB Size	RB Offset	Low CH	Mid CH	High CH
				20825CH	21100CH	21375CH
				2507.5MHz	2535MHz	2562.5MHz
7 / 15M	QPSK	1	0	23.60	23.67	23.70
		1	38	23.66	23.73	23.80
		1	74	23.53	23.58	23.63
		36	0	22.70	22.73	22.77
		36	18	22.72	22.77	22.80
		36	39	22.71	22.75	22.77
		75	0	22.71	22.74	22.82
	16QAM	1	0	22.54	22.98	23.07
		1	38	22.61	23.02	23.13
		1	74	22.45	22.88	23.02
		36	0	21.64	21.75	21.79
		36	18	21.67	21.78	21.77
		36	39	21.66	21.77	21.73
		75	0	21.63	21.76	21.79
	64QAM	1	0	21.84	21.75	22.18
		1	38	21.89	21.78	22.13
		1	74	21.76	21.65	22.10
		36	0	20.68	20.79	20.77
		36	18	20.71	20.78	20.76
		36	39	20.73	20.77	20.76
		75	0	20.68	20.74	20.83

LTE Band / BW	Modulation	RB Size	RB Offset	Low CH	Mid CH	High CH
				20850CH	21100CH	21350CH
				2510MHz	2535MHz	2560MHz
7 / 20M	QPSK	1	0	23.49	23.51	23.49
		1	50	23.96	23.97	23.89
		1	99	23.46	23.47	23.45
		50	0	22.61	22.70	22.80
		50	25	22.72	22.74	22.77
		50	50	22.66	22.70	22.78
		100	0	22.63	22.71	22.76
	16QAM	1	0	22.94	22.95	22.94
		1	50	23.16	23.10	23.16
		1	99	22.93	22.93	22.93
		50	0	21.66	21.74	21.79
		50	25	21.71	21.76	21.79
		50	50	21.69	21.75	21.80
		100	0	21.69	21.71	21.82
	64QAM	1	0	21.74	22.04	21.62
		1	50	22.08	22.11	22.04
		1	99	21.71	22.02	21.61
		50	0	20.64	20.70	20.75
		50	25	20.72	20.72	20.73
		50	50	20.68	20.72	20.71
		100	0	20.64	20.67	20.73

LTE Band / BW	Modulation	RB Size	RB Offset	Low CH	Mid CH	High CH
				37775CH	38000CH	38225CH
				2572.5MHz	2595MHz	2617.5MHz
38 / 5M	QPSK	1	0	23.42	23.31	23.39
		1	13	23.51	23.44	23.57
		1	24	23.34	23.33	23.43
		12	0	23.49	23.37	23.47
		12	6	23.52	23.43	23.54
		12	11	23.51	23.47	23.53
		25	0	23.49	23.45	23.49
	16QAM	1	0	22.80	22.54	22.65
		1	13	22.90	22.68	22.80
		1	24	22.71	22.57	22.68
		12	0	22.57	22.44	22.45
		12	6	22.62	22.49	22.51
		12	11	22.63	22.54	22.54
		25	0	22.51	22.47	22.55
	64QAM	1	0	21.72	21.41	21.93
		1	13	21.82	21.53	22.03
		1	24	21.65	21.42	21.94
		12	0	21.47	21.39	21.57
		12	6	21.49	21.45	21.64
		12	11	21.51	21.50	21.63
		25	0	21.44	21.54	21.47

LTE Band / BW	Modulation	RB Size	RB Offset	Low CH	Mid CH	High CH
				37800CH	38000CH	38200CH
				2575MHz	2595MHz	2615MHz
38 / 10M	QPSK	1	0	23.48	23.55	23.44
		1	25	23.68	23.81	23.73
		1	49	23.38	23.55	23.48
		25	0	23.51	23.45	23.55
		25	13	23.49	23.48	23.54
		25	25	23.48	23.47	23.51
		50	0	23.47	23.49	23.50
	16QAM	1	0	22.81	22.87	22.88
		1	25	23.01	23.15	23.16
		1	49	22.73	22.87	22.91
		25	0	22.57	22.49	22.60
		25	13	22.54	22.52	22.58
		25	25	22.53	22.53	22.57
		50	0	22.52	22.55	22.61
	64QAM	1	0	21.66	21.94	21.69
		1	25	21.87	22.22	21.97
		1	49	21.57	21.95	21.68
		25	0	21.62	21.44	21.48
		25	13	21.56	21.49	21.47
		25	25	21.56	21.50	21.48
		50	0	21.54	21.49	21.54

LTE Band / BW	Modulation	RB Size	RB Offset	Low CH	Mid CH	High CH
				37825CH	38000CH	38175CH
				2577.5MHz	2595MHz	2612.5MHz
38 / 15M	QPSK	1	0	23.39	23.33	23.52
		1	38	23.39	23.40	23.62
		1	74	23.22	23.23	23.48
		36	0	23.42	23.40	23.48
		36	18	23.45	23.41	23.54
		36	39	23.43	23.45	23.51
		75	0	23.45	23.46	23.52
	16QAM	1	0	22.72	22.83	22.72
		1	38	22.71	22.89	22.82
		1	74	22.56	22.75	22.66
		36	0	22.44	22.38	22.49
		36	18	22.43	22.41	22.54
		36	39	22.43	22.44	22.51
		75	0	22.45	22.47	22.51
	64QAM	1	0	21.57	21.87	21.49
		1	38	21.55	21.94	21.59
		1	74	21.41	21.80	21.47
		36	0	21.50	21.44	21.43
		36	18	21.53	21.47	21.46
		36	39	21.50	21.52	21.44
		75	0	21.45	21.46	21.52

LTE Band / BW	Modulation	RB Size	RB Offset	Low CH	Mid CH	High CH
				37850CH	38000CH	38150CH
				2580MHz	2595MHz	2610MHz
38 / 20M	QPSK	1	0	23.26	23.27	23.27
		1	50	23.74	23.78	23.85
		1	99	23.13	23.24	23.32
		50	0	23.43	23.42	23.46
		50	25	23.49	23.51	23.55
		50	50	23.44	23.50	23.48
		100	0	23.46	23.45	23.47
	16QAM	1	0	22.56	22.44	22.63
		1	50	23.06	22.90	23.14
		1	99	22.44	22.41	22.67
		50	0	22.45	22.46	22.54
		50	25	22.53	22.54	22.62
		50	50	22.47	22.52	22.54
		100	0	22.48	22.50	22.48
	64QAM	1	0	21.81	21.59	21.75
		1	50	22.30	21.79	22.25
		1	99	21.70	21.61	21.80
		50	0	21.52	21.46	21.55
		50	25	21.59	21.56	21.58
		50	50	21.55	21.56	21.57
		100	0	21.54	21.52	21.52

LTE Band / BW	Modulation	RB Size	RB Offset	Low CH	Mid CH	High CH
				40065CH	40640CH	41215CH
				2537.5MHz	2595MHz	2652.5MHz
41 / 5M	QPSK	1	0	23.08	23.31	23.32
		1	13	23.16	23.47	23.45
		1	24	23.09	23.35	23.32
		12	0	23.10	23.32	23.40
		12	6	23.07	23.33	23.35
		12	11	23.11	23.32	23.35
		25	0	23.12	23.32	23.35
	16QAM	1	0	22.07	22.18	22.37
		1	13	22.18	22.31	22.50
		1	24	22.07	22.17	22.38
		12	0	22.09	22.23	22.39
		12	6	22.05	22.22	22.27
		12	11	22.06	22.21	22.32
		25	0	22.00	22.27	22.26
	64QAM	1	0	20.84	21.23	21.15
		1	13	20.96	21.34	21.30
		1	24	20.83	21.23	21.16
		12	0	20.80	20.76	21.01
		12	6	20.79	20.86	20.88
		12	11	20.86	20.83	20.96
		25	0	20.84	20.82	20.80

LTE Band / BW	Modulation	RB Size	RB Offset	Low CH	Mid CH	High CH
				40090CH	40640CH	41190CH
				2540MHz	2595MHz	2650MHz
41 / 10M	QPSK	1	0	23.15	23.33	23.40
		1	25	23.50	23.64	23.58
		1	49	23.18	23.31	23.35
		25	0	23.12	23.37	23.41
		25	13	23.13	23.34	23.40
		25	25	23.21	23.37	23.37
		50	0	23.10	23.35	23.39
	16QAM	1	0	21.98	22.29	22.24
		1	25	22.28	22.59	22.54
		1	49	21.95	22.29	22.22
		25	0	22.14	22.31	22.38
		25	13	22.15	22.29	22.35
		25	25	22.17	22.30	22.37
		50	0	22.12	22.31	22.38
	64QAM	1	0	21.07	21.30	21.45
		1	25	21.32	20.88	21.54
		1	49	21.00	20.93	21.46
		25	0	20.76	20.87	21.04
		25	13	20.80	20.83	20.90
		25	25	20.84	20.89	20.95
		50	0	20.82	20.82	20.96

LTE Band / BW	Modulation	RB Size	RB Offset	Low CH	Mid CH	High CH
				40115CH	40640CH	41165CH
				2542.5MHz	2595MHz	2647.5MHz
41 / 15M	QPSK	1	0	22.99	23.24	23.19
		1	38	23.12	23.36	23.35
		1	74	22.99	23.22	23.18
		36	0	23.15	23.36	23.39
		36	18	23.13	23.36	23.40
		36	39	23.23	23.38	23.37
		75	0	23.19	23.35	23.40
	16QAM	1	0	22.07	22.22	22.33
		1	38	22.19	22.33	22.47
		1	74	22.09	22.16	22.31
		36	0	22.13	22.29	22.40
		36	18	22.10	22.31	22.38
		36	39	22.22	22.31	22.40
		75	0	22.12	22.27	22.38
	64QAM	1	0	21.09	21.21	20.94
		1	38	21.04	21.28	21.07
		1	74	20.83	21.13	20.96
		36	0	20.90	20.83	20.92
		36	18	20.93	20.88	20.90
		36	39	20.91	20.87	20.89
		75	0	20.85	20.83	20.93

LTE Band / BW	Modulation	RB Size	RB Offset	Low CH	Mid CH	High CH
				40140CH	40640CH	41140CH
				2545MHz	2595MHz	2645MHz
41 / 20M	QPSK	1	0	23.17	23.09	23.11
		1	50	23.68	23.60	23.59
		1	99	23.08	23.03	23.09
		50	0	23.27	23.27	23.28
		50	25	23.25	23.31	23.32
		50	50	23.36	23.30	23.34
		100	0	23.38	23.29	23.34
	16QAM	1	0	21.99	22.20	21.91
		1	50	22.52	22.69	22.42
		1	99	21.92	22.11	21.86
		50	0	22.19	22.33	22.37
		50	25	22.19	22.25	22.36
		50	50	22.32	22.28	22.33
		100	0	22.32	22.27	22.28
	64QAM	1	0	21.14	20.96	21.08
		1	50	21.57	21.16	21.59
		1	99	21.06	20.65	21.10
		50	0	20.81	20.80	21.01
		50	25	20.88	20.82	21.01
		50	50	20.92	20.86	20.92
		100	0	20.83	20.79	20.92

LTE Band / BW	Modulation	RB Sizer	RB Offset	Low CH	Mid CH	High CH
				131979CH	132322CH	132665CH
				1710.7MHz	1745MHz	1779.3MHz
66 / 1.4M	QPSK	1	0	20.12	20.09	19.97
		1	2	20.26	20.21	20.14
		1	5	20.09	20.03	20.01
		3	0	21.20	21.13	21.16
		3	1	21.24	21.20	21.20
		3	2	21.19	21.16	21.22
	16QAM	6	0	20.18	20.15	20.08
		1	0	19.19	19.22	19.50
		1	2	19.26	19.34	19.58
		1	5	19.18	19.21	19.50
		3	0	20.34	20.18	20.39
		3	1	20.41	20.22	20.44
	64QAM	3	2	20.39	20.18	20.39
		6	0	19.34	19.28	19.05
		1	0	18.29	18.22	18.59
		1	2	18.41	18.33	18.74
		1	5	18.22	18.23	18.57
		3	0	19.26	19.02	19.37
		3	1	19.33	19.09	19.39
		3	2	19.32	19.09	19.37
		6	0	18.30	18.20	18.17

LTE Band / BW	Modulation	RB Sizer	RB Offset	Low CH	Mid CH	High CH
				131987CH	132322CH	132667CH
				1711.5MHz	1745MHz	1778.5MHz
66 / 3M	QPSK	1	0	20.12	20.18	20.09
		1	7	20.27	20.31	20.22
		1	14	20.12	20.20	20.06
		8	0	20.14	20.10	20.11
		8	4	20.17	20.15	20.14
		8	7	20.10	20.10	20.10
		15	0	20.14	20.10	20.13
	16QAM	1	0	19.13	19.51	19.25
		1	7	19.25	19.66	19.36
		1	14	19.09	19.52	19.17
		8	0	19.30	19.23	19.21
		8	4	19.32	19.27	19.27
		8	7	19.24	19.19	19.19
		15	0	19.17	19.15	19.14
	64QAM	1	0	18.50	18.27	18.44
		1	7	18.66	18.39	18.55
		1	14	18.48	18.28	18.37
		8	0	18.28	18.15	18.17
		8	4	18.30	18.21	18.21
		8	7	18.22	18.17	18.11
		15	0	18.16	18.12	18.28

LTE Band / BW	Modulation	RB Sizer	RB Offset	Low CH	Mid CH	High CH
				131997CH	132322CH	132647CH
				1712.5MHz	1745MHz	1777.5MHz
66 / 5M	QPSK	1	0	20.15	20.05	20.11
		1	13	20.21	20.16	20.17
		1	24	20.11	20.04	20.08
		12	0	20.16	20.10	20.18
		12	6	20.17	20.16	20.22
		12	11	20.15	20.17	20.17
		25	0	20.15	20.13	20.15
	16QAM	1	0	19.30	19.56	19.18
		1	13	19.32	19.66	19.31
		1	24	19.26	19.54	19.19
		12	0	19.18	19.20	19.30
		12	6	19.24	19.31	19.29
		12	11	19.26	19.29	19.25
		25	0	19.18	19.19	19.17
	64QAM	1	0	18.07	18.40	18.41
		1	13	18.17	18.46	18.47
		1	24	18.05	18.33	18.31
		12	0	18.16	18.00	18.29
		12	6	18.24	18.13	18.35
		12	11	18.24	18.10	18.32
		25	0	18.16	18.07	18.30

LTE Band / BW	Modulation	RB Sizer	RB Offset	Low CH	Mid CH	High CH
				132022CH	132322CH	132622CH
				1715MHz	1745MHz	1775MHz
66 / 10M	QPSK	1	0	20.07	20.10	20.04
		1	25	20.22	20.30	20.21
		1	49	20.04	20.06	19.97
		25	0	20.15	20.11	20.20
		25	13	20.15	20.16	20.17
		25	25	20.12	20.17	20.10
		50	0	20.14	20.14	20.19
	16QAM	1	0	19.08	19.45	19.15
		1	25	19.24	19.65	19.31
		1	49	19.07	19.40	19.10
		25	0	19.22	19.15	19.34
		25	13	19.20	19.20	19.32
		25	25	19.18	19.20	19.27
		50	0	19.14	19.17	19.28
	64QAM	1	0	18.48	18.25	18.29
		1	25	18.63	18.43	18.51
		1	49	18.40	18.22	18.29
		25	0	18.22	18.13	18.34
		25	13	18.27	18.23	18.33
		25	25	18.21	18.18	18.32
		50	0	18.19	18.17	18.22



LTE Band / BW	Modulation	RB Siset	RB Offset	Low CH	Mid CH	High CH
				132047CH	132322CH	132597CH
				1717.5MHz	1745MHz	1772.5MHz
66 / 15M	QPSK	1	0	20.01	20.06	20.03
		1	38	20.10	20.16	20.12
		1	74	19.94	20.01	19.98
		36	0	20.13	20.08	20.12
		36	18	20.12	20.12	20.18
		36	39	20.13	20.14	20.10
		75	0	20.12	20.12	20.16
	16QAM	1	0	19.06	19.43	19.56
		1	38	19.15	19.49	19.69
		1	74	19.02	19.27	19.49
		36	0	19.12	19.15	19.13
		36	18	19.10	19.17	19.16
		36	39	19.13	19.17	19.12
		75	0	19.14	19.16	19.17
	64QAM	1	0	18.40	18.21	18.72
		1	38	18.50	18.25	18.83
		1	74	18.34	18.11	18.68
		36	0	18.16	18.18	18.16
		36	18	18.17	18.19	18.16
		36	39	18.18	18.18	18.14
		75	0	18.14	18.15	18.20

LTE Band / BW	Modulation	RB Siset	RB Offset	Low CH	Mid CH	High CH
				132072CH	132322CH	132572CH
				1720MHz	1745MHz	1770MHz
66 / 20M	QPSK	1	0	20.12	20.04	19.97
		1	50	20.48	20.44	20.36
		1	99	20.04	19.98	19.95
		50	0	20.15	20.11	20.15
		50	25	20.13	20.16	20.17
		50	50	20.12	20.12	20.07
		100	0	20.09	20.15	20.13
	16QAM	1	0	19.42	19.34	19.34
		1	50	19.83	19.65	19.75
		1	99	19.37	19.15	19.33
		50	0	19.20	19.05	19.26
		50	25	19.19	19.11	19.26
		50	50	19.16	19.08	19.14
		100	0	19.14	19.10	19.19
	64QAM	1	0	18.57	18.14	18.23
		1	50	18.95	18.45	18.63
		1	99	18.54	17.99	18.27
		50	0	18.19	18.12	18.31
		50	25	18.19	18.15	18.30
		50	50	18.19	18.14	18.22
		100	0	18.16	18.11	18.21

## APPENDIX B - OCCUPIED BANDWIDTH

WCDMA Band IV_WCDMA					
QPSK					
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)	Channel	Frequency (MHz)	26dB Bandwidth (MHz)
1312	1712.4	4.1721	1312	1712.4	4.730
1413	1732.6	4.1609	1413	1732.6	4.717
1513	1752.6	4.1718	1513	1752.6	4.748



WCDMA Band IV_HSDPA					
QPSK					
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)	Channel	Frequency (MHz)	26dB Bandwidth (MHz)
1312	1712.4	4.1728	1312	1712.4	4.724
1413	1732.6	4.1664	1413	1732.6	4.713
1513	1752.6	4.1718	1513	1752.6	4.726




WCDMA Band IV_HSUPA					
QPSK					
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)	Channel	Frequency (MHz)	26dB Bandwidth (MHz)
1312	1712.4	4.1861	1312	1712.4	4.722
1413	1732.6	4.1959	1413	1732.6	4.729
1513	1752.6	4.1980	1513	1752.6	4.735




LTE Band 4_1.4M					
QPSK					
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)	Channel	Frequency (MHz)	26dB Bandwidth (MHz)
19957	1710.7	1.0856	19957	1710.7	1.264
20175	1732.5	1.0992	20175	1732.5	1.301
20393	1754.3	1.0853	20393	1754.3	1.281
16QAM					
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)	Channel	Frequency (MHz)	26dB Bandwidth (MHz)
19957	1710.7	1.0915	19957	1710.7	1.271
20175	1732.5	1.0930	20175	1732.5	1.301
20393	1754.3	1.0843	20393	1754.3	1.286
64QAM					
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)	Channel	Frequency (MHz)	26dB Bandwidth (MHz)
19957	1710.7	1.0845	19957	1710.7	1.268
20175	1732.5	1.0901	20175	1732.5	1.301
20393	1754.3	1.0858	20393	1754.3	1.272

## Spectrum Plot




## Spectrum Plot





LTE Band 4_3M					
QPSK					
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)	Channel	Frequency (MHz)	26dB Bandwidth (MHz)
19965	1711.5	2.6842	19965	1711.5	2.928
20175	1732.5	2.6929	20175	1732.5	2.917
20385	1753.5	2.6878	20385	1753.5	2.922
16QAM					
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)	Channel	Frequency (MHz)	26dB Bandwidth (MHz)
19965	1711.5	2.6936	19965	1711.5	2.906
20175	1732.5	2.6860	20175	1732.5	2.907
20385	1753.5	2.6845	20385	1753.5	2.920
64QAM					
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)	Channel	Frequency (MHz)	26dB Bandwidth (MHz)
19965	1711.5	2.6891	19965	1711.5	2.914
20175	1732.5	2.6874	20175	1732.5	2.909
20385	1753.5	2.6867	20385	1753.5	2.901


## Spectrum Plot




## Spectrum Plot



LTE Band 4_5M					
QPSK					
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)	Channel	Frequency (MHz)	26dB Bandwidth (MHz)
19975	1712.5	4.5030	19975	1712.5	4.931
20175	1732.5	4.4958	20175	1732.5	4.893
20375	1752.5	4.5052	20375	1752.5	4.903
16QAM					
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)	Channel	Frequency (MHz)	26dB Bandwidth (MHz)
19975	1712.5	4.4972	19975	1712.5	4.924
20175	1732.5	4.4955	20175	1732.5	4.886
20375	1752.5	4.4917	20375	1752.5	4.898
64QAM					
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)	Channel	Frequency (MHz)	26dB Bandwidth (MHz)
19975	1712.5	4.5020	19975	1712.5	4.926
20175	1732.5	4.5008	20175	1732.5	4.918
20375	1752.5	4.4970	20375	1752.5	4.900




## Spectrum Plot



LTE Band 4_10M					
QPSK					
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)	Channel	Frequency (MHz)	26dB Bandwidth (MHz)
20000	1715	8.9784	20000	1715	9.785
20175	1732.5	8.9707	20175	1732.5	9.808
20350	1750	8.9916	20350	1750	9.764
16QAM					
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)	Channel	Frequency (MHz)	26dB Bandwidth (MHz)
20000	1715	8.9708	20000	1715	9.797
20175	1732.5	8.9850	20175	1732.5	9.717
20350	1750	8.9802	20350	1750	9.716
64QAM					
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)	Channel	Frequency (MHz)	26dB Bandwidth (MHz)
20000	1715	8.9704	20000	1715	9.726
20175	1732.5	8.9824	20175	1732.5	9.766
20350	1750	8.9630	20350	1750	10.07

## Spectrum Plot






## Spectrum Plot




LTE Band 4_15M					
QPSK					
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)	Channel	Frequency (MHz)	26dB Bandwidth (MHz)
20025	1717.5	13.469	20025	1717.5	14.66
20175	1732.5	13.467	20175	1732.5	14.63
20325	1747.5	13.438	20325	1747.5	14.54
16QAM					
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)	Channel	Frequency (MHz)	26dB Bandwidth (MHz)
20025	1717.5	13.458	20025	1717.5	14.54
20175	1732.5	13.437	20175	1732.5	14.55
20325	1747.5	13.428	20325	1747.5	14.63
64QAM					
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)	Channel	Frequency (MHz)	26dB Bandwidth (MHz)
20025	1717.5	13.451	20025	1717.5	14.63
20175	1732.5	13.447	20175	1732.5	14.55
20325	1747.5	13.495	20325	1747.5	16.44




## Spectrum Plot



LTE Band 4_20M					
QPSK					
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)	Channel	Frequency (MHz)	26dB Bandwidth (MHz)
20050	1720	17.955	20050	1720	19.44
20175	1732.5	17.933	20175	1732.5	19.25
20300	1745	17.900	20300	1745	19.34
16QAM					
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)	Channel	Frequency (MHz)	26dB Bandwidth (MHz)
20050	1720	17.952	20050	1720	19.32
20175	1732.5	17.929	20175	1732.5	19.37
20300	1745	17.924	20300	1745	19.42
64QAM					
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)	Channel	Frequency (MHz)	26dB Bandwidth (MHz)
20050	1720	17.941	20050	1720	19.23
20175	1732.5	17.949	20175	1732.5	19.44
20300	1745	17.931	20300	1745	19.33




## Spectrum Plot




LTE Band 7_5M					
QPSK					
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)	Channel	Frequency (MHz)	26dB Bandwidth (MHz)
20775	2502.5	4.5168	20775	2502.5	5.136
21100	2535	4.5210	21100	2535	5.074
21425	2567.5	4.5362	21425	2567.5	5.246
16QAM					
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)	Channel	Frequency (MHz)	26dB Bandwidth (MHz)
20775	2502.5	4.5143	20775	2502.5	5.116
21100	2535	4.5134	21100	2535	5.076
21425	2567.5	4.5156	21425	2567.5	5.126
64QAM					
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)	Channel	Frequency (MHz)	26dB Bandwidth (MHz)
20775	2502.5	4.5178	20775	2502.5	5.178
21100	2535	4.5109	21100	2535	1.170
21425	2567.5	4.5226	21425	2567.5	1.159



## Spectrum Plot



## Spectrum Plot



LTE Band 7_10M					
QPSK					
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)	Channel	Frequency (MHz)	26dB Bandwidth (MHz)
20800	2505	8.9960	20800	2505	10.12
21100	2535	8.9997	21100	2535	10.07
21400	2565	9.0042	21400	2565	10.09
16QAM					
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)	Channel	Frequency (MHz)	26dB Bandwidth (MHz)
20800	2505	9.0138	20800	2505	9.970
21100	2535	8.9791	21100	2535	10.04
21400	2565	9.0154	21400	2565	9.956
64QAM					
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)	Channel	Frequency (MHz)	26dB Bandwidth (MHz)
20800	2505	8.9948	20800	2505	10.12
21100	2535	8.9935	21100	2535	10.12
21400	2565	9.0022	21400	2565	10.04

## Spectrum Plot

