




LTE Band 41_15M Spectrum Plot




LTE Band 41_20M Spectrum Plot




LTE Band 41_20M Spectrum Plot



LTE Band 66_1.4M Spectrum Plot




LTE Band 66_1.4M Spectrum Plot



LTE Band 66_3M Spectrum Plot




LTE Band 66_3M Spectrum Plot



LTE Band 66_5M Spectrum Plot




LTE Band 4_5M Spectrum Plot



LTE Band 66_10M Spectrum Plot




LTE Band 66_10M Spectrum Plot




LTE Band 66_15M Spectrum Plot




LTE Band 66_15M Spectrum Plot



LTE Band 66_20M Spectrum Plot



LTE Band 66_20M Spectrum Plot



APPENDIX I - FREQUENCY STABILITY

Test Mode	WCDMA Band IV _CH1413
-----------	-----------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
0	4.11	0.002372157	± 2.5
10	1.22	0.000704144	
20	1.53	0.000883066	
30	3.23	0.00186425	
35	4.22	0.002435646	
Max. Deviation (ppm)	4.22	0.002435646	

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
4.45	3.17	0.00182962	± 2.5
3.87	2.93	0.0016911	
3.30	2.34	0.001350571	
Max. Deviation (ppm)	3.17	0.00182962	

Test Mode	LTE Band 4_CH20175_1.4M
-----------	-------------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
0	-2.42	-0.001396825	± 2.5
10	3.33	0.001922078	
20	3.41	0.001968254	
30	-4.97	-0.002868687	
35	5.13	0.002961039	
Max. Deviation (ppm)	5.13	0.002961039	

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
4.45	-2.01	-0.001160173	± 2.5
3.87	4.24	0.00244733	
3.30	3.66	0.002112554	
Max. Deviation (ppm)	4.24	0.00244733	

Test Mode	LTE Band 4_CH20175_3M
-----------	-----------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
0	2.99	0.00172583	± 2.5
10	-3.54	-0.00204329	
20	3.22	0.001858586	
30	2.81	0.001621934	
35	6.45	0.003722944	
Max. Deviation (ppm)	6.45	0.003722944	

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
4.45	-6.14	-0.003544012	± 2.5
3.87	2.54	0.001466089	
3.30	5.95	0.003434343	
Max. Deviation (ppm)	-6.14	-0.003544012	

Test Mode	LTE Band 4_CH20175_5M
-----------	-----------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
0	3.04	0.00175469	±2.5
10	-3.53	-0.002037518	
20	-5.51	-0.003180375	
30	-2.06	-0.001189033	
35	-3.29	-0.00189899	
Max. Deviation (ppm)	-5.51	-0.003180375	

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
4.45	3.89	0.00224531	±2.5
3.87	4.02	0.002320346	
3.30	-1.67	-0.000963925	
Max. Deviation (ppm)	4.02	0.002320346	

Test Mode	LTE Band 4_CH20175_10M
-----------	------------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
0	-4.96	-0.002862915	± 2.5
10	-2.25	-0.001298701	
20	-5.34	-0.003082251	
30	1.92	0.001108225	
35	1.38	0.000796537	
Max. Deviation (ppm)	-5.34	-0.003082251	

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
4.45	4.01	0.002314574	± 2.5
3.87	2.15	0.001240981	
3.30	-3.83	-0.002210678	
Max. Deviation (ppm)	4.01	0.002314574	

Test Mode	LTE Band 4_CH20175_15M
-----------	------------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
0	1.16	0.000669553	±2.5
10	3.44	0.00198557	
20	3.07	0.001772006	
30	-6.19	-0.003572872	
35	2.26	0.001304473	
Max. Deviation (ppm)	-6.19	-0.003572872	

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
4.45	-5.75	-0.003318903	±2.5
3.87	-3.18	-0.001835498	
3.30	-2.71	-0.001564214	
Max. Deviation (ppm)	-5.75	-0.003318903	

Test Mode	LTE Band 4_CH20175_20M
-----------	------------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
0	-1.68	-0.000969697	± 2.5
10	-5.33	-0.003076479	
20	-3.53	-0.002037518	
30	-5.29	-0.003053391	
35	-4.49	-0.002591631	
Max. Deviation (ppm)	-5.33	-0.003076479	

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
4.45	-5.16	-0.002978355	± 2.5
3.87	5.57	0.003215007	
3.30	-4.02	-0.002320346	
Max. Deviation (ppm)	5.57	0.003215007	

Test Mode	LTE Band 7_CH21100_5M
-----------	-----------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
0	-3.64	-0.001435897	± 2.5
10	-6.72	-0.002650888	
20	-5.45	-0.002149901	
30	5.84	0.002303748	
35	3.34	0.001317554	
Max. Deviation (ppm)	-6.72	-0.002650888	

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
4.45	2.98	0.001175542	± 2.5
3.87	-4.77	-0.001881657	
3.30	-2.44	-0.000962525	
Max. Deviation (ppm)	-4.77	-0.001881657	

Test Mode	LTE Band 7_CH21100_10M
-----------	------------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
0	2.16	0.000852071	±2.5
10	-5.27	-0.002078895	
20	-1.06	-0.000418146	
30	6.68	0.002635108	
35	3.78	0.001491124	
Max. Deviation (ppm)	6.68	0.002635108	

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
4.45	5.46	0.002153846	±2.5
3.87	1.23	0.000485207	
3.30	-3.68	-0.001451677	
Max. Deviation (ppm)	5.46	0.002153846	

Test Mode	LTE Band 7_CH21100_15M
-----------	------------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
0	-5.37	-0.002118343	± 2.5
10	-2.68	-0.001057199	
20	-1.46	-0.000575937	
30	-3.98	-0.00157002	
35	-2.01	-0.000792899	
Max. Deviation (ppm)	-5.37	-0.002118343	

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
4.45	-5.79	-0.002284024	± 2.5
3.87	6.38	0.002516765	
3.30	2.34	0.000923077	
Max. Deviation (ppm)	6.38	0.002516765	

Test Mode	LTE Band 7_CH21100_20M
-----------	------------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
0	-6.36	-0.002508876	± 2.5
10	2.32	0.000915187	
20	1.04	0.000410256	
30	2.26	0.000891519	
35	5.88	0.002319527	
Max. Deviation (ppm)	-6.36	-0.002508876	

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
4.45	2.35	0.000927022	± 2.5
3.87	5.36	0.002114398	
3.30	-6.79	-0.002678501	
Max. Deviation (ppm)	-6.79	-0.002678501	

Test Mode	LTE Band 12_CH23095_1.4M
-----------	--------------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
0	-2.13	0.003010601	± 2.5
10	-2.13	0.003010601	
20	4.47	0.006318021	
30	5.22	0.007378092	
35	-2.51	0.003547703	
Max. Deviation (ppm)	5.22	0.007378092	

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
4.45	-1.16	0.001639576	± 2.5
3.87	-4.36	0.006162544	
3.30	-1.13	0.001597173	
Max. Deviation (ppm)	-4.36	0.006162544	

Test Mode	LTE Band 12_CH23095_3M
-----------	------------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
0	2.77	0.003915194	± 2.5
10	4.56	0.00644523	
20	1.96	0.002770318	
30	-2.96	0.004183746	
35	-4.41	0.006233216	
Max. Deviation (ppm)	4.56	0.00644523	

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
4.45	-1.65	0.002332155	± 2.5
3.87	2.86	0.004042403	
3.30	-6.39	0.009031802	
Max. Deviation (ppm)	-6.39	0.009031802	

Test Mode	LTE Band 12_CH23095_5M
-----------	------------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
0	1.69	0.002388693	± 2.5
10	2.71	0.003830389	
20	3.91	0.005526502	
30	6.31	0.008918728	
35	3.95	0.005583039	
Max. Deviation (ppm)	6.31	0.008918728	

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
4.45	-6.14	-0.008678445	± 2.5
3.87	4.34	0.006134276	
3.30	3.66	0.005173145	
Max. Deviation (ppm)	-6.14	-0.008678445	

Test Mode	LTE Band 12_CH23095_10M
-----------	-------------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
0	-2.74	-0.003872792	± 2.5
10	2.37	0.003349823	
20	-4.94	-0.006982332	
30	3.57	0.005045936	
35	-5.78	-0.008169611	
Max. Deviation (ppm)	-5.78	-0.008169611	

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
4.45	3.46	0.004890459	± 2.5
3.87	-4.56	-0.00644523	
3.30	4.95	0.006996466	
Max. Deviation (ppm)	4.95	0.006996466	

Test Mode	LTE Band 17_CH23790_5M
-----------	------------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
0	-5.81	-0.008183099	± 2.5
10	-3.86	-0.00543662	
20	3.38	0.004760563	
30	-2.92	-0.004112676	
35	4.05	0.005704225	
Max. Deviation (ppm)	-5.81	-0.008183099	

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
4.45	2.92	0.004112676	± 2.5
3.87	3.25	0.004577465	
3.30	2.53	0.00356338	
Max. Deviation (ppm)	3.25	0.004577465	

Test Mode	LTE Band 17_CH23790_10M
-----------	-------------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
0	3.77	0.005309859	± 2.5
10	3.67	0.005169014	
20	5.87	0.008267606	
30	-1.58	-0.002225352	
35	-6.34	-0.008929577	
Max. Deviation (ppm)	-6.34	-0.008929577	

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
4.45	-4.45	-0.006267606	± 2.5
3.87	-4.64	-0.006535211	
3.30	5.39	0.007591549	
Max. Deviation (ppm)	5.39	0.007591549	

Test Mode	LTE Band 38_CH38000_5M
-----------	------------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
0	-1.02	-0.000393064	± 2.5
10	1.46	0.00056262	
20	-5.76	-0.002219653	
30	-3.05	-0.001175337	
35	-6.38	-0.002458574	
Max. Deviation (ppm)	-6.38	-0.002458574	

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
4.45	1.12	0.000431599	± 2.5
3.87	5.61	0.00216185	
3.30	4.98	0.001919075	
Max. Deviation (ppm)	5.61	0.00216185	

Test Mode	LTE Band 38_CH38000_10M
-----------	-------------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
0	4.45	0.001714836	± 2.5
10	-2.42	-0.000932563	
20	-6.74	-0.002597303	
30	2.68	0.001032755	
35	5.26	0.002026975	
Max. Deviation (ppm)	-6.74	-0.002597303	

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
4.45	-4.69	-0.001807322	± 2.5
3.87	-3.26	-0.001256262	
3.30	-5.86	-0.002258189	
Max. Deviation (ppm)	-5.86	-0.002258189	

Test Mode	LTE Band 38_CH38000_15M
-----------	-------------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
0	-4.39	-0.001691715	± 2.5
10	3.21	0.001236994	
20	-2.95	-0.001136802	
30	-5.26	-0.002026975	
35	6.59	0.002539499	
Max. Deviation (ppm)	6.59	0.002539499	

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
4.45	-3.95	-0.001522158	± 2.5
3.87	-1.19	-0.000458574	
3.30	6.45	0.002485549	
Max. Deviation (ppm)	6.45	0.002485549	

Test Mode	LTE Band 38_CH38000_20M
-----------	-------------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
0	-4.04	-0.00155684	± 2.5
10	1.42	0.000547206	
20	-3.09	-0.001190751	
30	6.53	0.002516378	
35	3.16	0.001217726	
Max. Deviation (ppm)	6.53	0.002516378	

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
4.45	-1.55	-0.000597303	± 2.5
3.87	1.96	0.000755299	
3.30	3.79	0.001460501	
Max. Deviation (ppm)	3.79	0.001460501	

Test Mode	LTE Band 41_CH40640_5M
-----------	------------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
0	4.08	0.001573467	± 2.5
10	5.96	0.002298496	
20	1.65	0.000636329	
30	-2.53	-0.000975704	
35	5.84	0.002252218	
Max. Deviation (ppm)	5.96	0.002298496	

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
4.45	5.36	0.002067104	± 2.5
3.87	-2.23	-0.000860008	
3.30	-4.86	-0.001874277	
Max. Deviation (ppm)	5.36	0.002067104	

Test Mode	LTE Band 41_CH40640_10M
-----------	-------------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
0	-2.12	-0.000817586	± 2.5
10	-6.58	-0.002537601	
20	5.56	0.002144234	
30	-5.29	-0.002040108	
35	1.88	0.000725029	
Max. Deviation (ppm)	-6.58	-0.002537601	

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
4.45	4.03	0.001554184	± 2.5
3.87	2.72	0.001048978	
3.30	2.58	0.000994987	
Max. Deviation (ppm)	4.03	0.001554184	

Test Mode	LTE Band 41_CH40640_15M
-----------	-------------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
0	5.66	0.0021828	± 2.5
10	4.31	0.001662167	
20	-4.28	-0.001650598	
30	-5.12	-0.001974547	
35	2.06	0.000794447	
Max. Deviation (ppm)	5.66	0.0021828	

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
4.45	-5.22	-0.002013112	± 2.5
3.87	6.12	0.002360201	
3.30	-2.34	-0.00090243	
Max. Deviation (ppm)	6.12	0.002360201	

Test Mode	LTE Band 41_CH40640_20M
-----------	-------------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
0	-4.58	-0.001766294	± 2.5
10	-1.59	-0.000613189	
20	-5.16	-0.001989973	
30	-3.19	-0.001230235	
35	3.52	0.001357501	
Max. Deviation (ppm)	-5.16	-0.001989973	

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
4.45	2.98	0.001149248	± 2.5
3.85	-1.33	-0.000512919	
3.5	3.54	0.001365214	
Max. Deviation (ppm)	3.54	0.001365214	

Test Mode	LTE Band 66_CH132322_1.4M
-----------	---------------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
0	1.77	0.001014327	± 2.5
10	-2.17	0.001243553	
20	5.78	0.003312321	
30	3.42	0.001959885	
35	2.48	0.001421203	
Max. Deviation (ppm)	5.78	0.003312321	

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
4.45	-2.67	0.001530086	± 2.5
3.87	2.01	0.001151862	
3.30	-4.63	0.002653295	
Max. Deviation (ppm)	-4.63	0.002653295	

Test Mode	LTE Band 66_CH132322_3M
-----------	-------------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
0	2.37	0.001358166	± 2.5
10	6.01	0.003444126	
20	3.66	0.002097421	
30	-1.86	0.001065903	
35	-3.68	0.002108883	
Max. Deviation (ppm)	6.01	0.003444126	

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
4.45	1.16	0.000664756	± 2.5
3.87	3.16	0.001810888	
3.30	-5.85	0.003352436	
Max. Deviation (ppm)	-5.85	0.003352436	

Test Mode	LTE Band 66_CH132322_5M
-----------	-------------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
0	-1.45	-0.000830946	± 2.5
10	6.91	0.003959885	
20	-3.27	-0.001873926	
30	-4.06	-0.002326648	
35	-2.07	-0.001186246	
Max. Deviation (ppm)	6.91	0.003959885	

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
4.45	4.16	0.002383954	± 2.5
3.87	-5.18	-0.002968481	
3.30	-3.18	-0.00182235	
Max. Deviation (ppm)	-5.18	-0.002968481	

Test Mode	LTE Band 66_CH132322_10M
-----------	--------------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
0	5.92	0.00339255	± 2.5
10	-2.61	-0.001495702	
20	-6.74	-0.003862464	
30	4.07	0.002332378	
35	-5.44	-0.003117479	
Max. Deviation (ppm)	-6.74	-0.003862464	

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
4.45	4.88	0.002796562	± 2.5
3.87	-2.12	-0.0012149	
3.30	1.93	0.001106017	
Max. Deviation (ppm)	4.88	0.002796562	

Test Mode	LTE Band 66_CH132322_15M
-----------	--------------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
0	2.97	0.001702006	± 2.5
10	2.34	0.001340974	
20	1.76	0.001008596	
30	6.18	0.003541547	
35	5.24	0.003002865	
Max. Deviation (ppm)	6.18	0.003541547	

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
4.45	-2.11	-0.001209169	± 2.5
3.87	2.79	0.001598854	
3.30	-5.88	-0.003369628	
Max. Deviation (ppm)	-5.88	-0.003369628	

Test Mode	LTE Band 66_CH132322_20M
-----------	--------------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
0	-2.06	-0.001180516	± 2.5
10	2.68	0.001535817	
20	5.18	0.002968481	
30	6.06	0.003472779	
35	5.67	0.003249284	
Max. Deviation (ppm)	6.06	0.003472779	

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
4.45	-5.76	-0.00330086	± 2.5
3.87	2.28	0.00130659	
3.30	-5.75	-0.003295129	
Max. Deviation (ppm)	-5.76	-0.00330086	

End of Test Report