



RSE-V&H PCC CH20850 RB1 16QAM HIGH SCC CH20994 RB2 16QAM LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
93.729	-58.10	-21.04	-25.0	-33.10	362.00	Vertical	Horizontal	Pass
2534.100	-47.00	9.76	-25.0	-22.00	245.00	Vertical	Horizontal	N/A
2648.800	-46.80	7.81	-25.0	-21.80	258.00	Vertical	Horizontal	N/A
5822.800	-41.39	14.27	-25.0	-16.39	359.00	Vertical	Horizontal	Pass
17260.012	-47.49	27.70	-25.0	-22.49	198.00	Vertical	Horizontal	Pass
26214.750	-45.63	24.42	-25.0	-20.63	203.00	Vertical	Horizontal	Pass


### 43.3 CA\_7C 20MHz+10MHz, QPSK, Middle Channel

RSE-H&H PCC CH21051 RB1 QPSK HIGH SCC CH21195 RB2 QPSK LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
95.135	-60.94	-21.25	-25.0	-35.94	336.00	Horizontal	Horizontal	Pass
2538.700	-43.96	9.73	-25.0	-18.96	334.00	Horizontal	Horizontal	N/A
2666.700	-35.10	8.28	-25.0	-10.10	188.00	Horizontal	Horizontal	N/A
6764.400	-39.53	19.08	-25.0	-14.53	242.00	Horizontal	Horizontal	Pass
17260.800	-47.16	27.69	-25.0	-22.16	284.00	Horizontal	Horizontal	Pass
25648.200	-45.33	24.24	-25.0	-20.33	-2.00	Horizontal	Horizontal	Pass

RSE-H&V PCC CH21051 RB1 QPSK HIGH SCC CH21195 RB2 QPSK LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
91.547	-64.08	-20.71	-25.0	-39.08	299.00	Horizontal	Vertical	Pass
2538.800	-46.23	9.73	-25.0	-21.23	216.00	Horizontal	Vertical	N/A
2660.800	-34.37	8.20	-25.0	-9.37	187.00	Horizontal	Vertical	N/A
6424.200	-40.97	18.52	-25.0	-15.97	20.00	Horizontal	Vertical	Pass
17156.062	-47.86	27.31	-25.0	-22.86	300.00	Horizontal	Vertical	Pass
25478.552	-46.22	24.19	-25.0	-21.22	338.00	Horizontal	Vertical	Pass

RSE-V&V PCC CH21051 RB1 QPSK HIGH SCC CH21195 RB2 QPSK LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
94.408	-57.75	-21.15	-25.0	-32.75	362.00	Vertical	Vertical	Pass
2538.800	-45.29	9.73	-25.0	-20.29	293.00	Vertical	Vertical	N/A
2666.800	-46.44	8.27	-25.0	-21.44	224.00	Vertical	Vertical	N/A
6917.800	-40.83	19.42	-25.0	-15.83	359.00	Vertical	Vertical	Pass
17878.462	-48.06	27.56	-25.0	-23.06	91.00	Vertical	Vertical	Pass
26208.449	-45.28	24.42	-25.0	-20.28	10.00	Vertical	Vertical	Pass


RSE-V&H PCC CH21051 RB1 QPSK HIGH SCC CH21195 RB2 QPSK LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
94.408	-57.61	-21.15	-25.0	-32.61	362.00	Vertical	Horizontal	Pass
2553.500	-46.16	9.64	-25.0	-21.16	219.00	Vertical	Horizontal	N/A
2663.600	-45.49	8.31	-25.0	-20.49	275.00	Vertical	Horizontal	N/A
6971.200	-40.47	20.00	-25.0	-15.47	172.00	Vertical	Horizontal	Pass
17260.012	-47.67	27.70	-25.0	-22.67	362.00	Vertical	Horizontal	Pass
25715.700	-45.01	24.26	-25.0	-20.01	340.00	Vertical	Horizontal	Pass


### 43.4 CA\_7C 20MHz+10MHz, 16-QAM, Middle Channel

RSE-H&H PCC CH21051 RB1 16QAM HIGH SCC CH21195 RB2 16QAM LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
91.935	-61.53	-20.72	-25.0	-36.53	279.00	Horizontal	Horizontal	Pass
2538.900	-43.78	9.73	-25.0	-18.78	0.00	Horizontal	Horizontal	N/A
2660.700	-35.41	8.19	-25.0	-10.41	192.00	Horizontal	Horizontal	N/A
6340.400	-41.26	17.34	-25.0	-16.26	291.00	Horizontal	Horizontal	Pass
17414.887	-47.94	27.04	-25.0	-22.94	362.00	Horizontal	Horizontal	Pass
25605.900	-45.40	24.23	-25.0	-20.40	182.00	Horizontal	Horizontal	Pass

RSE-H&V PCC CH21051 RB1 16QAM HIGH SCC CH21195 RB2 16QAM LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
92.177	-64.01	-20.75	-25.0	-39.01	303.00	Horizontal	Vertical	Pass
2539.000	-46.73	9.73	-25.0	-21.73	234.00	Horizontal	Vertical	N/A
2666.200	-33.96	8.30	-25.0	-8.96	191.00	Horizontal	Vertical	N/A
6919.600	-40.46	19.31	-25.0	-15.46	33.00	Horizontal	Vertical	Pass
17241.637	-48.09	27.83	-25.0	-23.09	337.00	Horizontal	Vertical	Pass
25585.650	-46.00	24.22	-25.0	-21.00	35.00	Horizontal	Vertical	Pass


RSE-V&V PCC CH21051 RB1 16QAM HIGH SCC CH21195 RB2 16QAM LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
95.572	-57.87	-21.31	-25.0	-32.87	362.00	Vertical	Vertical	Pass
2538.800	-45.42	9.73	-25.0	-20.42	306.00	Vertical	Vertical	N/A
2668.000	-46.65	8.32	-25.0	-21.65	221.00	Vertical	Vertical	N/A
6761.600	-41.26	19.14	-25.0	-16.26	209.00	Vertical	Vertical	Pass
17884.238	-47.18	27.50	-25.0	-22.18	306.00	Vertical	Vertical	Pass
26210.251	-45.27	24.42	-25.0	-20.27	2.00	Vertical	Vertical	Pass




RSE-V&H PCC CH21051 RB1 16QAM HIGH SCC CH21195 RB2 16QAM LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
94.214	-56.99	-21.12	-25.0	-31.99	361.00	Vertical	Horizontal	Pass
1287.000	-54.54	1.75	-25.0	-29.54	361.00	Vertical	Horizontal	Pass
2665.600	-46.53	8.33	-25.0	-21.53	226.00	Vertical	Horizontal	N/A
6422.600	-41.66	18.68	-25.0	-16.66	216.00	Vertical	Horizontal	Pass
17732.512	-47.39	27.52	-25.0	-22.39	299.00	Vertical	Horizontal	Pass
25263.450	-45.22	24.12	-25.0	-20.22	361.00	Vertical	Horizontal	Pass


### 43.5 CA\_7C 20MHz+10MHz, QPSK, High Channel

RSE-H&H PCC CH21251 RB1 QPSK HIGH SCC CH21395 RB2 QPSK LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
91.498	-61.95	-20.71	-25.0	-36.95	312.00	Horizontal	Horizontal	Pass
2559.000	-30.47	9.63	-25.0	-5.47	158.00	Horizontal	Horizontal	N/A
2686.700	-35.90	8.53	-25.0	-10.90	187.00	Horizontal	Horizontal	N/A
6949.400	-40.85	19.02	-25.0	-15.85	99.00	Horizontal	Horizontal	Pass
17295.188	-47.92	27.35	-25.0	-22.92	20.00	Horizontal	Horizontal	Pass
25521.302	-45.75	24.20	-25.0	-20.75	213.00	Horizontal	Horizontal	Pass

RSE-H&V PCC CH21251 RB1 QPSK HIGH SCC CH21395 RB2 QPSK LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
92.129	-63.54	-20.74	-25.0	-38.54	296.00	Horizontal	Vertical	Pass
2558.900	-35.33	9.63	-25.0	-10.33	198.00	Horizontal	Vertical	N/A
2682.200	-36.87	8.57	-25.0	-11.87	181.00	Horizontal	Vertical	N/A
6921.800	-40.87	19.25	-25.0	-15.87	273.00	Horizontal	Vertical	Pass
17252.401	-47.90	27.81	-25.0	-22.90	0.00	Horizontal	Vertical	Pass
25527.151	-45.31	24.20	-25.0	-20.31	253.00	Horizontal	Vertical	Pass

RSE-V&V PCC CH21251 RB1 QPSK HIGH SCC CH21395 RB2 QPSK LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
94.117	-57.68	-21.11	-25.0	-32.68	362.00	Vertical	Vertical	Pass
2558.900	-35.65	9.63	-25.0	-10.65	40.00	Vertical	Vertical	N/A
2683.600	-46.83	8.56	-25.0	-21.83	285.00	Vertical	Vertical	N/A
6748.400	-41.14	19.45	-25.0	-16.14	1.00	Vertical	Vertical	Pass
17463.187	-48.21	27.55	-25.0	-23.21	336.00	Vertical	Vertical	Pass
25541.550	-45.71	24.21	-25.0	-20.71	227.00	Vertical	Vertical	Pass

RSE-V&H PCC CH21251 RB1 QPSK HIGH SCC CH21395 RB2 QPSK LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
94.214	-56.83	-21.12	-25.0	-31.83	359.00	Vertical	Horizontal	Pass
2558.900	-40.43	9.63	-25.0	-15.43	167.00	Vertical	Horizontal	N/A
2683.700	-45.57	8.56	-25.0	-20.57	272.00	Vertical	Horizontal	N/A
6971.200	-40.52	20.00	-25.0	-15.52	360.00	Vertical	Horizontal	Pass
17313.563	-46.91	27.44	-25.0	-21.91	77.00	Vertical	Horizontal	Pass
25942.499	-45.50	24.34	-25.0	-20.50	310.00	Vertical	Horizontal	Pass


### 43.6 CA\_7C 20MHz+10MHz, 16-QAM, High Channel

RSE-H&H PCC CH21251 RB1 16QAM HIGH SCC CH21395 RB2 16QAM LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
91.838	-61.48	-20.72	-25.0	-36.48	308.00	Horizontal	Horizontal	Pass
2558.900	-30.54	9.63	-25.0	-5.54	155.00	Horizontal	Horizontal	N/A
2683.100	-36.28	8.57	-25.0	-11.28	185.00	Horizontal	Horizontal	N/A
6760.600	-41.09	19.19	-25.0	-16.09	63.00	Horizontal	Horizontal	Pass
17955.113	-47.88	27.11	-25.0	-22.88	300.00	Horizontal	Horizontal	Pass
25385.849	-44.88	24.16	-25.0	-19.88	287.00	Horizontal	Horizontal	Pass

RSE-H&V PCC CH21251 RB1 16QAM HIGH SCC CH21395 RB2 16QAM LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
96.445	-63.61	-21.39	-25.0	-38.61	359.00	Horizontal	Vertical	Pass
2558.900	-33.39	9.63	-25.0	-8.39	235.00	Horizontal	Vertical	N/A
2687.000	-37.07	8.53	-25.0	-12.07	330.00	Horizontal	Vertical	N/A
6900.000	-40.67	19.64	-25.0	-15.67	198.00	Horizontal	Vertical	Pass
17487.337	-47.85	27.33	-25.0	-22.85	0.00	Horizontal	Vertical	Pass
25810.199	-45.40	24.29	-25.0	-20.40	6.00	Horizontal	Vertical	Pass


RSE-V&V PCC CH21251 RB1 16QAM HIGH SCC CH21395 RB2 16QAM LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
94.359	-57.33	-21.14	-25.0	-32.33	362.00	Vertical	Vertical	Pass
2559.000	-36.55	9.63	-25.0	-11.55	230.00	Vertical	Vertical	N/A
2683.900	-46.73	8.56	-25.0	-21.73	230.00	Vertical	Vertical	N/A
6944.600	-40.37	19.24	-25.0	-15.37	356.00	Vertical	Vertical	Pass
17238.225	-47.87	27.80	-25.0	-22.87	0.00	Vertical	Vertical	Pass
25451.100	-45.70	24.18	-25.0	-20.70	149.00	Vertical	Vertical	Pass




RSE-V&H PCC CH21251 RB1 16QAM HIGH SCC CH21395 RB2 16QAM LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
94.747	-57.10	-21.20	-25.0	-32.10	362.00	Vertical	Horizontal	Pass
2558.900	-39.98	9.63	-25.0	-14.98	154.00	Vertical	Horizontal	N/A
2685.800	-47.18	8.55	-25.0	-22.18	332.00	Vertical	Horizontal	N/A
6910.400	-40.57	19.39	-25.0	-15.57	1.00	Vertical	Horizontal	Pass
17281.012	-46.75	27.55	-25.0	-21.75	173.00	Vertical	Horizontal	Pass
26135.099	-45.94	24.40	-25.0	-20.94	157.00	Vertical	Horizontal	Pass


### 43.7 CA\_7C 20MHz+20MHz, QPSK, Low Channel

RSE-H&H PCC CH20850 RB1 QPSK HIGH SCC CH21048 RB2 QPSK LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
96.833	-62.17	-21.42	-25.0	-37.17	331.00	Horizontal	Horizontal	Pass
2488.400	-47.07	9.89	-25.0	-22.07	78.00	Horizontal	Horizontal	Pass
2628.700	-41.20	8.38	-25.0	-16.20	357.00	Horizontal	Horizontal	N/A
6995.000	-40.02	19.07	-25.0	-15.02	360.00	Horizontal	Horizontal	Pass
17459.249	-46.64	27.57	-25.0	-21.64	133.00	Horizontal	Horizontal	Pass
25299.900	-45.20	24.13	-25.0	-20.20	272.00	Horizontal	Horizontal	Pass

RSE-H&V PCC CH20850 RB1 QPSK HIGH SCC CH21048 RB2 QPSK LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
91.207	-63.57	-20.70	-25.0	-38.57	282.00	Horizontal	Vertical	Pass
2503.600	-47.37	9.98	-25.0	-22.37	260.00	Horizontal	Vertical	N/A
2631.300	-30.69	8.29	-25.0	-5.69	212.00	Horizontal	Vertical	N/A
6958.000	-41.08	19.24	-25.0	-16.08	361.00	Horizontal	Vertical	Pass
17705.738	-47.89	27.70	-25.0	-22.89	360.00	Horizontal	Vertical	Pass
25392.876	-45.43	24.16	-25.0	-20.43	335.00	Horizontal	Vertical	Pass

RSE-V&V PCC CH20850 RB1 QPSK HIGH SCC CH21048 RB2 QPSK LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
96.979	-58.80	-21.43	-25.0	-33.80	182.00	Vertical	Vertical	Pass
2533.400	-46.72	9.77	-25.0	-21.72	280.00	Vertical	Vertical	N/A
2658.700	-48.23	8.15	-25.0	-23.23	226.00	Vertical	Vertical	Pass
6993.800	-40.19	19.08	-25.0	-15.19	268.00	Vertical	Vertical	Pass
18220.050	-46.30	27.31	-25.0	-21.30	303.00	Vertical	Vertical	Pass
25755.300	-44.85	24.28	-25.0	-19.85	200.00	Vertical	Vertical	Pass


RSE-V&H PCC CH20850 RB1 QPSK HIGH SCC CH21048 RB2 QPSK LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
97.464	-59.73	-21.46	-25.0	-34.73	269.00	Vertical	Horizontal	Pass
2558.000	-46.56	9.63	-25.0	-21.56	280.00	Vertical	Horizontal	Pass
2656.600	-48.12	8.08	-25.0	-23.12	-2.00	Vertical	Horizontal	Pass
6907.600	-39.94	19.48	-25.0	-14.94	246.00	Vertical	Horizontal	Pass
17338.239	-46.95	27.65	-25.0	-21.95	50.00	Vertical	Horizontal	Pass
25589.250	-44.97	24.22	-25.0	-19.97	360.00	Vertical	Horizontal	Pass


### 43.8 CA\_7C 20MHz+20MHz, 16-QAM, Low Channel

RSE-H&H PCC CH20850 RB1 16QAM HIGH SCC CH21048 RB2 16QAM LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
96.590	-62.58	-21.40	-25.0	-37.58	0.00	Horizontal	Horizontal	Pass
2555.000	-46.50	9.64	-25.0	-21.50	160.00	Horizontal	Horizontal	Pass
2629.100	-41.19	8.36	-25.0	-16.19	360.00	Horizontal	Horizontal	N/A
6981.400	-40.11	19.74	-25.0	-15.11	207.00	Horizontal	Horizontal	Pass
17714.401	-45.73	27.62	-25.0	-20.73	240.00	Horizontal	Horizontal	Pass
26302.501	-44.38	24.45	-25.0	-19.38	93.00	Horizontal	Horizontal	Pass

RSE-H&V PCC CH20850 RB1 16QAM HIGH SCC CH21048 RB2 16QAM LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
92.274	-63.25	-20.77	-25.0	-38.25	307.00	Horizontal	Vertical	Pass
2504.700	-47.44	9.97	-25.0	-22.44	-1.00	Horizontal	Vertical	N/A
2622.900	-30.82	8.31	-25.0	-5.82	-1.00	Horizontal	Vertical	N/A
6973.800	-40.41	20.07	-25.0	-15.41	361.00	Horizontal	Vertical	Pass
18014.876	-47.66	27.38	-25.0	-22.66	362.00	Horizontal	Vertical	Pass
25993.824	-44.84	24.35	-25.0	-19.84	126.00	Horizontal	Vertical	Pass


RSE-V&V PCC CH20850 RB1 16QAM HIGH SCC CH21048 RB2 16QAM LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
96.979	-58.79	-21.43	-25.0	-33.79	240.00	Vertical	Vertical	Pass
1246.900	-53.73	1.33	-25.0	-28.73	32.00	Vertical	Vertical	Pass
2534.300	-46.70	9.76	-25.0	-21.70	253.00	Vertical	Vertical	N/A
6767.200	-39.89	18.77	-25.0	-14.89	39.00	Vertical	Vertical	Pass
18242.550	-45.98	27.25	-25.0	-20.98	164.00	Vertical	Vertical	Pass
25715.700	-44.45	24.26	-25.0	-19.45	164.00	Vertical	Vertical	Pass




RSE-V&H PCC CH20850 RB1 16QAM HIGH SCC CH21048 RB2 16QAM LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
97.318	-59.42	-21.45	-25.0	-34.42	273.00	Vertical	Horizontal	Pass
2504.000	-46.98	9.98	-25.0	-21.98	308.00	Vertical	Horizontal	Pass
2628.700	-47.65	8.38	-25.0	-22.65	258.00	Vertical	Horizontal	N/A
6952.000	-39.99	19.12	-25.0	-14.99	293.00	Vertical	Horizontal	Pass
17340.862	-46.41	27.67	-25.0	-21.41	224.00	Vertical	Horizontal	Pass
25622.551	-44.43	24.23	-25.0	-19.43	284.00	Vertical	Horizontal	Pass


### 43.9 CA\_7C 20MHz+20MHz, QPSK, Middle Channel

RSE-H&H PCC CH21001 RB1 QPSK HIGH SCC CH21199 RB2 QPSK LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
185.734	-62.99	-14.52	-25.0	-37.99	270.00	Horizontal	Horizontal	Pass
2489.500	-46.38	10.01	-25.0	-21.38	83.00	Horizontal	Horizontal	Pass
2669.200	-40.64	8.39	-25.0	-15.64	211.00	Horizontal	Horizontal	N/A
6976.200	-39.79	20.10	-25.0	-14.79	121.00	Horizontal	Horizontal	Pass
17463.974	-46.03	27.55	-25.0	-21.03	315.00	Horizontal	Horizontal	Pass
26010.900	-44.15	24.36	-25.0	-19.15	360.00	Horizontal	Horizontal	Pass

RSE-H&V PCC CH21001 RB1 QPSK HIGH SCC CH21199 RB2 QPSK LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
92.129	-62.87	-20.74	-25.0	-37.87	282.00	Horizontal	Vertical	Pass
2532.000	-47.64	9.78	-25.0	-22.64	254.00	Horizontal	Vertical	N/A
2649.200	-31.11	7.84	-25.0	-6.11	231.00	Horizontal	Vertical	N/A
6918.000	-40.62	19.40	-25.0	-15.62	260.00	Horizontal	Vertical	Pass
18039.949	-47.63	27.39	-25.0	-22.63	230.00	Horizontal	Vertical	Pass
26153.200	-45.54	24.40	-25.0	-20.54	254.00	Horizontal	Vertical	Pass

RSE-V&V PCC CH21001 RB1 QPSK HIGH SCC CH21199 RB2 QPSK LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
96.930	-59.14	-21.43	-25.0	-34.14	190.00	Vertical	Vertical	Pass
2502.300	-46.60	9.99	-25.0	-21.60	94.00	Vertical	Vertical	Pass
2675.200	-48.43	8.24	-25.0	-23.43	192.00	Vertical	Vertical	Pass
6924.000	-39.76	19.05	-25.0	-14.76	348.00	Vertical	Vertical	Pass
17855.363	-46.62	27.73	-25.0	-21.62	-3.00	Vertical	Vertical	Pass
25451.551	-45.18	24.18	-25.0	-20.18	224.00	Vertical	Vertical	Pass


RSE-V&H PCC CH21001 RB1 QPSK HIGH SCC CH21199 RB2 QPSK LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
97.609	-59.52	-21.47	-25.0	-34.52	266.00	Vertical	Horizontal	Pass
2205.100	-49.59	6.43	-25.0	-24.59	347.00	Vertical	Horizontal	Pass
2530.500	-45.89	9.79	-25.0	-20.89	299.00	Vertical	Horizontal	N/A
6433.600	-39.81	18.15	-25.0	-14.81	167.00	Vertical	Horizontal	Pass
17172.338	-46.10	27.30	-25.0	-21.10	276.00	Vertical	Horizontal	Pass
25486.199	-44.88	24.19	-25.0	-19.88	363.00	Vertical	Horizontal	Pass


### 43.10 CA\_7C 20MHz+20MHz, 16-QAM, Middle Channel

RSE-H&H PCC CH21001 RB1 16QAM HIGH SCC CH21199 RB2 16QAM LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
185.346	-63.01	-14.49	-25.0	-38.01	271.00	Horizontal	Horizontal	Pass
2535.900	-46.73	9.75	-25.0	-21.73	40.00	Horizontal	Horizontal	N/A
2671.400	-40.33	8.41	-25.0	-15.33	208.00	Horizontal	Horizontal	N/A
6899.600	-39.73	19.59	-25.0	-14.73	68.00	Horizontal	Horizontal	Pass
17875.837	-46.14	27.58	-25.0	-21.14	56.00	Horizontal	Horizontal	Pass
26220.151	-44.49	24.43	-25.0	-19.49	233.00	Horizontal	Horizontal	Pass

RSE-H&V PCC CH21001 RB1 16QAM HIGH SCC CH21199 RB2 16QAM LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
91.886	-64.80	-20.72	-25.0	-39.80	284.00	Horizontal	Vertical	Pass
2532.000	-46.98	9.78	-25.0	-21.98	163.00	Horizontal	Vertical	N/A
2669.900	-30.96	8.40	-25.0	-5.96	210.00	Horizontal	Vertical	N/A
6609.000	-41.17	17.70	-25.0	-16.17	289.00	Horizontal	Vertical	Pass
18266.474	-48.23	27.14	-25.0	-23.23	92.00	Horizontal	Vertical	Pass
25434.526	-45.35	24.17	-25.0	-20.35	118.00	Horizontal	Vertical	Pass


RSE-V&V PCC CH21001 RB1 16QAM HIGH SCC CH21199 RB2 16QAM LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
96.639	-59.12	-21.41	-25.0	-34.12	228.00	Vertical	Vertical	Pass
2489.100	-46.69	10.01	-25.0	-21.69	258.00	Vertical	Vertical	Pass
2639.900	-48.02	7.88	-25.0	-23.02	176.00	Vertical	Vertical	Pass
6964.200	-39.89	19.67	-25.0	-14.89	317.00	Vertical	Vertical	Pass
17242.950	-45.33	27.83	-25.0	-20.33	0.00	Vertical	Vertical	Pass
25542.900	-44.80	24.21	-25.0	-19.80	237.00	Vertical	Vertical	Pass




RSE-V&H PCC CH21001 RB1 16QAM HIGH SCC CH21199 RB2 16QAM LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
97.415	-59.69	-21.46	-25.0	-34.69	260.00	Vertical	Horizontal	Pass
2576.400	-47.03	9.57	-25.0	-22.03	176.00	Vertical	Horizontal	Pass
2956.000	-46.73	8.74	-25.0	-21.73	256.00	Vertical	Horizontal	Pass
6975.000	-39.33	20.10	-25.0	-14.33	110.00	Vertical	Horizontal	Pass
18301.051	-46.39	26.91	-25.0	-21.39	16.00	Vertical	Horizontal	Pass
25589.699	-44.45	24.22	-25.0	-19.45	110.00	Vertical	Horizontal	Pass


### 43.11 CA\_7C 20MHz+20MHz, QPSK, High Channel

RSE-H&H PCC CH21152 RB1 QPSK HIGH SCC CH21350 RB2 QPSK LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
96.396	-62.07	-21.39	-25.0	-37.07	-3.00	Horizontal	Horizontal	Pass
2551.100	-36.08	9.65	-25.0	-11.08	176.00	Horizontal	Horizontal	N/A
2671.600	-40.14	8.39	-25.0	-15.14	208.00	Horizontal	Horizontal	N/A
6765.600	-39.62	18.98	-25.0	-14.62	319.00	Horizontal	Horizontal	Pass
17279.177	-46.65	27.57	-25.0	-21.65	241.00	Horizontal	Horizontal	Pass
25058.699	-45.17	24.05	-25.0	-20.17	13.00	Horizontal	Horizontal	Pass

RSE-H&V PCC CH21152 RB1 QPSK HIGH SCC CH21350 RB2 QPSK LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
92.274	-62.21	-20.77	-25.0	-37.21	309.00	Horizontal	Vertical	Pass
2551.200	-40.63	9.65	-25.0	-15.63	232.00	Horizontal	Vertical	N/A
2658.200	-31.08	8.13	-25.0	-6.08	207.00	Horizontal	Vertical	N/A
6655.200	-41.44	18.98	-25.0	-16.44	141.00	Horizontal	Vertical	Pass
17210.925	-47.98	27.41	-25.0	-22.98	26.00	Horizontal	Vertical	Pass
25529.725	-45.75	24.20	-25.0	-20.75	362.00	Horizontal	Vertical	Pass

RSE-V&V PCC CH21152 RB1 QPSK HIGH SCC CH21350 RB2 QPSK LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
83.010	-53.57	-19.64	-25.0	-28.57	219.00	Vertical	Vertical	Pass
2551.200	-41.47	9.65	-25.0	-16.47	104.00	Vertical	Vertical	N/A
2664.800	-41.33	8.35	-25.0	-16.33	362.00	Vertical	Vertical	N/A
6899.400	-40.40	19.56	-25.0	-15.40	361.00	Vertical	Vertical	Pass
17715.974	-47.33	27.61	-25.0	-22.33	149.00	Vertical	Vertical	Pass
25526.323	-45.40	24.20	-25.0	-20.40	-1.00	Vertical	Vertical	Pass


RSE-V&H PCC CH21152 RB1 QPSK HIGH SCC CH21350 RB2 QPSK LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
97.609	-59.56	-21.47	-25.0	-34.56	264.00	Vertical	Horizontal	Pass
2551.200	-44.29	9.65	-25.0	-19.29	57.00	Vertical	Horizontal	N/A
2740.800	-47.91	8.19	-25.0	-22.91	33.00	Vertical	Horizontal	Pass
6422.600	-39.50	18.68	-25.0	-14.50	32.00	Vertical	Horizontal	Pass
17447.438	-45.54	27.66	-25.0	-20.54	323.00	Vertical	Horizontal	Pass
25640.550	-43.38	24.24	-25.0	-18.38	360.00	Vertical	Horizontal	Pass


### 43.12 CA\_7C 20MHz+20MHz, 16-QAM, High Channel

RSE-H&H PCC CH21152 RB1 16QAM HIGH SCC CH21350 RB2 16QAM LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
96.202	-62.37	-21.38	-25.0	-37.37	0.00	Horizontal	Horizontal	Pass
2551.100	-36.33	9.65	-25.0	-11.33	185.00	Horizontal	Horizontal	N/A
2673.900	-40.50	8.21	-25.0	-15.50	208.00	Horizontal	Horizontal	N/A
6932.600	-39.38	19.18	-25.0	-14.38	283.00	Horizontal	Horizontal	Pass
17189.136	-46.05	27.31	-25.0	-21.05	237.00	Horizontal	Horizontal	Pass
25618.950	-43.56	24.23	-25.0	-18.56	216.00	Horizontal	Horizontal	Pass

RSE-H&V PCC CH21152 RB1 16QAM HIGH SCC CH21350 RB2 16QAM LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
93.390	-62.39	-20.98	-25.0	-37.39	284.00	Horizontal	Vertical	Pass
2551.400	-40.95	9.65	-25.0	-15.95	240.00	Horizontal	Vertical	N/A
2674.500	-30.17	8.22	-25.0	-5.17	217.00	Horizontal	Vertical	N/A
6747.400	-40.37	19.38	-25.0	-15.37	238.00	Horizontal	Vertical	Pass
17766.638	-47.55	27.07	-25.0	-22.55	42.00	Horizontal	Vertical	Pass
26242.449	-45.68	24.43	-25.0	-20.68	42.00	Horizontal	Vertical	Pass


RSE-V&V PCC CH21152 RB1 16QAM HIGH SCC CH21350 RB2 16QAM LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
93.390	-58.93	-20.98	-25.0	-33.93	262.00	Vertical	Vertical	Pass
2551.100	-41.83	9.65	-25.0	-16.83	83.00	Vertical	Vertical	N/A
2666.600	-42.76	8.28	-25.0	-17.76	348.00	Vertical	Vertical	N/A
6997.000	-41.31	19.10	-25.0	-16.31	131.00	Vertical	Vertical	Pass
17725.950	-48.10	27.55	-25.0	-23.10	91.00	Vertical	Vertical	Pass
26186.775	-45.20	24.42	-25.0	-20.20	227.00	Vertical	Vertical	Pass



RSE-V&H PCC CH21152 RB1 16QAM HIGH SCC CH21350 RB2 16QAM LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
97.803	-59.67	-21.48	-25.0	-34.67	304.00	Vertical	Horizontal	Pass
2551.100	-44.13	9.65	-25.0	-19.13	55.00	Vertical	Horizontal	N/A
2757.100	-47.50	8.14	-25.0	-22.50	257.00	Vertical	Horizontal	Pass
6982.800	-40.48	19.62	-25.0	-15.48	197.00	Vertical	Horizontal	Pass
18005.850	-45.77	27.39	-25.0	-20.77	284.00	Vertical	Horizontal	Pass
26267.849	-44.43	24.44	-25.0	-19.43	363.00	Vertical	Horizontal	Pass

44 CA\_38C

44.1 CA\_38C 15MHz+15MHz, QPSK, Low Channel


RSE-H&H PCC CH37825 RB1 QPSK HIGH SCC CH37975 RB2 QPSK LOW

OPPO\_RSE (RF )\_FCC PART22&24&27\_LTE Band 38 & 41(mid)\_2570-2620\_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
92.371	-63.42	-20.78	-25.0	-38.42	314.00	Horizontal	Horizontal	Pass
1292.400	-54.10	1.73	-25.0	-29.10	210.00	Horizontal	Horizontal	Pass
2556.500	-33.32	8.07	-25.0	-8.32	153.00	Horizontal	Horizontal	N/A
6912.800	-41.21	19.55	-25.0	-16.21	360.00	Horizontal	Horizontal	Pass
17272.613	-47.55	27.62	-25.0	-22.55	47.00	Horizontal	Horizontal	Pass
25753.500	-45.51	24.28	-25.0	-20.51	316.00	Horizontal	Horizontal	Pass

RSE-H&V PCC CH37825 RB1 QPSK HIGH SCC CH37975 RB2 QPSK LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
102.750	-63.30	-21.68	-25.0	-38.30	310.00	Horizontal	Vertical	Pass
1296.800	-54.76	1.77	-25.0	-29.76	0.00	Horizontal	Vertical	Pass
2558.400	-41.67	8.09	-25.0	-16.67	14.00	Horizontal	Vertical	N/A
6424.400	-41.45	18.51	-25.0	-16.45	311.00	Horizontal	Vertical	Pass
17846.176	-46.99	27.66	-25.0	-21.99	338.00	Horizontal	Vertical	Pass
25450.650	-44.99	24.18	-25.0	-19.99	331.00	Horizontal	Vertical	Pass

RSE-V&V PCC CH37825 RB1 QPSK HIGH SCC CH37975 RB2 QPSK LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
91.741	-59.53	-20.72	-25.0	-34.53	362.00	Vertical	Vertical	Pass
1325.200	-54.11	1.31	-25.0	-29.11	273.00	Vertical	Vertical	Pass
2558.800	-38.52	8.10	-25.0	-13.52	14.00	Vertical	Vertical	N/A
6753.200	-41.42	19.43	-25.0	-16.42	256.00	Vertical	Vertical	Pass
18224.099	-47.54	27.30	-25.0	-22.54	272.00	Vertical	Vertical	Pass
26239.500	-45.30	24.43	-25.0	-20.30	170.00	Vertical	Vertical	Pass


RSE-V&H PCC CH37825 RB1 QPSK HIGH SCC CH37975 RB2 QPSK LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
92.129	-59.47	-20.74	-25.0	-34.47	362.00	Vertical	Horizontal	Pass
1292.500	-55.21	1.73	-25.0	-30.21	152.00	Vertical	Horizontal	Pass
2559.700	-45.85	8.11	-25.0	-20.85	28.00	Vertical	Horizontal	N/A
6784.200	-41.38	18.15	-25.0	-16.38	125.00	Vertical	Horizontal	Pass
17405.962	-48.07	26.86	-25.0	-23.07	0.00	Vertical	Horizontal	Pass
25442.099	-45.64	24.18	-25.0	-20.64	239.00	Vertical	Horizontal	Pass

## 44.2 CA\_38C 15MHz+15MHz, 16-QAM, Low Channel

RSE-H&H PCC CH37825 RB1 16QAM HIGH SCC CH37975 RB2 16QAM LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
96.105	-63.11	-21.37	-25.0	-38.11	296.00	Horizontal	Horizontal	Pass
1259.900	-54.86	1.46	-25.0	-29.86	53.00	Horizontal	Horizontal	Pass
2562.600	-38.36	8.14	-25.0	-13.36	139.00	Horizontal	Horizontal	N/A
6643.800	-41.60	18.54	-25.0	-16.60	48.00	Horizontal	Horizontal	Pass
18173.700	-47.16	27.43	-25.0	-22.16	107.00	Horizontal	Horizontal	Pass
25750.800	-45.57	24.28	-25.0	-20.57	360.00	Horizontal	Horizontal	Pass

RSE-H&V PCC CH37825 RB1 16QAM HIGH SCC CH37975 RB2 16QAM LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
104.108	-63.04	-21.57	-25.0	-38.04	167.00	Horizontal	Vertical	Pass
1286.500	-54.90	1.79	-25.0	-29.90	55.00	Horizontal	Vertical	Pass
2562.400	-39.72	8.14	-25.0	-14.72	191.00	Horizontal	Vertical	N/A
6967.600	-41.01	19.96	-25.0	-16.01	231.00	Horizontal	Vertical	Pass
17284.688	-47.99	27.50	-25.0	-22.99	362.00	Horizontal	Vertical	Pass
25616.699	-45.54	24.23	-25.0	-20.54	304.00	Horizontal	Vertical	Pass


RSE-V&V PCC CH37825 RB1 16QAM HIGH SCC CH37975 RB2 16QAM LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
91.595	-59.28	-20.71	-25.0	-34.28	362.00	Vertical	Vertical	Pass
1263.000	-54.84	1.62	-25.0	-29.84	360.00	Vertical	Vertical	Pass
2561.300	-39.96	8.13	-25.0	-14.96	344.00	Vertical	Vertical	N/A
6913.800	-41.28	19.58	-25.0	-16.28	360.00	Vertical	Vertical	Pass
17273.137	-47.80	27.61	-25.0	-22.80	180.00	Vertical	Vertical	Pass
26176.051	-45.82	24.41	-25.0	-20.82	123.00	Vertical	Vertical	Pass




RSE-V&H PCC CH37825 RB1 16QAM HIGH SCC CH37975 RB2 16QAM LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
91.547	-60.15	-20.71	-25.0	-35.15	358.00	Vertical	Horizontal	Pass
1295.400	-55.06	1.74	-25.0	-30.06	302.00	Vertical	Horizontal	Pass
2558.000	-45.94	8.09	-25.0	-20.94	265.00	Vertical	Horizontal	N/A
6765.000	-41.49	19.03	-25.0	-16.49	119.00	Vertical	Horizontal	Pass
17277.600	-47.51	27.58	-25.0	-22.51	362.00	Vertical	Horizontal	Pass
25707.151	-45.76	24.26	-25.0	-20.76	334.00	Vertical	Horizontal	Pass


### 44.3 CA\_38C 15MHz+15MHz, QPSK, Middle Channel

RSE-H&H PCC CH37925 RB1 QPSK HIGH SCC CH38075 RB2 QPSK LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
96.251	-64.35	-21.38	-25.0	-39.35	284.00	Horizontal	Horizontal	Pass
1627.000	-52.65	1.07	-25.0	-27.65	360.00	Horizontal	Horizontal	Pass
2904.000	-47.84	9.49	-25.0	-22.84	96.00	Horizontal	Horizontal	Pass
6649.800	-41.68	18.99	-25.0	-16.68	266.00	Horizontal	Horizontal	Pass
17851.687	-47.75	27.74	-25.0	-22.75	212.00	Horizontal	Horizontal	Pass
25527.599	-45.79	24.20	-25.0	-20.79	25.00	Horizontal	Horizontal	Pass

RSE-H&V PCC CH37925 RB1 QPSK HIGH SCC CH38075 RB2 QPSK LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
184.133	-65.81	-14.46	-25.0	-40.81	292.00	Horizontal	Vertical	Pass
1279.800	-54.56	1.73	-25.0	-29.56	0.00	Horizontal	Vertical	Pass
2541.500	-44.76	7.93	-25.0	-19.76	213.00	Horizontal	Vertical	N/A
6974.000	-41.03	20.08	-25.0	-16.03	360.00	Horizontal	Vertical	Pass
17296.761	-47.27	27.33	-25.0	-22.27	220.00	Horizontal	Vertical	Pass
25561.350	-45.77	24.21	-25.0	-20.77	360.00	Horizontal	Vertical	Pass

RSE-V&V PCC CH37925 RB1 QPSK HIGH SCC CH38075 RB2 QPSK LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
91.886	-59.32	-20.72	-25.0	-34.32	362.00	Vertical	Vertical	Pass
1296.800	-55.05	1.77	-25.0	-30.05	115.00	Vertical	Vertical	Pass
2547.900	-45.47	7.98	-25.0	-20.47	0.00	Vertical	Vertical	N/A
6420.400	-40.93	18.87	-25.0	-15.93	317.00	Vertical	Vertical	Pass
17884.762	-47.69	27.50	-25.0	-22.69	220.00	Vertical	Vertical	Pass
25066.351	-45.29	24.06	-25.0	-20.29	140.00	Vertical	Vertical	Pass


RSE-V&H PCC CH37925 RB1 QPSK HIGH SCC CH38075 RB2 QPSK LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
91.886	-60.09	-20.72	-25.0	-35.09	362.00	Vertical	Horizontal	Pass
1277.600	-53.67	1.68	-25.0	-28.67	251.00	Vertical	Horizontal	Pass
2999.200	-47.64	9.42	-25.0	-22.64	151.00	Vertical	Horizontal	Pass
6414.000	-40.94	18.88	-25.0	-15.94	154.00	Vertical	Horizontal	Pass
18258.301	-46.38	27.22	-25.0	-21.38	311.00	Vertical	Horizontal	Pass
25602.750	-44.63	24.23	-25.0	-19.63	34.00	Vertical	Horizontal	Pass


### 44.4 CA\_38C 15MHz+15MHz, 16-QAM, Middle Channel

RSE-H&H PCC CH37925 RB1 16QAM HIGH SCC CH38075 RB2 16QAM LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
92.323	-64.10	-20.78	-25.0	-39.10	292.00	Horizontal	Horizontal	Pass
1318.200	-54.30	1.42	-25.0	-29.30	51.00	Horizontal	Horizontal	Pass
2571.200	-47.62	8.24	-25.0	-22.62	0.00	Horizontal	Horizontal	Pass
6418.800	-41.78	18.89	-25.0	-16.78	97.00	Horizontal	Horizontal	Pass
17232.450	-47.48	27.70	-25.0	-22.48	260.00	Horizontal	Horizontal	Pass
26704.349	-45.74	24.58	-25.0	-20.74	29.00	Horizontal	Horizontal	Pass

RSE-H&V PCC CH37925 RB1 16QAM HIGH SCC CH38075 RB2 16QAM LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
96.688	-66.06	-21.42	-25.0	-41.06	292.00	Horizontal	Vertical	Pass
1282.700	-54.68	1.74	-25.0	-29.68	8.00	Horizontal	Vertical	Pass
2997.000	-48.04	9.43	-25.0	-23.04	41.00	Horizontal	Vertical	Pass
6639.200	-40.66	18.33	-25.0	-15.66	229.00	Horizontal	Vertical	Pass
17756.662	-47.40	27.27	-25.0	-22.40	225.00	Horizontal	Vertical	Pass
25569.450	-45.15	24.22	-25.0	-20.15	165.00	Horizontal	Vertical	Pass


RSE-V&V PCC CH37925 RB1 16QAM HIGH SCC CH38075 RB2 16QAM LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
92.129	-58.98	-20.74	-25.0	-33.98	362.00	Vertical	Vertical	Pass
1285.400	-54.56	1.75	-25.0	-29.56	293.00	Vertical	Vertical	Pass
1899.700	-51.39	2.60	-25.0	-26.39	26.00	Vertical	Vertical	Pass
6422.200	-40.69	18.72	-25.0	-15.69	360.00	Vertical	Vertical	Pass
17944.613	-47.90	27.14	-25.0	-22.90	362.00	Vertical	Vertical	Pass
25748.552	-44.53	24.27	-25.0	-19.53	-2.00	Vertical	Vertical	Pass




RSE-V&H PCC CH37925 RB1 16QAM HIGH SCC CH38075 RB2 16QAM LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
91.838	-60.04	-20.72	-25.0	-35.04	362.00	Vertical	Horizontal	Pass
1244.900	-54.86	1.42	-25.0	-29.86	88.00	Vertical	Horizontal	Pass
2996.500	-47.28	9.44	-25.0	-22.28	71.00	Vertical	Horizontal	Pass
6969.600	-41.26	20.03	-25.0	-16.26	270.00	Vertical	Horizontal	Pass
17474.738	-47.89	27.50	-25.0	-22.89	337.00	Vertical	Horizontal	Pass
25535.250	-45.13	24.21	-25.0	-20.13	69.00	Vertical	Horizontal	Pass


### 44.5 CA\_38C 15MHz+15MHz, QPSK, High Channel

RSE-H&H PCC CH38025 RB1 QPSK HIGH SCC CH38175 RB2 QPSK LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
91.935	-63.06	-20.72	-25.0	-38.06	299.00	Horizontal	Horizontal	Pass
1330.100	-54.27	1.37	-25.0	-29.27	38.00	Horizontal	Horizontal	Pass
2626.100	-40.87	8.94	-25.0	-15.87	138.00	Horizontal	Horizontal	N/A
6650.600	-41.50	18.93	-25.0	-16.50	346.00	Horizontal	Horizontal	Pass
17859.301	-47.74	27.72	-25.0	-22.74	362.00	Horizontal	Horizontal	Pass
25638.750	-45.21	24.24	-25.0	-20.21	306.00	Horizontal	Horizontal	Pass

RSE-H&V PCC CH38025 RB1 QPSK HIGH SCC CH38175 RB2 QPSK LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
105.854	-64.24	-21.51	-25.0	-39.24	95.00	Horizontal	Vertical	Pass
1298.400	-54.46	1.78	-25.0	-29.46	175.00	Horizontal	Vertical	Pass
2630.700	-46.66	9.00	-25.0	-21.66	217.00	Horizontal	Vertical	N/A
6977.600	-40.71	20.01	-25.0	-15.71	113.00	Horizontal	Vertical	Pass
17456.626	-47.82	27.61	-25.0	-22.82	217.00	Horizontal	Vertical	Pass
26274.150	-45.66	24.44	-25.0	-20.66	-2.00	Horizontal	Vertical	Pass

RSE-V&V PCC CH38025 RB1 QPSK HIGH SCC CH38175 RB2 QPSK LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
92.323	-59.67	-20.78	-25.0	-34.67	362.00	Vertical	Vertical	Pass
1295.700	-54.62	1.74	-25.0	-29.62	152.00	Vertical	Vertical	Pass
2626.200	-44.17	8.94	-25.0	-19.17	1.00	Vertical	Vertical	N/A
6420.200	-40.77	18.88	-25.0	-15.77	30.00	Vertical	Vertical	Pass
18212.401	-47.80	27.35	-25.0	-22.80	205.00	Vertical	Vertical	Pass
25594.651	-45.44	24.23	-25.0	-20.44	143.00	Vertical	Vertical	Pass


RSE-V&H PCC CH38025 RB1 QPSK HIGH SCC CH38175 RB2 QPSK LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
91.741	-60.11	-20.72	-25.0	-35.11	341.00	Vertical	Horizontal	Pass
1238.400	-54.78	1.31	-25.0	-29.78	361.00	Vertical	Horizontal	Pass
2882.300	-47.77	8.89	-25.0	-22.77	37.00	Vertical	Horizontal	Pass
6899.000	-41.05	19.49	-25.0	-16.05	42.00	Vertical	Horizontal	Pass
17272.089	-48.06	27.62	-25.0	-23.06	100.00	Vertical	Horizontal	Pass
25554.600	-45.79	24.21	-25.0	-20.79	306.00	Vertical	Horizontal	Pass


### 44.6 CA\_38C 15MHz+15MHz, 16-QAM, High Channel

RSE-H&H PCC CH38025 RB1 16QAM HIGH SCC CH38175 RB2 16QAM LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
185.588	-62.81	-14.46	-25.0	-37.81	144.00	Horizontal	Horizontal	Pass
1651.000	-53.70	1.20	-25.0	-28.70	184.00	Horizontal	Horizontal	Pass
2626.300	-41.22	8.94	-25.0	-16.22	133.00	Horizontal	Horizontal	N/A
6417.800	-40.96	18.85	-25.0	-15.96	22.00	Horizontal	Horizontal	Pass
18204.750	-47.66	27.38	-25.0	-22.66	360.00	Horizontal	Horizontal	Pass
25469.999	-45.10	24.19	-25.0	-20.10	97.00	Horizontal	Horizontal	Pass

RSE-H&V PCC CH38025 RB1 16QAM HIGH SCC CH38175 RB2 16QAM LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
105.999	-63.58	-21.50	-25.0	-38.58	115.00	Horizontal	Vertical	Pass
1445.300	-54.69	1.67	-25.0	-29.69	0.00	Horizontal	Vertical	Pass
2450.000	-48.43	7.47	-25.0	-23.43	360.00	Horizontal	Vertical	Pass
6692.200	-41.12	17.62	-25.0	-16.12	179.00	Horizontal	Vertical	Pass
17259.749	-47.48	27.70	-25.0	-22.48	25.00	Horizontal	Vertical	Pass
26025.751	-45.56	24.36	-25.0	-20.56	-2.00	Horizontal	Vertical	Pass


RSE-V&V PCC CH38025 RB1 16QAM HIGH SCC CH38175 RB2 16QAM LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
92.517	-60.24	-20.81	-25.0	-35.24	362.00	Vertical	Vertical	Pass
1302.200	-53.85	1.69	-25.0	-28.85	109.00	Vertical	Vertical	Pass
2632.900	-45.27	8.86	-25.0	-20.27	322.00	Vertical	Vertical	N/A
6412.600	-41.50	18.86	-25.0	-16.50	132.00	Vertical	Vertical	Pass
17926.500	-48.03	27.24	-25.0	-23.03	88.00	Vertical	Vertical	Pass
25636.950	-44.92	24.24	-25.0	-19.92	328.00	Vertical	Vertical	Pass




RSE-V&H PCC CH38025 RB1 16QAM HIGH SCC CH38175 RB2 16QAM LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
92.177	-59.94	-20.75	-25.0	-34.94	362.00	Vertical	Horizontal	Pass
1284.900	-54.69	1.76	-25.0	-29.69	73.00	Vertical	Horizontal	Pass
2956.000	-47.40	8.49	-25.0	-22.40	110.00	Vertical	Horizontal	Pass
6907.600	-41.11	19.48	-25.0	-16.11	115.00	Vertical	Horizontal	Pass
17284.950	-47.50	27.50	-25.0	-22.50	0.00	Vertical	Horizontal	Pass
25605.450	-45.78	24.23	-25.0	-20.78	210.00	Vertical	Horizontal	Pass


### 44.7 CA\_38C 20MHz+20MHz, QPSK, Low Channel

RSE-H&H PCC CH37850 RB1 QPSK HIGH SCC CH38048 RB2 QPSK LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
185.006	-63.42	-14.41	-25.0	-38.42	41.00	Horizontal	Horizontal	Pass
2557.200	-31.45	8.08	-25.0	-6.45	158.00	Horizontal	Horizontal	N/A
2628.200	-35.17	8.97	-25.0	-10.17	153.00	Horizontal	Horizontal	N/A
6928.800	-40.20	19.09	-25.0	-15.20	345.00	Horizontal	Horizontal	Pass
17275.501	-46.69	27.60	-25.0	-21.69	0.00	Horizontal	Horizontal	Pass
25653.150	-45.31	24.24	-25.0	-20.31	335.00	Horizontal	Horizontal	Pass

RSE-H&V PCC CH37850 RB1 QPSK HIGH SCC CH38048 RB2 QPSK LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
95.960	-64.40	-21.36	-25.0	-39.40	112.00	Horizontal	Vertical	Pass
1470.400	-53.84	1.08	-25.0	-28.84	220.00	Horizontal	Vertical	Pass
2559.000	-40.36	8.10	-25.0	-15.36	319.00	Horizontal	Vertical	N/A
6430.800	-41.57	18.14	-25.0	-16.57	206.00	Horizontal	Vertical	Pass
17431.425	-47.72	27.36	-25.0	-22.72	338.00	Horizontal	Vertical	Pass
25616.849	-44.56	24.23	-25.0	-19.56	362.00	Horizontal	Vertical	Pass

RSE-V&V PCC CH37850 RB1 QPSK HIGH SCC CH38048 RB2 QPSK LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
91.983	-60.71	-20.72	-25.0	-35.71	359.00	Vertical	Vertical	Pass
2554.100	-39.03	8.04	-25.0	-14.03	112.00	Vertical	Vertical	N/A
2632.500	-39.57	8.89	-25.0	-14.57	325.00	Vertical	Vertical	N/A
6994.800	-41.25	19.07	-25.0	-16.25	99.00	Vertical	Vertical	Pass
17862.187	-47.75	27.70	-25.0	-22.75	291.00	Vertical	Vertical	Pass
26221.500	-45.47	24.43	-25.0	-20.47	128.00	Vertical	Vertical	Pass


RSE-V&H PCC CH37850 RB1 QPSK HIGH SCC CH38048 RB2 QPSK LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
92.274	-60.15	-20.77	-25.0	-35.15	326.00	Vertical	Horizontal	Pass
1455.100	-53.90	1.23	-25.0	-28.90	270.00	Vertical	Horizontal	Pass
2553.800	-45.06	8.04	-25.0	-20.06	43.00	Vertical	Horizontal	N/A
6917.200	-40.56	19.47	-25.0	-15.56	153.00	Vertical	Horizontal	Pass
17268.150	-47.72	27.64	-25.0	-22.72	322.00	Vertical	Horizontal	Pass
25614.901	-45.55	24.23	-25.0	-20.55	98.00	Vertical	Horizontal	Pass


### 44.8 CA\_38C 20MHz+20MHz, 16-QAM, Low Channel

RSE-H&H PCC CH37850 RB1 16QAM HIGH SCC CH38048 RB2 16QAM LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
92.371	-63.40	-20.78	-25.0	-38.40	270.00	Horizontal	Horizontal	Pass
2558.900	-33.60	8.10	-25.0	-8.60	145.00	Horizontal	Horizontal	N/A
2631.000	-36.79	9.00	-25.0	-11.79	156.00	Horizontal	Horizontal	N/A
6918.400	-40.47	19.37	-25.0	-15.47	84.00	Horizontal	Horizontal	Pass
17864.813	-46.26	27.68	-25.0	-21.26	53.00	Horizontal	Horizontal	Pass
25796.250	-45.97	24.29	-25.0	-20.97	149.00	Horizontal	Horizontal	Pass

RSE-H&V PCC CH37850 RB1 16QAM HIGH SCC CH38048 RB2 16QAM LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
91.741	-61.95	-20.72	-25.0	-36.95	301.00	Horizontal	Vertical	Pass
1293.700	-54.31	1.72	-25.0	-29.31	347.00	Horizontal	Vertical	Pass
2560.700	-37.38	8.12	-25.0	-12.38	197.00	Horizontal	Vertical	N/A
6954.600	-41.75	19.36	-25.0	-16.75	152.00	Horizontal	Vertical	Pass
18188.700	-47.97	27.44	-25.0	-22.97	73.00	Horizontal	Vertical	Pass
25420.075	-44.49	24.17	-25.0	-19.49	362.00	Horizontal	Vertical	Pass


RSE-V&V PCC CH37850 RB1 16QAM HIGH SCC CH38048 RB2 16QAM LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
91.692	-59.78	-20.72	-25.0	-34.78	362.00	Vertical	Vertical	Pass
2562.300	-37.53	8.14	-25.0	-12.53	12.00	Vertical	Vertical	N/A
2629.000	-40.62	8.98	-25.0	-15.62	162.00	Vertical	Vertical	N/A
6763.400	-40.75	19.12	-25.0	-15.75	131.00	Vertical	Vertical	Pass
17435.363	-47.35	27.44	-25.0	-22.35	174.00	Vertical	Vertical	Pass
25608.600	-46.07	24.23	-25.0	-21.07	271.00	Vertical	Vertical	Pass




RSE-V&H PCC CH37850 RB1 16QAM HIGH SCC CH38048 RB2 16QAM LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
91.838	-59.84	-20.72	-25.0	-34.84	360.00	Vertical	Horizontal	Pass
1245.400	-54.66	1.45	-25.0	-29.66	35.00	Vertical	Horizontal	Pass
2588.800	-45.61	8.45	-25.0	-20.61	46.00	Vertical	Horizontal	N/A
6726.000	-41.12	18.74	-25.0	-16.12	296.00	Vertical	Horizontal	Pass
17471.850	-47.47	27.52	-25.0	-22.47	361.00	Vertical	Horizontal	Pass
25611.301	-45.33	24.23	-25.0	-20.33	-1.00	Vertical	Horizontal	Pass


### 44.9 CA\_38C 20MHz+20MHz, QPSK, Middle Channel

RSE-H&H PCC CH37901 RB1 QPSK HIGH SCC CH38099 RB2 QPSK LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
91.886	-63.41	-20.72	-25.0	-38.41	262.00	Horizontal	Horizontal	Pass
2558.800	-34.74	8.10	-25.0	-9.74	171.00	Horizontal	Horizontal	N/A
2633.400	-35.54	8.85	-25.0	-10.54	147.00	Horizontal	Horizontal	N/A
6728.200	-41.16	18.79	-25.0	-16.16	198.00	Horizontal	Horizontal	Pass
17910.749	-47.68	27.30	-25.0	-22.68	51.00	Horizontal	Horizontal	Pass
25467.300	-45.89	24.18	-25.0	-20.89	361.00	Horizontal	Horizontal	Pass

RSE-H&V PCC CH37901 RB1 QPSK HIGH SCC CH38099 RB2 QPSK LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
91.353	-63.42	-20.70	-25.0	-38.42	302.00	Horizontal	Vertical	Pass
1402.100	-54.22	1.24	-25.0	-29.22	46.00	Horizontal	Vertical	Pass
2556.300	-40.82	8.07	-25.0	-15.82	248.00	Horizontal	Vertical	N/A
6918.400	-41.48	19.37	-25.0	-16.48	190.00	Horizontal	Vertical	Pass
17468.699	-47.48	27.53	-25.0	-22.48	-2.00	Horizontal	Vertical	Pass
25555.651	-44.75	24.21	-25.0	-19.75	343.00	Horizontal	Vertical	Pass

RSE-V&V PCC CH37901 RB1 QPSK HIGH SCC CH38099 RB2 QPSK LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
95.572	-61.70	-21.30	-25.0	-36.70	13.00	Vertical	Vertical	Pass
2559.100	-38.94	8.10	-25.0	-13.94	359.00	Vertical	Vertical	N/A
2629.900	-39.33	8.99	-25.0	-14.33	317.00	Vertical	Vertical	N/A
6579.400	-41.69	17.56	-25.0	-16.69	41.00	Vertical	Vertical	Pass
17121.937	-48.11	27.00	-25.0	-23.11	112.00	Vertical	Vertical	Pass
25600.051	-45.14	24.23	-25.0	-20.14	140.00	Vertical	Vertical	Pass


RSE-V&H PCC CH37901 RB1 QPSK HIGH SCC CH38099 RB2 QPSK LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
92.226	-60.24	-20.76	-25.0	-35.24	341.00	Vertical	Horizontal	Pass
1339.000	-54.40	1.17	-25.0	-29.40	94.00	Vertical	Horizontal	Pass
2558.600	-45.22	8.09	-25.0	-20.22	190.00	Vertical	Horizontal	N/A
6951.800	-41.50	19.13	-25.0	-16.50	307.00	Vertical	Horizontal	Pass
18269.100	-47.45	27.11	-25.0	-22.45	121.00	Vertical	Horizontal	Pass
25952.850	-45.10	24.34	-25.0	-20.10	121.00	Vertical	Horizontal	Pass


### 44.10 CA\_38C 20MHz+20MHz, 16-QAM, Middle Channel

RSE-H&H PCC CH37901 RB1 16QAM HIGH SCC CH38099 RB2 16QAM LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
92.080	-63.37	-20.74	-25.0	-38.37	259.00	Horizontal	Horizontal	Pass
2545.600	-35.62	7.96	-25.0	-10.62	169.00	Horizontal	Horizontal	N/A
2632.900	-34.01	8.86	-25.0	-9.01	155.00	Horizontal	Horizontal	N/A
6916.600	-41.27	19.52	-25.0	-16.27	256.00	Horizontal	Horizontal	Pass
17323.801	-47.57	27.55	-25.0	-22.57	301.00	Horizontal	Horizontal	Pass
25644.599	-45.45	24.24	-25.0	-20.45	211.00	Horizontal	Horizontal	Pass

RSE-H&V PCC CH37901 RB1 16QAM HIGH SCC CH38099 RB2 16QAM LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
91.886	-62.99	-20.72	-25.0	-37.99	295.00	Horizontal	Vertical	Pass
1255.100	-54.13	1.42	-25.0	-29.13	-1.00	Horizontal	Vertical	Pass
2554.700	-39.28	8.05	-25.0	-14.28	256.00	Horizontal	Vertical	N/A
6426.600	-40.92	18.38	-25.0	-15.92	361.00	Horizontal	Vertical	Pass
17854.839	-48.05	27.73	-25.0	-23.05	337.00	Horizontal	Vertical	Pass
26098.801	-45.59	24.39	-25.0	-20.59	77.00	Horizontal	Vertical	Pass


RSE-V&V PCC CH37901 RB1 16QAM HIGH SCC CH38099 RB2 16QAM LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
92.177	-60.14	-20.75	-25.0	-35.14	354.00	Vertical	Vertical	Pass
2541.200	-40.12	7.93	-25.0	-15.12	174.00	Vertical	Vertical	N/A
2636.100	-39.23	8.73	-25.0	-14.23	98.00	Vertical	Vertical	N/A
6429.400	-41.11	18.15	-25.0	-16.11	359.00	Vertical	Vertical	Pass
17179.162	-48.19	27.31	-25.0	-23.19	-1.00	Vertical	Vertical	Pass
25825.051	-45.72	24.30	-25.0	-20.72	167.00	Vertical	Vertical	Pass




RSE-V&H PCC CH37901 RB1 16QAM HIGH SCC CH38099 RB2 16QAM LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
92.080	-60.15	-20.74	-25.0	-35.15	319.00	Vertical	Horizontal	Pass
2558.900	-46.08	8.10	-25.0	-21.08	208.00	Vertical	Horizontal	N/A
2632.900	-43.35	8.86	-25.0	-18.35	59.00	Vertical	Horizontal	N/A
6753.600	-40.60	19.44	-25.0	-15.60	213.00	Vertical	Horizontal	Pass
17710.199	-47.49	27.66	-25.0	-22.49	299.00	Vertical	Horizontal	Pass
26002.801	-45.64	24.36	-25.0	-20.64	90.00	Vertical	Horizontal	Pass


### 44.11 CA\_38C 20MHz+20MHz, QPSK, High Channel

RSE-H&H PCC CH37952 RB1 QPSK HIGH SCC CH38150 RB2 QPSK LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
185.152	-63.05	-14.42	-25.0	-38.05	118.00	Horizontal	Horizontal	Pass
2555.800	-38.21	8.06	-25.0	-13.21	146.00	Horizontal	Horizontal	N/A
2636.500	-34.49	8.67	-25.0	-9.49	134.00	Horizontal	Horizontal	N/A
6355.600	-41.00	17.36	-25.0	-16.00	301.00	Horizontal	Horizontal	Pass
17438.775	-46.93	27.50	-25.0	-21.93	276.00	Horizontal	Horizontal	Pass
25578.000	-44.82	24.22	-25.0	-19.82	-2.00	Horizontal	Horizontal	Pass

RSE-H&V PCC CH37952 RB1 QPSK HIGH SCC CH38150 RB2 QPSK LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
91.547	-64.53	-20.71	-25.0	-39.53	128.00	Horizontal	Vertical	Pass
1600.100	-53.69	0.94	-25.0	-28.69	73.00	Horizontal	Vertical	Pass
2630.400	-39.89	9.00	-25.0	-14.89	227.00	Horizontal	Vertical	N/A
6905.800	-41.05	19.30	-25.0	-16.05	59.00	Horizontal	Vertical	Pass
17257.912	-47.95	27.73	-25.0	-22.95	118.00	Horizontal	Vertical	Pass
25626.624	-45.35	24.24	-25.0	-20.35	76.00	Horizontal	Vertical	Pass

RSE-V&V PCC CH37952 RB1 QPSK HIGH SCC CH38150 RB2 QPSK LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
91.983	-60.96	-20.72	-25.0	-35.96	266.00	Vertical	Vertical	Pass
1455.700	-54.22	1.25	-25.0	-29.22	134.00	Vertical	Vertical	Pass
2627.400	-38.05	8.96	-25.0	-13.05	271.00	Vertical	Vertical	N/A
6772.000	-41.35	18.36	-25.0	-16.35	240.00	Vertical	Vertical	Pass
17755.875	-47.73	27.29	-25.0	-22.73	63.00	Vertical	Vertical	Pass
26180.825	-45.38	24.41	-25.0	-20.38	237.00	Vertical	Vertical	Pass


RSE-V&H PCC CH37952 RB1 QPSK HIGH SCC CH38150 RB2 QPSK LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
91.838	-59.50	-20.72	-25.0	-34.50	351.00	Vertical	Horizontal	Pass
2558.700	-46.00	8.10	-25.0	-21.00	177.00	Vertical	Horizontal	N/A
2628.700	-43.82	8.97	-25.0	-18.82	0.00	Vertical	Horizontal	N/A
6969.800	-41.63	20.04	-25.0	-16.63	47.00	Vertical	Horizontal	Pass
17445.863	-47.65	27.63	-25.0	-22.65	249.00	Vertical	Horizontal	Pass
26279.551	-45.28	24.44	-25.0	-20.28	172.00	Vertical	Horizontal	Pass


### 44.12 CA\_38C 20MHz+20MHz, 16-QAM, High Channel

RSE-H&H PCC CH37952 RB1 16QAM HIGH SCC CH38150 RB2 16QAM LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
184.618	-62.33	-14.43	-25.0	-37.33	274.00	Horizontal	Horizontal	Pass
2554.900	-37.32	8.05	-25.0	-12.32	129.00	Horizontal	Horizontal	N/A
2630.200	-31.76	8.99	-25.0	-6.76	155.00	Horizontal	Horizontal	N/A
6900.200	-41.25	19.62	-25.0	-16.25	359.00	Horizontal	Horizontal	Pass
17470.538	-47.71	27.52	-25.0	-22.71	175.00	Horizontal	Horizontal	Pass
25632.449	-45.21	24.24	-25.0	-20.21	54.00	Horizontal	Horizontal	Pass

RSE-H&V PCC CH37952 RB1 16QAM HIGH SCC CH38150 RB2 16QAM LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
91.207	-64.58	-20.70	-25.0	-39.58	301.00	Horizontal	Vertical	Pass
1311.500	-54.61	1.32	-25.0	-29.61	74.00	Horizontal	Vertical	Pass
2640.400	-39.05	8.26	-25.0	-14.05	335.00	Horizontal	Vertical	N/A
6762.600	-40.34	19.13	-25.0	-15.34	361.00	Horizontal	Vertical	Pass
18255.849	-47.91	27.22	-25.0	-22.91	353.00	Horizontal	Vertical	Pass
25648.300	-45.38	24.24	-25.0	-20.38	270.00	Horizontal	Vertical	Pass


RSE-V&V PCC CH37952 RB1 16QAM HIGH SCC CH38150 RB2 16QAM LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
99.113	-61.71	-21.56	-25.0	-36.71	-2.00	Vertical	Vertical	Pass
1513.600	-54.21	1.00	-25.0	-29.21	185.00	Vertical	Vertical	Pass
2632.000	-34.99	8.93	-25.0	-9.99	267.00	Vertical	Vertical	N/A
6754.000	-40.73	19.44	-25.0	-15.73	101.00	Vertical	Vertical	Pass
17856.412	-47.26	27.73	-25.0	-22.26	171.00	Vertical	Vertical	Pass
25757.100	-45.99	24.28	-25.0	-20.99	129.00	Vertical	Vertical	Pass



RSE-V&H PCC CH37952 RB1 16QAM HIGH SCC CH38150 RB2 16QAM LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
91.692	-59.70	-20.72	-25.0	-34.70	362.00	Vertical	Horizontal	Pass
2557.500	-45.37	8.08	-25.0	-20.37	178.00	Vertical	Horizontal	N/A
2634.100	-45.67	8.85	-25.0	-20.67	33.00	Vertical	Horizontal	N/A
6751.400	-40.54	19.32	-25.0	-15.54	91.00	Vertical	Horizontal	Pass
17215.388	-48.58	27.46	-25.0	-23.58	221.00	Vertical	Horizontal	Pass
26168.400	-45.52	24.41	-25.0	-20.52	273.00	Vertical	Horizontal	Pass

## 45 CA\_41C


### 45.1 CA\_41C 20MHz+5MHz, QPSK, Low Channel

RSE-H&H PCC CH39750 RB1 QPSK HIGH SCC CH39867 RB2 QPSK LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
97.464	-60.83	-21.46	-25.0	-35.83	303.00	Horizontal	Horizontal	Pass
1500.000	-52.63	0.94	-25.0	-27.63	324.00	Horizontal	Horizontal	Pass
2489.100	-40.59	10.01	-25.0	-15.59	160.00	Horizontal	Horizontal	N/A
6654.600	-39.27	19.01	-25.0	-14.27	124.00	Horizontal	Horizontal	Pass
17483.401	-46.38	27.41	-25.0	-21.38	20.00	Horizontal	Horizontal	Pass
25574.400	-44.78	24.22	-25.0	-19.78	259.00	Horizontal	Horizontal	Pass

RSE-H&V PCC CH39750 RB1 QPSK HIGH SCC CH39867 RB2 QPSK LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
97.852	-62.74	-21.49	-25.0	-37.74	298.00	Horizontal	Vertical	Pass
1298.700	-53.66	1.84	-25.0	-28.66	23.00	Horizontal	Vertical	Pass
2490.200	-43.02	10.01	-25.0	-18.02	213.00	Horizontal	Vertical	N/A
6350.400	-40.08	17.24	-25.0	-15.08	121.00	Horizontal	Vertical	Pass
17454.262	-46.26	27.65	-25.0	-21.26	20.00	Horizontal	Vertical	Pass
25628.850	-44.46	24.24	-25.0	-19.46	360.00	Horizontal	Vertical	Pass

RSE-V&V PCC CH39750 RB1 QPSK HIGH SCC CH39867 RB2 QPSK LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
98.385	-57.25	-21.50	-25.0	-32.25	168.00	Vertical	Vertical	Pass
1500.300	-53.29	0.94	-25.0	-28.29	328.00	Vertical	Vertical	Pass
2489.000	-40.41	10.01	-25.0	-15.41	223.00	Vertical	Vertical	N/A
6432.000	-39.97	18.18	-25.0	-14.97	317.00	Vertical	Vertical	Pass
17462.925	-46.09	27.55	-25.0	-21.09	274.00	Vertical	Vertical	Pass
25261.199	-44.49	24.12	-25.0	-19.49	330.00	Vertical	Vertical	Pass


RSE-V&H PCC CH39750 RB1 QPSK HIGH SCC CH39867 RB2 QPSK LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
98.337	-57.81	-21.50	-25.0	-32.81	192.00	Vertical	Horizontal	Pass
1282.700	-54.04	1.76	-25.0	-29.04	204.00	Vertical	Horizontal	Pass
2537.400	-46.34	9.74	-25.0	-21.34	165.00	Vertical	Horizontal	Pass
6411.600	-39.77	18.86	-25.0	-14.77	38.00	Vertical	Horizontal	Pass
17263.688	-46.20	27.67	-25.0	-21.20	134.00	Vertical	Horizontal	Pass
25617.601	-44.44	24.23	-25.0	-19.44	289.00	Vertical	Horizontal	Pass


## 45.2 CA\_41C 20MHz+5MHz, 16-QAM, Low Channel

RSE-H&H PCC CH39750 RB1 16QAM HIGH SCC CH39867 RB2 16QAM LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
97.949	-59.91	-21.49	-25.0	-34.91	288.00	Horizontal	Horizontal	Pass
1500.200	-53.01	0.94	-25.0	-28.01	359.00	Horizontal	Horizontal	Pass
2487.700	-38.32	9.44	-25.0	-13.32	191.00	Horizontal	Horizontal	N/A
6416.200	-39.57	18.88	-25.0	-14.57	226.00	Horizontal	Horizontal	Pass
17696.287	-45.71	27.70	-25.0	-20.71	-3.00	Horizontal	Horizontal	Pass
25504.651	-44.47	24.20	-25.0	-19.47	90.00	Horizontal	Horizontal	Pass

RSE-H&V PCC CH39750 RB1 16QAM HIGH SCC CH39867 RB2 16QAM LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
97.512	-62.95	-21.46	-25.0	-37.95	294.00	Horizontal	Vertical	Pass
1770.300	-52.75	1.45	-25.0	-27.75	351.00	Horizontal	Vertical	Pass
2484.600	-44.39	8.05	-25.0	-19.39	187.00	Horizontal	Vertical	N/A
6980.000	-39.63	19.85	-25.0	-14.63	34.00	Horizontal	Vertical	Pass
17245.051	-46.11	27.83	-25.0	-21.11	135.00	Horizontal	Vertical	Pass
25559.550	-44.13	24.21	-25.0	-19.13	105.00	Horizontal	Vertical	Pass


RSE-V&V PCC CH39750 RB1 16QAM HIGH SCC CH39867 RB2 16QAM LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
97.997	-57.29	-21.49	-25.0	-32.29	190.00	Vertical	Vertical	Pass
1292.900	-53.64	1.77	-25.0	-28.64	0.00	Vertical	Vertical	Pass
2486.600	-41.83	8.73	-25.0	-16.83	226.00	Vertical	Vertical	N/A
6597.000	-39.79	17.13	-25.0	-14.79	360.00	Vertical	Vertical	Pass
17459.249	-46.11	27.57	-25.0	-21.11	9.00	Vertical	Vertical	Pass
26178.300	-43.43	24.41	-25.0	-18.43	179.00	Vertical	Vertical	Pass




RSE-V&H PCC CH39750 RB1 16QAM HIGH SCC CH39867 RB2 16QAM LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
98.385	-57.99	-21.50	-25.0	-32.99	210.00	Vertical	Horizontal	Pass
1499.800	-53.68	0.94	-25.0	-28.68	306.00	Vertical	Horizontal	Pass
2555.200	-46.20	9.64	-25.0	-21.20	224.00	Vertical	Horizontal	N/A
6918.200	-38.96	19.38	-25.0	-13.96	269.00	Vertical	Horizontal	Pass
17891.850	-45.78	27.42	-25.0	-20.78	361.00	Vertical	Horizontal	Pass
25525.801	-44.05	24.20	-25.0	-19.05	185.00	Vertical	Horizontal	Pass


### 45.3 CA\_41C 20MHz+5MHz, QPSK, Middle Channel

RSE-H&H PCC CH40595 RB1 QPSK HIGH SCC CH40712 RB2 QPSK LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
97.949	-59.54	-21.53	-25.0	-34.54	284.00	Horizontal	Horizontal	Pass
2561.200	-41.40	8.12	-25.0	-16.40	169.00	Horizontal	Horizontal	N/A
2629.400	-38.88	8.98	-25.0	-13.88	141.00	Horizontal	Horizontal	N/A
6744.400	-39.83	19.32	-25.0	-14.83	71.00	Horizontal	Horizontal	Pass
17176.275	-46.32	27.31	-25.0	-21.32	300.00	Horizontal	Horizontal	Pass
25460.025	-44.43	24.18	-25.0	-19.43	220.00	Horizontal	Horizontal	Pass

RSE-H&V PCC CH40595 RB1 QPSK HIGH SCC CH40712 RB2 QPSK LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
97.852	-62.08	-21.52	-25.0	-37.08	301.00	Horizontal	Vertical	Pass
1292.700	-53.20	1.73	-25.0	-28.20	305.00	Horizontal	Vertical	Pass
2633.100	-45.32	8.85	-25.0	-20.32	237.00	Horizontal	Vertical	N/A
6964.400	-38.53	19.68	-25.0	-13.53	360.00	Horizontal	Vertical	Pass
17849.588	-45.30	27.74	-25.0	-20.30	179.00	Horizontal	Vertical	Pass
25585.824	-44.52	24.22	-25.0	-19.52	157.00	Horizontal	Vertical	Pass


RSE-V&V PCC CH40595 RB1 QPSK HIGH SCC CH40712 RB2 QPSK LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
98.434	-56.96	-21.54	-25.0	-31.96	191.00	Vertical	Vertical	Pass
1976.800	-50.81	3.18	-25.0	-25.81	86.00	Vertical	Vertical	Pass
2630.900	-44.48	9.00	-25.0	-19.48	155.00	Vertical	Vertical	N/A
6763.400	-39.97	19.12	-25.0	-14.97	318.00	Vertical	Vertical	Pass
17875.313	-45.70	27.59	-25.0	-20.70	10.00	Vertical	Vertical	Pass
26210.574	-44.48	24.42	-25.0	-19.48	360.00	Vertical	Vertical	Pass

RSE-V&H PCC CH40595 RB1 QPSK HIGH SCC CH40712 RB2 QPSK LOW


OPPO\_RSE (RF) \_FCC PART22&24&27\_LTE Band 38 & 41(mid) \_2570-2620\_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
98.628	-57.84	-21.55	-25.0	-32.84	191.00	Vertical	Horizontal	Pass
1500.300	-52.62	0.99	-25.0	-27.62	118.00	Vertical	Horizontal	Pass
2557.400	-47.14	8.08	-25.0	-22.14	264.00	Vertical	Horizontal	Pass
6765.400	-39.57	18.99	-25.0	-14.57	46.00	Vertical	Horizontal	Pass
17247.937	-45.75	27.84	-25.0	-20.75	0.00	Vertical	Horizontal	Pass
25596.025	-44.69	24.23	-25.0	-19.69	120.00	Vertical	Horizontal	Pass


### 45.4 CA\_41C 20MHz+5MHz, 16-QAM, Middle Channel

RSE-H&H PCC CH40595 RB1 16QAM HIGH SCC CH40712 RB2 16QAM LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
97.803	-59.87	-21.51	-25.0	-34.87	293.00	Horizontal	Horizontal	Pass
2548.000	-41.91	7.98	-25.0	-16.91	173.00	Horizontal	Horizontal	N/A
2638.100	-39.16	8.49	-25.0	-14.16	160.00	Horizontal	Horizontal	N/A
6412.600	-39.54	18.86	-25.0	-14.54	320.00	Horizontal	Horizontal	Pass
17854.839	-46.61	27.73	-25.0	-21.61	49.00	Horizontal	Horizontal	Pass
26190.176	-44.40	24.42	-25.0	-19.40	360.00	Horizontal	Horizontal	Pass

RSE-H&V PCC CH40595 RB1 16QAM HIGH SCC CH40712 RB2 16QAM LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
97.561	-61.88	-21.49	-25.0	-36.88	311.00	Horizontal	Vertical	Pass
1499.900	-53.02	1.00	-25.0	-28.02	155.00	Horizontal	Vertical	Pass
2634.200	-44.57	8.85	-25.0	-19.57	265.00	Horizontal	Vertical	N/A
6941.600	-39.36	19.16	-25.0	-14.36	33.00	Horizontal	Vertical	Pass
17483.926	-45.98	27.40	-25.0	-20.98	280.00	Horizontal	Vertical	Pass
25587.100	-44.99	24.22	-25.0	-19.99	90.00	Horizontal	Vertical	Pass


RSE-V&V PCC CH40595 RB1 16QAM HIGH SCC CH40712 RB2 16QAM LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
97.949	-57.63	-21.53	-25.0	-32.63	192.00	Vertical	Vertical	Pass
1266.300	-53.63	1.49	-25.0	-28.63	39.00	Vertical	Vertical	Pass
2652.600	-44.86	8.21	-25.0	-19.86	107.00	Vertical	Vertical	N/A
6641.800	-39.70	18.36	-25.0	-14.70	37.00	Vertical	Vertical	Pass
17856.676	-46.28	27.73	-25.0	-21.28	212.00	Vertical	Vertical	Pass
25561.176	-44.91	24.21	-25.0	-19.91	155.00	Vertical	Vertical	Pass




RSE-V&H PCC CH40595 RB1 16QAM HIGH SCC CH40712 RB2 16QAM LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
99.064	-57.31	-21.56	-25.0	-32.31	191.00	Vertical	Horizontal	Pass
1499.900	-53.35	1.00	-25.0	-28.35	171.00	Vertical	Horizontal	Pass
2665.600	-47.53	8.36	-25.0	-22.53	171.00	Vertical	Horizontal	Pass
6993.800	-39.61	19.08	-25.0	-14.61	282.00	Vertical	Horizontal	Pass
17246.099	-45.73	27.84	-25.0	-20.73	218.00	Vertical	Horizontal	Pass
26192.300	-43.92	24.42	-25.0	-18.92	239.00	Vertical	Horizontal	Pass


### 45.5 CA\_41C 20MHz+5MHz, QPSK, High Channel

RSE-H&H PCC CH41440 RB1 QPSK HIGH SCC CH41557 RB2 QPSK LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
98.482	-60.04	-21.52	-25.0	-35.04	299.00	Horizontal	Horizontal	Pass
1317.900	-54.08	1.35	-25.0	-29.08	16.00	Horizontal	Horizontal	Pass
2698.600	-36.75	10.57	-25.0	-11.75	-1.00	Horizontal	Horizontal	N/A
6968.600	-39.40	20.02	-25.0	-14.40	155.00	Horizontal	Horizontal	Pass
17782.125	-46.18	26.77	-25.0	-21.18	282.00	Horizontal	Horizontal	Pass
26050.349	-44.57	24.37	-25.0	-19.57	161.00	Horizontal	Horizontal	Pass

RSE-H&V PCC CH41440 RB1 QPSK HIGH SCC CH41557 RB2 QPSK LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
98.094	-61.25	-21.51	-25.0	-36.25	155.00	Horizontal	Vertical	Pass
1300.300	-53.95	1.72	-25.0	-28.95	107.00	Horizontal	Vertical	Pass
2700.200	-43.01	9.94	-25.0	-18.01	288.00	Horizontal	Vertical	N/A
6952.200	-39.93	19.12	-25.0	-14.93	169.00	Horizontal	Vertical	Pass
17695.500	-45.99	27.69	-25.0	-20.99	360.00	Horizontal	Vertical	Pass
25631.726	-44.38	24.24	-25.0	-19.38	112.00	Horizontal	Vertical	Pass

RSE-V&V PCC CH41440 RB1 QPSK HIGH SCC CH41557 RB2 QPSK LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
98.385	-56.94	-21.52	-25.0	-31.94	164.00	Vertical	Vertical	Pass
1295.600	-53.92	1.74	-25.0	-28.92	273.00	Vertical	Vertical	Pass
2698.900	-40.89	10.56	-25.0	-15.89	134.00	Vertical	Vertical	N/A
6914.400	-39.60	19.60	-25.0	-14.60	333.00	Vertical	Vertical	Pass
17350.574	-46.29	27.72	-25.0	-21.29	294.00	Vertical	Vertical	Pass
25413.276	-44.31	24.17	-25.0	-19.31	180.00	Vertical	Vertical	Pass


RSE-V&H PCC CH41440 RB1 QPSK HIGH SCC CH41557 RB2 QPSK LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
98.482	-58.71	-21.52	-25.0	-33.71	195.00	Vertical	Horizontal	Pass
1300.200	-54.27	1.72	-25.0	-29.27	-1.00	Vertical	Horizontal	Pass
2617.800	-44.11	11.31	-25.0	-19.11	344.00	Vertical	Horizontal	N/A
6718.400	-39.02	18.47	-25.0	-14.02	323.00	Vertical	Horizontal	Pass
17230.875	-45.84	27.68	-25.0	-20.84	-2.00	Vertical	Horizontal	Pass
25434.950	-44.59	24.17	-25.0	-19.59	277.00	Vertical	Horizontal	Pass


### 45.6 CA\_41C 20MHz+5MHz, 16-QAM, High Channel

RSE-H&H PCC CH41440 RB1 16QAM HIGH SCC CH41557 RB2 16QAM LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
98.870	-60.58	-21.54	-25.0	-35.58	264.00	Horizontal	Horizontal	Pass
1490.700	-52.84	1.17	-25.0	-27.84	268.00	Horizontal	Horizontal	Pass
2702.500	-37.38	9.36	-25.0	-12.38	162.00	Horizontal	Horizontal	N/A
6986.000	-39.32	19.51	-25.0	-14.32	361.00	Horizontal	Horizontal	Pass
17878.198	-45.98	27.56	-25.0	-20.98	102.00	Horizontal	Horizontal	Pass
25417.525	-43.87	24.17	-25.0	-18.87	17.00	Horizontal	Horizontal	Pass

RSE-H&V PCC CH41440 RB1 16QAM HIGH SCC CH41557 RB2 16QAM LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
98.288	-61.19	-21.52	-25.0	-36.19	120.00	Horizontal	Vertical	Pass
1260.700	-54.50	1.48	-25.0	-29.50	154.00	Horizontal	Vertical	Pass
2635.000	-45.21	11.25	-25.0	-20.21	292.00	Horizontal	Vertical	N/A
6930.800	-39.76	19.12	-25.0	-14.76	208.00	Horizontal	Vertical	Pass
18257.551	-46.09	27.22	-25.0	-21.09	42.00	Horizontal	Vertical	Pass
26233.526	-43.99	24.43	-25.0	-18.99	311.00	Horizontal	Vertical	Pass


RSE-V&V PCC CH41440 RB1 16QAM HIGH SCC CH41557 RB2 16QAM LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
97.997	-56.48	-21.51	-25.0	-31.48	200.00	Vertical	Vertical	Pass
1258.500	-54.22	1.48	-25.0	-29.22	361.00	Vertical	Vertical	Pass
2699.900	-38.24	10.09	-25.0	-13.24	339.00	Vertical	Vertical	N/A
6942.600	-39.89	19.03	-25.0	-14.89	360.00	Vertical	Vertical	Pass
17841.713	-46.26	27.57	-25.0	-21.26	360.00	Vertical	Vertical	Pass
25634.699	-44.29	24.24	-25.0	-19.29	323.00	Vertical	Vertical	Pass




RSE-V&H PCC CH41440 RB1 16QAM HIGH SCC CH41557 RB2 16QAM LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
98.870	-58.18	-21.54	-25.0	-33.18	207.00	Vertical	Horizontal	Pass
1296.400	-53.96	1.71	-25.0	-28.96	-1.00	Vertical	Horizontal	Pass
2656.000	-45.60	11.12	-25.0	-20.60	263.00	Vertical	Horizontal	N/A
6917.200	-39.34	19.47	-25.0	-14.34	170.00	Vertical	Horizontal	Pass
18201.448	-45.92	27.40	-25.0	-20.92	137.00	Vertical	Horizontal	Pass
26214.824	-44.09	24.42	-25.0	-19.09	185.00	Vertical	Horizontal	Pass


### 45.7 CA\_41C 20MHz+20MHz, QPSK, Low Channel

RSE-H&H PCC CH39750 RB1 QPSK HIGH SCC CH39948 RB2 QPSK LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
92.080	-62.17	-20.74	-25.0	-37.17	270.00	Horizontal	Horizontal	Pass
2514.900	-37.66	9.90	-25.0	-12.66	184.00	Horizontal	Horizontal	N/A
2587.700	-37.33	8.56	-25.0	-12.33	176.00	Horizontal	Horizontal	N/A
6963.000	-40.11	19.65	-25.0	-15.11	31.00	Horizontal	Horizontal	Pass
17540.887	-46.81	27.64	-25.0	-21.81	-2.00	Horizontal	Horizontal	Pass
25625.776	-44.76	24.24	-25.0	-19.76	35.00	Horizontal	Horizontal	Pass

RSE-H&V PCC CH39750 RB1 QPSK HIGH SCC CH39948 RB2 QPSK LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
95.911	-61.89	-21.36	-25.0	-36.89	165.00	Horizontal	Vertical	Pass
1746.000	-50.80	1.56	-25.0	-25.80	354.00	Horizontal	Vertical	Pass
2485.100	-40.03	8.21	-25.0	-15.03	202.00	Horizontal	Vertical	N/A
6917.800	-39.09	19.42	-25.0	-14.09	114.00	Horizontal	Vertical	Pass
17865.863	-45.90	27.67	-25.0	-20.90	174.00	Horizontal	Vertical	Pass
25472.250	-45.16	24.19	-25.0	-20.16	249.00	Horizontal	Vertical	Pass

RSE-V&V PCC CH39750 RB1 QPSK HIGH SCC CH39948 RB2 QPSK LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
92.565	-57.11	-20.82	-25.0	-32.11	284.00	Vertical	Vertical	Pass
2487.800	-40.62	9.50	-25.0	-15.62	126.00	Vertical	Vertical	N/A
2602.000	-46.12	9.27	-25.0	-21.12	13.00	Vertical	Vertical	N/A
6975.400	-39.73	20.10	-25.0	-14.73	50.00	Vertical	Vertical	Pass
17852.213	-46.00	27.74	-25.0	-21.00	30.00	Vertical	Vertical	Pass
25589.250	-44.27	24.22	-25.0	-19.27	253.00	Vertical	Vertical	Pass


RSE-V&H PCC CH39750 RB1 QPSK HIGH SCC CH39948 RB2 QPSK LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
92.808	-57.38	-20.87	-25.0	-32.38	298.00	Vertical	Horizontal	Pass
1745.900	-46.16	1.55	-25.0	-21.16	356.00	Vertical	Horizontal	Pass
2504.600	-46.60	9.97	-25.0	-21.60	317.00	Vertical	Horizontal	Pass
6911.000	-39.24	19.41	-25.0	-14.24	330.00	Vertical	Horizontal	Pass
17879.775	-46.30	27.55	-25.0	-21.30	41.00	Vertical	Horizontal	Pass
25512.301	-44.22	24.20	-25.0	-19.22	130.00	Vertical	Horizontal	Pass


### 45.8 CA\_41C 20MHz+20MHz, 16-QAM, Low Channel

RSE-H&H PCC CH39750 RB1 16QAM HIGH SCC CH39948 RB2 16QAM LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
91.886	-60.19	-20.72	-25.0	-35.19	316.00	Horizontal	Horizontal	Pass
2488.000	-33.87	9.63	-25.0	-8.87	173.00	Horizontal	Horizontal	N/A
2580.200	-35.56	8.69	-25.0	-10.56	181.00	Horizontal	Horizontal	N/A
6660.200	-40.34	18.76	-25.0	-15.34	319.00	Horizontal	Horizontal	Pass
18243.949	-45.80	27.25	-25.0	-20.80	204.00	Horizontal	Horizontal	Pass
25514.000	-45.00	24.20	-25.0	-20.00	92.00	Horizontal	Horizontal	Pass

RSE-H&V PCC CH39750 RB1 16QAM HIGH SCC CH39948 RB2 16QAM LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
91.838	-61.08	-20.72	-25.0	-36.08	169.00	Horizontal	Vertical	Pass
2485.000	-40.67	8.18	-25.0	-15.67	180.00	Horizontal	Vertical	N/A
2592.300	-44.14	9.29	-25.0	-19.14	199.00	Horizontal	Vertical	N/A
6998.400	-39.52	19.02	-25.0	-14.52	257.00	Horizontal	Vertical	Pass
17446.650	-45.22	27.65	-25.0	-20.22	235.00	Horizontal	Vertical	Pass
25543.350	-44.04	24.21	-25.0	-19.04	77.00	Horizontal	Vertical	Pass


RSE-V&V PCC CH39750 RB1 16QAM HIGH SCC CH39948 RB2 16QAM LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
92.274	-57.04	-20.77	-25.0	-32.04	293.00	Vertical	Vertical	Pass
2489.000	-37.60	10.01	-25.0	-12.60	139.00	Vertical	Vertical	N/A
2581.400	-42.01	8.60	-25.0	-17.01	189.00	Vertical	Vertical	N/A
6982.600	-39.58	19.64	-25.0	-14.58	355.00	Vertical	Vertical	Pass
17466.864	-45.57	27.54	-25.0	-20.57	342.00	Vertical	Vertical	Pass
25671.150	-44.88	24.25	-25.0	-19.88	118.00	Vertical	Vertical	Pass




RSE-V&H PCC CH39750 RB1 16QAM HIGH SCC CH39948 RB2 16QAM LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
91.983	-57.82	-20.72	-25.0	-32.82	291.00	Vertical	Horizontal	Pass
2483.800	-46.54	7.88	-25.0	-21.54	48.00	Vertical	Horizontal	N/A
2635.500	-36.63	8.06	-25.0	-11.63	311.00	Vertical	Horizontal	N/A
6760.000	-40.13	19.21	-25.0	-15.13	274.00	Vertical	Horizontal	Pass
18287.100	-46.57	26.96	-25.0	-21.57	61.00	Vertical	Horizontal	Pass
25437.151	-45.19	24.17	-25.0	-20.19	330.00	Vertical	Horizontal	Pass


### 45.9 CA\_41C 20MHz+20MHz, QPSK, Middle Channel

RSE-H&H PCC CH40521 RB1 QPSK HIGH SCC CH40719 RB2 QPSK LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
91.401	-61.89	-20.70	-25.0	-36.89	295.00	Horizontal	Horizontal	Pass
2555.900	-32.84	8.06	-25.0	-7.84	187.00	Horizontal	Horizontal	N/A
2641.800	-39.18	8.09	-25.0	-14.18	196.00	Horizontal	Horizontal	N/A
6408.800	-39.74	18.62	-25.0	-14.74	153.00	Horizontal	Horizontal	Pass
17699.963	-46.54	27.76	-25.0	-21.54	66.00	Horizontal	Horizontal	Pass
25600.948	-44.06	24.23	-25.0	-19.06	208.00	Horizontal	Horizontal	Pass

RSE-H&V PCC CH40521 RB1 QPSK HIGH SCC CH40719 RB2 QPSK LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
92.323	-62.54	-20.78	-25.0	-37.54	321.00	Horizontal	Vertical	Pass
2556.300	-39.69	8.07	-25.0	-14.69	193.00	Horizontal	Vertical	N/A
2630.100	-39.77	8.99	-25.0	-14.77	211.00	Horizontal	Vertical	N/A
6945.000	-40.05	19.22	-25.0	-15.05	33.00	Horizontal	Vertical	Pass
17291.776	-46.71	27.40	-25.0	-21.71	13.00	Horizontal	Vertical	Pass
25601.401	-44.60	24.23	-25.0	-19.60	63.00	Horizontal	Vertical	Pass

RSE-V&V PCC CH40521 RB1 QPSK HIGH SCC CH40719 RB2 QPSK LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
98.094	-59.76	-21.53	-25.0	-34.76	269.00	Vertical	Vertical	Pass
2559.700	-39.20	8.11	-25.0	-14.20	329.00	Vertical	Vertical	N/A
2639.700	-40.59	8.35	-25.0	-15.59	261.00	Vertical	Vertical	N/A
6972.800	-40.45	20.01	-25.0	-15.45	52.00	Vertical	Vertical	Pass
17476.575	-45.08	27.50	-25.0	-20.08	363.00	Vertical	Vertical	Pass
26198.551	-44.11	24.42	-25.0	-19.11	260.00	Vertical	Vertical	Pass


RSE-V&H PCC CH40521 RB1 QPSK HIGH SCC CH40719 RB2 QPSK LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
93.147	-57.48	-20.91	-25.0	-32.48	287.00	Vertical	Horizontal	Pass
2556.500	-47.44	8.07	-25.0	-22.44	7.00	Vertical	Horizontal	N/A
2632.300	-46.20	8.91	-25.0	-21.20	252.00	Vertical	Horizontal	N/A
6897.600	-40.27	19.29	-25.0	-15.27	33.00	Vertical	Horizontal	Pass
17765.587	-46.61	27.09	-25.0	-21.61	360.00	Vertical	Horizontal	Pass
25662.151	-44.94	24.25	-25.0	-19.94	-3.00	Vertical	Horizontal	Pass


### 45.10 CA\_41C 20MHz+20MHz, 16-QAM, Middle Channel

RSE-H&H PCC CH40521 RB1 16QAM HIGH SCC CH40719 RB2 16QAM LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
92.080	-61.11	-20.74	-25.0	-36.11	307.00	Horizontal	Horizontal	Pass
2551.300	-38.99	8.01	-25.0	-13.99	180.00	Horizontal	Horizontal	N/A
2631.900	-38.72	8.94	-25.0	-13.72	186.00	Horizontal	Horizontal	N/A
6787.400	-39.73	18.25	-25.0	-14.73	97.00	Horizontal	Horizontal	Pass
17869.801	-45.77	27.63	-25.0	-20.77	349.00	Horizontal	Horizontal	Pass
25546.500	-44.22	24.21	-25.0	-19.22	301.00	Horizontal	Horizontal	Pass

RSE-H&V PCC CH40521 RB1 16QAM HIGH SCC CH40719 RB2 16QAM LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
92.323	-62.52	-20.78	-25.0	-37.52	153.00	Horizontal	Vertical	Pass
2559.000	-42.37	8.10	-25.0	-17.37	186.00	Horizontal	Vertical	N/A
2638.800	-42.33	8.43	-25.0	-17.33	212.00	Horizontal	Vertical	N/A
6433.400	-40.31	18.16	-25.0	-15.31	101.00	Horizontal	Vertical	Pass
17262.901	-46.56	27.68	-25.0	-21.56	248.00	Horizontal	Vertical	Pass
25052.850	-44.88	24.05	-25.0	-19.88	168.00	Horizontal	Vertical	Pass


RSE-V&V PCC CH40521 RB1 16QAM HIGH SCC CH40719 RB2 16QAM LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
97.270	-59.74	-21.47	-25.0	-34.74	270.00	Vertical	Vertical	Pass
2558.900	-41.59	8.10	-25.0	-16.59	306.00	Vertical	Vertical	N/A
2635.600	-41.39	8.80	-25.0	-16.39	270.00	Vertical	Vertical	N/A
6975.800	-39.06	20.10	-25.0	-14.06	11.00	Vertical	Vertical	Pass
17228.249	-46.01	27.63	-25.0	-21.01	27.00	Vertical	Vertical	Pass
25128.450	-45.30	24.08	-25.0	-20.30	275.00	Vertical	Vertical	Pass



RSE-V&H PCC CH40521 RB1 16QAM HIGH SCC CH40719 RB2 16QAM LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
92.565	-59.53	-20.82	-25.0	-34.53	305.00	Vertical	Horizontal	Pass
1757.100	-48.07	1.64	-25.0	-23.07	10.00	Vertical	Horizontal	Pass
2600.100	-47.47	8.58	-25.0	-22.47	227.00	Vertical	Horizontal	Pass
6761.800	-39.82	19.14	-25.0	-14.82	254.00	Vertical	Horizontal	Pass
17259.749	-45.72	27.70	-25.0	-20.72	348.00	Vertical	Horizontal	Pass
25610.400	-44.58	24.23	-25.0	-19.58	10.00	Vertical	Horizontal	Pass


## 45.11 CA\_41C 20MHz+20MHz, QPSK, High Channel

RSE-H&H PCC CH41292 RB1 QPSK HIGH SCC CH41490 RB2 QPSK LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
92.080	-60.64	-20.72	-25.0	-35.64	323.00	Horizontal	Horizontal	Pass
1753.100	-43.35	1.72	-25.0	-18.35	267.00	Horizontal	Horizontal	Pass
2682.000	-45.51	10.78	-25.0	-20.51	43.00	Horizontal	Horizontal	N/A
6966.000	-39.40	19.77	-25.0	-14.40	98.00	Horizontal	Horizontal	Pass
18047.250	-46.13	27.37	-25.0	-21.13	251.00	Horizontal	Horizontal	Pass
26113.499	-44.66	24.39	-25.0	-19.66	-3.00	Horizontal	Horizontal	Pass

RSE-H&V PCC CH41292 RB1 QPSK HIGH SCC CH41490 RB2 QPSK LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
91.789	-62.50	-20.70	-25.0	-37.50	155.00	Horizontal	Vertical	Pass
1923.200	-50.51	2.53	-25.0	-25.51	38.00	Horizontal	Vertical	Pass
2600.600	-45.10	9.34	-25.0	-20.10	187.00	Horizontal	Vertical	Pass
6759.200	-40.43	19.24	-25.0	-15.43	273.00	Horizontal	Vertical	Pass
17132.438	-46.73	27.15	-25.0	-21.73	242.00	Horizontal	Vertical	Pass
25582.500	-44.71	24.22	-25.0	-19.71	-1.00	Horizontal	Vertical	Pass

RSE-V&V PCC CH41292 RB1 QPSK HIGH SCC CH41490 RB2 QPSK LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
97.270	-59.56	-21.44	-25.0	-34.56	276.00	Vertical	Vertical	Pass
2608.500	-43.03	10.10	-25.0	-18.03	21.00	Vertical	Vertical	N/A
2698.500	-41.19	10.57	-25.0	-16.19	310.00	Vertical	Vertical	N/A
6969.600	-40.15	20.03	-25.0	-15.15	46.00	Vertical	Vertical	Pass
17885.026	-46.36	27.49	-25.0	-21.36	340.00	Vertical	Vertical	Pass
25621.199	-44.44	24.23	-25.0	-19.44	140.00	Vertical	Vertical	Pass


RSE-V&H PCC CH41292 RB1 QPSK HIGH SCC CH41490 RB2 QPSK LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
91.983	-57.72	-20.70	-25.0	-32.72	360.00	Vertical	Horizontal	Pass
2657.600	-45.39	11.10	-25.0	-20.39	0.00	Vertical	Horizontal	N/A
2900.800	-47.41	9.58	-25.0	-22.41	250.00	Vertical	Horizontal	Pass
6712.400	-39.99	18.00	-25.0	-14.99	102.00	Vertical	Horizontal	Pass
17460.300	-46.48	27.56	-25.0	-21.48	360.00	Vertical	Horizontal	Pass
25487.100	-45.20	24.19	-25.0	-20.20	115.00	Vertical	Horizontal	Pass

### 45.12 CA\_41C 20MHz+20MHz, 16-QAM, High Channel

RSE-H&H PCC CH41292 RB1 16QAM HIGH SCC CH41490 RB2 16QAM LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
92.226	-59.74	-20.74	-25.0	-34.74	328.00	Horizontal	Horizontal	Pass
1746.100	-47.48	1.52	-25.0	-22.48	347.00	Horizontal	Horizontal	Pass
2633.100	-44.54	11.25	-25.0	-19.54	341.00	Horizontal	Horizontal	N/A
6974.600	-40.02	20.10	-25.0	-15.02	6.00	Horizontal	Horizontal	Pass
17529.600	-46.45	27.49	-25.0	-21.45	326.00	Horizontal	Horizontal	Pass
25680.599	-43.70	24.25	-25.0	-18.70	-3.00	Horizontal	Horizontal	Pass

RSE-H&V PCC CH41292 RB1 16QAM HIGH SCC CH41490 RB2 16QAM LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
91.595	-62.64	-20.69	-25.0	-37.64	326.00	Horizontal	Vertical	Pass
2591.800	-43.89	8.45	-25.0	-18.89	209.00	Horizontal	Vertical	N/A
2701.800	-43.04	9.43	-25.0	-18.04	196.00	Horizontal	Vertical	N/A
6996.000	-39.87	19.08	-25.0	-14.87	135.00	Horizontal	Vertical	Pass
17133.488	-46.95	27.17	-25.0	-21.95	307.00	Horizontal	Vertical	Pass
25586.551	-44.12	24.22	-25.0	-19.12	138.00	Horizontal	Vertical	Pass


RSE-V&V PCC CH41292 RB1 16QAM HIGH SCC CH41490 RB2 16QAM LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
97.609	-59.45	-21.47	-25.0	-34.45	268.00	Vertical	Vertical	Pass
2603.600	-41.27	9.81	-25.0	-16.27	278.00	Vertical	Vertical	N/A
2700.000	-38.96	10.04	-25.0	-13.96	274.00	Vertical	Vertical	N/A
6899.200	-39.38	19.52	-25.0	-14.38	291.00	Vertical	Vertical	Pass
17698.386	-46.28	27.74	-25.0	-21.28	214.00	Vertical	Vertical	Pass
25584.300	-44.83	24.22	-25.0	-19.83	208.00	Vertical	Vertical	Pass




RSE-V&H PCC CH41292 RB1 16QAM HIGH SCC CH41490 RB2 16QAM LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
92.468	-58.02	-20.79	-25.0	-33.02	360.00	Vertical	Horizontal	Pass
2656.500	-46.06	11.11	-25.0	-21.06	236.00	Vertical	Horizontal	N/A
2974.700	-47.13	8.77	-25.0	-22.13	89.00	Vertical	Horizontal	Pass
6945.200	-40.32	19.21	-25.0	-15.32	359.00	Vertical	Horizontal	Pass
17148.975	-45.62	27.34	-25.0	-20.62	363.00	Vertical	Horizontal	Pass
25444.801	-44.14	24.18	-25.0	-19.14	329.00	Vertical	Horizontal	Pass

NR  
 46 n7  
 46.1 n7 BW5, Middle Channel


RSE-H&H n7 BW5 CH531000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
40.767	-60.49	22.43	-25.0	-35.49	93.00	Horizontal	Horizontal	Pass
937.047	-52.07	41.36	-25.0	-27.07	167.00	Horizontal	Horizontal	Pass
2537.100	16.16	45.98	-25.0	41.16	168.00	Horizontal	Horizontal	N/A
6296.800	-50.54	11.16	-25.0	-25.54	350.00	Horizontal	Horizontal	Pass
10900.225	-46.11	17.72	-25.0	-21.11	219.00	Horizontal	Horizontal	Pass
17408.588	-40.38	22.69	-25.0	-15.38	46.00	Horizontal	Horizontal	Pass




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
32.474	-62.67	23.79	-25.0	-37.67	125.00	Horizontal	Vertical	Pass
777.045	-54.67	39.34	-25.0	-29.67	363.00	Horizontal	Vertical	Pass
1393.800	-47.30	45.07	-25.0	-22.30	174.00	Horizontal	Vertical	Pass
2532.900	11.98	45.80	-25.0	36.98	35.00	Horizontal	Vertical	N/A
6803.400	-49.08	12.22	-25.0	-24.08	163.00	Horizontal	Vertical	Pass
17419.614	-40.14	22.65	-25.0	-15.14	184.00	Horizontal	Vertical	Pass



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
41.398	-55.20	22.81	-25.0	-30.20	101.00	Vertical	Vertical	Pass
916.919	-53.30	41.32	-25.0	-28.30	0.00	Vertical	Vertical	Pass
2535.500	15.19	45.73	-25.0	40.19	303.00	Vertical	Vertical	N/A
4468.200	-55.21	6.86	-25.0	-30.21	154.00	Vertical	Vertical	Pass
8213.537	-49.32	13.36	-25.0	-24.32	26.00	Vertical	Vertical	Pass
17476.313	-40.27	21.71	-25.0	-15.27	140.00	Vertical	Vertical	Pass


RSE-V&H n7 BW5 CH531000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
40.718	-55.69	22.39	-25.0	-30.69	-1.00	Vertical	Horizontal	Pass
803.041	-54.12	39.98	-25.0	-29.12	177.00	Vertical	Horizontal	Pass
2533.100	10.04	45.79	-25.0	35.04	42.00	Vertical	Horizontal	N/A
6669.000	-49.35	11.59	-25.0	-24.35	360.00	Vertical	Horizontal	Pass
10351.963	-47.71	16.95	-25.0	-22.71	218.00	Vertical	Horizontal	Pass
17434.313	-39.90	22.30	-25.0	-14.90	28.00	Vertical	Horizontal	Pass

## 46.2 n7 BW15, Middle Channel

RSE-H&H n7 BW15 CH531000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
40.718	-60.97	22.39	-25.0	-35.97	30.00	Horizontal	Horizontal	Pass
1398.500	-47.41	45.16	-25.0	-22.41	244.00	Horizontal	Horizontal	Pass
2536.900	17.16	45.95	-25.0	42.16	138.00	Horizontal	Horizontal	N/A
5083.000	-54.19	7.53	-25.0	-29.19	51.00	Horizontal	Horizontal	Pass
8699.700	-49.36	13.79	-25.0	-24.36	2.00	Horizontal	Horizontal	Pass
17593.125	-39.65	22.05	-25.0	-14.65	281.00	Horizontal	Horizontal	Pass




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
41.398	-61.00	22.81	-25.0	-36.00	274.00	Horizontal	Vertical	Pass
921.479	-53.23	41.37	-25.0	-28.23	213.00	Horizontal	Vertical	Pass
2536.400	6.27	45.87	-25.0	31.27	340.00	Horizontal	Vertical	N/A
4806.200	-54.56	7.24	-25.0	-29.56	86.00	Horizontal	Vertical	Pass
9849.987	-47.48	16.94	-25.0	-22.48	251.00	Horizontal	Vertical	Pass
17597.850	-39.99	21.99	-25.0	-14.99	143.00	Horizontal	Vertical	Pass

RSE-V&V n7 BW15 CH531000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
40.573	-62.97	22.29	-25.0	-37.97	352.00	Vertical	Vertical	Pass
849.310	-53.89	40.46	-25.0	-28.89	362.00	Vertical	Vertical	Pass
2537.000	13.96	45.96	-25.0	38.96	322.00	Vertical	Vertical	N/A
4468.200	-55.25	6.86	-25.0	-30.25	19.00	Vertical	Vertical	Pass
9850.849	-46.95	16.89	-25.0	-21.95	111.00	Vertical	Vertical	Pass
17429.324	-39.64	22.42	-25.0	-14.64	150.00	Vertical	Vertical	Pass







Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
41.349	-53.07	22.79	-25.0	-28.07	102.00	Vertical	Horizontal	Pass
896.258	-52.88	40.86	-25.0	-27.88	11.00	Vertical	Horizontal	Pass
2527.900	9.22	46.12	-25.0	34.22	9.00	Vertical	Horizontal	N/A
6749.200	-48.92	11.74	-25.0	-23.92	100.00	Vertical	Horizontal	Pass
9845.963	-48.07	16.95	-25.0	-23.07	340.00	Vertical	Horizontal	Pass
17594.700	-40.13	22.03	-25.0	-15.13	198.00	Vertical	Horizontal	Pass

### 46.3 n7 BW20, Middle Channel


RSE-H&H n7 BW20 CH531000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
40.767	-59.91	22.43	-25.0	-34.91	111.00	Horizontal	Horizontal	Pass
876.228	-53.60	40.37	-25.0	-28.60	181.00	Horizontal	Horizontal	Pass
2525.500	19.31	46.08	-25.0	44.31	149.00	Horizontal	Horizontal	N/A
6345.800	-50.37	9.82	-25.0	-25.37	155.00	Horizontal	Horizontal	Pass
11430.375	-46.62	17.24	-25.0	-21.62	96.00	Horizontal	Horizontal	Pass
17594.175	-40.22	22.03	-25.0	-15.22	244.00	Horizontal	Horizontal	Pass



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
32.085	-64.00	23.79	-25.0	-39.00	253.00	Horizontal	Vertical	Pass
914.882	-52.64	41.31	-25.0	-27.64	0.00	Horizontal	Vertical	Pass
2529.900	10.93	46.01	-25.0	35.93	330.00	Horizontal	Vertical	N/A
6686.000	-48.93	12.02	-25.0	-23.93	360.00	Horizontal	Vertical	Pass
11554.288	-46.51	17.14	-25.0	-21.51	317.00	Horizontal	Vertical	Pass
17428.537	-40.40	22.44	-25.0	-15.40	122.00	Horizontal	Vertical	Pass



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
40.525	-62.14	22.25	-25.0	-37.14	29.00	Vertical	Vertical	Pass
840.289	-54.23	40.59	-25.0	-29.23	363.00	Vertical	Vertical	Pass
2529.900	11.66	46.01	-25.0	36.66	-3.00	Vertical	Vertical	N/A
6287.000	-50.53	11.38	-25.0	-25.53	311.00	Vertical	Vertical	Pass
11594.537	-45.60	17.90	-25.0	-20.60	90.00	Vertical	Vertical	Pass
17600.737	-39.21	21.96	-25.0	-14.21	49.00	Vertical	Vertical	Pass




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
40.767	-54.65	22.43	-25.0	-29.65	25.00	Vertical	Horizontal	Pass
823.994	-52.69	40.18	-25.0	-27.69	171.00	Vertical	Horizontal	Pass
2525.700	10.95	46.09	-25.0	35.95	17.00	Vertical	Horizontal	N/A
6270.000	-50.58	10.87	-25.0	-25.58	154.00	Vertical	Horizontal	Pass
10983.312	-46.70	17.24	-25.0	-21.70	107.00	Vertical	Horizontal	Pass
17840.136	-39.77	21.91	-25.0	-14.77	328.00	Vertical	Horizontal	Pass


47 n41

47.1 n41 BW20, Middle Channel


RSE-H&H n41 BW20 CH518598



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
874.870	-53.85	40.27	-25.0	-28.85	361.00	Horizontal	Horizontal	Pass
1398.800	-47.28	45.16	-25.0	-22.28	67.00	Horizontal	Horizontal	Pass
2584.100	19.15	45.79	-25.0	44.15	127.00	Horizontal	Horizontal	N/A
5149.600	-54.15	7.42	-25.0	-29.15	268.00	Horizontal	Horizontal	Pass
11593.962	-46.76	17.89	-25.0	-21.76	286.00	Horizontal	Horizontal	Pass
17881.612	-40.33	22.67	-25.0	-15.33	46.00	Horizontal	Horizontal	Pass




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
807.746	-53.96	39.96	-25.0	-28.96	39.00	Horizontal	Vertical	Pass
1393.200	-47.47	45.04	-25.0	-22.47	78.00	Horizontal	Vertical	Pass
2583.800	5.13	45.82	-25.0	30.13	0.00	Horizontal	Vertical	N/A
4789.200	-54.30	7.43	-25.0	-29.30	90.00	Horizontal	Vertical	Pass
11510.587	-46.85	17.64	-25.0	-21.85	4.00	Horizontal	Vertical	Pass
17582.100	-40.50	22.17	-25.0	-15.50	150.00	Horizontal	Vertical	Pass



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
838.834	-54.54	40.51	-25.0	-29.54	275.00	Vertical	Vertical	Pass
1388.200	-47.68	44.93	-25.0	-22.68	308.00	Vertical	Vertical	Pass
2584.300	9.75	45.80	-25.0	34.75	231.00	Vertical	Vertical	N/A
4912.400	-54.57	7.91	-25.0	-29.57	348.00	Vertical	Vertical	Pass
10900.799	-46.75	17.71	-25.0	-21.75	212.00	Vertical	Vertical	Pass
17465.813	-39.77	21.73	-25.0	-14.77	84.00	Vertical	Vertical	Pass







Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
889.468	-53.48	40.63	-25.0	-28.48	88.00	Vertical	Horizontal	Pass
1390.700	-47.59	44.97	-25.0	-22.59	350.00	Vertical	Horizontal	Pass
2583.900	4.31	45.81	-25.0	29.31	1.00	Vertical	Horizontal	N/A
4985.600	-54.41	7.19	-25.0	-29.41	138.00	Vertical	Horizontal	Pass
11586.201	-46.78	17.73	-25.0	-21.78	72.00	Vertical	Horizontal	Pass
17621.737	-40.48	21.75	-25.0	-15.48	262.00	Vertical	Horizontal	Pass

## 47.2 n41 BW60, Middle Channel


RSE-H&H n41 BW60 CH518598




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
854.791	-53.29	40.33	-25.0	-28.29	17.00	Horizontal	Horizontal	Pass
1398.700	-47.18	45.16	-25.0	-22.18	238.00	Horizontal	Horizontal	Pass
2603.600	10.75	45.91	-25.0	35.75	132.00	Horizontal	Horizontal	N/A
6282.000	-50.78	11.30	-25.0	-25.78	75.00	Horizontal	Horizontal	Pass
11506.275	-46.71	17.70	-25.0	-21.71	112.00	Horizontal	Horizontal	Pass
17473.425	-40.40	21.71	-25.0	-15.40	211.00	Horizontal	Horizontal	Pass



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
883.745	-53.14	40.53	-25.0	-28.14	7.00	Horizontal	Vertical	Pass
1403.100	-46.84	45.11	-25.0	-21.84	24.00	Horizontal	Vertical	Pass
2602.300	1.17	45.80	-25.0	26.17	164.00	Horizontal	Vertical	N/A
6685.000	-48.76	12.03	-25.0	-23.76	352.00	Horizontal	Vertical	Pass
11556.875	-46.44	17.17	-25.0	-21.44	6.00	Horizontal	Vertical	Pass
17384.438	-40.11	22.33	-25.0	-15.11	255.00	Horizontal	Vertical	Pass




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
841.841	-54.07	40.76	-25.0	-29.07	92.00	Vertical	Vertical	Pass
1399.600	-47.18	45.17	-25.0	-22.18	53.00	Vertical	Vertical	Pass
2602.600	8.71	45.82	-25.0	33.71	320.00	Vertical	Vertical	N/A
6047.000	-52.14	8.64	-25.0	-27.14	179.00	Vertical	Vertical	Pass
11631.625	-46.63	17.35	-25.0	-21.63	0.00	Vertical	Vertical	Pass
17607.301	-39.79	21.90	-25.0	-14.79	227.00	Vertical	Vertical	Pass




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
886.946	-53.33	40.45	-25.0	-28.33	328.00	Vertical	Horizontal	Pass
1388.600	-47.08	44.93	-25.0	-22.08	207.00	Vertical	Horizontal	Pass
2594.800	1.32	46.18	-25.0	26.32	82.00	Vertical	Horizontal	N/A
6031.400	-50.03	8.61	-25.0	-25.03	237.00	Vertical	Horizontal	Pass
11077.037	-47.02	15.77	-25.0	-22.02	0.00	Vertical	Horizontal	Pass
17426.698	-40.15	22.49	-25.0	-15.15	195.00	Vertical	Horizontal	Pass

### 47.3 n41 BW100, Middle Channel


RSE-H&H n41 BW100 CH518598



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
899.605	-53.77	41.09	-25.0	-28.77	256.00	Horizontal	Horizontal	Pass
1386.400	-46.77	44.68	-25.0	-21.77	333.00	Horizontal	Horizontal	Pass
2613.300	9.18	46.20	-25.0	34.18	134.00	Horizontal	Horizontal	N/A
6992.800	-47.19	13.61	-25.0	-22.19	343.00	Horizontal	Horizontal	Pass
10994.813	-46.97	17.41	-25.0	-21.97	98.00	Horizontal	Horizontal	Pass
17429.062	-40.39	22.43	-25.0	-15.39	279.00	Horizontal	Horizontal	Pass




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
762.495	-54.90	38.79	-25.0	-29.90	191.00	Horizontal	Vertical	Pass
1393.400	-46.49	45.05	-25.0	-21.49	362.00	Horizontal	Vertical	Pass
2611.500	0.04	46.34	-25.0	25.04	122.00	Horizontal	Vertical	N/A
6779.800	-49.07	11.91	-25.0	-24.07	0.00	Horizontal	Vertical	Pass
10987.912	-47.05	17.31	-25.0	-22.05	30.00	Horizontal	Vertical	Pass
17596.801	-40.30	22.01	-25.0	-15.30	106.00	Horizontal	Vertical	Pass



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
870.796	-53.85	40.19	-25.0	-28.85	289.00	Vertical	Vertical	Pass
1394.800	-47.24	45.11	-25.0	-22.24	328.00	Vertical	Vertical	Pass
2612.900	4.98	46.25	-25.0	29.98	349.00	Vertical	Vertical	N/A
3647.400	-56.68	4.48	-25.0	-31.68	305.00	Vertical	Vertical	Pass
10908.562	-47.15	17.65	-25.0	-22.15	147.00	Vertical	Vertical	Pass
17425.125	-40.25	22.52	-25.0	-15.25	-1.00	Vertical	Vertical	Pass






Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
833.354	-53.25	40.39	-25.0	-28.25	26.00	Vertical	Horizontal	Pass
1382.400	-47.55	44.80	-25.0	-22.55	146.00	Vertical	Horizontal	Pass
2613.000	-1.51	46.24	-25.0	23.49	22.00	Vertical	Horizontal	N/A
6686.600	-49.04	11.98	-25.0	-24.04	263.00	Vertical	Horizontal	Pass
9847.113	-47.67	16.95	-25.0	-22.67	63.00	Vertical	Horizontal	Pass
17425.912	-39.30	22.50	-25.0	-14.30	4.00	Vertical	Horizontal	Pass

48 DC\_7A\_n5A


48.1 DC\_7A\_n5A BW20(LTE)+BW5(NR)

RSE-H&H DC\_7A\_n5A BW20(LTE)+BW5(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
835.633	2.22	40.53	-25.0	27.22	248.00	Horizontal	Horizontal	N/A
883.115	-34.94	40.45	-25.0	-9.94	267.00	Horizontal	Horizontal	N/A
2535.500	9.03	45.73	-25.0	34.03	336.00	Horizontal	Horizontal	N/A
2659.000	-39.65	46.28	-25.0	-14.65	196.00	Horizontal	Horizontal	N/A
6979.800	-48.40	13.85	-25.0	-23.40	357.00	Horizontal	Horizontal	Pass
17473.425	-40.04	21.71	-25.0	-15.04	105.00	Horizontal	Horizontal	Pass

RSE-H&V DC\_7A\_n5A BW20(LTE)+BW5(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
834.227	-0.27	40.45	-25.0	24.73	150.00	Horizontal	Vertical	N/A
883.455	-38.29	40.49	-25.0	-13.29	132.00	Horizontal	Vertical	N/A
2538.000	4.58	46.02	-25.0	29.58	9.00	Horizontal	Vertical	N/A
6273.600	-50.90	11.14	-25.0	-25.90	144.00	Horizontal	Vertical	Pass
10988.775	-46.82	17.32	-25.0	-21.82	248.00	Horizontal	Vertical	Pass
17589.713	-40.16	22.08	-25.0	-15.16	26.00	Horizontal	Vertical	Pass

RSE-V&V DC\_7A\_n5A BW20(LTE)+BW5(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
838.446	-0.96	40.52	-25.0	24.04	182.00	Vertical	Vertical	N/A
879.962	-36.85	40.22	-25.0	-11.85	65.00	Vertical	Vertical	N/A
2543.700	0.52	45.92	-25.0	25.52	87.00	Vertical	Vertical	N/A
5074.200	-53.53	7.40	-25.0	-28.53	173.00	Vertical	Vertical	Pass
9626.313	-47.49	16.33	-25.0	-22.49	80.00	Vertical	Vertical	Pass
17588.662	-40.27	22.09	-25.0	-15.27	54.00	Vertical	Vertical	Pass


RSE-V&H DC\_7A\_n5A BW20(LTE)+BW5(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
834.372	4.83	40.46	-25.0	29.83	38.00	Vertical	Horizontal	N/A
882.048	-39.94	40.32	-25.0	-14.94	303.00	Vertical	Horizontal	N/A
2537.100	2.18	45.98	-25.0	27.18	44.00	Vertical	Horizontal	N/A
6278.400	-50.54	11.25	-25.0	-25.54	10.00	Vertical	Horizontal	Pass
11496.500	-46.89	17.78	-25.0	-21.89	271.00	Vertical	Horizontal	Pass
17612.550	-40.47	21.86	-25.0	-15.47	-1.00	Vertical	Horizontal	Pass


## 48.2 DC\_7A\_n5A BW20(LTE)+BW15(NR)

RSE-H&H DC\_7A\_n5A BW20(LTE)+BW15(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
833.645	5.48	40.41	-25.0	30.48	315.00	Horizontal	Horizontal	N/A
877.877	-40.98	40.33	-25.0	-15.98	112.00	Horizontal	Horizontal	N/A
2537.800	8.55	46.03	-25.0	33.55	341.00	Horizontal	Horizontal	N/A
2663.500	-40.54	46.14	-25.0	-15.54	195.00	Horizontal	Horizontal	N/A
6981.400	-48.20	13.83	-25.0	-23.20	130.00	Horizontal	Horizontal	Pass
17470.011	-40.64	21.72	-25.0	-15.64	360.00	Horizontal	Horizontal	Pass

RSE-H&V DC\_7A\_n5A BW20(LTE)+BW15(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
833.694	-3.38	40.41	-25.0	21.62	7.00	Horizontal	Vertical	N/A
875.791	-42.44	40.38	-25.0	-17.44	136.00	Horizontal	Vertical	N/A
2528.500	4.17	46.10	-25.0	29.17	19.00	Horizontal	Vertical	N/A
4469.000	-55.28	6.90	-25.0	-30.28	361.00	Horizontal	Vertical	Pass
12848.437	-45.72	19.35	-25.0	-20.72	175.00	Horizontal	Vertical	Pass
17429.588	-40.48	22.41	-25.0	-15.48	156.00	Horizontal	Vertical	Pass


RSE-V&V DC\_7A\_n5A BW20(LTE)+BW15(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
833.694	3.51	40.41	-25.0	28.51	238.00	Vertical	Vertical	N/A
875.646	-41.29	40.36	-25.0	-16.29	121.00	Vertical	Vertical	N/A
2540.600	0.38	45.99	-25.0	25.38	104.00	Vertical	Vertical	N/A
6270.000	-50.96	10.87	-25.0	-25.96	73.00	Vertical	Vertical	Pass
10861.412	-46.97	17.49	-25.0	-21.97	218.00	Vertical	Vertical	Pass
17376.823	-40.13	22.11	-25.0	-15.13	-3.00	Vertical	Vertical	Pass




RSE-V&H DC\_7A\_n5A BW20(LTE)+BW15(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
833.596	4.61	40.41	-25.0	29.61	37.00	Vertical	Horizontal	N/A
881.175	-44.15	40.27	-25.0	-19.15	294.00	Vertical	Horizontal	N/A
2534.700	2.19	45.73	-25.0	27.19	47.00	Vertical	Horizontal	N/A
4655.800	-54.80	6.27	-25.0	-29.80	246.00	Vertical	Horizontal	Pass
9849.987	-48.08	16.94	-25.0	-23.08	293.00	Vertical	Horizontal	Pass
17471.850	-40.20	21.72	-25.0	-15.20	-3.00	Vertical	Horizontal	Pass


### 48.3 DC\_7A\_n5A BW20(LTE)+BW20(NR)

RSE-H&H DC\_7A\_n5A BW20(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
831.268	9.90	40.36	-25.0	34.90	113.00	Horizontal	Horizontal	N/A
874.870	-39.93	40.27	-25.0	-14.93	248.00	Horizontal	Horizontal	N/A
2537.300	10.36	46.01	-25.0	35.36	345.00	Horizontal	Horizontal	N/A
2662.400	-40.28	46.12	-25.0	-15.28	204.00	Horizontal	Horizontal	N/A
6992.200	-47.70	13.56	-25.0	-22.70	247.00	Horizontal	Horizontal	Pass
17597.850	-40.21	21.99	-25.0	-15.21	278.00	Horizontal	Horizontal	Pass

RSE-H&V DC\_7A\_n5A BW20(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
831.268	5.91	40.36	-25.0	30.91	194.00	Horizontal	Vertical	N/A
875.695	-43.38	40.37	-25.0	-18.38	209.00	Horizontal	Vertical	N/A
2537.500	4.26	46.04	-25.0	29.26	0.00	Horizontal	Vertical	N/A
5121.600	-54.08	7.84	-25.0	-29.08	139.00	Horizontal	Vertical	Pass
10900.799	-47.18	17.71	-25.0	-22.18	306.00	Horizontal	Vertical	Pass
17388.900	-40.43	22.44	-25.0	-15.43	325.00	Horizontal	Vertical	Pass

RSE-V&V DC\_7A\_n5A BW20(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
827.001	1.00	40.16	-25.0	26.00	139.00	Vertical	Vertical	N/A
875.549	-43.09	40.35	-25.0	-18.09	121.00	Vertical	Vertical	N/A
2535.000	0.29	45.72	-25.0	25.29	109.00	Vertical	Vertical	N/A
6673.400	-49.38	11.61	-25.0	-24.38	208.00	Vertical	Vertical	Pass
10861.987	-46.91	17.48	-25.0	-21.91	236.00	Vertical	Vertical	Pass
17592.074	-40.03	22.06	-25.0	-15.03	169.00	Vertical	Vertical	Pass

RSE-V&H DC\_7A\_n5A BW20(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
831.220	6.30	40.36	-25.0	31.30	13.00	Vertical	Horizontal	N/A
890.002	-44.46	40.67	-25.0	-19.46	192.00	Vertical	Horizontal	N/A
2530.400	-1.16	45.96	-25.0	23.84	48.00	Vertical	Horizontal	N/A
4784.600	-54.32	7.31	-25.0	-29.32	305.00	Vertical	Horizontal	Pass
9847.975	-47.87	16.94	-25.0	-22.87	12.00	Vertical	Horizontal	Pass
17379.975	-40.14	22.22	-25.0	-15.14	73.00	Vertical	Horizontal	Pass