






LTE Band 41_20M Spectrum Plot



LTE Band 66_1.4M Spectrum Plot




LTE Band 66_1.4M Spectrum Plot



LTE Band 66_3M Spectrum Plot




LTE Band 66_3M Spectrum Plot



LTE Band 66_5M Spectrum Plot




LTE Band 66_5M Spectrum Plot



LTE Band 66_10M Spectrum Plot




LTE Band 66_10M Spectrum Plot



LTE Band 66_15M Spectrum Plot



LTE Band 66_15M Spectrum Plot




LTE Band 66_20M Spectrum Plot




LTE Band 66_20M Spectrum Plot


64QAM-132072



64QAM-132322



64QAM-132572



APPENDIX I - FREQUENCY STABILITY

Test Mode	WCDMA Band IV _CH1413
-----------	-----------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
0	5.68	0.00327831	± 2.5
10	2.68	0.001546808	
20	3.41	0.00196814	
30	1.36	0.000784947	
35	5.63	0.003249452	
Max. Deviation (ppm)	5.68	0.00327831	

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
4.4	5.34	0.003082073	± 2.5
3.85	4.34	0.002504906	
3.6	4.40	0.002539536	
Max. Deviation (ppm)	5.34	0.003082073	

Test Mode	LTE Band 4_CH20175_1.4M
-----------	-------------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
0	3.31	0.001910534	± 2.5
10	-3.86	-0.002227994	
20	6.48	0.00374026	
30	6.20	0.003578644	
35	-2.94	-0.00169697	
Max. Deviation (ppm)	6.48	0.00374026	

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
4.4	-1.26	-0.000727273	± 2.5
3.85	3.02	0.001743146	
3.6	2.22	0.001281385	
Max. Deviation (ppm)	3.02	0.001743146	

Test Mode	LTE Band 4_CH20175_3M
-----------	-----------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
0	5.96	0.003440115	± 2.5
10	4.38	0.002528139	
20	-2.30	-0.001327561	
30	4.67	0.002695527	
35	3.60	0.002077922	
Max. Deviation (ppm)	5.96	0.003440115	

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
4.4	2.09	0.001206349	± 2.5
3.85	3.83	0.002210678	
3.6	-1.59	-0.000917749	
Max. Deviation (ppm)	3.83	0.002210678	

Test Mode	LTE Band 4_CH20175_5M
-----------	-----------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
0	-2.60	-0.001500722	± 2.5
10	-4.05	-0.002337662	
20	-5.35	-0.003088023	
30	4.98	0.002874459	
35	5.10	0.002943723	
Max. Deviation (ppm)	-5.35	-0.003088023	

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
4.4	3.64	0.00210101	± 2.5
3.85	1.83	0.001056277	
3.6	-3.16	-0.001823954	
Max. Deviation (ppm)	3.64	0.00210101	

Test Mode	LTE Band 4_CH20175_10M
-----------	------------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
0	2.64	0.00152381	± 2.5
10	-1.59	-0.000917749	
20	5.07	0.002926407	
30	2.40	0.001385281	
35	3.54	0.00204329	
Max. Deviation (ppm)	5.07	0.002926407	

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
4.4	-1.94	-0.001119769	± 2.5
3.85	3.17	0.001829726	
3.6	-4.31	-0.002487734	
Max. Deviation (ppm)	-4.31	-0.002487734	

Test Mode	LTE Band 4_CH20175_15M
-----------	------------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
0	-5.40	-0.003116883	± 2.5
10	4.18	0.002412698	
20	5.05	0.002914863	
30	4.46	0.002574315	
35	2.43	0.001402597	
Max. Deviation (ppm)	-5.4	-0.003116883	

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
4.4	-3.29	-0.00189899	± 2.5
3.85	-3.17	-0.001829726	
3.6	4.26	0.002458874	
Max. Deviation (ppm)	4.26	0.002458874	

Test Mode	LTE Band 4_CH20175_20M
-----------	------------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
0	4.68	0.002701299	± 2.5
10	-3.51	-0.002025974	
20	1.70	0.000981241	
30	5.49	0.003168831	
35	1.48	0.000854257	
Max. Deviation (ppm)	5.49	0.003168831	

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
4.4	-5.19	-0.002995671	± 2.5
3.85	6.15	0.003549784	
3.6	-4.65	-0.002683983	
Max. Deviation (ppm)	6.15	0.003549784	

Test Mode	LTE Band 7_CH21100_5M
-----------	-----------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
0	-3.36	-0.001325444	± 2.5
10	2.15	0.000848126	
20	2.69	0.001061144	
30	2.84	0.001120316	
35	-3.44	-0.001357002	
Max. Deviation (ppm)	-3.44	-0.001357002	

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
4.4	-1.87	-0.000737673	± 2.5
3.85	-3.28	-0.001293886	
3.6	-4.76	-0.001877712	
Max. Deviation (ppm)	-4.76	-0.001877712	

Test Mode	LTE Band 7_CH21100_10M
-----------	------------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
0	1.23	0.000485207	± 2.5
10	-2.91	-0.001147929	
20	-3.63	-0.001431953	
30	3.09	0.001218935	
35	1.49	0.000587771	
Max. Deviation (ppm)	-3.63	-0.001431953	

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
4.4	1.10	0.000433925	± 2.5
3.85	-4.70	-0.001854043	
3.6	-4.85	-0.001913215	
Max. Deviation (ppm)	-4.85	-0.001913215	

Test Mode	LTE Band 7_CH21100_15M
-----------	------------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
0	-1.24	-0.000489152	± 2.5
10	-3.44	-0.001357002	
20	-1.38	-0.000544379	
30	-2.51	-0.000990138	
35	3.15	0.001242604	
Max. Deviation (ppm)	-3.44	-0.001357002	

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
4.4	3.10	0.00122288	± 2.5
3.85	2.08	0.000820513	
3.6	-4.45	-0.001755424	
Max. Deviation (ppm)	-4.45	-0.001755424	

Test Mode	LTE Band 7_CH21100_20M
-----------	------------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
0	1.41	0.000556213	± 2.5
10	2.61	0.001029586	
20	-1.92	-0.000757396	
30	1.42	0.000560158	
35	3.03	0.001195266	
Max. Deviation (ppm)	3.03	0.001195266	

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
4.4	-1.86	-0.000733728	± 2.5
3.85	2.90	0.001143984	
3.6	-4.57	-0.001802761	
Max. Deviation (ppm)	-4.57	-0.001802761	

Test Mode	LTE Band 12_CH23095_1.4M
-----------	--------------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
0	-2.03	0.002869258	± 2.5
10	1.66	0.00234629	
20	1.81	0.002558304	
30	5.39	0.007618375	
35	-0.69	0.000975265	
Max. Deviation (ppm)	5.39	0.007618375	

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
4.4	4.30	0.006077739	± 2.5
3.85	-2.65	0.003745583	
3.6	1.96	0.002770318	
Max. Deviation (ppm)	4.3	0.006077739	

Test Mode	LTE Band 12_CH23095_3M
-----------	------------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
0	3.39	0.004791519	± 2.5
10	2.68	0.003787986	
20	1.30	0.001837456	
30	3.69	0.005215548	
35	3.40	0.004805654	
Max. Deviation (ppm)	-1.92	0.005215548	

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
4.4	1.43	0.002021201	± 2.5
3.85	5.99	0.008466431	
3.6	3.26	0.004607774	
Max. Deviation (ppm)	5.99	0.008466431	

Test Mode	LTE Band 12_CH23095_5M
-----------	------------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
0	2.93	0.004141343	± 2.5
10	4.42	0.00624735	
20	3.88	0.005484099	
30	1.41	0.001992933	
35	5.01	0.007081272	
Max. Deviation (ppm)	5.01	0.007081272	

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
4.4	-2.64	-0.003731449	± 2.5
3.85	-2.44	-0.003448763	
3.6	2.90	0.00409894	
Max. Deviation (ppm)	2.9	0.00409894	

Test Mode	LTE Band 12_CH23095_10M
-----------	-------------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
0	-1.00	-0.001413428	± 2.5
10	-4.35	-0.00614841	
20	0.81	0.001144876	
30	-1.14	-0.001611307	
35	2.64	0.003731449	
Max. Deviation (ppm)	-4.35	-0.00614841	

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
4.4	5.44	0.007689046	± 2.5
3.85	5.19	0.007335689	
3.6	1.17	0.00165371	
Max. Deviation (ppm)	5.44	0.007689046	

Test Mode	LTE Band 17_CH23790_5M
-----------	------------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
0	5.09	0.007169014	± 2.5
10	4.68	0.006591549	
20	-4.39	-0.006183099	
30	1.21	0.001704225	
35	2.56	0.003605634	
Max. Deviation (ppm)	5.09	0.007169014	

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
4.4	-1.57	-0.002211268	± 2.5
3.85	1.98	0.002788732	
3.6	-4.32	-0.006084507	
Max. Deviation (ppm)	-4.32	-0.006084507	

Test Mode	LTE Band 17_CH23790_10M
-----------	-------------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
0	3.01	0.004239437	± 2.5
10	4.54	0.006394366	
20	-2.17	-0.003056338	
30	2.01	0.002830986	
35	2.41	0.003394366	
Max. Deviation (ppm)	4.54	0.006394366	

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
4.4	-1.34	-0.001887324	± 2.5
3.85	-1.67	-0.002352113	
3.6	3.88	0.005464789	
Max. Deviation (ppm)	3.88	0.005464789	

Test Mode	LTE Band 38_CH38000_5M
-----------	------------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
0	-4.70	-0.001811175	± 2.5
10	-1.27	-0.000489403	
20	-0.57	-0.000219653	
30	-2.15	-0.000828516	
35	2.95	0.001136802	
Max. Deviation (ppm)	-4.7	-0.001811175	

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
4.4	2.05	0.000789981	± 2.5
3.85	-2.33	-0.000897881	
3.6	-3.60	-0.001387283	
Max. Deviation (ppm)	-3.6	-0.001387283	

Test Mode	LTE Band 38_CH38000_10M
-----------	-------------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
0	4.45	0.001714836	± 2.5
10	-2.42	-0.000932563	
20	-6.74	-0.002597303	
30	2.68	0.001032755	
35	5.26	0.002026975	
Max. Deviation (ppm)	-6.74	-0.002597303	

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
4.4	-1.88	-0.00072447	± 2.5
3.85	-2.07	-0.000797688	
3.6	-2.53	-0.000974952	
Max. Deviation (ppm)	-2.53	-0.000974952	

Test Mode	LTE Band 38_CH38000_15M
-----------	-------------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
0	-2.25	-0.000867052	± 2.5
10	-3.76	-0.00144894	
20	-2.84	-0.001094412	
30	1.55	0.000597303	
35	2.58	0.00099422	
Max. Deviation (ppm)	-3.76	-0.00144894	

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
4.4	-3.32	-0.001279383	± 2.5
3.85	-2.15	-0.000828516	
3.6	-1.05	-0.000404624	
Max. Deviation (ppm)	-3.32	-0.001279383	

Test Mode	LTE Band 38_CH38000_20M
-----------	-------------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
0	-3.60	-0.001387283	± 2.5
10	-3.04	-0.001171484	
20	2.70	0.001040462	
30	-3.91	-0.001506744	
35	-3.45	-0.00132948	
Max. Deviation (ppm)	-3.91	-0.001506744	

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
4.4	2.96	0.001140655	± 2.5
3.85	-1.42	-0.000547206	
3.6	3.17	0.00122158	
Max. Deviation (ppm)	3.17	0.00122158	

Test Mode	LTE Band 41_CH40640_5M
-----------	------------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
0	-1.63	-0.000628616	± 2.5
10	-3.69	-0.001423062	
20	2.45	0.000944852	
30	1.52	0.000586194	
35	-1.89	-0.000728885	
Max. Deviation (ppm)	-3.69	-0.001423062	

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
4.4	-2.60	-0.0010027	± 2.5
3.85	1.03	0.000397223	
3.6	3.43	0.001322792	
Max. Deviation (ppm)	3.43	0.001322792	

Test Mode	LTE Band 41_CH40640_10M
-----------	-------------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
0	-3.94	-0.001519476	± 2.5
10	-4.77	-0.001839568	
20	1.59	0.000613189	
30	-2.93	-0.001129965	
35	2.97	0.001145391	
Max. Deviation (ppm)	-4.77	-0.001839568	

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
4.4	-4.96	-0.001912842	± 2.5
3.85	-4.41	-0.001700733	
3.6	-1.07	-0.000412649	
Max. Deviation (ppm)	-4.96	-0.001912842	

Test Mode	LTE Band 41_CH40640_15M
-----------	-------------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
0	-1.42	-0.000547628	± 2.5
10	1.97	0.000759738	
20	0.71	0.000273814	
30	1.51	0.000582337	
35	-2.21	-0.000852295	
Max. Deviation (ppm)	-2.21	-0.000852295	

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
4.4	-4.60	-0.001774007	± 2.5
3.85	-3.08	-0.001187813	
3.6	-3.15	-0.001214809	
Max. Deviation (ppm)	-4.6	-0.001774007	

Test Mode	LTE Band 41_CH40640_20M
-----------	-------------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
0	3.13	0.001207096	± 2.5
10	-3.76	-0.001450058	
20	-3.08	-0.001187813	
30	-4.63	-0.001785577	
35	-1.36	-0.000524489	
Max. Deviation (ppm)	-4.63	-0.001785577	

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
4.4	-2.11	-0.000813729	± 2.5
3.85	-1.94	-0.000748168	
3.5	-1.34	-0.000516776	
Max. Deviation (ppm)	-2.11	-0.000813729	

Test Mode	LTE Band 66_CH132322_1.4M
-----------	---------------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
0	-2.05	0.001174785	± 2.5
10	-6.37	0.00365043	
20	-4.48	0.002567335	
30	1.26	0.000722063	
35	-3.73	0.002137536	
Max. Deviation (ppm)	-6.37	0.00365043	

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
4.4	1.61	0.000922636	± 2.5
3.85	-1.74	0.000997135	
3.6	3.65	0.002091691	
Max. Deviation (ppm)	3.65	0.002091691	

Test Mode	LTE Band 66_CH132322_3M
-----------	-------------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
0	3.92	0.002246418	± 2.5
10	2.23	0.001277937	
20	1.11	0.000636103	
30	3.16	0.001810888	
35	-4.80	0.002750716	
Max. Deviation (ppm)	-4.8	0.002750716	

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
4.4	-1.95	0.001117479	± 2.5
3.85	-3.56	0.002040115	
3.6	5.67	0.003249284	
Max. Deviation (ppm)	5.67	0.003249284	

Test Mode	LTE Band 66_CH132322_5M
-----------	-------------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
0	6.52	0.00373639	± 2.5
10	4.24	0.002429799	
20	-1.37	-0.0007851	
30	6.68	0.00382808	
35	-3.53	-0.002022923	
Max. Deviation (ppm)	6.68	0.00382808	

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
4.4	-2.79	-0.001598854	± 2.5
3.85	4.97	0.002848138	
3.6	-5.03	-0.002882521	
Max. Deviation (ppm)	-5.03	-0.002882521	

Test Mode	LTE Band 66_CH132322_10M
-----------	--------------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
0	6.19	0.003547278	± 2.5
10	-2.98	-0.001707736	
20	1.26	0.000722063	
30	-5.54	-0.003174785	
35	-1.94	-0.001111748	
Max. Deviation (ppm)	6.19	0.003547278	

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
4.4	-4.05	-0.002320917	± 2.5
3.85	5.76	0.00330086	
3.6	-2.71	-0.001553009	
Max. Deviation (ppm)	5.76	0.00330086	

Test Mode	LTE Band 66_CH132322_15M
-----------	--------------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
0	4.45	0.002550143	± 2.5
10	2.74	0.001570201	
20	3.03	0.00173639	
30	-4.53	-0.002595989	
35	-3.38	-0.001936963	
Max. Deviation (ppm)	-4.53	-0.002595989	

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
4.4	-4.54	-0.002601719	± 2.5
3.85	-5.26	-0.003014327	
3.6	-4.94	-0.002830946	
Max. Deviation (ppm)	-5.26	-0.003014327	

Test Mode	LTE Band 66_CH132322_20M
-----------	--------------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
0	-1.02	-0.000584527	± 2.5
10	-3.92	-0.002246418	
20	4.66	0.002670487	
30	-5.98	-0.003426934	
35	5.23	0.002997135	
Max. Deviation (ppm)	-5.98	-0.003426934	

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
4.4	3.54	0.002028653	± 2.5
3.85	5.69	0.003260745	
3.6	-4.88	-0.002796562	
Max. Deviation (ppm)	5.69	0.003260745	

End of Test Report