

FCC

RF

TEST REPORT

ISSUED BY
Shenzhen BALUN Technology Co., Ltd.



FOR
Mobile Phone

ISSUED TO
Guangdong OPPO Mobile Telecommunications Corp., Ltd.

NO.18 Haibin Road, Wusha Village, Chang'an Town, Dongguan City,
Guangdong, China



Prepared by: *Ye Hongji*
Ye Hongji
Date: *Jan. 07, 2021*

Approved by: *Wei Yanquan*
Wei Yanquan
(Chief Engineer)
Date: *Jan. 07, 2021*



Report No.: BL-SZ20A0177-604
EUT Name: Mobile Phone
Model Name: CPH2207
Brand Name: OPPO
Test Standard: 47 CFR Part 15 Subpart E
FCC ID: R9C-CPH2207

Test Conclusion: Pass
Test Date: Oct. 15, 2020 ~ Dec. 01, 2020
Date of Issue: Jan. 07, 2021

NOTE: This test report of test results only related to testing samples, which can be duplicated completely for the legal use with the approval of the applicant; it shall not be reproduced except in full, without the written approval of Shenzhen BALUN Technology Co., Ltd. Any objections should be raised within thirty days from the date of issue. To validate the report, please contact us.

Revision History

| <u>Version</u> | <u>Issue Date</u> | <u>Revisions Content</u> |
|----------------|----------------------|---|
| <u>Rev. 01</u> | <u>Dec. 24, 2020</u> | <u>Initial Issue</u> |
| <u>Rev. 02</u> | <u>Jan. 07, 2021</u> | <u>Update the image format size for section A.6.2</u> |

TABLE OF CONTENTS

| | | |
|-----|--|----|
| 1 | ADMINISTRATIVE DATA (GENERAL INFORMATION) | 4 |
| 1.1 | Identification of the Testing Laboratory | 4 |
| 1.2 | Identification of the Responsible Testing Location | 4 |
| 1.3 | Laboratory Condition | 4 |
| 1.4 | Announce | 5 |
| 2 | PRODUCT INFORMATION | 6 |
| 2.1 | Applicant | 6 |
| 2.2 | Manufacturer | 6 |
| 2.3 | Factory | 6 |
| 2.4 | General Description for Equipment under Test (EUT) | 6 |
| 2.5 | Technical Information | 7 |
| 2.6 | Additional Instructions | 9 |
| 2.7 | Channel List | 14 |
| 3 | SUMMARY OF TEST RESULTS | 18 |
| 3.1 | Test Standards | 18 |
| 3.2 | Verdict | 18 |
| 4 | GENERAL TEST CONFIGURATIONS | 19 |
| 4.1 | Test Environments | 19 |
| 4.2 | Test Equipment List | 19 |
| 4.3 | Measurement Uncertainty | 20 |
| 4.4 | Description of Test Setup | 21 |
| 5 | TEST ITEMS | 24 |
| 5.1 | RF Output Power | 24 |
| 5.2 | Emission Bandwidth and 6 dB Bandwidth | 25 |
| 5.3 | Power Spectral density (PSD) | 26 |
| 5.4 | Conducted Emission | 27 |

| | | |
|---------|---|-----|
| 5.5 | Radiated Spurious Emissions and Band Edge (Restricted-band) | 28 |
| ANNEX A | TEST RESULT | 33 |
| A.1 | RF Output Power | 33 |
| A.2 | Emission Bandwidth & 99% Bandwidth | 53 |
| A.3 | 6 dB Bandwidth | 61 |
| A.4 | Power Spectral Density | 63 |
| A.5 | Conducted Emissions | 83 |
| A.6 | Radiated Spurious Emissions and Band Edge (Restricted-band) | 85 |
| ANNEX B | TEST SETUP PHOTOS | 396 |
| ANNEX C | EUT EXTERNAL PHOTOS | 396 |
| ANNEX D | EUT INTERNAL PHOTOS | 396 |

1 ADMINISTRATIVE DATA (GENERAL INFORMATION)

1.1 Identification of the Testing Laboratory

| | |
|--------------|---|
| Company Name | Shenzhen BALUN Technology Co., Ltd. |
| Address | Block B, 1st FL, Baisha Science and Technology Park, Shahe Xi Road, Nanshan District, Shenzhen, Guangdong Province, P. R. China |
| Phone Number | +86 755 6685 0100 |

1.2 Identification of the Responsible Testing Location

| | |
|---------------------------|---|
| Test Location | Shenzhen BALUN Technology Co., Ltd. |
| Address | Block B, 1st FL, Baisha Science and Technology Park, Shahe Xi Road, Nanshan District, Shenzhen, Guangdong Province, P. R. China |
| Accreditation Certificate | <p>The laboratory has been listed by Industry Canada to perform electromagnetic emission measurements. The recognition numbers of test site are 11524A-1.</p> <p>The laboratory is a testing organization accredited by FCC as a accredited testing laboratory. The designation number is CN1196.</p> <p>The laboratory is a testing organization accredited by American Association for Laboratory Accreditation(A2LA) according to ISO/IEC 17025.The accreditation certificate is 4344.01.</p> <p>The laboratory is a testing organization accredited by China National Accreditation Service for Conformity Assessment (CNAS) according to ISO/IEC 17025. The accreditation certificate number is L6791.</p> |
| Description | All measurement facilities used to collect the measurement data are located at Block B, FL 1, Baisha Science and Technology Park, Shahe Xi Road, Nanshan District, Shenzhen, Guangdong Province, P. R. China 518055 |

1.3 Laboratory Condition

| | |
|---------------------------|--------------------|
| Ambient Temperature | 20°C to 25°C |
| Ambient Relative Humidity | 45% to 55% |
| Ambient Pressure | 100 kPa to 102 kPa |

1.4 Announce

- (1) The test report reference to the report template version v4.4.
- (2) The test report is invalid if not marked with the signatures of the persons responsible for preparing and approving the test report.
- (3) The test report is invalid if there is any evidence and/or falsification.
- (4) The results documented in this report apply only to the tested sample, under the conditions and modes of operation as described herein.
- (5) This document may not be altered or revised in any way unless done so by BALUN and all revisions are duly noted in the revisions section.
- (6) Content of the test report, in part or in full, cannot be used for publicity and/or promotional purposes without prior written approval from the laboratory.
- (7) The laboratory is only responsible for the data released by the laboratory, except for the part provided by the applicant.

2 PRODUCT INFORMATION

2.1 Applicant

| | |
|-----------|--|
| Applicant | Guangdong OPPO Mobile Telecommunications Corp., Ltd. |
| Address | NO.18 Haibin Road, Wusha Village, Chang'an Town, Dongguan City, Guangdong, China |

2.2 Manufacturer

| | |
|--------------|--|
| Manufacturer | Guangdong OPPO Mobile Telecommunications Corp., Ltd. |
| Address | NO.18 Haibin Road, Wusha Village, Chang'an Town, Dongguan City, Guangdong, China |

2.3 Factory

| | |
|---------|--|
| Factory | Guangdong OPPO Mobile Telecommunications Corp., Ltd. |
| Address | NO.18 Haibin Road, Wusha Village, Chang'an Town, Dongguan City, Guangdong, China |

2.4 General Description for Equipment under Test (EUT)

| | |
|---|---------------|
| EUT Name | Mobile Phone |
| Model Name Under Test | CPH2207 |
| Series Model Name | N/A |
| Description of Model name differentiation | N/A |
| Hardware Version | 11 |
| Software Version | ColorOS V11.1 |
| Dimensions (Approx.) | N/A |
| Weight (Approx.) | N/A |

2.5 Technical Information

| | |
|-----------------------------------|---|
| Network and Wireless connectivity | <p>2G Network GSM/GPRS/EDGE 850/900/1800/1900 MHz</p> <p>3G Network WCDMA/HSDPA/HSUPA/HSPA+ Band 1/2/4/5/6/8/19</p> <p>4G Network FDD LTE Band 1/2/3/4/5/7/8/12/17/18/19/20/26/28/32/66 TDD LTE Band 38/39/40/41</p> <p>CA Uplink (UL): CA_3C, CA_7C, CA_38C, CA_40C, CA_41C</p> <p>CA Downlink (DL): CA_20A_32A</p> <p>5G Network SA: NR n1/n3/n7/n28/n41/n78</p> <p>NSA(EN-DC): DC_1A_n28A, DC_1A_n40A, DC_1A_n77A, DC_1A_n78A, DC_3A_n5A, DC_3A_n7A, DC_3A_n8A, DC_3A_n20A, DC_3A_n28A, DC_3A_n38A, DC_3A_n40A, DC_3A_n41A, DC_3A_n77A, DC_3A_n78A, DC_5A_n7A, DC_5A_n78A, DC_7A_n5A, DC_7A_n28A, DC_7A_n78A, DC_8A_n41A, DC_8A_n78A, DC_20A_n28A, DC_20A_n78A, DC_28A_n78A, DC_38A_n78A, DC_41A_n78A</p> <p>Bluetooth 5.2 (BR+EDR+BLE)</p> <p>2.4G WIFI 802.11b, 802.11g, 802.11n(HT20/40), 802.11ac(VHT20/40), 802.11ax(HE20/40)</p> <p>5G WIFI 802.11a, 802.11n(HT20/40), 802.11ac(VHT20/40/80), 802.11ax(HE20/40/80)</p> <p>U-NII-1/2A/2C/3, GPS, GLONASS, BDS, Galileo, NFC</p> |
|-----------------------------------|---|

The requirement for the following technical information of the EUT was tested in this report:

| | |
|---|---|
| Frequency Range | <p>U-NII-1: 5150 MHz to 5250 MHz,</p> <p>U-NII-2A: 5250 MHz to 5350 MHz,</p> <p>U-NII-2C: 5470 MHz to 5725 MHz</p> <p>U-NII-3: 5725 MHz to 5850 MHz</p> |
| Product Type | <p><input type="checkbox"/> Mobile</p> <p><input checked="" type="checkbox"/> Portable</p> <p><input type="checkbox"/> Fix Location</p> |
| Modulation technology | OFDM, OFDMA |
| Modulation Type | 1024QAM, 256QAM, 64QAM, 16QAM, BPSK, QPSK |
| Product Type | Portable for FCC standard |
| Transfer Rate (Mbps) (Single RF path) | <p>802.11a: 54/ 48/ 36/ 24/ 18/ 12/ 9/ 6 Mbps</p> <p>802.11n: up to 150 Mbps</p> <p>802.11ac: up to VHT-MCS9</p> <p>802.11ax: up to 600 Mbps</p> |
| Channel Bandwidth | <p>802.11a: 20 MHz</p> <p>802.11n: 20 MHz, 40 MHz</p> <p>802.11ac: 20 MHz, 40 MHz, 80 MHz</p> <p>802.11ax: 20 MHz, 40 MHz, 80 MHz</p> |
| Maximum Output Power | <p>U-NII-1: 20.37 dBm</p> <p>U-NII-2A: 20.42 dBm</p> <p>U-NII-2C: 20.53 dBm</p> <p>U-NII-3: 14.54 dBm</p> |
| Antenna System (eg., MIMO, Smart Antenna) | Cyclic Delay Diversity (CDD) |

| | | |
|---|--|--|
| Categorization as Correlated or Completely Uncorrelated | | Correlated |
| Antenna Type | Main Antenna | PIFA Antenna |
| | Aux. Antenna | |
| Antenna Gain | Main Antenna | -3.5 dBi (In test items related to antenna gain, the final results reflect this figure. This value is provided by the applicant.) |
| | Aux. Antenna | -5 dBi (In test items related to antenna gain, the final results reflect this figure. This value is provided by the applicant.) |
| Total directional gain | For power spectral density(PSD) measurements | -0.5 dBi Formulas: Directional gain = GANT + Array Gain, <i>Array Gain</i> = $10 \log(NANT/NSS)$ dB. $NSS = 1$, GANT set equal to the gain of the antenna having the highest gain. |
| | For power measurements | -3.5 dBi Formulas: Directional gain = GANT + Array Gain, <i>Array Gain</i> = 0. |
| About the Product | | The equipment is Mobile Phone, intended for used with information technology equipment. |

2.6 Additional Instructions

EUT Software Settings:

| | |
|------|--|
| Mode | <input checked="" type="checkbox"/> Special software is used. The software provided by client to enable the EUT under transmission condition continuously at specific channel frequencies individually. |
|------|--|

During testing, Channel and Power Controlling Software provided by the customer was used to control the operating channel as well as the output power level. The RF output power selection is for the setting of RF output power expected by the customer and is going to be fixed on the firmware of the final end product.

| | | | |
|--|-------------|--------------|-------|
| Test Software Version | QRCT4 | | |
| Support Units (Software installation media) | Description | Manufacturer | Model |
| | Notebook | Lenovo | X220 |

| Band I (5150 - 5250 MHz) Power level setup in software | | | | | |
|--|---------|-----------------|--------------|--------------|-------|
| Mode | Channel | Frequency (MHz) | Soft Set | | |
| | | | Main Antenna | Aux. Antenna | MIMO |
| 11a | CH36 | 5180 | 17.00 | 17.00 | 17.00 |
| 11a | CH44 | 5220 | 17.00 | 17.00 | 17.00 |
| 11a | CH48 | 5240 | 17.00 | 17.00 | 17.00 |
| 11n (HT20) | CH36 | 5180 | 15.00 | 15.00 | 13.00 |
| 11n (HT20) | CH44 | 5220 | 17.00 | 17.00 | 17.00 |
| 11n (HT20) | CH48 | 5240 | 17.00 | 17.00 | 17.00 |
| 11n (HT40) | CH38 | 5190 | 17.00 | 17.00 | 17.00 |
| 11n (HT40) | CH46 | 5230 | 17.00 | 17.00 | 17.00 |
| 11ac (VHT20) | CH36 | 5180 | 15.00 | 15.00 | 15.00 |
| 11ac (VHT20) | CH44 | 5220 | 17.00 | 17.00 | 17.00 |
| 11ac (VHT20) | CH48 | 5240 | 17.00 | 17.00 | 17.00 |
| 11ac (VHT40) | CH38 | 5190 | 17.00 | 17.00 | 17.00 |
| 11ac (VHT40) | CH46 | 5230 | 17.00 | 17.00 | 17.00 |
| 11ac (VHT80) | CH42 | 5210 | 17.00 | 17.00 | 17.00 |
| 11ax (HE20)-SU | CH36 | 5180 | 17.00 | 17.00 | 17.00 |
| 11ax (HE20)-SU | CH44 | 5220 | 17.00 | 17.00 | 17.00 |
| 11ax (HE20)-SU | CH48 | 5240 | 17.00 | 17.00 | 17.00 |
| 11ax (HE40)-SU | CH38 | 5190 | 17.00 | 17.00 | 17.00 |
| 11ax (HE40)-SU | CH46 | 5230 | 17.00 | 17.00 | 17.00 |
| 11ax (HE80)-SU | CH42 | 5210 | 17.00 | 17.00 | 17.00 |
| 11ax (HE20)-RU26 | CH36 | 5180 | 5.00 | 5.00 | 5.00 |
| 11ax (HE20)-RU26 | CH44 | 5220 | 5.00 | 5.00 | 5.00 |
| 11ax (HE20)-RU26 | CH48 | 5240 | 5.00 | 5.00 | 5.00 |
| 11ax (HE40)-RU26 | CH38 | 5190 | 5.00 | 5.00 | 5.00 |
| 11ax (HE40)-RU26 | CH46 | 5230 | 5.00 | 5.00 | 5.00 |
| 11ax (HE80)-RU26 | CH42 | 5210 | 5.00 | 5.00 | 5.00 |

| Band II (5250 - 5350 MHz) Power level setup in software | | | | | |
|---|---------|-----------------|--------------|--------------|-------|
| Mode | Channel | Frequency (MHz) | Soft Set | | |
| | | | Main Antenna | Aux. Antenna | MIMO |
| 11a | CH52 | 5260 | 17.00 | 17.00 | 17.00 |
| 11a | CH60 | 5300 | 17.00 | 17.00 | 17.00 |
| 11a | CH64 | 5320 | 17.00 | 17.00 | 17.00 |
| 11n (HT20) | CH52 | 5260 | 17.00 | 17.00 | 17.00 |
| 11n (HT20) | CH60 | 5300 | 17.00 | 17.00 | 17.00 |
| 11n (HT20) | CH64 | 5320 | 17.00 | 17.00 | 17.00 |
| 11n (HT40) | CH54 | 5270 | 17.00 | 17.00 | 17.00 |
| 11n (HT40) | CH62 | 5310 | 17.00 | 17.00 | 16.00 |
| 11ac (VHT20) | CH52 | 5260 | 17.00 | 17.00 | 17.00 |
| 11ac (VHT20) | CH60 | 5300 | 17.00 | 17.00 | 17.00 |
| 11ac (VHT20) | CH64 | 5320 | 17.00 | 17.00 | 17.00 |
| 11ac (VHT40) | CH54 | 5270 | 17.00 | 17.00 | 15.00 |
| 11ac (VHT40) | CH62 | 5310 | 17.00 | 17.00 | 17.00 |
| 11ac (VHT80) | CH58 | 5290 | 17.00 | 17.00 | 17.00 |
| 11ax (HE20)-SU | CH52 | 5260 | 17.00 | 17.00 | 17.00 |
| 11ax (HE20)-SU | CH60 | 5300 | 17.00 | 17.00 | 17.00 |
| 11ax (HE20)-SU | CH64 | 5320 | 17.00 | 17.00 | 17.00 |
| 11ax (HE40)-SU | CH54 | 5270 | 17.00 | 17.00 | 17.00 |
| 11ax (HE40)-SU | CH62 | 5310 | 17.00 | 17.00 | 14.00 |
| 11ax (HE80)-SU | CH58 | 5290 | 17.00 | 17.00 | 13.50 |
| 11ax (HE20)-RU26 | CH52 | 5260 | 5.00 | 5.00 | 5.00 |
| 11ax (HE20)-RU26 | CH60 | 5300 | 5.00 | 5.00 | 5.00 |
| 11ax (HE20)-RU26 | CH64 | 5320 | 5.00 | 5.00 | 5.00 |
| 11ax (HE40)-RU26 | CH54 | 5270 | 5.00 | 5.00 | 5.00 |
| 11ax (HE40)-RU26 | CH62 | 5310 | 5.00 | 5.00 | 5.00 |
| 11ax (HE80)-RU26 | CH58 | 5290 | 5.00 | 5.00 | 5.00 |

| Band III (5470 - 5725 MHz) Power level setup in software | | | | | |
|--|---------|-----------------|--------------|--------------|-------|
| Mode | Channel | Frequency (MHz) | Soft Set | | |
| | | | Main Antenna | Aux. Antenna | MIMO |
| 11a | CH100 | 5500 | 17.00 | 17.00 | 14.00 |
| 11a | CH116 | 5580 | 17.00 | 17.00 | 17.00 |
| 11a | CH140 | 5700 | 17.00 | 17.00 | 17.00 |
| 11n (HT20) | CH100 | 5500 | 14.00 | 14.00 | 11.00 |
| 11n (HT20) | CH116 | 5580 | 17.00 | 17.00 | 17.00 |
| 11n (HT20) | CH140 | 5700 | 17.00 | 17.00 | 16.00 |
| 11n (HT40) | CH102 | 5510 | 17.00 | 17.00 | 17.00 |
| 11n (HT40) | CH118 | 5590 | 17.00 | 17.00 | 17.00 |
| 11n (HT40) | CH134 | 5670 | 17.00 | 17.00 | 17.00 |
| 11ac (VHT20) | CH100 | 5500 | 14.50 | 14.00 | 12.00 |
| 11ac (VHT20) | CH116 | 5580 | 17.00 | 17.00 | 17.00 |
| 11ac (VHT20) | CH140 | 5700 | 17.00 | 17.00 | 15.50 |
| 11ac (VHT40) | CH102 | 5510 | 17.00 | 17.00 | 17.00 |
| 11ac (VHT40) | CH118 | 5590 | 17.00 | 17.00 | 17.00 |
| 11ac (VHT40) | CH134 | 5670 | 17.00 | 17.00 | 17.00 |
| 11ac (VHT80) | CH106 | 5530 | 17.00 | 17.00 | 17.00 |
| 11ac (VHT80) | CH122 | 5610 | 17.00 | 17.00 | 17.00 |
| 11ax (HE20)-SU | CH100 | 5500 | 17.00 | 17.00 | 17.00 |
| 11ax (HE20)-SU | CH116 | 5580 | 17.00 | 17.00 | 17.00 |
| 11ax (HE20)-SU | CH140 | 5700 | 17.00 | 17.00 | 15.00 |
| 11ax (HE40)-SU | CH102 | 5510 | 17.00 | 17.00 | 15.00 |
| 11ax (HE40)-SU | CH118 | 5590 | 17.00 | 17.00 | 17.00 |
| 11ax (HE40)-SU | CH134 | 5670 | 17.00 | 17.00 | 17.00 |
| 11ax (HE80)-SU | CH106 | 5530 | 17.00 | 17.00 | 14.00 |
| 11ax (HE80)-SU | CH122 | 5610 | 17.00 | 17.00 | 17.00 |
| 11ax (HE20)-RU26 | CH100 | 5500 | 5.00 | 5.00 | 5.00 |
| 11ax (HE20)-RU26 | CH116 | 5580 | 5.00 | 5.00 | 5.00 |
| 11ax (HE20)-RU26 | CH140 | 5700 | 5.00 | 5.00 | 5.00 |
| 11ax (HE40)-RU26 | CH102 | 5510 | 5.00 | 5.00 | 5.00 |
| 11ax (HE40)-RU26 | CH118 | 5590 | 5.00 | 5.00 | 5.00 |
| 11ax (HE40)-RU26 | CH134 | 5670 | 5.00 | 5.00 | 5.00 |
| 11ax (HE80)-RU26 | CH106 | 5530 | 5.00 | 5.00 | 5.00 |
| 11ax (HE80)-RU26 | CH122 | 5610 | 5.00 | 5.00 | 5.00 |

| Band IV (5725 - 5850 MHz) Power level setup in software | | | | | |
|---|---------|-----------------|--------------|--------------|-------|
| Mode | Channel | Frequency (MHz) | Soft Set | | |
| | | | Main Antenna | Aux. Antenna | MIMO |
| 11a | CH149 | 5745 | 11.00 | 11.00 | 11.00 |
| 11a | CH157 | 5785 | 11.00 | 11.00 | 11.00 |
| 11a | CH165 | 5825 | 11.00 | 11.00 | 11.00 |
| 11n (HT20) | CH149 | 5745 | 11.00 | 11.00 | 11.00 |
| 11n (HT20) | CH157 | 5785 | 11.00 | 11.00 | 11.00 |
| 11n (HT20) | CH165 | 5825 | 11.00 | 11.00 | 11.00 |
| 11n (HT40) | CH149 | 5745 | 11.00 | 11.00 | 11.00 |
| 11n (HT40) | CH157 | 5785 | 11.00 | 11.00 | 11.00 |
| 11ac (VHT20) | CH149 | 5745 | 11.00 | 11.00 | 11.00 |
| 11ac (VHT20) | CH157 | 5785 | 11.00 | 11.00 | 11.00 |
| 11ac (VHT20) | CH165 | 5825 | 11.00 | 11.00 | 11.00 |
| 11ac (VHT40) | CH149 | 5745 | 11.00 | 11.00 | 11.00 |
| 11ac (VHT40) | CH157 | 5785 | 11.00 | 11.00 | 11.00 |
| 11ac (VHT80) | CH155 | 5775 | 11.00 | 11.00 | 11.00 |
| 11ax (HE20)-SU | CH149 | 5745 | 11.00 | 11.00 | 11.00 |
| 11ax (HE20)-SU | CH157 | 5785 | 11.00 | 11.00 | 11.00 |
| 11ax (HE20)-SU | CH165 | 5825 | 11.00 | 11.00 | 11.00 |
| 11ax (HE40)-SU | CH149 | 5745 | 11.00 | 11.00 | 11.00 |
| 11ax (HE40)-SU | CH157 | 5785 | 11.00 | 11.00 | 11.00 |
| 11ax (HE80)-SU | CH155 | 5775 | 11.00 | 11.00 | 11.00 |
| 11ax (HE20)-RU26 | CH149 | 5745 | 5.00 | 5.00 | 5.00 |
| 11ax (HE20)-RU26 | CH157 | 5785 | 5.00 | 5.00 | 5.00 |
| 11ax (HE20)-RU26 | CH165 | 5825 | 5.00 | 5.00 | 5.00 |
| 11ax (HE40)-RU26 | CH149 | 5745 | 5.00 | 5.00 | 5.00 |
| 11ax (HE40)-RU26 | CH157 | 5785 | 5.00 | 5.00 | 5.00 |
| 11ax (HE80)-RU26 | CH155 | 5775 | 5.00 | 5.00 | 5.00 |

Run Software

The screenshot displays the Qualcomm Radio Control Tool interface. At the top, the target is set to 'APQ' and the library mode is 'QPST'. The 'TX SETUP' section is active, showing various configuration parameters for the radio. The 'TX REPORT' section displays real-time performance metrics. The 'Activity' window at the bottom shows a log of system events, including connection status and library initialization messages.

| TX SETUP | | Properties | TX REPORT | |
|------------------|--|-------------------|--------------|-----|
| RF Mode/Instance | | PhyA_only | Property | PHY |
| Phy ID | | PHY_A0 | Good Packets | — |
| Tx Mode | | ConfTx99 | ThermCat 1 | — |
| Channel (Mhz) | | 5745 | ThermCat 2 | — |
| Channel2 (Mhz) | | 2412 | RSSI | — |
| TX Power Control | | TxPowerForce_CLPC | Throughput | — |
| TX Power(dBm) | | 11 | Gain Index | — |
| ctsState | | primary20 | DAC GAIN | — |
| Rate | | RATE_6Mbps | PACFG | — |
| Rate BW | | RateBW_LegacyOFDM | PDADC1 | — |
| NSS | | _1Stream | PDADC2 | — |
| | | | PDADC3 | — |

| Time | Category | Message |
|--------------|----------|--|
| 04-17-48.014 | Info | COM 38: Connected |
| 04-17-56.021 | Info | QLIB_FTM_WLAN_TLV2_Creati(200) |
| 04-17-56.021 | Info | QLIB_FTM_WLAN_TLV2_Complete() |
| 04-17-56.021 | Info | QLIB_FTM_WLAN_TLV2_GetRspParam(ver_info,); QLIB_FTM_WLAN_TLV2_GetRspParam(cat38r_bdf_ver = 0x1, in_ver = 0x2, in_phy_ver = 0x3) |
| 04-17-56.021 | Info | QD6390 load SUCCESS |

COM 38: Connected Connection Method: QPST Mode: APQ DIAG ALIVE

2.7 Channel List

| 20 MHz | | 40 MHz | | 80 MHz | |
|----------------|-----------------|----------------|-----------------|----------------|-----------------|
| Channel Number | Frequency (MHz) | Channel Number | Frequency (MHz) | Channel Number | Frequency (MHz) |
| 36 | 5180 | 38 | 5190 | 42 | 5210 |
| 40 | 5200 | 46 | 5230 | 58 | 5290 |
| 44 | 5220 | 54 | 5270 | 106 | 5530 |
| 48 | 5240 | 62 | 5310 | 155 | 5775 |
| 52 | 5260 | 102 | 5510 | | |
| 56 | 5280 | 110 | 5550 | | |
| 60 | 5300 | 134 | 5670 | | |
| 64 | 5320 | 151 | 5755 | | |
| 100 | 5500 | 159 | 5795 | | |
| 104 | 5520 | | | | |
| 108 | 5540 | | | | |
| 112 | 5560 | | | | |
| 116 | 5580 | | | | |
| 132 | 5660 | | | | |
| 136 | 5680 | | | | |
| 140 | 5700 | | | | |
| 149 | 5745 | | | | |
| 153 | 5765 | | | | |
| 157 | 5785 | | | | |
| 161 | 5805 | | | | |
| 165 | 5825 | | | | |

Note: Until further notice, devices subject to this section shall not be capable of transmitting in the band 5600-5650 MHz. This restriction is for the protection of weather radars operating in this band.

The Lowest frequency, the middle frequency and the highest frequency of channel were selected to perform the test, and the selected channel see below:

For 802.11a/n(HT20)/ac(VHT20)/ax(HE20)

| Band I (5150 - 5250 MHz) | | | Band II (5250 - 5350 MHz) | | |
|--------------------------|---------|-----------------|---------------------------|---------|-----------------|
| Channel Number | Channel | Frequency (MHz) | Channel Number | Channel | Frequency (MHz) |
| 36 | Low | 5180 | 52 | Low | 5260 |
| 44 | Mid | 5220 | 60 | Mid | 5300 |
| 48 | High | 5240 | 64 | High | 5320 |

| Band III (5470 - 5725 MHz) | | | Band IV (5725 - 5850 MHz) | | |
|----------------------------|---------|-----------------|---------------------------|---------|-----------------|
| Channel Number | Channel | Frequency (MHz) | Channel Number | Channel | Frequency (MHz) |
| 100 | Low | 5500 | 149 | Low | 5745 |
| 116 | Mid | 5580 | 157 | Mid | 5785 |
| 140 | High | 5700 | 165 | High | 5825 |

For 802.11n(HT40)/ac(VHT40)/ax(HE40)

| Band I (5150 - 5250 MHz) | | | Band II (5250 - 5350 MHz) | | |
|--------------------------|---------|-----------------|---------------------------|---------|-----------------|
| Channel Number | Channel | Frequency (MHz) | Channel Number | Channel | Frequency (MHz) |
| 38 | Low | 5190 | 54 | Low | 5270 |
| 46 | High | 5230 | 62 | High | 5310 |

| Band III (5150 - 5250 MHz) | | | Band IV (5725 - 5850 MHz) | | |
|----------------------------|---------|-----------------|---------------------------|---------|-----------------|
| Channel Number | Channel | Frequency (MHz) | Channel Number | Channel | Frequency (MHz) |
| 102 | Low | 5510 | 151 | Low | 5755 |
| 118 | Mid | 5590 | 159 | High | 5795 |
| 134 | High | 5670 | | | |

For 802.11ac(VHT80)/ax(HE80)

| Band I (5150 - 5250 MHz) | | | Band II (5250 - 5350 MHz) | | |
|--------------------------|---------|-----------------|---------------------------|---------|-----------------|
| Channel Number | Channel | Frequency (MHz) | Channel Number | Channel | Frequency (MHz) |
| 42 | Mid | 5210 | 58 | Mid | 5290 |

| Band III (5470 - 5725 MHz) | | | Band IV (5725 - 5850 MHz) | | |
|----------------------------|---------|-----------------|---------------------------|---------|-----------------|
| Channel Number | Channel | Frequency (MHz) | Channel Number | Channel | Frequency (MHz) |
| 106 | Low | 5530 | 155 | Mid | 5775 |
| 122 | High | 5610 | | | |

Note: Preliminary tests were performed in different data rate in above table to find the worst radiated emission. The data rate shown in the table below is the worst-case rate with respect to the specific test item. Investigation has been done on all the possible configurations for searching the worst cases. The following table is a list of the test modes shown in this test report.

| Test Items | Mode | Data Rate | Modulation Type | Band I | Band II | Band III | Band IV |
|---|--------------|-----------|-----------------|----------|----------|-------------|-------------|
| | | | | Channel | Channel | Channel | Channel |
| RF Output Power | 11a | 6 | BPSK | 48/44/36 | 64/60/52 | 140/116/100 | 165/157/149 |
| | 11n(20 MHz) | 6.5 | | 48/44/36 | 64/60/52 | 140/116/100 | 165/157/149 |
| | 11n(40 MHz) | 13.5 | | 46/38 | 62/54 | 134/118/102 | 159/151 |
| | 11ac(20 MHz) | 6.5 | | 48/44/36 | 64/60/52 | 140/116/100 | 165/157/149 |
| | 11ac(40 MHz) | 13.5 | | 46/38 | 62/54 | 134/118/102 | 159/151 |
| | 11ac(80 MHz) | 29.3 | | 42 | 58 | 122/106 | 155 |
| | 11ax(20 MHz) | 4 | | 48/44/36 | 64/60/52 | 140/116/100 | 165/157/149 |
| | 11ax(40 MHz) | 8 | | 46/38 | 62/54 | 134/118/102 | 159/151 |
| | 11ax(80 MHz) | 17 | | 42 | 58 | 122/106 | 155 |
| Emission Bandwidth & 99% Occupied Bandwidth | 11a | 6 | BPSK | 48/44/36 | 64/60/52 | 140/116/100 | 165/157/149 |
| | 11n(20 MHz) | 6.5 | | 48/44/36 | 64/60/52 | 140/116/100 | 165/157/149 |
| | 11n(40 MHz) | 13.5 | | 46/38 | 62/54 | 134/118/102 | 159/151 |
| | 11ac(20 MHz) | 6.5 | | 48/44/36 | 64/60/52 | 140/116/100 | 165/157/149 |
| | 11ac(40 MHz) | 13.5 | | 46/38 | 62/54 | 134/118/102 | 159/151 |
| | 11ac(80 MHz) | 29.3 | | 42 | 58 | 122/106 | 155 |
| | 11ax(20 MHz) | 4 | | 48/44/36 | 64/60/52 | 140/116/100 | 165/157/149 |
| | 11ax(40 MHz) | 8 | | 46/38 | 62/54 | 134/118/102 | 159/151 |
| | 11ax(80 MHz) | 17 | | 42 | 58 | 122/106 | 155 |
| 6 dB bandwidth | 11a | 6 | BPSK | N/A | N/A | N/A | 165/157/149 |
| | 11n(20 MHz) | 6.5 | | N/A | N/A | N/A | 165/157/149 |
| | 11n(40 MHz) | 13.5 | | N/A | N/A | N/A | 159/151 |
| | 11ac(20 MHz) | 6.5 | | N/A | N/A | N/A | 165/157/149 |
| | 11ac(40 MHz) | 13.5 | | N/A | N/A | N/A | 159/151 |
| | 11ac(80 MHz) | 29.3 | | N/A | N/A | N/A | 155 |
| | 11ax(20 MHz) | 4 | | N/A | N/A | N/A | 165/157/149 |
| | 11ax(40 MHz) | 8 | | N/A | N/A | N/A | 159/151 |
| | 11ax(80 MHz) | 17 | | N/A | N/A | N/A | 155 |
| Power Spectral Density | 11a | 6 | BPSK | 48/44/36 | 64/60/52 | 140/116/100 | 165/157/149 |
| | 11n(20 MHz) | 6.5 | | 48/44/36 | 64/60/52 | 140/116/100 | 165/157/149 |
| | 11n(40 MHz) | 13.5 | | 46/38 | 62/54 | 134/118/102 | 159/151 |
| | 11ac(20 MHz) | 6.5 | | 48/44/36 | 64/60/52 | 140/116/100 | 165/157/149 |
| | 11ac(40 MHz) | 13.5 | | 46/38 | 62/54 | 134/118/102 | 159/151 |
| | 11ac(80 MHz) | 29.3 | | 42 | 58 | 122/106 | 155 |
| | 11ax(20 MHz) | 4 | | 48/44/36 | 64/60/52 | 140/116/100 | 165/157/149 |
| | 11ax(40 MHz) | 8 | | 46/38 | 62/54 | 134/118/102 | 159/151 |
| | 11ax(80 MHz) | 17 | | 42 | 58 | 122/106 | 155 |
| Radiated Spurious Emissions | 11a | 6 | BPSK | 48/44/36 | 64/60/52 | 140/116/100 | 165/157/149 |
| | 11n(20 MHz) | 6.5 | | 48/44/36 | 64/60/52 | 140/116/100 | 165/157/149 |
| | 11n(40 MHz) | 13.5 | | 46/38 | 62/54 | 134/118/102 | 159/151 |
| | 11ac(20 MHz) | 6.5 | | 48/44/36 | 64/60/52 | 140/116/100 | 165/157/149 |
| | 11ac(40 MHz) | 13.5 | | 46/38 | 62/54 | 134/118/102 | 159/151 |
| | 11ac(80 MHz) | 29.3 | | 42 | 58 | 122/106 | 155 |
| | 11ax(20 MHz) | 4 | | 48/44/36 | 64/60/52 | 140/116/100 | 165/157/149 |
| | | | | 48/44/36 | 64/60/52 | 140/116/100 | 165/157/149 |

| | | | | | | | |
|------------------------------------|--------------|------|------|----------|----------|-------------|-------------|
| | 11ax(40 MHz) | 8 | | 46/38 | 62/54 | 134/118/102 | 159/151 |
| | 11ax(80 MHz) | 17 | | 42 | 58 | 122/106 | 155 |
| Band Edge (Restricted -band) | 11a | 6 | BPSK | 48/44/36 | 64/60/52 | 140/116/100 | 165/157/149 |
| | 11n(20 MHz) | 6.5 | | 48/44/36 | 64/60/52 | 140/116/100 | 165/157/149 |
| | 11n(40 MHz) | 13.5 | | 46/38 | 62/54 | 134/118/102 | 159/151 |
| | 11ac(20 MHz) | 6.5 | | 48/44/36 | 64/60/52 | 140/116/100 | 165/157/149 |
| | 11ac(40 MHz) | 13.5 | | 46/38 | 62/54 | 134/118/102 | 159/151 |
| | 11ac(80 MHz) | 29.3 | | 42 | 58 | 122/106 | 155 |
| | 11ax(20 MHz) | 4 | | 48/44/36 | 64/60/52 | 140/116/100 | 165/157/149 |
| | 11ax(40 MHz) | 8 | | 46/38 | 62/54 | 134/118/102 | 159/151 |
| | 11ax(80 MHz) | 17 | | 42 | 58 | 122/106 | 155 |

3 SUMMARY OF TEST RESULTS

3.1 Test Standards

| No. | Identity | Document Title |
|-----|--|--|
| 1 | 47 CFR Part 15 Subpart E (10-1-16 Edition) | Unlicensed National Information Infrastructure Devices |
| 2 | KDB Publication 789033 D02v02r01 | Guidelines for Compliance Testing of Unlicensed National Information Infrastructure (U-NII) Devices Part 15, Subpart E |
| 3 | KDB Publication 662911 D01v02r01 | Emissions Testing of Transmitters with Multiple Outputs in the Same Band (e.g., MIMO, Smart Antenna, etc) |
| 4 | ANSI C63.10-2013 | American National Standard for Testing Unlicensed Wireless Devices |

3.2 Verdict

| No. | Description | FCC Part No. | Test Result | Verdict |
|-----|--|--------------|-------------|-----------------------|
| 1 | Antenna Requirement | 15.203 | -- | Pass ^{Note1} |
| 2 | RF Output Power | 15.407(a) | ANNEX A.1 | Pass |
| 3 | Emission Bandwidth & 99% Occupied Bandwidth | 15.407(a) | ANNEX A.2 | Pass |
| 4 | 6 dB bandwidth | 15.407(e) | ANNEX A.3 | Pass |
| 5 | Power Spectral Density | 15.407(a) | ANNEX A.4 | Pass |
| 6 | Conducted Emission | 15.207 | ANNEX A.5 | Pass |
| 7 | Radiated Spurious Emissions and Band Edge (Restricted-band) | 15.407(b) | ANNEX A.6 | Pass |
| 8 | Receiver Spurious Emissions | -- | -- | N/A ^{Note2} |

Note¹: The EUT has a permanently and irreplaceable attached antenna, which complies with the requirement FCC 15.203.

Note²: Only radio communication receivers operating in stand-alone mode within the U-NII-30-960 MHz, as well as scanner receivers, are subject to Industry Canada requirements, so this test is not applicable.

Note³: Under all normal operating conditions specified in the user manual, frequency stability can keep radiation within the operating frequency band.

Note⁴: There are two forms of this product: it supports dual SIM cards in some regions or operators; while in other regions or operators supports single cards. When supports dual SIM cards, SIM1 and SIM2 are based on the same radio frequency module, and the working mechanism is dual-standby with single-pass, which means SIM1 and SIM2 cannot work at the same time in the communication mode; When only supports a single SIM card, other software and hardware are consistent with the status that supports dual cards.

4 GENERAL TEST CONFIGURATIONS

4.1 Test Environments

During the measurement, the normal environmental conditions were within the listed ranges:

| | | |
|----------------------------|-------------------------|----------------|
| Relative Humidity | 45% to 55% | |
| Atmospheric Pressure | 100 kPa to 102 kPa | |
| Temperature | NT (Normal Temperature) | +22°C to +25°C |
| | LT (Low Temperature) | 0°C |
| | HT (High Temperature) | +35°C |
| Working Voltage of the EUT | NV (Normal Voltage) | 7.74 V |
| | LV (Low Voltage) | 6.00 V |
| | HV (High Voltage) | 8.90 V |

4.2 Test Equipment List

| Description | Manufacturer | Model | Serial No. | Cal. Date | Cal. Due |
|-----------------------------------|-------------------------|-------------------|------------|------------|------------|
| Spectrum Analyzer | ROHDE&SCHWARZ | FSV-30 | 103118 | 2020.06.08 | 2021.06.07 |
| Switch Unit with OSP-B157 | ROHDE&SCHWARZ | OSP120 | 101270 | 2020.06.08 | 2021.06.07 |
| EMI Receiver | KEYSIGHT | N9038A | MY53220118 | 2020.06.09 | 2021.06.08 |
| EMI Receiver | ROHDE&SCHWARZ | ESRP | 101036 | 2020.06.09 | 2021.06.08 |
| LISN | SCHWARZBECK | NSLK 8127 | 8127-687 | 2020.06.09 | 2021.06.08 |
| Bluetooth Tester | ROHDE&SCHWARZ | CBT | 101005 | 2020.06.08 | 2021.06.07 |
| DC Power Supply | ROHDE&SCHWARZ | HMP2020 | 018141664 | 2020.06.08 | 2021.06.07 |
| Power Splitter | KMW | DCPD-LDC | 1305003215 | -- | -- |
| Power Sensor | ROHDE&SCHWARZ | NRP-Z21 | 103971 | 2020.06.08 | 2021.06.07 |
| Attenuator (20 dB) | KMW | ZA-S1-201 | 110617091 | -- | -- |
| Attenuator (6 dB) | KMW | ZA-S1-61 | 1305003189 | -- | -- |
| Temperature Chamber | AHK | SP20 | 1412 | 2020.06.10 | 2021.06.09 |
| Test Antenna-Loop(9 kHz-30 MHz) | SCHWARZBECK | FMZB 1519 | 1519-037 | 2019.10.29 | 2021.10.28 |
| Test Antenna-Bi-Log(30 MHz-3 GHz) | SCHWARZBECK | VULB 9163 | 9163-624 | 2019.07.02 | 2021.07.01 |
| Test Antenna-Horn(1-18 GHz) | SCHWARZBECK | BBHA 9120D | 9120D-1917 | 2019.07.02 | 2021.07.01 |
| Test Antenna-Horn (18-40 GHz) | A-INFO | LB-180400KF | J211060273 | 2019.01.06 | 2021.01.05 |
| Anechoic Chamber | RAINFORD | 9m*6m*6m | N/A | 2017.02.21 | 2022.02.20 |
| Anechoic Chamber | EMC Electronic Co., Ltd | 20.10*11.60*7.35m | N/A | 2018.08.08 | 2021.08.07 |
| Shielded Enclosure | ChangNing | CN-130701 | 130703 | -- | -- |
| Signal Generator | ROHDE&SCHWARZ | SMB100A | 177746 | 2020.06.08 | 2021.06.07 |
| Power Amplifier | OPHIR RF | 5225F | 1037 | 2020.02.19 | 2021.02.18 |
| Power Amplifier | OPHIR RF | 5273F | 1016 | 2020.02.19 | 2021.02.18 |
| Directional Coupler | Werlantone | C5982-10 | 109275 | N/A | N/A |
| Directional Coupler | Werlantone | CHP-273E | S00801z-01 | N/A | N/A |

| Description | Manufacturer | Model | Serial No. | Cal. Date | Cal. Due |
|-------------------|--------------|------------|------------|------------|------------|
| Sound Level Meter | B&K | NL-20 | 00844023 | 2020.10.23 | 2021.10.22 |
| Ear Simulator | B&K | 4192-L-001 | 3038758 | 2020.02.19 | 2021.02.18 |
| Audio analyzer | B&K | UPL 16 | 100129 | 2020.02.28 | 2021.02.27 |

4.3 Measurement Uncertainty


The following measurement uncertainty levels have been estimated for tests performed on the EUT as specified in CISPR 16-4-2.

This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.

| Measurement | Value |
|-----------------------------------|---------|
| Occupied Channel Bandwidth | ±4% |
| RF output power, conducted | ±1.4 dB |
| Power Spectral Density, conducted | ±2.5 dB |
| Unwanted Emissions, conducted | ±2.8 dB |
| All emissions, radiated | ±5.4 dB |
| Temperature | ±1°C |
| Humidity | ±4% |


4.4 Description of Test Setup

4.4.1 For Antenna Port Test




(Diagram 1)

4.4.2 For AC Power Supply Port Test




(Diagram 2)

4.4.3 For Radiated Test (Below 30 MHz)




(Diagram 3)

4.4.4 For Radiated Test (30 MHz-1 GHz)



(Diagram 4)

4.4.5 For Radiated Test (Above 1 GHz)



(Diagram 5)

5 TEST ITEMS

5.1 RF Output Power

5.1.1 Test Limit

FCC §15.407(a)

The maximum conducted output power should not exceed:

| Frequency Band (MHz) | Limit |
|--|--|
| 5150-5250 | 250 mW |
| 5250-5350 | 250 mW or 11 dBm + 10log B, whichever is less. |
| 5470-5725 | 250 mW or 11 dBm + 10log B, whichever is less. |
| 5725-5850 | 1 W |
| Note: Where "B" is the 26 dB emissions bandwidth in MHz. | |

RSS-247, 6.2

The maximum conducted output power shall not exceed:

| Frequency Band (MHz) | Limit |
|--|--|
| 5150-5250 | N/A |
| 5250-5350 | 250 mW or 11 dBm + 10log B, whichever is less. |
| 5470-5725 | 250 mW or 11 dBm + 10log B, whichever is less. |
| 5725-5850 | 1 W |
| Note: Where "B" is the 99% emissions bandwidth in MHz. | |

The maximum e.i.r.p. shall not exceed:

| Frequency Band (MHz) | Limit |
|--|--|
| 5150-5250 | 200 mW or 10 dBm + 10log B, whichever is less. |
| 5250-5350 | 1W or 17 dBm + 10log B, whichever is less. |
| 5470-5725 | 1W or 17 dBm + 10log B, whichever is less. |
| 5725-5850 | N/A |
| Note: Where "B" is the 99% emissions bandwidth in MHz. | |

5.1.2 Test Setup

The section 4.4.1 (Diagram 1) test setup description was used for this test. The photo of test setup please refer to ANNEX B.

5.1.3 Test Procedure

The maximum peak conducted output power may be measured using a broadband Average RF power meter. The power meter shall have a video bandwidth that is greater than or equal to the emission bandwidth and utilize a fast-responding diode detector.

The E.I.R.P used radiated test method. At a test site that has been validated using the procedures of ANSI C63.4 or the latest CISPR 16-1-4 for measurements above 1 GHz, so as to simulate a near free-space environment.

5.1.4 Test Result

Please refer to ANNEX A.1.

5.2 Emission Bandwidth and 6 dB Bandwidth

5.2.1 Limit

FCC §15.407(a), RSS-247, 6.2

Within the 5.725-5.85 GHz band, the minimum 6 dB bandwidth of U-NII devices shall be at least 500 kHz.

5.2.2 Test Setup

The test setup photo please refer to 4.4.1 (Diagram 1) test setup description was used for this test. The photo of test setup please refer to ANNEX B.

5.2.3 Test Procedure

Emission bandwidth

1. Set RBW = approximately 1% of the emission bandwidth.
2. Set VBW $\geq 3 \times$ RBW,
3. Detector = Peak.
4. Trace mode = Max hold.
5. Measure the maximum width of the emission that is 26 dB down from the peak of the emission.

Occupied Bandwidth

1. Set Span = 1.5 times to 5.0 times the OBW
2. Set RBW = 1% to 5% of the OBW.
3. Set VBW $\geq 3 \times$ RBW, Detector = Peak.
4. Trace mode = Max hold.
5. Use the 99% power bandwidth function of the instrument.

6 dB bandwidth

1. Set RBW = 100 kHz, VBW = 300 kHz.
2. Detector = Peak. Trace mode = Max hold.
3. Allow the trace to stabilize.
4. Measure the maximum width of the emission that is constrained by the frequencies associated with the two outermost amplitude points (upper and lower frequencies) that are attenuated by 6 dB relative to the maximum level measured in the fundamental emission.

5.2.4 Test Result

Please refer to ANNEX A.2 and ANNEX A.3.

5.3 Power Spectral density (PSD)

5.3.1 Limit

FCC §15.407(a)

The maximum power spectral density should not exceed:

| Frequency Band (MHz) | Limit |
|----------------------|---------------|
| 5150-5250 | 11 dBm/MHz |
| 5250-5350 | 11 dBm/MHz |
| 5470-5725 | 11 dBm/MHz |
| 5725-5850 | 30 dBm/500kHz |

RSS-247, 6.2

The maximum power spectral density should not exceed:

| Frequency Band (MHz) | Limit |
|----------------------|---------------|
| 5150-5250 | N/A |
| 5250-5350 | 11 dBm/MHz |
| 5470-5725 | 11 dBm/MHz |
| 5725-5850 | 30 dBm/500kHz |

The e.i.r.p. spectral density should not exceed:

| Frequency Band (MHz) | Limit |
|----------------------|------------|
| 5150-5250 | 10 dBm/MHz |
| 5250-5350 | N/A |
| 5470-5725 | N/A |
| 5725-5850 | N/A |

5.3.2 Test Setup

The section 4.4.1 (Diagram 1) test setup description was used for this test. The photo of test setup please refer to ANNEX B.

5.3.3 Test Procedure

Set the spectrum analyzer or EMI receiver span to view the entire emission bandwidth.

1. Set RBW = 510 kHz/1 MHz, VBW $\geq 3 \times$ RBW, Sweep time = Auto, Detector = RMS.
2. Allow the sweeps to continue until the trace stabilizes.
3. Use the peak marker function to determine the maximum amplitude level.
4. The E.I.R.P spectral density used radiated test method. At a test site that has been validated using the procedures of ANSI C63.4 or the latest CISPR 16-1-4 for measurements above 1 GHz, so as to simulate a near free-space environment.

5.3.4 Test Result

Please refer to ANNEX A.4.

5.4 Conducted Emission

5.4.1 Limit

FCC §15.207, RSS-GEN, 8.8

For an intentional radiator that is designed to be connected to the public utility (AC) power line, the radio frequency voltage that is conducted back onto the AC power line on any frequency within the U-NII-150 kHz to 30 MHz shall not exceed the limits in the following table, as measured using a 50 μ H/50 Ω line impedance stabilization network (LISN).

| Frequency range (MHz) | Conducted Limit (dB μ V) | |
|--------------------------|------------------------------|----------|
| | Quai-peak | Average |
| 0.15 - 0.50 | 66 to 56 | 56 to 46 |
| 0.50 - 5 | 56 | 46 |
| 0.50 - 30 | 60 | 50 |

5.4.2 Test Setup

The section 4.4.2 (Diagram 2) test setup description was used for this test. The photo of test setup please refer to ANNEX B.

5.4.3 Test Procedure

The maximum conducted interference is searched using Peak (PK), if the emission levels more than the AV and QP limits, and that have narrow margins from the AV and QP limits will be re-measured with AV and QP detectors. Tests for both L phase and N phase lines of the power mains connected to the EUT are performed. Refer to recorded points and plots below.

5.4.4 Test Result

Please refer to ANNEX A.5.

5.5 Radiated Spurious Emissions and Band Edge (Restricted-band)

5.5.1 Limit

FCC §15.209 & 15.407(b), RSS-247, 6.2

| Frequency (MHz) | Field Strength ($\mu\text{V}/\text{m}$) | Measurement Distance (m) |
|-----------------|---|--------------------------|
| 0.009 - 0.490 | 2400/F(kHz) | 300 |
| 0.490 - 1.705 | 24000/F(kHz) | 30 |
| 1.705 - 30.0 | 30 | 30 |
| 30 - 88 | 100 | 3 |
| 88 - 216 | 150 | 3 |
| 216 - 960 | 200 | 3 |
| Above 960 | 500 | 3 |

Note¹: The Limit for radiated test was performed according to FCC Part 15C

Note²: The tighter limit applies at the band edge.

| Un-restricted band emissions | |
|------------------------------|--|
| Out Operating Band (MHz) | Limit |
| 5150 - 5250 | e.i.r.p. -27 dBm (68.2 dBuV/m@3m) |
| 5250 - 5350 | e.i.r.p. -27 dBm (68.2 dBuV/m@3m) |
| 5470 - 5725 | e.i.r.p. -27 dBm (68.2 dBuV/m@3m) |
| 5725 - 5850 | <p>All emissions shall be limited to a level of -27 dBm/MHz at 75 MHz or more above or below the band edge increasing linearly to 10 dBm/MHz at 25 MHz above or below the band edge, and from 25 MHz above or below the band edge increasing linearly to a level of 15.6 dBm/MHz at 5 MHz above or below the band edge, and from 5 MHz above or below the band edge increasing linearly to a level of 27 dBm/MHz at the band edge.</p> |

Note: The following formula is used to convert the equipment isotropic radiated power (eirp) to field strength.

5.5.2 Test Setup

The section 4.4.3-4.4.5 (Diagram 3 - Diagram 5) test setup description was used for this test. The photo of test

setup please refer to ANNEX B.

5.5.3 Test Procedure

Since the emission limits are specified in terms of radiated field strength levels, measurements performed to demonstrate compliance have traditionally relied on a radiated test configuration. Radiated measurements remain the principal method for demonstrating compliance to the specified limits; however antenna-port conducted measurements are also now acceptable to demonstrate compliance (see below for details). When radiated measurements are utilized, test site requirements and procedures for maximizing and measuring radiated emissions that are described in ANSI C63.10 shall be followed.

Antenna-port conducted measurements may also be used as an alternative to radiated measurements for demonstrating compliance in the restricted frequency bands. If conducted measurements are performed, then proper impedance matching must be ensured and an additional radiated test for cabinet/case spurious emissions is required.

General Procedure for conducted measurements in restricted bands

- a) Measure the conducted output power (in dBm) using the detector specified (see guidance regarding measurement procedures for determining quasi-peak, peak, and average conducted output power, respectively).
- b) Add the maximum transmit antenna gain (in dBi) to the measured output power level to determine the EIRP level (see guidance on determining the applicable antenna gain)
- c) Add the appropriate maximum ground reflection factor to the EIRP level (6 dB for frequencies ≤ 30 MHz, 4.7 dB for frequencies between 30 MHz and 1000 MHz, inclusive and 0 dB for frequencies > 1000 MHz).
- d) For devices with multiple antenna-ports, measure the power of each individual chain and sum the EIRP of all chains in linear terms (e.g., Watts, mW).
- e) Convert the resultant EIRP level to an equivalent electric field strength using the following relationship:

$$E = \text{EIRP} - 20\log D + 104.8$$

where:

E = electric field strength in dB μ V/m,

EIRP = equivalent isotropic radiated power in dBm

D = specified measurement distance in meters.

- f) Compare the resultant electric field strength level to the applicable limit.
- g) Perform radiated spurious emission test.

Quasi-Peak measurement procedure

The specifications for measurements using the CISPR quasi-peak detector can be found in Publication 16 of the International Special Committee on Radio Frequency Interference (CISPR) of the International Electrotechnical Commission.

As an alternative to CISPR quasi-peak measurement, compliance can be demonstrated to the applicable emission limits using a peak detector.

Peak power measurement procedure

Peak emission levels are measured by setting the instrument as follows:

- a) RBW = as specified in Table 1.
- b) VBW $\geq 3 \times$ RBW.
- c) Detector = Peak.
- d) Sweep time = auto.
- e) Trace mode = max hold.
- f) Allow sweeps to continue until the trace stabilizes. (Note that the required measurement time may be longer for low duty cycle applications).

Table 1—RBW as a function of frequency

| Frequency | RBW |
|-------------|-------------|
| 9-150 kHz | 200-300 Hz |
| 0.15-30 MHz | 9-10 kHz |
| 30-1000 MHz | 100-120 kHz |
| > 1000 MHz | 1 MHz |

If the peak-detected amplitude can be shown to comply with the average limit, then it is not necessary to perform a separate average measurement.

Trace averaging across on and off times of the EUT transmissions followed by duty cycle correction

If continuous transmission of the EUT (i.e., duty cycle ≥ 98 percent) cannot be achieved and the duty cycle is constant (i.e., duty cycle variations are less than ± 2 percent), then the following procedure shall be used:

- a) The EUT shall be configured to operate at the maximum achievable duty cycle.
- b) Measure the duty cycle, x, of the transmitter output signal as described in section 6.0.
- c) RBW = 1 MHz (unless otherwise specified).
- d) VBW $\geq 3 \times$ RBW.
- e) Detector = RMS, if span/(# of points in sweep) \leq (RBW/2). Satisfying this condition may require increasing the number of points in the sweep or reducing the span. If this condition cannot be satisfied, then the detector mode shall be set to peak.
- f) Averaging type = power (i.e., RMS).
 - 1) As an alternative, the detector and averaging type may be set for linear voltage averaging.
 - 2) Some instruments require linear display mode in order to use linear voltage averaging. Log or dB averaging shall not be used.
- g) Sweep time = auto.
- h) Perform a trace average of at least 100 traces.
- i) A correction factor shall be added to the measurement results prior to comparing to the emission limit in order to compute the emission level that would have been measured had the test been performed at 100 percent duty cycle. The correction factor is computed as follows:
 - 1) If power averaging (RMS) mode was used in step f), then the applicable correction factor is $10 \log(1/x)$, where x is the duty cycle.
 - 2) If linear voltage averaging mode was used in step f), then the applicable correction factor is $20 \log(1/x)$, where

x is the duty cycle.

3) If a specific emission is demonstrated to be continuous (≥ 98 percent duty cycle) rather than turning on and off with the transmit cycle, then no duty cycle correction is required for that emission.

NOTE: Reduction of the measured emission amplitude levels to account for operational duty factor is not permitted. Compliance is based on emission levels occurring during transmission - not on an average across on and off times of the transmitter.

Determining the applicable transmit antenna gain

A conducted power measurement will determine the maximum output power associated with a restricted band emission; however, in order to determine the associated EIRP level, the gain of the transmitting antenna (in dBi) must be added to the measured output power (in dBm).

Since the out-of-band characteristics of the EUT transmit antenna will often be unknown, the use of a conservative antenna gain value is necessary. Thus, when determining the EIRP based on the measured conducted power, the upper bound on antenna gain for a device with a single RF output shall be selected as the maximum in-band gain of the antenna across all operating bands, or 2 dBi, whichever is greater. However, for devices that operate in multiple frequency bands while using the same transmit antenna, the highest gain of the antenna within the operating band nearest in frequency to the restricted band emission being measured may be used in lieu of the overall highest gain when the emission is at a frequency that is within 20 percent of the nearest band edge frequency, but in no case shall a value less than 2 dBi be used.

See KDB 662911 for guidance on calculating the additional array gain term when determining the effective antenna gain for a EUT with multiple outputs occupying the same or overlapping frequency ranges in the same band.

Radiated spurious emission test

An additional consideration when performing conducted measurements of restricted band emissions is that unwanted emissions radiating from the EUT cabinet, control circuits, power leads, or intermediate circuit elements will likely go undetected in a conducted measurement configuration. To address this concern, a radiated test shall be performed to ensure that emissions emanating from the EUT cabinet (rather than the antenna port) also comply with the applicable limits.

For these cabinet radiated spurious emission measurements the EUT transmit antenna may be replaced with a termination matching the nominal impedance of the antenna. Procedures for performing radiated measurements are specified in ANSI C63.10. All detected emissions shall comply with the applicable limits.

The measurement frequency range is from 30 MHz to the 10th harmonic of the fundamental frequency. The Turn Table is actuated to turn from 0° to 360° , and both horizontal and vertical polarizations of the Test Antenna are used to find the maximum radiated power. Mid channels on all channel bandwidth verified. Only the worst RB size/offset presented.

The power of the EUT transmitting frequency should be ignored.

All Spurious Emission tests were performed in X, Y, Z axis direction. And only the worst axis test condition was recorded in this test report.

Use the following spectrum analyzer settings:

Span = wide enough to fully capture the emission being measured

RBW = 1 MHz for $f \geq 1$ GHz, 100 kHz for $f < 1$ GHz

VBW \geq RBW

Sweep = auto



Detector function = peak

Trace = max hold

5.5.4 Test Result

Please refer to ANNEX A.6.

ANNEX A TEST RESULT

A.1 RF Output Power

Note 1: For FCC standard, if transmitting antennas of directional gain greater than 6 dBi are used, all band maximum conducted output power shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

Note 2: All the configurations were pre tested, only the worst configuration has been reported in this report.

Test Data

Conducted Power

Main Antenna

| Band I (5150 - 5250 MHz) | | | | | |
|--------------------------|---------|-----------------------|----------------------|----------------|---------|
| Mode | Channel | Conducted Power (dBm) | Conducted Power (mW) | FCC Limit (mW) | Verdict |
| 11a | CH36 | 17.59 | 57.35 | 250 | Pass |
| 11a | CH44 | 17.69 | 58.68 | 250 | Pass |
| 11a | CH48 | 17.79 | 60.05 | 250 | Pass |
| 11n (HT20) | CH36 | 15.37 | 34.47 | 250 | Pass |
| 11n (HT20) | CH44 | 17.46 | 55.77 | 250 | Pass |
| 11n (HT20) | CH48 | 17.56 | 57.07 | 250 | Pass |
| 11n (HT40) | CH38 | 17.93 | 62.08 | 250 | Pass |
| 11n (HT40) | CH46 | 17.90 | 61.66 | 250 | Pass |
| 11ac (VHT20) | CH36 | 15.36 | 34.39 | 250 | Pass |
| 11ac (VHT20) | CH44 | 17.46 | 55.77 | 250 | Pass |
| 11ac (VHT20) | CH48 | 17.55 | 56.94 | 250 | Pass |
| 11ac (VHT40) | CH38 | 17.91 | 61.80 | 250 | Pass |
| 11ac (VHT40) | CH46 | 17.90 | 61.66 | 250 | Pass |
| 11ac (VHT80) | CH42 | 17.68 | 58.67 | 250 | Pass |
| 11ax (HE20)-SU | CH36 | 17.52 | 56.49 | 250 | Pass |
| 11ax (HE20)-SU | CH44 | 17.62 | 57.80 | 250 | Pass |
| 11ax (HE20)-SU | CH48 | 17.67 | 58.47 | 250 | Pass |
| 11ax (HE40)-SU | CH38 | 17.79 | 60.12 | 250 | Pass |
| 11ax (HE40)-SU | CH46 | 17.74 | 59.43 | 250 | Pass |
| 11ax (HE80)-SU | CH42 | 17.72 | 59.18 | 250 | Pass |
| 11ax (HE20)-RU26 | CH36 | 5.88 | 3.87 | 250 | Pass |
| 11ax (HE20)-RU26 | CH44 | 6.04 | 4.02 | 250 | Pass |
| 11ax (HE20)-RU26 | CH48 | 6.33 | 4.29 | 250 | Pass |
| 11ax (HE40)-RU26 | CH38 | 5.82 | 3.82 | 250 | Pass |
| 11ax (HE40)-RU26 | CH46 | 5.99 | 3.97 | 250 | Pass |
| 11ax (HE80)-RU26 | CH42 | 6.08 | 4.06 | 250 | Pass |

| Band II (5250 - 5350 MHz) | | | | | |
|---------------------------|---------|-----------------------|----------------------|----------------|---------|
| Mode | Channel | Conducted Power (dBm) | Conducted Power (mW) | FCC Limit (mW) | Verdict |
| 11a | CH52 | 17.80 | 60.19 | 236 | Pass |
| 11a | CH60 | 17.84 | 60.75 | 238 | Pass |
| 11a | CH64 | 17.89 | 61.45 | 238 | Pass |
| 11n (HT20) | CH52 | 14.62 | 29.00 | 250 | Pass |
| 11n (HT20) | CH60 | 17.65 | 58.27 | 250 | Pass |
| 11n (HT20) | CH64 | 17.71 | 59.08 | 250 | Pass |
| 11n (HT40) | CH54 | 18.07 | 64.12 | 250 | Pass |
| 11n (HT40) | CH62 | 17.99 | 62.95 | 250 | Pass |
| 11ac (VHT20) | CH52 | 18.21 | 66.22 | 250 | Pass |
| 11ac (VHT20) | CH60 | 15.11 | 32.47 | 250 | Pass |
| 11ac (VHT20) | CH64 | 17.68 | 58.67 | 250 | Pass |
| 11ac (VHT40) | CH54 | 17.70 | 58.94 | 250 | Pass |
| 11ac (VHT40) | CH62 | 18.07 | 64.12 | 250 | Pass |
| 11ac (VHT80) | CH58 | 18.00 | 63.09 | 250 | Pass |
| 11ax (HE20)-SU | CH52 | 18.21 | 66.22 | 250 | Pass |
| 11ax (HE20)-SU | CH60 | 17.84 | 60.87 | 250 | Pass |
| 11ax (HE20)-SU | CH64 | 17.75 | 59.62 | 250 | Pass |
| 11ax (HE40)-SU | CH54 | 17.76 | 59.69 | 250 | Pass |
| 11ax (HE40)-SU | CH62 | 17.79 | 60.11 | 250 | Pass |
| 11ax (HE80)-SU | CH58 | 17.87 | 61.23 | 250 | Pass |
| 11ax (HE20)-RU26 | CH52 | 17.94 | 62.23 | 250 | Pass |
| 11ax (HE20)-RU26 | CH60 | 17.85 | 60.95 | 250 | Pass |
| 11ax (HE20)-RU26 | CH64 | 18.07 | 64.12 | 250 | Pass |
| 11ax (HE40)-RU26 | CH54 | 17.83 | 60.70 | 250 | Pass |
| 11ax (HE40)-RU26 | CH62 | 17.78 | 60.01 | 250 | Pass |
| 11ax (HE80)-RU26 | CH58 | 6.32 | 4.28 | 250 | Pass |

| Band III (5470 - 5725 MHz) | | | | | |
|----------------------------|---------|-----------------------|----------------------|----------------|---------|
| Mode | Channel | Conducted Power (dBm) | Conducted Power (mW) | FCC Limit (mW) | Verdict |
| 11a | CH100 | 17.80 | 60.19 | 238 | Pass |
| 11a | CH116 | 17.84 | 60.75 | 235 | Pass |
| 11a | CH140 | 17.89 | 61.45 | 235 | Pass |
| 11n (HT20) | CH100 | 14.62 | 29.00 | 247 | Pass |
| 11n (HT20) | CH116 | 17.65 | 58.27 | 250 | Pass |
| 11n (HT20) | CH140 | 17.71 | 59.08 | 250 | Pass |
| 11n (HT40) | CH102 | 18.07 | 64.12 | 250 | Pass |
| 11n (HT40) | CH118 | 17.99 | 62.95 | 250 | Pass |
| 11n (HT40) | CH134 | 18.21 | 66.22 | 250 | Pass |
| 11ac (VHT20) | CH100 | 15.11 | 32.47 | 249 | Pass |
| 11ac (VHT20) | CH116 | 17.68 | 58.67 | 250 | Pass |
| 11ac (VHT20) | CH140 | 17.70 | 58.94 | 250 | Pass |
| 11ac (VHT40) | CH102 | 18.07 | 64.12 | 250 | Pass |
| 11ac (VHT40) | CH118 | 18.00 | 63.09 | 250 | Pass |
| 11ac (VHT40) | CH134 | 18.21 | 66.22 | 250 | Pass |
| 11ac (VHT80) | CH106 | 17.84 | 60.87 | 250 | Pass |
| 11ac (VHT80) | CH122 | 17.75 | 59.62 | 250 | Pass |
| 11ax (HE20)-SU | CH100 | 17.76 | 59.69 | 250 | Pass |
| 11ax (HE20)-SU | CH116 | 17.79 | 60.11 | 250 | Pass |
| 11ax (HE20)-SU | CH140 | 17.87 | 61.23 | 250 | Pass |
| 11ax (HE40)-SU | CH102 | 17.94 | 62.23 | 250 | Pass |
| 11ax (HE40)-SU | CH118 | 17.85 | 60.95 | 250 | Pass |
| 11ax (HE40)-SU | CH134 | 18.07 | 64.12 | 250 | Pass |
| 11ax (HE80)-SU | CH106 | 17.83 | 60.70 | 250 | Pass |
| 11ax (HE80)-SU | CH122 | 17.78 | 60.01 | 250 | Pass |
| 11ax (HE20)-RU26 | CH100 | 6.32 | 4.28 | 250 | Pass |
| 11ax (HE20)-RU26 | CH116 | 6.50 | 4.47 | 250 | Pass |
| 11ax (HE20)-RU26 | CH140 | 6.73 | 4.71 | 250 | Pass |
| 11ax (HE40)-RU26 | CH102 | 6.48 | 4.45 | 250 | Pass |
| 11ax (HE40)-RU26 | CH118 | 6.44 | 4.41 | 250 | Pass |
| 11ax (HE40)-RU26 | CH134 | 6.56 | 4.53 | 250 | Pass |
| 11ax (HE80)-RU26 | CH106 | 6.81 | 4.80 | 250 | Pass |
| 11ax (HE80)-RU26 | CH122 | 6.63 | 4.60 | 250 | Pass |

| Band IV (5725 - 5850 MHz) | | | | | |
|---------------------------|---------|-----------------------|----------------------|----------------|---------|
| Mode | Channel | Conducted Power (dBm) | Conducted Power (mW) | FCC Limit (mW) | Verdict |
| 11a | CH149 | 11.61 | 14.47 | 1000 | Pass |
| 11a | CH157 | 11.44 | 13.92 | 1000 | Pass |
| 11a | CH165 | 11.74 | 14.91 | 1000 | Pass |
| 11n (HT20) | CH149 | 11.42 | 13.88 | 1000 | Pass |
| 11n (HT20) | CH157 | 11.21 | 13.23 | 1000 | Pass |
| 11n (HT20) | CH165 | 11.54 | 14.27 | 1000 | Pass |
| 11n (HT40) | CH151 | 11.72 | 14.86 | 1000 | Pass |
| 11n (HT40) | CH159 | 11.74 | 14.93 | 1000 | Pass |
| 11ac (VHT20) | CH149 | 11.42 | 13.88 | 1000 | Pass |
| 11ac (VHT20) | CH157 | 11.23 | 13.29 | 1000 | Pass |
| 11ac (VHT20) | CH165 | 11.54 | 14.27 | 1000 | Pass |
| 11ac (VHT40) | CH151 | 11.70 | 14.79 | 1000 | Pass |
| 11ac (VHT40) | CH159 | 11.68 | 14.72 | 1000 | Pass |
| 11ac (VHT80) | CH155 | 11.41 | 13.85 | 1000 | Pass |
| 11ax (HE20)-SU | CH149 | 11.49 | 14.09 | 1000 | Pass |
| 11ax (HE20)-SU | CH157 | 11.34 | 13.61 | 1000 | Pass |
| 11ax (HE20)-SU | CH165 | 11.64 | 14.59 | 1000 | Pass |
| 11ax (HE40)-SU | CH151 | 11.55 | 14.29 | 1000 | Pass |
| 11ax (HE40)-SU | CH159 | 11.56 | 14.32 | 1000 | Pass |
| 11ax (HE80)-SU | CH155 | 11.44 | 13.94 | 1000 | Pass |
| 11ax (HE20)-RU26 | CH149 | 6.14 | 4.11 | 1000 | Pass |
| 11ax (HE20)-RU26 | CH157 | 5.99 | 3.97 | 1000 | Pass |
| 11ax (HE20)-RU26 | CH165 | 6.44 | 4.40 | 1000 | Pass |
| 11ax (HE40)-RU26 | CH151 | 6.10 | 4.07 | 1000 | Pass |
| 11ax (HE40)-RU26 | CH159 | 6.09 | 4.06 | 1000 | Pass |
| 11ax (HE80)-RU26 | CH155 | 6.21 | 4.18 | 1000 | Pass |

Aux. Antenna

| Band I (5150 - 5250 MHz) | | | | | |
|--------------------------|---------|-----------------------|----------------------|----------------|---------|
| Mode | Channel | Conducted Power (dBm) | Conducted Power (mW) | FCC Limit (mW) | Verdict |
| 11a | CH36 | 17.38 | 54.64 | 250 | Pass |
| 11a | CH44 | 17.26 | 53.15 | 250 | Pass |
| 11a | CH48 | 17.21 | 52.54 | 250 | Pass |
| 11n (HT20) | CH36 | 15.24 | 33.45 | 250 | Pass |
| 11n (HT20) | CH44 | 17.05 | 50.75 | 250 | Pass |
| 11n (HT20) | CH48 | 17.00 | 50.17 | 250 | Pass |
| 11n (HT40) | CH38 | 17.44 | 55.46 | 250 | Pass |
| 11n (HT40) | CH46 | 17.41 | 55.08 | 250 | Pass |
| 11ac (VHT20) | CH36 | 15.22 | 33.30 | 250 | Pass |
| 11ac (VHT20) | CH44 | 17.04 | 50.63 | 250 | Pass |
| 11ac (VHT20) | CH48 | 17.04 | 50.63 | 250 | Pass |
| 11ac (VHT40) | CH38 | 17.46 | 55.72 | 250 | Pass |
| 11ac (VHT40) | CH46 | 17.40 | 54.95 | 250 | Pass |
| 11ac (VHT80) | CH42 | 17.27 | 53.38 | 250 | Pass |
| 11ax (HE20)-SU | CH36 | 17.35 | 54.32 | 250 | Pass |
| 11ax (HE20)-SU | CH44 | 17.16 | 51.99 | 250 | Pass |
| 11ax (HE20)-SU | CH48 | 17.14 | 51.75 | 250 | Pass |
| 11ax (HE40)-SU | CH38 | 17.32 | 53.95 | 250 | Pass |
| 11ax (HE40)-SU | CH46 | 17.26 | 53.21 | 250 | Pass |
| 11ax (HE80)-SU | CH42 | 17.29 | 53.60 | 250 | Pass |
| 11ax (HE20)-RU26 | CH36 | 5.86 | 3.85 | 250 | Pass |
| 11ax (HE20)-RU26 | CH44 | 5.70 | 3.71 | 250 | Pass |
| 11ax (HE20)-RU26 | CH48 | 5.72 | 3.73 | 250 | Pass |
| 11ax (HE40)-RU26 | CH38 | 5.66 | 3.68 | 250 | Pass |
| 11ax (HE40)-RU26 | CH46 | 5.67 | 3.69 | 250 | Pass |
| 11ax (HE80)-RU26 | CH42 | 5.63 | 3.66 | 250 | Pass |

| Band II (5250 - 5350 MHz) | | | | | |
|---------------------------|---------|-----------------------|----------------------|----------------|---------|
| Mode | Channel | Conducted Power (dBm) | Conducted Power (mW) | FCC Limit (mW) | Verdict |
| 11a | CH52 | 17.24 | 52.91 | 242 | Pass |
| 11a | CH60 | 17.14 | 51.70 | 242 | Pass |
| 11a | CH64 | 17.10 | 51.23 | 242 | Pass |
| 11n (HT20) | CH52 | 17.00 | 50.17 | 250 | Pass |
| 11n (HT20) | CH60 | 16.94 | 49.48 | 250 | Pass |
| 11n (HT20) | CH64 | 16.92 | 49.25 | 250 | Pass |
| 11n (HT40) | CH54 | 17.37 | 54.57 | 250 | Pass |
| 11n (HT40) | CH62 | 17.31 | 53.82 | 250 | Pass |
| 11ac (VHT20) | CH52 | 17.00 | 50.17 | 250 | Pass |
| 11ac (VHT20) | CH60 | 16.93 | 49.36 | 250 | Pass |
| 11ac (VHT20) | CH64 | 16.90 | 49.02 | 250 | Pass |
| 11ac (VHT40) | CH54 | 17.37 | 54.57 | 250 | Pass |
| 11ac (VHT40) | CH62 | 17.28 | 53.45 | 250 | Pass |
| 11ac (VHT80) | CH58 | 17.15 | 51.93 | 250 | Pass |
| 11ax (HE20)-SU | CH52 | 17.08 | 51.04 | 250 | Pass |
| 11ax (HE20)-SU | CH60 | 17.04 | 50.58 | 250 | Pass |
| 11ax (HE20)-SU | CH64 | 17.02 | 50.34 | 250 | Pass |
| 11ax (HE40)-SU | CH54 | 17.22 | 52.72 | 250 | Pass |
| 11ax (HE40)-SU | CH62 | 17.14 | 51.76 | 250 | Pass |
| 11ax (HE80)-SU | CH58 | 17.15 | 51.90 | 250 | Pass |
| 11ax (HE20)-RU26 | CH52 | 5.70 | 3.71 | 250 | Pass |
| 11ax (HE20)-RU26 | CH60 | 5.68 | 3.70 | 250 | Pass |
| 11ax (HE20)-RU26 | CH64 | 5.86 | 3.85 | 250 | Pass |
| 11ax (HE40)-RU26 | CH54 | 5.65 | 3.67 | 250 | Pass |
| 11ax (HE40)-RU26 | CH62 | 5.65 | 3.67 | 250 | Pass |
| 11ax (HE80)-RU26 | CH58 | 5.59 | 3.62 | 250 | Pass |

| Band III (5470 - 5725 MHz) | | | | | |
|----------------------------|---------|-----------------------|----------------------|----------------|---------|
| Mode | Channel | Conducted Power (dBm) | Conducted Power (mW) | FCC Limit (mW) | Verdict |
| 11a | CH100 | 16.90 | 48.92 | 235 | Pass |
| 11a | CH116 | 16.99 | 49.95 | 235 | Pass |
| 11a | CH140 | 16.83 | 48.14 | 236 | Pass |
| 11n (HT20) | CH100 | 13.67 | 23.30 | 250 | Pass |
| 11n (HT20) | CH116 | 16.79 | 47.80 | 250 | Pass |
| 11n (HT20) | CH140 | 16.63 | 46.07 | 250 | Pass |
| 11n (HT40) | CH102 | 17.06 | 50.81 | 250 | Pass |
| 11n (HT40) | CH118 | 17.19 | 52.36 | 250 | Pass |
| 11n (HT40) | CH134 | 17.01 | 50.23 | 250 | Pass |
| 11ac (VHT20) | CH100 | 13.65 | 23.20 | 249 | Pass |
| 11ac (VHT20) | CH116 | 16.76 | 47.47 | 250 | Pass |
| 11ac (VHT20) | CH140 | 16.64 | 46.18 | 250 | Pass |
| 11ac (VHT40) | CH102 | 17.04 | 50.58 | 250 | Pass |
| 11ac (VHT40) | CH118 | 17.16 | 52.00 | 250 | Pass |
| 11ac (VHT40) | CH134 | 17.04 | 50.58 | 250 | Pass |
| 11ac (VHT80) | CH106 | 17.00 | 50.17 | 250 | Pass |
| 11ac (VHT80) | CH122 | 17.01 | 50.28 | 250 | Pass |
| 11ax (HE20)-SU | CH100 | 16.88 | 48.75 | 250 | Pass |
| 11ax (HE20)-SU | CH116 | 16.91 | 49.08 | 250 | Pass |
| 11ax (HE20)-SU | CH140 | 16.75 | 47.31 | 250 | Pass |
| 11ax (HE40)-SU | CH102 | 16.92 | 49.20 | 250 | Pass |
| 11ax (HE40)-SU | CH118 | 17.04 | 50.58 | 250 | Pass |
| 11ax (HE40)-SU | CH134 | 16.85 | 48.42 | 250 | Pass |
| 11ax (HE80)-SU | CH106 | 16.99 | 50.03 | 250 | Pass |
| 11ax (HE80)-SU | CH122 | 17.01 | 50.26 | 250 | Pass |
| 11ax (HE20)-RU26 | CH100 | 5.37 | 3.44 | 250 | Pass |
| 11ax (HE20)-RU26 | CH116 | 5.52 | 3.56 | 250 | Pass |
| 11ax (HE20)-RU26 | CH140 | 5.57 | 3.61 | 250 | Pass |
| 11ax (HE40)-RU26 | CH102 | 5.63 | 3.66 | 250 | Pass |
| 11ax (HE40)-RU26 | CH118 | 5.69 | 3.71 | 250 | Pass |
| 11ax (HE40)-RU26 | CH134 | 5.63 | 3.66 | 250 | Pass |
| 11ax (HE80)-RU26 | CH106 | 5.75 | 3.76 | 250 | Pass |
| 11ax (HE80)-RU26 | CH122 | 5.60 | 3.63 | 250 | Pass |

| Band IV (5725 - 5850 MHz) | | | | | |
|---------------------------|---------|-----------------------|----------------------|----------------|---------|
| Mode | Channel | Conducted Power (dBm) | Conducted Power (mW) | FCC Limit (mW) | Verdict |
| 11a | CH149 | 11.23 | 13.26 | 1000 | Pass |
| 11a | CH157 | 11.44 | 13.92 | 1000 | Pass |
| 11a | CH165 | 11.53 | 14.21 | 1000 | Pass |
| 11n (HT20) | CH149 | 11.02 | 12.66 | 1000 | Pass |
| 11n (HT20) | CH157 | 11.24 | 13.32 | 1000 | Pass |
| 11n (HT20) | CH165 | 11.31 | 13.53 | 1000 | Pass |
| 11n (HT40) | CH151 | 11.53 | 14.22 | 1000 | Pass |
| 11n (HT40) | CH159 | 11.71 | 14.82 | 1000 | Pass |
| 11ac (VHT20) | CH149 | 11.00 | 12.60 | 1000 | Pass |
| 11ac (VHT20) | CH157 | 11.24 | 13.32 | 1000 | Pass |
| 11ac (VHT20) | CH165 | 11.30 | 13.50 | 1000 | Pass |
| 11ac (VHT40) | CH151 | 11.53 | 14.22 | 1000 | Pass |
| 11ac (VHT40) | CH159 | 11.70 | 14.79 | 1000 | Pass |
| 11ac (VHT80) | CH155 | 11.40 | 13.82 | 1000 | Pass |
| 11ax (HE20)-SU | CH149 | 11.11 | 12.91 | 1000 | Pass |
| 11ax (HE20)-SU | CH157 | 11.34 | 13.61 | 1000 | Pass |
| 11ax (HE20)-SU | CH165 | 11.42 | 13.87 | 1000 | Pass |
| 11ax (HE40)-SU | CH151 | 11.37 | 13.71 | 1000 | Pass |
| 11ax (HE40)-SU | CH159 | 11.56 | 14.32 | 1000 | Pass |
| 11ax (HE80)-SU | CH155 | 11.45 | 13.97 | 1000 | Pass |
| 11ax (HE20)-RU26 | CH149 | 5.78 | 3.78 | 1000 | Pass |
| 11ax (HE20)-RU26 | CH157 | 5.95 | 3.93 | 1000 | Pass |
| 11ax (HE20)-RU26 | CH165 | 5.93 | 3.92 | 1000 | Pass |
| 11ax (HE40)-RU26 | CH151 | 5.95 | 3.94 | 1000 | Pass |
| 11ax (HE40)-RU26 | CH159 | 6.06 | 4.04 | 1000 | Pass |
| 11ax (HE80)-RU26 | CH155 | 6.08 | 4.06 | 1000 | Pass |

MIMO-Main Antenna

| Band I (5150 - 5250 MHz) | | | | | |
|--------------------------|---------|-----------------------|----------------------|----------------|---------|
| Mode | Channel | Conducted Power (dBm) | Conducted Power (mW) | FCC Limit (mW) | Verdict |
| 11a | CH36 | 17.34 | 54.14 | 250 | Pass |
| 11a | CH44 | 17.44 | 55.40 | 250 | Pass |
| 11a | CH48 | 17.54 | 56.69 | 250 | Pass |
| 11n (HT20) | CH36 | 13.08 | 20.34 | 250 | Pass |
| 11n (HT20) | CH44 | 17.19 | 52.41 | 250 | Pass |
| 11n (HT20) | CH48 | 17.29 | 53.63 | 250 | Pass |
| 11n (HT40) | CH38 | 17.64 | 58.07 | 250 | Pass |
| 11n (HT40) | CH46 | 17.62 | 57.81 | 250 | Pass |
| 11ac (VHT20) | CH36 | 15.08 | 32.24 | 250 | Pass |
| 11ac (VHT20) | CH44 | 17.11 | 51.45 | 250 | Pass |
| 11ac (VHT20) | CH48 | 17.23 | 52.90 | 250 | Pass |
| 11ac (VHT40) | CH38 | 17.58 | 57.28 | 250 | Pass |
| 11ac (VHT40) | CH46 | 17.59 | 57.41 | 250 | Pass |
| 11ac (VHT80) | CH42 | 17.34 | 54.25 | 250 | Pass |
| 11ax (HE20)-SU | CH36 | 17.15 | 51.87 | 250 | Pass |
| 11ax (HE20)-SU | CH44 | 17.25 | 53.08 | 250 | Pass |
| 11ax (HE20)-SU | CH48 | 17.34 | 54.19 | 250 | Pass |
| 11ax (HE40)-SU | CH38 | 17.45 | 55.59 | 250 | Pass |
| 11ax (HE40)-SU | CH46 | 17.41 | 55.08 | 250 | Pass |
| 11ax (HE80)-SU | CH42 | 17.37 | 54.60 | 250 | Pass |
| 11ax (HE20)-RU26 | CH36 | 4.95 | 3.13 | 250 | Pass |
| 11ax (HE20)-RU26 | CH44 | 5.17 | 3.29 | 250 | Pass |
| 11ax (HE20)-RU26 | CH48 | 5.50 | 3.55 | 250 | Pass |
| 11ax (HE40)-RU26 | CH38 | 4.89 | 3.08 | 250 | Pass |
| 11ax (HE40)-RU26 | CH46 | 5.20 | 3.31 | 250 | Pass |
| 11ax (HE80)-RU26 | CH42 | 5.65 | 3.67 | 250 | Pass |

| Band II (5250 - 5350 MHz) | | | | | |
|---------------------------|---------|-----------------------|----------------------|----------------|---------|
| Mode | Channel | Conducted Power (dBm) | Conducted Power (mW) | FCC Limit (mW) | Verdict |
| 11a | CH52 | 17.49 | 56.04 | 236 | Pass |
| 11a | CH60 | 17.52 | 56.43 | 238 | Pass |
| 11a | CH64 | 17.62 | 57.75 | 238 | Pass |
| 11n (HT20) | CH52 | 17.24 | 53.02 | 250 | Pass |
| 11n (HT20) | CH60 | 17.27 | 53.38 | 250 | Pass |
| 11n (HT20) | CH64 | 17.37 | 54.63 | 250 | Pass |
| 11n (HT40) | CH54 | 17.75 | 59.56 | 250 | Pass |
| 11n (HT40) | CH62 | 16.87 | 48.64 | 250 | Pass |
| 11ac (VHT20) | CH52 | 17.27 | 53.38 | 250 | Pass |
| 11ac (VHT20) | CH60 | 17.24 | 53.02 | 250 | Pass |
| 11ac (VHT20) | CH64 | 17.32 | 54.00 | 250 | Pass |
| 11ac (VHT40) | CH54 | 15.75 | 37.58 | 250 | Pass |
| 11ac (VHT40) | CH62 | 17.81 | 60.39 | 250 | Pass |
| 11ac (VHT80) | CH58 | 17.46 | 55.77 | 250 | Pass |
| 11ax (HE20)-SU | CH52 | 17.31 | 53.82 | 250 | Pass |
| 11ax (HE20)-SU | CH60 | 17.33 | 54.07 | 250 | Pass |
| 11ax (HE20)-SU | CH64 | 17.46 | 55.71 | 250 | Pass |
| 11ax (HE40)-SU | CH54 | 17.55 | 56.88 | 250 | Pass |
| 11ax (HE40)-SU | CH62 | 14.72 | 29.65 | 250 | Pass |
| 11ax (HE80)-SU | CH58 | 13.97 | 24.96 | 250 | Pass |
| 11ax (HE20)-RU26 | CH52 | 5.57 | 3.61 | 250 | Pass |
| 11ax (HE20)-RU26 | CH60 | 5.73 | 3.74 | 250 | Pass |
| 11ax (HE20)-RU26 | CH64 | 5.84 | 3.84 | 250 | Pass |
| 11ax (HE40)-RU26 | CH54 | 5.60 | 3.63 | 250 | Pass |
| 11ax (HE40)-RU26 | CH62 | 5.87 | 3.86 | 250 | Pass |
| 11ax (HE80)-RU26 | CH58 | 6.09 | 4.07 | 250 | Pass |

| Band III (5470 - 5725 MHz) | | | | | |
|----------------------------|---------|-----------------------|----------------------|----------------|---------|
| Mode | Channel | Conducted Power (dBm) | Conducted Power (mW) | FCC Limit (mW) | Verdict |
| 11a | CH100 | 14.68 | 29.34 | 238 | Pass |
| 11a | CH116 | 17.70 | 58.82 | 235 | Pass |
| 11a | CH140 | 17.76 | 59.64 | 235 | Pass |
| 11n (HT20) | CH100 | 11.48 | 14.07 | 247 | Pass |
| 11n (HT20) | CH116 | 17.52 | 56.55 | 250 | Pass |
| 11n (HT20) | CH140 | 16.60 | 45.75 | 250 | Pass |
| 11n (HT40) | CH102 | 17.97 | 62.66 | 250 | Pass |
| 11n (HT40) | CH118 | 17.90 | 61.66 | 250 | Pass |
| 11n (HT40) | CH134 | 18.15 | 65.31 | 250 | Pass |
| 11ac (VHT20) | CH100 | 12.39 | 17.35 | 249 | Pass |
| 11ac (VHT20) | CH116 | 17.43 | 55.39 | 250 | Pass |
| 11ac (VHT20) | CH140 | 15.99 | 39.76 | 250 | Pass |
| 11ac (VHT40) | CH102 | 17.87 | 61.23 | 250 | Pass |
| 11ac (VHT40) | CH118 | 17.84 | 60.81 | 250 | Pass |
| 11ac (VHT40) | CH134 | 18.04 | 63.68 | 250 | Pass |
| 11ac (VHT80) | CH106 | 17.64 | 58.13 | 250 | Pass |
| 11ac (VHT80) | CH122 | 17.60 | 57.60 | 250 | Pass |
| 11ax (HE20)-SU | CH100 | 17.53 | 56.62 | 250 | Pass |
| 11ax (HE20)-SU | CH116 | 17.59 | 57.40 | 250 | Pass |
| 11ax (HE20)-SU | CH140 | 15.61 | 36.39 | 250 | Pass |
| 11ax (HE40)-SU | CH102 | 15.75 | 37.58 | 250 | Pass |
| 11ax (HE40)-SU | CH118 | 17.72 | 59.16 | 250 | Pass |
| 11ax (HE40)-SU | CH134 | 17.95 | 62.37 | 250 | Pass |
| 11ax (HE80)-SU | CH106 | 14.66 | 29.25 | 250 | Pass |
| 11ax (HE80)-SU | CH122 | 17.59 | 57.44 | 250 | Pass |
| 11ax (HE20)-RU26 | CH100 | 6.34 | 4.30 | 250 | Pass |
| 11ax (HE20)-RU26 | CH116 | 6.77 | 4.75 | 250 | Pass |
| 11ax (HE20)-RU26 | CH140 | 7.14 | 5.18 | 250 | Pass |
| 11ax (HE40)-RU26 | CH102 | 6.59 | 4.56 | 250 | Pass |
| 11ax (HE40)-RU26 | CH118 | 6.66 | 4.63 | 250 | Pass |
| 11ax (HE40)-RU26 | CH134 | 6.92 | 4.92 | 250 | Pass |
| 11ax (HE80)-RU26 | CH106 | 6.88 | 4.88 | 250 | Pass |
| 11ax (HE80)-RU26 | CH122 | 6.74 | 4.72 | 250 | Pass |

| Band IV (5725 - 5850 MHz) | | | | | |
|---------------------------|---------|-----------------------|----------------------|----------------|---------|
| Mode | Channel | Conducted Power (dBm) | Conducted Power (mW) | FCC Limit (mW) | Verdict |
| 11a | CH149 | 11.38 | 13.73 | 1000 | Pass |
| 11a | CH157 | 11.19 | 13.14 | 1000 | Pass |
| 11a | CH165 | 11.46 | 13.98 | 1000 | Pass |
| 11n (HT20) | CH149 | 11.22 | 13.26 | 1000 | Pass |
| 11n (HT20) | CH157 | 11.05 | 12.75 | 1000 | Pass |
| 11n (HT20) | CH165 | 11.28 | 13.44 | 1000 | Pass |
| 11n (HT40) | CH151 | 11.58 | 14.39 | 1000 | Pass |
| 11n (HT40) | CH159 | 11.52 | 14.19 | 1000 | Pass |
| 11ac (VHT20) | CH149 | 11.16 | 13.07 | 1000 | Pass |
| 11ac (VHT20) | CH157 | 10.92 | 12.37 | 1000 | Pass |
| 11ac (VHT20) | CH165 | 11.21 | 13.23 | 1000 | Pass |
| 11ac (VHT40) | CH151 | 11.49 | 14.09 | 1000 | Pass |
| 11ac (VHT40) | CH159 | 11.40 | 13.80 | 1000 | Pass |
| 11ac (VHT80) | CH155 | 11.21 | 13.23 | 1000 | Pass |
| 11ax (HE20)-SU | CH149 | 11.26 | 13.36 | 1000 | Pass |
| 11ax (HE20)-SU | CH157 | 11.04 | 12.70 | 1000 | Pass |
| 11ax (HE20)-SU | CH165 | 11.35 | 13.64 | 1000 | Pass |
| 11ax (HE40)-SU | CH151 | 11.38 | 13.74 | 1000 | Pass |
| 11ax (HE40)-SU | CH159 | 11.31 | 13.52 | 1000 | Pass |
| 11ax (HE80)-SU | CH155 | 11.21 | 13.22 | 1000 | Pass |
| 11ax (HE20)-RU26 | CH149 | 6.54 | 4.51 | 1000 | Pass |
| 11ax (HE20)-RU26 | CH157 | 6.30 | 4.27 | 1000 | Pass |
| 11ax (HE20)-RU26 | CH165 | 6.61 | 4.58 | 1000 | Pass |
| 11ax (HE40)-RU26 | CH151 | 6.50 | 4.47 | 1000 | Pass |
| 11ax (HE40)-RU26 | CH159 | 6.37 | 4.34 | 1000 | Pass |
| 11ax (HE80)-RU26 | CH155 | 6.36 | 4.33 | 1000 | Pass |

MIMO-Aux. Antenna

| Band I (5150 - 5250 MHz) | | | | | |
|--------------------------|---------|-----------------------|----------------------|----------------|---------|
| Mode | Channel | Conducted Power (dBm) | Conducted Power (mW) | FCC Limit (mW) | Verdict |
| 11a | CH36 | 17.25 | 53.03 | 250 | Pass |
| 11a | CH44 | 17.05 | 50.64 | 250 | Pass |
| 11a | CH48 | 17.00 | 50.06 | 250 | Pass |
| 11n (HT20) | CH36 | 13.15 | 20.67 | 250 | Pass |
| 11n (HT20) | CH44 | 16.74 | 47.25 | 250 | Pass |
| 11n (HT20) | CH48 | 16.72 | 47.03 | 250 | Pass |
| 11n (HT40) | CH38 | 17.06 | 50.81 | 250 | Pass |
| 11n (HT40) | CH46 | 17.02 | 50.35 | 250 | Pass |
| 11ac (VHT20) | CH36 | 15.05 | 32.02 | 250 | Pass |
| 11ac (VHT20) | CH44 | 16.80 | 47.91 | 250 | Pass |
| 11ac (VHT20) | CH48 | 16.79 | 47.80 | 250 | Pass |
| 11ac (VHT40) | CH38 | 17.11 | 51.40 | 250 | Pass |
| 11ac (VHT40) | CH46 | 17.06 | 50.81 | 250 | Pass |
| 11ac (VHT80) | CH42 | 17.00 | 50.17 | 250 | Pass |
| 11ax (HE20)-SU | CH36 | 17.03 | 50.46 | 250 | Pass |
| 11ax (HE20)-SU | CH44 | 16.82 | 48.08 | 250 | Pass |
| 11ax (HE20)-SU | CH48 | 16.82 | 48.08 | 250 | Pass |
| 11ax (HE40)-SU | CH38 | 16.90 | 48.98 | 250 | Pass |
| 11ax (HE40)-SU | CH46 | 16.87 | 48.64 | 250 | Pass |
| 11ax (HE80)-SU | CH42 | 16.94 | 49.45 | 250 | Pass |
| 11ax (HE20)-RU26 | CH36 | 5.74 | 3.75 | 250 | Pass |
| 11ax (HE20)-RU26 | CH44 | 5.56 | 3.60 | 250 | Pass |
| 11ax (HE20)-RU26 | CH48 | 5.50 | 3.55 | 250 | Pass |
| 11ax (HE40)-RU26 | CH38 | 5.20 | 3.31 | 250 | Pass |
| 11ax (HE40)-RU26 | CH46 | 5.15 | 3.27 | 250 | Pass |
| 11ax (HE80)-RU26 | CH42 | 5.35 | 3.43 | 250 | Pass |

| Band II (5250 - 5350 MHz) | | | | | |
|---------------------------|---------|-----------------------|----------------------|----------------|---------|
| Mode | Channel | Conducted Power (dBm) | Conducted Power (mW) | FCC Limit (mW) | Verdict |
| 11a | CH52 | 16.93 | 49.26 | 242 | Pass |
| 11a | CH60 | 16.88 | 48.70 | 242 | Pass |
| 11a | CH64 | 16.87 | 48.59 | 242 | Pass |
| 11n (HT20) | CH52 | 16.74 | 47.25 | 250 | Pass |
| 11n (HT20) | CH60 | 16.69 | 46.71 | 250 | Pass |
| 11n (HT20) | CH64 | 16.66 | 46.39 | 250 | Pass |
| 11n (HT40) | CH54 | 16.97 | 49.77 | 250 | Pass |
| 11n (HT40) | CH62 | 15.95 | 39.35 | 250 | Pass |
| 11ac (VHT20) | CH52 | 16.76 | 47.47 | 250 | Pass |
| 11ac (VHT20) | CH60 | 16.69 | 46.71 | 250 | Pass |
| 11ac (VHT20) | CH64 | 16.67 | 46.50 | 250 | Pass |
| 11ac (VHT40) | CH54 | 14.99 | 31.55 | 250 | Pass |
| 11ac (VHT40) | CH62 | 16.96 | 49.66 | 250 | Pass |
| 11ac (VHT80) | CH58 | 16.93 | 49.36 | 250 | Pass |
| 11ax (HE20)-SU | CH52 | 16.83 | 48.19 | 250 | Pass |
| 11ax (HE20)-SU | CH60 | 16.81 | 47.97 | 250 | Pass |
| 11ax (HE20)-SU | CH64 | 16.73 | 47.09 | 250 | Pass |
| 11ax (HE40)-SU | CH54 | 16.81 | 47.97 | 250 | Pass |
| 11ax (HE40)-SU | CH62 | 13.77 | 23.82 | 250 | Pass |
| 11ax (HE80)-SU | CH58 | 13.40 | 21.89 | 250 | Pass |
| 11ax (HE20)-RU26 | CH52 | 5.43 | 3.49 | 250 | Pass |
| 11ax (HE20)-RU26 | CH60 | 5.48 | 3.53 | 250 | Pass |
| 11ax (HE20)-RU26 | CH64 | 5.66 | 3.68 | 250 | Pass |
| 11ax (HE40)-RU26 | CH54 | 5.13 | 3.26 | 250 | Pass |
| 11ax (HE40)-RU26 | CH62 | 5.15 | 3.27 | 250 | Pass |
| 11ax (HE80)-RU26 | CH58 | 5.37 | 3.45 | 250 | Pass |

| Band III (5470 - 5725 MHz) | | | | | |
|----------------------------|---------|-----------------------|----------------------|----------------|---------|
| Mode | Channel | Conducted Power (dBm) | Conducted Power (mW) | FCC Limit (mW) | Verdict |
| 11a | CH100 | 13.77 | 23.80 | 235 | Pass |
| 11a | CH116 | 16.88 | 48.70 | 235 | Pass |
| 11a | CH140 | 16.68 | 46.51 | 236 | Pass |
| 11n (HT20) | CH100 | 10.56 | 11.39 | 250 | Pass |
| 11n (HT20) | CH116 | 16.65 | 46.28 | 250 | Pass |
| 11n (HT20) | CH140 | 15.47 | 35.27 | 250 | Pass |
| 11n (HT40) | CH102 | 16.82 | 48.08 | 250 | Pass |
| 11n (HT40) | CH118 | 16.97 | 49.77 | 250 | Pass |
| 11n (HT40) | CH134 | 16.79 | 47.75 | 250 | Pass |
| 11ac (VHT20) | CH100 | 11.91 | 15.54 | 249 | Pass |
| 11ac (VHT20) | CH116 | 16.49 | 44.61 | 250 | Pass |
| 11ac (VHT20) | CH140 | 15.16 | 32.84 | 250 | Pass |
| 11ac (VHT40) | CH102 | 16.76 | 47.42 | 250 | Pass |
| 11ac (VHT40) | CH118 | 17.16 | 52.00 | 250 | Pass |
| 11ac (VHT40) | CH134 | 16.77 | 47.53 | 250 | Pass |
| 11ac (VHT80) | CH106 | 16.84 | 48.35 | 250 | Pass |
| 11ac (VHT80) | CH122 | 16.88 | 48.80 | 250 | Pass |
| 11ax (HE20)-SU | CH100 | 16.61 | 45.81 | 250 | Pass |
| 11ax (HE20)-SU | CH116 | 16.76 | 47.42 | 250 | Pass |
| 11ax (HE20)-SU | CH140 | 14.56 | 28.57 | 250 | Pass |
| 11ax (HE40)-SU | CH102 | 14.65 | 29.17 | 250 | Pass |
| 11ax (HE40)-SU | CH118 | 16.84 | 48.31 | 250 | Pass |
| 11ax (HE40)-SU | CH134 | 16.63 | 46.03 | 250 | Pass |
| 11ax (HE80)-SU | CH106 | 13.85 | 24.28 | 250 | Pass |
| 11ax (HE80)-SU | CH122 | 16.89 | 48.89 | 250 | Pass |
| 11ax (HE20)-RU26 | CH100 | 5.16 | 3.28 | 250 | Pass |
| 11ax (HE20)-RU26 | CH116 | 5.40 | 3.47 | 250 | Pass |
| 11ax (HE20)-RU26 | CH140 | 5.38 | 3.45 | 250 | Pass |
| 11ax (HE40)-RU26 | CH102 | 5.66 | 3.68 | 250 | Pass |
| 11ax (HE40)-RU26 | CH118 | 5.79 | 3.79 | 250 | Pass |
| 11ax (HE40)-RU26 | CH134 | 5.77 | 3.78 | 250 | Pass |
| 11ax (HE80)-RU26 | CH106 | 5.66 | 3.68 | 250 | Pass |
| 11ax (HE80)-RU26 | CH122 | 5.64 | 3.67 | 250 | Pass |

| Band IV (5725 - 5850 MHz) | | | | | |
|---------------------------|---------|-----------------------|----------------------|----------------|---------|
| Mode | Channel | Conducted Power (dBm) | Conducted Power (mW) | FCC Limit (mW) | Verdict |
| 11a | CH149 | 11.11 | 12.90 | 1000 | Pass |
| 11a | CH157 | 11.34 | 13.60 | 1000 | Pass |
| 11a | CH165 | 11.41 | 13.82 | 1000 | Pass |
| 11n (HT20) | CH149 | 10.91 | 12.34 | 1000 | Pass |
| 11n (HT20) | CH157 | 11.18 | 13.13 | 1000 | Pass |
| 11n (HT20) | CH165 | 11.24 | 13.32 | 1000 | Pass |
| 11n (HT40) | CH151 | 11.35 | 13.65 | 1000 | Pass |
| 11n (HT40) | CH159 | 11.53 | 14.22 | 1000 | Pass |
| 11ac (VHT20) | CH149 | 10.93 | 12.40 | 1000 | Pass |
| 11ac (VHT20) | CH157 | 11.24 | 13.32 | 1000 | Pass |
| 11ac (VHT20) | CH165 | 11.19 | 13.16 | 1000 | Pass |
| 11ac (VHT40) | CH151 | 11.21 | 13.21 | 1000 | Pass |
| 11ac (VHT40) | CH159 | 11.40 | 13.80 | 1000 | Pass |
| 11ac (VHT80) | CH155 | 11.33 | 13.60 | 1000 | Pass |
| 11ax (HE20)-SU | CH149 | 11.06 | 12.76 | 1000 | Pass |
| 11ax (HE20)-SU | CH157 | 11.27 | 13.39 | 1000 | Pass |
| 11ax (HE20)-SU | CH165 | 11.35 | 13.64 | 1000 | Pass |
| 11ax (HE40)-SU | CH151 | 11.18 | 13.12 | 1000 | Pass |
| 11ax (HE40)-SU | CH159 | 11.36 | 13.68 | 1000 | Pass |
| 11ax (HE80)-SU | CH155 | 11.37 | 13.72 | 1000 | Pass |
| 11ax (HE20)-RU26 | CH149 | 5.50 | 3.55 | 1000 | Pass |
| 11ax (HE20)-RU26 | CH157 | 5.73 | 3.74 | 1000 | Pass |
| 11ax (HE20)-RU26 | CH165 | 5.68 | 3.70 | 1000 | Pass |
| 11ax (HE40)-RU26 | CH151 | 6.08 | 4.06 | 1000 | Pass |
| 11ax (HE40)-RU26 | CH159 | 6.25 | 4.22 | 1000 | Pass |
| 11ax (HE80)-RU26 | CH155 | 6.15 | 4.12 | 1000 | Pass |

MIMO

| Band I (5150 - 5250 MHz) | | | | | |
|--------------------------|---------|-----------------------|----------------------|----------------|---------|
| Mode | Channel | Conducted Power (dBm) | Conducted Power (mW) | FCC Limit (mW) | Verdict |
| 11a | CH36 | 20.30 | 107.17 | 250 | Pass |
| 11a | CH44 | 20.25 | 106.05 | 250 | Pass |
| 11a | CH48 | 20.28 | 106.76 | 250 | Pass |
| 11n (HT20) | CH36 | 16.13 | 41.02 | 250 | Pass |
| 11n (HT20) | CH44 | 19.99 | 99.66 | 250 | Pass |
| 11n (HT20) | CH48 | 20.03 | 100.67 | 250 | Pass |
| 11n (HT40) | CH38 | 20.37 | 108.89 | 250 | Pass |
| 11n (HT40) | CH46 | 20.34 | 108.16 | 250 | Pass |
| 11ac (VHT20) | CH36 | 18.08 | 64.26 | 250 | Pass |
| 11ac (VHT20) | CH44 | 19.97 | 99.36 | 250 | Pass |
| 11ac (VHT20) | CH48 | 20.03 | 100.69 | 250 | Pass |
| 11ac (VHT40) | CH38 | 20.36 | 108.68 | 250 | Pass |
| 11ac (VHT40) | CH46 | 20.34 | 108.22 | 250 | Pass |
| 11ac (VHT80) | CH42 | 20.19 | 104.42 | 250 | Pass |
| 11ax (HE20)-SU | CH36 | 20.10 | 102.33 | 250 | Pass |
| 11ax (HE20)-SU | CH44 | 20.05 | 101.16 | 250 | Pass |
| 11ax (HE20)-SU | CH48 | 20.10 | 102.27 | 250 | Pass |
| 11ax (HE40)-SU | CH38 | 20.19 | 104.57 | 250 | Pass |
| 11ax (HE40)-SU | CH46 | 20.16 | 103.72 | 250 | Pass |
| 11ax (HE80)-SU | CH42 | 20.17 | 104.05 | 250 | Pass |
| 11ax (HE20)-RU26 | CH36 | 8.37 | 6.87 | 250 | Pass |
| 11ax (HE20)-RU26 | CH44 | 8.38 | 6.88 | 250 | Pass |
| 11ax (HE20)-RU26 | CH48 | 8.51 | 7.10 | 250 | Pass |
| 11ax (HE40)-RU26 | CH38 | 8.06 | 6.39 | 250 | Pass |
| 11ax (HE40)-RU26 | CH46 | 8.19 | 6.58 | 250 | Pass |
| 11ax (HE80)-RU26 | CH42 | 8.51 | 7.10 | 250 | Pass |

| Band II (5250 - 5350 MHz) | | | | | |
|---------------------------|---------|-----------------------|----------------------|----------------|---------|
| Mode | Channel | Conducted Power (dBm) | Conducted Power (mW) | FCC Limit (mW) | Verdict |
| 11a | CH52 | 20.22 | 105.31 | 242 | Pass |
| 11a | CH60 | 20.22 | 105.13 | 242 | Pass |
| 11a | CH64 | 20.27 | 106.33 | 242 | Pass |
| 11n (HT20) | CH52 | 20.01 | 100.27 | 250 | Pass |
| 11n (HT20) | CH60 | 20.00 | 100.10 | 250 | Pass |
| 11n (HT20) | CH64 | 20.04 | 101.02 | 250 | Pass |
| 11n (HT40) | CH54 | 20.39 | 109.34 | 250 | Pass |
| 11n (HT40) | CH62 | 19.44 | 87.99 | 250 | Pass |
| 11ac (VHT20) | CH52 | 20.04 | 100.85 | 250 | Pass |
| 11ac (VHT20) | CH60 | 19.99 | 99.73 | 250 | Pass |
| 11ac (VHT20) | CH64 | 20.02 | 100.50 | 250 | Pass |
| 11ac (VHT40) | CH54 | 18.40 | 69.13 | 250 | Pass |
| 11ac (VHT40) | CH62 | 20.42 | 110.05 | 250 | Pass |
| 11ac (VHT80) | CH58 | 20.22 | 105.13 | 250 | Pass |
| 11ax (HE20)-SU | CH52 | 20.09 | 102.01 | 250 | Pass |
| 11ax (HE20)-SU | CH60 | 20.09 | 102.03 | 250 | Pass |
| 11ax (HE20)-SU | CH64 | 20.12 | 102.80 | 250 | Pass |
| 11ax (HE40)-SU | CH54 | 20.21 | 104.86 | 250 | Pass |
| 11ax (HE40)-SU | CH62 | 17.28 | 53.47 | 250 | Pass |
| 11ax (HE80)-SU | CH58 | 16.71 | 46.84 | 250 | Pass |
| 11ax (HE20)-RU26 | CH52 | 8.51 | 7.10 | 250 | Pass |
| 11ax (HE20)-RU26 | CH60 | 8.62 | 7.27 | 250 | Pass |
| 11ax (HE20)-RU26 | CH64 | 8.76 | 7.52 | 250 | Pass |
| 11ax (HE40)-RU26 | CH54 | 8.38 | 6.89 | 250 | Pass |
| 11ax (HE40)-RU26 | CH62 | 8.54 | 7.14 | 250 | Pass |
| 11ax (HE80)-RU26 | CH58 | 8.76 | 7.51 | 250 | Pass |

| Band III (5470 - 5725 MHz) | | | | | |
|----------------------------|---------|-----------------------|----------------------|----------------|---------|
| Mode | Channel | Conducted Power (dBm) | Conducted Power (mW) | FCC Limit (mW) | Verdict |
| 11a | CH100 | 17.25 | 53.14 | 235 | Pass |
| 11a | CH116 | 20.31 | 107.52 | 235 | Pass |
| 11a | CH140 | 20.26 | 106.15 | 236 | Pass |
| 11n (HT20) | CH100 | 14.06 | 25.46 | 250 | Pass |
| 11n (HT20) | CH116 | 20.12 | 102.83 | 250 | Pass |
| 11n (HT20) | CH140 | 19.09 | 81.02 | 250 | Pass |
| 11n (HT40) | CH102 | 20.44 | 110.74 | 250 | Pass |
| 11n (HT40) | CH118 | 20.47 | 111.43 | 250 | Pass |
| 11n (HT40) | CH134 | 20.53 | 113.06 | 250 | Pass |
| 11ac (VHT20) | CH100 | 15.17 | 32.89 | 249 | Pass |
| 11ac (VHT20) | CH116 | 20.00 | 100.00 | 250 | Pass |
| 11ac (VHT20) | CH140 | 18.61 | 72.60 | 250 | Pass |
| 11ac (VHT40) | CH102 | 20.36 | 108.65 | 250 | Pass |
| 11ac (VHT40) | CH118 | 20.52 | 112.81 | 250 | Pass |
| 11ac (VHT40) | CH134 | 20.46 | 111.21 | 250 | Pass |
| 11ac (VHT80) | CH106 | 20.27 | 106.48 | 250 | Pass |
| 11ac (VHT80) | CH122 | 20.27 | 106.40 | 250 | Pass |
| 11ax (HE20)-SU | CH100 | 20.10 | 102.42 | 250 | Pass |
| 11ax (HE20)-SU | CH116 | 20.20 | 104.82 | 250 | Pass |
| 11ax (HE20)-SU | CH140 | 18.13 | 64.96 | 250 | Pass |
| 11ax (HE40)-SU | CH102 | 18.24 | 66.76 | 250 | Pass |
| 11ax (HE40)-SU | CH118 | 20.31 | 107.46 | 250 | Pass |
| 11ax (HE40)-SU | CH134 | 20.35 | 108.40 | 250 | Pass |
| 11ax (HE80)-SU | CH106 | 17.29 | 53.53 | 250 | Pass |
| 11ax (HE80)-SU | CH122 | 20.27 | 106.32 | 250 | Pass |
| 11ax (HE20)-RU26 | CH100 | 8.80 | 7.59 | 250 | Pass |
| 11ax (HE20)-RU26 | CH116 | 9.15 | 8.22 | 250 | Pass |
| 11ax (HE20)-RU26 | CH140 | 9.36 | 8.63 | 250 | Pass |
| 11ax (HE40)-RU26 | CH102 | 9.16 | 8.24 | 250 | Pass |
| 11ax (HE40)-RU26 | CH118 | 9.26 | 8.43 | 250 | Pass |
| 11ax (HE40)-RU26 | CH134 | 9.39 | 8.70 | 250 | Pass |
| 11ax (HE80)-RU26 | CH106 | 9.32 | 8.56 | 250 | Pass |
| 11ax (HE80)-RU26 | CH122 | 9.24 | 8.39 | 250 | Pass |

| Band IV (5725 - 5850 MHz) | | | | | |
|---------------------------|---------|-----------------------|----------------------|----------------|---------|
| Mode | Channel | Conducted Power (dBm) | Conducted Power (mW) | FCC Limit (mW) | Verdict |
| 11a | CH149 | 14.25 | 26.62 | 1000 | Pass |
| 11a | CH157 | 14.27 | 26.74 | 1000 | Pass |
| 11a | CH165 | 14.44 | 27.80 | 1000 | Pass |
| 11n (HT20) | CH149 | 14.08 | 25.60 | 1000 | Pass |
| 11n (HT20) | CH157 | 14.13 | 25.88 | 1000 | Pass |
| 11n (HT20) | CH165 | 14.27 | 26.76 | 1000 | Pass |
| 11n (HT40) | CH151 | 14.48 | 28.03 | 1000 | Pass |
| 11n (HT40) | CH159 | 14.54 | 28.41 | 1000 | Pass |
| 11ac (VHT20) | CH149 | 14.06 | 25.47 | 1000 | Pass |
| 11ac (VHT20) | CH157 | 14.10 | 25.69 | 1000 | Pass |
| 11ac (VHT20) | CH165 | 14.21 | 26.39 | 1000 | Pass |
| 11ac (VHT40) | CH151 | 14.36 | 27.30 | 1000 | Pass |
| 11ac (VHT40) | CH159 | 14.41 | 27.61 | 1000 | Pass |
| 11ac (VHT80) | CH155 | 14.28 | 26.82 | 1000 | Pass |
| 11ax (HE20)-SU | CH149 | 14.17 | 26.13 | 1000 | Pass |
| 11ax (HE20)-SU | CH157 | 14.17 | 26.10 | 1000 | Pass |
| 11ax (HE20)-SU | CH165 | 14.36 | 27.29 | 1000 | Pass |
| 11ax (HE40)-SU | CH151 | 14.29 | 26.86 | 1000 | Pass |
| 11ax (HE40)-SU | CH159 | 14.35 | 27.20 | 1000 | Pass |
| 11ax (HE80)-SU | CH155 | 14.30 | 26.93 | 1000 | Pass |
| 11ax (HE20)-RU26 | CH149 | 9.06 | 8.06 | 1000 | Pass |
| 11ax (HE20)-RU26 | CH157 | 9.03 | 8.01 | 1000 | Pass |
| 11ax (HE20)-RU26 | CH165 | 9.18 | 8.28 | 1000 | Pass |
| 11ax (HE40)-RU26 | CH151 | 9.31 | 8.52 | 1000 | Pass |
| 11ax (HE40)-RU26 | CH159 | 9.32 | 8.55 | 1000 | Pass |
| 11ax (HE80)-RU26 | CH155 | 9.27 | 8.45 | 1000 | Pass |

A.2 Emission Bandwidth & 99% Bandwidth

Note¹: Test plots please refer to the document "Annex No.: BL-SZ20A0177-604 Data Part 1.pdf".

Note²: All the configurations were pre tested, only the worst configuration has been reported in this report.

Test Data

Main Antenna

| U-NII-1 (5150 - 5250 MHz) | | | |
|---------------------------|---------|-----------------------|---------------------|
| Mode | Channel | 26 dB Bandwidth (MHz) | 99% Bandwidth (MHz) |
| 11a | CH36 | 18.60 | 16.32 |
| 11a | CH44 | 18.68 | 16.32 |
| 11a | CH48 | 18.68 | 16.32 |
| 11n (HT20) | CH36 | 19.88 | 17.48 |
| 11n (HT20) | CH44 | 20.08 | 17.48 |
| 11n (HT20) | CH48 | 20.12 | 17.48 |
| 11n (HT40) | CH38 | 39.90 | 36.01 |
| 11n (HT40) | CH46 | 40.00 | 36.12 |
| 11ac (VHT20) | CH36 | 19.80 | 17.48 |
| 11ac (VHT20) | CH44 | 20.16 | 17.48 |
| 11ac (VHT20) | CH48 | 20.16 | 17.48 |
| 11ac (VHT40) | CH38 | 40.10 | 36.01 |
| 11ac (VHT40) | CH46 | 40.10 | 36.12 |
| 11ac (VHT80) | CH42 | 83.40 | 75.48 |
| 11ax (HE20)-SU | CH36 | 20.80 | 18.87 |
| 11ax (HE20)-SU | CH44 | 20.76 | 18.87 |
| 11ax (HE20)-SU | CH48 | 20.84 | 18.87 |
| 11ax (HE40)-SU | CH38 | 40.80 | 37.74 |
| 11ax (HE40)-SU | CH46 | 40.80 | 37.63 |
| 11ax (HE80)-SU | CH42 | 82.60 | 77.11 |

| U-NII-2A (5250 - 5350 MHz) | | | |
|----------------------------|---------|-----------------------|---------------------|
| Mode | Channel | 26 dB Bandwidth (MHz) | 99% Bandwidth (MHz) |
| 11a | CH52 | 18.72 | 16.32 |
| 11a | CH60 | 18.92 | 16.32 |
| 11a | CH64 | 18.92 | 16.32 |
| 11n (HT20) | CH52 | 20.16 | 17.48 |
| 11n (HT20) | CH60 | 20.16 | 17.48 |
| 11n (HT20) | CH64 | 20.20 | 17.48 |
| 11n (HT40) | CH54 | 39.90 | 36.12 |
| 11n (HT40) | CH62 | 40.30 | 36.12 |
| 11ac (VHT20) | CH52 | 20.16 | 17.48 |
| 11ac (VHT20) | CH60 | 20.16 | 17.48 |
| 11ac (VHT20) | CH64 | 20.12 | 17.48 |
| 11ac (VHT40) | CH54 | 40.00 | 36.12 |
| 11ac (VHT40) | CH62 | 40.20 | 36.12 |
| 11ac (VHT80) | CH58 | 83.40 | 75.48 |
| 11ax (HE20)-SU | CH52 | 20.76 | 18.87 |
| 11ax (HE20)-SU | CH60 | 20.84 | 18.87 |
| 11ax (HE20)-SU | CH64 | 20.84 | 18.87 |
| 11ax (HE40)-SU | CH54 | 40.70 | 37.74 |
| 11ax (HE40)-SU | CH62 | 40.80 | 37.74 |
| 11ax (HE80)-SU | CH58 | 82.60 | 77.34 |

| U-NII-2C (5470 - 5725 MHz) | | | |
|----------------------------|---------|-----------------------|---------------------|
| Mode | Channel | 26 dB Bandwidth (MHz) | 99% Bandwidth (MHz) |
| 11a | CH100 | 18.92 | 16.32 |
| 11a | CH116 | 18.64 | 16.32 |
| 11a | CH140 | 18.64 | 16.32 |
| 11n (HT20) | CH100 | 19.64 | 17.60 |
| 11n (HT20) | CH116 | 20.20 | 17.48 |
| 11n (HT20) | CH140 | 20.16 | 17.48 |
| 11n (HT40) | CH102 | 40.00 | 36.01 |
| 11n (HT40) | CH118 | 40.00 | 36.01 |
| 11n (HT40) | CH134 | 40.00 | 36.01 |
| 11ac (VHT20) | CH100 | 19.80 | 17.48 |
| 11ac (VHT20) | CH116 | 20.20 | 17.48 |
| 11ac (VHT20) | CH140 | 20.12 | 17.48 |
| 11ac (VHT40) | CH102 | 40.10 | 36.12 |
| 11ac (VHT40) | CH118 | 40.10 | 36.12 |
| 11ac (VHT40) | CH134 | 40.20 | 36.01 |
| 11ac (VHT80) | CH106 | 83.00 | 75.72 |
| 11ac (VHT80) | CH122 | 83.20 | 75.72 |
| 11ax (HE20)-SU | CH100 | 20.72 | 18.87 |
| 11ax (HE20)-SU | CH116 | 20.84 | 18.87 |
| 11ax (HE20)-SU | CH140 | 20.84 | 18.87 |
| 11ax (HE40)-SU | CH102 | 40.80 | 37.74 |
| 11ax (HE40)-SU | CH118 | 40.50 | 37.63 |
| 11ax (HE40)-SU | CH134 | 40.80 | 37.74 |
| 11ax (HE80)-SU | CH106 | 82.80 | 77.11 |
| 11ax (HE80)-SU | CH122 | 82.60 | 77.34 |

| U-NII-3 (5725 - 5850 MHz) | | | |
|---------------------------|---------|-----------------------|---------------------|
| Mode | Channel | 26 dB Bandwidth (MHz) | 99% Bandwidth (MHz) |
| 11a | CH149 | 18.56 | 16.32 |
| 11a | CH157 | 18.60 | 16.32 |
| 11a | CH165 | 18.64 | 16.32 |
| 11n (HT20) | CH149 | 20.16 | 17.48 |
| 11n (HT20) | CH157 | 19.96 | 17.48 |
| 11n (HT20) | CH165 | 19.88 | 17.48 |
| 11n (HT40) | CH151 | 39.80 | 36.12 |
| 11n (HT40) | CH159 | 39.90 | 36.12 |
| 11ac (VHT20) | CH149 | 20.04 | 17.48 |
| 11ac (VHT20) | CH157 | 19.84 | 17.48 |
| 11ac (VHT20) | CH165 | 19.76 | 17.48 |
| 11ac (VHT40) | CH151 | 39.80 | 36.12 |
| 11ac (VHT40) | CH159 | 39.80 | 36.12 |
| 11ac (VHT80) | CH155 | 83.00 | 75.95 |
| 11ax (HE20)-SU | CH149 | 20.80 | 18.87 |
| 11ax (HE20)-SU | CH157 | 20.80 | 18.87 |
| 11ax (HE20)-SU | CH165 | 20.68 | 18.87 |
| 11ax (HE40)-SU | CH151 | 40.80 | 37.63 |
| 11ax (HE40)-SU | CH159 | 40.60 | 37.74 |
| 11ax (HE80)-SU | CH155 | 83.00 | 77.34 |

Aux. Antenna

| U-NII-1 (5150 - 5250 MHz) | | | |
|---------------------------|---------|-----------------------|---------------------|
| Mode | Channel | 26 dB Bandwidth (MHz) | 99% Bandwidth (MHz) |
| 11a | CH36 | 19.20 | 16.38 |
| 11a | CH44 | 19.64 | 16.38 |
| 11a | CH48 | 19.20 | 16.32 |
| 11n (HT20) | CH36 | 19.88 | 17.48 |
| 11n (HT20) | CH44 | 20.60 | 17.48 |
| 11n (HT20) | CH48 | 20.60 | 17.48 |
| 11n (HT40) | CH38 | 40.60 | 36.12 |
| 11n (HT40) | CH46 | 41.30 | 36.24 |
| 11ac (VHT20) | CH36 | 19.76 | 17.48 |
| 11ac (VHT20) | CH44 | 20.44 | 17.48 |
| 11ac (VHT20) | CH48 | 20.40 | 17.48 |
| 11ac (VHT40) | CH38 | 40.60 | 36.24 |
| 11ac (VHT40) | CH46 | 41.30 | 36.24 |
| 11ac (VHT80) | CH42 | 89.40 | 75.95 |
| 11ax (HE20)-SU | CH36 | 20.96 | 18.87 |
| 11ax (HE20)-SU | CH44 | 21.08 | 18.93 |
| 11ax (HE20)-SU | CH48 | 21.24 | 18.87 |
| 11ax (HE40)-SU | CH38 | 41.20 | 37.74 |
| 11ax (HE40)-SU | CH46 | 41.20 | 37.86 |
| 11ax (HE80)-SU | CH42 | 83.00 | 77.80 |

| U-NII-2A (5250 - 5350 MHz) | | | |
|----------------------------|---------|-----------------------|---------------------|
| Mode | Channel | 26 dB Bandwidth (MHz) | 99% Bandwidth (MHz) |
| 11a | CH52 | 19.20 | 16.38 |
| 11a | CH60 | 19.20 | 16.38 |
| 11a | CH64 | 19.20 | 16.32 |
| 11n (HT20) | CH52 | 20.64 | 17.48 |
| 11n (HT20) | CH60 | 20.80 | 17.48 |
| 11n (HT20) | CH64 | 20.68 | 17.48 |
| 11n (HT40) | CH54 | 40.80 | 36.12 |
| 11n (HT40) | CH62 | 41.30 | 36.24 |
| 11ac (VHT20) | CH52 | 20.32 | 17.48 |
| 11ac (VHT20) | CH60 | 20.36 | 17.54 |
| 11ac (VHT20) | CH64 | 20.32 | 17.48 |
| 11ac (VHT40) | CH54 | 40.80 | 36.24 |
| 11ac (VHT40) | CH62 | 41.00 | 36.24 |
| 11ac (VHT80) | CH58 | 87.60 | 75.95 |
| 11ax (HE20)-SU | CH52 | 20.76 | 18.87 |
| 11ax (HE20)-SU | CH60 | 21.12 | 18.99 |
| 11ax (HE20)-SU | CH64 | 20.84 | 18.87 |
| 11ax (HE40)-SU | CH54 | 41.10 | 37.74 |
| 11ax (HE40)-SU | CH62 | 40.90 | 37.74 |
| 11ax (HE80)-SU | CH58 | 83.40 | 77.34 |

| U-NII-2C (5470 - 5725 MHz) | | | |
|----------------------------|---------|-----------------------|---------------------|
| Mode | Channel | 26 dB Bandwidth (MHz) | 99% Bandwidth (MHz) |
| 11a | CH100 | 18.68 | 16.32 |
| 11a | CH116 | 18.68 | 16.32 |
| 11a | CH140 | 18.72 | 16.32 |
| 11n (HT20) | CH100 | 19.84 | 17.48 |
| 11n (HT20) | CH116 | 20.16 | 17.48 |
| 11n (HT20) | CH140 | 20.20 | 17.48 |
| 11n (HT40) | CH102 | 40.20 | 36.12 |
| 11n (HT40) | CH118 | 40.10 | 36.12 |
| 11n (HT40) | CH134 | 40.20 | 36.12 |
| 11ac (VHT20) | CH100 | 19.80 | 17.48 |
| 11ac (VHT20) | CH116 | 20.24 | 17.48 |
| 11ac (VHT20) | CH140 | 20.20 | 17.48 |
| 11ac (VHT40) | CH102 | 40.20 | 36.12 |
| 11ac (VHT40) | CH118 | 40.30 | 36.12 |
| 11ac (VHT40) | CH134 | 40.20 | 36.12 |
| 11ac (VHT80) | CH106 | 83.60 | 75.48 |
| 11ac (VHT80) | CH122 | 83.40 | 75.72 |
| 11ax (HE20)-SU | CH100 | 20.76 | 18.87 |
| 11ax (HE20)-SU | CH116 | 20.80 | 18.87 |
| 11ax (HE20)-SU | CH140 | 20.72 | 18.87 |
| 11ax (HE40)-SU | CH102 | 40.70 | 37.74 |
| 11ax (HE40)-SU | CH118 | 40.00 | 37.74 |
| 11ax (HE40)-SU | CH134 | 40.90 | 37.74 |
| 11ax (HE80)-SU | CH106 | 83.00 | 77.11 |
| 11ax (HE80)-SU | CH122 | 82.60 | 77.11 |

| U-NII-3 (5725 - 5850 MHz) | | | |
|---------------------------|---------|-----------------------|---------------------|
| Mode | Channel | 26 dB Bandwidth (MHz) | 99% Bandwidth (MHz) |
| 11a | CH149 | 18.68 | 16.32 |
| 11a | CH157 | 18.60 | 16.32 |
| 11a | CH165 | 18.60 | 16.32 |
| 11n (HT20) | CH149 | 19.84 | 17.48 |
| 11n (HT20) | CH157 | 19.84 | 17.48 |
| 11n (HT20) | CH165 | 19.88 | 17.48 |
| 11n (HT40) | CH151 | 39.90 | 36.12 |
| 11n (HT40) | CH159 | 39.90 | 36.12 |
| 11ac (VHT20) | CH149 | 20.08 | 17.48 |
| 11ac (VHT20) | CH157 | 19.84 | 17.48 |
| 11ac (VHT20) | CH165 | 19.84 | 17.48 |
| 11ac (VHT40) | CH151 | 39.90 | 36.12 |
| 11ac (VHT40) | CH159 | 39.70 | 36.12 |
| 11ac (VHT80) | CH155 | 82.60 | 75.95 |
| 11ax (HE20)-SU | CH149 | 20.88 | 18.87 |
| 11ax (HE20)-SU | CH157 | 20.80 | 18.87 |
| 11ax (HE20)-SU | CH165 | 20.68 | 18.87 |
| 11ax (HE40)-SU | CH151 | 40.70 | 37.74 |
| 11ax (HE40)-SU | CH159 | 40.60 | 37.74 |
| 11ax (HE80)-SU | CH155 | 82.60 | 77.11 |

A.3 6 dB Bandwidth

Note ¹: Test plots please refer to the document “Annex No.: BL-SZ20A0177-604 Data Part 2.pdf”.

Note ²: All the configurations were pre tested, only the worst configuration has been reported in this report.

Test Data

Main Antenna

| U-NII-3 (5725 - 5850 MHz) | | | | |
|---------------------------|---------|----------------------|-------------|---------|
| Mode | Channel | 6 dB Bandwidth (MHz) | Limit (kHz) | Verdict |
| 11a | CH149 | 16.42 | 500.00 | Pass |
| 11a | CH157 | 16.37 | 500.00 | Pass |
| 11a | CH165 | 16.12 | 500.00 | Pass |
| 11n (HT20) | CH149 | 17.02 | 500.00 | Pass |
| 11n (HT20) | CH157 | 17.67 | 500.00 | Pass |
| 11n (HT20) | CH165 | 17.67 | 500.00 | Pass |
| 11n (HT40) | CH151 | 35.77 | 500.00 | Pass |
| 11n (HT40) | CH159 | 36.12 | 500.00 | Pass |
| 11ac (VHT20) | CH149 | 17.27 | 500.00 | Pass |
| 11ac (VHT20) | CH157 | 16.97 | 500.00 | Pass |
| 11ac (VHT20) | CH165 | 16.87 | 500.00 | Pass |
| 11ac (VHT40) | CH151 | 35.82 | 500.00 | Pass |
| 11ac (VHT40) | CH159 | 36.12 | 500.00 | Pass |
| 11ac (VHT80) | CH155 | 75.72 | 500.00 | Pass |
| 11ax (HE20)-SU | CH149 | 18.52 | 500.00 | Pass |
| 11ax (HE20)-SU | CH157 | 18.62 | 500.00 | Pass |
| 11ax (HE20)-SU | CH165 | 19.02 | 500.00 | Pass |
| 11ax (HE40)-SU | CH151 | 37.02 | 500.00 | Pass |
| 11ax (HE40)-SU | CH159 | 37.77 | 500.00 | Pass |
| 11ax (HE80)-SU | CH155 | 77.57 | 500.00 | Pass |

Aux. Antenna

| U-NII-3 (5725 - 5850 MHz) | | | | |
|---------------------------|---------|----------------------|-------------|---------|
| Mode | Channel | 6 dB Bandwidth (MHz) | Limit (kHz) | Verdict |
| 11a | CH149 | 16.37 | 500.00 | Pass |
| 11a | CH157 | 15.87 | 500.00 | Pass |
| 11a | CH165 | 16.37 | 500.00 | Pass |
| 11n (HT20) | CH149 | 17.67 | 500.00 | Pass |
| 11n (HT20) | CH157 | 17.67 | 500.00 | Pass |
| 11n (HT20) | CH165 | 17.02 | 500.00 | Pass |
| 11n (HT40) | CH151 | 35.87 | 500.00 | Pass |
| 11n (HT40) | CH159 | 36.12 | 500.00 | Pass |
| 11ac (VHT20) | CH149 | 17.67 | 500.00 | Pass |
| 11ac (VHT20) | CH157 | 17.67 | 500.00 | Pass |
| 11ac (VHT20) | CH165 | 17.67 | 500.00 | Pass |
| 11ac (VHT40) | CH151 | 35.47 | 500.00 | Pass |
| 11ac (VHT40) | CH159 | 36.42 | 500.00 | Pass |
| 11ac (VHT80) | CH155 | 74.57 | 500.00 | Pass |
| 11ax (HE20)-SU | CH149 | 18.52 | 500.00 | Pass |
| 11ax (HE20)-SU | CH157 | 18.22 | 500.00 | Pass |
| 11ax (HE20)-SU | CH165 | 18.97 | 500.00 | Pass |
| 11ax (HE40)-SU | CH151 | 37.92 | 500.00 | Pass |
| 11ax (HE40)-SU | CH159 | 37.97 | 500.00 | Pass |
| 11ax (HE80)-SU | CH155 | 76.77 | 500.00 | Pass |

A.4 Power Spectral Density

Note¹: Test plots please refer to the document “Annex No.: BL-SZ20A0177-604 Data Part 3.pdf”.

Note²: The RBW used in U-NII-3 is 1 MHz, and the PSD factor is: $10 \cdot \log(500 \text{ kHz/RBW}) = -3 \text{ dBm}$.

Note³: All the configurations were pre tested, only the worst configuration has been reported in this report.

Test Data

Main Antenna

| U-NII-1 (5150 - 5250 MHz) | | | | |
|---------------------------|---------|---------------|-----------------|---------|
| Mode | Channel | PSD (dBm/MHz) | Limit (dBm/MHz) | Verdict |
| 11a | CH36 | 6.04 | 11.00 | Pass |
| 11a | CH44 | 5.93 | 11.00 | Pass |
| 11a | CH48 | 6.14 | 11.00 | Pass |
| 11n (HT20) | CH36 | 2.86 | 11.00 | Pass |
| 11n (HT20) | CH44 | 5.51 | 11.00 | Pass |
| 11n (HT20) | CH48 | 5.75 | 11.00 | Pass |
| 11n (HT40) | CH38 | 3.08 | 11.00 | Pass |
| 11n (HT40) | CH46 | 2.94 | 11.00 | Pass |
| 11ac (VHT20) | CH36 | 2.80 | 11.00 | Pass |
| 11ac (VHT20) | CH44 | 5.46 | 11.00 | Pass |
| 11ac (VHT20) | CH48 | 5.70 | 11.00 | Pass |
| 11ac (VHT40) | CH38 | 3.11 | 11.00 | Pass |
| 11ac (VHT40) | CH46 | 2.90 | 11.00 | Pass |
| 11ac (VHT80) | CH42 | -0.51 | 11.00 | Pass |
| 11ax (HE20)-SU | CH36 | 5.47 | 11.00 | Pass |
| 11ax (HE20)-SU | CH44 | 5.28 | 11.00 | Pass |
| 11ax (HE20)-SU | CH48 | 5.54 | 11.00 | Pass |
| 11ax (HE40)-SU | CH38 | 2.76 | 11.00 | Pass |
| 11ax (HE40)-SU | CH46 | 2.59 | 11.00 | Pass |
| 11ax (HE80)-SU | CH42 | -0.61 | 11.00 | Pass |
| 11ax (HE20)-RU26 | CH36 | 2.40 | 11.00 | Pass |
| 11ax (HE20)-RU26 | CH44 | 1.82 | 11.00 | Pass |
| 11ax (HE20)-RU26 | CH48 | 1.90 | 11.00 | Pass |
| 11ax (HE40)-RU26 | CH38 | 2.33 | 11.00 | Pass |
| 11ax (HE40)-RU26 | CH46 | 1.77 | 11.00 | Pass |
| 11ax (HE80)-RU26 | CH42 | 2.17 | 11.00 | Pass |

| U-NII-2A (5250 - 5350 MHz) | | | | |
|----------------------------|---------|---------------|-----------------|---------|
| Mode | Channel | PSD (dBm/MHz) | Limit (dBm/MHz) | Verdict |
| 11a | CH52 | 6.10 | 11.00 | Pass |
| 11a | CH60 | 5.84 | 11.00 | Pass |
| 11a | CH64 | 6.03 | 11.00 | Pass |
| 11n (HT20) | CH52 | 5.67 | 11.00 | Pass |
| 11n (HT20) | CH60 | 5.41 | 11.00 | Pass |
| 11n (HT20) | CH64 | 5.63 | 11.00 | Pass |
| 11n (HT40) | CH54 | 3.02 | 11.00 | Pass |
| 11n (HT40) | CH62 | 2.94 | 11.00 | Pass |
| 11ac (VHT20) | CH52 | 5.60 | 11.00 | Pass |
| 11ac (VHT20) | CH60 | 5.35 | 11.00 | Pass |
| 11ac (VHT20) | CH64 | 5.56 | 11.00 | Pass |
| 11ac (VHT40) | CH54 | 3.01 | 11.00 | Pass |
| 11ac (VHT40) | CH62 | 2.97 | 11.00 | Pass |
| 11ac (VHT80) | CH58 | -0.53 | 11.00 | Pass |
| 11ax (HE20)-SU | CH52 | 5.44 | 11.00 | Pass |
| 11ax (HE20)-SU | CH60 | 5.24 | 11.00 | Pass |
| 11ax (HE20)-SU | CH64 | 5.39 | 11.00 | Pass |
| 11ax (HE40)-SU | CH54 | 2.69 | 11.00 | Pass |
| 11ax (HE40)-SU | CH62 | 2.64 | 11.00 | Pass |
| 11ax (HE80)-SU | CH58 | -0.69 | 11.00 | Pass |
| 11ax (HE20)-RU26 | CH52 | 1.85 | 11.00 | Pass |
| 11ax (HE20)-RU26 | CH60 | 1.88 | 11.00 | Pass |
| 11ax (HE20)-RU26 | CH64 | 1.52 | 11.00 | Pass |
| 11ax (HE40)-RU26 | CH54 | 1.77 | 11.00 | Pass |
| 11ax (HE40)-RU26 | CH62 | 1.45 | 11.00 | Pass |
| 11ax (HE80)-RU26 | CH58 | 1.76 | 11.00 | Pass |

| U-NII-2C (5470 - 5725 MHz) | | | | |
|----------------------------|---------|---------------|-----------------|---------|
| Mode | Channel | PSD (dBm/MHz) | Limit (dBm/MHz) | Verdict |
| 11a | CH100 | 6.23 | 11.00 | Pass |
| 11a | CH116 | 6.29 | 11.00 | Pass |
| 11a | CH140 | 6.11 | 11.00 | Pass |
| 11n (HT20) | CH100 | 2.32 | 11.00 | Pass |
| 11n (HT20) | CH116 | 5.88 | 11.00 | Pass |
| 11n (HT20) | CH140 | 5.60 | 11.00 | Pass |
| 11n (HT40) | CH102 | 3.31 | 11.00 | Pass |
| 11n (HT40) | CH118 | 3.21 | 11.00 | Pass |
| 11n (HT40) | CH134 | 3.36 | 11.00 | Pass |
| 11ac (VHT20) | CH100 | 2.25 | 11.00 | Pass |
| 11ac (VHT20) | CH116 | 5.89 | 11.00 | Pass |
| 11ac (VHT20) | CH140 | 5.64 | 11.00 | Pass |
| 11ac (VHT40) | CH102 | 3.32 | 11.00 | Pass |
| 11ac (VHT40) | CH118 | 3.17 | 11.00 | Pass |
| 11ac (VHT40) | CH134 | 3.41 | 11.00 | Pass |
| 11ac (VHT80) | CH106 | -0.04 | 11.00 | Pass |
| 11ac (VHT80) | CH122 | -0.30 | 11.00 | Pass |
| 11ax (HE20)-SU | CH100 | 5.71 | 11.00 | Pass |
| 11ax (HE20)-SU | CH116 | 5.17 | 11.00 | Pass |
| 11ax (HE20)-SU | CH140 | 5.47 | 11.00 | Pass |
| 11ax (HE40)-SU | CH102 | 2.98 | 11.00 | Pass |
| 11ax (HE40)-SU | CH118 | 2.87 | 11.00 | Pass |
| 11ax (HE40)-SU | CH134 | 3.02 | 11.00 | Pass |
| 11ax (HE80)-SU | CH106 | -0.19 | 11.00 | Pass |
| 11ax (HE80)-SU | CH122 | -0.45 | 11.00 | Pass |
| 11ax (HE20)-RU26 | CH100 | 2.17 | 11.00 | Pass |
| 11ax (HE20)-RU26 | CH116 | 2.41 | 11.00 | Pass |
| 11ax (HE20)-RU26 | CH140 | 2.24 | 11.00 | Pass |
| 11ax (HE40)-RU26 | CH102 | 2.38 | 11.00 | Pass |
| 11ax (HE40)-RU26 | CH118 | 2.33 | 11.00 | Pass |
| 11ax (HE40)-RU26 | CH134 | 2.28 | 11.00 | Pass |
| 11ax (HE80)-RU26 | CH106 | 2.86 | 11.00 | Pass |
| 11ax (HE80)-RU26 | CH122 | 2.24 | 11.00 | Pass |

| U-NII-3 (5725 - 5850 MHz) | | | | |
|---------------------------|---------|------------------|--------------------|---------|
| Mode | Channel | PSD (dBm/500kHz) | Limit (dBm/500kHz) | Verdict |
| 11a | CH149 | -2.79 | 30.00 | Pass |
| 11a | CH157 | -3.52 | 30.00 | Pass |
| 11a | CH165 | -2.61 | 30.00 | Pass |
| 11n (HT20) | CH149 | -3.29 | 30.00 | Pass |
| 11n (HT20) | CH157 | -4.00 | 30.00 | Pass |
| 11n (HT20) | CH165 | -3.05 | 30.00 | Pass |
| 11n (HT40) | CH151 | -6.20 | 30.00 | Pass |
| 11n (HT40) | CH159 | -6.24 | 30.00 | Pass |
| 11ac (VHT20) | CH149 | -3.32 | 30.00 | Pass |
| 11ac (VHT20) | CH157 | -4.00 | 30.00 | Pass |
| 11ac (VHT20) | CH165 | -3.07 | 30.00 | Pass |
| 11ac (VHT40) | CH151 | -6.19 | 30.00 | Pass |
| 11ac (VHT40) | CH159 | -6.24 | 30.00 | Pass |
| 11ac (VHT80) | CH155 | -9.95 | 30.00 | Pass |
| 11ax (HE20)-SU | CH149 | -3.47 | 30.00 | Pass |
| 11ax (HE20)-SU | CH157 | -4.11 | 30.00 | Pass |
| 11ax (HE20)-SU | CH165 | -3.30 | 30.00 | Pass |
| 11ax (HE40)-SU | CH151 | -6.52 | 30.00 | Pass |
| 11ax (HE40)-SU | CH159 | -6.58 | 30.00 | Pass |
| 11ax (HE80)-SU | CH155 | -10.15 | 30.00 | Pass |
| 11ax (HE20)-RU26 | CH149 | -0.13 | 30.00 | Pass |
| 11ax (HE20)-RU26 | CH157 | -0.86 | 30.00 | Pass |
| 11ax (HE20)-RU26 | CH165 | -0.96 | 30.00 | Pass |
| 11ax (HE40)-RU26 | CH151 | -0.16 | 30.00 | Pass |
| 11ax (HE40)-RU26 | CH159 | -0.73 | 30.00 | Pass |
| 11ax (HE80)-RU26 | CH155 | -0.20 | 30.00 | Pass |

Aux. Antenna

| U-NII-1 (5150 - 5250 MHz) | | | | |
|---------------------------|---------|---------------|-----------------|---------|
| Mode | Channel | PSD (dBm/MHz) | Limit (dBm/MHz) | Verdict |
| 11a | CH36 | 5.92 | 11.00 | Pass |
| 11a | CH44 | 5.26 | 11.00 | Pass |
| 11a | CH48 | 5.45 | 11.00 | Pass |
| 11n (HT20) | CH36 | 3.34 | 11.00 | Pass |
| 11n (HT20) | CH44 | 4.89 | 11.00 | Pass |
| 11n (HT20) | CH48 | 5.07 | 11.00 | Pass |
| 11n (HT40) | CH38 | 2.62 | 11.00 | Pass |
| 11n (HT40) | CH46 | 2.32 | 11.00 | Pass |
| 11ac (VHT20) | CH36 | 3.33 | 11.00 | Pass |
| 11ac (VHT20) | CH44 | 4.89 | 11.00 | Pass |
| 11ac (VHT20) | CH48 | 5.06 | 11.00 | Pass |
| 11ac (VHT40) | CH38 | 2.60 | 11.00 | Pass |
| 11ac (VHT40) | CH46 | 2.30 | 11.00 | Pass |
| 11ac (VHT80) | CH42 | -1.10 | 11.00 | Pass |
| 11ax (HE20)-SU | CH36 | 5.35 | 11.00 | Pass |
| 11ax (HE20)-SU | CH44 | 4.67 | 11.00 | Pass |
| 11ax (HE20)-SU | CH48 | 4.89 | 11.00 | Pass |
| 11ax (HE40)-SU | CH38 | 2.29 | 11.00 | Pass |
| 11ax (HE40)-SU | CH46 | 2.03 | 11.00 | Pass |
| 11ax (HE80)-SU | CH42 | -1.22 | 11.00 | Pass |
| 11ax (HE20)-RU26 | CH36 | 2.56 | 11.00 | Pass |
| 11ax (HE20)-RU26 | CH44 | 1.91 | 11.00 | Pass |
| 11ax (HE20)-RU26 | CH48 | 1.96 | 11.00 | Pass |
| 11ax (HE40)-RU26 | CH38 | 2.33 | 11.00 | Pass |
| 11ax (HE40)-RU26 | CH46 | 1.77 | 11.00 | Pass |
| 11ax (HE80)-RU26 | CH42 | 2.42 | 11.00 | Pass |

| U-NII-2A (5250 - 5350 MHz) | | | | |
|----------------------------|---------|---------------|-----------------|---------|
| Mode | Channel | PSD (dBm/MHz) | Limit (dBm/MHz) | Verdict |
| 11a | CH52 | 5.59 | 11.00 | Pass |
| 11a | CH60 | 5.01 | 11.00 | Pass |
| 11a | CH64 | 5.20 | 11.00 | Pass |
| 11n (HT20) | CH52 | 5.21 | 11.00 | Pass |
| 11n (HT20) | CH60 | 4.63 | 11.00 | Pass |
| 11n (HT20) | CH64 | 4.85 | 11.00 | Pass |
| 11n (HT40) | CH54 | 2.50 | 11.00 | Pass |
| 11n (HT40) | CH62 | 2.01 | 11.00 | Pass |
| 11ac (VHT20) | CH52 | 5.16 | 11.00 | Pass |
| 11ac (VHT20) | CH60 | 4.61 | 11.00 | Pass |
| 11ac (VHT20) | CH64 | 4.77 | 11.00 | Pass |
| 11ac (VHT40) | CH54 | 2.49 | 11.00 | Pass |
| 11ac (VHT40) | CH62 | 2.01 | 11.00 | Pass |
| 11ac (VHT80) | CH58 | -1.23 | 11.00 | Pass |
| 11ax (HE20)-SU | CH52 | 4.97 | 11.00 | Pass |
| 11ax (HE20)-SU | CH60 | 4.39 | 11.00 | Pass |
| 11ax (HE20)-SU | CH64 | 4.61 | 11.00 | Pass |
| 11ax (HE40)-SU | CH54 | 2.18 | 11.00 | Pass |
| 11ax (HE40)-SU | CH62 | 1.77 | 11.00 | Pass |
| 11ax (HE80)-SU | CH58 | -1.29 | 11.00 | Pass |
| 11ax (HE20)-RU26 | CH52 | 2.10 | 11.00 | Pass |
| 11ax (HE20)-RU26 | CH60 | 1.79 | 11.00 | Pass |
| 11ax (HE20)-RU26 | CH64 | 1.91 | 11.00 | Pass |
| 11ax (HE40)-RU26 | CH54 | 2.10 | 11.00 | Pass |
| 11ax (HE40)-RU26 | CH62 | 1.71 | 11.00 | Pass |
| 11ax (HE80)-RU26 | CH58 | 2.10 | 11.00 | Pass |

| U-NII-2C (5470 - 5725 MHz) | | | | |
|----------------------------|---------|---------------|-----------------|---------|
| Mode | Channel | PSD (dBm/MHz) | Limit (dBm/MHz) | Verdict |
| 11a | CH100 | 5.55 | 11.00 | Pass |
| 11a | CH116 | 5.25 | 11.00 | Pass |
| 11a | CH140 | 5.17 | 11.00 | Pass |
| 11n (HT20) | CH100 | 1.81 | 11.00 | Pass |
| 11n (HT20) | CH116 | 4.89 | 11.00 | Pass |
| 11n (HT20) | CH140 | 4.77 | 11.00 | Pass |
| 11n (HT40) | CH102 | 2.53 | 11.00 | Pass |
| 11n (HT40) | CH118 | 2.21 | 11.00 | Pass |
| 11n (HT40) | CH134 | 1.56 | 11.00 | Pass |
| 11ac (VHT20) | CH100 | 1.77 | 11.00 | Pass |
| 11ac (VHT20) | CH116 | 4.90 | 11.00 | Pass |
| 11ac (VHT20) | CH140 | 4.73 | 11.00 | Pass |
| 11ac (VHT40) | CH102 | 2.53 | 11.00 | Pass |
| 11ac (VHT40) | CH118 | 2.22 | 11.00 | Pass |
| 11ac (VHT40) | CH134 | 1.60 | 11.00 | Pass |
| 11ac (VHT80) | CH106 | -0.66 | 11.00 | Pass |
| 11ac (VHT80) | CH122 | -1.03 | 11.00 | Pass |
| 11ax (HE20)-SU | CH100 | 4.93 | 11.00 | Pass |
| 11ax (HE20)-SU | CH116 | 4.67 | 11.00 | Pass |
| 11ax (HE20)-SU | CH140 | 4.55 | 11.00 | Pass |
| 11ax (HE40)-SU | CH102 | 2.23 | 11.00 | Pass |
| 11ax (HE40)-SU | CH118 | 1.86 | 11.00 | Pass |
| 11ax (HE40)-SU | CH134 | 1.22 | 11.00 | Pass |
| 11ax (HE80)-SU | CH106 | -0.78 | 11.00 | Pass |
| 11ax (HE80)-SU | CH122 | -1.17 | 11.00 | Pass |
| 11ax (HE20)-RU26 | CH100 | 1.79 | 11.00 | Pass |
| 11ax (HE20)-RU26 | CH116 | 1.72 | 11.00 | Pass |
| 11ax (HE20)-RU26 | CH140 | 1.54 | 11.00 | Pass |
| 11ax (HE40)-RU26 | CH102 | 2.14 | 11.00 | Pass |
| 11ax (HE40)-RU26 | CH118 | 1.81 | 11.00 | Pass |
| 11ax (HE40)-RU26 | CH134 | 1.39 | 11.00 | Pass |
| 11ax (HE80)-RU26 | CH106 | 2.18 | 11.00 | Pass |
| 11ax (HE80)-RU26 | CH122 | 1.86 | 11.00 | Pass |

| U-NII-3 (5725 - 5850 MHz) | | | | |
|---------------------------|---------|------------------|--------------------|---------|
| Mode | Channel | PSD (dBm/500kHz) | Limit (dBm/500kHz) | Verdict |
| 11a | CH149 | -3.80 | 30.00 | Pass |
| 11a | CH157 | -2.95 | 30.00 | Pass |
| 11a | CH165 | -3.06 | 30.00 | Pass |
| 11n (HT20) | CH149 | -4.22 | 30.00 | Pass |
| 11n (HT20) | CH157 | -3.36 | 30.00 | Pass |
| 11n (HT20) | CH165 | -3.60 | 30.00 | Pass |
| 11n (HT40) | CH151 | -6.76 | 30.00 | Pass |
| 11n (HT40) | CH159 | -5.83 | 30.00 | Pass |
| 11ac (VHT20) | CH149 | -4.26 | 30.00 | Pass |
| 11ac (VHT20) | CH157 | -3.40 | 30.00 | Pass |
| 11ac (VHT20) | CH165 | -3.55 | 30.00 | Pass |
| 11ac (VHT40) | CH151 | -6.52 | 30.00 | Pass |
| 11ac (VHT40) | CH159 | -5.85 | 30.00 | Pass |
| 11ac (VHT80) | CH155 | -9.64 | 30.00 | Pass |
| 11ax (HE20)-SU | CH149 | -4.40 | 30.00 | Pass |
| 11ax (HE20)-SU | CH157 | -3.59 | 30.00 | Pass |
| 11ax (HE20)-SU | CH165 | -3.80 | 30.00 | Pass |
| 11ax (HE40)-SU | CH151 | -7.12 | 30.00 | Pass |
| 11ax (HE40)-SU | CH159 | -6.15 | 30.00 | Pass |
| 11ax (HE80)-SU | CH155 | -9.82 | 30.00 | Pass |
| 11ax (HE20)-RU26 | CH149 | -1.33 | 30.00 | Pass |
| 11ax (HE20)-RU26 | CH157 | -0.75 | 30.00 | Pass |
| 11ax (HE20)-RU26 | CH165 | -0.65 | 30.00 | Pass |
| 11ax (HE40)-RU26 | CH151 | -1.06 | 30.00 | Pass |
| 11ax (HE40)-RU26 | CH159 | -0.51 | 30.00 | Pass |
| 11ax (HE80)-RU26 | CH155 | -0.75 | 30.00 | Pass |

MIMO-Main Antenna

| U-NII-1 (5150 - 5250 MHz) | | | | |
|---------------------------|---------|---------------|-----------------|---------|
| Mode | Channel | PSD (dBm/MHz) | Limit (dBm/MHz) | Verdict |
| 11a | CH36 | 6.21 | 11.00 | Pass |
| 11a | CH44 | 6.08 | 11.00 | Pass |
| 11a | CH48 | 6.32 | 11.00 | Pass |
| 11n (HT20) | CH36 | 0.65 | 11.00 | Pass |
| 11n (HT20) | CH44 | 5.06 | 11.00 | Pass |
| 11n (HT20) | CH48 | 5.34 | 11.00 | Pass |
| 11n (HT40) | CH38 | 2.73 | 11.00 | Pass |
| 11n (HT40) | CH46 | 2.57 | 11.00 | Pass |
| 11ac (VHT20) | CH36 | 3.21 | 11.00 | Pass |
| 11ac (VHT20) | CH44 | 5.65 | 11.00 | Pass |
| 11ac (VHT20) | CH48 | 5.92 | 11.00 | Pass |
| 11ac (VHT40) | CH38 | 3.31 | 11.00 | Pass |
| 11ac (VHT40) | CH46 | 3.20 | 11.00 | Pass |
| 11ac (VHT80) | CH42 | -0.27 | 11.00 | Pass |
| 11ax (HE20)-SU | CH36 | 5.69 | 11.00 | Pass |
| 11ax (HE20)-SU | CH44 | 5.46 | 11.00 | Pass |
| 11ax (HE20)-SU | CH48 | 5.73 | 11.00 | Pass |
| 11ax (HE40)-SU | CH38 | 2.97 | 11.00 | Pass |
| 11ax (HE40)-SU | CH46 | 2.83 | 11.00 | Pass |
| 11ax (HE80)-SU | CH42 | -0.35 | 11.00 | Pass |
| 11ax (HE20)-RU26 | CH36 | 1.55 | 11.00 | Pass |
| 11ax (HE20)-RU26 | CH44 | 0.95 | 11.00 | Pass |
| 11ax (HE20)-RU26 | CH48 | 1.37 | 11.00 | Pass |
| 11ax (HE40)-RU26 | CH38 | 1.49 | 11.00 | Pass |
| 11ax (HE40)-RU26 | CH46 | 0.95 | 11.00 | Pass |
| 11ax (HE80)-RU26 | CH42 | 1.68 | 11.00 | Pass |

| U-NII-2A (5250 - 5350 MHz) | | | | |
|----------------------------|---------|---------------|-----------------|---------|
| Mode | Channel | PSD (dBm/MHz) | Limit (dBm/MHz) | Verdict |
| 11a | CH52 | 6.32 | 11.00 | Pass |
| 11a | CH60 | 6.15 | 11.00 | Pass |
| 11a | CH64 | 6.39 | 11.00 | Pass |
| 11n (HT20) | CH52 | 5.40 | 11.00 | Pass |
| 11n (HT20) | CH60 | 5.14 | 11.00 | Pass |
| 11n (HT20) | CH64 | 5.37 | 11.00 | Pass |
| 11n (HT40) | CH54 | 2.74 | 11.00 | Pass |
| 11n (HT40) | CH62 | 0.76 | 11.00 | Pass |
| 11ac (VHT20) | CH52 | 5.93 | 11.00 | Pass |
| 11ac (VHT20) | CH60 | 5.77 | 11.00 | Pass |
| 11ac (VHT20) | CH64 | 5.95 | 11.00 | Pass |
| 11ac (VHT40) | CH54 | 0.75 | 11.00 | Pass |
| 11ac (VHT40) | CH62 | 3.43 | 11.00 | Pass |
| 11ac (VHT80) | CH58 | -0.12 | 11.00 | Pass |
| 11ax (HE20)-SU | CH52 | 5.86 | 11.00 | Pass |
| 11ax (HE20)-SU | CH60 | 5.64 | 11.00 | Pass |
| 11ax (HE20)-SU | CH64 | 5.83 | 11.00 | Pass |
| 11ax (HE40)-SU | CH54 | 3.11 | 11.00 | Pass |
| 11ax (HE40)-SU | CH62 | -0.87 | 11.00 | Pass |
| 11ax (HE80)-SU | CH58 | -4.34 | 11.00 | Pass |
| 11ax (HE20)-RU26 | CH52 | 1.39 | 11.00 | Pass |
| 11ax (HE20)-RU26 | CH60 | 1.01 | 11.00 | Pass |
| 11ax (HE20)-RU26 | CH64 | 1.14 | 11.00 | Pass |
| 11ax (HE40)-RU26 | CH54 | 1.27 | 11.00 | Pass |
| 11ax (HE40)-RU26 | CH62 | 1.19 | 11.00 | Pass |
| 11ax (HE80)-RU26 | CH58 | 1.57 | 11.00 | Pass |

| U-NII-2C (5470 - 5725 MHz) | | | | |
|----------------------------|---------|---------------|-----------------|---------|
| Mode | Channel | PSD (dBm/MHz) | Limit (dBm/MHz) | Verdict |
| 11a | CH100 | 2.50 | 11.00 | Pass |
| 11a | CH116 | 6.42 | 11.00 | Pass |
| 11a | CH140 | 6.02 | 11.00 | Pass |
| 11n (HT20) | CH100 | -1.22 | 11.00 | Pass |
| 11n (HT20) | CH116 | 5.78 | 11.00 | Pass |
| 11n (HT20) | CH140 | 4.11 | 11.00 | Pass |
| 11n (HT40) | CH102 | 3.23 | 11.00 | Pass |
| 11n (HT40) | CH118 | 3.10 | 11.00 | Pass |
| 11n (HT40) | CH134 | 3.23 | 11.00 | Pass |
| 11ac (VHT20) | CH100 | 0.31 | 11.00 | Pass |
| 11ac (VHT20) | CH116 | 6.26 | 11.00 | Pass |
| 11ac (VHT20) | CH140 | 4.07 | 11.00 | Pass |
| 11ac (VHT40) | CH102 | 3.64 | 11.00 | Pass |
| 11ac (VHT40) | CH118 | 3.42 | 11.00 | Pass |
| 11ac (VHT40) | CH134 | 3.43 | 11.00 | Pass |
| 11ac (VHT80) | CH106 | 0.30 | 11.00 | Pass |
| 11ac (VHT80) | CH122 | -0.02 | 11.00 | Pass |
| 11ax (HE20)-SU | CH100 | 6.09 | 11.00 | Pass |
| 11ax (HE20)-SU | CH116 | 6.13 | 11.00 | Pass |
| 11ax (HE20)-SU | CH140 | 3.38 | 11.00 | Pass |
| 11ax (HE40)-SU | CH102 | 0.46 | 11.00 | Pass |
| 11ax (HE40)-SU | CH118 | 3.32 | 11.00 | Pass |
| 11ax (HE40)-SU | CH134 | 3.14 | 11.00 | Pass |
| 11ax (HE80)-SU | CH106 | -3.94 | 11.00 | Pass |
| 11ax (HE80)-SU | CH122 | -0.03 | 11.00 | Pass |
| 11ax (HE20)-RU26 | CH100 | 2.32 | 11.00 | Pass |
| 11ax (HE20)-RU26 | CH116 | 2.62 | 11.00 | Pass |
| 11ax (HE20)-RU26 | CH140 | 2.51 | 11.00 | Pass |
| 11ax (HE40)-RU26 | CH102 | 2.58 | 11.00 | Pass |
| 11ax (HE40)-RU26 | CH118 | 2.56 | 11.00 | Pass |
| 11ax (HE40)-RU26 | CH134 | 2.83 | 11.00 | Pass |
| 11ax (HE80)-RU26 | CH106 | 2.51 | 11.00 | Pass |
| 11ax (HE80)-RU26 | CH122 | 2.56 | 11.00 | Pass |

| U-NII-3 (5725 - 5850 MHz) | | | | |
|---------------------------|---------|------------------|--------------------|---------|
| Mode | Channel | PSD (dBm/500kHz) | Limit (dBm/500kHz) | Verdict |
| 11a | CH149 | -2.38 | 30.00 | Pass |
| 11a | CH157 | -3.43 | 30.00 | Pass |
| 11a | CH165 | -2.58 | 30.00 | Pass |
| 11n (HT20) | CH149 | -3.43 | 30.00 | Pass |
| 11n (HT20) | CH157 | -4.11 | 30.00 | Pass |
| 11n (HT20) | CH165 | -3.21 | 30.00 | Pass |
| 11n (HT40) | CH151 | -6.33 | 30.00 | Pass |
| 11n (HT40) | CH159 | -6.40 | 30.00 | Pass |
| 11ac (VHT20) | CH149 | -3.04 | 30.00 | Pass |
| 11ac (VHT20) | CH157 | -3.66 | 30.00 | Pass |
| 11ac (VHT20) | CH165 | -2.88 | 30.00 | Pass |
| 11ac (VHT40) | CH151 | -5.99 | 30.00 | Pass |
| 11ac (VHT40) | CH159 | -6.03 | 30.00 | Pass |
| 11ac (VHT80) | CH155 | -9.76 | 30.00 | Pass |
| 11ax (HE20)-SU | CH149 | -3.25 | 30.00 | Pass |
| 11ax (HE20)-SU | CH157 | -3.86 | 30.00 | Pass |
| 11ax (HE20)-SU | CH165 | -3.01 | 30.00 | Pass |
| 11ax (HE40)-SU | CH151 | -6.29 | 30.00 | Pass |
| 11ax (HE40)-SU | CH159 | -6.26 | 30.00 | Pass |
| 11ax (HE80)-SU | CH155 | -9.81 | 30.00 | Pass |
| 11ax (HE20)-RU26 | CH149 | -0.97 | 30.00 | Pass |
| 11ax (HE20)-RU26 | CH157 | -0.83 | 30.00 | Pass |
| 11ax (HE20)-RU26 | CH165 | -0.59 | 30.00 | Pass |
| 11ax (HE40)-RU26 | CH151 | -0.45 | 30.00 | Pass |
| 11ax (HE40)-RU26 | CH159 | -1.05 | 30.00 | Pass |
| 11ax (HE80)-RU26 | CH155 | -0.75 | 30.00 | Pass |

MIMO-Aux. Antenna

| U-NII-1 (5150 - 5250 MHz) | | | | |
|---------------------------|---------|---------------|-----------------|---------|
| Mode | Channel | PSD (dBm/MHz) | Limit (dBm/MHz) | Verdict |
| 11a | CH36 | 5.98 | 11.00 | Pass |
| 11a | CH44 | 5.29 | 11.00 | Pass |
| 11a | CH48 | 5.47 | 11.00 | Pass |
| 11n (HT20) | CH36 | 1.04 | 11.00 | Pass |
| 11n (HT20) | CH44 | 4.63 | 11.00 | Pass |
| 11n (HT20) | CH48 | 4.89 | 11.00 | Pass |
| 11n (HT40) | CH38 | 2.29 | 11.00 | Pass |
| 11n (HT40) | CH46 | 1.97 | 11.00 | Pass |
| 11ac (VHT20) | CH36 | 3.16 | 11.00 | Pass |
| 11ac (VHT20) | CH44 | 4.79 | 11.00 | Pass |
| 11ac (VHT20) | CH48 | 5.05 | 11.00 | Pass |
| 11ac (VHT40) | CH38 | 2.43 | 11.00 | Pass |
| 11ac (VHT40) | CH46 | 2.24 | 11.00 | Pass |
| 11ac (VHT80) | CH42 | -1.11 | 11.00 | Pass |
| 11ax (HE20)-SU | CH36 | 5.17 | 11.00 | Pass |
| 11ax (HE20)-SU | CH44 | 4.59 | 11.00 | Pass |
| 11ax (HE20)-SU | CH48 | 4.86 | 11.00 | Pass |
| 11ax (HE40)-SU | CH38 | 2.13 | 11.00 | Pass |
| 11ax (HE40)-SU | CH46 | 1.95 | 11.00 | Pass |
| 11ax (HE80)-SU | CH42 | -1.21 | 11.00 | Pass |
| 11ax (HE20)-RU26 | CH36 | 2.09 | 11.00 | Pass |
| 11ax (HE20)-RU26 | CH44 | 1.38 | 11.00 | Pass |
| 11ax (HE20)-RU26 | CH48 | 1.43 | 11.00 | Pass |
| 11ax (HE40)-RU26 | CH38 | 1.89 | 11.00 | Pass |
| 11ax (HE40)-RU26 | CH46 | 1.48 | 11.00 | Pass |
| 11ax (HE80)-RU26 | CH42 | 1.86 | 11.00 | Pass |

| U-NII-2A (5250 - 5350 MHz) | | | | |
|----------------------------|---------|---------------|-----------------|---------|
| Mode | Channel | PSD (dBm/MHz) | Limit (dBm/MHz) | Verdict |
| 11a | CH52 | 5.58 | 11.00 | Pass |
| 11a | CH60 | 5.00 | 11.00 | Pass |
| 11a | CH64 | 5.19 | 11.00 | Pass |
| 11n (HT20) | CH52 | 4.99 | 11.00 | Pass |
| 11n (HT20) | CH60 | 4.46 | 11.00 | Pass |
| 11n (HT20) | CH64 | 4.66 | 11.00 | Pass |
| 11n (HT40) | CH54 | 2.10 | 11.00 | Pass |
| 11n (HT40) | CH62 | 0.39 | 11.00 | Pass |
| 11ac (VHT20) | CH52 | 5.07 | 11.00 | Pass |
| 11ac (VHT20) | CH60 | 4.58 | 11.00 | Pass |
| 11ac (VHT20) | CH64 | 4.84 | 11.00 | Pass |
| 11ac (VHT40) | CH54 | 0.10 | 11.00 | Pass |
| 11ac (VHT40) | CH62 | 1.97 | 11.00 | Pass |
| 11ac (VHT80) | CH58 | -1.25 | 11.00 | Pass |
| 11ax (HE20)-SU | CH52 | 4.86 | 11.00 | Pass |
| 11ax (HE20)-SU | CH60 | 4.35 | 11.00 | Pass |
| 11ax (HE20)-SU | CH64 | 4.54 | 11.00 | Pass |
| 11ax (HE40)-SU | CH54 | 1.91 | 11.00 | Pass |
| 11ax (HE40)-SU | CH62 | -1.67 | 11.00 | Pass |
| 11ax (HE80)-SU | CH58 | -4.83 | 11.00 | Pass |
| 11ax (HE20)-RU26 | CH52 | 1.81 | 11.00 | Pass |
| 11ax (HE20)-RU26 | CH60 | 1.19 | 11.00 | Pass |
| 11ax (HE20)-RU26 | CH64 | 1.39 | 11.00 | Pass |
| 11ax (HE40)-RU26 | CH54 | 1.66 | 11.00 | Pass |
| 11ax (HE40)-RU26 | CH62 | 1.32 | 11.00 | Pass |
| 11ax (HE80)-RU26 | CH58 | 1.88 | 11.00 | Pass |

| U-NII-2C (5470 - 5725 MHz) | | | | |
|----------------------------|---------|---------------|-----------------|---------|
| Mode | Channel | PSD (dBm/MHz) | Limit (dBm/MHz) | Verdict |
| 11a | CH100 | 2.20 | 11.00 | Pass |
| 11a | CH116 | 5.17 | 11.00 | Pass |
| 11a | CH140 | 5.03 | 11.00 | Pass |
| 11n (HT20) | CH100 | -1.30 | 11.00 | Pass |
| 11n (HT20) | CH116 | 4.79 | 11.00 | Pass |
| 11n (HT20) | CH140 | 3.01 | 11.00 | Pass |
| 11n (HT40) | CH102 | 2.29 | 11.00 | Pass |
| 11n (HT40) | CH118 | 2.07 | 11.00 | Pass |
| 11n (HT40) | CH134 | 1.39 | 11.00 | Pass |
| 11ac (VHT20) | CH100 | 0.01 | 11.00 | Pass |
| 11ac (VHT20) | CH116 | 4.97 | 11.00 | Pass |
| 11ac (VHT20) | CH140 | 2.81 | 11.00 | Pass |
| 11ac (VHT40) | CH102 | 2.47 | 11.00 | Pass |
| 11ac (VHT40) | CH118 | 2.17 | 11.00 | Pass |
| 11ac (VHT40) | CH134 | 1.53 | 11.00 | Pass |
| 11ac (VHT80) | CH106 | -0.64 | 11.00 | Pass |
| 11ac (VHT80) | CH122 | -1.08 | 11.00 | Pass |
| 11ax (HE20)-SU | CH100 | 5.04 | 11.00 | Pass |
| 11ax (HE20)-SU | CH116 | 4.74 | 11.00 | Pass |
| 11ax (HE20)-SU | CH140 | 2.17 | 11.00 | Pass |
| 11ax (HE40)-SU | CH102 | -0.10 | 11.00 | Pass |
| 11ax (HE40)-SU | CH118 | 1.91 | 11.00 | Pass |
| 11ax (HE40)-SU | CH134 | 1.20 | 11.00 | Pass |
| 11ax (HE80)-SU | CH106 | -4.04 | 11.00 | Pass |
| 11ax (HE80)-SU | CH122 | -0.90 | 11.00 | Pass |
| 11ax (HE20)-RU26 | CH100 | 1.94 | 11.00 | Pass |
| 11ax (HE20)-RU26 | CH116 | 1.83 | 11.00 | Pass |
| 11ax (HE20)-RU26 | CH140 | 1.80 | 11.00 | Pass |
| 11ax (HE40)-RU26 | CH102 | 2.26 | 11.00 | Pass |
| 11ax (HE40)-RU26 | CH118 | 1.85 | 11.00 | Pass |
| 11ax (HE40)-RU26 | CH134 | 1.43 | 11.00 | Pass |
| 11ax (HE80)-RU26 | CH106 | 2.14 | 11.00 | Pass |
| 11ax (HE80)-RU26 | CH122 | 1.79 | 11.00 | Pass |

| U-NII-3 (5725 - 5850 MHz) | | | | |
|---------------------------|---------|------------------|--------------------|---------|
| Mode | Channel | PSD (dBm/500kHz) | Limit (dBm/500kHz) | Verdict |
| 11a | CH149 | 2.35 | 30.00 | Pass |
| 11a | CH157 | 2.64 | 30.00 | Pass |
| 11a | CH165 | 2.32 | 30.00 | Pass |
| 11n (HT20) | CH149 | 1.49 | 30.00 | Pass |
| 11n (HT20) | CH157 | 2.21 | 30.00 | Pass |
| 11n (HT20) | CH165 | 2.00 | 30.00 | Pass |
| 11n (HT40) | CH151 | -1.25 | 30.00 | Pass |
| 11n (HT40) | CH159 | -0.16 | 30.00 | Pass |
| 11ac (VHT20) | CH149 | 1.67 | 30.00 | Pass |
| 11ac (VHT20) | CH157 | 2.44 | 30.00 | Pass |
| 11ac (VHT20) | CH165 | 2.20 | 30.00 | Pass |
| 11ac (VHT40) | CH151 | -1.08 | 30.00 | Pass |
| 11ac (VHT40) | CH159 | 0.05 | 30.00 | Pass |
| 11ac (VHT80) | CH155 | -3.77 | 30.00 | Pass |
| 11ax (HE20)-SU | CH149 | 1.64 | 30.00 | Pass |
| 11ax (HE20)-SU | CH157 | 2.08 | 30.00 | Pass |
| 11ax (HE20)-SU | CH165 | 1.88 | 30.00 | Pass |
| 11ax (HE40)-SU | CH151 | -1.42 | 30.00 | Pass |
| 11ax (HE40)-SU | CH159 | -0.35 | 30.00 | Pass |
| 11ax (HE80)-SU | CH155 | -3.99 | 30.00 | Pass |
| 11ax (HE20)-RU26 | CH149 | -1.04 | 30.00 | Pass |
| 11ax (HE20)-RU26 | CH157 | -0.47 | 30.00 | Pass |
| 11ax (HE20)-RU26 | CH165 | -0.53 | 30.00 | Pass |
| 11ax (HE40)-RU26 | CH151 | -1.02 | 30.00 | Pass |
| 11ax (HE40)-RU26 | CH159 | -0.45 | 30.00 | Pass |
| 11ax (HE80)-RU26 | CH155 | -1.06 | 30.00 | Pass |

MIMO

| U-NII-1 (5150 - 5250 MHz) | | | | |
|---------------------------|---------|---------------|-----------------|---------|
| Mode | Channel | PSD (dBm/MHz) | Limit (dBm/MHz) | Verdict |
| 11a | CH36 | 9.11 | 11.00 | Pass |
| 11a | CH44 | 8.71 | 11.00 | Pass |
| 11a | CH48 | 8.93 | 11.00 | Pass |
| 11n (HT20) | CH36 | 3.86 | 11.00 | Pass |
| 11n (HT20) | CH44 | 7.86 | 11.00 | Pass |
| 11n (HT20) | CH48 | 8.13 | 11.00 | Pass |
| 11n (HT40) | CH38 | 5.53 | 11.00 | Pass |
| 11n (HT40) | CH46 | 5.29 | 11.00 | Pass |
| 11ac (VHT20) | CH36 | 6.20 | 11.00 | Pass |
| 11ac (VHT20) | CH44 | 8.25 | 11.00 | Pass |
| 11ac (VHT20) | CH48 | 8.52 | 11.00 | Pass |
| 11ac (VHT40) | CH38 | 5.90 | 11.00 | Pass |
| 11ac (VHT40) | CH46 | 5.76 | 11.00 | Pass |
| 11ac (VHT80) | CH42 | 2.34 | 11.00 | Pass |
| 11ax (HE20)-SU | CH36 | 8.45 | 11.00 | Pass |
| 11ax (HE20)-SU | CH44 | 8.06 | 11.00 | Pass |
| 11ax (HE20)-SU | CH48 | 8.33 | 11.00 | Pass |
| 11ax (HE40)-SU | CH38 | 5.58 | 11.00 | Pass |
| 11ax (HE40)-SU | CH46 | 5.42 | 11.00 | Pass |
| 11ax (HE80)-SU | CH42 | 2.25 | 11.00 | Pass |
| 11ax (HE20)-RU26 | CH36 | 4.84 | 11.00 | Pass |
| 11ax (HE20)-RU26 | CH44 | 4.18 | 11.00 | Pass |
| 11ax (HE20)-RU26 | CH48 | 4.41 | 11.00 | Pass |
| 11ax (HE40)-RU26 | CH38 | 4.70 | 11.00 | Pass |
| 11ax (HE40)-RU26 | CH46 | 4.23 | 11.00 | Pass |
| 11ax (HE80)-RU26 | CH42 | 4.78 | 11.00 | Pass |

| U-NII-2A (5250 - 5350 MHz) | | | | |
|----------------------------|---------|---------------|-----------------|---------|
| Mode | Channel | PSD (dBm/MHz) | Limit (dBm/MHz) | Verdict |
| 11a | CH52 | 8.98 | 11.00 | Pass |
| 11a | CH60 | 8.62 | 11.00 | Pass |
| 11a | CH64 | 8.84 | 11.00 | Pass |
| 11n (HT20) | CH52 | 8.21 | 11.00 | Pass |
| 11n (HT20) | CH60 | 7.82 | 11.00 | Pass |
| 11n (HT20) | CH64 | 8.04 | 11.00 | Pass |
| 11n (HT40) | CH54 | 5.44 | 11.00 | Pass |
| 11n (HT40) | CH62 | 3.59 | 11.00 | Pass |
| 11ac (VHT20) | CH52 | 8.53 | 11.00 | Pass |
| 11ac (VHT20) | CH60 | 8.23 | 11.00 | Pass |
| 11ac (VHT20) | CH64 | 8.44 | 11.00 | Pass |
| 11ac (VHT40) | CH54 | 3.45 | 11.00 | Pass |
| 11ac (VHT40) | CH62 | 5.77 | 11.00 | Pass |
| 11ac (VHT80) | CH58 | 2.36 | 11.00 | Pass |
| 11ax (HE20)-SU | CH52 | 8.40 | 11.00 | Pass |
| 11ax (HE20)-SU | CH60 | 8.05 | 11.00 | Pass |
| 11ax (HE20)-SU | CH64 | 8.24 | 11.00 | Pass |
| 11ax (HE40)-SU | CH54 | 5.56 | 11.00 | Pass |
| 11ax (HE40)-SU | CH62 | 1.76 | 11.00 | Pass |
| 11ax (HE80)-SU | CH58 | -1.57 | 11.00 | Pass |
| 11ax (HE20)-RU26 | CH52 | 4.62 | 11.00 | Pass |
| 11ax (HE20)-RU26 | CH60 | 4.11 | 11.00 | Pass |
| 11ax (HE20)-RU26 | CH64 | 4.28 | 11.00 | Pass |
| 11ax (HE40)-RU26 | CH54 | 4.48 | 11.00 | Pass |
| 11ax (HE40)-RU26 | CH62 | 4.27 | 11.00 | Pass |
| 11ax (HE80)-RU26 | CH58 | 4.74 | 11.00 | Pass |


| U-NII-2C (5470 - 5725 MHz) | | | | |
|----------------------------|---------|---------------|-----------------|---------|
| Mode | Channel | PSD (dBm/MHz) | Limit (dBm/MHz) | Verdict |
| 11a | CH100 | 5.36 | 11.00 | Pass |
| 11a | CH116 | 8.85 | 11.00 | Pass |
| 11a | CH140 | 8.56 | 11.00 | Pass |
| 11n (HT20) | CH100 | 1.75 | 11.00 | Pass |
| 11n (HT20) | CH116 | 8.32 | 11.00 | Pass |
| 11n (HT20) | CH140 | 6.61 | 11.00 | Pass |
| 11n (HT40) | CH102 | 5.80 | 11.00 | Pass |
| 11n (HT40) | CH118 | 5.63 | 11.00 | Pass |
| 11n (HT40) | CH134 | 5.42 | 11.00 | Pass |
| 11ac (VHT20) | CH100 | 3.17 | 11.00 | Pass |
| 11ac (VHT20) | CH116 | 8.67 | 11.00 | Pass |
| 11ac (VHT20) | CH140 | 6.50 | 11.00 | Pass |
| 11ac (VHT40) | CH102 | 6.10 | 11.00 | Pass |
| 11ac (VHT40) | CH118 | 5.85 | 11.00 | Pass |
| 11ac (VHT40) | CH134 | 5.59 | 11.00 | Pass |
| 11ac (VHT80) | CH106 | 2.87 | 11.00 | Pass |
| 11ac (VHT80) | CH122 | 2.49 | 11.00 | Pass |
| 11ax (HE20)-SU | CH100 | 8.61 | 11.00 | Pass |
| 11ax (HE20)-SU | CH116 | 8.50 | 11.00 | Pass |
| 11ax (HE20)-SU | CH140 | 5.83 | 11.00 | Pass |
| 11ax (HE40)-SU | CH102 | 3.20 | 11.00 | Pass |
| 11ax (HE40)-SU | CH118 | 5.68 | 11.00 | Pass |
| 11ax (HE40)-SU | CH134 | 5.29 | 11.00 | Pass |
| 11ax (HE80)-SU | CH106 | -0.98 | 11.00 | Pass |
| 11ax (HE80)-SU | CH122 | 2.57 | 11.00 | Pass |
| 11ax (HE20)-RU26 | CH100 | 5.14 | 11.00 | Pass |
| 11ax (HE20)-RU26 | CH116 | 5.25 | 11.00 | Pass |
| 11ax (HE20)-RU26 | CH140 | 5.18 | 11.00 | Pass |
| 11ax (HE40)-RU26 | CH102 | 5.43 | 11.00 | Pass |
| 11ax (HE40)-RU26 | CH118 | 5.23 | 11.00 | Pass |
| 11ax (HE40)-RU26 | CH134 | 5.20 | 11.00 | Pass |
| 11ax (HE80)-RU26 | CH106 | 5.34 | 11.00 | Pass |
| 11ax (HE80)-RU26 | CH122 | 5.20 | 11.00 | Pass |

| U-NII-3 (5725 - 5850 MHz) | | | | |
|---------------------------|---------|------------------|--------------------|---------|
| Mode | Channel | PSD (dBm/500kHz) | Limit (dBm/500kHz) | Verdict |
| 11a | CH149 | 3.61 | 30.00 | Pass |
| 11a | CH157 | 3.60 | 30.00 | Pass |
| 11a | CH165 | 3.54 | 30.00 | Pass |
| 11n (HT20) | CH149 | 2.70 | 30.00 | Pass |
| 11n (HT20) | CH157 | 3.12 | 30.00 | Pass |
| 11n (HT20) | CH165 | 3.14 | 30.00 | Pass |
| 11n (HT40) | CH151 | -0.08 | 30.00 | Pass |
| 11n (HT40) | CH159 | 0.77 | 30.00 | Pass |
| 11ac (VHT20) | CH149 | 2.93 | 30.00 | Pass |
| 11ac (VHT20) | CH157 | 3.39 | 30.00 | Pass |
| 11ac (VHT20) | CH165 | 3.37 | 30.00 | Pass |
| 11ac (VHT40) | CH151 | 0.14 | 30.00 | Pass |
| 11ac (VHT40) | CH159 | 1.01 | 30.00 | Pass |
| 11ac (VHT80) | CH155 | -2.79 | 30.00 | Pass |
| 11ax (HE20)-SU | CH149 | 2.86 | 30.00 | Pass |
| 11ax (HE20)-SU | CH157 | 3.07 | 30.00 | Pass |
| 11ax (HE20)-SU | CH165 | 3.10 | 30.00 | Pass |
| 11ax (HE40)-SU | CH151 | -0.20 | 30.00 | Pass |
| 11ax (HE40)-SU | CH159 | 0.64 | 30.00 | Pass |
| 11ax (HE80)-SU | CH155 | -2.98 | 30.00 | Pass |
| 11ax (HE20)-RU26 | CH149 | 2.01 | 30.00 | Pass |
| 11ax (HE20)-RU26 | CH157 | 2.36 | 30.00 | Pass |
| 11ax (HE20)-RU26 | CH165 | 2.45 | 30.00 | Pass |
| 11ax (HE40)-RU26 | CH151 | 2.28 | 30.00 | Pass |
| 11ax (HE40)-RU26 | CH159 | 2.27 | 30.00 | Pass |
| 11ax (HE80)-RU26 | CH155 | 2.11 | 30.00 | Pass |

A.5 Conducted Emissions

Note¹: The EUT is working in the Normal link mode. All modes have been tested and normal link mode is worst.
 Note²: Devices subject to Part 15 must be tested for all available U.S. voltages and frequencies (such as a nominal 120 VAC, 60 Hz and 240 VAC, 50 Hz) for which the device is capable of operation. So, The configuration 120 VAC, 60 Hz and 240 VAC, 50 Hz were tested respectively, but only the worst configuration (120 VAC, 60 Hz) shown here.


Test Data and Plots



| No. | Frequency (MHz) | Results (dBuV) | Factor (dB) | Limit (dBuV) | Over Limit (dB) | Detector | Line | Verdict |
|-----|-----------------|----------------|-------------|--------------|-----------------|----------|------|---------|
| 1 | 0.154 | 54.12 | 10.41 | 65.78 | -11.66 | Peak | L | Pass |
| 1** | 0.154 | 31.31 | 10.41 | 55.78 | -24.47 | AV | L | Pass |
| 2 | 0.214 | 46.66 | 10.38 | 63.05 | -16.39 | Peak | L | Pass |
| 2** | 0.214 | 34.36 | 10.38 | 53.05 | -18.69 | AV | L | Pass |
| 3 | 0.294 | 44.02 | 10.33 | 60.41 | -16.39 | Peak | L | Pass |
| 3** | 0.294 | 30.92 | 10.33 | 50.41 | -19.49 | AV | L | Pass |
| 4 | 0.374 | 42.11 | 10.30 | 58.41 | -16.30 | Peak | L | Pass |
| 4** | 0.374 | 29.55 | 10.30 | 48.41 | -18.86 | AV | L | Pass |
| 5 | 4.744 | 39.20 | 10.30 | 56.00 | -16.80 | Peak | L | Pass |
| 5** | 4.744 | 27.99 | 10.30 | 46.00 | -18.01 | AV | L | Pass |
| 6 | 9.390 | 44.59 | 10.36 | 60.00 | -15.41 | Peak | L | Pass |
| 6** | 9.390 | 26.86 | 10.36 | 50.00 | -23.14 | AV | L | Pass |

PHASE N

CE Test case_FCC_CE_FCC PART 15B_Class B



| No. | Frequency (MHz) | Results (dBuV) | Factor (dB) | Limit (dBuV) | Over Limit (dB) | Detector | Line | Verdict |
|-----|-----------------|----------------|-------------|--------------|-----------------|----------|------|---------|
| 1 | 0.172 | 51.99 | 10.40 | 64.86 | -12.87 | Peak | N | Pass |
| 1** | 0.172 | 34.19 | 10.40 | 54.86 | -20.67 | AV | N | Pass |
| 2 | 0.224 | 43.28 | 10.37 | 62.67 | -19.39 | Peak | N | Pass |
| 2** | 0.224 | 30.70 | 10.37 | 52.67 | -21.97 | AV | N | Pass |
| 3 | 0.300 | 40.43 | 10.33 | 60.24 | -19.81 | Peak | N | Pass |
| 3** | 0.300 | 27.18 | 10.33 | 50.24 | -23.06 | AV | N | Pass |
| 4 | 3.062 | 38.87 | 10.29 | 56.00 | -17.13 | Peak | N | Pass |
| 4** | 3.062 | 26.80 | 10.29 | 46.00 | -19.20 | AV | N | Pass |
| 5 | 7.300 | 42.16 | 10.34 | 60.00 | -17.84 | Peak | N | Pass |
| 5** | 7.300 | 29.41 | 10.34 | 50.00 | -20.59 | AV | N | Pass |
| 6 | 13.446 | 50.22 | 10.39 | 60.00 | -9.78 | Peak | N | Pass |
| 6** | 13.446 | 40.33 | 10.39 | 50.00 | -9.67 | AV | N | Pass |

A.6 Radiated Spurious Emissions and Band Edge (Restricted-band)

Test Data

Note 1: The symbol of “--” in the table which means not application.


Note 2: For the test data above 1 GHz, According the ANSI C63.4, where limits are specified for both average and peak (or quasi-peak) detector functions, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement.

Note 3: The low frequency, which started from 9 kHz to 30 MHz, was pre-scanned and the result which was 20 dB lower than the limit line per 15.31(o) was not reported.

Note 4: The EUT is working in the Normal link mode below 1 GHz.


Note 5: For Multiple transmitter output, the quantity $10 \log(NANT)$ dB is added to each spectrum value before comparing to the emission limit. When testing out-of-band and spurious emissions against relative emission limits, tests may be performed on each output individually without summing or adding $10 \log(NANT)$ if the measurements are made relative to the in-band emissions on the individual outputs.

30 MHz to 1 GHz, ANT H



| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 79.519 | 24.49 | -28.43 | 40.0 | -15.51 | Peak | 203.20 | 200 | Horizontal | Pass |
| 2 | 90.674 | 26.56 | -25.95 | 43.5 | -16.94 | Peak | 110.90 | 200 | Horizontal | Pass |
| 3 | 153.190 | 24.70 | -27.55 | 43.5 | -18.80 | Peak | 299.10 | 200 | Horizontal | Pass |
| 4 | 192.524 | 24.54 | -25.04 | 43.5 | -18.96 | Peak | 286.30 | 200 | Horizontal | Pass |
| 5 | 252.858 | 22.33 | -22.75 | 46.0 | -23.67 | Peak | 276.90 | 100 | Horizontal | Pass |
| 6 | 324.056 | 23.65 | -21.03 | 46.0 | -22.35 | Peak | 276.90 | 100 | Horizontal | Pass |

30 MHz to 1 GHz, ANT V



| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 37.275 | 26.95 | -24.59 | 40.0 | -13.05 | Peak | 106.60 | 100 | Vertical | Pass |
| 2 | 48.167 | 35.03 | -22.59 | 40.0 | -4.97 | Peak | 360.00 | 100 | Vertical | N/A |
| 2* | 48.167 | 32.34 | -22.59 | 40.0 | -7.66 | QP | 360.00 | 100 | Vertical | Pass |
| 3 | 53.425 | 31.85 | -22.93 | 40.0 | -8.15 | Peak | 356.70 | 100 | Vertical | Pass |
| 4 | 90.706 | 37.93 | -25.83 | 43.5 | -5.57 | Peak | 360.00 | 123 | Vertical | N/A |
| 4* | 90.706 | 34.85 | -25.83 | 43.5 | -8.65 | QP | 360.00 | 123 | Vertical | Pass |
| 5 | 153.772 | 23.43 | -27.47 | 43.5 | -20.07 | Peak | 14.20 | 100 | Vertical | Pass |
| 6 | 185.540 | 24.87 | -25.39 | 43.5 | -18.63 | Peak | 360.00 | 100 | Vertical | Pass |

Note 1: The spurious above 18G is noise only, do not show on the report.

Note 2: All the configurations were pre tested, only the worst configuration has been reported in this report.

Main Antenna

11a, U-NII-1, 1 GHz to 18 GHz, Low channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1531.900 | 38.66 | -18.07 | 74.0 | -35.34 | Peak | 220.00 | 150 | Horizontal | Pass |
| 1** | 1531.900 | 28.82 | -18.07 | 54.0 | -25.18 | AV | 220.00 | 150 | Horizontal | Pass |
| 2 | 2793.900 | 42.96 | -11.16 | 74.0 | -31.04 | Peak | 89.00 | 150 | Horizontal | Pass |
| 2** | 2793.900 | 34.11 | -11.16 | 54.0 | -19.89 | AV | 89.00 | 150 | Horizontal | Pass |
| 3 | 4037.000 | 47.83 | -5.81 | 74.0 | -26.17 | Peak | 360.00 | 150 | Horizontal | Pass |
| 3** | 4037.000 | 38.71 | -5.81 | 54.0 | -15.29 | AV | 360.00 | 150 | Horizontal | Pass |
| 4 | 5165.000 | 105.31 | -3.86 | -- | -- | Peak | 134.00 | 150 | Horizontal | N/A |
| 4** | 5165.000 | 96.61 | -3.86 | -- | -- | AV | 134.00 | 150 | Horizontal | N/A |
| 5 | 7444.188 | 48.36 | -4.41 | 74.0 | -25.64 | Peak | 81.00 | 150 | Horizontal | Pass |
| 5** | 7444.188 | 40.22 | -4.41 | 54.0 | -13.78 | AV | 81.00 | 150 | Horizontal | Pass |
| 6 | 12216.688 | 51.31 | -0.35 | 74.0 | -22.69 | Peak | 329.00 | 150 | Horizontal | Pass |
| 6** | 12216.688 | 42.30 | -0.35 | 54.0 | -11.70 | AV | 329.00 | 150 | Horizontal | Pass |

11a, U-NII-1, 1 GHz to 18 GHz, Low channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1164.900 | 43.41 | -18.46 | 74.0 | -30.59 | Peak | 314.00 | 150 | Vertical | Pass |
| 1** | 1164.900 | 31.65 | -18.46 | 54.0 | -22.35 | AV | 314.00 | 150 | Vertical | Pass |
| 2 | 2791.500 | 46.55 | -11.10 | 74.0 | -27.45 | Peak | 279.00 | 150 | Vertical | Pass |
| 2** | 2791.500 | 35.38 | -11.10 | 54.0 | -18.62 | AV | 279.00 | 150 | Vertical | Pass |
| 3 | 4016.200 | 47.32 | -6.51 | 74.0 | -26.68 | Peak | 268.00 | 150 | Vertical | Pass |
| 3** | 4016.200 | 37.56 | -6.51 | 54.0 | -16.44 | AV | 268.00 | 150 | Vertical | Pass |
| 4 | 5173.400 | 95.91 | -3.99 | -- | -- | Peak | 5.00 | 150 | Vertical | N/A |
| 4** | 5173.400 | 88.07 | -3.99 | -- | -- | AV | 5.00 | 150 | Vertical | N/A |
| 5 | 7425.787 | 48.79 | -4.07 | 74.0 | -25.21 | Peak | 120.00 | 150 | Vertical | Pass |
| 5** | 7425.787 | 39.40 | -4.07 | 54.0 | -14.60 | AV | 120.00 | 150 | Vertical | Pass |
| 6 | 12357.276 | 51.09 | -1.44 | 74.0 | -22.91 | Peak | 297.00 | 150 | Vertical | Pass |
| 6** | 12357.276 | 41.76 | -1.44 | 54.0 | -12.24 | AV | 297.00 | 150 | Vertical | Pass |

11a, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1196.300 | 43.47 | -18.18 | 74.0 | -30.53 | Peak | 338.00 | 150 | Horizontal | Pass |
| 1** | 1196.300 | 30.53 | -18.18 | 54.0 | -23.47 | AV | 338.00 | 150 | Horizontal | Pass |
| 2 | 2790.200 | 44.64 | -11.10 | 74.0 | -29.36 | Peak | 273.00 | 150 | Horizontal | Pass |
| 2** | 2790.200 | 34.03 | -11.10 | 54.0 | -19.97 | AV | 273.00 | 150 | Horizontal | Pass |
| 3 | 4063.000 | 47.27 | -5.62 | 74.0 | -26.73 | Peak | 322.00 | 150 | Horizontal | Pass |
| 3** | 4063.000 | 38.33 | -5.62 | 54.0 | -15.67 | AV | 322.00 | 150 | Horizontal | Pass |
| 4 | 5208.600 | 104.72 | -3.95 | -- | -- | Peak | 159.00 | 150 | Horizontal | N/A |
| 4** | 5208.600 | 96.62 | -3.95 | -- | -- | AV | 159.00 | 150 | Horizontal | N/A |
| 5 | 7609.212 | 48.65 | -5.10 | 74.0 | -25.35 | Peak | 292.00 | 150 | Horizontal | Pass |
| 5** | 7609.212 | 39.30 | -5.10 | 54.0 | -14.70 | AV | 292.00 | 150 | Horizontal | Pass |
| 6 | 12071.500 | 51.02 | -1.40 | 74.0 | -22.98 | Peak | 63.00 | 150 | Horizontal | Pass |
| 6** | 12071.500 | 43.05 | -1.40 | 54.0 | -10.95 | AV | 63.00 | 150 | Horizontal | Pass |

11a, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1197.800 | 48.49 | -18.26 | 74.0 | -25.51 | Peak | 303.00 | 150 | Vertical | Pass |
| 1** | 1197.800 | 38.14 | -18.26 | 54.0 | -15.86 | AV | 303.00 | 150 | Vertical | Pass |
| 2 | 2792.000 | 47.28 | -11.10 | 74.0 | -26.72 | Peak | 265.00 | 150 | Vertical | Pass |
| 2** | 2792.000 | 36.95 | -11.10 | 54.0 | -17.05 | AV | 265.00 | 150 | Vertical | Pass |
| 3 | 4083.800 | 47.49 | -5.09 | 74.0 | -26.51 | Peak | 204.00 | 150 | Vertical | Pass |
| 3** | 4083.800 | 38.51 | -5.09 | 54.0 | -15.49 | AV | 204.00 | 150 | Vertical | Pass |
| 4 | 5208.200 | 96.00 | -3.95 | -- | -- | Peak | 360.00 | 150 | Vertical | N/A |
| 4** | 5208.200 | 88.19 | -3.95 | -- | -- | AV | 360.00 | 150 | Vertical | N/A |
| 5 | 7440.163 | 48.80 | -4.35 | 74.0 | -25.20 | Peak | 360.00 | 150 | Vertical | Pass |
| 5** | 7440.163 | 39.09 | -4.35 | 54.0 | -14.91 | AV | 360.00 | 150 | Vertical | Pass |
| 6 | 12227.325 | 51.39 | -0.29 | 74.0 | -22.61 | Peak | 233.00 | 150 | Vertical | Pass |
| 6** | 12227.325 | 41.46 | -0.29 | 54.0 | -12.54 | AV | 233.00 | 150 | Vertical | Pass |

11a, U-NII-1, 1 GHz to 18 GHz, High channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1199.300 | 44.37 | -18.25 | 74.0 | -29.63 | Peak | 330.00 | 150 | Horizontal | Pass |
| 1** | 1199.300 | 30.13 | -18.25 | 54.0 | -23.87 | AV | 330.00 | 150 | Horizontal | Pass |
| 2 | 2780.500 | 43.38 | -11.34 | 74.0 | -30.62 | Peak | 348.00 | 150 | Horizontal | Pass |
| 2** | 2780.500 | 33.02 | -11.34 | 54.0 | -20.98 | AV | 348.00 | 150 | Horizontal | Pass |
| 3 | 4114.200 | 47.30 | -5.60 | 74.0 | -26.70 | Peak | 10.00 | 150 | Horizontal | Pass |
| 3** | 4114.200 | 37.63 | -5.60 | 54.0 | -16.37 | AV | 10.00 | 150 | Horizontal | Pass |
| 4 | 5225.400 | 105.63 | -4.07 | -- | -- | Peak | 324.00 | 150 | Horizontal | N/A |
| 4** | 5225.400 | 97.39 | -4.07 | -- | -- | AV | 324.00 | 150 | Horizontal | N/A |
| 5 | 7526.125 | 48.27 | -4.33 | 74.0 | -25.73 | Peak | 308.00 | 150 | Horizontal | Pass |
| 5** | 7526.125 | 39.13 | -4.33 | 54.0 | -14.87 | AV | 308.00 | 150 | Horizontal | Pass |
| 6 | 11583.612 | 50.88 | -0.01 | 74.0 | -23.12 | Peak | 0.00 | 150 | Horizontal | Pass |
| 6** | 11583.612 | 41.00 | -0.01 | 54.0 | -13.00 | AV | 0.00 | 150 | Horizontal | Pass |

11a, U-NII-1, 1 GHz to 18 GHz, High channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1197.100 | 47.41 | -18.20 | 74.0 | -26.59 | Peak | 320.00 | 150 | Vertical | Pass |
| 1** | 1197.100 | 32.82 | -18.20 | 54.0 | -21.18 | AV | 320.00 | 150 | Vertical | Pass |
| 2 | 2799.300 | 47.65 | -11.41 | 74.0 | -26.35 | Peak | 248.00 | 150 | Vertical | Pass |
| 2** | 2799.300 | 36.94 | -11.41 | 54.0 | -17.06 | AV | 248.00 | 150 | Vertical | Pass |
| 3 | 4091.600 | 46.91 | -5.60 | 74.0 | -27.09 | Peak | 101.00 | 150 | Vertical | Pass |
| 3** | 4091.600 | 37.97 | -5.60 | 54.0 | -16.03 | AV | 101.00 | 150 | Vertical | Pass |
| 4 | 5227.400 | 96.82 | -4.06 | -- | -- | Peak | 360.00 | 150 | Vertical | N/A |
| 4** | 5227.400 | 88.35 | -4.06 | -- | -- | AV | 360.00 | 150 | Vertical | N/A |
| 5 | 7333.788 | 48.48 | -4.84 | 74.0 | -25.52 | Peak | 347.00 | 150 | Vertical | Pass |
| 5** | 7333.788 | 39.07 | -4.84 | 54.0 | -14.93 | AV | 347.00 | 150 | Vertical | Pass |
| 6 | 11591.663 | 51.18 | -0.08 | 74.0 | -22.82 | Peak | 152.00 | 150 | Vertical | Pass |
| 6** | 11591.663 | 41.58 | -0.08 | 54.0 | -12.42 | AV | 152.00 | 150 | Vertical | Pass |

11n20, U-NII-1, 1 GHz to 18 GHz, Low channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1196.400 | 41.36 | -18.18 | 74.0 | -32.64 | Peak | 332.00 | 150 | Horizontal | Pass |
| 1** | 1196.400 | 31.73 | -18.18 | 54.0 | -22.27 | AV | 332.00 | 150 | Horizontal | Pass |
| 2 | 2783.700 | 43.28 | -11.29 | 74.0 | -30.72 | Peak | 52.00 | 150 | Horizontal | Pass |
| 2** | 2783.700 | 34.26 | -11.29 | 54.0 | -19.74 | AV | 52.00 | 150 | Horizontal | Pass |
| 3 | 4122.400 | 47.29 | -5.73 | 74.0 | -26.71 | Peak | 125.00 | 150 | Horizontal | Pass |
| 3** | 4122.400 | 38.57 | -5.73 | 54.0 | -15.43 | AV | 125.00 | 150 | Horizontal | Pass |
| 4 | 5173.200 | 104.15 | -4.00 | -- | -- | Peak | 141.00 | 150 | Horizontal | N/A |
| 4** | 5173.200 | 96.34 | -4.00 | -- | -- | AV | 141.00 | 150 | Horizontal | N/A |
| 5 | 7440.737 | 49.03 | -4.31 | 74.0 | -24.97 | Peak | 236.00 | 150 | Horizontal | Pass |
| 5** | 7440.737 | 38.94 | -4.31 | 54.0 | -15.06 | AV | 236.00 | 150 | Horizontal | Pass |
| 6 | 12077.537 | 51.36 | -1.35 | 74.0 | -22.64 | Peak | 360.00 | 150 | Horizontal | Pass |
| 6** | 12077.537 | 41.73 | -1.35 | 54.0 | -12.27 | AV | 360.00 | 150 | Horizontal | Pass |

11n20, U-NII-1, 1 GHz to 18 GHz, Low channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1197.500 | 49.93 | -18.23 | 74.0 | -24.07 | Peak | 299.00 | 150 | Vertical | Pass |
| 1** | 1197.500 | 32.88 | -18.23 | 54.0 | -21.12 | AV | 299.00 | 150 | Vertical | Pass |
| 2 | 2792.200 | 44.21 | -11.09 | 74.0 | -29.79 | Peak | 218.00 | 150 | Vertical | Pass |
| 2** | 2792.200 | 34.97 | -11.09 | 54.0 | -19.03 | AV | 218.00 | 150 | Vertical | Pass |
| 3 | 4004.400 | 47.12 | -6.37 | 74.0 | -26.88 | Peak | 118.00 | 150 | Vertical | Pass |
| 3** | 4004.400 | 37.35 | -6.37 | 54.0 | -16.65 | AV | 118.00 | 150 | Vertical | Pass |
| 4 | 5168.800 | 95.98 | -3.95 | -- | -- | Peak | 360.00 | 150 | Vertical | N/A |
| 4** | 5168.800 | 89.01 | -3.95 | -- | -- | AV | 360.00 | 150 | Vertical | N/A |
| 5 | 7423.487 | 48.92 | -4.08 | 74.0 | -25.08 | Peak | 310.00 | 150 | Vertical | Pass |
| 5** | 7423.487 | 40.08 | -4.08 | 54.0 | -13.92 | AV | 310.00 | 150 | Vertical | Pass |
| 6 | 12272.175 | 51.25 | 0.07 | 74.0 | -22.75 | Peak | 234.00 | 150 | Vertical | Pass |
| 6** | 12272.175 | 42.01 | 0.07 | 54.0 | -11.99 | AV | 234.00 | 150 | Vertical | Pass |

11n20, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1198.600 | 44.44 | -18.32 | 74.0 | -29.56 | Peak | 324.00 | 150 | Horizontal | Pass |
| 1** | 1198.600 | 31.69 | -18.32 | 54.0 | -22.31 | AV | 324.00 | 150 | Horizontal | Pass |
| 2 | 2783.400 | 43.37 | -11.29 | 74.0 | -30.63 | Peak | 305.00 | 150 | Horizontal | Pass |
| 2** | 2783.400 | 33.60 | -11.29 | 54.0 | -20.40 | AV | 305.00 | 150 | Horizontal | Pass |
| 3 | 4123.400 | 47.48 | -5.78 | 74.0 | -26.52 | Peak | 178.00 | 150 | Horizontal | Pass |
| 3** | 4123.400 | 38.00 | -5.78 | 54.0 | -16.00 | AV | 178.00 | 150 | Horizontal | Pass |
| 4 | 5213.200 | 104.11 | -3.89 | -- | -- | Peak | 161.00 | 150 | Horizontal | N/A |
| 4** | 5213.200 | 96.31 | -3.89 | -- | -- | AV | 161.00 | 150 | Horizontal | N/A |
| 5 | 7438.150 | 48.14 | -4.35 | 74.0 | -25.86 | Peak | 309.00 | 150 | Horizontal | Pass |
| 5** | 7438.150 | 38.69 | -4.35 | 54.0 | -15.31 | AV | 309.00 | 150 | Horizontal | Pass |
| 6 | 12012.276 | 51.58 | -1.23 | 74.0 | -22.42 | Peak | 328.00 | 150 | Horizontal | Pass |
| 6** | 12012.276 | 42.62 | -1.23 | 54.0 | -11.38 | AV | 328.00 | 150 | Horizontal | Pass |

11n20, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1166.500 | 46.28 | -18.51 | 74.0 | -27.72 | Peak | 298.00 | 150 | Vertical | Pass |
| 1** | 1166.500 | 32.35 | -18.51 | 54.0 | -21.65 | AV | 298.00 | 150 | Vertical | Pass |
| 2 | 2796.100 | 46.61 | -11.36 | 74.0 | -27.39 | Peak | 298.00 | 150 | Vertical | Pass |
| 2** | 2796.100 | 36.75 | -11.36 | 54.0 | -17.25 | AV | 298.00 | 150 | Vertical | Pass |
| 3 | 4086.400 | 47.15 | -5.27 | 74.0 | -26.85 | Peak | 0.00 | 150 | Vertical | Pass |
| 3** | 4086.400 | 37.42 | -5.27 | 54.0 | -16.58 | AV | 0.00 | 150 | Vertical | Pass |
| 4 | 5215.800 | 95.68 | -3.91 | -- | -- | Peak | 360.00 | 150 | Vertical | N/A |
| 4** | 5215.800 | 88.11 | -3.91 | -- | -- | AV | 360.00 | 150 | Vertical | N/A |
| 5 | 7432.112 | 48.28 | -4.40 | 74.0 | -25.72 | Peak | 293.00 | 150 | Vertical | Pass |
| 5** | 7432.112 | 39.29 | -4.40 | 54.0 | -14.71 | AV | 293.00 | 150 | Vertical | Pass |
| 6 | 12012.276 | 50.75 | -1.23 | 74.0 | -23.25 | Peak | 93.00 | 150 | Vertical | Pass |
| 6** | 12012.276 | 41.76 | -1.23 | 54.0 | -12.24 | AV | 93.00 | 150 | Vertical | Pass |

11n20, U-NII-1, 1 GHz to 18 GHz, High channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1164.900 | 40.41 | -18.46 | 74.0 | -33.59 | Peak | 360.00 | 150 | Horizontal | Pass |
| 1** | 1164.900 | 30.96 | -18.46 | 54.0 | -23.04 | AV | 360.00 | 150 | Horizontal | Pass |
| 2 | 2795.400 | 43.80 | -11.28 | 74.0 | -30.20 | Peak | 21.00 | 150 | Horizontal | Pass |
| 2** | 2795.400 | 33.88 | -11.28 | 54.0 | -20.12 | AV | 21.00 | 150 | Horizontal | Pass |
| 3 | 4173.400 | 47.55 | -5.47 | 74.0 | -26.45 | Peak | 289.00 | 150 | Horizontal | Pass |
| 3** | 4173.400 | 37.85 | -5.47 | 54.0 | -16.15 | AV | 289.00 | 150 | Horizontal | Pass |
| 4 | 5222.000 | 105.23 | -4.12 | -- | -- | Peak | 327.00 | 150 | Horizontal | N/A |
| 4** | 5222.000 | 97.00 | -4.12 | -- | -- | AV | 327.00 | 150 | Horizontal | N/A |
| 5 | 7421.763 | 48.27 | -4.04 | 74.0 | -25.73 | Peak | 0.00 | 150 | Horizontal | Pass |
| 5** | 7421.763 | 39.71 | -4.04 | 54.0 | -14.29 | AV | 0.00 | 150 | Horizontal | Pass |
| 6 | 12238.250 | 51.41 | -0.32 | 74.0 | -22.59 | Peak | 77.00 | 150 | Horizontal | Pass |
| 6** | 12238.250 | 42.32 | -0.32 | 54.0 | -11.68 | AV | 77.00 | 150 | Horizontal | Pass |

11n20, U-NII-1, 1 GHz to 18 GHz, High channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1163.600 | 48.19 | -18.45 | 74.0 | -25.81 | Peak | 304.00 | 150 | Vertical | Pass |
| 1** | 1163.600 | 33.76 | -18.45 | 54.0 | -20.24 | AV | 304.00 | 150 | Vertical | Pass |
| 2 | 2796.100 | 45.88 | -11.36 | 74.0 | -28.12 | Peak | 8.00 | 150 | Vertical | Pass |
| 2** | 2796.100 | 36.32 | -11.36 | 54.0 | -17.68 | AV | 8.00 | 150 | Vertical | Pass |
| 3 | 4284.400 | 48.47 | -5.11 | 74.0 | -25.53 | Peak | 319.00 | 150 | Vertical | Pass |
| 3** | 4284.400 | 39.05 | -5.11 | 54.0 | -14.95 | AV | 319.00 | 150 | Vertical | Pass |
| 4 | 5230.600 | 95.90 | -4.17 | -- | -- | Peak | 32.00 | 150 | Vertical | N/A |
| 4** | 5230.600 | 86.79 | -4.17 | -- | -- | AV | 32.00 | 150 | Vertical | N/A |
| 5 | 7331.775 | 49.14 | -4.84 | 74.0 | -24.86 | Peak | 290.00 | 150 | Vertical | Pass |
| 5** | 7331.775 | 39.80 | -4.84 | 54.0 | -14.20 | AV | 290.00 | 150 | Vertical | Pass |
| 6 | 11672.162 | 51.39 | -0.77 | 74.0 | -22.61 | Peak | 233.00 | 150 | Vertical | Pass |
| 6** | 11672.162 | 42.04 | -0.77 | 54.0 | -11.96 | AV | 233.00 | 150 | Vertical | Pass |

11n40, U-NII-1, 1 GHz to 18 GHz, Low channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1487.700 | 39.93 | -17.97 | 74.0 | -34.07 | Peak | 262.00 | 150 | Horizontal | Pass |
| 1** | 1487.700 | 29.26 | -17.97 | 54.0 | -24.74 | AV | 262.00 | 150 | Horizontal | Pass |
| 2 | 2799.700 | 43.87 | -11.41 | 74.0 | -30.13 | Peak | 239.00 | 150 | Horizontal | Pass |
| 2** | 2799.700 | 34.56 | -11.41 | 54.0 | -19.44 | AV | 239.00 | 150 | Horizontal | Pass |
| 3 | 4223.000 | 47.51 | -5.87 | 74.0 | -26.49 | Peak | 70.00 | 150 | Horizontal | Pass |
| 3** | 4223.000 | 37.94 | -5.87 | 54.0 | -16.06 | AV | 70.00 | 150 | Horizontal | Pass |
| 4 | 5183.200 | 103.87 | -3.90 | -- | -- | Peak | 148.00 | 150 | Horizontal | N/A |
| 4** | 5183.200 | 97.35 | -3.90 | -- | -- | AV | 148.00 | 150 | Horizontal | N/A |
| 5 | 7453.675 | 48.70 | -4.46 | 74.0 | -25.30 | Peak | 186.00 | 150 | Horizontal | Pass |
| 5** | 7453.675 | 38.95 | -4.46 | 54.0 | -15.05 | AV | 186.00 | 150 | Horizontal | Pass |
| 6 | 11636.225 | 50.91 | -0.33 | 74.0 | -23.09 | Peak | 256.00 | 150 | Horizontal | Pass |
| 6** | 11636.225 | 40.96 | -0.33 | 54.0 | -13.04 | AV | 256.00 | 150 | Horizontal | Pass |

11n40, U-NII-1, 1 GHz to 18 GHz, Low channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1166.600 | 45.14 | -18.51 | 74.0 | -28.86 | Peak | 288.00 | 150 | Vertical | Pass |
| 1** | 1166.600 | 33.84 | -18.51 | 54.0 | -20.16 | AV | 288.00 | 150 | Vertical | Pass |
| 2 | 2804.700 | 46.92 | -11.56 | 74.0 | -27.08 | Peak | 248.00 | 150 | Vertical | Pass |
| 2** | 2804.700 | 36.90 | -11.56 | 54.0 | -17.10 | AV | 248.00 | 150 | Vertical | Pass |
| 3 | 4143.600 | 47.38 | -6.05 | 74.0 | -26.62 | Peak | 360.00 | 150 | Vertical | Pass |
| 3** | 4143.600 | 37.60 | -6.05 | 54.0 | -16.40 | AV | 360.00 | 150 | Vertical | Pass |
| 4 | 5187.000 | 95.29 | -4.00 | -- | -- | Peak | 351.00 | 150 | Vertical | N/A |
| 4** | 5187.000 | 88.52 | -4.00 | -- | -- | AV | 351.00 | 150 | Vertical | N/A |
| 5 | 7460.000 | 48.71 | -4.58 | 74.0 | -25.29 | Peak | 107.00 | 150 | Vertical | Pass |
| 5** | 7460.000 | 39.10 | -4.58 | 54.0 | -14.90 | AV | 107.00 | 150 | Vertical | Pass |
| 6 | 11614.375 | 51.79 | -0.16 | 74.0 | -22.21 | Peak | 107.00 | 150 | Vertical | Pass |
| 6** | 11614.375 | 41.27 | -0.16 | 54.0 | -12.73 | AV | 107.00 | 150 | Vertical | Pass |

11n40, U-NII-1, 1 GHz to 18 GHz, High channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1488.800 | 39.56 | -18.00 | 74.0 | -34.44 | Peak | 260.00 | 150 | Horizontal | Pass |
| 1** | 1488.800 | 28.57 | -18.00 | 54.0 | -25.43 | AV | 260.00 | 150 | Horizontal | Pass |
| 2 | 2794.500 | 43.71 | -11.19 | 74.0 | -30.29 | Peak | 260.00 | 150 | Horizontal | Pass |
| 2** | 2794.500 | 34.84 | -11.19 | 54.0 | -19.16 | AV | 260.00 | 150 | Horizontal | Pass |
| 3 | 4183.000 | 48.16 | -5.83 | 74.0 | -25.84 | Peak | 317.00 | 150 | Horizontal | Pass |
| 3** | 4183.000 | 37.89 | -5.83 | 54.0 | -16.11 | AV | 317.00 | 150 | Horizontal | Pass |
| 4 | 5224.800 | 104.91 | -4.10 | -- | -- | Peak | 317.00 | 150 | Horizontal | N/A |
| 4** | 5224.800 | 97.00 | -4.10 | -- | -- | AV | 317.00 | 150 | Horizontal | N/A |
| 5 | 7436.712 | 48.48 | -4.34 | 74.0 | -25.52 | Peak | 261.00 | 150 | Horizontal | Pass |
| 5** | 7436.712 | 40.66 | -4.34 | 54.0 | -13.34 | AV | 261.00 | 150 | Horizontal | Pass |
| 6 | 12121.525 | 51.38 | -0.67 | 74.0 | -22.62 | Peak | 91.00 | 150 | Horizontal | Pass |
| 6** | 12121.525 | 41.17 | -0.67 | 54.0 | -12.83 | AV | 91.00 | 150 | Horizontal | Pass |

11n40, U-NII-1, 1 GHz to 18 GHz, High channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1196.500 | 49.28 | -18.17 | 74.0 | -24.72 | Peak | 302.00 | 150 | Vertical | Pass |
| 1** | 1196.500 | 31.91 | -18.17 | 54.0 | -22.09 | AV | 302.00 | 150 | Vertical | Pass |
| 2 | 2748.100 | 45.80 | -11.77 | 74.0 | -28.20 | Peak | 269.00 | 150 | Vertical | Pass |
| 2** | 2748.100 | 36.50 | -11.77 | 54.0 | -17.50 | AV | 269.00 | 150 | Vertical | Pass |
| 3 | 4092.600 | 47.05 | -5.66 | 74.0 | -26.95 | Peak | 104.00 | 150 | Vertical | Pass |
| 3** | 4092.600 | 38.53 | -5.66 | 54.0 | -15.47 | AV | 104.00 | 150 | Vertical | Pass |
| 4 | 5227.200 | 95.90 | -4.06 | -- | -- | Peak | 355.00 | 150 | Vertical | N/A |
| 4** | 5227.200 | 87.88 | -4.06 | -- | -- | AV | 355.00 | 150 | Vertical | N/A |
| 5 | 7418.025 | 48.32 | -4.12 | 74.0 | -25.68 | Peak | 279.00 | 150 | Vertical | Pass |
| 5** | 7418.025 | 39.34 | -4.12 | 54.0 | -14.66 | AV | 279.00 | 150 | Vertical | Pass |
| 6 | 12190.238 | 51.20 | -0.86 | 74.0 | -22.80 | Peak | 160.00 | 150 | Vertical | Pass |
| 6** | 12190.238 | 41.88 | -0.86 | 54.0 | -12.12 | AV | 160.00 | 150 | Vertical | Pass |

11ac20, U-NII-1, 1 GHz to 18 GHz, Low channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1199.200 | 41.40 | -18.27 | 74.0 | -32.60 | Peak | 346.00 | 150 | Horizontal | Pass |
| 1** | 1199.200 | 30.43 | -18.27 | 54.0 | -23.57 | AV | 346.00 | 150 | Horizontal | Pass |
| 2 | 2729.400 | 43.48 | -11.00 | 74.0 | -30.52 | Peak | 65.00 | 150 | Horizontal | Pass |
| 2** | 2729.400 | 33.50 | -11.00 | 54.0 | -20.50 | AV | 65.00 | 150 | Horizontal | Pass |
| 3 | 4087.000 | 47.72 | -5.31 | 74.0 | -26.28 | Peak | 332.00 | 150 | Horizontal | Pass |
| 3** | 4087.000 | 38.46 | -5.31 | 54.0 | -15.54 | AV | 332.00 | 150 | Horizontal | Pass |
| 4 | 5167.800 | 104.38 | -3.96 | -- | -- | Peak | 161.00 | 150 | Horizontal | N/A |
| 4** | 5167.800 | 96.49 | -3.96 | -- | -- | AV | 161.00 | 150 | Horizontal | N/A |
| 5 | 7526.125 | 48.31 | -4.33 | 74.0 | -25.69 | Peak | 0.00 | 150 | Horizontal | Pass |
| 5** | 7526.125 | 38.62 | -4.33 | 54.0 | -15.38 | AV | 0.00 | 150 | Horizontal | Pass |
| 6 | 12073.800 | 51.19 | -1.38 | 74.0 | -22.81 | Peak | 0.00 | 150 | Horizontal | Pass |
| 6** | 12073.800 | 43.01 | -1.38 | 54.0 | -10.99 | AV | 0.00 | 150 | Horizontal | Pass |

11ac20, U-NII-1, 1 GHz to 18 GHz, Low channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1168.000 | 46.51 | -18.48 | 74.0 | -27.49 | Peak | 308.00 | 150 | Vertical | Pass |
| 1** | 1168.000 | 30.25 | -18.48 | 54.0 | -23.75 | AV | 308.00 | 150 | Vertical | Pass |
| 2 | 2797.800 | 46.38 | -11.42 | 74.0 | -27.62 | Peak | 263.00 | 150 | Vertical | Pass |
| 2** | 2797.800 | 35.33 | -11.42 | 54.0 | -18.67 | AV | 263.00 | 150 | Vertical | Pass |
| 3 | 4071.000 | 47.54 | -5.54 | 74.0 | -26.46 | Peak | 319.00 | 150 | Vertical | Pass |
| 3** | 4071.000 | 37.97 | -5.54 | 54.0 | -16.03 | AV | 319.00 | 150 | Vertical | Pass |
| 4 | 5168.600 | 96.19 | -3.96 | -- | -- | Peak | 9.00 | 150 | Vertical | N/A |
| 4** | 5168.600 | 87.80 | -3.96 | -- | -- | AV | 9.00 | 150 | Vertical | N/A |
| 5 | 7420.612 | 48.85 | -3.99 | 74.0 | -25.15 | Peak | 242.00 | 150 | Vertical | Pass |
| 5** | 7420.612 | 40.12 | -3.99 | 54.0 | -13.88 | AV | 242.00 | 150 | Vertical | Pass |
| 6 | 11619.262 | 51.35 | -0.16 | 74.0 | -22.65 | Peak | 347.00 | 150 | Vertical | Pass |
| 6** | 11619.262 | 42.52 | -0.16 | 54.0 | -11.48 | AV | 347.00 | 150 | Vertical | Pass |

11ac20, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1481.800 | 41.32 | -17.96 | 74.0 | -32.68 | Peak | 254.00 | 150 | Horizontal | Pass |
| 1** | 1481.800 | 29.18 | -17.96 | 54.0 | -24.82 | AV | 254.00 | 150 | Horizontal | Pass |
| 2 | 2794.500 | 43.22 | -11.19 | 74.0 | -30.78 | Peak | 213.00 | 150 | Horizontal | Pass |
| 2** | 2794.500 | 33.62 | -11.19 | 54.0 | -20.38 | AV | 213.00 | 150 | Horizontal | Pass |
| 3 | 4013.800 | 47.07 | -6.61 | 74.0 | -26.93 | Peak | 312.00 | 150 | Horizontal | Pass |
| 3** | 4013.800 | 37.40 | -6.61 | 54.0 | -16.60 | AV | 312.00 | 150 | Horizontal | Pass |
| 4 | 5207.200 | 103.88 | -3.92 | -- | -- | Peak | 168.00 | 150 | Horizontal | N/A |
| 4** | 5207.200 | 97.36 | -3.92 | -- | -- | AV | 168.00 | 150 | Horizontal | N/A |
| 5 | 7425.500 | 48.98 | -4.07 | 74.0 | -25.02 | Peak | 69.00 | 150 | Horizontal | Pass |
| 5** | 7425.500 | 40.34 | -4.07 | 54.0 | -13.66 | AV | 69.00 | 150 | Horizontal | Pass |
| 6 | 11614.662 | 51.64 | -0.16 | 74.0 | -22.36 | Peak | 105.00 | 150 | Horizontal | Pass |
| 6** | 11614.662 | 42.02 | -0.16 | 54.0 | -11.98 | AV | 105.00 | 150 | Horizontal | Pass |

11ac20, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1197.100 | 48.55 | -18.20 | 74.0 | -25.45 | Peak | 303.00 | 150 | Vertical | Pass |
| 1** | 1197.100 | 40.36 | -18.20 | 54.0 | -13.64 | AV | 303.00 | 150 | Vertical | Pass |
| 2 | 2791.700 | 45.96 | -11.10 | 74.0 | -28.04 | Peak | 275.00 | 150 | Vertical | Pass |
| 2** | 2791.700 | 35.75 | -11.10 | 54.0 | -18.25 | AV | 275.00 | 150 | Vertical | Pass |
| 3 | 4049.400 | 47.54 | -5.51 | 74.0 | -26.46 | Peak | 103.00 | 150 | Vertical | Pass |
| 3** | 4049.400 | 38.17 | -5.51 | 54.0 | -15.83 | AV | 103.00 | 150 | Vertical | Pass |
| 4 | 5207.000 | 96.46 | -3.91 | -- | -- | Peak | 0.00 | 150 | Vertical | N/A |
| 4** | 5207.000 | 86.57 | -3.91 | -- | -- | AV | 0.00 | 150 | Vertical | N/A |
| 5 | 7357.650 | 48.55 | -4.88 | 74.0 | -25.45 | Peak | 14.00 | 150 | Vertical | Pass |
| 5** | 7357.650 | 39.13 | -4.88 | 54.0 | -14.87 | AV | 14.00 | 150 | Vertical | Pass |
| 6 | 11658.937 | 50.99 | -0.46 | 74.0 | -23.01 | Peak | 347.00 | 150 | Vertical | Pass |
| 6** | 11658.937 | 42.37 | -0.46 | 54.0 | -11.63 | AV | 347.00 | 150 | Vertical | Pass |

11ac20, U-NII-1, 1 GHz to 18 GHz, High channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1464.300 | 39.92 | -17.90 | 74.0 | -34.08 | Peak | 259.00 | 150 | Horizontal | Pass |
| 1** | 1464.300 | 31.10 | -17.90 | 54.0 | -22.90 | AV | 259.00 | 150 | Horizontal | Pass |
| 2 | 2782.600 | 42.91 | -11.29 | 74.0 | -31.09 | Peak | 304.00 | 150 | Horizontal | Pass |
| 2** | 2782.600 | 34.46 | -11.29 | 54.0 | -19.54 | AV | 304.00 | 150 | Horizontal | Pass |
| 3 | 4095.000 | 46.93 | -5.83 | 74.0 | -27.07 | Peak | 58.00 | 150 | Horizontal | Pass |
| 3** | 4095.000 | 38.14 | -5.83 | 54.0 | -15.86 | AV | 58.00 | 150 | Horizontal | Pass |
| 4 | 5233.400 | 104.94 | -4.20 | -- | -- | Peak | 328.00 | 150 | Horizontal | N/A |
| 4** | 5233.400 | 97.13 | -4.20 | -- | -- | AV | 328.00 | 150 | Horizontal | N/A |
| 5 | 7429.525 | 48.74 | -4.29 | 74.0 | -25.26 | Peak | 118.00 | 150 | Horizontal | Pass |
| 5** | 7429.525 | 39.63 | -4.29 | 54.0 | -14.37 | AV | 118.00 | 150 | Horizontal | Pass |
| 6 | 12239.400 | 53.05 | -0.32 | 74.0 | -20.95 | Peak | 240.00 | 150 | Horizontal | Pass |
| 6** | 12239.400 | 41.82 | -0.32 | 54.0 | -12.18 | AV | 240.00 | 150 | Horizontal | Pass |

11ac20, U-NII-1, 1 GHz to 18 GHz, High channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1163.300 | 46.29 | -18.44 | 74.0 | -27.71 | Peak | 275.00 | 150 | Vertical | Pass |
| 1** | 1163.300 | 34.14 | -18.44 | 54.0 | -19.86 | AV | 275.00 | 150 | Vertical | Pass |
| 2 | 2729.500 | 45.97 | -11.01 | 74.0 | -28.03 | Peak | 246.00 | 150 | Vertical | Pass |
| 2** | 2729.500 | 33.35 | -11.01 | 54.0 | -20.65 | AV | 246.00 | 150 | Vertical | Pass |
| 3 | 3980.200 | 47.47 | -6.47 | 74.0 | -26.53 | Peak | 118.00 | 150 | Vertical | Pass |
| 3** | 3980.200 | 37.78 | -6.47 | 54.0 | -16.22 | AV | 118.00 | 150 | Vertical | Pass |
| 4 | 5235.200 | 96.10 | -4.26 | -- | -- | Peak | 360.00 | 150 | Vertical | N/A |
| 4** | 5235.200 | 87.80 | -4.26 | -- | -- | AV | 360.00 | 150 | Vertical | N/A |
| 5 | 7445.338 | 48.57 | -4.47 | 74.0 | -25.43 | Peak | 225.00 | 150 | Vertical | Pass |
| 5** | 7445.338 | 39.42 | -4.47 | 54.0 | -14.58 | AV | 225.00 | 150 | Vertical | Pass |
| 6 | 12268.151 | 50.93 | 0.06 | 74.0 | -23.07 | Peak | 295.00 | 150 | Vertical | Pass |
| 6** | 12268.151 | 41.75 | 0.06 | 54.0 | -12.25 | AV | 295.00 | 150 | Vertical | Pass |

11ac40, U-NII-1, 1 GHz to 18 GHz, Low channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1477.700 | 40.67 | -17.97 | 74.0 | -33.33 | Peak | 261.00 | 150 | Horizontal | Pass |
| 1** | 1477.700 | 30.36 | -17.97 | 54.0 | -23.64 | AV | 261.00 | 150 | Horizontal | Pass |
| 2 | 2785.700 | 43.15 | -11.21 | 74.0 | -30.85 | Peak | 284.00 | 150 | Horizontal | Pass |
| 2** | 2785.700 | 33.14 | -11.21 | 54.0 | -20.86 | AV | 284.00 | 150 | Horizontal | Pass |
| 3 | 4075.800 | 47.68 | -5.33 | 74.0 | -26.32 | Peak | 307.00 | 150 | Horizontal | Pass |
| 3** | 4075.800 | 37.85 | -5.33 | 54.0 | -16.15 | AV | 307.00 | 150 | Horizontal | Pass |
| 4 | 5186.800 | 104.46 | -3.99 | -- | -- | Peak | 319.00 | 150 | Horizontal | N/A |
| 4** | 5186.800 | 95.91 | -3.99 | -- | -- | AV | 319.00 | 150 | Horizontal | N/A |
| 5 | 7445.338 | 48.50 | -4.47 | 74.0 | -25.50 | Peak | 99.00 | 150 | Horizontal | Pass |
| 5** | 7445.338 | 39.82 | -4.47 | 54.0 | -14.18 | AV | 99.00 | 150 | Horizontal | Pass |
| 6 | 11590.225 | 51.62 | -0.07 | 74.0 | -22.38 | Peak | 206.00 | 150 | Horizontal | Pass |
| 6** | 11590.225 | 42.36 | -0.07 | 54.0 | -11.64 | AV | 206.00 | 150 | Horizontal | Pass |

11ac40, U-NII-1, 1 GHz to 18 GHz, Low channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1160.600 | 49.07 | -18.65 | 74.0 | -24.93 | Peak | 293.00 | 150 | Vertical | Pass |
| 1** | 1160.600 | 29.87 | -18.65 | 54.0 | -24.13 | AV | 293.00 | 150 | Vertical | Pass |
| 2 | 2768.600 | 47.59 | -11.53 | 74.0 | -26.41 | Peak | 262.00 | 150 | Vertical | Pass |
| 2** | 2768.600 | 33.62 | -11.53 | 54.0 | -20.38 | AV | 262.00 | 150 | Vertical | Pass |
| 3 | 4152.400 | 47.47 | -5.88 | 74.0 | -26.53 | Peak | 353.00 | 150 | Vertical | Pass |
| 3** | 4152.400 | 38.04 | -5.88 | 54.0 | -15.96 | AV | 353.00 | 150 | Vertical | Pass |
| 4 | 5192.200 | 96.22 | -3.86 | -- | -- | Peak | 353.00 | 150 | Vertical | N/A |
| 4** | 5192.200 | 88.48 | -3.86 | -- | -- | AV | 353.00 | 150 | Vertical | N/A |
| 5 | 7380.362 | 48.96 | -4.65 | 74.0 | -25.04 | Peak | 313.00 | 150 | Vertical | Pass |
| 5** | 7380.362 | 38.80 | -4.65 | 54.0 | -15.20 | AV | 313.00 | 150 | Vertical | Pass |
| 6 | 11620.125 | 51.15 | -0.16 | 74.0 | -22.85 | Peak | 153.00 | 150 | Vertical | Pass |
| 6** | 11620.125 | 42.47 | -0.16 | 54.0 | -11.53 | AV | 153.00 | 150 | Vertical | Pass |

11ac40, U-NII-1, 1 GHz to 18 GHz, High channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1530.300 | 41.23 | -18.11 | 74.0 | -32.77 | Peak | 254.00 | 150 | Horizontal | Pass |
| 1** | 1530.300 | 28.15 | -18.11 | 54.0 | -25.85 | AV | 254.00 | 150 | Horizontal | Pass |
| 2 | 2793.200 | 43.53 | -11.13 | 74.0 | -30.47 | Peak | 48.00 | 150 | Horizontal | Pass |
| 2** | 2793.200 | 33.30 | -11.13 | 54.0 | -20.70 | AV | 48.00 | 150 | Horizontal | Pass |
| 3 | 4099.800 | 48.34 | -5.97 | 74.0 | -25.66 | Peak | 211.00 | 150 | Horizontal | Pass |
| 3** | 4099.800 | 38.56 | -5.97 | 54.0 | -15.44 | AV | 211.00 | 150 | Horizontal | Pass |
| 4 | 5228.200 | 103.85 | -4.08 | -- | -- | Peak | 326.00 | 150 | Horizontal | N/A |
| 4** | 5228.200 | 96.37 | -4.08 | -- | -- | AV | 326.00 | 150 | Horizontal | N/A |
| 5 | 7434.988 | 48.61 | -4.36 | 74.0 | -25.39 | Peak | 276.00 | 150 | Horizontal | Pass |
| 5** | 7434.988 | 39.65 | -4.36 | 54.0 | -14.35 | AV | 276.00 | 150 | Horizontal | Pass |
| 6 | 12102.838 | 50.77 | -0.98 | 74.0 | -23.23 | Peak | 360.00 | 150 | Horizontal | Pass |
| 6** | 12102.838 | 42.18 | -0.98 | 54.0 | -11.82 | AV | 360.00 | 150 | Horizontal | Pass |

11ac40, U-NII-1, 1 GHz to 18 GHz, High channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1164.800 | 45.06 | -18.46 | 74.0 | -28.94 | Peak | 290.00 | 150 | Vertical | Pass |
| 1** | 1164.800 | 31.64 | -18.46 | 54.0 | -22.36 | AV | 290.00 | 150 | Vertical | Pass |
| 2 | 2332.500 | 52.38 | -13.71 | 74.0 | -21.62 | Peak | 264.00 | 150 | Vertical | Pass |
| 2** | 2332.500 | 34.61 | -13.71 | 54.0 | -19.39 | AV | 264.00 | 150 | Vertical | Pass |
| 3 | 4221.600 | 47.29 | -5.92 | 74.0 | -26.71 | Peak | 103.00 | 150 | Vertical | Pass |
| 3** | 4221.600 | 37.65 | -5.92 | 54.0 | -16.35 | AV | 103.00 | 150 | Vertical | Pass |
| 4 | 5225.800 | 94.91 | -4.06 | -- | -- | Peak | 103.00 | 150 | Vertical | N/A |
| 4** | 5225.800 | 88.02 | -4.06 | -- | -- | AV | 103.00 | 150 | Vertical | N/A |
| 5 | 7421.475 | 48.40 | -4.03 | 74.0 | -25.60 | Peak | 81.00 | 150 | Vertical | Pass |
| 5** | 7421.475 | 40.00 | -4.03 | 54.0 | -14.00 | AV | 81.00 | 150 | Vertical | Pass |
| 6 | 12275.625 | 52.01 | 0.08 | 74.0 | -21.99 | Peak | 360.00 | 150 | Vertical | Pass |
| 6** | 12275.625 | 42.21 | 0.08 | 54.0 | -11.79 | AV | 360.00 | 150 | Vertical | Pass |

11ac80, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1500.700 | 38.71 | -18.14 | 74.0 | -35.29 | Peak | 222.00 | 150 | Horizontal | Pass |
| 1** | 1500.700 | 27.99 | -18.14 | 54.0 | -26.01 | AV | 222.00 | 150 | Horizontal | Pass |
| 2 | 2765.100 | 42.92 | -11.57 | 74.0 | -31.08 | Peak | 346.00 | 150 | Horizontal | Pass |
| 2** | 2765.100 | 34.04 | -11.57 | 54.0 | -19.96 | AV | 346.00 | 150 | Horizontal | Pass |
| 3 | 3991.800 | 46.54 | -6.24 | 74.0 | -27.46 | Peak | 360.00 | 150 | Horizontal | Pass |
| 3** | 3991.800 | 38.30 | -6.24 | 54.0 | -15.70 | AV | 360.00 | 150 | Horizontal | Pass |
| 4 | 5214.400 | 104.08 | -3.85 | -- | -- | Peak | 169.00 | 150 | Horizontal | N/A |
| 4** | 5214.400 | 97.05 | -3.85 | -- | -- | AV | 169.00 | 150 | Horizontal | N/A |
| 5 | 7349.600 | 48.55 | -5.07 | 74.0 | -25.45 | Peak | 25.00 | 150 | Horizontal | Pass |
| 5** | 7349.600 | 38.55 | -5.07 | 54.0 | -15.45 | AV | 25.00 | 150 | Horizontal | Pass |
| 6 | 12106.575 | 51.54 | -0.91 | 74.0 | -22.46 | Peak | 8.00 | 150 | Horizontal | Pass |
| 6** | 12106.575 | 43.36 | -0.91 | 54.0 | -10.64 | AV | 8.00 | 150 | Horizontal | Pass |

11ac80, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1518.300 | 40.63 | -18.00 | 74.0 | -33.37 | Peak | 292.00 | 150 | Vertical | Pass |
| 1** | 1518.300 | 29.04 | -18.00 | 54.0 | -24.96 | AV | 292.00 | 150 | Vertical | Pass |
| 2 | 2793.100 | 47.97 | -11.12 | 74.0 | -26.03 | Peak | 118.00 | 150 | Vertical | Pass |
| 2** | 2793.100 | 35.36 | -11.12 | 54.0 | -18.64 | AV | 118.00 | 150 | Vertical | Pass |
| 3 | 4041.600 | 47.27 | -5.68 | 74.0 | -26.73 | Peak | 278.00 | 150 | Vertical | Pass |
| 3** | 4041.600 | 37.94 | -5.68 | 54.0 | -16.06 | AV | 278.00 | 150 | Vertical | Pass |
| 4 | 5223.200 | 95.05 | -4.18 | -- | -- | Peak | 352.00 | 150 | Vertical | N/A |
| 4** | 5223.200 | 87.48 | -4.18 | -- | -- | AV | 352.00 | 150 | Vertical | N/A |
| 5 | 7434.700 | 48.56 | -4.37 | 74.0 | -25.44 | Peak | 312.00 | 150 | Vertical | Pass |
| 5** | 7434.700 | 39.51 | -4.37 | 54.0 | -14.49 | AV | 312.00 | 150 | Vertical | Pass |
| 6 | 12166.375 | 51.40 | -0.92 | 74.0 | -22.60 | Peak | 242.00 | 150 | Vertical | Pass |
| 6** | 12166.375 | 41.89 | -0.92 | 54.0 | -12.11 | AV | 242.00 | 150 | Vertical | Pass |

11ax20-SU, U-NII-1, 1 GHz to 18 GHz, Low channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1362.400 | 38.29 | -17.95 | 74.0 | -35.71 | Peak | 333.00 | 150 | Horizontal | Pass |
| 1** | 1362.400 | 29.53 | -17.95 | 54.0 | -24.47 | AV | 333.00 | 150 | Horizontal | Pass |
| 2 | 2712.400 | 43.91 | -11.23 | 74.0 | -30.09 | Peak | 232.00 | 150 | Horizontal | Pass |
| 2** | 2712.400 | 33.52 | -11.23 | 54.0 | -20.48 | AV | 232.00 | 150 | Horizontal | Pass |
| 3 | 4066.600 | 47.35 | -5.54 | 74.0 | -26.65 | Peak | 191.00 | 150 | Horizontal | Pass |
| 3** | 4066.600 | 38.25 | -5.54 | 54.0 | -15.75 | AV | 191.00 | 150 | Horizontal | Pass |
| 4 | 5180.800 | 104.27 | -3.94 | -- | -- | Peak | 313.00 | 150 | Horizontal | N/A |
| 4** | 5180.800 | 93.81 | -3.94 | -- | -- | AV | 313.00 | 150 | Horizontal | N/A |
| 5 | 7426.362 | 49.01 | -4.07 | 74.0 | -24.99 | Peak | 282.00 | 150 | Horizontal | Pass |
| 5** | 7426.362 | 40.00 | -4.07 | 54.0 | -14.00 | AV | 282.00 | 150 | Horizontal | Pass |
| 6 | 12245.724 | 51.26 | -0.19 | 74.0 | -22.74 | Peak | 176.00 | 150 | Horizontal | Pass |
| 6** | 12245.724 | 41.94 | -0.19 | 54.0 | -12.06 | AV | 176.00 | 150 | Horizontal | Pass |

11ax20-SU, U-NII-1, 1 GHz to 18 GHz, Low channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1384.900 | 39.10 | -17.61 | 74.0 | -34.90 | Peak | 305.00 | 150 | Vertical | Pass |
| 1** | 1384.900 | 29.00 | -17.61 | 54.0 | -25.00 | AV | 305.00 | 150 | Vertical | Pass |
| 2 | 2797.600 | 44.65 | -11.42 | 74.0 | -29.35 | Peak | 312.00 | 150 | Vertical | Pass |
| 2** | 2797.600 | 37.20 | -11.42 | 54.0 | -16.80 | AV | 312.00 | 150 | Vertical | Pass |
| 3 | 4203.800 | 47.50 | -6.21 | 74.0 | -26.50 | Peak | 143.00 | 150 | Vertical | Pass |
| 3** | 4203.800 | 37.42 | -6.21 | 54.0 | -16.58 | AV | 143.00 | 150 | Vertical | Pass |
| 4 | 5186.000 | 96.28 | -3.95 | -- | -- | Peak | 0.00 | 150 | Vertical | N/A |
| 4** | 5186.000 | 85.52 | -3.95 | -- | -- | AV | 0.00 | 150 | Vertical | N/A |
| 5 | 7432.688 | 48.63 | -4.40 | 74.0 | -25.37 | Peak | 315.00 | 150 | Vertical | Pass |
| 5** | 7432.688 | 40.12 | -4.40 | 54.0 | -13.88 | AV | 315.00 | 150 | Vertical | Pass |
| 6 | 11675.612 | 51.28 | -0.86 | 74.0 | -22.72 | Peak | 84.00 | 150 | Vertical | Pass |
| 6** | 11675.612 | 42.11 | -0.86 | 54.0 | -11.89 | AV | 84.00 | 150 | Vertical | Pass |

11ax20-SU, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1332.800 | 39.56 | -17.96 | 74.0 | -34.44 | Peak | 213.00 | 150 | Horizontal | Pass |
| 1** | 1332.800 | 27.91 | -17.96 | 54.0 | -26.09 | AV | 213.00 | 150 | Horizontal | Pass |
| 2 | 2751.700 | 43.45 | -11.63 | 74.0 | -30.55 | Peak | 344.00 | 150 | Horizontal | Pass |
| 2** | 2751.700 | 33.07 | -11.63 | 54.0 | -20.93 | AV | 344.00 | 150 | Horizontal | Pass |
| 3 | 4036.200 | 46.72 | -5.85 | 74.0 | -27.28 | Peak | 231.00 | 150 | Horizontal | Pass |
| 3** | 4036.200 | 37.61 | -5.85 | 54.0 | -16.39 | AV | 231.00 | 150 | Horizontal | Pass |
| 4 | 5217.400 | 104.72 | -4.03 | -- | -- | Peak | 156.00 | 150 | Horizontal | N/A |
| 4** | 5217.400 | 94.28 | -4.03 | -- | -- | AV | 156.00 | 150 | Horizontal | N/A |
| 5 | 7396.750 | 48.61 | -4.25 | 74.0 | -25.39 | Peak | 337.00 | 150 | Horizontal | Pass |
| 5** | 7396.750 | 38.81 | -4.25 | 54.0 | -15.19 | AV | 337.00 | 150 | Horizontal | Pass |
| 6 | 12267.288 | 51.52 | 0.06 | 74.0 | -22.48 | Peak | 247.00 | 150 | Horizontal | Pass |
| 6** | 12267.288 | 42.22 | 0.06 | 54.0 | -11.78 | AV | 247.00 | 150 | Horizontal | Pass |

11ax20-SU, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1496.600 | 41.05 | -17.92 | 74.0 | -32.95 | Peak | 299.00 | 150 | Vertical | Pass |
| 1** | 1496.600 | 29.30 | -17.92 | 54.0 | -24.70 | AV | 299.00 | 150 | Vertical | Pass |
| 2 | 2799.600 | 44.88 | -11.41 | 74.0 | -29.12 | Peak | 281.00 | 150 | Vertical | Pass |
| 2** | 2799.600 | 36.60 | -11.41 | 54.0 | -17.40 | AV | 281.00 | 150 | Vertical | Pass |
| 3 | 4085.200 | 47.79 | -5.18 | 74.0 | -26.21 | Peak | 24.00 | 150 | Vertical | Pass |
| 3** | 4085.200 | 37.85 | -5.18 | 54.0 | -16.15 | AV | 24.00 | 150 | Vertical | Pass |
| 4 | 5221.600 | 96.60 | -4.10 | -- | -- | Peak | 0.00 | 150 | Vertical | N/A |
| 4** | 5221.600 | 86.65 | -4.10 | -- | -- | AV | 0.00 | 150 | Vertical | N/A |
| 5 | 7413.425 | 48.51 | -4.14 | 74.0 | -25.49 | Peak | 360.00 | 150 | Vertical | Pass |
| 5** | 7413.425 | 38.76 | -4.14 | 54.0 | -15.24 | AV | 360.00 | 150 | Vertical | Pass |
| 6 | 12181.900 | 51.79 | -0.96 | 74.0 | -22.21 | Peak | 121.00 | 150 | Vertical | Pass |
| 6** | 12181.900 | 42.93 | -0.96 | 54.0 | -11.07 | AV | 121.00 | 150 | Vertical | Pass |

11ax20-SU, U-NII-1, 1 GHz to 18 GHz, High channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1521.400 | 38.61 | -18.09 | 74.0 | -35.39 | Peak | 360.00 | 150 | Horizontal | Pass |
| 1** | 1521.400 | 28.08 | -18.09 | 54.0 | -25.92 | AV | 360.00 | 150 | Horizontal | Pass |
| 2 | 2798.500 | 43.68 | -11.41 | 74.0 | -30.32 | Peak | 58.00 | 150 | Horizontal | Pass |
| 2** | 2798.500 | 33.38 | -11.41 | 54.0 | -20.62 | AV | 58.00 | 150 | Horizontal | Pass |
| 3 | 3976.400 | 46.94 | -6.67 | 74.0 | -27.06 | Peak | 340.00 | 150 | Horizontal | Pass |
| 3** | 3976.400 | 37.19 | -6.67 | 54.0 | -16.81 | AV | 340.00 | 150 | Horizontal | Pass |
| 4 | 5241.200 | 105.03 | -4.20 | -- | -- | Peak | 152.00 | 150 | Horizontal | N/A |
| 4** | 5241.200 | 95.54 | -4.20 | -- | -- | AV | 152.00 | 150 | Horizontal | N/A |
| 5 | 7450.513 | 48.31 | -4.35 | 74.0 | -25.69 | Peak | 196.00 | 150 | Horizontal | Pass |
| 5** | 7450.513 | 39.56 | -4.35 | 54.0 | -14.44 | AV | 196.00 | 150 | Horizontal | Pass |
| 6 | 12090.762 | 51.17 | -1.17 | 74.0 | -22.83 | Peak | 50.00 | 150 | Horizontal | Pass |
| 6** | 12090.762 | 41.13 | -1.17 | 54.0 | -12.87 | AV | 50.00 | 150 | Horizontal | Pass |

11ax20-SU, U-NII-1, 1 GHz to 18 GHz, High channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1496.300 | 43.04 | -17.91 | 74.0 | -30.96 | Peak | 280.00 | 150 | Vertical | Pass |
| 1** | 1496.300 | 29.69 | -17.91 | 54.0 | -24.31 | AV | 280.00 | 150 | Vertical | Pass |
| 2 | 2792.500 | 45.16 | -11.10 | 74.0 | -28.84 | Peak | 108.00 | 150 | Vertical | Pass |
| 2** | 2792.500 | 35.37 | -11.10 | 54.0 | -18.63 | AV | 108.00 | 150 | Vertical | Pass |
| 3 | 4264.800 | 48.13 | -5.37 | 74.0 | -25.87 | Peak | 311.00 | 150 | Vertical | Pass |
| 3** | 4264.800 | 37.94 | -5.37 | 54.0 | -16.06 | AV | 311.00 | 150 | Vertical | Pass |
| 4 | 5240.800 | 96.69 | -4.18 | -- | -- | Peak | 0.00 | 150 | Vertical | N/A |
| 4** | 5240.800 | 86.45 | -4.18 | -- | -- | AV | 0.00 | 150 | Vertical | N/A |
| 5 | 7429.525 | 48.12 | -4.29 | 74.0 | -25.88 | Peak | 156.00 | 150 | Vertical | Pass |
| 5** | 7429.525 | 39.95 | -4.29 | 54.0 | -14.05 | AV | 156.00 | 150 | Vertical | Pass |
| 6 | 12242.850 | 51.16 | -0.26 | 74.0 | -22.84 | Peak | 174.00 | 150 | Vertical | Pass |
| 6** | 12242.850 | 42.51 | -0.26 | 54.0 | -11.49 | AV | 174.00 | 150 | Vertical | Pass |

11ax40-SU, U-NII-1, 1 GHz to 18 GHz, Low channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1368.600 | 38.46 | -17.90 | 74.0 | -35.54 | Peak | 354.00 | 150 | Horizontal | Pass |
| 1** | 1368.600 | 29.46 | -17.90 | 54.0 | -24.54 | AV | 354.00 | 150 | Horizontal | Pass |
| 2 | 2797.000 | 43.09 | -11.42 | 74.0 | -30.91 | Peak | 297.00 | 150 | Horizontal | Pass |
| 2** | 2797.000 | 33.49 | -11.42 | 54.0 | -20.51 | AV | 297.00 | 150 | Horizontal | Pass |
| 3 | 4040.400 | 47.24 | -5.74 | 74.0 | -26.76 | Peak | 63.00 | 150 | Horizontal | Pass |
| 3** | 4040.400 | 37.70 | -5.74 | 54.0 | -16.30 | AV | 63.00 | 150 | Horizontal | Pass |
| 4 | 5201.400 | 101.35 | -3.97 | -- | -- | Peak | 140.00 | 150 | Horizontal | N/A |
| 4** | 5201.400 | 92.22 | -3.97 | -- | -- | AV | 140.00 | 150 | Horizontal | N/A |
| 5 | 7510.025 | 48.19 | -4.16 | 74.0 | -25.81 | Peak | 285.00 | 150 | Horizontal | Pass |
| 5** | 7510.025 | 38.45 | -4.16 | 54.0 | -15.55 | AV | 285.00 | 150 | Horizontal | Pass |
| 6 | 12003.075 | 51.05 | -1.30 | 74.0 | -22.95 | Peak | 177.00 | 150 | Horizontal | Pass |
| 6** | 12003.075 | 41.28 | -1.30 | 54.0 | -12.72 | AV | 177.00 | 150 | Horizontal | Pass |

11ax40-SU, U-NII-1, 1 GHz to 18 GHz, Low channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1166.500 | 44.72 | -18.51 | 74.0 | -29.28 | Peak | 295.00 | 150 | Vertical | Pass |
| 1** | 1166.500 | 30.07 | -18.51 | 54.0 | -23.93 | AV | 295.00 | 150 | Vertical | Pass |
| 2 | 2791.500 | 44.74 | -11.10 | 74.0 | -29.26 | Peak | 307.00 | 150 | Vertical | Pass |
| 2** | 2791.500 | 33.70 | -11.10 | 54.0 | -20.30 | AV | 307.00 | 150 | Vertical | Pass |
| 3 | 4083.800 | 48.37 | -5.09 | 74.0 | -25.63 | Peak | 311.00 | 150 | Vertical | Pass |
| 3** | 4083.800 | 38.01 | -5.09 | 54.0 | -15.99 | AV | 311.00 | 150 | Vertical | Pass |
| 4 | 5185.200 | 93.16 | -3.91 | -- | -- | Peak | 351.00 | 150 | Vertical | N/A |
| 4** | 5185.200 | 83.55 | -3.91 | -- | -- | AV | 351.00 | 150 | Vertical | N/A |
| 5 | 7453.675 | 48.08 | -4.46 | 74.0 | -25.92 | Peak | 354.00 | 150 | Vertical | Pass |
| 5** | 7453.675 | 39.15 | -4.46 | 54.0 | -14.85 | AV | 354.00 | 150 | Vertical | Pass |
| 6 | 12025.500 | 51.35 | -1.26 | 74.0 | -22.65 | Peak | 336.00 | 150 | Vertical | Pass |
| 6** | 12025.500 | 40.73 | -1.26 | 54.0 | -13.27 | AV | 336.00 | 150 | Vertical | Pass |

11ax40-SU, U-NII-1, 1 GHz to 18 GHz, High channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1196.600 | 42.57 | -18.17 | 74.0 | -31.43 | Peak | 236.00 | 150 | Horizontal | Pass |
| 1** | 1196.600 | 29.65 | -18.17 | 54.0 | -24.35 | AV | 236.00 | 150 | Horizontal | Pass |
| 2 | 2780.500 | 43.26 | -11.34 | 74.0 | -30.74 | Peak | 249.00 | 150 | Horizontal | Pass |
| 2** | 2780.500 | 33.17 | -11.34 | 54.0 | -20.83 | AV | 249.00 | 150 | Horizontal | Pass |
| 3 | 4077.600 | 47.37 | -5.22 | 74.0 | -26.63 | Peak | 0.00 | 150 | Horizontal | Pass |
| 3** | 4077.600 | 37.90 | -5.22 | 54.0 | -16.10 | AV | 0.00 | 150 | Horizontal | Pass |
| 4 | 5238.400 | 102.24 | -4.31 | -- | -- | Peak | 308.00 | 150 | Horizontal | N/A |
| 4** | 5238.400 | 92.81 | -4.31 | -- | -- | AV | 308.00 | 150 | Horizontal | N/A |
| 5 | 7430.100 | 48.85 | -4.33 | 74.0 | -25.15 | Peak | 52.00 | 150 | Horizontal | Pass |
| 5** | 7430.100 | 39.43 | -4.33 | 54.0 | -14.57 | AV | 52.00 | 150 | Horizontal | Pass |
| 6 | 12269.013 | 51.24 | 0.06 | 74.0 | -22.76 | Peak | 257.00 | 150 | Horizontal | Pass |
| 6** | 12269.013 | 42.73 | 0.06 | 54.0 | -11.27 | AV | 257.00 | 150 | Horizontal | Pass |

11ax40-SU, U-NII-1, 1 GHz to 18 GHz, High channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1198.700 | 43.86 | -18.33 | 74.0 | -30.14 | Peak | 261.00 | 150 | Vertical | Pass |
| 1** | 1198.700 | 34.54 | -18.33 | 54.0 | -19.46 | AV | 261.00 | 150 | Vertical | Pass |
| 2 | 2785.000 | 43.98 | -11.24 | 74.0 | -30.02 | Peak | 123.00 | 150 | Vertical | Pass |
| 2** | 2785.000 | 33.42 | -11.24 | 54.0 | -20.58 | AV | 123.00 | 150 | Vertical | Pass |
| 3 | 4039.600 | 46.72 | -5.77 | 74.0 | -27.28 | Peak | 311.00 | 150 | Vertical | Pass |
| 3** | 4039.600 | 37.07 | -5.77 | 54.0 | -16.93 | AV | 311.00 | 150 | Vertical | Pass |
| 4 | 5225.400 | 92.99 | -4.07 | -- | -- | Peak | 360.00 | 150 | Vertical | N/A |
| 4** | 5225.400 | 83.75 | -4.07 | -- | -- | AV | 360.00 | 150 | Vertical | N/A |
| 5 | 7434.700 | 48.54 | -4.37 | 74.0 | -25.46 | Peak | 52.00 | 150 | Vertical | Pass |
| 5** | 7434.700 | 38.88 | -4.37 | 54.0 | -15.12 | AV | 52.00 | 150 | Vertical | Pass |
| 6 | 12240.838 | 51.13 | -0.30 | 74.0 | -22.87 | Peak | 308.00 | 150 | Vertical | Pass |
| 6** | 12240.838 | 42.07 | -0.30 | 54.0 | -11.93 | AV | 308.00 | 150 | Vertical | Pass |

11ax80-SU, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1150.000 | 39.94 | -18.56 | 74.0 | -34.06 | Peak | 255.00 | 150 | Horizontal | Pass |
| 1** | 1150.000 | 27.94 | -18.56 | 54.0 | -26.06 | AV | 255.00 | 150 | Horizontal | Pass |
| 2 | 2808.300 | 43.38 | -11.55 | 74.0 | -30.62 | Peak | 57.00 | 150 | Horizontal | Pass |
| 2** | 2808.300 | 33.18 | -11.55 | 54.0 | -20.82 | AV | 57.00 | 150 | Horizontal | Pass |
| 3 | 4090.800 | 47.48 | -5.56 | 74.0 | -26.52 | Peak | 127.00 | 150 | Horizontal | Pass |
| 3** | 4090.800 | 37.89 | -5.56 | 54.0 | -16.11 | AV | 127.00 | 150 | Horizontal | Pass |
| 4 | 5222.800 | 99.29 | -4.16 | -- | -- | Peak | 127.00 | 150 | Horizontal | N/A |
| 4** | 5222.800 | 88.57 | -4.16 | -- | -- | AV | 127.00 | 150 | Horizontal | N/A |
| 5 | 7442.175 | 47.98 | -4.27 | 74.0 | -26.02 | Peak | 346.00 | 150 | Horizontal | Pass |
| 5** | 7442.175 | 39.65 | -4.27 | 54.0 | -14.35 | AV | 346.00 | 150 | Horizontal | Pass |
| 6 | 12171.837 | 50.92 | -0.94 | 74.0 | -23.08 | Peak | 251.00 | 150 | Horizontal | Pass |
| 6** | 12171.837 | 42.08 | -0.94 | 54.0 | -11.92 | AV | 251.00 | 150 | Horizontal | Pass |

11ax80-SU, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1198.200 | 41.84 | -18.29 | 74.0 | -32.16 | Peak | 289.00 | 150 | Vertical | Pass |
| 1** | 1198.200 | 34.33 | -18.29 | 54.0 | -19.67 | AV | 289.00 | 150 | Vertical | Pass |
| 2 | 2792.800 | 45.58 | -11.11 | 74.0 | -28.42 | Peak | 230.00 | 150 | Vertical | Pass |
| 2** | 2792.800 | 34.78 | -11.11 | 54.0 | -19.22 | AV | 230.00 | 150 | Vertical | Pass |
| 3 | 4091.400 | 48.12 | -5.59 | 74.0 | -25.88 | Peak | 83.00 | 150 | Vertical | Pass |
| 3** | 4091.400 | 38.25 | -5.59 | 54.0 | -15.75 | AV | 83.00 | 150 | Vertical | Pass |
| 4 | 5198.400 | 89.63 | -3.99 | -- | -- | Peak | 334.00 | 150 | Vertical | N/A |
| 4** | 5198.400 | 81.16 | -3.99 | -- | -- | AV | 334.00 | 150 | Vertical | N/A |
| 5 | 7428.087 | 48.71 | -4.17 | 74.0 | -25.29 | Peak | 143.00 | 150 | Vertical | Pass |
| 5** | 7428.087 | 39.64 | -4.17 | 54.0 | -14.36 | AV | 143.00 | 150 | Vertical | Pass |
| 6 | 12254.925 | 51.34 | -0.03 | 74.0 | -22.66 | Peak | 360.00 | 150 | Vertical | Pass |
| 6** | 12254.925 | 41.79 | -0.03 | 54.0 | -12.21 | AV | 360.00 | 150 | Vertical | Pass |

11a, U-NII-2A, 1 GHz to 18 GHz, Low channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1196.900 | 41.51 | -18.19 | 74.0 | -32.49 | Peak | 347.00 | 150 | Horizontal | Pass |
| 1** | 1196.900 | 28.83 | -18.19 | 54.0 | -25.17 | AV | 347.00 | 150 | Horizontal | Pass |
| 2 | 2795.000 | 43.23 | -11.24 | 74.0 | -30.77 | Peak | 355.00 | 150 | Horizontal | Pass |
| 2** | 2795.000 | 33.06 | -11.24 | 54.0 | -20.94 | AV | 355.00 | 150 | Horizontal | Pass |
| 3 | 4031.800 | 47.55 | -6.02 | 74.0 | -26.45 | Peak | 171.00 | 150 | Horizontal | Pass |
| 3** | 4031.800 | 37.60 | -6.02 | 54.0 | -16.40 | AV | 171.00 | 150 | Horizontal | Pass |
| 4 | 5248.600 | 105.76 | -4.28 | -- | -- | Peak | 159.00 | 150 | Horizontal | N/A |
| 4** | 5248.600 | 97.28 | -4.28 | -- | -- | AV | 159.00 | 150 | Horizontal | N/A |
| 5 | 7393.587 | 48.62 | -4.25 | 74.0 | -25.38 | Peak | 68.00 | 150 | Horizontal | Pass |
| 5** | 7393.587 | 39.09 | -4.25 | 54.0 | -14.91 | AV | 68.00 | 150 | Horizontal | Pass |
| 6 | 11631.912 | 50.75 | -0.28 | 74.0 | -23.25 | Peak | 237.00 | 150 | Horizontal | Pass |
| 6** | 11631.912 | 40.61 | -0.28 | 54.0 | -13.39 | AV | 237.00 | 150 | Horizontal | Pass |

11a, U-NII-2A, 1 GHz to 18 GHz, Low channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1174.800 | 45.16 | -18.51 | 74.0 | -28.84 | Peak | 303.00 | 150 | Vertical | Pass |
| 1** | 1174.800 | 29.51 | -18.51 | 54.0 | -24.49 | AV | 303.00 | 150 | Vertical | Pass |
| 2 | 2792.200 | 45.24 | -11.09 | 74.0 | -28.76 | Peak | 238.00 | 150 | Vertical | Pass |
| 2** | 2792.200 | 34.99 | -11.09 | 54.0 | -19.01 | AV | 238.00 | 150 | Vertical | Pass |
| 3 | 4021.600 | 47.31 | -6.51 | 74.0 | -26.69 | Peak | 158.00 | 150 | Vertical | Pass |
| 3** | 4021.600 | 37.86 | -6.51 | 54.0 | -16.14 | AV | 158.00 | 150 | Vertical | Pass |
| 4 | 5254.800 | 96.61 | -4.07 | -- | -- | Peak | 99.00 | 150 | Vertical | N/A |
| 4** | 5254.800 | 88.51 | -4.07 | -- | -- | AV | 99.00 | 150 | Vertical | N/A |
| 5 | 7354.775 | 48.64 | -5.05 | 74.0 | -25.36 | Peak | 148.00 | 150 | Vertical | Pass |
| 5** | 7354.775 | 39.42 | -5.05 | 54.0 | -14.58 | AV | 148.00 | 150 | Vertical | Pass |
| 6 | 11560.901 | 50.94 | 0.12 | 74.0 | -23.06 | Peak | 255.00 | 150 | Vertical | Pass |
| 6** | 11560.901 | 40.81 | 0.12 | 54.0 | -13.19 | AV | 255.00 | 150 | Vertical | Pass |

11a, U-NII-2A, 1 GHz to 18 GHz, Middle channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1160.000 | 40.13 | -18.64 | 74.0 | -33.87 | Peak | 344.00 | 150 | Horizontal | Pass |
| 1** | 1160.000 | 28.54 | -18.64 | 54.0 | -25.46 | AV | 344.00 | 150 | Horizontal | Pass |
| 2 | 2808.600 | 43.16 | -11.55 | 74.0 | -30.84 | Peak | 67.00 | 150 | Horizontal | Pass |
| 2** | 2808.600 | 34.15 | -11.55 | 54.0 | -19.85 | AV | 67.00 | 150 | Horizontal | Pass |
| 3 | 4016.400 | 47.87 | -6.49 | 74.0 | -26.13 | Peak | 82.00 | 150 | Horizontal | Pass |
| 3** | 4016.400 | 37.28 | -6.49 | 54.0 | -16.72 | AV | 82.00 | 150 | Horizontal | Pass |
| 4 | 5287.400 | 106.13 | -3.63 | -- | -- | Peak | 156.00 | 150 | Horizontal | N/A |
| 4** | 5287.400 | 98.26 | -3.63 | -- | -- | AV | 156.00 | 150 | Horizontal | N/A |
| 5 | 7364.550 | 48.66 | -5.01 | 74.0 | -25.34 | Peak | 156.00 | 150 | Horizontal | Pass |
| 5** | 7364.550 | 39.22 | -5.01 | 54.0 | -14.78 | AV | 156.00 | 150 | Horizontal | Pass |
| 6 | 11591.088 | 51.04 | -0.07 | 74.0 | -22.96 | Peak | 32.00 | 150 | Horizontal | Pass |
| 6** | 11591.088 | 42.26 | -0.07 | 54.0 | -11.74 | AV | 32.00 | 150 | Horizontal | Pass |

11a, U-NII-2A, 1 GHz to 18 GHz, Middle channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1198.000 | 45.21 | -18.27 | 74.0 | -28.79 | Peak | 268.00 | 150 | Vertical | Pass |
| 1** | 1198.000 | 30.65 | -18.27 | 54.0 | -23.35 | AV | 268.00 | 150 | Vertical | Pass |
| 2 | 2798.600 | 46.11 | -11.41 | 74.0 | -27.89 | Peak | 98.00 | 150 | Vertical | Pass |
| 2** | 2798.600 | 37.28 | -11.41 | 54.0 | -16.72 | AV | 98.00 | 150 | Vertical | Pass |
| 3 | 4084.800 | 47.65 | -5.14 | 74.0 | -26.35 | Peak | 146.00 | 150 | Vertical | Pass |
| 3** | 4084.800 | 37.95 | -5.14 | 54.0 | -16.05 | AV | 146.00 | 150 | Vertical | Pass |
| 4 | 5295.600 | 98.33 | -3.73 | -- | -- | Peak | 101.00 | 150 | Vertical | N/A |
| 4** | 5295.600 | 89.77 | -3.73 | -- | -- | AV | 101.00 | 150 | Vertical | N/A |
| 5 | 7427.800 | 48.68 | -4.15 | 74.0 | -25.32 | Peak | 0.00 | 150 | Vertical | Pass |
| 5** | 7427.800 | 39.60 | -4.15 | 54.0 | -14.40 | AV | 0.00 | 150 | Vertical | Pass |
| 6 | 12308.112 | 52.38 | -0.14 | 74.0 | -21.62 | Peak | 267.00 | 150 | Vertical | Pass |
| 6** | 12308.112 | 41.99 | -0.14 | 54.0 | -12.01 | AV | 267.00 | 150 | Vertical | Pass |

11a, U-NII-2A, 1 GHz to 18 GHz, High channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1199.800 | 40.53 | -18.18 | 74.0 | -33.47 | Peak | 355.00 | 150 | Horizontal | Pass |
| 1** | 1199.800 | 30.33 | -18.18 | 54.0 | -23.67 | AV | 355.00 | 150 | Horizontal | Pass |
| 2 | 2778.700 | 43.17 | -11.41 | 74.0 | -30.83 | Peak | 165.00 | 150 | Horizontal | Pass |
| 2** | 2778.700 | 33.34 | -11.41 | 54.0 | -20.66 | AV | 165.00 | 150 | Horizontal | Pass |
| 3 | 4174.600 | 47.57 | -5.43 | 74.0 | -26.43 | Peak | 293.00 | 150 | Horizontal | Pass |
| 3** | 4174.600 | 37.98 | -5.43 | 54.0 | -16.02 | AV | 293.00 | 150 | Horizontal | Pass |
| 4 | 5316.600 | 105.81 | -4.01 | -- | -- | Peak | 143.00 | 150 | Horizontal | N/A |
| 4** | 5316.600 | 97.80 | -4.01 | -- | -- | AV | 143.00 | 150 | Horizontal | N/A |
| 5 | 7424.925 | 49.31 | -4.07 | 74.0 | -24.69 | Peak | 100.00 | 150 | Horizontal | Pass |
| 5** | 7424.925 | 39.97 | -4.07 | 54.0 | -14.03 | AV | 100.00 | 150 | Horizontal | Pass |
| 6 | 12072.362 | 50.95 | -1.39 | 74.0 | -23.05 | Peak | 320.00 | 150 | Horizontal | Pass |
| 6** | 12072.362 | 41.74 | -1.39 | 54.0 | -12.26 | AV | 320.00 | 150 | Horizontal | Pass |

11a, U-NII-2A, 1 GHz to 18 GHz, High channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1194.400 | 45.35 | -18.24 | 74.0 | -28.65 | Peak | 297.00 | 150 | Vertical | Pass |
| 1** | 1194.400 | 31.98 | -18.24 | 54.0 | -22.02 | AV | 297.00 | 150 | Vertical | Pass |
| 2 | 2796.200 | 44.25 | -11.37 | 74.0 | -29.75 | Peak | 269.00 | 150 | Vertical | Pass |
| 2** | 2796.200 | 36.24 | -11.37 | 54.0 | -17.76 | AV | 269.00 | 150 | Vertical | Pass |
| 3 | 3848.800 | 46.57 | -6.47 | 74.0 | -27.43 | Peak | 360.00 | 150 | Vertical | Pass |
| 3** | 3848.800 | 36.62 | -6.47 | 54.0 | -17.38 | AV | 360.00 | 150 | Vertical | Pass |
| 4 | 5307.800 | 97.55 | -3.92 | -- | -- | Peak | 340.00 | 150 | Vertical | N/A |
| 4** | 5307.800 | 89.37 | -3.92 | -- | -- | AV | 340.00 | 150 | Vertical | N/A |
| 5 | 7328.037 | 49.06 | -4.93 | 74.0 | -24.94 | Peak | 157.00 | 150 | Vertical | Pass |
| 5** | 7328.037 | 38.91 | -4.93 | 54.0 | -15.09 | AV | 157.00 | 150 | Vertical | Pass |
| 6 | 11680.500 | 51.45 | -0.96 | 74.0 | -22.55 | Peak | 179.00 | 150 | Vertical | Pass |
| 6** | 11680.500 | 41.77 | -0.96 | 54.0 | -12.23 | AV | 179.00 | 150 | Vertical | Pass |

11n20, U-NII-2A, 1 GHz to 18 GHz, Low channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1164.300 | 41.52 | -18.45 | 74.0 | -32.48 | Peak | 345.00 | 150 | Horizontal | Pass |
| 1** | 1164.300 | 28.20 | -18.45 | 54.0 | -25.80 | AV | 345.00 | 150 | Horizontal | Pass |
| 2 | 2822.400 | 43.31 | -11.85 | 74.0 | -30.69 | Peak | 177.00 | 150 | Horizontal | Pass |
| 2** | 2822.400 | 33.32 | -11.85 | 54.0 | -20.68 | AV | 177.00 | 150 | Horizontal | Pass |
| 3 | 4198.800 | 47.10 | -6.01 | 74.0 | -26.90 | Peak | 120.00 | 150 | Horizontal | Pass |
| 3** | 4198.800 | 37.72 | -6.01 | 54.0 | -16.28 | AV | 120.00 | 150 | Horizontal | Pass |
| 4 | 5248.800 | 105.04 | -4.28 | -- | -- | Peak | 162.00 | 150 | Horizontal | N/A |
| 4** | 5248.800 | 98.40 | -4.28 | -- | -- | AV | 162.00 | 150 | Horizontal | N/A |
| 5 | 7354.200 | 49.21 | -5.06 | 74.0 | -24.79 | Peak | 345.00 | 150 | Horizontal | Pass |
| 5** | 7354.200 | 39.41 | -5.06 | 54.0 | -14.59 | AV | 345.00 | 150 | Horizontal | Pass |
| 6 | 11617.250 | 51.25 | -0.16 | 74.0 | -22.75 | Peak | 265.00 | 150 | Horizontal | Pass |
| 6** | 11617.250 | 40.95 | -0.16 | 54.0 | -13.05 | AV | 265.00 | 150 | Horizontal | Pass |

11n20, U-NII-2A, 1 GHz to 18 GHz, Low channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1178.800 | 43.95 | -18.51 | 74.0 | -30.05 | Peak | 288.00 | 150 | Vertical | Pass |
| 1** | 1178.800 | 32.21 | -18.51 | 54.0 | -21.79 | AV | 288.00 | 150 | Vertical | Pass |
| 2 | 2791.100 | 45.69 | -11.10 | 74.0 | -28.31 | Peak | 239.00 | 150 | Vertical | Pass |
| 2** | 2791.100 | 36.58 | -11.10 | 54.0 | -17.42 | AV | 239.00 | 150 | Vertical | Pass |
| 3 | 4123.600 | 47.19 | -5.80 | 74.0 | -26.81 | Peak | 106.00 | 150 | Vertical | Pass |
| 3** | 4123.600 | 36.85 | -5.80 | 54.0 | -17.15 | AV | 106.00 | 150 | Vertical | Pass |
| 4 | 5258.000 | 96.01 | -3.99 | -- | -- | Peak | 106.00 | 150 | Vertical | N/A |
| 4** | 5258.000 | 88.92 | -3.99 | -- | -- | AV | 106.00 | 150 | Vertical | N/A |
| 5 | 7420.612 | 48.40 | -3.99 | 74.0 | -25.60 | Peak | 75.00 | 150 | Vertical | Pass |
| 5** | 7420.612 | 39.20 | -3.99 | 54.0 | -14.80 | AV | 75.00 | 150 | Vertical | Pass |
| 6 | 11583.901 | 51.00 | -0.01 | 74.0 | -23.00 | Peak | 311.00 | 150 | Vertical | Pass |
| 6** | 11583.901 | 43.13 | -0.01 | 54.0 | -10.87 | AV | 311.00 | 150 | Vertical | Pass |

11n20, U-NII-2A, 1 GHz to 18 GHz, Middle channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1199.100 | 41.97 | -18.28 | 74.0 | -32.03 | Peak | 202.00 | 150 | Horizontal | Pass |
| 1** | 1199.100 | 29.19 | -18.28 | 54.0 | -24.81 | AV | 202.00 | 150 | Horizontal | Pass |
| 2 | 2798.200 | 42.82 | -11.42 | 74.0 | -31.18 | Peak | 0.00 | 150 | Horizontal | Pass |
| 2** | 2798.200 | 33.75 | -11.42 | 54.0 | -20.25 | AV | 0.00 | 150 | Horizontal | Pass |
| 3 | 4305.800 | 47.93 | -5.12 | 74.0 | -26.07 | Peak | 11.00 | 150 | Horizontal | Pass |
| 3** | 4305.800 | 38.55 | -5.12 | 54.0 | -15.45 | AV | 11.00 | 150 | Horizontal | Pass |
| 4 | 5282.800 | 105.43 | -3.58 | -- | -- | Peak | 162.00 | 150 | Horizontal | N/A |
| 4** | 5282.800 | 97.96 | -3.58 | -- | -- | AV | 162.00 | 150 | Horizontal | N/A |
| 5 | 7354.200 | 48.53 | -5.06 | 74.0 | -25.47 | Peak | 74.00 | 150 | Horizontal | Pass |
| 5** | 7354.200 | 38.86 | -5.06 | 54.0 | -15.14 | AV | 74.00 | 150 | Horizontal | Pass |
| 6 | 12124.687 | 51.37 | -0.67 | 74.0 | -22.63 | Peak | 209.00 | 150 | Horizontal | Pass |
| 6** | 12124.687 | 42.18 | -0.67 | 54.0 | -11.82 | AV | 209.00 | 150 | Horizontal | Pass |

11n20, U-NII-2A, 1 GHz to 18 GHz, Middle channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1163.900 | 43.89 | -18.45 | 74.0 | -30.11 | Peak | 282.00 | 150 | Vertical | Pass |
| 1** | 1163.900 | 35.01 | -18.45 | 54.0 | -18.99 | AV | 282.00 | 150 | Vertical | Pass |
| 2 | 2793.200 | 44.91 | -11.13 | 74.0 | -29.09 | Peak | 262.00 | 150 | Vertical | Pass |
| 2** | 2793.200 | 34.29 | -11.13 | 54.0 | -19.71 | AV | 262.00 | 150 | Vertical | Pass |
| 3 | 3999.400 | 47.19 | -6.23 | 74.0 | -26.81 | Peak | 323.00 | 150 | Vertical | Pass |
| 3** | 3999.400 | 36.99 | -6.23 | 54.0 | -17.01 | AV | 323.00 | 150 | Vertical | Pass |
| 4 | 5296.200 | 98.17 | -3.75 | -- | -- | Peak | 107.00 | 150 | Vertical | N/A |
| 4** | 5296.200 | 90.72 | -3.75 | -- | -- | AV | 107.00 | 150 | Vertical | N/A |
| 5 | 7373.463 | 48.48 | -4.94 | 74.0 | -25.52 | Peak | 154.00 | 150 | Vertical | Pass |
| 5** | 7373.463 | 38.81 | -4.94 | 54.0 | -15.19 | AV | 154.00 | 150 | Vertical | Pass |
| 6 | 12106.863 | 51.15 | -0.90 | 74.0 | -22.85 | Peak | 23.00 | 150 | Vertical | Pass |
| 6** | 12106.863 | 42.32 | -0.90 | 54.0 | -11.68 | AV | 23.00 | 150 | Vertical | Pass |

11n20, U-NII-2A, 1 GHz to 18 GHz, High channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1178.200 | 39.73 | -18.51 | 74.0 | -34.27 | Peak | 344.00 | 150 | Horizontal | Pass |
| 1** | 1178.200 | 27.87 | -18.51 | 54.0 | -26.13 | AV | 344.00 | 150 | Horizontal | Pass |
| 2 | 2810.200 | 42.58 | -11.59 | 74.0 | -31.42 | Peak | 73.00 | 150 | Horizontal | Pass |
| 2** | 2810.200 | 33.35 | -11.59 | 54.0 | -20.65 | AV | 73.00 | 150 | Horizontal | Pass |
| 3 | 4042.400 | 47.10 | -5.67 | 74.0 | -26.90 | Peak | 139.00 | 150 | Horizontal | Pass |
| 3** | 4042.400 | 37.81 | -5.67 | 54.0 | -16.19 | AV | 139.00 | 150 | Horizontal | Pass |
| 4 | 5314.200 | 105.43 | -3.96 | -- | -- | Peak | 153.00 | 150 | Horizontal | N/A |
| 4** | 5314.200 | 98.10 | -3.96 | -- | -- | AV | 153.00 | 150 | Horizontal | N/A |
| 5 | 7363.975 | 48.84 | -5.05 | 74.0 | -25.16 | Peak | 190.00 | 150 | Horizontal | Pass |
| 5** | 7363.975 | 38.58 | -5.05 | 54.0 | -15.42 | AV | 190.00 | 150 | Horizontal | Pass |
| 6 | 11643.412 | 51.14 | -0.36 | 74.0 | -22.86 | Peak | 229.00 | 150 | Horizontal | Pass |
| 6** | 11643.412 | 41.56 | -0.36 | 54.0 | -12.44 | AV | 229.00 | 150 | Horizontal | Pass |

11n20, U-NII-2A, 1 GHz to 18 GHz, High channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1167.100 | 45.59 | -18.52 | 74.0 | -28.41 | Peak | 274.00 | 150 | Vertical | Pass |
| 1** | 1167.100 | 33.69 | -18.52 | 54.0 | -20.31 | AV | 274.00 | 150 | Vertical | Pass |
| 2 | 2791.100 | 44.57 | -11.10 | 74.0 | -29.43 | Peak | 225.00 | 150 | Vertical | Pass |
| 2** | 2791.100 | 36.14 | -11.10 | 54.0 | -17.86 | AV | 225.00 | 150 | Vertical | Pass |
| 3 | 4071.600 | 46.96 | -5.54 | 74.0 | -27.04 | Peak | 120.00 | 150 | Vertical | Pass |
| 3** | 4071.600 | 38.16 | -5.54 | 54.0 | -15.84 | AV | 120.00 | 150 | Vertical | Pass |
| 4 | 5302.000 | 97.70 | -3.82 | -- | -- | Peak | 92.00 | 150 | Vertical | N/A |
| 4** | 5302.000 | 88.84 | -3.82 | -- | -- | AV | 92.00 | 150 | Vertical | N/A |
| 5 | 7426.075 | 48.94 | -4.07 | 74.0 | -25.06 | Peak | 0.00 | 150 | Vertical | Pass |
| 5** | 7426.075 | 39.14 | -4.07 | 54.0 | -14.86 | AV | 0.00 | 150 | Vertical | Pass |
| 6 | 12239.688 | 51.73 | -0.32 | 74.0 | -22.27 | Peak | 137.00 | 150 | Vertical | Pass |
| 6** | 12239.688 | 42.55 | -0.32 | 54.0 | -11.45 | AV | 137.00 | 150 | Vertical | Pass |

11n40, U-NII-2A, 1 GHz to 18 GHz, Low channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1164.000 | 40.51 | -18.45 | 74.0 | -33.49 | Peak | 341.00 | 150 | Horizontal | Pass |
| 1** | 1164.000 | 27.99 | -18.45 | 54.0 | -26.01 | AV | 341.00 | 150 | Horizontal | Pass |
| 2 | 2729.000 | 43.27 | -10.94 | 74.0 | -30.73 | Peak | 208.00 | 150 | Horizontal | Pass |
| 2** | 2729.000 | 32.77 | -10.94 | 54.0 | -21.23 | AV | 208.00 | 150 | Horizontal | Pass |
| 3 | 4027.200 | 47.26 | -6.32 | 74.0 | -26.74 | Peak | 87.00 | 150 | Horizontal | Pass |
| 3** | 4027.200 | 36.92 | -6.32 | 54.0 | -17.08 | AV | 87.00 | 150 | Horizontal | Pass |
| 4 | 5268.600 | 104.78 | -3.73 | -- | -- | Peak | 164.00 | 150 | Horizontal | N/A |
| 4** | 5268.600 | 97.56 | -3.73 | -- | -- | AV | 164.00 | 150 | Horizontal | N/A |
| 5 | 7615.825 | 48.56 | -5.18 | 74.0 | -25.44 | Peak | 61.00 | 150 | Horizontal | Pass |
| 5** | 7615.825 | 39.39 | -5.18 | 54.0 | -14.61 | AV | 61.00 | 150 | Horizontal | Pass |
| 6 | 12245.151 | 51.82 | -0.20 | 74.0 | -22.18 | Peak | 340.00 | 150 | Horizontal | Pass |
| 6** | 12245.151 | 41.91 | -0.20 | 54.0 | -12.09 | AV | 340.00 | 150 | Horizontal | Pass |

11n40, U-NII-2A, 1 GHz to 18 GHz, Low channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1197.500 | 44.52 | -18.23 | 74.0 | -29.48 | Peak | 297.00 | 150 | Vertical | Pass |
| 1** | 1197.500 | 30.98 | -18.23 | 54.0 | -23.02 | AV | 297.00 | 150 | Vertical | Pass |
| 2 | 2793.700 | 45.55 | -11.15 | 74.0 | -28.45 | Peak | 226.00 | 150 | Vertical | Pass |
| 2** | 2793.700 | 34.70 | -11.15 | 54.0 | -19.30 | AV | 226.00 | 150 | Vertical | Pass |
| 3 | 3991.600 | 49.32 | -6.23 | 74.0 | -24.68 | Peak | 240.00 | 150 | Vertical | Pass |
| 3** | 3991.600 | 37.77 | -6.23 | 54.0 | -16.23 | AV | 240.00 | 150 | Vertical | Pass |
| 4 | 5268.600 | 96.97 | -3.73 | -- | -- | Peak | 102.00 | 150 | Vertical | N/A |
| 4** | 5268.600 | 88.97 | -3.73 | -- | -- | AV | 102.00 | 150 | Vertical | N/A |
| 5 | 7429.813 | 48.29 | -4.31 | 74.0 | -25.71 | Peak | 87.00 | 150 | Vertical | Pass |
| 5** | 7429.813 | 39.07 | -4.31 | 54.0 | -14.93 | AV | 87.00 | 150 | Vertical | Pass |
| 6 | 11733.975 | 51.30 | -1.09 | 74.0 | -22.70 | Peak | 168.00 | 150 | Vertical | Pass |
| 6** | 11733.975 | 41.36 | -1.09 | 54.0 | -12.64 | AV | 168.00 | 150 | Vertical | Pass |

11n40, U-NII-2A, 1 GHz to 18 GHz, High channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1190.800 | 40.35 | -18.34 | 74.0 | -33.65 | Peak | 335.00 | 150 | Horizontal | Pass |
| 1** | 1190.800 | 28.78 | -18.34 | 54.0 | -25.22 | AV | 335.00 | 150 | Horizontal | Pass |
| 2 | 2836.200 | 43.01 | -11.84 | 74.0 | -30.99 | Peak | 203.00 | 150 | Horizontal | Pass |
| 2** | 2836.200 | 33.19 | -11.84 | 54.0 | -20.81 | AV | 203.00 | 150 | Horizontal | Pass |
| 3 | 4064.800 | 47.13 | -5.64 | 74.0 | -26.87 | Peak | 360.00 | 150 | Horizontal | Pass |
| 3** | 4064.800 | 37.91 | -5.64 | 54.0 | -16.09 | AV | 360.00 | 150 | Horizontal | Pass |
| 4 | 5313.600 | 105.66 | -4.00 | -- | -- | Peak | 162.00 | 150 | Horizontal | N/A |
| 4** | 5313.600 | 97.84 | -4.00 | -- | -- | AV | 162.00 | 150 | Horizontal | N/A |
| 5 | 7423.200 | 48.87 | -4.08 | 74.0 | -25.13 | Peak | 228.00 | 150 | Horizontal | Pass |
| 5** | 7423.200 | 39.69 | -4.08 | 54.0 | -14.31 | AV | 228.00 | 150 | Horizontal | Pass |
| 6 | 12204.613 | 51.87 | -0.64 | 74.0 | -22.13 | Peak | 249.00 | 150 | Horizontal | Pass |
| 6** | 12204.613 | 41.43 | -0.64 | 54.0 | -12.57 | AV | 249.00 | 150 | Horizontal | Pass |

11n40, U-NII-2A, 1 GHz to 18 GHz, High channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1199.900 | 44.84 | -18.17 | 74.0 | -29.16 | Peak | 318.00 | 150 | Vertical | Pass |
| 1** | 1199.900 | 32.01 | -18.17 | 54.0 | -21.99 | AV | 318.00 | 150 | Vertical | Pass |
| 2 | 2793.700 | 45.47 | -11.15 | 74.0 | -28.53 | Peak | 224.00 | 150 | Vertical | Pass |
| 2** | 2793.700 | 34.54 | -11.15 | 54.0 | -19.46 | AV | 224.00 | 150 | Vertical | Pass |
| 3 | 4203.600 | 47.73 | -6.21 | 74.0 | -26.27 | Peak | 309.00 | 150 | Vertical | Pass |
| 3** | 4203.600 | 37.54 | -6.21 | 54.0 | -16.46 | AV | 309.00 | 150 | Vertical | Pass |
| 4 | 5312.600 | 98.39 | -4.06 | -- | -- | Peak | 96.00 | 150 | Vertical | N/A |
| 4** | 5312.600 | 88.88 | -4.06 | -- | -- | AV | 96.00 | 150 | Vertical | N/A |
| 5 | 7519.800 | 48.50 | -4.22 | 74.0 | -25.50 | Peak | 176.00 | 150 | Vertical | Pass |
| 5** | 7519.800 | 39.39 | -4.22 | 54.0 | -14.61 | AV | 176.00 | 150 | Vertical | Pass |
| 6 | 12103.412 | 51.04 | -0.97 | 74.0 | -22.96 | Peak | 135.00 | 150 | Vertical | Pass |
| 6** | 12103.412 | 42.37 | -0.97 | 54.0 | -11.63 | AV | 135.00 | 150 | Vertical | Pass |

11ac20, U-NII-2A, 1 GHz to 18 GHz, Low channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1170.600 | 42.43 | -18.47 | 74.0 | -31.57 | Peak | 350.00 | 150 | Horizontal | Pass |
| 1** | 1170.600 | 28.85 | -18.47 | 54.0 | -25.15 | AV | 350.00 | 150 | Horizontal | Pass |
| 2 | 2775.100 | 42.84 | -11.41 | 74.0 | -31.16 | Peak | 124.00 | 150 | Horizontal | Pass |
| 2** | 2775.100 | 33.84 | -11.41 | 54.0 | -20.16 | AV | 124.00 | 150 | Horizontal | Pass |
| 3 | 4072.200 | 46.96 | -5.54 | 74.0 | -27.04 | Peak | 216.00 | 150 | Horizontal | Pass |
| 3** | 4072.200 | 37.40 | -5.54 | 54.0 | -16.60 | AV | 216.00 | 150 | Horizontal | Pass |
| 4 | 5244.200 | 104.71 | -4.22 | -- | -- | Peak | 154.00 | 150 | Horizontal | N/A |
| 4** | 5244.200 | 96.99 | -4.22 | -- | -- | AV | 154.00 | 150 | Horizontal | N/A |
| 5 | 7343.275 | 48.29 | -5.07 | 74.0 | -25.71 | Peak | 285.00 | 150 | Horizontal | Pass |
| 5** | 7343.275 | 39.06 | -5.07 | 54.0 | -14.94 | AV | 285.00 | 150 | Horizontal | Pass |
| 6 | 12335.425 | 52.04 | -0.84 | 74.0 | -21.96 | Peak | 360.00 | 150 | Horizontal | Pass |
| 6** | 12335.425 | 42.02 | -0.84 | 54.0 | -11.98 | AV | 360.00 | 150 | Horizontal | Pass |

11ac20, U-NII-2A, 1 GHz to 18 GHz, Low channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1165.400 | 43.97 | -18.48 | 74.0 | -30.03 | Peak | 298.00 | 150 | Vertical | Pass |
| 1** | 1165.400 | 30.20 | -18.48 | 54.0 | -23.80 | AV | 298.00 | 150 | Vertical | Pass |
| 2 | 2790.000 | 45.43 | -11.10 | 74.0 | -28.57 | Peak | 298.00 | 150 | Vertical | Pass |
| 2** | 2790.000 | 34.55 | -11.10 | 54.0 | -19.45 | AV | 298.00 | 150 | Vertical | Pass |
| 3 | 4084.400 | 47.06 | -5.11 | 74.0 | -26.94 | Peak | 189.00 | 150 | Vertical | Pass |
| 3** | 4084.400 | 38.14 | -5.11 | 54.0 | -15.86 | AV | 189.00 | 150 | Vertical | Pass |
| 4 | 5248.400 | 95.63 | -4.27 | -- | -- | Peak | 360.00 | 150 | Vertical | N/A |
| 4** | 5248.400 | 87.65 | -4.27 | -- | -- | AV | 360.00 | 150 | Vertical | N/A |
| 5 | 7424.637 | 48.44 | -4.07 | 74.0 | -25.56 | Peak | 77.00 | 150 | Vertical | Pass |
| 5** | 7424.637 | 40.33 | -4.07 | 54.0 | -13.67 | AV | 77.00 | 150 | Vertical | Pass |
| 6 | 12221.000 | 50.96 | -0.27 | 74.0 | -23.04 | Peak | 1.00 | 150 | Vertical | Pass |
| 6** | 12221.000 | 42.08 | -0.27 | 54.0 | -11.92 | AV | 1.00 | 150 | Vertical | Pass |

11ac20, U-NII-2A, 1 GHz to 18 GHz, Middle channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1185.700 | 39.51 | -18.51 | 74.0 | -34.49 | Peak | 332.00 | 150 | Horizontal | Pass |
| 1** | 1185.700 | 28.17 | -18.51 | 54.0 | -25.83 | AV | 332.00 | 150 | Horizontal | Pass |
| 2 | 2787.800 | 43.54 | -11.09 | 74.0 | -30.46 | Peak | 266.00 | 150 | Horizontal | Pass |
| 2** | 2787.800 | 33.42 | -11.09 | 54.0 | -20.58 | AV | 266.00 | 150 | Horizontal | Pass |
| 3 | 4044.400 | 47.25 | -5.66 | 74.0 | -26.75 | Peak | 232.00 | 150 | Horizontal | Pass |
| 3** | 4044.400 | 37.13 | -5.66 | 54.0 | -16.87 | AV | 232.00 | 150 | Horizontal | Pass |
| 4 | 5285.800 | 106.24 | -3.57 | -- | -- | Peak | 158.00 | 150 | Horizontal | N/A |
| 4** | 5285.800 | 98.47 | -3.57 | -- | -- | AV | 158.00 | 150 | Horizontal | N/A |
| 5 | 7420.612 | 48.35 | -3.99 | 74.0 | -25.65 | Peak | 187.00 | 150 | Horizontal | Pass |
| 5** | 7420.612 | 39.49 | -3.99 | 54.0 | -14.51 | AV | 187.00 | 150 | Horizontal | Pass |
| 6 | 12269.013 | 51.55 | 0.06 | 74.0 | -22.45 | Peak | 266.00 | 150 | Horizontal | Pass |
| 6** | 12269.013 | 42.09 | 0.06 | 54.0 | -11.91 | AV | 266.00 | 150 | Horizontal | Pass |

11ac20, U-NII-2A, 1 GHz to 18 GHz, Middle channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1165.200 | 45.37 | -18.47 | 74.0 | -28.63 | Peak | 248.00 | 150 | Vertical | Pass |
| 1** | 1165.200 | 29.36 | -18.47 | 54.0 | -24.64 | AV | 248.00 | 150 | Vertical | Pass |
| 2 | 2795.400 | 46.03 | -11.28 | 74.0 | -27.97 | Peak | 248.00 | 150 | Vertical | Pass |
| 2** | 2795.400 | 34.51 | -11.28 | 54.0 | -19.49 | AV | 248.00 | 150 | Vertical | Pass |
| 3 | 4007.200 | 47.05 | -6.44 | 74.0 | -26.95 | Peak | 360.00 | 150 | Vertical | Pass |
| 3** | 4007.200 | 37.05 | -6.44 | 54.0 | -16.95 | AV | 360.00 | 150 | Vertical | Pass |
| 4 | 5296.800 | 98.21 | -3.77 | -- | -- | Peak | 96.00 | 150 | Vertical | N/A |
| 4** | 5296.800 | 89.15 | -3.77 | -- | -- | AV | 96.00 | 150 | Vertical | N/A |
| 5 | 7497.375 | 47.99 | -4.35 | 74.0 | -26.01 | Peak | 117.00 | 150 | Vertical | Pass |
| 5** | 7497.375 | 38.69 | -4.35 | 54.0 | -15.31 | AV | 117.00 | 150 | Vertical | Pass |
| 6 | 12176.151 | 51.61 | -0.96 | 74.0 | -22.39 | Peak | 302.00 | 150 | Vertical | Pass |
| 6** | 12176.151 | 41.70 | -0.96 | 54.0 | -12.30 | AV | 302.00 | 150 | Vertical | Pass |

11ac20, U-NII-2A, 1 GHz to 18 GHz, High channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1175.900 | 39.71 | -18.52 | 74.0 | -34.29 | Peak | 339.00 | 150 | Horizontal | Pass |
| 1** | 1175.900 | 29.81 | -18.52 | 54.0 | -24.19 | AV | 339.00 | 150 | Horizontal | Pass |
| 2 | 2799.400 | 43.03 | -11.41 | 74.0 | -30.97 | Peak | 36.00 | 150 | Horizontal | Pass |
| 2** | 2799.400 | 33.88 | -11.41 | 54.0 | -20.12 | AV | 36.00 | 150 | Horizontal | Pass |
| 3 | 4266.600 | 48.18 | -5.35 | 74.0 | -25.82 | Peak | 163.00 | 150 | Horizontal | Pass |
| 3** | 4266.600 | 38.22 | -5.35 | 54.0 | -15.78 | AV | 163.00 | 150 | Horizontal | Pass |
| 4 | 5315.800 | 105.00 | -3.98 | -- | -- | Peak | 163.00 | 150 | Horizontal | N/A |
| 4** | 5315.800 | 98.27 | -3.98 | -- | -- | AV | 163.00 | 150 | Horizontal | N/A |
| 5 | 7496.800 | 47.88 | -4.34 | 74.0 | -26.12 | Peak | 294.00 | 150 | Horizontal | Pass |
| 5** | 7496.800 | 38.62 | -4.34 | 54.0 | -15.38 | AV | 294.00 | 150 | Horizontal | Pass |
| 6 | 12117.500 | 51.25 | -0.71 | 74.0 | -22.75 | Peak | 329.00 | 150 | Horizontal | Pass |
| 6** | 12117.500 | 41.27 | -0.71 | 54.0 | -12.73 | AV | 329.00 | 150 | Horizontal | Pass |

11ac20, U-NII-2A, 1 GHz to 18 GHz, High channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1198.500 | 44.90 | -18.31 | 74.0 | -29.10 | Peak | 280.00 | 150 | Vertical | Pass |
| 1** | 1198.500 | 31.79 | -18.31 | 54.0 | -22.21 | AV | 280.00 | 150 | Vertical | Pass |
| 2 | 2797.000 | 45.82 | -11.42 | 74.0 | -28.18 | Peak | 272.00 | 150 | Vertical | Pass |
| 2** | 2797.000 | 34.33 | -11.42 | 54.0 | -19.67 | AV | 272.00 | 150 | Vertical | Pass |
| 3 | 4062.400 | 47.25 | -5.60 | 74.0 | -26.75 | Peak | 85.00 | 150 | Vertical | Pass |
| 3** | 4062.400 | 38.89 | -5.60 | 54.0 | -15.11 | AV | 85.00 | 150 | Vertical | Pass |
| 4 | 5313.800 | 97.38 | -3.99 | -- | -- | Peak | 97.00 | 150 | Vertical | N/A |
| 4** | 5313.800 | 89.65 | -3.99 | -- | -- | AV | 97.00 | 150 | Vertical | N/A |
| 5 | 7433.263 | 48.83 | -4.40 | 74.0 | -25.17 | Peak | 328.00 | 150 | Vertical | Pass |
| 5** | 7433.263 | 38.83 | -4.40 | 54.0 | -15.17 | AV | 328.00 | 150 | Vertical | Pass |
| 6 | 12103.412 | 51.18 | -0.97 | 74.0 | -22.82 | Peak | 360.00 | 150 | Vertical | Pass |
| 6** | 12103.412 | 42.19 | -0.97 | 54.0 | -11.81 | AV | 360.00 | 150 | Vertical | Pass |

11ac40, U-NII-2A, 1 GHz to 18 GHz, Low channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1198.100 | 40.65 | -18.28 | 74.0 | -33.35 | Peak | 240.00 | 150 | Horizontal | Pass |
| 1** | 1198.100 | 29.36 | -18.28 | 54.0 | -24.64 | AV | 240.00 | 150 | Horizontal | Pass |
| 2 | 2811.200 | 43.21 | -11.63 | 74.0 | -30.79 | Peak | 341.00 | 150 | Horizontal | Pass |
| 2** | 2811.200 | 33.58 | -11.63 | 54.0 | -20.42 | AV | 341.00 | 150 | Horizontal | Pass |
| 3 | 4079.200 | 47.45 | -5.17 | 74.0 | -26.55 | Peak | 350.00 | 150 | Horizontal | Pass |
| 3** | 4079.200 | 37.88 | -5.17 | 54.0 | -16.12 | AV | 350.00 | 150 | Horizontal | Pass |
| 4 | 5273.000 | 104.64 | -3.77 | -- | -- | Peak | 148.00 | 150 | Horizontal | N/A |
| 4** | 5273.000 | 97.18 | -3.77 | -- | -- | AV | 148.00 | 150 | Horizontal | N/A |
| 5 | 7454.250 | 47.88 | -4.45 | 74.0 | -26.12 | Peak | 128.00 | 150 | Horizontal | Pass |
| 5** | 7454.250 | 39.02 | -4.45 | 54.0 | -14.98 | AV | 128.00 | 150 | Horizontal | Pass |
| 6 | 12186.213 | 51.44 | -0.91 | 74.0 | -22.56 | Peak | 237.00 | 150 | Horizontal | Pass |
| 6** | 12186.213 | 43.36 | -0.91 | 54.0 | -10.64 | AV | 237.00 | 150 | Horizontal | Pass |

11ac40, U-NII-2A, 1 GHz to 18 GHz, Low channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1160.800 | 45.42 | -18.63 | 74.0 | -28.58 | Peak | 311.00 | 150 | Vertical | Pass |
| 1** | 1160.800 | 29.00 | -18.63 | 54.0 | -25.00 | AV | 311.00 | 150 | Vertical | Pass |
| 2 | 2809.400 | 48.60 | -11.56 | 74.0 | -25.40 | Peak | 97.00 | 150 | Vertical | Pass |
| 2** | 2809.400 | 36.67 | -11.56 | 54.0 | -17.33 | AV | 97.00 | 150 | Vertical | Pass |
| 3 | 4263.400 | 47.67 | -5.44 | 74.0 | -26.33 | Peak | 154.00 | 150 | Vertical | Pass |
| 3** | 4263.400 | 37.76 | -5.44 | 54.0 | -16.24 | AV | 154.00 | 150 | Vertical | Pass |
| 4 | 5269.000 | 97.22 | -3.73 | -- | -- | Peak | 360.00 | 150 | Vertical | N/A |
| 4** | 5269.000 | 90.07 | -3.73 | -- | -- | AV | 360.00 | 150 | Vertical | N/A |
| 5 | 7420.900 | 48.35 | -4.00 | 74.0 | -25.65 | Peak | 84.00 | 150 | Vertical | Pass |
| 5** | 7420.900 | 40.30 | -4.00 | 54.0 | -13.70 | AV | 84.00 | 150 | Vertical | Pass |
| 6 | 12276.200 | 51.85 | 0.08 | 74.0 | -22.15 | Peak | 45.00 | 150 | Vertical | Pass |
| 6** | 12276.200 | 42.67 | 0.08 | 54.0 | -11.33 | AV | 45.00 | 150 | Vertical | Pass |

11ac40, U-NII-2A, 1 GHz to 18 GHz, High channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1199.200 | 41.06 | -18.27 | 74.0 | -32.94 | Peak | 316.00 | 150 | Horizontal | Pass |
| 1** | 1199.200 | 31.71 | -18.27 | 54.0 | -22.29 | AV | 316.00 | 150 | Horizontal | Pass |
| 2 | 2778.400 | 43.42 | -11.43 | 74.0 | -30.58 | Peak | 269.00 | 150 | Horizontal | Pass |
| 2** | 2778.400 | 33.66 | -11.43 | 54.0 | -20.34 | AV | 269.00 | 150 | Horizontal | Pass |
| 3 | 4224.600 | 47.37 | -5.91 | 74.0 | -26.63 | Peak | 360.00 | 150 | Horizontal | Pass |
| 3** | 4224.600 | 37.34 | -5.91 | 54.0 | -16.66 | AV | 360.00 | 150 | Horizontal | Pass |
| 4 | 5307.000 | 105.68 | -3.91 | -- | -- | Peak | 0.00 | 150 | Horizontal | N/A |
| 4** | 5307.000 | 97.66 | -3.91 | -- | -- | AV | 0.00 | 150 | Horizontal | N/A |
| 5 | 7411.700 | 48.34 | -4.20 | 74.0 | -25.66 | Peak | 308.00 | 150 | Horizontal | Pass |
| 5** | 7411.700 | 38.48 | -4.20 | 54.0 | -15.52 | AV | 308.00 | 150 | Horizontal | Pass |
| 6 | 11680.787 | 51.16 | -0.95 | 74.0 | -22.84 | Peak | 110.00 | 150 | Horizontal | Pass |
| 6** | 11680.787 | 41.98 | -0.95 | 54.0 | -12.02 | AV | 110.00 | 150 | Horizontal | Pass |

11ac40, U-NII-2A, 1 GHz to 18 GHz, High channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1166.100 | 45.05 | -18.50 | 74.0 | -28.95 | Peak | 293.00 | 150 | Vertical | Pass |
| 1** | 1166.100 | 32.80 | -18.50 | 54.0 | -21.20 | AV | 293.00 | 150 | Vertical | Pass |
| 2 | 2790.400 | 46.24 | -11.10 | 74.0 | -27.76 | Peak | 269.00 | 150 | Vertical | Pass |
| 2** | 2790.400 | 34.04 | -11.10 | 54.0 | -19.96 | AV | 269.00 | 150 | Vertical | Pass |
| 3 | 4174.600 | 47.71 | -5.43 | 74.0 | -26.29 | Peak | 206.00 | 150 | Vertical | Pass |
| 3** | 4174.600 | 38.35 | -5.43 | 54.0 | -15.65 | AV | 206.00 | 150 | Vertical | Pass |
| 4 | 5305.800 | 97.15 | -3.90 | -- | -- | Peak | 94.00 | 150 | Vertical | N/A |
| 4** | 5305.800 | 90.76 | -3.90 | -- | -- | AV | 94.00 | 150 | Vertical | N/A |
| 5 | 7346.438 | 48.14 | -5.21 | 74.0 | -25.86 | Peak | 346.00 | 150 | Vertical | Pass |
| 5** | 7346.438 | 39.10 | -5.21 | 54.0 | -14.90 | AV | 346.00 | 150 | Vertical | Pass |
| 6 | 12308.400 | 51.53 | -0.15 | 74.0 | -22.47 | Peak | 85.00 | 150 | Vertical | Pass |
| 6** | 12308.400 | 43.09 | -0.15 | 54.0 | -10.91 | AV | 85.00 | 150 | Vertical | Pass |

11ac80, U-NII-2A, 1 GHz to 18 GHz, Middle channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1162.800 | 39.40 | -18.44 | 74.0 | -34.60 | Peak | 274.00 | 150 | Horizontal | Pass |
| 1** | 1162.800 | 28.09 | -18.44 | 54.0 | -25.91 | AV | 274.00 | 150 | Horizontal | Pass |
| 2 | 2820.600 | 43.08 | -11.77 | 74.0 | -30.92 | Peak | 82.00 | 150 | Horizontal | Pass |
| 2** | 2820.600 | 33.35 | -11.77 | 54.0 | -20.65 | AV | 82.00 | 150 | Horizontal | Pass |
| 3 | 4093.000 | 47.35 | -5.68 | 74.0 | -26.65 | Peak | 101.00 | 150 | Horizontal | Pass |
| 3** | 4093.000 | 38.21 | -5.68 | 54.0 | -15.79 | AV | 101.00 | 150 | Horizontal | Pass |
| 4 | 5295.600 | 105.68 | -3.73 | -- | -- | Peak | 152.00 | 150 | Horizontal | N/A |
| 4** | 5295.600 | 97.39 | -3.73 | -- | -- | AV | 152.00 | 150 | Horizontal | N/A |
| 5 | 7409.400 | 48.36 | -4.31 | 74.0 | -25.64 | Peak | 99.00 | 150 | Horizontal | Pass |
| 5** | 7409.400 | 38.78 | -4.31 | 54.0 | -15.22 | AV | 99.00 | 150 | Horizontal | Pass |
| 6 | 12074.087 | 51.25 | -1.38 | 74.0 | -22.75 | Peak | 212.00 | 150 | Horizontal | Pass |
| 6** | 12074.087 | 41.90 | -1.38 | 54.0 | -12.10 | AV | 212.00 | 150 | Horizontal | Pass |

11ac80, U-NII-2A, 1 GHz to 18 GHz, Middle channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1195.900 | 45.48 | -18.19 | 74.0 | -28.52 | Peak | 322.00 | 150 | Vertical | Pass |
| 1** | 1195.900 | 31.74 | -18.19 | 54.0 | -22.26 | AV | 322.00 | 150 | Vertical | Pass |
| 2 | 2802.600 | 46.33 | -11.48 | 74.0 | -27.67 | Peak | 97.00 | 150 | Vertical | Pass |
| 2** | 2802.600 | 34.58 | -11.48 | 54.0 | -19.42 | AV | 97.00 | 150 | Vertical | Pass |
| 3 | 4184.400 | 47.22 | -5.79 | 74.0 | -26.78 | Peak | 107.00 | 150 | Vertical | Pass |
| 3** | 4184.400 | 38.02 | -5.79 | 54.0 | -15.98 | AV | 107.00 | 150 | Vertical | Pass |
| 4 | 5297.800 | 97.40 | -3.81 | -- | -- | Peak | 95.00 | 150 | Vertical | N/A |
| 4** | 5297.800 | 89.67 | -3.81 | -- | -- | AV | 95.00 | 150 | Vertical | N/A |
| 5 | 7427.513 | 48.93 | -4.12 | 74.0 | -25.07 | Peak | 0.00 | 150 | Vertical | Pass |
| 5** | 7427.513 | 39.22 | -4.12 | 54.0 | -14.78 | AV | 0.00 | 150 | Vertical | Pass |
| 6 | 11589.650 | 50.97 | -0.06 | 74.0 | -23.03 | Peak | 112.00 | 150 | Vertical | Pass |
| 6** | 11589.650 | 41.62 | -0.06 | 54.0 | -12.38 | AV | 112.00 | 150 | Vertical | Pass |

11ax20-SU, U-NII-2A, 1 GHz to 18 GHz, Low channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1498.900 | 46.59 | -18.02 | 74.0 | -27.41 | Peak | 66.00 | 150 | Horizontal | Pass |
| 1** | 1498.900 | 29.56 | -18.02 | 54.0 | -24.44 | AV | 66.00 | 150 | Horizontal | Pass |
| 2 | 2865.800 | 44.05 | -11.36 | 74.0 | -29.95 | Peak | 289.00 | 150 | Horizontal | Pass |
| 2** | 2865.800 | 33.41 | -11.36 | 54.0 | -20.59 | AV | 289.00 | 150 | Horizontal | Pass |
| 3 | 4284.200 | 48.38 | -5.10 | 74.0 | -25.62 | Peak | 249.00 | 150 | Horizontal | Pass |
| 3** | 4284.200 | 38.40 | -5.10 | 54.0 | -15.60 | AV | 249.00 | 150 | Horizontal | Pass |
| 4 | 5263.400 | 105.46 | -3.96 | -- | -- | Peak | 288.00 | 150 | Horizontal | N/A |
| 4** | 5263.400 | 96.42 | -3.96 | -- | -- | AV | 288.00 | 150 | Horizontal | N/A |
| 5 | 7430.100 | 48.58 | -4.33 | 74.0 | -25.42 | Peak | 345.00 | 150 | Horizontal | Pass |
| 5** | 7430.100 | 40.27 | -4.33 | 54.0 | -13.73 | AV | 345.00 | 150 | Horizontal | Pass |
| 6 | 12160.050 | 51.57 | -0.89 | 74.0 | -22.43 | Peak | 360.00 | 150 | Horizontal | Pass |
| 6** | 12160.050 | 41.88 | -0.89 | 54.0 | -12.12 | AV | 360.00 | 150 | Horizontal | Pass |

11ax20-SU, U-NII-2A, 1 GHz to 18 GHz, Low channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1198.700 | 46.57 | -18.33 | 74.0 | -27.43 | Peak | 308.00 | 150 | Vertical | Pass |
| 1** | 1198.700 | 39.33 | -18.33 | 54.0 | -14.67 | AV | 308.00 | 150 | Vertical | Pass |
| 2 | 2796.400 | 48.79 | -11.39 | 74.0 | -25.21 | Peak | 102.00 | 150 | Vertical | Pass |
| 2** | 2796.400 | 36.39 | -11.39 | 54.0 | -17.61 | AV | 102.00 | 150 | Vertical | Pass |
| 3 | 4239.200 | 47.53 | -5.69 | 74.0 | -26.47 | Peak | 226.00 | 150 | Vertical | Pass |
| 3** | 4239.200 | 38.03 | -5.69 | 54.0 | -15.97 | AV | 226.00 | 150 | Vertical | Pass |
| 4 | 5261.800 | 96.18 | -3.88 | -- | -- | Peak | 0.00 | 150 | Vertical | N/A |
| 4** | 5261.800 | 86.86 | -3.88 | -- | -- | AV | 0.00 | 150 | Vertical | N/A |
| 5 | 7421.763 | 48.38 | -4.04 | 74.0 | -25.62 | Peak | 1.00 | 150 | Vertical | Pass |
| 5** | 7421.763 | 39.02 | -4.04 | 54.0 | -14.98 | AV | 1.00 | 150 | Vertical | Pass |
| 6 | 12184.776 | 51.29 | -0.93 | 74.0 | -22.71 | Peak | 163.00 | 150 | Vertical | Pass |
| 6** | 12184.776 | 42.16 | -0.93 | 54.0 | -11.84 | AV | 163.00 | 150 | Vertical | Pass |

11ax20-SU, U-NII-2A, 1 GHz to 18 GHz, Middle channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1166.400 | 44.18 | -18.51 | 74.0 | -29.82 | Peak | 236.00 | 150 | Horizontal | Pass |
| 1** | 1166.400 | 28.39 | -18.51 | 54.0 | -25.61 | AV | 236.00 | 150 | Horizontal | Pass |
| 2 | 2780.400 | 43.57 | -11.34 | 74.0 | -30.43 | Peak | 197.00 | 150 | Horizontal | Pass |
| 2** | 2780.400 | 33.52 | -11.34 | 54.0 | -20.48 | AV | 197.00 | 150 | Horizontal | Pass |
| 3 | 4317.400 | 48.22 | -4.94 | 74.0 | -25.78 | Peak | 109.00 | 150 | Horizontal | Pass |
| 3** | 4317.400 | 38.59 | -4.94 | 54.0 | -15.41 | AV | 109.00 | 150 | Horizontal | Pass |
| 4 | 5297.400 | 105.06 | -3.79 | -- | -- | Peak | 152.00 | 150 | Horizontal | N/A |
| 4** | 5297.400 | 95.64 | -3.79 | -- | -- | AV | 152.00 | 150 | Horizontal | N/A |
| 5 | 7422.625 | 49.43 | -4.09 | 74.0 | -24.57 | Peak | 118.00 | 150 | Horizontal | Pass |
| 5** | 7422.625 | 39.44 | -4.09 | 54.0 | -14.56 | AV | 118.00 | 150 | Horizontal | Pass |
| 6 | 12241.412 | 51.54 | -0.29 | 74.0 | -22.46 | Peak | 98.00 | 150 | Horizontal | Pass |
| 6** | 12241.412 | 42.41 | -0.29 | 54.0 | -11.59 | AV | 98.00 | 150 | Horizontal | Pass |

11ax20-SU, U-NII-2A, 1 GHz to 18 GHz, Middle channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1164.900 | 43.82 | -18.46 | 74.0 | -30.18 | Peak | 309.00 | 150 | Vertical | Pass |
| 1** | 1164.900 | 32.95 | -18.46 | 54.0 | -21.05 | AV | 309.00 | 150 | Vertical | Pass |
| 2 | 2795.500 | 45.09 | -11.29 | 74.0 | -28.91 | Peak | 253.00 | 150 | Vertical | Pass |
| 2** | 2795.500 | 34.53 | -11.29 | 54.0 | -19.47 | AV | 253.00 | 150 | Vertical | Pass |
| 3 | 4084.400 | 47.36 | -5.11 | 74.0 | -26.64 | Peak | 59.00 | 150 | Vertical | Pass |
| 3** | 4084.400 | 37.69 | -5.11 | 54.0 | -16.31 | AV | 59.00 | 150 | Vertical | Pass |
| 4 | 5304.000 | 96.78 | -3.90 | -- | -- | Peak | 237.00 | 150 | Vertical | N/A |
| 4** | 5304.000 | 87.71 | -3.90 | -- | -- | AV | 237.00 | 150 | Vertical | N/A |
| 5 | 7355.638 | 48.48 | -4.98 | 74.0 | -25.52 | Peak | 44.00 | 150 | Vertical | Pass |
| 5** | 7355.638 | 38.85 | -4.98 | 54.0 | -15.15 | AV | 44.00 | 150 | Vertical | Pass |
| 6 | 12240.550 | 51.53 | -0.31 | 74.0 | -22.47 | Peak | 103.00 | 150 | Vertical | Pass |
| 6** | 12240.550 | 42.72 | -0.31 | 54.0 | -11.28 | AV | 103.00 | 150 | Vertical | Pass |

11ax20-SU, U-NII-2A, 1 GHz to 18 GHz, High channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1143.400 | 41.23 | -18.54 | 74.0 | -32.77 | Peak | 275.00 | 150 | Horizontal | Pass |
| 1** | 1143.400 | 27.75 | -18.54 | 54.0 | -26.25 | AV | 275.00 | 150 | Horizontal | Pass |
| 2 | 2782.600 | 43.26 | -11.29 | 74.0 | -30.74 | Peak | 122.00 | 150 | Horizontal | Pass |
| 2** | 2782.600 | 33.90 | -11.29 | 54.0 | -20.10 | AV | 122.00 | 150 | Horizontal | Pass |
| 3 | 4085.600 | 47.80 | -5.21 | 74.0 | -26.20 | Peak | 83.00 | 150 | Horizontal | Pass |
| 3** | 4085.600 | 37.65 | -5.21 | 54.0 | -16.35 | AV | 83.00 | 150 | Horizontal | Pass |
| 4 | 5325.000 | 105.61 | -3.85 | -- | -- | Peak | 138.00 | 150 | Horizontal | N/A |
| 4** | 5325.000 | 96.42 | -3.85 | -- | -- | AV | 138.00 | 150 | Horizontal | N/A |
| 5 | 7452.525 | 48.79 | -4.47 | 74.0 | -25.21 | Peak | 182.00 | 150 | Horizontal | Pass |
| 5** | 7452.525 | 39.04 | -4.47 | 54.0 | -14.96 | AV | 182.00 | 150 | Horizontal | Pass |
| 6 | 12268.438 | 51.21 | 0.06 | 74.0 | -22.79 | Peak | 0.00 | 150 | Horizontal | Pass |
| 6** | 12268.438 | 42.32 | 0.06 | 54.0 | -11.68 | AV | 0.00 | 150 | Horizontal | Pass |

11ax20-SU, U-NII-2A, 1 GHz to 18 GHz, High channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1165.400 | 48.94 | -18.48 | 74.0 | -25.06 | Peak | 291.00 | 150 | Vertical | Pass |
| 1** | 1165.400 | 30.20 | -18.48 | 54.0 | -23.80 | AV | 291.00 | 150 | Vertical | Pass |
| 2 | 2853.400 | 46.13 | -11.53 | 74.0 | -27.87 | Peak | 100.00 | 150 | Vertical | Pass |
| 2** | 2853.400 | 36.26 | -11.53 | 54.0 | -17.74 | AV | 100.00 | 150 | Vertical | Pass |
| 3 | 4045.200 | 46.76 | -5.65 | 74.0 | -27.24 | Peak | 328.00 | 150 | Vertical | Pass |
| 3** | 4045.200 | 37.58 | -5.65 | 54.0 | -16.42 | AV | 328.00 | 150 | Vertical | Pass |
| 4 | 5324.000 | 97.70 | -3.84 | -- | -- | Peak | 116.00 | 150 | Vertical | N/A |
| 4** | 5324.000 | 88.45 | -3.84 | -- | -- | AV | 116.00 | 150 | Vertical | N/A |
| 5 | 7426.937 | 48.28 | -4.07 | 74.0 | -25.72 | Peak | 360.00 | 150 | Vertical | Pass |
| 5** | 7426.937 | 39.33 | -4.07 | 54.0 | -14.67 | AV | 360.00 | 150 | Vertical | Pass |
| 6 | 11672.738 | 51.27 | -0.78 | 74.0 | -22.73 | Peak | 91.00 | 150 | Vertical | Pass |
| 6** | 11672.738 | 41.84 | -0.78 | 54.0 | -12.16 | AV | 91.00 | 150 | Vertical | Pass |

11ax40-SU, U-NII-2A, 1 GHz to 18 GHz, Low channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1165.400 | 40.23 | -18.48 | 74.0 | -33.77 | Peak | 232.00 | 150 | Horizontal | Pass |
| 1** | 1165.400 | 30.71 | -18.48 | 54.0 | -23.29 | AV | 232.00 | 150 | Horizontal | Pass |
| 2 | 2860.200 | 44.18 | -11.40 | 74.0 | -29.82 | Peak | 301.00 | 150 | Horizontal | Pass |
| 2** | 2860.200 | 33.45 | -11.40 | 54.0 | -20.55 | AV | 301.00 | 150 | Horizontal | Pass |
| 3 | 4076.600 | 46.86 | -5.28 | 74.0 | -27.14 | Peak | 248.00 | 150 | Horizontal | Pass |
| 3** | 4076.600 | 39.37 | -5.28 | 54.0 | -14.63 | AV | 248.00 | 150 | Horizontal | Pass |
| 4 | 5278.000 | 103.03 | -3.65 | -- | -- | Peak | 142.00 | 150 | Horizontal | N/A |
| 4** | 5278.000 | 94.15 | -3.65 | -- | -- | AV | 142.00 | 150 | Horizontal | N/A |
| 5 | 7439.013 | 48.21 | -4.37 | 74.0 | -25.79 | Peak | 234.00 | 150 | Horizontal | Pass |
| 5** | 7439.013 | 39.03 | -4.37 | 54.0 | -14.97 | AV | 234.00 | 150 | Horizontal | Pass |
| 6 | 12329.099 | 51.37 | -0.65 | 74.0 | -22.63 | Peak | 360.00 | 150 | Horizontal | Pass |
| 6** | 12329.099 | 41.58 | -0.65 | 54.0 | -12.42 | AV | 360.00 | 150 | Horizontal | Pass |

11ax40-SU, U-NII-2A, 1 GHz to 18 GHz, Low channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1163.500 | 43.25 | -18.45 | 74.0 | -30.75 | Peak | 288.00 | 150 | Vertical | Pass |
| 1** | 1163.500 | 29.61 | -18.45 | 54.0 | -24.39 | AV | 288.00 | 150 | Vertical | Pass |
| 2 | 2811.700 | 45.37 | -11.64 | 74.0 | -28.63 | Peak | 111.00 | 150 | Vertical | Pass |
| 2** | 2811.700 | 36.23 | -11.64 | 54.0 | -17.77 | AV | 111.00 | 150 | Vertical | Pass |
| 3 | 4082.800 | 47.37 | -5.06 | 74.0 | -26.63 | Peak | 360.00 | 150 | Vertical | Pass |
| 3** | 4082.800 | 38.45 | -5.06 | 54.0 | -15.55 | AV | 360.00 | 150 | Vertical | Pass |
| 4 | 5281.400 | 93.59 | -3.60 | -- | -- | Peak | 0.00 | 150 | Vertical | N/A |
| 4** | 5281.400 | 84.32 | -3.60 | -- | -- | AV | 0.00 | 150 | Vertical | N/A |
| 5 | 7528.138 | 48.23 | -4.27 | 74.0 | -25.77 | Peak | 30.00 | 150 | Vertical | Pass |
| 5** | 7528.138 | 39.15 | -4.27 | 54.0 | -14.85 | AV | 30.00 | 150 | Vertical | Pass |
| 6 | 12011.412 | 50.99 | -1.24 | 74.0 | -23.01 | Peak | 360.00 | 150 | Vertical | Pass |
| 6** | 12011.412 | 42.31 | -1.24 | 54.0 | -11.69 | AV | 360.00 | 150 | Vertical | Pass |

11ax40-SU, U-NII-2A, 1 GHz to 18 GHz, High channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1172.000 | 40.02 | -18.47 | 74.0 | -33.98 | Peak | 335.00 | 150 | Horizontal | Pass |
| 1** | 1172.000 | 28.58 | -18.47 | 54.0 | -25.42 | AV | 335.00 | 150 | Horizontal | Pass |
| 2 | 2814.200 | 43.67 | -11.63 | 74.0 | -30.33 | Peak | 96.00 | 150 | Horizontal | Pass |
| 2** | 2814.200 | 34.29 | -11.63 | 54.0 | -19.71 | AV | 96.00 | 150 | Horizontal | Pass |
| 3 | 4284.200 | 48.34 | -5.10 | 74.0 | -25.66 | Peak | 360.00 | 150 | Horizontal | Pass |
| 3** | 4284.200 | 38.39 | -5.10 | 54.0 | -15.61 | AV | 360.00 | 150 | Horizontal | Pass |
| 4 | 5295.400 | 103.03 | -3.72 | -- | -- | Peak | 160.00 | 150 | Horizontal | N/A |
| 4** | 5295.400 | 92.61 | -3.72 | -- | -- | AV | 160.00 | 150 | Horizontal | N/A |
| 5 | 7418.313 | 48.36 | -4.13 | 74.0 | -25.64 | Peak | 18.00 | 150 | Horizontal | Pass |
| 5** | 7418.313 | 39.53 | -4.13 | 54.0 | -14.47 | AV | 18.00 | 150 | Horizontal | Pass |
| 6 | 11589.075 | 51.16 | -0.06 | 74.0 | -22.84 | Peak | 209.00 | 150 | Horizontal | Pass |
| 6** | 11589.075 | 41.53 | -0.06 | 54.0 | -12.47 | AV | 209.00 | 150 | Horizontal | Pass |

11ax40-SU, U-NII-2A, 1 GHz to 18 GHz, High channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1197.700 | 44.46 | -18.25 | 74.0 | -29.54 | Peak | 311.00 | 150 | Vertical | Pass |
| 1** | 1197.700 | 32.29 | -18.25 | 54.0 | -21.71 | AV | 311.00 | 150 | Vertical | Pass |
| 2 | 2787.900 | 46.99 | -11.08 | 74.0 | -27.01 | Peak | 115.00 | 150 | Vertical | Pass |
| 2** | 2787.900 | 35.58 | -11.08 | 54.0 | -18.42 | AV | 115.00 | 150 | Vertical | Pass |
| 3 | 4277.200 | 47.30 | -5.06 | 74.0 | -26.70 | Peak | 189.00 | 150 | Vertical | Pass |
| 3** | 4277.200 | 38.61 | -5.06 | 54.0 | -15.39 | AV | 189.00 | 150 | Vertical | Pass |
| 4 | 5316.400 | 94.74 | -4.00 | -- | -- | Peak | 243.00 | 150 | Vertical | N/A |
| 4** | 5316.400 | 85.04 | -4.00 | -- | -- | AV | 243.00 | 150 | Vertical | N/A |
| 5 | 7426.937 | 47.66 | -4.07 | 74.0 | -26.34 | Peak | 143.00 | 150 | Vertical | Pass |
| 5** | 7426.937 | 40.41 | -4.07 | 54.0 | -13.59 | AV | 143.00 | 150 | Vertical | Pass |
| 6 | 12269.875 | 51.14 | 0.06 | 74.0 | -22.86 | Peak | 360.00 | 150 | Vertical | Pass |
| 6** | 12269.875 | 42.85 | 0.06 | 54.0 | -11.15 | AV | 360.00 | 150 | Vertical | Pass |

11ax80-SU, U-NII-2A, 1 GHz to 18 GHz, Middle channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1165.000 | 40.42 | -18.47 | 74.0 | -33.58 | Peak | 328.00 | 150 | Horizontal | Pass |
| 1** | 1165.000 | 28.12 | -18.47 | 54.0 | -25.88 | AV | 328.00 | 150 | Horizontal | Pass |
| 2 | 2232.100 | 46.16 | -13.74 | 74.0 | -27.84 | Peak | 345.00 | 150 | Horizontal | Pass |
| 2** | 2232.100 | 32.54 | -13.74 | 54.0 | -21.46 | AV | 345.00 | 150 | Horizontal | Pass |
| 3 | 4154.400 | 46.92 | -5.72 | 74.0 | -27.08 | Peak | 202.00 | 150 | Horizontal | Pass |
| 3** | 4154.400 | 37.34 | -5.72 | 54.0 | -16.66 | AV | 202.00 | 150 | Horizontal | Pass |
| 4 | 5283.600 | 101.30 | -3.57 | -- | -- | Peak | 165.00 | 150 | Horizontal | N/A |
| 4** | 5283.600 | 90.88 | -3.57 | -- | -- | AV | 165.00 | 150 | Horizontal | N/A |
| 5 | 7415.437 | 48.57 | -4.09 | 74.0 | -25.43 | Peak | 225.00 | 150 | Horizontal | Pass |
| 5** | 7415.437 | 39.86 | -4.09 | 54.0 | -14.14 | AV | 225.00 | 150 | Horizontal | Pass |
| 6 | 11367.700 | 51.13 | -1.54 | 74.0 | -22.87 | Peak | 344.00 | 150 | Horizontal | Pass |
| 6** | 11367.700 | 40.30 | -1.54 | 54.0 | -13.70 | AV | 344.00 | 150 | Horizontal | Pass |

11ax80-SU, U-NII-2A, 1 GHz to 18 GHz, Middle channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1197.900 | 45.68 | -18.27 | 74.0 | -28.32 | Peak | 331.00 | 150 | Vertical | Pass |
| 1** | 1197.900 | 31.71 | -18.27 | 54.0 | -22.29 | AV | 331.00 | 150 | Vertical | Pass |
| 2 | 2799.800 | 45.67 | -11.40 | 74.0 | -28.33 | Peak | 299.00 | 150 | Vertical | Pass |
| 2** | 2799.800 | 36.56 | -11.40 | 54.0 | -17.44 | AV | 299.00 | 150 | Vertical | Pass |
| 3 | 4336.600 | 47.69 | -5.57 | 74.0 | -26.31 | Peak | 360.00 | 150 | Vertical | Pass |
| 3** | 4336.600 | 38.71 | -5.57 | 54.0 | -15.29 | AV | 360.00 | 150 | Vertical | Pass |
| 4 | 5281.200 | 91.78 | -3.60 | -- | -- | Peak | 360.00 | 150 | Vertical | N/A |
| 4** | 5281.200 | 81.11 | -3.60 | -- | -- | AV | 360.00 | 150 | Vertical | N/A |
| 5 | 7447.638 | 49.05 | -4.53 | 74.0 | -24.95 | Peak | 44.00 | 150 | Vertical | Pass |
| 5** | 7447.638 | 39.08 | -4.53 | 54.0 | -14.92 | AV | 44.00 | 150 | Vertical | Pass |
| 6 | 12241.700 | 52.32 | -0.28 | 74.0 | -21.68 | Peak | 360.00 | 150 | Vertical | Pass |
| 6** | 12241.700 | 42.70 | -0.28 | 54.0 | -11.30 | AV | 360.00 | 150 | Vertical | Pass |

11a, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1199.200 | 42.64 | -18.27 | 74.0 | -31.36 | Peak | 230.00 | 150 | Horizontal | Pass |
| 1** | 1199.200 | 31.14 | -18.27 | 54.0 | -22.86 | AV | 230.00 | 150 | Horizontal | Pass |
| 2 | 2792.000 | 43.75 | -11.10 | 74.0 | -30.25 | Peak | 120.00 | 150 | Horizontal | Pass |
| 2** | 2792.000 | 34.22 | -11.10 | 54.0 | -19.78 | AV | 120.00 | 150 | Horizontal | Pass |
| 3 | 4145.600 | 47.16 | -6.14 | 74.0 | -26.84 | Peak | 360.00 | 150 | Horizontal | Pass |
| 3** | 4145.600 | 37.82 | -6.14 | 54.0 | -16.18 | AV | 360.00 | 150 | Horizontal | Pass |
| 4 | 5488.000 | 107.01 | -2.83 | -- | -- | Peak | 321.00 | 150 | Horizontal | N/A |
| 4** | 5488.000 | 98.65 | -2.83 | -- | -- | AV | 321.00 | 150 | Horizontal | N/A |
| 5 | 7332.350 | 48.69 | -4.83 | 74.0 | -25.31 | Peak | 204.00 | 150 | Horizontal | Pass |
| 5** | 7332.350 | 39.54 | -4.83 | 54.0 | -14.46 | AV | 204.00 | 150 | Horizontal | Pass |
| 6 | 12293.162 | 51.25 | 0.05 | 74.0 | -22.75 | Peak | 310.00 | 150 | Horizontal | Pass |
| 6** | 12293.162 | 41.26 | 0.05 | 54.0 | -12.74 | AV | 310.00 | 150 | Horizontal | Pass |

11a, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1199.200 | 42.64 | -18.27 | 74.0 | -31.36 | Peak | 230.00 | 150 | Horizontal | Pass |
| 1** | 1199.200 | 31.14 | -18.27 | 54.0 | -22.86 | AV | 230.00 | 150 | Horizontal | Pass |
| 2 | 2792.000 | 43.75 | -11.10 | 74.0 | -30.25 | Peak | 120.00 | 150 | Horizontal | Pass |
| 2** | 2792.000 | 34.22 | -11.10 | 54.0 | -19.78 | AV | 120.00 | 150 | Horizontal | Pass |
| 3 | 4145.600 | 47.16 | -6.14 | 74.0 | -26.84 | Peak | 360.00 | 150 | Horizontal | Pass |
| 3** | 4145.600 | 37.82 | -6.14 | 54.0 | -16.18 | AV | 360.00 | 150 | Horizontal | Pass |
| 4 | 5488.000 | 107.01 | -2.83 | -- | -- | Peak | 321.00 | 150 | Horizontal | N/A |
| 4** | 5488.000 | 98.65 | -2.83 | -- | -- | AV | 321.00 | 150 | Horizontal | N/A |
| 5 | 7332.350 | 48.69 | -4.83 | 74.0 | -25.31 | Peak | 204.00 | 150 | Horizontal | Pass |
| 5** | 7332.350 | 39.54 | -4.83 | 54.0 | -14.46 | AV | 204.00 | 150 | Horizontal | Pass |
| 6 | 12293.162 | 51.25 | 0.05 | 74.0 | -22.75 | Peak | 310.00 | 150 | Horizontal | Pass |
| 6** | 12293.162 | 41.26 | 0.05 | 54.0 | -12.74 | AV | 310.00 | 150 | Horizontal | Pass |

11a, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1165.100 | 43.94 | -18.47 | 74.0 | -30.06 | Peak | 235.00 | 150 | Horizontal | Pass |
| 1** | 1165.100 | 28.11 | -18.47 | 54.0 | -25.89 | AV | 235.00 | 150 | Horizontal | Pass |
| 2 | 2717.000 | 43.10 | -10.92 | 74.0 | -30.90 | Peak | 348.00 | 150 | Horizontal | Pass |
| 2** | 2717.000 | 33.12 | -10.92 | 54.0 | -20.88 | AV | 348.00 | 150 | Horizontal | Pass |
| 3 | 4189.200 | 47.27 | -5.86 | 74.0 | -26.73 | Peak | 121.00 | 150 | Horizontal | Pass |
| 3** | 4189.200 | 37.51 | -5.86 | 54.0 | -16.49 | AV | 121.00 | 150 | Horizontal | Pass |
| 4 | 5570.800 | 105.66 | -3.78 | -- | -- | Peak | 157.00 | 150 | Horizontal | N/A |
| 4** | 5570.800 | 97.42 | -3.78 | -- | -- | AV | 157.00 | 150 | Horizontal | N/A |
| 5 | 7440.737 | 48.64 | -4.31 | 74.0 | -25.36 | Peak | 148.00 | 150 | Horizontal | Pass |
| 5** | 7440.737 | 40.55 | -4.31 | 54.0 | -13.45 | AV | 148.00 | 150 | Horizontal | Pass |
| 6 | 12006.525 | 51.86 | -1.27 | 74.0 | -22.14 | Peak | 310.00 | 150 | Horizontal | Pass |
| 6** | 12006.525 | 41.69 | -1.27 | 54.0 | -12.31 | AV | 310.00 | 150 | Horizontal | Pass |

11a, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1195.900 | 45.55 | -18.19 | 74.0 | -28.45 | Peak | 308.00 | 150 | Vertical | Pass |
| 1** | 1195.900 | 31.16 | -18.19 | 54.0 | -22.84 | AV | 308.00 | 150 | Vertical | Pass |
| 2 | 2788.000 | 45.03 | -11.08 | 74.0 | -28.97 | Peak | 231.00 | 150 | Vertical | Pass |
| 2** | 2788.000 | 34.75 | -11.08 | 54.0 | -19.25 | AV | 231.00 | 150 | Vertical | Pass |
| 3 | 4077.400 | 47.24 | -5.23 | 74.0 | -26.76 | Peak | 21.00 | 150 | Vertical | Pass |
| 3** | 4077.400 | 37.53 | -5.23 | 54.0 | -16.47 | AV | 21.00 | 150 | Vertical | Pass |
| 4 | 5565.400 | 100.82 | -3.89 | -- | -- | Peak | 96.00 | 150 | Vertical | N/A |
| 4** | 5565.400 | 92.91 | -3.89 | -- | -- | AV | 96.00 | 150 | Vertical | N/A |
| 5 | 7316.825 | 48.72 | -5.01 | 74.0 | -25.28 | Peak | 101.00 | 150 | Vertical | Pass |
| 5** | 7316.825 | 39.06 | -5.01 | 54.0 | -14.94 | AV | 101.00 | 150 | Vertical | Pass |
| 6 | 12104.849 | 51.98 | -0.94 | 74.0 | -22.02 | Peak | 29.00 | 150 | Vertical | Pass |
| 6** | 12104.849 | 42.32 | -0.94 | 54.0 | -11.68 | AV | 29.00 | 150 | Vertical | Pass |

11a, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1162.300 | 44.47 | -18.47 | 74.0 | -29.53 | Peak | 236.00 | 150 | Horizontal | Pass |
| 1** | 1162.300 | 27.79 | -18.47 | 54.0 | -26.21 | AV | 236.00 | 150 | Horizontal | Pass |
| 2 | 2749.400 | 43.18 | -11.72 | 74.0 | -30.82 | Peak | 212.00 | 150 | Horizontal | Pass |
| 2** | 2749.400 | 34.01 | -11.72 | 54.0 | -19.99 | AV | 212.00 | 150 | Horizontal | Pass |
| 3 | 4017.400 | 46.51 | -6.54 | 74.0 | -27.49 | Peak | 0.00 | 150 | Horizontal | Pass |
| 3** | 4017.400 | 37.50 | -6.54 | 54.0 | -16.50 | AV | 0.00 | 150 | Horizontal | Pass |
| 4 | 5693.800 | 104.49 | -4.30 | -- | -- | Peak | 159.00 | 150 | Horizontal | N/A |
| 4** | 5693.800 | 96.16 | -4.30 | -- | -- | AV | 159.00 | 150 | Horizontal | N/A |
| 5 | 7427.225 | 48.12 | -4.10 | 74.0 | -25.88 | Peak | 291.00 | 150 | Horizontal | Pass |
| 5** | 7427.225 | 39.98 | -4.10 | 54.0 | -14.02 | AV | 291.00 | 150 | Horizontal | Pass |
| 6 | 12103.700 | 51.62 | -0.96 | 74.0 | -22.38 | Peak | 0.00 | 150 | Horizontal | Pass |
| 6** | 12103.700 | 42.87 | -0.96 | 54.0 | -11.13 | AV | 0.00 | 150 | Horizontal | Pass |

11a, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1157.200 | 43.70 | -18.57 | 74.0 | -30.30 | Peak | 295.00 | 150 | Vertical | Pass |
| 1** | 1157.200 | 30.75 | -18.57 | 54.0 | -23.25 | AV | 295.00 | 150 | Vertical | Pass |
| 2 | 2795.000 | 45.31 | -11.24 | 74.0 | -28.69 | Peak | 295.00 | 150 | Vertical | Pass |
| 2** | 2795.000 | 36.83 | -11.24 | 54.0 | -17.17 | AV | 295.00 | 150 | Vertical | Pass |
| 3 | 4277.200 | 48.15 | -5.06 | 74.0 | -25.85 | Peak | 284.00 | 150 | Vertical | Pass |
| 3** | 4277.200 | 38.68 | -5.06 | 54.0 | -15.32 | AV | 284.00 | 150 | Vertical | Pass |
| 4 | 5685.200 | 100.48 | -4.27 | -- | -- | Peak | 110.00 | 150 | Vertical | N/A |
| 4** | 5685.200 | 90.70 | -4.27 | -- | -- | AV | 110.00 | 150 | Vertical | N/A |
| 5 | 7372.025 | 48.69 | -4.76 | 74.0 | -25.31 | Peak | 127.00 | 150 | Vertical | Pass |
| 5** | 7372.025 | 38.98 | -4.76 | 54.0 | -15.02 | AV | 127.00 | 150 | Vertical | Pass |
| 6 | 12327.663 | 52.20 | -0.61 | 74.0 | -21.80 | Peak | 20.00 | 150 | Vertical | Pass |
| 6** | 12327.663 | 41.40 | -0.61 | 54.0 | -12.60 | AV | 20.00 | 150 | Vertical | Pass |

11n20, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1163.300 | 41.78 | -18.44 | 74.0 | -32.22 | Peak | 235.00 | 150 | Horizontal | Pass |
| 1** | 1163.300 | 29.22 | -18.44 | 54.0 | -24.78 | AV | 235.00 | 150 | Horizontal | Pass |
| 2 | 2769.700 | 42.78 | -11.52 | 74.0 | -31.22 | Peak | 18.00 | 150 | Horizontal | Pass |
| 2** | 2769.700 | 33.13 | -11.52 | 54.0 | -20.87 | AV | 18.00 | 150 | Horizontal | Pass |
| 3 | 4128.000 | 47.36 | -6.05 | 74.0 | -26.64 | Peak | 334.00 | 150 | Horizontal | Pass |
| 3** | 4128.000 | 37.48 | -6.05 | 54.0 | -16.52 | AV | 334.00 | 150 | Horizontal | Pass |
| 4 | 5493.600 | 106.19 | -2.97 | -- | -- | Peak | 146.00 | 150 | Horizontal | N/A |
| 4** | 5493.600 | 97.58 | -2.97 | -- | -- | AV | 146.00 | 150 | Horizontal | N/A |
| 5 | 7449.362 | 48.38 | -4.42 | 74.0 | -25.62 | Peak | 5.00 | 150 | Horizontal | Pass |
| 5** | 7449.362 | 40.28 | -4.42 | 54.0 | -13.72 | AV | 5.00 | 150 | Horizontal | Pass |
| 6 | 11581.600 | 51.42 | 0.01 | 74.0 | -22.58 | Peak | 222.00 | 150 | Horizontal | Pass |
| 6** | 11581.600 | 41.34 | 0.01 | 54.0 | -12.66 | AV | 222.00 | 150 | Horizontal | Pass |

11n20, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1163.300 | 43.37 | -18.44 | 74.0 | -30.63 | Peak | 300.00 | 150 | Vertical | Pass |
| 1** | 1163.300 | 29.44 | -18.44 | 54.0 | -24.56 | AV | 300.00 | 150 | Vertical | Pass |
| 2 | 2790.000 | 45.81 | -11.10 | 74.0 | -28.19 | Peak | 260.00 | 150 | Vertical | Pass |
| 2** | 2790.000 | 34.02 | -11.10 | 54.0 | -19.98 | AV | 260.00 | 150 | Vertical | Pass |
| 3 | 4068.200 | 46.86 | -5.51 | 74.0 | -27.14 | Peak | 97.00 | 150 | Vertical | Pass |
| 3** | 4068.200 | 37.98 | -5.51 | 54.0 | -16.02 | AV | 97.00 | 150 | Vertical | Pass |
| 4 | 5486.200 | 99.29 | -2.79 | -- | -- | Peak | 109.00 | 150 | Vertical | N/A |
| 4** | 5486.200 | 91.14 | -2.79 | -- | -- | AV | 109.00 | 150 | Vertical | N/A |
| 5 | 7422.050 | 48.40 | -4.06 | 74.0 | -25.60 | Peak | 151.00 | 150 | Vertical | Pass |
| 5** | 7422.050 | 39.76 | -4.06 | 54.0 | -14.24 | AV | 151.00 | 150 | Vertical | Pass |
| 6 | 12248.887 | 52.27 | -0.12 | 74.0 | -21.73 | Peak | 293.00 | 150 | Vertical | Pass |
| 6** | 12248.887 | 42.87 | -0.12 | 54.0 | -11.13 | AV | 293.00 | 150 | Vertical | Pass |

11n20, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1163.200 | 42.88 | -18.44 | 74.0 | -31.12 | Peak | 236.00 | 150 | Horizontal | Pass |
| 1** | 1163.200 | 28.83 | -18.44 | 54.0 | -25.17 | AV | 236.00 | 150 | Horizontal | Pass |
| 2 | 2802.100 | 43.06 | -11.45 | 74.0 | -30.94 | Peak | 217.00 | 150 | Horizontal | Pass |
| 2** | 2802.100 | 33.36 | -11.45 | 54.0 | -20.64 | AV | 217.00 | 150 | Horizontal | Pass |
| 3 | 4121.400 | 46.87 | -5.68 | 74.0 | -27.13 | Peak | 73.00 | 150 | Horizontal | Pass |
| 3** | 4121.400 | 38.14 | -5.68 | 54.0 | -15.86 | AV | 73.00 | 150 | Horizontal | Pass |
| 4 | 5573.200 | 105.41 | -3.70 | -- | -- | Peak | 162.00 | 150 | Horizontal | N/A |
| 4** | 5573.200 | 97.35 | -3.70 | -- | -- | AV | 162.00 | 150 | Horizontal | N/A |
| 5 | 7597.712 | 48.54 | -4.82 | 74.0 | -25.46 | Peak | 310.00 | 150 | Horizontal | Pass |
| 5** | 7597.712 | 38.19 | -4.82 | 54.0 | -15.81 | AV | 310.00 | 150 | Horizontal | Pass |
| 6 | 11686.825 | 51.45 | -0.89 | 74.0 | -22.55 | Peak | 54.00 | 150 | Horizontal | Pass |
| 6** | 11686.825 | 41.80 | -0.89 | 54.0 | -12.20 | AV | 54.00 | 150 | Horizontal | Pass |

11n20, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1165.400 | 42.91 | -18.48 | 74.0 | -31.09 | Peak | 302.00 | 150 | Vertical | Pass |
| 1** | 1165.400 | 32.42 | -18.48 | 54.0 | -21.58 | AV | 302.00 | 150 | Vertical | Pass |
| 2 | 2796.300 | 44.22 | -11.38 | 74.0 | -29.78 | Peak | 232.00 | 150 | Vertical | Pass |
| 2** | 2796.300 | 34.18 | -11.38 | 54.0 | -19.82 | AV | 232.00 | 150 | Vertical | Pass |
| 3 | 4038.000 | 47.13 | -5.78 | 74.0 | -26.87 | Peak | 123.00 | 150 | Vertical | Pass |
| 3** | 4038.000 | 37.39 | -5.78 | 54.0 | -16.61 | AV | 123.00 | 150 | Vertical | Pass |
| 4 | 5566.200 | 99.43 | -3.88 | -- | -- | Peak | 98.00 | 150 | Vertical | N/A |
| 4** | 5566.200 | 91.91 | -3.88 | -- | -- | AV | 98.00 | 150 | Vertical | N/A |
| 5 | 7445.338 | 48.25 | -4.47 | 74.0 | -25.75 | Peak | 272.00 | 150 | Vertical | Pass |
| 5** | 7445.338 | 40.06 | -4.47 | 54.0 | -13.94 | AV | 272.00 | 150 | Vertical | Pass |
| 6 | 12072.651 | 51.32 | -1.39 | 74.0 | -22.68 | Peak | 236.00 | 150 | Vertical | Pass |
| 6** | 12072.651 | 41.95 | -1.39 | 54.0 | -12.05 | AV | 236.00 | 150 | Vertical | Pass |

11n20, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1196.200 | 41.11 | -18.18 | 74.0 | -32.89 | Peak | 0.00 | 150 | Horizontal | Pass |
| 1** | 1196.200 | 30.43 | -18.18 | 54.0 | -23.57 | AV | 0.00 | 150 | Horizontal | Pass |
| 2 | 2793.300 | 42.93 | -11.13 | 74.0 | -31.07 | Peak | 248.00 | 150 | Horizontal | Pass |
| 2** | 2793.300 | 34.61 | -11.13 | 54.0 | -19.39 | AV | 248.00 | 150 | Horizontal | Pass |
| 3 | 4091.600 | 46.90 | -5.60 | 74.0 | -27.10 | Peak | 109.00 | 150 | Horizontal | Pass |
| 3** | 4091.600 | 38.17 | -5.60 | 54.0 | -15.83 | AV | 109.00 | 150 | Horizontal | Pass |
| 4 | 5695.000 | 104.06 | -4.26 | -- | -- | Peak | 149.00 | 150 | Horizontal | N/A |
| 4** | 5695.000 | 96.38 | -4.26 | -- | -- | AV | 149.00 | 150 | Horizontal | N/A |
| 5 | 7435.275 | 48.37 | -4.35 | 74.0 | -25.63 | Peak | 104.00 | 150 | Horizontal | Pass |
| 5** | 7435.275 | 39.52 | -4.35 | 54.0 | -14.48 | AV | 104.00 | 150 | Horizontal | Pass |
| 6 | 12006.813 | 51.01 | -1.27 | 74.0 | -22.99 | Peak | 161.00 | 150 | Horizontal | Pass |
| 6** | 12006.813 | 42.54 | -1.27 | 54.0 | -11.46 | AV | 161.00 | 150 | Horizontal | Pass |

11n20, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1170.000 | 43.72 | -18.46 | 74.0 | -30.28 | Peak | 301.00 | 150 | Vertical | Pass |
| 1** | 1170.000 | 29.12 | -18.46 | 54.0 | -24.88 | AV | 301.00 | 150 | Vertical | Pass |
| 2 | 2795.300 | 44.50 | -11.27 | 74.0 | -29.50 | Peak | 247.00 | 150 | Vertical | Pass |
| 2** | 2795.300 | 33.75 | -11.27 | 54.0 | -20.25 | AV | 247.00 | 150 | Vertical | Pass |
| 3 | 4078.600 | 47.16 | -5.18 | 74.0 | -26.84 | Peak | 9.00 | 150 | Vertical | Pass |
| 3** | 4078.600 | 37.71 | -5.18 | 54.0 | -16.29 | AV | 9.00 | 150 | Vertical | Pass |
| 4 | 5692.400 | 100.05 | -4.34 | -- | -- | Peak | 109.00 | 150 | Vertical | N/A |
| 4** | 5692.400 | 92.32 | -4.34 | -- | -- | AV | 109.00 | 150 | Vertical | N/A |
| 5 | 7400.487 | 48.40 | -4.17 | 74.0 | -25.60 | Peak | 360.00 | 150 | Vertical | Pass |
| 5** | 7400.487 | 38.42 | -4.17 | 54.0 | -15.58 | AV | 360.00 | 150 | Vertical | Pass |
| 6 | 12069.488 | 51.23 | -1.42 | 74.0 | -22.77 | Peak | 92.00 | 150 | Vertical | Pass |
| 6** | 12069.488 | 41.45 | -1.42 | 54.0 | -12.55 | AV | 92.00 | 150 | Vertical | Pass |

11n40, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1198.900 | 42.98 | -18.31 | 74.0 | -31.02 | Peak | 289.00 | 150 | Horizontal | Pass |
| 1** | 1198.900 | 32.40 | -18.31 | 54.0 | -21.60 | AV | 289.00 | 150 | Horizontal | Pass |
| 2 | 2827.600 | 43.01 | -11.84 | 74.0 | -30.99 | Peak | 315.00 | 150 | Horizontal | Pass |
| 2** | 2827.600 | 34.29 | -11.84 | 54.0 | -19.71 | AV | 315.00 | 150 | Horizontal | Pass |
| 3 | 4216.200 | 47.31 | -6.07 | 74.0 | -26.69 | Peak | 23.00 | 150 | Horizontal | Pass |
| 3** | 4216.200 | 38.08 | -6.07 | 54.0 | -15.92 | AV | 23.00 | 150 | Horizontal | Pass |
| 4 | 5502.800 | 106.15 | -3.30 | -- | -- | Peak | 157.00 | 150 | Horizontal | N/A |
| 4** | 5502.800 | 97.79 | -3.30 | -- | -- | AV | 157.00 | 150 | Horizontal | N/A |
| 5 | 7425.787 | 48.46 | -4.07 | 74.0 | -25.54 | Peak | 309.00 | 150 | Horizontal | Pass |
| 5** | 7425.787 | 39.95 | -4.07 | 54.0 | -14.05 | AV | 309.00 | 150 | Horizontal | Pass |
| 6 | 12072.075 | 51.27 | -1.40 | 74.0 | -22.73 | Peak | 90.00 | 150 | Horizontal | Pass |
| 6** | 12072.075 | 42.62 | -1.40 | 54.0 | -11.38 | AV | 90.00 | 150 | Horizontal | Pass |

11n40, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1162.500 | 43.11 | -18.45 | 74.0 | -30.89 | Peak | 299.00 | 150 | Vertical | Pass |
| 1** | 1162.500 | 30.95 | -18.45 | 54.0 | -23.05 | AV | 299.00 | 150 | Vertical | Pass |
| 2 | 2797.200 | 44.78 | -11.42 | 74.0 | -29.22 | Peak | 246.00 | 150 | Vertical | Pass |
| 2** | 2797.200 | 33.53 | -11.42 | 54.0 | -20.47 | AV | 246.00 | 150 | Vertical | Pass |
| 3 | 4163.800 | 47.87 | -5.69 | 74.0 | -26.13 | Peak | 175.00 | 150 | Vertical | Pass |
| 3** | 4163.800 | 37.68 | -5.69 | 54.0 | -16.32 | AV | 175.00 | 150 | Vertical | Pass |
| 4 | 5516.200 | 98.56 | -3.73 | -- | -- | Peak | 106.00 | 150 | Vertical | N/A |
| 4** | 5516.200 | 89.97 | -3.73 | -- | -- | AV | 106.00 | 150 | Vertical | N/A |
| 5 | 7387.837 | 48.93 | -4.40 | 74.0 | -25.07 | Peak | 0.00 | 150 | Vertical | Pass |
| 5** | 7387.837 | 38.69 | -4.40 | 54.0 | -15.31 | AV | 0.00 | 150 | Vertical | Pass |
| 6 | 12072.937 | 51.77 | -1.39 | 74.0 | -22.23 | Peak | 253.00 | 150 | Vertical | Pass |
| 6** | 12072.937 | 42.01 | -1.39 | 54.0 | -11.99 | AV | 253.00 | 150 | Vertical | Pass |

11n40, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1198.200 | 45.73 | -18.29 | 74.0 | -28.27 | Peak | 232.00 | 150 | Horizontal | Pass |
| 1** | 1198.200 | 34.04 | -18.29 | 54.0 | -19.96 | AV | 232.00 | 150 | Horizontal | Pass |
| 2 | 2793.600 | 43.27 | -11.15 | 74.0 | -30.73 | Peak | 57.00 | 150 | Horizontal | Pass |
| 2** | 2793.600 | 32.85 | -11.15 | 54.0 | -21.15 | AV | 57.00 | 150 | Horizontal | Pass |
| 3 | 4110.800 | 46.92 | -5.77 | 74.0 | -27.08 | Peak | 219.00 | 150 | Horizontal | Pass |
| 3** | 4110.800 | 37.75 | -5.77 | 54.0 | -16.25 | AV | 219.00 | 150 | Horizontal | Pass |
| 4 | 5588.600 | 104.87 | -3.96 | -- | -- | Peak | 167.00 | 150 | Horizontal | N/A |
| 4** | 5588.600 | 96.84 | -3.96 | -- | -- | AV | 167.00 | 150 | Horizontal | N/A |
| 5 | 7448.212 | 48.27 | -4.54 | 74.0 | -25.73 | Peak | 0.00 | 150 | Horizontal | Pass |
| 5** | 7448.212 | 38.93 | -4.54 | 54.0 | -15.07 | AV | 0.00 | 150 | Horizontal | Pass |
| 6 | 12001.637 | 51.18 | -1.31 | 74.0 | -22.82 | Peak | 91.00 | 150 | Horizontal | Pass |
| 6** | 12001.637 | 41.20 | -1.31 | 54.0 | -12.80 | AV | 91.00 | 150 | Horizontal | Pass |

11n40, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1197.000 | 46.46 | -18.20 | 74.0 | -27.54 | Peak | 276.00 | 150 | Vertical | Pass |
| 1** | 1197.000 | 33.83 | -18.20 | 54.0 | -20.17 | AV | 276.00 | 150 | Vertical | Pass |
| 2 | 2796.400 | 45.25 | -11.39 | 74.0 | -28.75 | Peak | 234.00 | 150 | Vertical | Pass |
| 2** | 2796.400 | 34.56 | -11.39 | 54.0 | -19.44 | AV | 234.00 | 150 | Vertical | Pass |
| 3 | 3993.000 | 47.05 | -6.28 | 74.0 | -26.95 | Peak | 171.00 | 150 | Vertical | Pass |
| 3** | 3993.000 | 38.01 | -6.28 | 54.0 | -15.99 | AV | 171.00 | 150 | Vertical | Pass |
| 4 | 5594.200 | 99.22 | -3.99 | -- | -- | Peak | 113.00 | 150 | Vertical | N/A |
| 4** | 5594.200 | 91.37 | -3.99 | -- | -- | AV | 113.00 | 150 | Vertical | N/A |
| 5 | 7426.650 | 48.16 | -4.07 | 74.0 | -25.84 | Peak | 270.00 | 150 | Vertical | Pass |
| 5** | 7426.650 | 39.40 | -4.07 | 54.0 | -14.60 | AV | 270.00 | 150 | Vertical | Pass |
| 6 | 12332.838 | 51.44 | -0.76 | 74.0 | -22.56 | Peak | 327.00 | 150 | Vertical | Pass |
| 6** | 12332.838 | 42.31 | -0.76 | 54.0 | -11.69 | AV | 327.00 | 150 | Vertical | Pass |

11n40, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1199.400 | 42.99 | -18.24 | 74.0 | -31.01 | Peak | 0.00 | 150 | Horizontal | Pass |
| 1** | 1199.400 | 30.05 | -18.24 | 54.0 | -23.95 | AV | 0.00 | 150 | Horizontal | Pass |
| 2 | 2770.200 | 42.71 | -11.51 | 74.0 | -31.29 | Peak | 349.00 | 150 | Horizontal | Pass |
| 2** | 2770.200 | 33.95 | -11.51 | 54.0 | -20.05 | AV | 349.00 | 150 | Horizontal | Pass |
| 3 | 4100.800 | 47.09 | -5.94 | 74.0 | -26.91 | Peak | 153.00 | 150 | Horizontal | Pass |
| 3** | 4100.800 | 37.89 | -5.94 | 54.0 | -16.11 | AV | 153.00 | 150 | Horizontal | Pass |
| 4 | 5672.800 | 104.90 | -3.96 | -- | -- | Peak | 153.00 | 150 | Horizontal | N/A |
| 4** | 5672.800 | 96.75 | -3.96 | -- | -- | AV | 153.00 | 150 | Horizontal | N/A |
| 5 | 7431.250 | 48.26 | -4.40 | 74.0 | -25.74 | Peak | 326.00 | 150 | Horizontal | Pass |
| 5** | 7431.250 | 39.57 | -4.40 | 54.0 | -14.43 | AV | 326.00 | 150 | Horizontal | Pass |
| 6 | 11705.513 | 51.40 | -0.77 | 74.0 | -22.60 | Peak | 181.00 | 150 | Horizontal | Pass |
| 6** | 11705.513 | 40.48 | -0.77 | 54.0 | -13.52 | AV | 181.00 | 150 | Horizontal | Pass |

11n40, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1198.200 | 45.08 | -18.29 | 74.0 | -28.92 | Peak | 300.00 | 150 | Vertical | Pass |
| 1** | 1198.200 | 31.46 | -18.29 | 54.0 | -22.54 | AV | 300.00 | 150 | Vertical | Pass |
| 2 | 2799.300 | 46.73 | -11.41 | 74.0 | -27.27 | Peak | 237.00 | 150 | Vertical | Pass |
| 2** | 2799.300 | 33.60 | -11.41 | 54.0 | -20.40 | AV | 237.00 | 150 | Vertical | Pass |
| 3 | 4130.000 | 47.04 | -6.07 | 74.0 | -26.96 | Peak | 225.00 | 150 | Vertical | Pass |
| 3** | 4130.000 | 38.36 | -6.07 | 54.0 | -15.64 | AV | 225.00 | 150 | Vertical | Pass |
| 4 | 5664.400 | 99.73 | -3.98 | -- | -- | Peak | 110.00 | 150 | Vertical | N/A |
| 4** | 5664.400 | 91.54 | -3.98 | -- | -- | AV | 110.00 | 150 | Vertical | N/A |
| 5 | 7363.687 | 48.80 | -5.06 | 74.0 | -25.20 | Peak | 328.00 | 150 | Vertical | Pass |
| 5** | 7363.687 | 39.69 | -5.06 | 54.0 | -14.31 | AV | 328.00 | 150 | Vertical | Pass |
| 6 | 12269.300 | 51.62 | 0.06 | 74.0 | -22.38 | Peak | 0.00 | 150 | Vertical | Pass |
| 6** | 12269.300 | 42.18 | 0.06 | 54.0 | -11.82 | AV | 0.00 | 150 | Vertical | Pass |

11ac20, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1197.400 | 40.91 | -18.23 | 74.0 | -33.09 | Peak | 0.00 | 150 | Horizontal | Pass |
| 1** | 1197.400 | 29.96 | -18.23 | 54.0 | -24.04 | AV | 0.00 | 150 | Horizontal | Pass |
| 2 | 2796.700 | 43.45 | -11.42 | 74.0 | -30.55 | Peak | 245.00 | 150 | Horizontal | Pass |
| 2** | 2796.700 | 33.34 | -11.42 | 54.0 | -20.66 | AV | 245.00 | 150 | Horizontal | Pass |
| 3 | 3959.600 | 46.80 | -6.78 | 74.0 | -27.20 | Peak | 119.00 | 150 | Horizontal | Pass |
| 3** | 3959.600 | 36.86 | -6.78 | 54.0 | -17.14 | AV | 119.00 | 150 | Horizontal | Pass |
| 4 | 5486.000 | 105.82 | -2.78 | -- | -- | Peak | 172.00 | 150 | Horizontal | N/A |
| 4** | 5486.000 | 97.70 | -2.78 | -- | -- | AV | 172.00 | 150 | Horizontal | N/A |
| 5 | 7417.450 | 49.64 | -4.10 | 74.0 | -24.36 | Peak | 214.00 | 150 | Horizontal | Pass |
| 5** | 7417.450 | 39.71 | -4.10 | 54.0 | -14.29 | AV | 214.00 | 150 | Horizontal | Pass |
| 6 | 11649.450 | 51.13 | -0.34 | 74.0 | -22.87 | Peak | 63.00 | 150 | Horizontal | Pass |
| 6** | 11649.450 | 41.71 | -0.34 | 54.0 | -12.29 | AV | 63.00 | 150 | Horizontal | Pass |

11ac20, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1197.900 | 44.70 | -18.27 | 74.0 | -29.30 | Peak | 307.00 | 150 | Vertical | Pass |
| 1** | 1197.900 | 31.29 | -18.27 | 54.0 | -22.71 | AV | 307.00 | 150 | Vertical | Pass |
| 2 | 2797.900 | 44.93 | -11.42 | 74.0 | -29.07 | Peak | 242.00 | 150 | Vertical | Pass |
| 2** | 2797.900 | 33.97 | -11.42 | 54.0 | -20.03 | AV | 242.00 | 150 | Vertical | Pass |
| 3 | 4664.800 | 51.68 | -4.84 | 74.0 | -22.32 | Peak | 269.00 | 150 | Vertical | Pass |
| 3** | 4664.800 | 39.60 | -4.84 | 54.0 | -14.40 | AV | 269.00 | 150 | Vertical | Pass |
| 4 | 5497.000 | 99.50 | -3.03 | -- | -- | Peak | 116.00 | 150 | Vertical | N/A |
| 4** | 5497.000 | 92.67 | -3.03 | -- | -- | AV | 116.00 | 150 | Vertical | N/A |
| 5 | 7588.800 | 48.61 | -4.74 | 74.0 | -25.39 | Peak | 213.00 | 150 | Vertical | Pass |
| 5** | 7588.800 | 39.12 | -4.74 | 54.0 | -14.88 | AV | 213.00 | 150 | Vertical | Pass |
| 6 | 12231.925 | 51.24 | -0.30 | 74.0 | -22.76 | Peak | 177.00 | 150 | Vertical | Pass |
| 6** | 12231.925 | 42.31 | -0.30 | 54.0 | -11.69 | AV | 177.00 | 150 | Vertical | Pass |

11ac20, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1164.900 | 41.63 | -18.46 | 74.0 | -32.37 | Peak | 222.00 | 150 | Horizontal | Pass |
| 1** | 1164.900 | 29.07 | -18.46 | 54.0 | -24.93 | AV | 222.00 | 150 | Horizontal | Pass |
| 2 | 2782.400 | 43.72 | -11.29 | 74.0 | -30.28 | Peak | 30.00 | 150 | Horizontal | Pass |
| 2** | 2782.400 | 33.30 | -11.29 | 54.0 | -20.70 | AV | 30.00 | 150 | Horizontal | Pass |
| 3 | 4078.800 | 47.03 | -5.18 | 74.0 | -26.97 | Peak | 233.00 | 150 | Horizontal | Pass |
| 3** | 4078.800 | 38.41 | -5.18 | 54.0 | -15.59 | AV | 233.00 | 150 | Horizontal | Pass |
| 4 | 5577.800 | 105.60 | -3.73 | -- | -- | Peak | 325.00 | 150 | Horizontal | N/A |
| 4** | 5577.800 | 97.61 | -3.73 | -- | -- | AV | 325.00 | 150 | Horizontal | N/A |
| 5 | 7368.862 | 48.70 | -4.87 | 74.0 | -25.30 | Peak | 0.00 | 150 | Horizontal | Pass |
| 5** | 7368.862 | 38.56 | -4.87 | 54.0 | -15.44 | AV | 0.00 | 150 | Horizontal | Pass |
| 6 | 11649.450 | 51.35 | -0.34 | 74.0 | -22.65 | Peak | 268.00 | 150 | Horizontal | Pass |
| 6** | 11649.450 | 41.05 | -0.34 | 54.0 | -12.95 | AV | 268.00 | 150 | Horizontal | Pass |

11ac20, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1165.300 | 42.93 | -18.47 | 74.0 | -31.07 | Peak | 308.00 | 150 | Vertical | Pass |
| 1** | 1165.300 | 31.09 | -18.47 | 54.0 | -22.91 | AV | 308.00 | 150 | Vertical | Pass |
| 2 | 2795.000 | 46.10 | -11.24 | 74.0 | -27.90 | Peak | 237.00 | 150 | Vertical | Pass |
| 2** | 2795.000 | 33.34 | -11.24 | 54.0 | -20.66 | AV | 237.00 | 150 | Vertical | Pass |
| 3 | 4169.600 | 47.61 | -5.41 | 74.0 | -26.39 | Peak | 285.00 | 150 | Vertical | Pass |
| 3** | 4169.600 | 38.55 | -5.41 | 54.0 | -15.45 | AV | 285.00 | 150 | Vertical | Pass |
| 4 | 5564.200 | 99.43 | -3.85 | -- | -- | Peak | 111.00 | 150 | Vertical | N/A |
| 4** | 5564.200 | 91.74 | -3.85 | -- | -- | AV | 111.00 | 150 | Vertical | N/A |
| 5 | 7425.500 | 49.72 | -4.07 | 74.0 | -24.28 | Peak | 199.00 | 150 | Vertical | Pass |
| 5** | 7425.500 | 40.07 | -4.07 | 54.0 | -13.93 | AV | 199.00 | 150 | Vertical | Pass |
| 6 | 12098.237 | 51.67 | -1.06 | 74.0 | -22.33 | Peak | 179.00 | 150 | Vertical | Pass |
| 6** | 12098.237 | 41.98 | -1.06 | 54.0 | -12.02 | AV | 179.00 | 150 | Vertical | Pass |

11ac20, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1201.800 | 40.79 | -18.05 | 74.0 | -33.21 | Peak | 248.00 | 150 | Horizontal | Pass |
| 1** | 1201.800 | 31.65 | -18.05 | 54.0 | -22.35 | AV | 248.00 | 150 | Horizontal | Pass |
| 2 | 2792.800 | 43.78 | -11.11 | 74.0 | -30.22 | Peak | 248.00 | 150 | Horizontal | Pass |
| 2** | 2792.800 | 33.47 | -11.11 | 54.0 | -20.53 | AV | 248.00 | 150 | Horizontal | Pass |
| 3 | 3989.000 | 47.08 | -6.40 | 74.0 | -26.92 | Peak | 56.00 | 150 | Horizontal | Pass |
| 3** | 3989.000 | 37.32 | -6.40 | 54.0 | -16.68 | AV | 56.00 | 150 | Horizontal | Pass |
| 4 | 5693.000 | 103.57 | -4.33 | -- | -- | Peak | 175.00 | 150 | Horizontal | N/A |
| 4** | 5693.000 | 96.52 | -4.33 | -- | -- | AV | 175.00 | 150 | Horizontal | N/A |
| 5 | 7323.150 | 48.22 | -4.96 | 74.0 | -25.78 | Peak | 278.00 | 150 | Horizontal | Pass |
| 5** | 7323.150 | 38.51 | -4.96 | 54.0 | -15.49 | AV | 278.00 | 150 | Horizontal | Pass |
| 6 | 12269.875 | 51.35 | 0.06 | 74.0 | -22.65 | Peak | 0.00 | 150 | Horizontal | Pass |
| 6** | 12269.875 | 43.08 | 0.06 | 54.0 | -10.92 | AV | 0.00 | 150 | Horizontal | Pass |

11ac20, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1199.300 | 48.00 | -18.25 | 74.0 | -26.00 | Peak | 318.00 | 150 | Vertical | Pass |
| 1** | 1199.300 | 38.06 | -18.25 | 54.0 | -15.94 | AV | 318.00 | 150 | Vertical | Pass |
| 2 | 2793.400 | 43.97 | -11.14 | 74.0 | -30.03 | Peak | 224.00 | 150 | Vertical | Pass |
| 2** | 2793.400 | 36.61 | -11.14 | 54.0 | -17.39 | AV | 224.00 | 150 | Vertical | Pass |
| 3 | 3989.600 | 47.43 | -6.34 | 74.0 | -26.57 | Peak | 265.00 | 150 | Vertical | Pass |
| 3** | 3989.600 | 37.40 | -6.34 | 54.0 | -16.60 | AV | 265.00 | 150 | Vertical | Pass |
| 4 | 5690.600 | 100.15 | -4.37 | -- | -- | Peak | 111.00 | 150 | Vertical | N/A |
| 4** | 5690.600 | 90.71 | -4.37 | -- | -- | AV | 111.00 | 150 | Vertical | N/A |
| 5 | 7441.888 | 49.56 | -4.25 | 74.0 | -24.44 | Peak | 304.00 | 150 | Vertical | Pass |
| 5** | 7441.888 | 39.77 | -4.25 | 54.0 | -14.23 | AV | 304.00 | 150 | Vertical | Pass |
| 6 | 12159.762 | 51.33 | -0.88 | 74.0 | -22.67 | Peak | 80.00 | 150 | Vertical | Pass |
| 6** | 12159.762 | 42.09 | -0.88 | 54.0 | -11.91 | AV | 80.00 | 150 | Vertical | Pass |

11ac40, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1195.800 | 42.00 | -18.20 | 74.0 | -32.00 | Peak | 243.00 | 150 | Horizontal | Pass |
| 1** | 1195.800 | 29.93 | -18.20 | 54.0 | -24.07 | AV | 243.00 | 150 | Horizontal | Pass |
| 2 | 2767.400 | 42.87 | -11.54 | 74.0 | -31.13 | Peak | 0.00 | 150 | Horizontal | Pass |
| 2** | 2767.400 | 33.40 | -11.54 | 54.0 | -20.60 | AV | 0.00 | 150 | Horizontal | Pass |
| 3 | 4067.800 | 46.90 | -5.49 | 74.0 | -27.10 | Peak | 16.00 | 150 | Horizontal | Pass |
| 3** | 4067.800 | 37.67 | -5.49 | 54.0 | -16.33 | AV | 16.00 | 150 | Horizontal | Pass |
| 4 | 5503.600 | 106.27 | -3.35 | -- | -- | Peak | 159.00 | 150 | Horizontal | N/A |
| 4** | 5503.600 | 98.29 | -3.35 | -- | -- | AV | 159.00 | 150 | Horizontal | N/A |
| 5 | 7363.975 | 48.08 | -5.05 | 74.0 | -25.92 | Peak | 0.00 | 150 | Horizontal | Pass |
| 5** | 7363.975 | 38.90 | -5.05 | 54.0 | -15.10 | AV | 0.00 | 150 | Horizontal | Pass |
| 6 | 12107.437 | 51.74 | -0.89 | 74.0 | -22.26 | Peak | 210.00 | 150 | Horizontal | Pass |
| 6** | 12107.437 | 42.17 | -0.89 | 54.0 | -11.83 | AV | 210.00 | 150 | Horizontal | Pass |

11ac40, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1199.500 | 43.24 | -18.23 | 74.0 | -30.76 | Peak | 321.00 | 150 | Vertical | Pass |
| 1** | 1199.500 | 32.38 | -18.23 | 54.0 | -21.62 | AV | 321.00 | 150 | Vertical | Pass |
| 2 | 2791.700 | 45.44 | -11.10 | 74.0 | -28.56 | Peak | 217.00 | 150 | Vertical | Pass |
| 2** | 2791.700 | 34.77 | -11.10 | 54.0 | -19.23 | AV | 217.00 | 150 | Vertical | Pass |
| 3 | 4086.800 | 47.26 | -5.30 | 74.0 | -26.74 | Peak | 274.00 | 150 | Vertical | Pass |
| 3** | 4086.800 | 37.38 | -5.30 | 54.0 | -16.62 | AV | 274.00 | 150 | Vertical | Pass |
| 4 | 5502.000 | 98.65 | -3.25 | -- | -- | Peak | 125.00 | 150 | Vertical | N/A |
| 4** | 5502.000 | 91.34 | -3.25 | -- | -- | AV | 125.00 | 150 | Vertical | N/A |
| 5 | 7489.038 | 48.07 | -4.43 | 74.0 | -25.93 | Peak | 208.00 | 150 | Vertical | Pass |
| 5** | 7489.038 | 38.40 | -4.43 | 54.0 | -15.60 | AV | 208.00 | 150 | Vertical | Pass |
| 6 | 12160.625 | 51.53 | -0.89 | 74.0 | -22.47 | Peak | 186.00 | 150 | Vertical | Pass |
| 6** | 12160.625 | 41.74 | -0.89 | 54.0 | -12.26 | AV | 186.00 | 150 | Vertical | Pass |

11ac40, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1199.400 | 41.39 | -18.24 | 74.0 | -32.61 | Peak | 360.00 | 150 | Horizontal | Pass |
| 1** | 1199.400 | 30.86 | -18.24 | 54.0 | -23.14 | AV | 360.00 | 150 | Horizontal | Pass |
| 2 | 2814.700 | 43.09 | -11.68 | 74.0 | -30.91 | Peak | 236.00 | 150 | Horizontal | Pass |
| 2** | 2814.700 | 34.00 | -11.68 | 54.0 | -20.00 | AV | 236.00 | 150 | Horizontal | Pass |
| 3 | 4030.800 | 47.22 | -6.09 | 74.0 | -26.78 | Peak | 197.00 | 150 | Horizontal | Pass |
| 3** | 4030.800 | 37.27 | -6.09 | 54.0 | -16.73 | AV | 197.00 | 150 | Horizontal | Pass |
| 4 | 5584.800 | 104.80 | -3.82 | -- | -- | Peak | 151.00 | 150 | Horizontal | N/A |
| 4** | 5584.800 | 97.28 | -3.82 | -- | -- | AV | 151.00 | 150 | Horizontal | N/A |
| 5 | 7426.650 | 49.27 | -4.07 | 74.0 | -24.73 | Peak | 152.00 | 150 | Horizontal | Pass |
| 5** | 7426.650 | 39.25 | -4.07 | 54.0 | -14.75 | AV | 152.00 | 150 | Horizontal | Pass |
| 6 | 12014.000 | 51.47 | -1.22 | 74.0 | -22.53 | Peak | 9.00 | 150 | Horizontal | Pass |
| 6** | 12014.000 | 41.66 | -1.22 | 54.0 | -12.34 | AV | 9.00 | 150 | Horizontal | Pass |

11ac40, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1197.500 | 44.11 | -18.23 | 74.0 | -29.89 | Peak | 287.00 | 150 | Vertical | Pass |
| 1** | 1197.500 | 31.47 | -18.23 | 54.0 | -22.53 | AV | 287.00 | 150 | Vertical | Pass |
| 2 | 2797.200 | 46.61 | -11.42 | 74.0 | -27.39 | Peak | 332.00 | 150 | Vertical | Pass |
| 2** | 2797.200 | 36.53 | -11.42 | 54.0 | -17.47 | AV | 332.00 | 150 | Vertical | Pass |
| 3 | 4106.000 | 48.10 | -6.00 | 74.0 | -25.90 | Peak | 0.00 | 150 | Vertical | Pass |
| 3** | 4106.000 | 38.05 | -6.00 | 54.0 | -15.95 | AV | 0.00 | 150 | Vertical | Pass |
| 4 | 5593.200 | 99.78 | -4.01 | -- | -- | Peak | 127.00 | 150 | Vertical | N/A |
| 4** | 5593.200 | 91.54 | -4.01 | -- | -- | AV | 127.00 | 150 | Vertical | N/A |
| 5 | 7419.175 | 48.72 | -4.08 | 74.0 | -25.28 | Peak | 172.00 | 150 | Vertical | Pass |
| 5** | 7419.175 | 39.15 | -4.08 | 54.0 | -14.85 | AV | 172.00 | 150 | Vertical | Pass |
| 6 | 12130.437 | 51.55 | -0.67 | 74.0 | -22.45 | Peak | 243.00 | 150 | Vertical | Pass |
| 6** | 12130.437 | 41.49 | -0.67 | 54.0 | -12.51 | AV | 243.00 | 150 | Vertical | Pass |

11ac40, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1198.900 | 43.78 | -18.31 | 74.0 | -30.22 | Peak | 229.00 | 150 | Horizontal | Pass |
| 1** | 1198.900 | 32.34 | -18.31 | 54.0 | -21.66 | AV | 229.00 | 150 | Horizontal | Pass |
| 2 | 2791.400 | 42.57 | -11.10 | 74.0 | -31.43 | Peak | 245.00 | 150 | Horizontal | Pass |
| 2** | 2791.400 | 33.61 | -11.10 | 54.0 | -20.39 | AV | 245.00 | 150 | Horizontal | Pass |
| 3 | 4083.800 | 47.26 | -5.09 | 74.0 | -26.74 | Peak | 313.00 | 150 | Horizontal | Pass |
| 3** | 4083.800 | 37.69 | -5.09 | 54.0 | -16.31 | AV | 313.00 | 150 | Horizontal | Pass |
| 4 | 5676.200 | 103.71 | -4.09 | -- | -- | Peak | 155.00 | 150 | Horizontal | N/A |
| 4** | 5676.200 | 96.49 | -4.09 | -- | -- | AV | 155.00 | 150 | Horizontal | N/A |
| 5 | 7589.663 | 48.22 | -4.77 | 74.0 | -25.78 | Peak | 293.00 | 150 | Horizontal | Pass |
| 5** | 7589.663 | 39.87 | -4.77 | 54.0 | -14.13 | AV | 293.00 | 150 | Horizontal | Pass |
| 6 | 12245.437 | 51.95 | -0.20 | 74.0 | -22.05 | Peak | 136.00 | 150 | Horizontal | Pass |
| 6** | 12245.437 | 42.15 | -0.20 | 54.0 | -11.85 | AV | 136.00 | 150 | Horizontal | Pass |

11ac40, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1177.800 | 41.80 | -18.51 | 74.0 | -32.20 | Peak | 308.00 | 150 | Vertical | Pass |
| 1** | 1177.800 | 29.28 | -18.51 | 54.0 | -24.72 | AV | 308.00 | 150 | Vertical | Pass |
| 2 | 2790.800 | 46.07 | -11.10 | 74.0 | -27.93 | Peak | 245.00 | 150 | Vertical | Pass |
| 2** | 2790.800 | 34.66 | -11.10 | 54.0 | -19.34 | AV | 245.00 | 150 | Vertical | Pass |
| 3 | 4062.600 | 46.85 | -5.60 | 74.0 | -27.15 | Peak | 181.00 | 150 | Vertical | Pass |
| 3** | 4062.600 | 38.28 | -5.60 | 54.0 | -15.72 | AV | 181.00 | 150 | Vertical | Pass |
| 4 | 5662.200 | 99.79 | -3.83 | -- | -- | Peak | 108.00 | 150 | Vertical | N/A |
| 4** | 5662.200 | 91.80 | -3.83 | -- | -- | AV | 108.00 | 150 | Vertical | N/A |
| 5 | 7522.387 | 48.34 | -4.27 | 74.0 | -25.66 | Peak | 80.00 | 150 | Vertical | Pass |
| 5** | 7522.387 | 39.04 | -4.27 | 54.0 | -14.96 | AV | 80.00 | 150 | Vertical | Pass |
| 6 | 11596.262 | 50.98 | -0.12 | 74.0 | -23.02 | Peak | 241.00 | 150 | Vertical | Pass |
| 6** | 11596.262 | 41.98 | -0.12 | 54.0 | -12.02 | AV | 241.00 | 150 | Vertical | Pass |

11ac80, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1144.700 | 41.18 | -18.63 | 74.0 | -32.82 | Peak | 302.00 | 150 | Horizontal | Pass |
| 1** | 1144.700 | 28.44 | -18.63 | 54.0 | -25.56 | AV | 302.00 | 150 | Horizontal | Pass |
| 2 | 2805.200 | 42.80 | -11.58 | 74.0 | -31.20 | Peak | 0.00 | 150 | Horizontal | Pass |
| 2** | 2805.200 | 34.19 | -11.58 | 54.0 | -19.81 | AV | 0.00 | 150 | Horizontal | Pass |
| 3 | 4030.600 | 47.05 | -6.10 | 74.0 | -26.95 | Peak | 33.00 | 150 | Horizontal | Pass |
| 3** | 4030.600 | 37.32 | -6.10 | 54.0 | -16.68 | AV | 33.00 | 150 | Horizontal | Pass |
| 4 | 5532.200 | 106.17 | -3.75 | -- | -- | Peak | 166.00 | 150 | Horizontal | N/A |
| 4** | 5532.200 | 98.72 | -3.75 | -- | -- | AV | 166.00 | 150 | Horizontal | N/A |
| 5 | 7420.612 | 48.56 | -3.99 | 74.0 | -25.44 | Peak | 130.00 | 150 | Horizontal | Pass |
| 5** | 7420.612 | 39.47 | -3.99 | 54.0 | -14.53 | AV | 130.00 | 150 | Horizontal | Pass |
| 6 | 12320.474 | 52.01 | -0.40 | 74.0 | -21.99 | Peak | 293.00 | 150 | Horizontal | Pass |
| 6** | 12320.474 | 41.14 | -0.40 | 54.0 | -12.86 | AV | 293.00 | 150 | Horizontal | Pass |

11ac80, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1164.200 | 48.14 | -18.45 | 74.0 | -25.86 | Peak | 309.00 | 150 | Vertical | Pass |
| 1** | 1164.200 | 31.57 | -18.45 | 54.0 | -22.43 | AV | 309.00 | 150 | Vertical | Pass |
| 2 | 2793.000 | 44.19 | -11.12 | 74.0 | -29.81 | Peak | 212.00 | 150 | Vertical | Pass |
| 2** | 2793.000 | 34.12 | -11.12 | 54.0 | -19.88 | AV | 212.00 | 150 | Vertical | Pass |
| 3 | 4123.000 | 47.39 | -5.76 | 74.0 | -26.61 | Peak | 258.00 | 150 | Vertical | Pass |
| 3** | 4123.000 | 37.74 | -5.76 | 54.0 | -16.26 | AV | 258.00 | 150 | Vertical | Pass |
| 4 | 5533.800 | 100.42 | -3.73 | -- | -- | Peak | 108.00 | 150 | Vertical | N/A |
| 4** | 5533.800 | 92.17 | -3.73 | -- | -- | AV | 108.00 | 150 | Vertical | N/A |
| 5 | 7367.425 | 49.92 | -4.86 | 74.0 | -24.08 | Peak | 0.00 | 150 | Vertical | Pass |
| 5** | 7367.425 | 39.66 | -4.86 | 54.0 | -14.34 | AV | 0.00 | 150 | Vertical | Pass |
| 6 | 12079.838 | 51.15 | -1.33 | 74.0 | -22.85 | Peak | 0.00 | 150 | Vertical | Pass |
| 6** | 12079.838 | 41.74 | -1.33 | 54.0 | -12.26 | AV | 0.00 | 150 | Vertical | Pass |

11ac80, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1195.600 | 42.07 | -18.20 | 74.0 | -31.93 | Peak | 309.00 | 150 | Horizontal | Pass |
| 1** | 1195.600 | 31.78 | -18.20 | 54.0 | -22.22 | AV | 309.00 | 150 | Horizontal | Pass |
| 2 | 2812.100 | 42.98 | -11.63 | 74.0 | -31.02 | Peak | 237.00 | 150 | Horizontal | Pass |
| 2** | 2812.100 | 34.29 | -11.63 | 54.0 | -19.71 | AV | 237.00 | 150 | Horizontal | Pass |
| 3 | 4312.400 | 47.93 | -4.88 | 74.0 | -26.07 | Peak | 156.00 | 150 | Horizontal | Pass |
| 3** | 4312.400 | 38.06 | -4.88 | 54.0 | -15.94 | AV | 156.00 | 150 | Horizontal | Pass |
| 4 | 5613.400 | 104.85 | -3.89 | -- | -- | Peak | 297.00 | 150 | Horizontal | N/A |
| 4** | 5613.400 | 97.78 | -3.89 | -- | -- | AV | 297.00 | 150 | Horizontal | N/A |
| 5 | 7449.650 | 47.96 | -4.40 | 74.0 | -26.04 | Peak | 103.00 | 150 | Horizontal | Pass |
| 5** | 7449.650 | 39.21 | -4.40 | 54.0 | -14.79 | AV | 103.00 | 150 | Horizontal | Pass |
| 6 | 12273.901 | 51.12 | 0.07 | 74.0 | -22.88 | Peak | 201.00 | 150 | Horizontal | Pass |
| 6** | 12273.901 | 41.85 | 0.07 | 54.0 | -12.15 | AV | 201.00 | 150 | Horizontal | Pass |

11ac80, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1145.400 | 44.19 | -18.67 | 74.0 | -29.81 | Peak | 301.00 | 150 | Vertical | Pass |
| 1** | 1145.400 | 29.19 | -18.67 | 54.0 | -24.81 | AV | 301.00 | 150 | Vertical | Pass |
| 2 | 2796.000 | 45.89 | -11.35 | 74.0 | -28.11 | Peak | 253.00 | 150 | Vertical | Pass |
| 2** | 2796.000 | 33.85 | -11.35 | 54.0 | -20.15 | AV | 253.00 | 150 | Vertical | Pass |
| 3 | 4125.600 | 47.21 | -5.91 | 74.0 | -26.79 | Peak | 350.00 | 150 | Vertical | Pass |
| 3** | 4125.600 | 37.60 | -5.91 | 54.0 | -16.40 | AV | 350.00 | 150 | Vertical | Pass |
| 4 | 5611.800 | 99.63 | -3.87 | -- | -- | Peak | 90.00 | 150 | Vertical | N/A |
| 4** | 5611.800 | 91.64 | -3.87 | -- | -- | AV | 90.00 | 150 | Vertical | N/A |
| 5 | 7414.000 | 49.17 | -4.13 | 74.0 | -24.83 | Peak | 359.00 | 150 | Vertical | Pass |
| 5** | 7414.000 | 39.10 | -4.13 | 54.0 | -14.90 | AV | 359.00 | 150 | Vertical | Pass |
| 6 | 12105.425 | 51.86 | -0.93 | 74.0 | -22.14 | Peak | 87.00 | 150 | Vertical | Pass |
| 6** | 12105.425 | 42.85 | -0.93 | 54.0 | -11.15 | AV | 87.00 | 150 | Vertical | Pass |

11ax20-SU, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1195.900 | 40.60 | -18.19 | 74.0 | -33.40 | Peak | 249.00 | 150 | Horizontal | Pass |
| 1** | 1195.900 | 30.85 | -18.19 | 54.0 | -23.15 | AV | 249.00 | 150 | Horizontal | Pass |
| 2 | 2751.000 | 42.78 | -11.66 | 74.0 | -31.22 | Peak | 113.00 | 150 | Horizontal | Pass |
| 2** | 2751.000 | 33.80 | -11.66 | 54.0 | -20.20 | AV | 113.00 | 150 | Horizontal | Pass |
| 3 | 3972.000 | 47.29 | -6.66 | 74.0 | -26.71 | Peak | 50.00 | 150 | Horizontal | Pass |
| 3** | 3972.000 | 37.41 | -6.66 | 54.0 | -16.59 | AV | 50.00 | 150 | Horizontal | Pass |
| 4 | 5502.400 | 106.02 | -3.27 | -- | -- | Peak | 138.00 | 150 | Horizontal | N/A |
| 4** | 5502.400 | 96.76 | -3.27 | -- | -- | AV | 138.00 | 150 | Horizontal | N/A |
| 5 | 7428.087 | 49.25 | -4.17 | 74.0 | -24.75 | Peak | 311.00 | 150 | Horizontal | Pass |
| 5** | 7428.087 | 40.69 | -4.17 | 54.0 | -13.31 | AV | 311.00 | 150 | Horizontal | Pass |
| 6 | 12116.062 | 51.58 | -0.74 | 74.0 | -22.42 | Peak | 291.00 | 150 | Horizontal | Pass |
| 6** | 12116.062 | 41.94 | -0.74 | 54.0 | -12.06 | AV | 291.00 | 150 | Horizontal | Pass |

11ax20-SU, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1145.900 | 43.58 | -18.68 | 74.0 | -30.42 | Peak | 301.00 | 150 | Vertical | Pass |
| 1** | 1145.900 | 28.17 | -18.68 | 54.0 | -25.83 | AV | 301.00 | 150 | Vertical | Pass |
| 2 | 2797.800 | 45.73 | -11.42 | 74.0 | -28.27 | Peak | 209.00 | 150 | Vertical | Pass |
| 2** | 2797.800 | 34.08 | -11.42 | 54.0 | -19.92 | AV | 209.00 | 150 | Vertical | Pass |
| 3 | 4300.800 | 48.84 | -5.41 | 74.0 | -25.16 | Peak | 338.00 | 150 | Vertical | Pass |
| 3** | 4300.800 | 37.99 | -5.41 | 54.0 | -16.01 | AV | 338.00 | 150 | Vertical | Pass |
| 4 | 5493.800 | 100.18 | -2.97 | -- | -- | Peak | 94.00 | 150 | Vertical | N/A |
| 4** | 5493.800 | 90.31 | -2.97 | -- | -- | AV | 94.00 | 150 | Vertical | N/A |
| 5 | 7362.825 | 48.08 | -5.07 | 74.0 | -25.92 | Peak | 284.00 | 150 | Vertical | Pass |
| 5** | 7362.825 | 39.08 | -5.07 | 54.0 | -14.92 | AV | 284.00 | 150 | Vertical | Pass |
| 6 | 12271.887 | 51.76 | 0.07 | 74.0 | -22.24 | Peak | 284.00 | 150 | Vertical | Pass |
| 6** | 12271.887 | 42.93 | 0.07 | 54.0 | -11.07 | AV | 284.00 | 150 | Vertical | Pass |

11ax20-SU, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1147.500 | 42.20 | -18.63 | 74.0 | -31.80 | Peak | 313.00 | 150 | Horizontal | Pass |
| 1** | 1147.500 | 28.77 | -18.63 | 54.0 | -25.23 | AV | 313.00 | 150 | Horizontal | Pass |
| 2 | 2785.400 | 43.16 | -11.22 | 74.0 | -30.84 | Peak | 274.00 | 150 | Horizontal | Pass |
| 2** | 2785.400 | 32.81 | -11.22 | 54.0 | -21.19 | AV | 274.00 | 150 | Horizontal | Pass |
| 3 | 4032.000 | 47.45 | -6.00 | 74.0 | -26.55 | Peak | 78.00 | 150 | Horizontal | Pass |
| 3** | 4032.000 | 37.28 | -6.00 | 54.0 | -16.72 | AV | 78.00 | 150 | Horizontal | Pass |
| 4 | 5576.600 | 105.98 | -3.79 | -- | -- | Peak | 144.00 | 150 | Horizontal | N/A |
| 4** | 5576.600 | 96.30 | -3.79 | -- | -- | AV | 144.00 | 150 | Horizontal | N/A |
| 5 | 7422.338 | 48.50 | -4.07 | 74.0 | -25.50 | Peak | 33.00 | 150 | Horizontal | Pass |
| 5** | 7422.338 | 39.69 | -4.07 | 54.0 | -14.31 | AV | 33.00 | 150 | Horizontal | Pass |
| 6 | 12104.563 | 50.76 | -0.95 | 74.0 | -23.24 | Peak | 273.00 | 150 | Horizontal | Pass |
| 6** | 12104.563 | 42.15 | -0.95 | 54.0 | -11.85 | AV | 273.00 | 150 | Horizontal | Pass |

11ax20-SU, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1195.000 | 42.74 | -18.22 | 74.0 | -31.26 | Peak | 325.00 | 150 | Vertical | Pass |
| 1** | 1195.000 | 33.63 | -18.22 | 54.0 | -20.37 | AV | 325.00 | 150 | Vertical | Pass |
| 2 | 2791.700 | 46.52 | -11.10 | 74.0 | -27.48 | Peak | 240.00 | 150 | Vertical | Pass |
| 2** | 2791.700 | 35.06 | -11.10 | 54.0 | -18.94 | AV | 240.00 | 150 | Vertical | Pass |
| 3 | 4085.400 | 46.71 | -5.19 | 74.0 | -27.29 | Peak | 162.00 | 150 | Vertical | Pass |
| 3** | 4085.400 | 38.11 | -5.19 | 54.0 | -15.89 | AV | 162.00 | 150 | Vertical | Pass |
| 4 | 5581.200 | 99.20 | -3.82 | -- | -- | Peak | 111.00 | 150 | Vertical | N/A |
| 4** | 5581.200 | 90.31 | -3.82 | -- | -- | AV | 111.00 | 150 | Vertical | N/A |
| 5 | 7451.663 | 48.39 | -4.43 | 74.0 | -25.61 | Peak | 235.00 | 150 | Vertical | Pass |
| 5** | 7451.663 | 38.75 | -4.43 | 54.0 | -15.25 | AV | 235.00 | 150 | Vertical | Pass |
| 6 | 12274.187 | 51.36 | 0.07 | 74.0 | -22.64 | Peak | 86.00 | 150 | Vertical | Pass |
| 6** | 12274.187 | 41.67 | 0.07 | 54.0 | -12.33 | AV | 86.00 | 150 | Vertical | Pass |

11ax20-SU, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1158.400 | 41.19 | -18.58 | 74.0 | -32.81 | Peak | 253.00 | 150 | Horizontal | Pass |
| 1** | 1158.400 | 27.59 | -18.58 | 54.0 | -26.41 | AV | 253.00 | 150 | Horizontal | Pass |
| 2 | 2789.500 | 43.87 | -11.09 | 74.0 | -30.13 | Peak | 217.00 | 150 | Horizontal | Pass |
| 2** | 2789.500 | 33.74 | -11.09 | 54.0 | -20.26 | AV | 217.00 | 150 | Horizontal | Pass |
| 3 | 4182.600 | 47.72 | -5.84 | 74.0 | -26.28 | Peak | 0.00 | 150 | Horizontal | Pass |
| 3** | 4182.600 | 37.31 | -5.84 | 54.0 | -16.69 | AV | 0.00 | 150 | Horizontal | Pass |
| 4 | 5702.400 | 103.44 | -4.48 | -- | -- | Peak | 122.00 | 150 | Horizontal | N/A |
| 4** | 5702.400 | 94.95 | -4.48 | -- | -- | AV | 122.00 | 150 | Horizontal | N/A |
| 5 | 7435.850 | 48.55 | -4.35 | 74.0 | -25.45 | Peak | 130.00 | 150 | Horizontal | Pass |
| 5** | 7435.850 | 39.13 | -4.35 | 54.0 | -14.87 | AV | 130.00 | 150 | Horizontal | Pass |
| 6 | 12177.875 | 51.14 | -0.97 | 74.0 | -22.86 | Peak | 334.00 | 150 | Horizontal | Pass |
| 6** | 12177.875 | 42.34 | -0.97 | 54.0 | -11.66 | AV | 334.00 | 150 | Horizontal | Pass |

11ax20-SU, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1199.800 | 44.17 | -18.18 | 74.0 | -29.83 | Peak | 308.00 | 150 | Vertical | Pass |
| 1** | 1199.800 | 33.51 | -18.18 | 54.0 | -20.49 | AV | 308.00 | 150 | Vertical | Pass |
| 2 | 2799.700 | 46.39 | -11.41 | 74.0 | -27.61 | Peak | 355.00 | 150 | Vertical | Pass |
| 2** | 2799.700 | 34.40 | -11.41 | 54.0 | -19.60 | AV | 355.00 | 150 | Vertical | Pass |
| 3 | 4177.800 | 47.24 | -5.62 | 74.0 | -26.76 | Peak | 51.00 | 150 | Vertical | Pass |
| 3** | 4177.800 | 38.60 | -5.62 | 54.0 | -15.40 | AV | 51.00 | 150 | Vertical | Pass |
| 4 | 5695.600 | 100.10 | -4.28 | -- | -- | Peak | 105.00 | 150 | Vertical | N/A |
| 4** | 5695.600 | 89.59 | -4.28 | -- | -- | AV | 105.00 | 150 | Vertical | N/A |
| 5 | 7359.663 | 48.38 | -4.88 | 74.0 | -25.62 | Peak | 360.00 | 150 | Vertical | Pass |
| 5** | 7359.663 | 39.61 | -4.88 | 54.0 | -14.39 | AV | 360.00 | 150 | Vertical | Pass |
| 6 | 12333.412 | 51.71 | -0.78 | 74.0 | -22.29 | Peak | 240.00 | 150 | Vertical | Pass |
| 6** | 12333.412 | 42.10 | -0.78 | 54.0 | -11.90 | AV | 240.00 | 150 | Vertical | Pass |

11ax40-SU, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1198.200 | 41.39 | -18.29 | 74.0 | -32.61 | Peak | 0.00 | 150 | Horizontal | Pass |
| 1** | 1198.200 | 29.82 | -18.29 | 54.0 | -24.18 | AV | 0.00 | 150 | Horizontal | Pass |
| 2 | 2799.200 | 43.14 | -11.41 | 74.0 | -30.86 | Peak | 264.00 | 150 | Horizontal | Pass |
| 2** | 2799.200 | 33.32 | -11.41 | 54.0 | -20.68 | AV | 264.00 | 150 | Horizontal | Pass |
| 3 | 4224.800 | 48.34 | -5.89 | 74.0 | -25.66 | Peak | 268.00 | 150 | Horizontal | Pass |
| 3** | 4224.800 | 37.65 | -5.89 | 54.0 | -16.35 | AV | 268.00 | 150 | Horizontal | Pass |
| 4 | 5516.000 | 103.46 | -3.72 | -- | -- | Peak | 145.00 | 150 | Horizontal | N/A |
| 4** | 5516.000 | 94.78 | -3.72 | -- | -- | AV | 145.00 | 150 | Horizontal | N/A |
| 5 | 7590.237 | 48.29 | -4.78 | 74.0 | -25.71 | Peak | 57.00 | 150 | Horizontal | Pass |
| 5** | 7590.237 | 38.94 | -4.78 | 54.0 | -15.06 | AV | 57.00 | 150 | Horizontal | Pass |
| 6 | 11595.688 | 51.36 | -0.11 | 74.0 | -22.64 | Peak | 257.00 | 150 | Horizontal | Pass |
| 6** | 11595.688 | 42.01 | -0.11 | 54.0 | -11.99 | AV | 257.00 | 150 | Horizontal | Pass |

11ax40-SU, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1173.000 | 42.99 | -18.45 | 74.0 | -31.01 | Peak | 308.00 | 150 | Vertical | Pass |
| 1** | 1173.000 | 30.75 | -18.45 | 54.0 | -23.25 | AV | 308.00 | 150 | Vertical | Pass |
| 2 | 2792.600 | 44.73 | -11.10 | 74.0 | -29.27 | Peak | 349.00 | 150 | Vertical | Pass |
| 2** | 2792.600 | 35.38 | -11.10 | 54.0 | -18.62 | AV | 349.00 | 150 | Vertical | Pass |
| 3 | 3969.400 | 46.58 | -6.71 | 74.0 | -27.42 | Peak | 67.00 | 150 | Vertical | Pass |
| 3** | 3969.400 | 36.98 | -6.71 | 54.0 | -17.02 | AV | 67.00 | 150 | Vertical | Pass |
| 4 | 5498.600 | 95.40 | -3.08 | -- | -- | Peak | 109.00 | 150 | Vertical | N/A |
| 4** | 5498.600 | 87.45 | -3.08 | -- | -- | AV | 109.00 | 150 | Vertical | N/A |
| 5 | 7328.900 | 47.91 | -4.96 | 74.0 | -26.09 | Peak | 303.00 | 150 | Vertical | Pass |
| 5** | 7328.900 | 39.35 | -4.96 | 54.0 | -14.65 | AV | 303.00 | 150 | Vertical | Pass |
| 6 | 12075.237 | 51.36 | -1.37 | 74.0 | -22.64 | Peak | 321.00 | 150 | Vertical | Pass |
| 6** | 12075.237 | 41.79 | -1.37 | 54.0 | -12.21 | AV | 321.00 | 150 | Vertical | Pass |

11ax40-SU, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1123.600 | 42.82 | -18.62 | 74.0 | -31.18 | Peak | 255.00 | 150 | Horizontal | Pass |
| 1** | 1123.600 | 30.00 | -18.62 | 54.0 | -24.00 | AV | 255.00 | 150 | Horizontal | Pass |
| 2 | 2794.300 | 43.70 | -11.18 | 74.0 | -30.30 | Peak | 255.00 | 150 | Horizontal | Pass |
| 2** | 2794.300 | 33.84 | -11.18 | 54.0 | -20.16 | AV | 255.00 | 150 | Horizontal | Pass |
| 3 | 4305.200 | 47.92 | -5.16 | 74.0 | -26.08 | Peak | 79.00 | 150 | Horizontal | Pass |
| 3** | 4305.200 | 38.02 | -5.16 | 54.0 | -15.98 | AV | 79.00 | 150 | Horizontal | Pass |
| 4 | 5597.200 | 103.23 | -3.86 | -- | -- | Peak | 145.00 | 150 | Horizontal | N/A |
| 4** | 5597.200 | 93.51 | -3.86 | -- | -- | AV | 145.00 | 150 | Horizontal | N/A |
| 5 | 7376.625 | 48.58 | -4.80 | 74.0 | -25.42 | Peak | 237.00 | 150 | Horizontal | Pass |
| 5** | 7376.625 | 38.91 | -4.80 | 54.0 | -15.09 | AV | 237.00 | 150 | Horizontal | Pass |
| 6 | 12241.412 | 52.71 | -0.29 | 74.0 | -21.29 | Peak | 56.00 | 150 | Horizontal | Pass |
| 6** | 12241.412 | 42.23 | -0.29 | 54.0 | -11.77 | AV | 56.00 | 150 | Horizontal | Pass |

11ax40-SU, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1169.200 | 43.09 | -18.45 | 74.0 | -30.91 | Peak | 314.00 | 150 | Vertical | Pass |
| 1** | 1169.200 | 28.51 | -18.45 | 54.0 | -25.49 | AV | 314.00 | 150 | Vertical | Pass |
| 2 | 2792.200 | 45.55 | -11.09 | 74.0 | -28.45 | Peak | 257.00 | 150 | Vertical | Pass |
| 2** | 2792.200 | 35.68 | -11.09 | 54.0 | -18.32 | AV | 257.00 | 150 | Vertical | Pass |
| 3 | 4033.000 | 47.10 | -5.89 | 74.0 | -26.90 | Peak | 50.00 | 150 | Vertical | Pass |
| 3** | 4033.000 | 37.74 | -5.89 | 54.0 | -16.26 | AV | 50.00 | 150 | Vertical | Pass |
| 4 | 5591.200 | 96.03 | -3.87 | -- | -- | Peak | 230.00 | 150 | Vertical | N/A |
| 4** | 5591.200 | 86.75 | -3.87 | -- | -- | AV | 230.00 | 150 | Vertical | N/A |
| 5 | 7426.937 | 48.85 | -4.07 | 74.0 | -25.15 | Peak | 113.00 | 150 | Vertical | Pass |
| 5** | 7426.937 | 40.11 | -4.07 | 54.0 | -13.89 | AV | 113.00 | 150 | Vertical | Pass |
| 6 | 12335.138 | 51.35 | -0.83 | 74.0 | -22.65 | Peak | 360.00 | 150 | Vertical | Pass |
| 6** | 12335.138 | 42.47 | -0.83 | 54.0 | -11.53 | AV | 360.00 | 150 | Vertical | Pass |

11ax40-SU, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1196.200 | 40.28 | -18.18 | 74.0 | -33.72 | Peak | 0.00 | 150 | Horizontal | Pass |
| 1** | 1196.200 | 30.74 | -18.18 | 54.0 | -23.26 | AV | 0.00 | 150 | Horizontal | Pass |
| 2 | 2800.100 | 43.06 | -11.40 | 74.0 | -30.94 | Peak | 266.00 | 150 | Horizontal | Pass |
| 2** | 2800.100 | 33.58 | -11.40 | 54.0 | -20.42 | AV | 266.00 | 150 | Horizontal | Pass |
| 3 | 4308.000 | 47.93 | -5.04 | 74.0 | -26.07 | Peak | 360.00 | 150 | Horizontal | Pass |
| 3** | 4308.000 | 38.25 | -5.04 | 54.0 | -15.75 | AV | 360.00 | 150 | Horizontal | Pass |
| 4 | 5670.400 | 101.18 | -3.89 | -- | -- | Peak | 143.00 | 150 | Horizontal | N/A |
| 4** | 5670.400 | 91.15 | -3.89 | -- | -- | AV | 143.00 | 150 | Horizontal | N/A |
| 5 | 7362.537 | 48.56 | -5.05 | 74.0 | -25.44 | Peak | 146.00 | 150 | Horizontal | Pass |
| 5** | 7362.537 | 40.54 | -5.05 | 54.0 | -13.46 | AV | 146.00 | 150 | Horizontal | Pass |
| 6 | 12085.588 | 50.95 | -1.25 | 74.0 | -23.05 | Peak | 146.00 | 150 | Horizontal | Pass |
| 6** | 12085.588 | 41.06 | -1.25 | 54.0 | -12.94 | AV | 146.00 | 150 | Horizontal | Pass |

11ax40-SU, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1155.400 | 42.45 | -18.60 | 74.0 | -31.55 | Peak | 333.00 | 150 | Vertical | Pass |
| 1** | 1155.400 | 28.90 | -18.60 | 54.0 | -25.10 | AV | 333.00 | 150 | Vertical | Pass |
| 2 | 2794.700 | 46.44 | -11.21 | 74.0 | -27.56 | Peak | 239.00 | 150 | Vertical | Pass |
| 2** | 2794.700 | 35.10 | -11.21 | 54.0 | -18.90 | AV | 239.00 | 150 | Vertical | Pass |
| 3 | 4193.800 | 47.58 | -5.92 | 74.0 | -26.42 | Peak | 335.00 | 150 | Vertical | Pass |
| 3** | 4193.800 | 37.79 | -5.92 | 54.0 | -16.21 | AV | 335.00 | 150 | Vertical | Pass |
| 4 | 5657.400 | 96.74 | -3.73 | -- | -- | Peak | 92.00 | 150 | Vertical | N/A |
| 4** | 5657.400 | 87.58 | -3.73 | -- | -- | AV | 92.00 | 150 | Vertical | N/A |
| 5 | 7359.375 | 48.30 | -4.87 | 74.0 | -25.70 | Peak | 315.00 | 150 | Vertical | Pass |
| 5** | 7359.375 | 38.96 | -4.87 | 54.0 | -15.04 | AV | 315.00 | 150 | Vertical | Pass |
| 6 | 11677.338 | 51.16 | -0.90 | 74.0 | -22.84 | Peak | 360.00 | 150 | Vertical | Pass |
| 6** | 11677.338 | 40.84 | -0.90 | 54.0 | -13.16 | AV | 360.00 | 150 | Vertical | Pass |

11ax80-SU, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1142.300 | 41.03 | -18.50 | 74.0 | -32.97 | Peak | 248.00 | 150 | Horizontal | Pass |
| 1** | 1142.300 | 29.08 | -18.50 | 54.0 | -24.92 | AV | 248.00 | 150 | Horizontal | Pass |
| 2 | 2776.100 | 43.32 | -11.42 | 74.0 | -30.68 | Peak | 215.00 | 150 | Horizontal | Pass |
| 2** | 2776.100 | 33.41 | -11.42 | 54.0 | -20.59 | AV | 215.00 | 150 | Horizontal | Pass |
| 3 | 4021.000 | 47.47 | -6.54 | 74.0 | -26.53 | Peak | 234.00 | 150 | Horizontal | Pass |
| 3** | 4021.000 | 37.24 | -6.54 | 54.0 | -16.76 | AV | 234.00 | 150 | Horizontal | Pass |
| 4 | 5521.000 | 100.10 | -3.75 | -- | -- | Peak | 143.00 | 150 | Horizontal | N/A |
| 4** | 5521.000 | 91.37 | -3.75 | -- | -- | AV | 143.00 | 150 | Horizontal | N/A |
| 5 | 7423.775 | 48.34 | -4.08 | 74.0 | -25.66 | Peak | 293.00 | 150 | Horizontal | Pass |
| 5** | 7423.775 | 38.99 | -4.08 | 54.0 | -15.01 | AV | 293.00 | 150 | Horizontal | Pass |
| 6 | 11995.600 | 51.33 | -1.42 | 74.0 | -22.67 | Peak | 360.00 | 150 | Horizontal | Pass |
| 6** | 11995.600 | 43.01 | -1.42 | 54.0 | -10.99 | AV | 360.00 | 150 | Horizontal | Pass |

11ax80-SU, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1164.400 | 45.32 | -18.45 | 74.0 | -28.68 | Peak | 300.00 | 150 | Vertical | Pass |
| 1** | 1164.400 | 29.92 | -18.45 | 54.0 | -24.08 | AV | 300.00 | 150 | Vertical | Pass |
| 2 | 2798.800 | 45.01 | -11.41 | 74.0 | -28.99 | Peak | 239.00 | 150 | Vertical | Pass |
| 2** | 2798.800 | 34.08 | -11.41 | 54.0 | -19.92 | AV | 239.00 | 150 | Vertical | Pass |
| 3 | 4294.000 | 48.09 | -5.30 | 74.0 | -25.91 | Peak | 111.00 | 150 | Vertical | Pass |
| 3** | 4294.000 | 37.37 | -5.30 | 54.0 | -16.63 | AV | 111.00 | 150 | Vertical | Pass |
| 4 | 5536.600 | 94.43 | -3.84 | -- | -- | Peak | 86.00 | 150 | Vertical | N/A |
| 4** | 5536.600 | 84.59 | -3.84 | -- | -- | AV | 86.00 | 150 | Vertical | N/A |
| 5 | 7419.750 | 49.06 | -4.04 | 74.0 | -24.94 | Peak | 34.00 | 150 | Vertical | Pass |
| 5** | 7419.750 | 39.44 | -4.04 | 54.0 | -14.56 | AV | 34.00 | 150 | Vertical | Pass |
| 6 | 12080.412 | 50.86 | -1.33 | 74.0 | -23.14 | Peak | 346.00 | 150 | Vertical | Pass |
| 6** | 12080.412 | 41.48 | -1.33 | 54.0 | -12.52 | AV | 346.00 | 150 | Vertical | Pass |

11ax80-SU, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1198.900 | 41.10 | -18.31 | 74.0 | -32.90 | Peak | 44.00 | 150 | Horizontal | Pass |
| 1** | 1198.900 | 30.87 | -18.31 | 54.0 | -23.13 | AV | 44.00 | 150 | Horizontal | Pass |
| 2 | 2833.100 | 43.30 | -11.89 | 74.0 | -30.70 | Peak | 263.00 | 150 | Horizontal | Pass |
| 2** | 2833.100 | 33.38 | -11.89 | 54.0 | -20.62 | AV | 263.00 | 150 | Horizontal | Pass |
| 3 | 4139.400 | 46.69 | -6.20 | 74.0 | -27.31 | Peak | 360.00 | 150 | Horizontal | Pass |
| 3** | 4139.400 | 37.41 | -6.20 | 54.0 | -16.59 | AV | 360.00 | 150 | Horizontal | Pass |
| 4 | 5608.400 | 99.56 | -3.84 | -- | -- | Peak | 140.00 | 150 | Horizontal | N/A |
| 4** | 5608.400 | 91.25 | -3.84 | -- | -- | AV | 140.00 | 150 | Horizontal | N/A |
| 5 | 7421.763 | 48.28 | -4.04 | 74.0 | -25.72 | Peak | 108.00 | 150 | Horizontal | Pass |
| 5** | 7421.763 | 39.44 | -4.04 | 54.0 | -14.56 | AV | 108.00 | 150 | Horizontal | Pass |
| 6 | 11678.488 | 51.38 | -0.93 | 74.0 | -22.62 | Peak | 219.00 | 150 | Horizontal | Pass |
| 6** | 11678.488 | 42.15 | -0.93 | 54.0 | -11.85 | AV | 219.00 | 150 | Horizontal | Pass |

11ax80-SU, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1146.100 | 42.61 | -18.67 | 74.0 | -31.39 | Peak | 316.00 | 150 | Vertical | Pass |
| 1** | 1146.100 | 28.76 | -18.67 | 54.0 | -25.24 | AV | 316.00 | 150 | Vertical | Pass |
| 2 | 2796.800 | 45.54 | -11.42 | 74.0 | -28.46 | Peak | 248.00 | 150 | Vertical | Pass |
| 2** | 2796.800 | 34.29 | -11.42 | 54.0 | -19.71 | AV | 248.00 | 150 | Vertical | Pass |
| 3 | 4097.400 | 47.61 | -6.04 | 74.0 | -26.39 | Peak | 49.00 | 150 | Vertical | Pass |
| 3** | 4097.400 | 38.26 | -6.04 | 54.0 | -15.74 | AV | 49.00 | 150 | Vertical | Pass |
| 4 | 5607.800 | 93.62 | -3.83 | -- | -- | Peak | 88.00 | 150 | Vertical | N/A |
| 4** | 5607.800 | 85.44 | -3.83 | -- | -- | AV | 88.00 | 150 | Vertical | N/A |
| 5 | 7437.575 | 48.55 | -4.34 | 74.0 | -25.45 | Peak | 0.00 | 150 | Vertical | Pass |
| 5** | 7437.575 | 39.80 | -4.34 | 54.0 | -14.20 | AV | 0.00 | 150 | Vertical | Pass |
| 6 | 12272.463 | 52.04 | 0.07 | 74.0 | -21.96 | Peak | 305.00 | 150 | Vertical | Pass |
| 6** | 12272.463 | 41.66 | 0.07 | 54.0 | -12.34 | AV | 305.00 | 150 | Vertical | Pass |

11a, U-NII-3, 1 GHz to 18 GHz, Low channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1199.900 | 43.28 | -18.17 | 74.0 | -30.72 | Peak | 243.00 | 150 | Horizontal | Pass |
| 1** | 1199.900 | 36.07 | -18.17 | 54.0 | -17.93 | AV | 243.00 | 150 | Horizontal | Pass |
| 2 | 2250.600 | 45.20 | -13.16 | 74.0 | -28.80 | Peak | 251.00 | 150 | Horizontal | Pass |
| 2** | 2250.600 | 33.03 | -13.16 | 54.0 | -20.97 | AV | 251.00 | 150 | Horizontal | Pass |
| 3 | 4255.600 | 47.89 | -5.53 | 74.0 | -26.11 | Peak | 244.00 | 150 | Horizontal | Pass |
| 3** | 4255.600 | 38.35 | -5.53 | 54.0 | -15.65 | AV | 244.00 | 150 | Horizontal | Pass |
| 4 | 5739.000 | 98.90 | -4.18 | -- | -- | Peak | 119.00 | 150 | Horizontal | N/A |
| 4** | 5739.000 | 89.75 | -4.18 | -- | -- | AV | 119.00 | 150 | Horizontal | N/A |
| 5 | 7590.813 | 48.56 | -4.78 | 74.0 | -25.44 | Peak | 360.00 | 150 | Horizontal | Pass |
| 5** | 7590.813 | 39.62 | -4.78 | 54.0 | -14.38 | AV | 360.00 | 150 | Horizontal | Pass |
| 6 | 12097.950 | 52.15 | -1.06 | 74.0 | -21.85 | Peak | 360.00 | 150 | Horizontal | Pass |
| 6** | 12097.950 | 41.73 | -1.06 | 54.0 | -12.27 | AV | 360.00 | 150 | Horizontal | Pass |

11a, U-NII-3, 1 GHz to 18 GHz, Low channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1192.700 | 45.26 | -18.32 | 74.0 | -28.74 | Peak | 309.00 | 150 | Vertical | Pass |
| 1** | 1192.700 | 31.22 | -18.32 | 54.0 | -22.78 | AV | 309.00 | 150 | Vertical | Pass |
| 2 | 2237.000 | 49.47 | -13.59 | 74.0 | -24.53 | Peak | 264.00 | 150 | Vertical | Pass |
| 2** | 2237.000 | 33.38 | -13.59 | 54.0 | -20.62 | AV | 264.00 | 150 | Vertical | Pass |
| 3 | 4013.600 | 47.31 | -6.61 | 74.0 | -26.69 | Peak | 327.00 | 150 | Vertical | Pass |
| 3** | 4013.600 | 37.21 | -6.61 | 54.0 | -16.79 | AV | 327.00 | 150 | Vertical | Pass |
| 4 | 5739.200 | 92.68 | -4.18 | -- | -- | Peak | 98.00 | 150 | Vertical | N/A |
| 4** | 5739.200 | 84.42 | -4.18 | -- | -- | AV | 98.00 | 150 | Vertical | N/A |
| 5 | 7416.300 | 49.21 | -4.06 | 74.0 | -24.79 | Peak | 139.00 | 150 | Vertical | Pass |
| 5** | 7416.300 | 39.37 | -4.06 | 54.0 | -14.63 | AV | 139.00 | 150 | Vertical | Pass |
| 6 | 12258.088 | 51.40 | 0.01 | 74.0 | -22.60 | Peak | 261.00 | 150 | Vertical | Pass |
| 6** | 12258.088 | 42.09 | 0.01 | 54.0 | -11.91 | AV | 261.00 | 150 | Vertical | Pass |

11a, U-NII-3, 1 GHz to 18 GHz, Middle channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1198.800 | 43.94 | -18.33 | 74.0 | -30.06 | Peak | 248.00 | 150 | Horizontal | Pass |
| 1** | 1198.800 | 35.78 | -18.33 | 54.0 | -18.22 | AV | 248.00 | 150 | Horizontal | Pass |
| 2 | 2793.100 | 43.25 | -11.12 | 74.0 | -30.75 | Peak | 206.00 | 150 | Horizontal | Pass |
| 2** | 2793.100 | 33.90 | -11.12 | 54.0 | -20.10 | AV | 206.00 | 150 | Horizontal | Pass |
| 3 | 4260.400 | 49.01 | -5.45 | 74.0 | -24.99 | Peak | 205.00 | 150 | Horizontal | Pass |
| 3** | 4260.400 | 38.49 | -5.45 | 54.0 | -15.51 | AV | 205.00 | 150 | Horizontal | Pass |
| 4 | 5773.400 | 97.53 | -3.20 | -- | -- | Peak | 155.00 | 150 | Horizontal | N/A |
| 4** | 5773.400 | 89.60 | -3.20 | -- | -- | AV | 155.00 | 150 | Horizontal | N/A |
| 5 | 7392.437 | 48.73 | -4.25 | 74.0 | -25.27 | Peak | 125.00 | 150 | Horizontal | Pass |
| 5** | 7392.437 | 38.60 | -4.25 | 54.0 | -15.40 | AV | 125.00 | 150 | Horizontal | Pass |
| 6 | 12189.950 | 52.36 | -0.86 | 74.0 | -21.64 | Peak | 180.00 | 150 | Horizontal | Pass |
| 6** | 12189.950 | 42.22 | -0.86 | 54.0 | -11.78 | AV | 180.00 | 150 | Horizontal | Pass |

11a, U-NII-3, 1 GHz to 18 GHz, Middle channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1167.600 | 45.90 | -18.50 | 74.0 | -28.10 | Peak | 310.00 | 150 | Vertical | Pass |
| 1** | 1167.600 | 29.01 | -18.50 | 54.0 | -24.99 | AV | 310.00 | 150 | Vertical | Pass |
| 2 | 2784.800 | 44.86 | -11.25 | 74.0 | -29.14 | Peak | 247.00 | 150 | Vertical | Pass |
| 2** | 2784.800 | 33.47 | -11.25 | 54.0 | -20.53 | AV | 247.00 | 150 | Vertical | Pass |
| 3 | 4286.200 | 47.81 | -5.13 | 74.0 | -26.19 | Peak | 151.00 | 150 | Vertical | Pass |
| 3** | 4286.200 | 37.92 | -5.13 | 54.0 | -16.08 | AV | 151.00 | 150 | Vertical | Pass |
| 4 | 5770.200 | 94.23 | -3.27 | -- | -- | Peak | 102.00 | 150 | Vertical | N/A |
| 4** | 5770.200 | 86.98 | -3.27 | -- | -- | AV | 102.00 | 150 | Vertical | N/A |
| 5 | 7359.088 | 48.84 | -4.86 | 74.0 | -25.16 | Peak | 155.00 | 150 | Vertical | Pass |
| 5** | 7359.088 | 39.44 | -4.86 | 54.0 | -14.56 | AV | 155.00 | 150 | Vertical | Pass |
| 6 | 12350.375 | 51.86 | -1.25 | 74.0 | -22.14 | Peak | 119.00 | 150 | Vertical | Pass |
| 6** | 12350.375 | 41.27 | -1.25 | 54.0 | -12.73 | AV | 119.00 | 150 | Vertical | Pass |

11a, U-NII-3, 1 GHz to 18 GHz, High channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1190.100 | 41.59 | -18.35 | 74.0 | -32.41 | Peak | 235.00 | 150 | Horizontal | Pass |
| 1** | 1190.100 | 29.89 | -18.35 | 54.0 | -24.11 | AV | 235.00 | 150 | Horizontal | Pass |
| 2 | 2769.100 | 44.08 | -11.53 | 74.0 | -29.92 | Peak | 292.00 | 150 | Horizontal | Pass |
| 2** | 2769.100 | 33.49 | -11.53 | 54.0 | -20.51 | AV | 292.00 | 150 | Horizontal | Pass |
| 3 | 4292.600 | 47.41 | -5.30 | 74.0 | -26.59 | Peak | 171.00 | 150 | Horizontal | Pass |
| 3** | 4292.600 | 37.92 | -5.30 | 54.0 | -16.08 | AV | 171.00 | 150 | Horizontal | Pass |
| 4 | 5812.200 | 98.10 | -3.02 | -- | -- | Peak | 134.00 | 150 | Horizontal | N/A |
| 4** | 5812.200 | 90.18 | -3.02 | -- | -- | AV | 134.00 | 150 | Horizontal | N/A |
| 5 | 7420.038 | 48.86 | -4.02 | 74.0 | -25.14 | Peak | 195.00 | 150 | Horizontal | Pass |
| 5** | 7420.038 | 40.12 | -4.02 | 54.0 | -13.88 | AV | 195.00 | 150 | Horizontal | Pass |
| 6 | 12102.838 | 51.75 | -0.98 | 74.0 | -22.25 | Peak | 360.00 | 150 | Horizontal | Pass |
| 6** | 12102.838 | 42.55 | -0.98 | 54.0 | -11.45 | AV | 360.00 | 150 | Horizontal | Pass |

11a, U-NII-3, 1 GHz to 18 GHz, High channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1198.100 | 44.74 | -18.28 | 74.0 | -29.26 | Peak | 316.00 | 150 | Vertical | Pass |
| 1** | 1198.100 | 31.52 | -18.28 | 54.0 | -22.48 | AV | 316.00 | 150 | Vertical | Pass |
| 2 | 2791.100 | 47.45 | -11.10 | 74.0 | -26.55 | Peak | 253.00 | 150 | Vertical | Pass |
| 2** | 2791.100 | 34.42 | -11.10 | 54.0 | -19.58 | AV | 253.00 | 150 | Vertical | Pass |
| 3 | 4039.400 | 48.27 | -5.77 | 74.0 | -25.73 | Peak | 339.00 | 150 | Vertical | Pass |
| 3** | 4039.400 | 38.34 | -5.77 | 54.0 | -15.66 | AV | 339.00 | 150 | Vertical | Pass |
| 4 | 5819.200 | 96.31 | -2.82 | -- | -- | Peak | 98.00 | 150 | Vertical | N/A |
| 4** | 5819.200 | 87.72 | -2.82 | -- | -- | AV | 98.00 | 150 | Vertical | N/A |
| 5 | 7421.763 | 48.64 | -4.04 | 74.0 | -25.36 | Peak | 71.00 | 150 | Vertical | Pass |
| 5** | 7421.763 | 39.71 | -4.04 | 54.0 | -14.29 | AV | 71.00 | 150 | Vertical | Pass |
| 6 | 12162.350 | 51.10 | -0.90 | 74.0 | -22.90 | Peak | 71.00 | 150 | Vertical | Pass |
| 6** | 12162.350 | 42.61 | -0.90 | 54.0 | -11.39 | AV | 71.00 | 150 | Vertical | Pass |

11n20, U-NII-3, 1 GHz to 18 GHz, Low channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1199.500 | 44.52 | -18.23 | 74.0 | -29.48 | Peak | 273.00 | 150 | Horizontal | Pass |
| 1** | 1199.500 | 30.80 | -18.23 | 54.0 | -23.20 | AV | 273.00 | 150 | Horizontal | Pass |
| 2 | 2829.800 | 43.59 | -11.79 | 74.0 | -30.41 | Peak | 51.00 | 150 | Horizontal | Pass |
| 2** | 2829.800 | 34.39 | -11.79 | 54.0 | -19.61 | AV | 51.00 | 150 | Horizontal | Pass |
| 3 | 4172.600 | 47.97 | -5.46 | 74.0 | -26.03 | Peak | 58.00 | 150 | Horizontal | Pass |
| 3** | 4172.600 | 37.23 | -5.46 | 54.0 | -16.77 | AV | 58.00 | 150 | Horizontal | Pass |
| 4 | 5742.200 | 96.75 | -4.08 | -- | -- | Peak | 147.00 | 150 | Horizontal | N/A |
| 4** | 5742.200 | 90.18 | -4.08 | -- | -- | AV | 147.00 | 150 | Horizontal | N/A |
| 5 | 7450.225 | 48.01 | -4.34 | 74.0 | -25.99 | Peak | 177.00 | 150 | Horizontal | Pass |
| 5** | 7450.225 | 39.16 | -4.34 | 54.0 | -14.84 | AV | 177.00 | 150 | Horizontal | Pass |
| 6 | 11676.763 | 51.41 | -0.88 | 74.0 | -22.59 | Peak | 159.00 | 150 | Horizontal | Pass |
| 6** | 11676.763 | 41.70 | -0.88 | 54.0 | -12.30 | AV | 159.00 | 150 | Horizontal | Pass |

11n20, U-NII-3, 1 GHz to 18 GHz, Low channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1198.700 | 45.51 | -18.33 | 74.0 | -28.49 | Peak | 280.00 | 150 | Vertical | Pass |
| 1** | 1198.700 | 35.62 | -18.33 | 54.0 | -18.38 | AV | 280.00 | 150 | Vertical | Pass |
| 2 | 2790.800 | 47.79 | -11.10 | 74.0 | -26.21 | Peak | 241.00 | 150 | Vertical | Pass |
| 2** | 2790.800 | 34.71 | -11.10 | 54.0 | -19.29 | AV | 241.00 | 150 | Vertical | Pass |
| 3 | 4091.200 | 47.39 | -5.58 | 74.0 | -26.61 | Peak | 91.00 | 150 | Vertical | Pass |
| 3** | 4091.200 | 37.66 | -5.58 | 54.0 | -16.34 | AV | 91.00 | 150 | Vertical | Pass |
| 4 | 5736.400 | 91.86 | -4.28 | -- | -- | Peak | 104.00 | 150 | Vertical | N/A |
| 4** | 5736.400 | 84.07 | -4.28 | -- | -- | AV | 104.00 | 150 | Vertical | N/A |
| 5 | 7370.013 | 48.49 | -4.84 | 74.0 | -25.51 | Peak | 179.00 | 150 | Vertical | Pass |
| 5** | 7370.013 | 39.69 | -4.84 | 54.0 | -14.31 | AV | 179.00 | 150 | Vertical | Pass |
| 6 | 12106.575 | 51.30 | -0.91 | 74.0 | -22.70 | Peak | 360.00 | 150 | Vertical | Pass |
| 6** | 12106.575 | 42.51 | -0.91 | 54.0 | -11.49 | AV | 360.00 | 150 | Vertical | Pass |

11n20, U-NII-3, 1 GHz to 18 GHz, Middle channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1163.300 | 44.56 | -18.44 | 74.0 | -29.44 | Peak | 282.00 | 150 | Horizontal | Pass |
| 1** | 1163.300 | 29.47 | -18.44 | 54.0 | -24.53 | AV | 282.00 | 150 | Horizontal | Pass |
| 2 | 2863.400 | 43.10 | -11.49 | 74.0 | -30.90 | Peak | 140.00 | 150 | Horizontal | Pass |
| 2** | 2863.400 | 33.98 | -11.49 | 54.0 | -20.02 | AV | 140.00 | 150 | Horizontal | Pass |
| 3 | 4296.600 | 47.57 | -5.45 | 74.0 | -26.43 | Peak | 216.00 | 150 | Horizontal | Pass |
| 3** | 4296.600 | 38.45 | -5.45 | 54.0 | -15.55 | AV | 216.00 | 150 | Horizontal | Pass |
| 4 | 5772.200 | 98.03 | -3.24 | -- | -- | Peak | 116.00 | 150 | Horizontal | N/A |
| 4** | 5772.200 | 89.28 | -3.24 | -- | -- | AV | 116.00 | 150 | Horizontal | N/A |
| 5 | 7458.563 | 48.53 | -4.55 | 74.0 | -25.47 | Peak | 295.00 | 150 | Horizontal | Pass |
| 5** | 7458.563 | 39.70 | -4.55 | 54.0 | -14.30 | AV | 295.00 | 150 | Horizontal | Pass |
| 6 | 12076.100 | 50.95 | -1.36 | 74.0 | -23.05 | Peak | 360.00 | 150 | Horizontal | Pass |
| 6** | 12076.100 | 41.49 | -1.36 | 54.0 | -12.51 | AV | 360.00 | 150 | Horizontal | Pass |

11n20, U-NII-3, 1 GHz to 18 GHz, Middle channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1187.300 | 44.39 | -18.44 | 74.0 | -29.61 | Peak | 317.00 | 150 | Vertical | Pass |
| 1** | 1187.300 | 29.58 | -18.44 | 54.0 | -24.42 | AV | 317.00 | 150 | Vertical | Pass |
| 2 | 2790.900 | 44.86 | -11.10 | 74.0 | -29.14 | Peak | 245.00 | 150 | Vertical | Pass |
| 2** | 2790.900 | 36.10 | -11.10 | 54.0 | -17.90 | AV | 245.00 | 150 | Vertical | Pass |
| 3 | 4145.000 | 47.51 | -6.10 | 74.0 | -26.49 | Peak | 0.00 | 150 | Vertical | Pass |
| 3** | 4145.000 | 37.78 | -6.10 | 54.0 | -16.22 | AV | 0.00 | 150 | Vertical | Pass |
| 4 | 5774.000 | 93.57 | -3.18 | -- | -- | Peak | 84.00 | 150 | Vertical | N/A |
| 4** | 5774.000 | 86.20 | -3.18 | -- | -- | AV | 84.00 | 150 | Vertical | N/A |
| 5 | 7430.675 | 49.33 | -4.37 | 74.0 | -24.67 | Peak | 360.00 | 150 | Vertical | Pass |
| 5** | 7430.675 | 39.24 | -4.37 | 54.0 | -14.76 | AV | 360.00 | 150 | Vertical | Pass |
| 6 | 11619.262 | 51.33 | -0.16 | 74.0 | -22.67 | Peak | 314.00 | 150 | Vertical | Pass |
| 6** | 11619.262 | 42.39 | -0.16 | 54.0 | -11.61 | AV | 314.00 | 150 | Vertical | Pass |

11n20, U-NII-3, 1 GHz to 18 GHz, High channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1198.500 | 41.91 | -18.31 | 74.0 | -32.09 | Peak | 295.00 | 150 | Horizontal | Pass |
| 1** | 1198.500 | 30.50 | -18.31 | 54.0 | -23.50 | AV | 295.00 | 150 | Horizontal | Pass |
| 2 | 2751.300 | 43.61 | -11.65 | 74.0 | -30.39 | Peak | 192.00 | 150 | Horizontal | Pass |
| 2** | 2751.300 | 33.64 | -11.65 | 54.0 | -20.36 | AV | 192.00 | 150 | Horizontal | Pass |
| 3 | 4258.000 | 47.88 | -5.53 | 74.0 | -26.12 | Peak | 74.00 | 150 | Horizontal | Pass |
| 3** | 4258.000 | 37.59 | -5.53 | 54.0 | -16.41 | AV | 74.00 | 150 | Horizontal | Pass |
| 4 | 5810.600 | 97.71 | -2.99 | -- | -- | Peak | 133.00 | 150 | Horizontal | N/A |
| 4** | 5810.600 | 90.27 | -2.99 | -- | -- | AV | 133.00 | 150 | Horizontal | N/A |
| 5 | 7426.650 | 49.22 | -4.07 | 74.0 | -24.78 | Peak | 244.00 | 150 | Horizontal | Pass |
| 5** | 7426.650 | 40.31 | -4.07 | 54.0 | -13.69 | AV | 244.00 | 150 | Horizontal | Pass |
| 6 | 12009.113 | 50.94 | -1.25 | 74.0 | -23.06 | Peak | 102.00 | 150 | Horizontal | Pass |
| 6** | 12009.113 | 41.91 | -1.25 | 54.0 | -12.09 | AV | 102.00 | 150 | Horizontal | Pass |

11n20, U-NII-3, 1 GHz to 18 GHz, High channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1160.600 | 45.75 | -18.65 | 74.0 | -28.25 | Peak | 306.00 | 150 | Vertical | Pass |
| 1** | 1160.600 | 31.47 | -18.65 | 54.0 | -22.53 | AV | 306.00 | 150 | Vertical | Pass |
| 2 | 2782.200 | 46.94 | -11.29 | 74.0 | -27.06 | Peak | 256.00 | 150 | Vertical | Pass |
| 2** | 2782.200 | 33.71 | -11.29 | 54.0 | -20.29 | AV | 256.00 | 150 | Vertical | Pass |
| 3 | 4024.400 | 46.89 | -6.34 | 74.0 | -27.11 | Peak | 133.00 | 150 | Vertical | Pass |
| 3** | 4024.400 | 37.50 | -6.34 | 54.0 | -16.50 | AV | 133.00 | 150 | Vertical | Pass |
| 4 | 5814.000 | 95.78 | -2.91 | -- | -- | Peak | 92.00 | 150 | Vertical | N/A |
| 4** | 5814.000 | 87.57 | -2.91 | -- | -- | AV | 92.00 | 150 | Vertical | N/A |
| 5 | 7428.663 | 48.46 | -4.22 | 74.0 | -25.54 | Peak | 259.00 | 150 | Vertical | Pass |
| 5** | 7428.663 | 39.62 | -4.22 | 54.0 | -14.38 | AV | 259.00 | 150 | Vertical | Pass |
| 6 | 11655.200 | 51.24 | -0.41 | 74.0 | -22.76 | Peak | 360.00 | 150 | Vertical | Pass |
| 6** | 11655.200 | 41.96 | -0.41 | 54.0 | -12.04 | AV | 360.00 | 150 | Vertical | Pass |

11n40, U-NII-3, 1 GHz to 18 GHz, Low channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1165.600 | 43.44 | -18.48 | 74.0 | -30.56 | Peak | 242.00 | 150 | Horizontal | Pass |
| 1** | 1165.600 | 29.95 | -18.48 | 54.0 | -24.05 | AV | 242.00 | 150 | Horizontal | Pass |
| 2 | 2790.300 | 43.67 | -11.10 | 74.0 | -30.33 | Peak | 20.00 | 150 | Horizontal | Pass |
| 2** | 2790.300 | 34.45 | -11.10 | 54.0 | -19.55 | AV | 20.00 | 150 | Horizontal | Pass |
| 3 | 4206.200 | 47.47 | -6.22 | 74.0 | -26.53 | Peak | 226.00 | 150 | Horizontal | Pass |
| 3** | 4206.200 | 37.46 | -6.22 | 54.0 | -16.54 | AV | 226.00 | 150 | Horizontal | Pass |
| 4 | 5751.600 | 96.73 | -3.68 | -- | -- | Peak | 132.00 | 150 | Horizontal | N/A |
| 4** | 5751.600 | 89.56 | -3.68 | -- | -- | AV | 132.00 | 150 | Horizontal | N/A |
| 5 | 7423.200 | 47.99 | -4.08 | 74.0 | -26.01 | Peak | 0.00 | 150 | Horizontal | Pass |
| 5** | 7423.200 | 39.65 | -4.08 | 54.0 | -14.35 | AV | 0.00 | 150 | Horizontal | Pass |
| 6 | 12003.363 | 50.99 | -1.30 | 74.0 | -23.01 | Peak | 193.00 | 150 | Horizontal | Pass |
| 6** | 12003.363 | 41.43 | -1.30 | 54.0 | -12.57 | AV | 193.00 | 150 | Horizontal | Pass |

11n40, U-NII-3, 1 GHz to 18 GHz, Low channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1170.300 | 45.86 | -18.47 | 74.0 | -28.14 | Peak | 310.00 | 150 | Vertical | Pass |
| 1** | 1170.300 | 33.17 | -18.47 | 54.0 | -20.83 | AV | 310.00 | 150 | Vertical | Pass |
| 2 | 2794.000 | 45.78 | -11.17 | 74.0 | -28.22 | Peak | 256.00 | 150 | Vertical | Pass |
| 2** | 2794.000 | 33.66 | -11.17 | 54.0 | -20.34 | AV | 256.00 | 150 | Vertical | Pass |
| 3 | 3986.400 | 47.74 | -6.38 | 74.0 | -26.26 | Peak | 285.00 | 150 | Vertical | Pass |
| 3** | 3986.400 | 37.44 | -6.38 | 54.0 | -16.56 | AV | 285.00 | 150 | Vertical | Pass |
| 4 | 5749.600 | 94.41 | -3.73 | -- | -- | Peak | 100.00 | 150 | Vertical | N/A |
| 4** | 5749.600 | 85.65 | -3.73 | -- | -- | AV | 100.00 | 150 | Vertical | N/A |
| 5 | 7447.063 | 48.96 | -4.52 | 74.0 | -25.04 | Peak | 54.00 | 150 | Vertical | Pass |
| 5** | 7447.063 | 38.38 | -4.52 | 54.0 | -15.62 | AV | 54.00 | 150 | Vertical | Pass |
| 6 | 12267.575 | 51.55 | 0.06 | 74.0 | -22.45 | Peak | 36.00 | 150 | Vertical | Pass |
| 6** | 12267.575 | 42.85 | 0.06 | 54.0 | -11.15 | AV | 36.00 | 150 | Vertical | Pass |

11n40, U-NII-3, 1 GHz to 18 GHz, High channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1165.900 | 43.39 | -18.49 | 74.0 | -30.61 | Peak | 269.00 | 150 | Horizontal | Pass |
| 1** | 1165.900 | 30.09 | -18.49 | 54.0 | -23.91 | AV | 269.00 | 150 | Horizontal | Pass |
| 2 | 2762.600 | 42.86 | -11.40 | 74.0 | -31.14 | Peak | 208.00 | 150 | Horizontal | Pass |
| 2** | 2762.600 | 33.85 | -11.40 | 54.0 | -20.15 | AV | 208.00 | 150 | Horizontal | Pass |
| 3 | 4028.600 | 47.36 | -6.20 | 74.0 | -26.64 | Peak | 82.00 | 150 | Horizontal | Pass |
| 3** | 4028.600 | 37.42 | -6.20 | 54.0 | -16.58 | AV | 82.00 | 150 | Horizontal | Pass |
| 4 | 5791.800 | 96.34 | -3.14 | -- | -- | Peak | 147.00 | 150 | Horizontal | N/A |
| 4** | 5791.800 | 89.57 | -3.14 | -- | -- | AV | 147.00 | 150 | Horizontal | N/A |
| 5 | 7422.050 | 48.32 | -4.06 | 74.0 | -25.68 | Peak | 360.00 | 150 | Horizontal | Pass |
| 5** | 7422.050 | 39.34 | -4.06 | 54.0 | -14.66 | AV | 360.00 | 150 | Horizontal | Pass |
| 6 | 12240.550 | 51.10 | -0.31 | 74.0 | -22.90 | Peak | 65.00 | 150 | Horizontal | Pass |
| 6** | 12240.550 | 42.39 | -0.31 | 54.0 | -11.61 | AV | 65.00 | 150 | Horizontal | Pass |

11n40, U-NII-3, 1 GHz to 18 GHz, High channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1197.300 | 46.27 | -18.22 | 74.0 | -27.73 | Peak | 278.00 | 150 | Vertical | Pass |
| 1** | 1197.300 | 37.81 | -18.22 | 54.0 | -16.19 | AV | 278.00 | 150 | Vertical | Pass |
| 2 | 2803.600 | 45.91 | -11.52 | 74.0 | -28.09 | Peak | 265.00 | 150 | Vertical | Pass |
| 2** | 2803.600 | 38.17 | -11.52 | 54.0 | -15.83 | AV | 265.00 | 150 | Vertical | Pass |
| 3 | 4259.400 | 48.44 | -5.50 | 74.0 | -25.56 | Peak | 265.00 | 150 | Vertical | Pass |
| 3** | 4259.400 | 37.50 | -5.50 | 54.0 | -16.50 | AV | 265.00 | 150 | Vertical | Pass |
| 4 | 5802.000 | 93.90 | -3.18 | -- | -- | Peak | 96.00 | 150 | Vertical | N/A |
| 4** | 5802.000 | 86.22 | -3.18 | -- | -- | AV | 96.00 | 150 | Vertical | N/A |
| 5 | 7432.975 | 48.50 | -4.40 | 74.0 | -25.50 | Peak | 87.00 | 150 | Vertical | Pass |
| 5** | 7432.975 | 39.74 | -4.40 | 54.0 | -14.26 | AV | 87.00 | 150 | Vertical | Pass |
| 6 | 12266.138 | 51.37 | 0.05 | 74.0 | -22.63 | Peak | 142.00 | 150 | Vertical | Pass |
| 6** | 12266.138 | 42.83 | 0.05 | 54.0 | -11.17 | AV | 142.00 | 150 | Vertical | Pass |

11ac20, U-NII-3, 1 GHz to 18 GHz, Low channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1163.600 | 43.04 | -18.45 | 74.0 | -30.96 | Peak | 231.00 | 150 | Horizontal | Pass |
| 1** | 1163.600 | 29.27 | -18.45 | 54.0 | -24.73 | AV | 231.00 | 150 | Horizontal | Pass |
| 2 | 2777.800 | 42.96 | -11.45 | 74.0 | -31.04 | Peak | 299.00 | 150 | Horizontal | Pass |
| 2** | 2777.800 | 33.69 | -11.45 | 54.0 | -20.31 | AV | 299.00 | 150 | Horizontal | Pass |
| 3 | 4271.800 | 47.77 | -5.12 | 74.0 | -26.23 | Peak | 204.00 | 150 | Horizontal | Pass |
| 3** | 4271.800 | 39.73 | -5.12 | 54.0 | -14.27 | AV | 204.00 | 150 | Horizontal | Pass |
| 4 | 5740.200 | 97.64 | -4.15 | -- | -- | Peak | 141.00 | 150 | Horizontal | N/A |
| 4** | 5740.200 | 90.01 | -4.15 | -- | -- | AV | 141.00 | 150 | Horizontal | N/A |
| 5 | 7428.087 | 48.46 | -4.17 | 74.0 | -25.54 | Peak | 25.00 | 150 | Horizontal | Pass |
| 5** | 7428.087 | 39.54 | -4.17 | 54.0 | -14.46 | AV | 25.00 | 150 | Horizontal | Pass |
| 6 | 11735.125 | 51.20 | -1.11 | 74.0 | -22.80 | Peak | 62.00 | 150 | Horizontal | Pass |
| 6** | 11735.125 | 41.38 | -1.11 | 54.0 | -12.62 | AV | 62.00 | 150 | Horizontal | Pass |

11ac20, U-NII-3, 1 GHz to 18 GHz, Low channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1197.600 | 46.76 | -18.24 | 74.0 | -27.24 | Peak | 345.00 | 150 | Vertical | Pass |
| 1** | 1197.600 | 34.21 | -18.24 | 54.0 | -19.79 | AV | 345.00 | 150 | Vertical | Pass |
| 2 | 2789.800 | 46.54 | -11.09 | 74.0 | -27.46 | Peak | 242.00 | 150 | Vertical | Pass |
| 2** | 2789.800 | 34.06 | -11.09 | 54.0 | -19.94 | AV | 242.00 | 150 | Vertical | Pass |
| 3 | 4260.400 | 47.58 | -5.45 | 74.0 | -26.42 | Peak | 204.00 | 150 | Vertical | Pass |
| 3** | 4260.400 | 38.62 | -5.45 | 54.0 | -15.38 | AV | 204.00 | 150 | Vertical | Pass |
| 4 | 5742.400 | 92.39 | -4.07 | -- | -- | Peak | 97.00 | 150 | Vertical | N/A |
| 4** | 5742.400 | 85.16 | -4.07 | -- | -- | AV | 97.00 | 150 | Vertical | N/A |
| 5 | 7366.850 | 48.42 | -4.89 | 74.0 | -25.58 | Peak | 93.00 | 150 | Vertical | Pass |
| 5** | 7366.850 | 39.47 | -4.89 | 54.0 | -14.53 | AV | 93.00 | 150 | Vertical | Pass |
| 6 | 12131.013 | 51.06 | -0.67 | 74.0 | -22.94 | Peak | 268.00 | 150 | Vertical | Pass |
| 6** | 12131.013 | 41.34 | -0.67 | 54.0 | -12.66 | AV | 268.00 | 150 | Vertical | Pass |

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1199.300 | 42.32 | -18.25 | 74.0 | -31.68 | Peak | 251.00 | 150 | Horizontal | Pass |
| 1** | 1199.300 | 31.86 | -18.25 | 54.0 | -22.14 | AV | 251.00 | 150 | Horizontal | Pass |
| 2 | 2774.800 | 43.62 | -11.42 | 74.0 | -30.38 | Peak | 217.00 | 150 | Horizontal | Pass |
| 2** | 2774.800 | 33.90 | -11.42 | 54.0 | -20.10 | AV | 217.00 | 150 | Horizontal | Pass |
| 3 | 4228.600 | 47.50 | -5.71 | 74.0 | -26.50 | Peak | 7.00 | 150 | Horizontal | Pass |
| 3** | 4228.600 | 37.52 | -5.71 | 54.0 | -16.48 | AV | 7.00 | 150 | Horizontal | Pass |
| 4 | 5780.000 | 96.92 | -3.27 | -- | -- | Peak | 307.00 | 150 | Horizontal | N/A |
| 4** | 5780.000 | 88.76 | -3.27 | -- | -- | AV | 307.00 | 150 | Horizontal | N/A |
| 5 | 7436.137 | 48.27 | -4.35 | 74.0 | -25.73 | Peak | 152.00 | 150 | Horizontal | Pass |
| 5** | 7436.137 | 39.24 | -4.35 | 54.0 | -14.76 | AV | 152.00 | 150 | Horizontal | Pass |
| 6 | 12003.651 | 51.24 | -1.29 | 74.0 | -22.76 | Peak | 0.00 | 150 | Horizontal | Pass |
| 6** | 12003.651 | 42.53 | -1.29 | 54.0 | -11.47 | AV | 0.00 | 150 | Horizontal | Pass |

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1197.800 | 48.63 | -18.26 | 74.0 | -25.37 | Peak | 317.00 | 150 | Vertical | Pass |
| 1** | 1197.800 | 38.17 | -18.26 | 54.0 | -15.83 | AV | 317.00 | 150 | Vertical | Pass |
| 2 | 2798.600 | 45.25 | -11.41 | 74.0 | -28.75 | Peak | 301.00 | 150 | Vertical | Pass |
| 2** | 2798.600 | 35.98 | -11.41 | 54.0 | -18.02 | AV | 301.00 | 150 | Vertical | Pass |
| 3 | 4133.000 | 47.36 | -6.09 | 74.0 | -26.64 | Peak | 59.00 | 150 | Vertical | Pass |
| 3** | 4133.000 | 37.44 | -6.09 | 54.0 | -16.56 | AV | 59.00 | 150 | Vertical | Pass |
| 4 | 5771.800 | 94.54 | -3.25 | -- | -- | Peak | 93.00 | 150 | Vertical | N/A |
| 4** | 5771.800 | 86.22 | -3.25 | -- | -- | AV | 93.00 | 150 | Vertical | N/A |
| 5 | 7350.175 | 48.28 | -5.04 | 74.0 | -25.72 | Peak | 360.00 | 150 | Vertical | Pass |
| 5** | 7350.175 | 39.27 | -5.04 | 54.0 | -14.73 | AV | 360.00 | 150 | Vertical | Pass |
| 6 | 12213.526 | 51.28 | -0.42 | 74.0 | -22.72 | Peak | 199.00 | 150 | Vertical | Pass |
| 6** | 12213.526 | 41.40 | -0.42 | 54.0 | -12.60 | AV | 199.00 | 150 | Vertical | Pass |

11ac20, U-NII-3, 1 GHz to 18 GHz, High channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1196.100 | 44.92 | -18.19 | 74.0 | -29.08 | Peak | 294.00 | 150 | Horizontal | Pass |
| 1** | 1196.100 | 30.05 | -18.19 | 54.0 | -23.95 | AV | 294.00 | 150 | Horizontal | Pass |
| 2 | 2797.700 | 43.60 | -11.42 | 74.0 | -30.40 | Peak | 241.00 | 150 | Horizontal | Pass |
| 2** | 2797.700 | 34.13 | -11.42 | 54.0 | -19.87 | AV | 241.00 | 150 | Horizontal | Pass |
| 3 | 4170.400 | 47.87 | -5.43 | 74.0 | -26.13 | Peak | 56.00 | 150 | Horizontal | Pass |
| 3** | 4170.400 | 37.61 | -5.43 | 54.0 | -16.39 | AV | 56.00 | 150 | Horizontal | Pass |
| 4 | 5822.600 | 98.05 | -2.85 | -- | -- | Peak | 130.00 | 150 | Horizontal | N/A |
| 4** | 5822.600 | 88.75 | -2.85 | -- | -- | AV | 130.00 | 150 | Horizontal | N/A |
| 5 | 7420.900 | 48.60 | -4.00 | 74.0 | -25.40 | Peak | 288.00 | 150 | Horizontal | Pass |
| 5** | 7420.900 | 39.60 | -4.00 | 54.0 | -14.40 | AV | 288.00 | 150 | Horizontal | Pass |
| 6 | 11645.425 | 50.65 | -0.35 | 74.0 | -23.35 | Peak | 230.00 | 150 | Horizontal | Pass |
| 6** | 11645.425 | 42.23 | -0.35 | 54.0 | -11.77 | AV | 230.00 | 150 | Horizontal | Pass |

11ac20, U-NII-3, 1 GHz to 18 GHz, High channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1198.900 | 47.17 | -18.31 | 74.0 | -26.83 | Peak | 325.00 | 150 | Vertical | Pass |
| 1** | 1198.900 | 31.51 | -18.31 | 54.0 | -22.49 | AV | 325.00 | 150 | Vertical | Pass |
| 2 | 2792.900 | 47.52 | -11.11 | 74.0 | -26.48 | Peak | 270.00 | 150 | Vertical | Pass |
| 2** | 2792.900 | 36.73 | -11.11 | 54.0 | -17.27 | AV | 270.00 | 150 | Vertical | Pass |
| 3 | 4124.800 | 47.97 | -5.86 | 74.0 | -26.03 | Peak | 249.00 | 150 | Vertical | Pass |
| 3** | 4124.800 | 37.72 | -5.86 | 54.0 | -16.28 | AV | 249.00 | 150 | Vertical | Pass |
| 4 | 5816.400 | 96.15 | -2.96 | -- | -- | Peak | 95.00 | 150 | Vertical | N/A |
| 4** | 5816.400 | 88.23 | -2.96 | -- | -- | AV | 95.00 | 150 | Vertical | N/A |
| 5 | 7436.137 | 48.51 | -4.35 | 74.0 | -25.49 | Peak | 341.00 | 150 | Vertical | Pass |
| 5** | 7436.137 | 39.55 | -4.35 | 54.0 | -14.45 | AV | 341.00 | 150 | Vertical | Pass |
| 6 | 11195.775 | 51.19 | -1.89 | 74.0 | -22.81 | Peak | 359.00 | 150 | Vertical | Pass |
| 6** | 11195.775 | 40.26 | -1.89 | 54.0 | -13.74 | AV | 359.00 | 150 | Vertical | Pass |

11ac40, U-NII-3, 1 GHz to 18 GHz, Low channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1193.200 | 42.46 | -18.29 | 74.0 | -31.54 | Peak | 249.00 | 150 | Horizontal | Pass |
| 1** | 1193.200 | 31.85 | -18.29 | 54.0 | -22.15 | AV | 249.00 | 150 | Horizontal | Pass |
| 2 | 2801.400 | 43.16 | -11.42 | 74.0 | -30.84 | Peak | 360.00 | 150 | Horizontal | Pass |
| 2** | 2801.400 | 33.89 | -11.42 | 54.0 | -20.11 | AV | 360.00 | 150 | Horizontal | Pass |
| 3 | 4292.200 | 47.53 | -5.29 | 74.0 | -26.47 | Peak | 129.00 | 150 | Horizontal | Pass |
| 3** | 4292.200 | 38.92 | -5.29 | 54.0 | -15.08 | AV | 129.00 | 150 | Horizontal | Pass |
| 4 | 5753.600 | 97.52 | -3.54 | -- | -- | Peak | 129.00 | 150 | Horizontal | N/A |
| 4** | 5753.600 | 90.35 | -3.54 | -- | -- | AV | 129.00 | 150 | Horizontal | N/A |
| 5 | 7347.875 | 49.02 | -5.15 | 74.0 | -24.98 | Peak | 37.00 | 150 | Horizontal | Pass |
| 5** | 7347.875 | 39.40 | -5.15 | 54.0 | -14.60 | AV | 37.00 | 150 | Horizontal | Pass |
| 6 | 12137.912 | 51.34 | -0.68 | 74.0 | -22.66 | Peak | 310.00 | 150 | Horizontal | Pass |
| 6** | 12137.912 | 41.48 | -0.68 | 54.0 | -12.52 | AV | 310.00 | 150 | Horizontal | Pass |

11ac40, U-NII-3, 1 GHz to 18 GHz, Low channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1165.400 | 47.14 | -18.48 | 74.0 | -26.86 | Peak | 297.00 | 150 | Vertical | Pass |
| 1** | 1165.400 | 30.20 | -18.48 | 54.0 | -23.80 | AV | 297.00 | 150 | Vertical | Pass |
| 2 | 2797.200 | 45.47 | -11.42 | 74.0 | -28.53 | Peak | 240.00 | 150 | Vertical | Pass |
| 2** | 2797.200 | 34.03 | -11.42 | 54.0 | -19.97 | AV | 240.00 | 150 | Vertical | Pass |
| 3 | 4250.200 | 47.36 | -5.56 | 74.0 | -26.64 | Peak | 88.00 | 150 | Vertical | Pass |
| 3** | 4250.200 | 38.12 | -5.56 | 54.0 | -15.88 | AV | 88.00 | 150 | Vertical | Pass |
| 4 | 5758.800 | 94.83 | -3.50 | -- | -- | Peak | 107.00 | 150 | Vertical | N/A |
| 4** | 5758.800 | 87.33 | -3.50 | -- | -- | AV | 107.00 | 150 | Vertical | N/A |
| 5 | 7425.212 | 49.27 | -4.07 | 74.0 | -24.73 | Peak | 179.00 | 150 | Vertical | Pass |
| 5** | 7425.212 | 40.56 | -4.07 | 54.0 | -13.44 | AV | 179.00 | 150 | Vertical | Pass |
| 6 | 12247.737 | 51.55 | -0.14 | 74.0 | -22.45 | Peak | 360.00 | 150 | Vertical | Pass |
| 6** | 12247.737 | 42.17 | -0.14 | 54.0 | -11.83 | AV | 360.00 | 150 | Vertical | Pass |

11ac40, U-NII-3, 1 GHz to 18 GHz, High channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1196.100 | 47.79 | -18.19 | 74.0 | -26.21 | Peak | 252.00 | 150 | Horizontal | Pass |
| 1** | 1196.100 | 32.09 | -18.19 | 54.0 | -21.91 | AV | 252.00 | 150 | Horizontal | Pass |
| 2 | 2793.100 | 43.00 | -11.12 | 74.0 | -31.00 | Peak | 292.00 | 150 | Horizontal | Pass |
| 2** | 2793.100 | 33.99 | -11.12 | 54.0 | -20.01 | AV | 292.00 | 150 | Horizontal | Pass |
| 3 | 4085.600 | 48.52 | -5.21 | 74.0 | -25.48 | Peak | 236.00 | 150 | Horizontal | Pass |
| 3** | 4085.600 | 37.88 | -5.21 | 54.0 | -16.12 | AV | 236.00 | 150 | Horizontal | Pass |
| 4 | 5799.400 | 96.41 | -3.16 | -- | -- | Peak | 133.00 | 150 | Horizontal | N/A |
| 4** | 5799.400 | 88.99 | -3.16 | -- | -- | AV | 133.00 | 150 | Horizontal | N/A |
| 5 | 7356.500 | 48.66 | -4.92 | 74.0 | -25.34 | Peak | 339.00 | 150 | Horizontal | Pass |
| 5** | 7356.500 | 39.08 | -4.92 | 54.0 | -14.92 | AV | 339.00 | 150 | Horizontal | Pass |
| 6 | 12238.250 | 51.83 | -0.32 | 74.0 | -22.17 | Peak | 230.00 | 150 | Horizontal | Pass |
| 6** | 12238.250 | 41.66 | -0.32 | 54.0 | -12.34 | AV | 230.00 | 150 | Horizontal | Pass |

11ac40, U-NII-3, 1 GHz to 18 GHz, High channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1197.800 | 46.48 | -18.26 | 74.0 | -27.52 | Peak | 332.00 | 150 | Vertical | Pass |
| 1** | 1197.800 | 31.45 | -18.26 | 54.0 | -22.55 | AV | 332.00 | 150 | Vertical | Pass |
| 2 | 2791.600 | 46.30 | -11.10 | 74.0 | -27.70 | Peak | 289.00 | 150 | Vertical | Pass |
| 2** | 2791.600 | 36.58 | -11.10 | 54.0 | -17.42 | AV | 289.00 | 150 | Vertical | Pass |
| 3 | 4282.600 | 47.80 | -5.12 | 74.0 | -26.20 | Peak | 203.00 | 150 | Vertical | Pass |
| 3** | 4282.600 | 37.88 | -5.12 | 54.0 | -16.12 | AV | 203.00 | 150 | Vertical | Pass |
| 4 | 5802.800 | 94.32 | -3.18 | -- | -- | Peak | 90.00 | 150 | Vertical | N/A |
| 4** | 5802.800 | 87.04 | -3.18 | -- | -- | AV | 90.00 | 150 | Vertical | N/A |
| 5 | 7421.475 | 48.44 | -4.03 | 74.0 | -25.56 | Peak | 63.00 | 150 | Vertical | Pass |
| 5** | 7421.475 | 40.05 | -4.03 | 54.0 | -13.95 | AV | 63.00 | 150 | Vertical | Pass |
| 6 | 12212.662 | 51.10 | -0.45 | 74.0 | -22.90 | Peak | 264.00 | 150 | Vertical | Pass |
| 6** | 12212.662 | 40.90 | -0.45 | 54.0 | -13.10 | AV | 264.00 | 150 | Vertical | Pass |

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1168.800 | 41.86 | -18.46 | 74.0 | -32.14 | Peak | 235.00 | 150 | Horizontal | Pass |
| 1** | 1168.800 | 29.85 | -18.46 | 54.0 | -24.15 | AV | 235.00 | 150 | Horizontal | Pass |
| 2 | 2743.900 | 43.08 | -11.75 | 74.0 | -30.92 | Peak | 323.00 | 150 | Horizontal | Pass |
| 2** | 2743.900 | 33.96 | -11.75 | 54.0 | -20.04 | AV | 323.00 | 150 | Horizontal | Pass |
| 3 | 4087.200 | 47.43 | -5.33 | 74.0 | -26.57 | Peak | 161.00 | 150 | Horizontal | Pass |
| 3** | 4087.200 | 37.82 | -5.33 | 54.0 | -16.18 | AV | 161.00 | 150 | Horizontal | Pass |
| 4 | 5781.000 | 96.81 | -3.24 | -- | -- | Peak | 295.00 | 150 | Horizontal | N/A |
| 4** | 5781.000 | 89.05 | -3.24 | -- | -- | AV | 295.00 | 150 | Horizontal | N/A |
| 5 | 7421.763 | 48.64 | -4.04 | 74.0 | -25.36 | Peak | 187.00 | 150 | Horizontal | Pass |
| 5** | 7421.763 | 39.56 | -4.04 | 54.0 | -14.44 | AV | 187.00 | 150 | Horizontal | Pass |
| 6 | 12268.151 | 51.66 | 0.06 | 74.0 | -22.34 | Peak | 91.00 | 150 | Horizontal | Pass |
| 6** | 12268.151 | 43.12 | 0.06 | 54.0 | -10.88 | AV | 91.00 | 150 | Horizontal | Pass |

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1199.600 | 48.70 | -18.21 | 74.0 | -25.30 | Peak | 294.00 | 150 | Vertical | Pass |
| 1** | 1199.600 | 31.63 | -18.21 | 54.0 | -22.37 | AV | 294.00 | 150 | Vertical | Pass |
| 2 | 2803.000 | 45.81 | -11.50 | 74.0 | -28.19 | Peak | 273.00 | 150 | Vertical | Pass |
| 2** | 2803.000 | 34.19 | -11.50 | 54.0 | -19.81 | AV | 273.00 | 150 | Vertical | Pass |
| 3 | 4203.000 | 47.71 | -6.19 | 74.0 | -26.29 | Peak | 252.00 | 150 | Vertical | Pass |
| 3** | 4203.000 | 37.54 | -6.19 | 54.0 | -16.46 | AV | 252.00 | 150 | Vertical | Pass |
| 4 | 5778.000 | 94.80 | -3.30 | -- | -- | Peak | 92.00 | 150 | Vertical | N/A |
| 4** | 5778.000 | 87.27 | -3.30 | -- | -- | AV | 92.00 | 150 | Vertical | N/A |
| 5 | 7363.112 | 48.89 | -5.09 | 74.0 | -25.11 | Peak | 208.00 | 150 | Vertical | Pass |
| 5** | 7363.112 | 39.70 | -5.09 | 54.0 | -14.30 | AV | 208.00 | 150 | Vertical | Pass |
| 6 | 12349.799 | 51.85 | -1.23 | 74.0 | -22.15 | Peak | 0.00 | 150 | Vertical | Pass |
| 6** | 12349.799 | 41.38 | -1.23 | 54.0 | -12.62 | AV | 0.00 | 150 | Vertical | Pass |

11ax20-SU, U-NII-3, 1 GHz to 18 GHz, Low channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1199.300 | 46.24 | -18.25 | 74.0 | -27.76 | Peak | 237.00 | 150 | Horizontal | Pass |
| 1** | 1199.300 | 31.37 | -18.25 | 54.0 | -22.63 | AV | 237.00 | 150 | Horizontal | Pass |
| 2 | 2814.100 | 42.93 | -11.62 | 74.0 | -31.07 | Peak | 216.00 | 150 | Horizontal | Pass |
| 2** | 2814.100 | 34.08 | -11.62 | 54.0 | -19.92 | AV | 216.00 | 150 | Horizontal | Pass |
| 3 | 4008.200 | 47.34 | -6.49 | 74.0 | -26.66 | Peak | 158.00 | 150 | Horizontal | Pass |
| 3** | 4008.200 | 37.96 | -6.49 | 54.0 | -16.04 | AV | 158.00 | 150 | Horizontal | Pass |
| 4 | 5739.800 | 99.53 | -4.17 | -- | -- | Peak | 133.00 | 150 | Horizontal | N/A |
| 4** | 5739.800 | 88.53 | -4.17 | -- | -- | AV | 133.00 | 150 | Horizontal | N/A |
| 5 | 7377.775 | 48.23 | -4.79 | 74.0 | -25.77 | Peak | 290.00 | 150 | Horizontal | Pass |
| 5** | 7377.775 | 38.55 | -4.79 | 54.0 | -15.45 | AV | 290.00 | 150 | Horizontal | Pass |
| 6 | 12076.100 | 50.87 | -1.36 | 74.0 | -23.13 | Peak | 360.00 | 150 | Horizontal | Pass |
| 6** | 12076.100 | 42.05 | -1.36 | 54.0 | -11.95 | AV | 360.00 | 150 | Horizontal | Pass |

11ax20-SU, U-NII-3, 1 GHz to 18 GHz, Low channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1144.100 | 45.09 | -18.58 | 74.0 | -28.91 | Peak | 303.00 | 150 | Vertical | Pass |
| 1** | 1144.100 | 30.85 | -18.58 | 54.0 | -23.15 | AV | 303.00 | 150 | Vertical | Pass |
| 2 | 2790.600 | 46.94 | -11.10 | 74.0 | -27.06 | Peak | 255.00 | 150 | Vertical | Pass |
| 2** | 2790.600 | 36.51 | -11.10 | 54.0 | -17.49 | AV | 255.00 | 150 | Vertical | Pass |
| 3 | 4206.600 | 47.13 | -6.21 | 74.0 | -26.87 | Peak | 360.00 | 150 | Vertical | Pass |
| 3** | 4206.600 | 38.58 | -6.21 | 54.0 | -15.42 | AV | 360.00 | 150 | Vertical | Pass |
| 4 | 5752.800 | 93.93 | -3.65 | -- | -- | Peak | 95.00 | 150 | Vertical | N/A |
| 4** | 5752.800 | 86.19 | -3.65 | -- | -- | AV | 95.00 | 150 | Vertical | N/A |
| 5 | 7347.300 | 47.89 | -5.18 | 74.0 | -26.11 | Peak | 146.00 | 150 | Vertical | Pass |
| 5** | 7347.300 | 38.74 | -5.18 | 54.0 | -15.26 | AV | 146.00 | 150 | Vertical | Pass |
| 6 | 12016.012 | 51.65 | -1.20 | 74.0 | -22.35 | Peak | 289.00 | 150 | Vertical | Pass |
| 6** | 12016.012 | 42.01 | -1.20 | 54.0 | -11.99 | AV | 289.00 | 150 | Vertical | Pass |

11ax20-SU, U-NII-3, 1 GHz to 18 GHz, Middle channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1199.700 | 47.48 | -18.20 | 74.0 | -26.52 | Peak | 245.00 | 150 | Horizontal | Pass |
| 1** | 1199.700 | 40.85 | -18.20 | 54.0 | -13.15 | AV | 245.00 | 150 | Horizontal | Pass |
| 2 | 2806.600 | 43.46 | -11.55 | 74.0 | -30.54 | Peak | 319.00 | 150 | Horizontal | Pass |
| 2** | 2806.600 | 34.08 | -11.55 | 54.0 | -19.92 | AV | 319.00 | 150 | Horizontal | Pass |
| 3 | 4078.800 | 47.08 | -5.18 | 74.0 | -26.92 | Peak | 209.00 | 150 | Horizontal | Pass |
| 3** | 4078.800 | 37.74 | -5.18 | 54.0 | -16.26 | AV | 209.00 | 150 | Horizontal | Pass |
| 4 | 5786.800 | 98.54 | -3.08 | -- | -- | Peak | 133.00 | 150 | Horizontal | N/A |
| 4** | 5786.800 | 88.62 | -3.08 | -- | -- | AV | 133.00 | 150 | Horizontal | N/A |
| 5 | 7423.775 | 48.33 | -4.08 | 74.0 | -25.67 | Peak | 207.00 | 150 | Horizontal | Pass |
| 5** | 7423.775 | 39.94 | -4.08 | 54.0 | -14.06 | AV | 207.00 | 150 | Horizontal | Pass |
| 6 | 12014.000 | 51.36 | -1.22 | 74.0 | -22.64 | Peak | 360.00 | 150 | Horizontal | Pass |
| 6** | 12014.000 | 42.30 | -1.22 | 54.0 | -11.70 | AV | 360.00 | 150 | Horizontal | Pass |

11ax20-SU, U-NII-3, 1 GHz to 18 GHz, Middle channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1195.600 | 44.31 | -18.20 | 74.0 | -29.69 | Peak | 316.00 | 150 | Vertical | Pass |
| 1** | 1195.600 | 33.94 | -18.20 | 54.0 | -20.06 | AV | 316.00 | 150 | Vertical | Pass |
| 2 | 2796.700 | 45.91 | -11.42 | 74.0 | -28.09 | Peak | 294.00 | 150 | Vertical | Pass |
| 2** | 2796.700 | 34.20 | -11.42 | 54.0 | -19.80 | AV | 294.00 | 150 | Vertical | Pass |
| 3 | 4100.800 | 47.54 | -5.94 | 74.0 | -26.46 | Peak | 67.00 | 150 | Vertical | Pass |
| 3** | 4100.800 | 37.50 | -5.94 | 54.0 | -16.50 | AV | 67.00 | 150 | Vertical | Pass |
| 4 | 5786.800 | 94.89 | -3.08 | -- | -- | Peak | 242.00 | 150 | Vertical | N/A |
| 4** | 5786.800 | 86.15 | -3.08 | -- | -- | AV | 242.00 | 150 | Vertical | N/A |
| 5 | 7426.362 | 48.90 | -4.07 | 74.0 | -25.10 | Peak | 22.00 | 150 | Vertical | Pass |
| 5** | 7426.362 | 39.20 | -4.07 | 54.0 | -14.80 | AV | 22.00 | 150 | Vertical | Pass |
| 6 | 12187.076 | 51.53 | -0.90 | 74.0 | -22.47 | Peak | 124.00 | 150 | Vertical | Pass |
| 6** | 12187.076 | 42.26 | -0.90 | 54.0 | -11.74 | AV | 124.00 | 150 | Vertical | Pass |

11ax20-SU, U-NII-3, 1 GHz to 18 GHz, High channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1199.100 | 42.87 | -18.28 | 74.0 | -31.13 | Peak | 268.00 | 150 | Horizontal | Pass |
| 1** | 1199.100 | 31.15 | -18.28 | 54.0 | -22.85 | AV | 268.00 | 150 | Horizontal | Pass |
| 2 | 2721.500 | 43.90 | -10.74 | 74.0 | -30.10 | Peak | 167.00 | 150 | Horizontal | Pass |
| 2** | 2721.500 | 33.13 | -10.74 | 54.0 | -20.87 | AV | 167.00 | 150 | Horizontal | Pass |
| 3 | 4282.400 | 47.55 | -5.12 | 74.0 | -26.45 | Peak | 0.00 | 150 | Horizontal | Pass |
| 3** | 4282.400 | 37.93 | -5.12 | 54.0 | -16.07 | AV | 0.00 | 150 | Horizontal | Pass |
| 4 | 5829.000 | 99.60 | -2.96 | -- | -- | Peak | 134.00 | 150 | Horizontal | N/A |
| 4** | 5829.000 | 89.67 | -2.96 | -- | -- | AV | 134.00 | 150 | Horizontal | N/A |
| 5 | 7434.125 | 48.83 | -4.38 | 74.0 | -25.17 | Peak | 262.00 | 150 | Horizontal | Pass |
| 5** | 7434.125 | 39.57 | -4.38 | 54.0 | -14.43 | AV | 262.00 | 150 | Horizontal | Pass |
| 6 | 12181.900 | 51.34 | -0.96 | 74.0 | -22.66 | Peak | 77.00 | 150 | Horizontal | Pass |
| 6** | 12181.900 | 42.05 | -0.96 | 54.0 | -11.95 | AV | 77.00 | 150 | Horizontal | Pass |

11ax20-SU, U-NII-3, 1 GHz to 18 GHz, High channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1165.900 | 44.52 | -18.49 | 74.0 | -29.48 | Peak | 336.00 | 150 | Vertical | Pass |
| 1** | 1165.900 | 31.70 | -18.49 | 54.0 | -22.30 | AV | 336.00 | 150 | Vertical | Pass |
| 2 | 2790.200 | 48.32 | -11.10 | 74.0 | -25.68 | Peak | 261.00 | 150 | Vertical | Pass |
| 2** | 2790.200 | 40.97 | -11.10 | 54.0 | -13.03 | AV | 261.00 | 150 | Vertical | Pass |
| 3 | 4001.400 | 47.28 | -6.34 | 74.0 | -26.72 | Peak | 15.00 | 150 | Vertical | Pass |
| 3** | 4001.400 | 37.24 | -6.34 | 54.0 | -16.76 | AV | 15.00 | 150 | Vertical | Pass |
| 4 | 5822.200 | 96.80 | -2.83 | -- | -- | Peak | 96.00 | 150 | Vertical | N/A |
| 4** | 5822.200 | 87.72 | -2.83 | -- | -- | AV | 96.00 | 150 | Vertical | N/A |
| 5 | 7485.587 | 48.35 | -4.53 | 74.0 | -25.65 | Peak | 51.00 | 150 | Vertical | Pass |
| 5** | 7485.587 | 38.66 | -4.53 | 54.0 | -15.34 | AV | 51.00 | 150 | Vertical | Pass |
| 6 | 12334.276 | 52.11 | -0.80 | 74.0 | -21.89 | Peak | 25.00 | 150 | Vertical | Pass |
| 6** | 12334.276 | 41.79 | -0.80 | 54.0 | -12.21 | AV | 25.00 | 150 | Vertical | Pass |

11ax40-SU, U-NII-3, 1 GHz to 18 GHz, Low channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1162.500 | 43.32 | -18.45 | 74.0 | -30.68 | Peak | 285.00 | 150 | Horizontal | Pass |
| 1** | 1162.500 | 29.80 | -18.45 | 54.0 | -24.20 | AV | 285.00 | 150 | Horizontal | Pass |
| 2 | 2711.000 | 44.25 | -11.30 | 74.0 | -29.75 | Peak | 360.00 | 150 | Horizontal | Pass |
| 2** | 2711.000 | 33.53 | -11.30 | 54.0 | -20.47 | AV | 360.00 | 150 | Horizontal | Pass |
| 3 | 4085.000 | 47.38 | -5.16 | 74.0 | -26.62 | Peak | 0.00 | 150 | Horizontal | Pass |
| 3** | 4085.000 | 37.84 | -5.16 | 54.0 | -16.16 | AV | 0.00 | 150 | Horizontal | Pass |
| 4 | 5750.000 | 95.15 | -3.69 | -- | -- | Peak | 131.00 | 150 | Horizontal | N/A |
| 4** | 5750.000 | 87.04 | -3.69 | -- | -- | AV | 131.00 | 150 | Horizontal | N/A |
| 5 | 7421.475 | 48.18 | -4.03 | 74.0 | -25.82 | Peak | 232.00 | 150 | Horizontal | Pass |
| 5** | 7421.475 | 39.93 | -4.03 | 54.0 | -14.07 | AV | 232.00 | 150 | Horizontal | Pass |
| 6 | 11395.875 | 50.90 | -1.31 | 74.0 | -23.10 | Peak | 181.00 | 150 | Horizontal | Pass |
| 6** | 11395.875 | 40.84 | -1.31 | 54.0 | -13.16 | AV | 181.00 | 150 | Horizontal | Pass |

11ax40-SU, U-NII-3, 1 GHz to 18 GHz, Low channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1199.400 | 43.64 | -18.24 | 74.0 | -30.36 | Peak | 334.00 | 150 | Vertical | Pass |
| 1** | 1199.400 | 30.52 | -18.24 | 54.0 | -23.48 | AV | 334.00 | 150 | Vertical | Pass |
| 2 | 2792.300 | 46.48 | -11.09 | 74.0 | -27.52 | Peak | 260.00 | 150 | Vertical | Pass |
| 2** | 2792.300 | 35.08 | -11.09 | 54.0 | -18.92 | AV | 260.00 | 150 | Vertical | Pass |
| 3 | 4318.400 | 48.07 | -4.92 | 74.0 | -25.93 | Peak | 285.00 | 150 | Vertical | Pass |
| 3** | 4318.400 | 38.12 | -4.92 | 54.0 | -15.88 | AV | 285.00 | 150 | Vertical | Pass |
| 4 | 5759.600 | 93.50 | -3.48 | -- | -- | Peak | 100.00 | 150 | Vertical | N/A |
| 4** | 5759.600 | 85.06 | -3.48 | -- | -- | AV | 100.00 | 150 | Vertical | N/A |
| 5 | 7588.513 | 48.63 | -4.73 | 74.0 | -25.37 | Peak | 167.00 | 150 | Vertical | Pass |
| 5** | 7588.513 | 39.49 | -4.73 | 54.0 | -14.51 | AV | 167.00 | 150 | Vertical | Pass |
| 6 | 12105.425 | 50.94 | -0.93 | 74.0 | -23.06 | Peak | 2.00 | 150 | Vertical | Pass |
| 6** | 12105.425 | 42.62 | -0.93 | 54.0 | -11.38 | AV | 2.00 | 150 | Vertical | Pass |

11ax40-SU, U-NII-3, 1 GHz to 18 GHz, High channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1191.300 | 44.03 | -18.34 | 74.0 | -29.97 | Peak | 251.00 | 150 | Horizontal | Pass |
| 1** | 1191.300 | 29.60 | -18.34 | 54.0 | -24.40 | AV | 251.00 | 150 | Horizontal | Pass |
| 2 | 2780.300 | 43.50 | -11.35 | 74.0 | -30.50 | Peak | 226.00 | 150 | Horizontal | Pass |
| 2** | 2780.300 | 33.28 | -11.35 | 54.0 | -20.72 | AV | 226.00 | 150 | Horizontal | Pass |
| 3 | 4041.200 | 47.15 | -5.70 | 74.0 | -26.85 | Peak | 17.00 | 150 | Horizontal | Pass |
| 3** | 4041.200 | 38.68 | -5.70 | 54.0 | -15.32 | AV | 17.00 | 150 | Horizontal | Pass |
| 4 | 5806.000 | 96.85 | -3.04 | -- | -- | Peak | 121.00 | 150 | Horizontal | N/A |
| 4** | 5806.000 | 86.69 | -3.04 | -- | -- | AV | 121.00 | 150 | Horizontal | N/A |
| 5 | 7690.862 | 48.67 | -4.22 | 74.0 | -25.33 | Peak | 298.00 | 150 | Horizontal | Pass |
| 5** | 7690.862 | 39.15 | -4.22 | 54.0 | -14.85 | AV | 298.00 | 150 | Horizontal | Pass |
| 6 | 11986.688 | 50.97 | -1.61 | 74.0 | -23.03 | Peak | 137.00 | 150 | Horizontal | Pass |
| 6** | 11986.688 | 40.87 | -1.61 | 54.0 | -13.13 | AV | 137.00 | 150 | Horizontal | Pass |

11ax40-SU, U-NII-3, 1 GHz to 18 GHz, High channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1165.500 | 47.39 | -18.48 | 74.0 | -26.61 | Peak | 334.00 | 150 | Vertical | Pass |
| 1** | 1165.500 | 29.46 | -18.48 | 54.0 | -24.54 | AV | 334.00 | 150 | Vertical | Pass |
| 2 | 2797.400 | 46.28 | -11.42 | 74.0 | -27.72 | Peak | 360.00 | 150 | Vertical | Pass |
| 2** | 2797.400 | 34.61 | -11.42 | 54.0 | -19.39 | AV | 360.00 | 150 | Vertical | Pass |
| 3 | 3990.400 | 47.33 | -6.26 | 74.0 | -26.67 | Peak | 135.00 | 150 | Vertical | Pass |
| 3** | 3990.400 | 37.04 | -6.26 | 54.0 | -16.96 | AV | 135.00 | 150 | Vertical | Pass |
| 4 | 5806.000 | 92.26 | -3.04 | -- | -- | Peak | 108.00 | 150 | Vertical | N/A |
| 4** | 5806.000 | 83.38 | -3.04 | -- | -- | AV | 108.00 | 150 | Vertical | N/A |
| 5 | 7417.163 | 48.58 | -4.09 | 74.0 | -25.42 | Peak | 274.00 | 150 | Vertical | Pass |
| 5** | 7417.163 | 40.16 | -4.09 | 54.0 | -13.84 | AV | 274.00 | 150 | Vertical | Pass |
| 6 | 12271.025 | 51.26 | 0.07 | 74.0 | -22.74 | Peak | 330.00 | 150 | Vertical | Pass |
| 6** | 12271.025 | 42.70 | 0.07 | 54.0 | -11.30 | AV | 330.00 | 150 | Vertical | Pass |

11ax80-SU, U-NII-3, 1 GHz to 18 GHz, Middle channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1197.700 | 43.63 | -18.25 | 74.0 | -30.37 | Peak | 253.00 | 150 | Horizontal | Pass |
| 1** | 1197.700 | 30.98 | -18.25 | 54.0 | -23.02 | AV | 253.00 | 150 | Horizontal | Pass |
| 2 | 2750.800 | 43.48 | -11.67 | 74.0 | -30.52 | Peak | 138.00 | 150 | Horizontal | Pass |
| 2** | 2750.800 | 33.84 | -11.67 | 54.0 | -20.16 | AV | 138.00 | 150 | Horizontal | Pass |
| 3 | 4248.800 | 47.58 | -5.72 | 74.0 | -26.42 | Peak | 100.00 | 150 | Horizontal | Pass |
| 3** | 4248.800 | 38.33 | -5.72 | 54.0 | -15.67 | AV | 100.00 | 150 | Horizontal | Pass |
| 4 | 5796.200 | 93.01 | -3.19 | -- | -- | Peak | 128.00 | 150 | Horizontal | N/A |
| 4** | 5796.200 | 81.17 | -3.19 | -- | -- | AV | 128.00 | 150 | Horizontal | N/A |
| 5 | 7368.862 | 48.55 | -4.87 | 74.0 | -25.45 | Peak | 32.00 | 150 | Horizontal | Pass |
| 5** | 7368.862 | 39.23 | -4.87 | 54.0 | -14.77 | AV | 32.00 | 150 | Horizontal | Pass |
| 6 | 12008.537 | 50.76 | -1.26 | 74.0 | -23.24 | Peak | 160.00 | 150 | Horizontal | Pass |
| 6** | 12008.537 | 41.49 | -1.26 | 54.0 | -12.51 | AV | 160.00 | 150 | Horizontal | Pass |

11ax80-SU, U-NII-3, 1 GHz to 18 GHz, Middle channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1197.500 | 45.92 | -18.23 | 74.0 | -28.08 | Peak | 330.00 | 150 | Vertical | Pass |
| 1** | 1197.500 | 31.76 | -18.23 | 54.0 | -22.24 | AV | 330.00 | 150 | Vertical | Pass |
| 2 | 2793.400 | 46.84 | -11.14 | 74.0 | -27.16 | Peak | 275.00 | 150 | Vertical | Pass |
| 2** | 2793.400 | 34.35 | -11.14 | 54.0 | -19.65 | AV | 275.00 | 150 | Vertical | Pass |
| 3 | 4009.200 | 47.52 | -6.51 | 74.0 | -26.48 | Peak | 302.00 | 150 | Vertical | Pass |
| 3** | 4009.200 | 37.61 | -6.51 | 54.0 | -16.39 | AV | 302.00 | 150 | Vertical | Pass |
| 4 | 5772.800 | 89.81 | -3.22 | -- | -- | Peak | 87.00 | 150 | Vertical | N/A |
| 4** | 5772.800 | 80.27 | -3.22 | -- | -- | AV | 87.00 | 150 | Vertical | N/A |
| 5 | 7322.288 | 48.81 | -4.96 | 74.0 | -25.19 | Peak | 96.00 | 150 | Vertical | Pass |
| 5** | 7322.288 | 38.88 | -4.96 | 54.0 | -15.12 | AV | 96.00 | 150 | Vertical | Pass |
| 6 | 11652.612 | 50.96 | -0.38 | 74.0 | -23.04 | Peak | 96.00 | 150 | Vertical | Pass |
| 6** | 11652.612 | 42.05 | -0.38 | 54.0 | -11.95 | AV | 96.00 | 150 | Vertical | Pass |

Aux. Antenna

11a, U-NII-1, 1 GHz to 18 GHz, Low channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1556.000 | 37.81 | -17.95 | 74.0 | -36.19 | Peak | 254.00 | 150 | Horizontal | Pass |
| 1** | 1556.000 | 28.38 | -17.95 | 54.0 | -25.62 | AV | 254.00 | 150 | Horizontal | Pass |
| 2 | 2809.800 | 42.98 | -11.58 | 74.0 | -31.02 | Peak | 190.00 | 150 | Horizontal | Pass |
| 2** | 2809.800 | 33.63 | -11.58 | 54.0 | -20.37 | AV | 190.00 | 150 | Horizontal | Pass |
| 3 | 4012.200 | 47.39 | -6.61 | 74.0 | -26.61 | Peak | 228.00 | 150 | Horizontal | Pass |
| 3** | 4012.200 | 37.22 | -6.61 | 54.0 | -16.78 | AV | 228.00 | 150 | Horizontal | Pass |
| 4 | 5174.200 | 104.36 | -3.96 | -- | -- | Peak | 146.00 | 150 | Horizontal | N/A |
| 4** | 5174.200 | 97.03 | -3.96 | -- | -- | AV | 146.00 | 150 | Horizontal | N/A |
| 5 | 7359.375 | 48.32 | -4.87 | 74.0 | -25.68 | Peak | 335.00 | 150 | Horizontal | Pass |
| 5** | 7359.375 | 38.96 | -4.87 | 54.0 | -15.04 | AV | 335.00 | 150 | Horizontal | Pass |
| 6 | 12069.200 | 51.43 | -1.42 | 74.0 | -22.57 | Peak | 202.00 | 150 | Horizontal | Pass |
| 6** | 12069.200 | 42.43 | -1.42 | 54.0 | -11.57 | AV | 202.00 | 150 | Horizontal | Pass |

11a, U-NII-1, 1 GHz to 18 GHz, Low channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1198.700 | 41.84 | -18.33 | 74.0 | -32.16 | Peak | 40.00 | 150 | Vertical | Pass |
| 1** | 1198.700 | 30.34 | -18.33 | 54.0 | -23.66 | AV | 40.00 | 150 | Vertical | Pass |
| 2 | 2789.200 | 45.41 | -11.08 | 74.0 | -28.59 | Peak | 244.00 | 150 | Vertical | Pass |
| 2** | 2789.200 | 36.05 | -11.08 | 54.0 | -17.95 | AV | 244.00 | 150 | Vertical | Pass |
| 3 | 4086.800 | 47.72 | -5.30 | 74.0 | -26.28 | Peak | 305.00 | 150 | Vertical | Pass |
| 3** | 4086.800 | 38.42 | -5.30 | 54.0 | -15.58 | AV | 305.00 | 150 | Vertical | Pass |
| 4 | 5167.800 | 96.51 | -3.96 | -- | -- | Peak | 0.00 | 150 | Vertical | N/A |
| 4** | 5167.800 | 88.32 | -3.96 | -- | -- | AV | 0.00 | 150 | Vertical | N/A |
| 5 | 7442.750 | 48.97 | -4.31 | 74.0 | -25.03 | Peak | 165.00 | 150 | Vertical | Pass |
| 5** | 7442.750 | 39.55 | -4.31 | 54.0 | -14.45 | AV | 165.00 | 150 | Vertical | Pass |
| 6 | 12175.575 | 50.97 | -0.96 | 74.0 | -23.03 | Peak | 254.00 | 150 | Vertical | Pass |
| 6** | 12175.575 | 41.70 | -0.96 | 54.0 | -12.30 | AV | 254.00 | 150 | Vertical | Pass |

11a, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1163.300 | 43.84 | -18.44 | 74.0 | -30.16 | Peak | 239.00 | 150 | Horizontal | Pass |
| 1** | 1163.300 | 28.32 | -18.44 | 54.0 | -25.68 | AV | 239.00 | 150 | Horizontal | Pass |
| 2 | 2808.000 | 43.77 | -11.55 | 74.0 | -30.23 | Peak | 226.00 | 150 | Horizontal | Pass |
| 2** | 2808.000 | 33.76 | -11.55 | 54.0 | -20.24 | AV | 226.00 | 150 | Horizontal | Pass |
| 3 | 4038.400 | 46.90 | -5.77 | 74.0 | -27.10 | Peak | 276.00 | 150 | Horizontal | Pass |
| 3** | 4038.400 | 37.77 | -5.77 | 54.0 | -16.23 | AV | 276.00 | 150 | Horizontal | Pass |
| 4 | 5208.000 | 104.97 | -3.94 | -- | -- | Peak | 305.00 | 150 | Horizontal | N/A |
| 4** | 5208.000 | 96.22 | -3.94 | -- | -- | AV | 305.00 | 150 | Horizontal | N/A |
| 5 | 7429.813 | 48.86 | -4.31 | 74.0 | -25.14 | Peak | 21.00 | 150 | Horizontal | Pass |
| 5** | 7429.813 | 39.57 | -4.31 | 54.0 | -14.43 | AV | 21.00 | 150 | Horizontal | Pass |
| 6 | 12167.238 | 51.75 | -0.92 | 74.0 | -22.25 | Peak | 285.00 | 150 | Horizontal | Pass |
| 6** | 12167.238 | 42.51 | -0.92 | 54.0 | -11.49 | AV | 285.00 | 150 | Horizontal | Pass |

11a, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1198.400 | 41.39 | -18.30 | 74.0 | -32.61 | Peak | 325.00 | 150 | Vertical | Pass |
| 1** | 1198.400 | 30.15 | -18.30 | 54.0 | -23.85 | AV | 325.00 | 150 | Vertical | Pass |
| 2 | 2797.000 | 46.04 | -11.42 | 74.0 | -27.96 | Peak | 282.00 | 150 | Vertical | Pass |
| 2** | 2797.000 | 34.21 | -11.42 | 54.0 | -19.79 | AV | 282.00 | 150 | Vertical | Pass |
| 3 | 4175.600 | 46.96 | -5.39 | 74.0 | -27.04 | Peak | 111.00 | 150 | Vertical | Pass |
| 3** | 4175.600 | 38.39 | -5.39 | 54.0 | -15.61 | AV | 111.00 | 150 | Vertical | Pass |
| 4 | 5205.600 | 95.03 | -3.93 | -- | -- | Peak | 335.00 | 150 | Vertical | N/A |
| 4** | 5205.600 | 87.31 | -3.93 | -- | -- | AV | 335.00 | 150 | Vertical | N/A |
| 5 | 7423.487 | 48.23 | -4.08 | 74.0 | -25.77 | Peak | 96.00 | 150 | Vertical | Pass |
| 5** | 7423.487 | 39.66 | -4.08 | 54.0 | -14.34 | AV | 96.00 | 150 | Vertical | Pass |
| 6 | 12239.400 | 51.34 | -0.32 | 74.0 | -22.66 | Peak | 151.00 | 150 | Vertical | Pass |
| 6** | 12239.400 | 41.89 | -0.32 | 54.0 | -12.11 | AV | 151.00 | 150 | Vertical | Pass |

11a, U-NII-1, 1 GHz to 18 GHz, High channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1492.500 | 40.19 | -18.06 | 74.0 | -33.81 | Peak | 229.00 | 150 | Horizontal | Pass |
| 1** | 1492.500 | 29.40 | -18.06 | 54.0 | -24.60 | AV | 229.00 | 150 | Horizontal | Pass |
| 2 | 2784.200 | 42.60 | -11.28 | 74.0 | -31.40 | Peak | 244.00 | 150 | Horizontal | Pass |
| 2** | 2784.200 | 33.80 | -11.28 | 54.0 | -20.20 | AV | 244.00 | 150 | Horizontal | Pass |
| 3 | 4089.600 | 46.93 | -5.49 | 74.0 | -27.07 | Peak | 301.00 | 150 | Horizontal | Pass |
| 3** | 4089.600 | 37.32 | -5.49 | 54.0 | -16.68 | AV | 301.00 | 150 | Horizontal | Pass |
| 4 | 5233.800 | 105.28 | -4.19 | -- | -- | Peak | 141.00 | 150 | Horizontal | N/A |
| 4** | 5233.800 | 97.39 | -4.19 | -- | -- | AV | 141.00 | 150 | Horizontal | N/A |
| 5 | 7433.838 | 48.17 | -4.38 | 74.0 | -25.83 | Peak | 146.00 | 150 | Horizontal | Pass |
| 5** | 7433.838 | 39.88 | -4.38 | 54.0 | -14.12 | AV | 146.00 | 150 | Horizontal | Pass |
| 6 | 11848.401 | 51.68 | -1.60 | 74.0 | -22.32 | Peak | 35.00 | 150 | Horizontal | Pass |
| 6** | 11848.401 | 40.77 | -1.60 | 54.0 | -13.23 | AV | 35.00 | 150 | Horizontal | Pass |

11a, U-NII-1, 1 GHz to 18 GHz, High channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1164.600 | 43.92 | -18.46 | 74.0 | -30.08 | Peak | 317.00 | 150 | Vertical | Pass |
| 1** | 1164.600 | 30.61 | -18.46 | 54.0 | -23.39 | AV | 317.00 | 150 | Vertical | Pass |
| 2 | 2798.600 | 45.67 | -11.41 | 74.0 | -28.33 | Peak | 288.00 | 150 | Vertical | Pass |
| 2** | 2798.600 | 36.44 | -11.41 | 54.0 | -17.56 | AV | 288.00 | 150 | Vertical | Pass |
| 3 | 4651.200 | 50.26 | -4.71 | 74.0 | -23.74 | Peak | 254.00 | 150 | Vertical | Pass |
| 3** | 4651.200 | 42.44 | -4.71 | 54.0 | -11.56 | AV | 254.00 | 150 | Vertical | Pass |
| 4 | 5228.000 | 97.43 | -4.07 | -- | -- | Peak | 0.00 | 150 | Vertical | N/A |
| 4** | 5228.000 | 88.23 | -4.07 | -- | -- | AV | 0.00 | 150 | Vertical | N/A |
| 5 | 7431.250 | 47.90 | -4.40 | 74.0 | -26.10 | Peak | 136.00 | 150 | Vertical | Pass |
| 5** | 7431.250 | 39.30 | -4.40 | 54.0 | -14.70 | AV | 136.00 | 150 | Vertical | Pass |
| 6 | 11611.213 | 50.95 | -0.16 | 74.0 | -23.05 | Peak | 212.00 | 150 | Vertical | Pass |
| 6** | 11611.213 | 41.42 | -0.16 | 54.0 | -12.58 | AV | 212.00 | 150 | Vertical | Pass |

11n20, U-NII-1, 1 GHz to 18 GHz, Low channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1197.400 | 40.25 | -18.23 | 74.0 | -33.75 | Peak | 79.00 | 150 | Horizontal | Pass |
| 1** | 1197.400 | 30.21 | -18.23 | 54.0 | -23.79 | AV | 79.00 | 150 | Horizontal | Pass |
| 2 | 2795.000 | 42.86 | -11.24 | 74.0 | -31.14 | Peak | 63.00 | 150 | Horizontal | Pass |
| 2** | 2795.000 | 35.09 | -11.24 | 54.0 | -18.91 | AV | 63.00 | 150 | Horizontal | Pass |
| 3 | 4269.800 | 47.57 | -5.14 | 74.0 | -26.43 | Peak | 213.00 | 150 | Horizontal | Pass |
| 3** | 4269.800 | 37.93 | -5.14 | 54.0 | -16.07 | AV | 213.00 | 150 | Horizontal | Pass |
| 4 | 5163.600 | 104.46 | -3.87 | -- | -- | Peak | 130.00 | 150 | Horizontal | N/A |
| 4** | 5163.600 | 96.44 | -3.87 | -- | -- | AV | 130.00 | 150 | Horizontal | N/A |
| 5 | 7441.312 | 48.39 | -4.27 | 74.0 | -25.61 | Peak | 169.00 | 150 | Horizontal | Pass |
| 5** | 7441.312 | 39.91 | -4.27 | 54.0 | -14.09 | AV | 169.00 | 150 | Horizontal | Pass |
| 6 | 12229.913 | 51.47 | -0.30 | 74.0 | -22.53 | Peak | 283.00 | 150 | Horizontal | Pass |
| 6** | 12229.913 | 41.09 | -0.30 | 54.0 | -12.91 | AV | 283.00 | 150 | Horizontal | Pass |

11n20, U-NII-1, 1 GHz to 18 GHz, Low channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1514.500 | 40.56 | -18.00 | 74.0 | -33.44 | Peak | 294.00 | 150 | Vertical | Pass |
| 1** | 1514.500 | 30.74 | -18.00 | 54.0 | -23.26 | AV | 294.00 | 150 | Vertical | Pass |
| 2 | 2797.700 | 46.11 | -11.42 | 74.0 | -27.89 | Peak | 277.00 | 150 | Vertical | Pass |
| 2** | 2797.700 | 38.92 | -11.42 | 54.0 | -15.08 | AV | 277.00 | 150 | Vertical | Pass |
| 3 | 4059.600 | 47.41 | -5.54 | 74.0 | -26.59 | Peak | 0.00 | 150 | Vertical | Pass |
| 3** | 4059.600 | 37.36 | -5.54 | 54.0 | -16.64 | AV | 0.00 | 150 | Vertical | Pass |
| 4 | 5162.200 | 95.57 | -3.84 | -- | -- | Peak | 2.00 | 150 | Vertical | N/A |
| 4** | 5162.200 | 88.69 | -3.84 | -- | -- | AV | 2.00 | 150 | Vertical | N/A |
| 5 | 7694.312 | 48.70 | -4.32 | 74.0 | -25.30 | Peak | 225.00 | 150 | Vertical | Pass |
| 5** | 7694.312 | 38.53 | -4.32 | 54.0 | -15.47 | AV | 225.00 | 150 | Vertical | Pass |
| 6 | 12102.838 | 51.41 | -0.98 | 74.0 | -22.59 | Peak | 189.00 | 150 | Vertical | Pass |
| 6** | 12102.838 | 42.19 | -0.98 | 54.0 | -11.81 | AV | 189.00 | 150 | Vertical | Pass |

11n20, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1196.900 | 40.07 | -18.19 | 74.0 | -33.93 | Peak | 246.00 | 150 | Horizontal | Pass |
| 1** | 1196.900 | 31.22 | -18.19 | 54.0 | -22.78 | AV | 246.00 | 150 | Horizontal | Pass |
| 2 | 2773.300 | 43.36 | -11.47 | 74.0 | -30.64 | Peak | 68.00 | 150 | Horizontal | Pass |
| 2** | 2773.300 | 33.40 | -11.47 | 54.0 | -20.60 | AV | 68.00 | 150 | Horizontal | Pass |
| 3 | 4080.200 | 47.85 | -5.15 | 74.0 | -26.15 | Peak | 70.00 | 150 | Horizontal | Pass |
| 3** | 4080.200 | 37.60 | -5.15 | 54.0 | -16.40 | AV | 70.00 | 150 | Horizontal | Pass |
| 4 | 5218.000 | 104.44 | -4.06 | -- | -- | Peak | 143.00 | 150 | Horizontal | N/A |
| 4** | 5218.000 | 96.48 | -4.06 | -- | -- | AV | 143.00 | 150 | Horizontal | N/A |
| 5 | 7432.400 | 48.43 | -4.40 | 74.0 | -25.57 | Peak | 319.00 | 150 | Horizontal | Pass |
| 5** | 7432.400 | 39.52 | -4.40 | 54.0 | -14.48 | AV | 319.00 | 150 | Horizontal | Pass |
| 6 | 11589.363 | 50.72 | -0.06 | 74.0 | -23.28 | Peak | 15.00 | 150 | Horizontal | Pass |
| 6** | 11589.363 | 42.11 | -0.06 | 54.0 | -11.89 | AV | 15.00 | 150 | Horizontal | Pass |

11n20, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1146.100 | 42.19 | -18.67 | 74.0 | -31.81 | Peak | 261.00 | 150 | Vertical | Pass |
| 1** | 1146.100 | 27.98 | -18.67 | 54.0 | -26.02 | AV | 261.00 | 150 | Vertical | Pass |
| 2 | 2792.400 | 45.90 | -11.09 | 74.0 | -28.10 | Peak | 243.00 | 150 | Vertical | Pass |
| 2** | 2792.400 | 33.78 | -11.09 | 54.0 | -20.22 | AV | 243.00 | 150 | Vertical | Pass |
| 3 | 4092.000 | 46.71 | -5.63 | 74.0 | -27.29 | Peak | 275.00 | 150 | Vertical | Pass |
| 3** | 4092.000 | 38.21 | -5.63 | 54.0 | -15.79 | AV | 275.00 | 150 | Vertical | Pass |
| 4 | 5204.000 | 96.51 | -4.00 | -- | -- | Peak | 348.00 | 150 | Vertical | N/A |
| 4** | 5204.000 | 87.50 | -4.00 | -- | -- | AV | 348.00 | 150 | Vertical | N/A |
| 5 | 7461.437 | 48.09 | -4.61 | 74.0 | -25.91 | Peak | 349.00 | 150 | Vertical | Pass |
| 5** | 7461.437 | 38.35 | -4.61 | 54.0 | -15.65 | AV | 349.00 | 150 | Vertical | Pass |
| 6 | 12253.487 | 51.14 | -0.05 | 74.0 | -22.86 | Peak | 249.00 | 150 | Vertical | Pass |
| 6** | 12253.487 | 42.01 | -0.05 | 54.0 | -11.99 | AV | 249.00 | 150 | Vertical | Pass |

11n20, U-NII-1, 1 GHz to 18 GHz, High channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1199.900 | 42.15 | -18.17 | 74.0 | -31.85 | Peak | 245.00 | 150 | Horizontal | Pass |
| 1** | 1199.900 | 31.29 | -18.17 | 54.0 | -22.71 | AV | 245.00 | 150 | Horizontal | Pass |
| 2 | 2785.700 | 42.87 | -11.21 | 74.0 | -31.13 | Peak | 360.00 | 150 | Horizontal | Pass |
| 2** | 2785.700 | 33.46 | -11.21 | 54.0 | -20.54 | AV | 360.00 | 150 | Horizontal | Pass |
| 3 | 4221.800 | 47.33 | -5.91 | 74.0 | -26.67 | Peak | 0.00 | 150 | Horizontal | Pass |
| 3** | 4221.800 | 37.28 | -5.91 | 54.0 | -16.72 | AV | 0.00 | 150 | Horizontal | Pass |
| 4 | 5237.400 | 104.69 | -4.32 | -- | -- | Peak | 307.00 | 150 | Horizontal | N/A |
| 4** | 5237.400 | 97.23 | -4.32 | -- | -- | AV | 307.00 | 150 | Horizontal | N/A |
| 5 | 7435.850 | 48.10 | -4.35 | 74.0 | -25.90 | Peak | 54.00 | 150 | Horizontal | Pass |
| 5** | 7435.850 | 39.20 | -4.35 | 54.0 | -14.80 | AV | 54.00 | 150 | Horizontal | Pass |
| 6 | 11174.787 | 51.15 | -2.01 | 74.0 | -22.85 | Peak | 360.00 | 150 | Horizontal | Pass |
| 6** | 11174.787 | 41.45 | -2.01 | 54.0 | -12.55 | AV | 360.00 | 150 | Horizontal | Pass |

11n20, U-NII-1, 1 GHz to 18 GHz, High channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1165.900 | 42.28 | -18.49 | 74.0 | -31.72 | Peak | 318.00 | 150 | Vertical | Pass |
| 1** | 1165.900 | 30.39 | -18.49 | 54.0 | -23.61 | AV | 318.00 | 150 | Vertical | Pass |
| 2 | 2779.600 | 44.75 | -11.37 | 74.0 | -29.25 | Peak | 318.00 | 150 | Vertical | Pass |
| 2** | 2779.600 | 34.55 | -11.37 | 54.0 | -19.45 | AV | 318.00 | 150 | Vertical | Pass |
| 3 | 4659.000 | 50.94 | -4.78 | 74.0 | -23.06 | Peak | 247.00 | 150 | Vertical | Pass |
| 3** | 4659.000 | 38.59 | -4.78 | 54.0 | -15.41 | AV | 247.00 | 150 | Vertical | Pass |
| 4 | 5227.000 | 96.85 | -4.06 | -- | -- | Peak | 345.00 | 150 | Vertical | N/A |
| 4** | 5227.000 | 87.92 | -4.06 | -- | -- | AV | 345.00 | 150 | Vertical | N/A |
| 5 | 7420.900 | 48.73 | -4.00 | 74.0 | -25.27 | Peak | 268.00 | 150 | Vertical | Pass |
| 5** | 7420.900 | 39.76 | -4.00 | 54.0 | -14.24 | AV | 268.00 | 150 | Vertical | Pass |
| 6 | 12347.787 | 51.18 | -1.18 | 74.0 | -22.82 | Peak | 247.00 | 150 | Vertical | Pass |
| 6** | 12347.787 | 40.98 | -1.18 | 54.0 | -13.02 | AV | 247.00 | 150 | Vertical | Pass |

11n40, U-NII-1, 1 GHz to 18 GHz, Low channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1146.300 | 40.07 | -18.67 | 74.0 | -33.93 | Peak | 259.00 | 150 | Horizontal | Pass |
| 1** | 1146.300 | 28.25 | -18.67 | 54.0 | -25.75 | AV | 259.00 | 150 | Horizontal | Pass |
| 2 | 2772.400 | 44.12 | -11.48 | 74.0 | -29.88 | Peak | 238.00 | 150 | Horizontal | Pass |
| 2** | 2772.400 | 33.30 | -11.48 | 54.0 | -20.70 | AV | 238.00 | 150 | Horizontal | Pass |
| 3 | 4062.400 | 46.96 | -5.60 | 74.0 | -27.04 | Peak | 177.00 | 150 | Horizontal | Pass |
| 3** | 4062.400 | 37.95 | -5.60 | 54.0 | -16.05 | AV | 177.00 | 150 | Horizontal | Pass |
| 4 | 5193.600 | 103.40 | -3.92 | -- | -- | Peak | 301.00 | 150 | Horizontal | N/A |
| 4** | 5193.600 | 95.69 | -3.92 | -- | -- | AV | 301.00 | 150 | Horizontal | N/A |
| 5 | 7436.425 | 48.15 | -4.35 | 74.0 | -25.85 | Peak | 170.00 | 150 | Horizontal | Pass |
| 5** | 7436.425 | 40.03 | -4.35 | 54.0 | -13.97 | AV | 170.00 | 150 | Horizontal | Pass |
| 6 | 11613.799 | 50.73 | -0.16 | 74.0 | -23.27 | Peak | 256.00 | 150 | Horizontal | Pass |
| 6** | 11613.799 | 42.07 | -0.16 | 54.0 | -11.93 | AV | 256.00 | 150 | Horizontal | Pass |

11n40, U-NII-1, 1 GHz to 18 GHz, Low channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1197.000 | 42.21 | -18.20 | 74.0 | -31.79 | Peak | 341.00 | 150 | Vertical | Pass |
| 1** | 1197.000 | 31.52 | -18.20 | 54.0 | -22.48 | AV | 341.00 | 150 | Vertical | Pass |
| 2 | 2796.800 | 47.53 | -11.42 | 74.0 | -26.47 | Peak | 243.00 | 150 | Vertical | Pass |
| 2** | 2796.800 | 37.40 | -11.42 | 54.0 | -16.60 | AV | 243.00 | 150 | Vertical | Pass |
| 3 | 4124.600 | 47.27 | -5.85 | 74.0 | -26.73 | Peak | 201.00 | 150 | Vertical | Pass |
| 3** | 4124.600 | 39.16 | -5.85 | 54.0 | -14.84 | AV | 201.00 | 150 | Vertical | Pass |
| 4 | 5188.200 | 95.83 | -3.97 | -- | -- | Peak | 345.00 | 150 | Vertical | N/A |
| 4** | 5188.200 | 88.10 | -3.97 | -- | -- | AV | 345.00 | 150 | Vertical | N/A |
| 5 | 7361.388 | 48.67 | -4.97 | 74.0 | -25.33 | Peak | 144.00 | 150 | Vertical | Pass |
| 5** | 7361.388 | 39.55 | -4.97 | 54.0 | -14.45 | AV | 144.00 | 150 | Vertical | Pass |
| 6 | 12098.813 | 51.23 | -1.05 | 74.0 | -22.77 | Peak | 207.00 | 150 | Vertical | Pass |
| 6** | 12098.813 | 42.41 | -1.05 | 54.0 | -11.59 | AV | 207.00 | 150 | Vertical | Pass |

11n40, U-NII-1, 1 GHz to 18 GHz, High channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1197.800 | 41.10 | -18.26 | 74.0 | -32.90 | Peak | 240.00 | 150 | Horizontal | Pass |
| 1** | 1197.800 | 30.33 | -18.26 | 54.0 | -23.67 | AV | 240.00 | 150 | Horizontal | Pass |
| 2 | 2768.800 | 42.97 | -11.53 | 74.0 | -31.03 | Peak | 95.00 | 150 | Horizontal | Pass |
| 2** | 2768.800 | 34.07 | -11.53 | 54.0 | -19.93 | AV | 95.00 | 150 | Horizontal | Pass |
| 3 | 4093.400 | 47.14 | -5.71 | 74.0 | -26.86 | Peak | 360.00 | 150 | Horizontal | Pass |
| 3** | 4093.400 | 37.87 | -5.71 | 54.0 | -16.13 | AV | 360.00 | 150 | Horizontal | Pass |
| 4 | 5226.800 | 104.81 | -4.06 | -- | -- | Peak | 126.00 | 150 | Horizontal | N/A |
| 4** | 5226.800 | 96.47 | -4.06 | -- | -- | AV | 126.00 | 150 | Horizontal | N/A |
| 5 | 7426.650 | 48.25 | -4.07 | 74.0 | -25.75 | Peak | 360.00 | 150 | Horizontal | Pass |
| 5** | 7426.650 | 40.48 | -4.07 | 54.0 | -13.52 | AV | 360.00 | 150 | Horizontal | Pass |
| 6 | 12241.988 | 51.87 | -0.28 | 74.0 | -22.13 | Peak | 68.00 | 150 | Horizontal | Pass |
| 6** | 12241.988 | 42.18 | -0.28 | 54.0 | -11.82 | AV | 68.00 | 150 | Horizontal | Pass |

11n40, U-NII-1, 1 GHz to 18 GHz, High channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1196.600 | 43.97 | -18.17 | 74.0 | -30.03 | Peak | 312.00 | 150 | Vertical | Pass |
| 1** | 1196.600 | 29.94 | -18.17 | 54.0 | -24.06 | AV | 312.00 | 150 | Vertical | Pass |
| 2 | 2771.900 | 45.51 | -11.49 | 74.0 | -28.49 | Peak | 249.00 | 150 | Vertical | Pass |
| 2** | 2771.900 | 34.35 | -11.49 | 54.0 | -19.65 | AV | 249.00 | 150 | Vertical | Pass |
| 3 | 4158.800 | 47.40 | -5.65 | 74.0 | -26.60 | Peak | 58.00 | 150 | Vertical | Pass |
| 3** | 4158.800 | 37.53 | -5.65 | 54.0 | -16.47 | AV | 58.00 | 150 | Vertical | Pass |
| 4 | 5234.000 | 95.19 | -4.19 | -- | -- | Peak | 360.00 | 150 | Vertical | N/A |
| 4** | 5234.000 | 88.47 | -4.19 | -- | -- | AV | 360.00 | 150 | Vertical | N/A |
| 5 | 7357.362 | 48.30 | -4.88 | 74.0 | -25.70 | Peak | 206.00 | 150 | Vertical | Pass |
| 5** | 7357.362 | 39.11 | -4.88 | 54.0 | -14.89 | AV | 206.00 | 150 | Vertical | Pass |
| 6 | 12241.412 | 51.63 | -0.29 | 74.0 | -22.37 | Peak | 250.00 | 150 | Vertical | Pass |
| 6** | 12241.412 | 41.95 | -0.29 | 54.0 | -12.05 | AV | 250.00 | 150 | Vertical | Pass |

11ac20, U-NII-1, 1 GHz to 18 GHz, Low channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1496.400 | 38.50 | -17.92 | 74.0 | -35.50 | Peak | 44.00 | 150 | Horizontal | Pass |
| 1** | 1496.400 | 28.60 | -17.92 | 54.0 | -25.40 | AV | 44.00 | 150 | Horizontal | Pass |
| 2 | 2793.400 | 43.14 | -11.14 | 74.0 | -30.86 | Peak | 44.00 | 150 | Horizontal | Pass |
| 2** | 2793.400 | 33.63 | -11.14 | 54.0 | -20.37 | AV | 44.00 | 150 | Horizontal | Pass |
| 3 | 4134.600 | 46.91 | -6.09 | 74.0 | -27.09 | Peak | 224.00 | 150 | Horizontal | Pass |
| 3** | 4134.600 | 37.87 | -6.09 | 54.0 | -16.13 | AV | 224.00 | 150 | Horizontal | Pass |
| 4 | 5165.600 | 104.60 | -3.85 | -- | -- | Peak | 132.00 | 150 | Horizontal | N/A |
| 4** | 5165.600 | 97.60 | -3.85 | -- | -- | AV | 132.00 | 150 | Horizontal | N/A |
| 5 | 7465.462 | 48.22 | -4.57 | 74.0 | -25.78 | Peak | 162.00 | 150 | Horizontal | Pass |
| 5** | 7465.462 | 38.68 | -4.57 | 54.0 | -15.32 | AV | 162.00 | 150 | Horizontal | Pass |
| 6 | 12093.062 | 51.58 | -1.13 | 74.0 | -22.42 | Peak | 360.00 | 150 | Horizontal | Pass |
| 6** | 12093.062 | 42.54 | -1.13 | 54.0 | -11.46 | AV | 360.00 | 150 | Horizontal | Pass |

11ac20, U-NII-1, 1 GHz to 18 GHz, Low channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1162.500 | 42.39 | -18.45 | 74.0 | -31.61 | Peak | 338.00 | 150 | Vertical | Pass |
| 1** | 1162.500 | 32.08 | -18.45 | 54.0 | -21.92 | AV | 338.00 | 150 | Vertical | Pass |
| 2 | 2798.100 | 45.67 | -11.42 | 74.0 | -28.33 | Peak | 230.00 | 150 | Vertical | Pass |
| 2** | 2798.100 | 34.44 | -11.42 | 54.0 | -19.56 | AV | 230.00 | 150 | Vertical | Pass |
| 3 | 4653.800 | 50.87 | -4.77 | 74.0 | -23.13 | Peak | 251.00 | 150 | Vertical | Pass |
| 3** | 4653.800 | 39.51 | -4.77 | 54.0 | -14.49 | AV | 251.00 | 150 | Vertical | Pass |
| 4 | 5163.800 | 95.27 | -3.87 | -- | -- | Peak | 0.00 | 150 | Vertical | N/A |
| 4** | 5163.800 | 88.40 | -3.87 | -- | -- | AV | 0.00 | 150 | Vertical | N/A |
| 5 | 7345.000 | 48.99 | -5.14 | 74.0 | -25.01 | Peak | 277.00 | 150 | Vertical | Pass |
| 5** | 7345.000 | 39.28 | -5.14 | 54.0 | -14.72 | AV | 277.00 | 150 | Vertical | Pass |
| 6 | 12325.937 | 51.17 | -0.56 | 74.0 | -22.83 | Peak | 71.00 | 150 | Vertical | Pass |
| 6** | 12325.937 | 41.30 | -0.56 | 54.0 | -12.70 | AV | 71.00 | 150 | Vertical | Pass |

11ac20, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1202.500 | 39.59 | -18.07 | 74.0 | -34.41 | Peak | 322.00 | 150 | Horizontal | Pass |
| 1** | 1202.500 | 31.86 | -18.07 | 54.0 | -22.14 | AV | 322.00 | 150 | Horizontal | Pass |
| 2 | 2768.800 | 42.79 | -11.53 | 74.0 | -31.21 | Peak | 360.00 | 150 | Horizontal | Pass |
| 2** | 2768.800 | 34.14 | -11.53 | 54.0 | -19.86 | AV | 360.00 | 150 | Horizontal | Pass |
| 3 | 3994.400 | 46.72 | -6.32 | 74.0 | -27.28 | Peak | 78.00 | 150 | Horizontal | Pass |
| 3** | 3994.400 | 37.30 | -6.32 | 54.0 | -16.70 | AV | 78.00 | 150 | Horizontal | Pass |
| 4 | 5208.600 | 103.97 | -3.95 | -- | -- | Peak | 290.00 | 150 | Horizontal | N/A |
| 4** | 5208.600 | 95.91 | -3.95 | -- | -- | AV | 290.00 | 150 | Horizontal | N/A |
| 5 | 7323.150 | 48.09 | -4.96 | 74.0 | -25.91 | Peak | 287.00 | 150 | Horizontal | Pass |
| 5** | 7323.150 | 38.50 | -4.96 | 54.0 | -15.50 | AV | 287.00 | 150 | Horizontal | Pass |
| 6 | 11591.375 | 51.04 | -0.08 | 74.0 | -22.96 | Peak | 46.00 | 150 | Horizontal | Pass |
| 6** | 11591.375 | 41.57 | -0.08 | 54.0 | -12.43 | AV | 46.00 | 150 | Horizontal | Pass |

11ac20, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1170.000 | 42.41 | -18.46 | 74.0 | -31.59 | Peak | 321.00 | 150 | Vertical | Pass |
| 1** | 1170.000 | 29.24 | -18.46 | 54.0 | -24.76 | AV | 321.00 | 150 | Vertical | Pass |
| 2 | 2801.000 | 45.35 | -11.40 | 74.0 | -28.65 | Peak | 138.00 | 150 | Vertical | Pass |
| 2** | 2801.000 | 33.94 | -11.40 | 54.0 | -20.06 | AV | 138.00 | 150 | Vertical | Pass |
| 3 | 4076.000 | 46.56 | -5.31 | 74.0 | -27.44 | Peak | 217.00 | 150 | Vertical | Pass |
| 3** | 4076.000 | 37.75 | -5.31 | 54.0 | -16.25 | AV | 217.00 | 150 | Vertical | Pass |
| 4 | 5202.000 | 95.25 | -3.95 | -- | -- | Peak | 338.00 | 150 | Vertical | N/A |
| 4** | 5202.000 | 87.93 | -3.95 | -- | -- | AV | 338.00 | 150 | Vertical | N/A |
| 5 | 7357.650 | 48.29 | -4.88 | 74.0 | -25.71 | Peak | 222.00 | 150 | Vertical | Pass |
| 5** | 7357.650 | 39.52 | -4.88 | 54.0 | -14.48 | AV | 222.00 | 150 | Vertical | Pass |
| 6 | 12257.225 | 50.98 | 0.00 | 74.0 | -23.02 | Peak | 248.00 | 150 | Vertical | Pass |
| 6** | 12257.225 | 42.20 | 0.00 | 54.0 | -11.80 | AV | 248.00 | 150 | Vertical | Pass |

11ac20, U-NII-1, 1 GHz to 18 GHz, High channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1182.200 | 39.23 | -18.58 | 74.0 | -34.77 | Peak | 241.00 | 150 | Horizontal | Pass |
| 1** | 1182.200 | 27.84 | -18.58 | 54.0 | -26.16 | AV | 241.00 | 150 | Horizontal | Pass |
| 2 | 2806.400 | 43.00 | -11.56 | 74.0 | -31.00 | Peak | 98.00 | 150 | Horizontal | Pass |
| 2** | 2806.400 | 33.75 | -11.56 | 54.0 | -20.25 | AV | 98.00 | 150 | Horizontal | Pass |
| 3 | 4096.800 | 47.91 | -6.01 | 74.0 | -26.09 | Peak | 211.00 | 150 | Horizontal | Pass |
| 3** | 4096.800 | 38.05 | -6.01 | 54.0 | -15.95 | AV | 211.00 | 150 | Horizontal | Pass |
| 4 | 5228.600 | 104.46 | -4.09 | -- | -- | Peak | 139.00 | 150 | Horizontal | N/A |
| 4** | 5228.600 | 96.06 | -4.09 | -- | -- | AV | 139.00 | 150 | Horizontal | N/A |
| 5 | 7468.913 | 48.30 | -4.62 | 74.0 | -25.70 | Peak | 360.00 | 150 | Horizontal | Pass |
| 5** | 7468.913 | 38.62 | -4.62 | 54.0 | -15.38 | AV | 360.00 | 150 | Horizontal | Pass |
| 6 | 12260.675 | 51.83 | 0.04 | 74.0 | -22.17 | Peak | 128.00 | 150 | Horizontal | Pass |
| 6** | 12260.675 | 41.61 | 0.04 | 54.0 | -12.39 | AV | 128.00 | 150 | Horizontal | Pass |

11ac20, U-NII-1, 1 GHz to 18 GHz, High channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1174.500 | 42.80 | -18.49 | 74.0 | -31.20 | Peak | 309.00 | 150 | Vertical | Pass |
| 1** | 1174.500 | 30.26 | -18.49 | 54.0 | -23.74 | AV | 309.00 | 150 | Vertical | Pass |
| 2 | 2793.700 | 44.95 | -11.15 | 74.0 | -29.05 | Peak | 286.00 | 150 | Vertical | Pass |
| 2** | 2793.700 | 35.08 | -11.15 | 54.0 | -18.92 | AV | 286.00 | 150 | Vertical | Pass |
| 3 | 4248.000 | 47.38 | -5.81 | 74.0 | -26.62 | Peak | 46.00 | 150 | Vertical | Pass |
| 3** | 4248.000 | 37.58 | -5.81 | 54.0 | -16.42 | AV | 46.00 | 150 | Vertical | Pass |
| 4 | 5234.200 | 95.75 | -4.20 | -- | -- | Peak | 360.00 | 150 | Vertical | N/A |
| 4** | 5234.200 | 88.02 | -4.20 | -- | -- | AV | 360.00 | 150 | Vertical | N/A |
| 5 | 7440.163 | 48.22 | -4.35 | 74.0 | -25.78 | Peak | 106.00 | 150 | Vertical | Pass |
| 5** | 7440.163 | 39.30 | -4.35 | 54.0 | -14.70 | AV | 106.00 | 150 | Vertical | Pass |
| 6 | 12264.988 | 51.00 | 0.05 | 74.0 | -23.00 | Peak | 257.00 | 150 | Vertical | Pass |
| 6** | 12264.988 | 42.41 | 0.05 | 54.0 | -11.59 | AV | 257.00 | 150 | Vertical | Pass |

11ac40, U-NII-1, 1 GHz to 18 GHz, Low channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1202.500 | 39.00 | -18.07 | 74.0 | -35.00 | Peak | 40.00 | 150 | Horizontal | Pass |
| 1** | 1202.500 | 31.07 | -18.07 | 54.0 | -22.93 | AV | 40.00 | 150 | Horizontal | Pass |
| 2 | 2787.300 | 43.26 | -11.12 | 74.0 | -30.74 | Peak | 57.00 | 150 | Horizontal | Pass |
| 2** | 2787.300 | 33.56 | -11.12 | 54.0 | -20.44 | AV | 57.00 | 150 | Horizontal | Pass |
| 3 | 3984.200 | 47.06 | -6.34 | 74.0 | -26.94 | Peak | 328.00 | 150 | Horizontal | Pass |
| 3** | 3984.200 | 37.33 | -6.34 | 54.0 | -16.67 | AV | 328.00 | 150 | Horizontal | Pass |
| 4 | 5187.000 | 103.89 | -4.00 | -- | -- | Peak | 316.00 | 150 | Horizontal | N/A |
| 4** | 5187.000 | 97.05 | -4.00 | -- | -- | AV | 316.00 | 150 | Horizontal | N/A |
| 5 | 7371.450 | 48.61 | -4.73 | 74.0 | -25.39 | Peak | 257.00 | 150 | Horizontal | Pass |
| 5** | 7371.450 | 39.38 | -4.73 | 54.0 | -14.62 | AV | 257.00 | 150 | Horizontal | Pass |
| 6 | 11657.500 | 51.14 | -0.44 | 74.0 | -22.86 | Peak | 257.00 | 150 | Horizontal | Pass |
| 6** | 11657.500 | 41.48 | -0.44 | 54.0 | -12.52 | AV | 257.00 | 150 | Horizontal | Pass |

11ac40, U-NII-1, 1 GHz to 18 GHz, Low channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1196.700 | 42.65 | -18.17 | 74.0 | -31.35 | Peak | 331.00 | 150 | Vertical | Pass |
| 1** | 1196.700 | 29.69 | -18.17 | 54.0 | -24.31 | AV | 331.00 | 150 | Vertical | Pass |
| 2 | 2785.300 | 45.73 | -11.23 | 74.0 | -28.27 | Peak | 263.00 | 150 | Vertical | Pass |
| 2** | 2785.300 | 33.64 | -11.23 | 54.0 | -20.36 | AV | 263.00 | 150 | Vertical | Pass |
| 3 | 4200.600 | 46.92 | -6.11 | 74.0 | -27.08 | Peak | 360.00 | 150 | Vertical | Pass |
| 3** | 4200.600 | 37.70 | -6.11 | 54.0 | -16.30 | AV | 360.00 | 150 | Vertical | Pass |
| 4 | 5184.400 | 95.73 | -3.91 | -- | -- | Peak | 352.00 | 150 | Vertical | N/A |
| 4** | 5184.400 | 89.11 | -3.91 | -- | -- | AV | 352.00 | 150 | Vertical | N/A |
| 5 | 7363.112 | 49.10 | -5.09 | 74.0 | -24.90 | Peak | 186.00 | 150 | Vertical | Pass |
| 5** | 7363.112 | 39.06 | -5.09 | 54.0 | -14.94 | AV | 186.00 | 150 | Vertical | Pass |
| 6 | 12243.425 | 51.44 | -0.24 | 74.0 | -22.56 | Peak | 326.00 | 150 | Vertical | Pass |
| 6** | 12243.425 | 42.35 | -0.24 | 54.0 | -11.65 | AV | 326.00 | 150 | Vertical | Pass |

11ac40, U-NII-1, 1 GHz to 18 GHz, High channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1480.100 | 38.14 | -18.00 | 74.0 | -35.86 | Peak | 228.00 | 150 | Horizontal | Pass |
| 1** | 1480.100 | 28.97 | -18.00 | 54.0 | -25.03 | AV | 228.00 | 150 | Horizontal | Pass |
| 2 | 2808.800 | 42.81 | -11.56 | 74.0 | -31.19 | Peak | 187.00 | 150 | Horizontal | Pass |
| 2** | 2808.800 | 33.57 | -11.56 | 54.0 | -20.43 | AV | 187.00 | 150 | Horizontal | Pass |
| 3 | 4150.400 | 47.48 | -6.02 | 74.0 | -26.52 | Peak | 38.00 | 150 | Horizontal | Pass |
| 3** | 4150.400 | 37.95 | -6.02 | 54.0 | -16.05 | AV | 38.00 | 150 | Horizontal | Pass |
| 4 | 5235.400 | 103.54 | -4.27 | -- | -- | Peak | 304.00 | 150 | Horizontal | N/A |
| 4** | 5235.400 | 96.11 | -4.27 | -- | -- | AV | 304.00 | 150 | Horizontal | N/A |
| 5 | 7448.500 | 48.80 | -4.51 | 74.0 | -25.20 | Peak | 151.00 | 150 | Horizontal | Pass |
| 5** | 7448.500 | 40.22 | -4.51 | 54.0 | -13.78 | AV | 151.00 | 150 | Horizontal | Pass |
| 6 | 11653.188 | 51.13 | -0.38 | 74.0 | -22.87 | Peak | 135.00 | 150 | Horizontal | Pass |
| 6** | 11653.188 | 42.21 | -0.38 | 54.0 | -11.79 | AV | 135.00 | 150 | Horizontal | Pass |

11ac40, U-NII-1, 1 GHz to 18 GHz, High channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1201.100 | 42.20 | -18.04 | 74.0 | -31.80 | Peak | 307.00 | 150 | Vertical | Pass |
| 1** | 1201.100 | 32.23 | -18.04 | 54.0 | -21.77 | AV | 307.00 | 150 | Vertical | Pass |
| 2 | 2795.300 | 45.34 | -11.27 | 74.0 | -28.66 | Peak | 353.00 | 150 | Vertical | Pass |
| 2** | 2795.300 | 34.56 | -11.27 | 54.0 | -19.44 | AV | 353.00 | 150 | Vertical | Pass |
| 3 | 4058.000 | 46.52 | -5.58 | 74.0 | -27.48 | Peak | 264.00 | 150 | Vertical | Pass |
| 3** | 4058.000 | 37.96 | -5.58 | 54.0 | -16.04 | AV | 264.00 | 150 | Vertical | Pass |
| 4 | 5238.000 | 95.95 | -4.32 | -- | -- | Peak | 350.00 | 150 | Vertical | N/A |
| 4** | 5238.000 | 88.01 | -4.32 | -- | -- | AV | 350.00 | 150 | Vertical | N/A |
| 5 | 7426.075 | 48.68 | -4.07 | 74.0 | -25.32 | Peak | 242.00 | 150 | Vertical | Pass |
| 5** | 7426.075 | 39.65 | -4.07 | 54.0 | -14.35 | AV | 242.00 | 150 | Vertical | Pass |
| 6 | 12346.063 | 51.56 | -1.13 | 74.0 | -22.44 | Peak | 360.00 | 150 | Vertical | Pass |
| 6** | 12346.063 | 41.13 | -1.13 | 54.0 | -12.87 | AV | 360.00 | 150 | Vertical | Pass |

11ac80, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1197.200 | 39.85 | -18.21 | 74.0 | -34.15 | Peak | 351.00 | 150 | Horizontal | Pass |
| 1** | 1197.200 | 28.98 | -18.21 | 54.0 | -25.02 | AV | 351.00 | 150 | Horizontal | Pass |
| 2 | 2838.700 | 43.25 | -11.92 | 74.0 | -30.75 | Peak | 0.00 | 150 | Horizontal | Pass |
| 2** | 2838.700 | 33.99 | -11.92 | 54.0 | -20.01 | AV | 0.00 | 150 | Horizontal | Pass |
| 3 | 4261.800 | 48.11 | -5.45 | 74.0 | -25.89 | Peak | 0.00 | 150 | Horizontal | Pass |
| 3** | 4261.800 | 39.09 | -5.45 | 54.0 | -14.91 | AV | 0.00 | 150 | Horizontal | Pass |
| 4 | 5215.200 | 103.81 | -3.86 | -- | -- | Peak | 150.00 | 150 | Horizontal | N/A |
| 4** | 5215.200 | 96.53 | -3.86 | -- | -- | AV | 150.00 | 150 | Horizontal | N/A |
| 5 | 7425.212 | 48.54 | -4.07 | 74.0 | -25.46 | Peak | 101.00 | 150 | Horizontal | Pass |
| 5** | 7425.212 | 39.09 | -4.07 | 54.0 | -14.91 | AV | 101.00 | 150 | Horizontal | Pass |
| 6 | 12336.862 | 51.24 | -0.88 | 74.0 | -22.76 | Peak | 354.00 | 150 | Horizontal | Pass |
| 6** | 12336.862 | 41.44 | -0.88 | 54.0 | -12.56 | AV | 354.00 | 150 | Horizontal | Pass |

11ac80, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1163.600 | 42.97 | -18.45 | 74.0 | -31.03 | Peak | 308.00 | 150 | Vertical | Pass |
| 1** | 1163.600 | 28.56 | -18.45 | 54.0 | -25.44 | AV | 308.00 | 150 | Vertical | Pass |
| 2 | 2791.500 | 45.10 | -11.10 | 74.0 | -28.90 | Peak | 275.00 | 150 | Vertical | Pass |
| 2** | 2791.500 | 35.13 | -11.10 | 54.0 | -18.87 | AV | 275.00 | 150 | Vertical | Pass |
| 3 | 4219.600 | 47.98 | -6.02 | 74.0 | -26.02 | Peak | 314.00 | 150 | Vertical | Pass |
| 3** | 4219.600 | 37.16 | -6.02 | 54.0 | -16.84 | AV | 314.00 | 150 | Vertical | Pass |
| 4 | 5216.800 | 95.14 | -3.99 | -- | -- | Peak | 0.00 | 150 | Vertical | N/A |
| 4** | 5216.800 | 87.39 | -3.99 | -- | -- | AV | 0.00 | 150 | Vertical | N/A |
| 5 | 7368.575 | 48.56 | -4.87 | 74.0 | -25.44 | Peak | 229.00 | 150 | Vertical | Pass |
| 5** | 7368.575 | 39.18 | -4.87 | 54.0 | -14.82 | AV | 229.00 | 150 | Vertical | Pass |
| 6 | 12246.875 | 51.50 | -0.16 | 74.0 | -22.50 | Peak | 194.00 | 150 | Vertical | Pass |
| 6** | 12246.875 | 41.88 | -0.16 | 54.0 | -12.12 | AV | 194.00 | 150 | Vertical | Pass |

11ax20-SU, U-NII-1, 1 GHz to 18 GHz, Low channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1377.600 | 38.22 | -17.74 | 74.0 | -35.78 | Peak | 135.00 | 150 | Horizontal | Pass |
| 1** | 1377.600 | 28.61 | -17.74 | 54.0 | -25.39 | AV | 135.00 | 150 | Horizontal | Pass |
| 2 | 2795.300 | 43.49 | -11.27 | 74.0 | -30.51 | Peak | 226.00 | 150 | Horizontal | Pass |
| 2** | 2795.300 | 33.38 | -11.27 | 54.0 | -20.62 | AV | 226.00 | 150 | Horizontal | Pass |
| 3 | 4173.400 | 47.19 | -5.47 | 74.0 | -26.81 | Peak | 154.00 | 150 | Horizontal | Pass |
| 3** | 4173.400 | 37.46 | -5.47 | 54.0 | -16.54 | AV | 154.00 | 150 | Horizontal | Pass |
| 4 | 5182.600 | 104.65 | -3.91 | -- | -- | Peak | 302.00 | 150 | Horizontal | N/A |
| 4** | 5182.600 | 94.79 | -3.91 | -- | -- | AV | 302.00 | 150 | Horizontal | N/A |
| 5 | 7428.087 | 48.49 | -4.17 | 74.0 | -25.51 | Peak | 254.00 | 150 | Horizontal | Pass |
| 5** | 7428.087 | 39.32 | -4.17 | 54.0 | -14.68 | AV | 254.00 | 150 | Horizontal | Pass |
| 6 | 12017.450 | 51.50 | -1.19 | 74.0 | -22.50 | Peak | 89.00 | 150 | Horizontal | Pass |
| 6** | 12017.450 | 41.74 | -1.19 | 54.0 | -12.26 | AV | 89.00 | 150 | Horizontal | Pass |

11ax20-SU, U-NII-1, 1 GHz to 18 GHz, Low channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1169.900 | 43.34 | -18.46 | 74.0 | -30.66 | Peak | 320.00 | 150 | Vertical | Pass |
| 1** | 1169.900 | 28.81 | -18.46 | 54.0 | -25.19 | AV | 320.00 | 150 | Vertical | Pass |
| 2 | 2799.600 | 46.07 | -11.41 | 74.0 | -27.93 | Peak | 261.00 | 150 | Vertical | Pass |
| 2** | 2799.600 | 35.04 | -11.41 | 54.0 | -18.96 | AV | 261.00 | 150 | Vertical | Pass |
| 3 | 4275.800 | 47.79 | -5.05 | 74.0 | -26.21 | Peak | 14.00 | 150 | Vertical | Pass |
| 3** | 4275.800 | 38.23 | -5.05 | 54.0 | -15.77 | AV | 14.00 | 150 | Vertical | Pass |
| 4 | 5181.600 | 95.60 | -3.92 | -- | -- | Peak | 0.00 | 150 | Vertical | N/A |
| 4** | 5181.600 | 85.86 | -3.92 | -- | -- | AV | 0.00 | 150 | Vertical | N/A |
| 5 | 7372.600 | 48.33 | -4.84 | 74.0 | -25.67 | Peak | 175.00 | 150 | Vertical | Pass |
| 5** | 7372.600 | 39.28 | -4.84 | 54.0 | -14.72 | AV | 175.00 | 150 | Vertical | Pass |
| 6 | 12266.713 | 51.98 | 0.05 | 74.0 | -22.02 | Peak | 322.00 | 150 | Vertical | Pass |
| 6** | 12266.713 | 41.83 | 0.05 | 54.0 | -12.17 | AV | 322.00 | 150 | Vertical | Pass |

11ax20-SU, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1495.700 | 38.47 | -17.92 | 74.0 | -35.53 | Peak | 160.00 | 150 | Horizontal | Pass |
| 1** | 1495.700 | 29.16 | -17.92 | 54.0 | -24.84 | AV | 160.00 | 150 | Horizontal | Pass |
| 2 | 2814.300 | 42.60 | -11.64 | 74.0 | -31.40 | Peak | 5.00 | 150 | Horizontal | Pass |
| 2** | 2814.300 | 33.60 | -11.64 | 54.0 | -20.40 | AV | 5.00 | 150 | Horizontal | Pass |
| 3 | 4096.000 | 46.72 | -5.93 | 74.0 | -27.28 | Peak | 326.00 | 150 | Horizontal | Pass |
| 3** | 4096.000 | 37.50 | -5.93 | 54.0 | -16.50 | AV | 326.00 | 150 | Horizontal | Pass |
| 4 | 5219.000 | 104.53 | -4.12 | -- | -- | Peak | 161.00 | 150 | Horizontal | N/A |
| 4** | 5219.000 | 94.50 | -4.12 | -- | -- | AV | 161.00 | 150 | Horizontal | N/A |
| 5 | 7430.100 | 49.59 | -4.33 | 74.0 | -24.41 | Peak | 360.00 | 150 | Horizontal | Pass |
| 5** | 7430.100 | 38.88 | -4.33 | 54.0 | -15.12 | AV | 360.00 | 150 | Horizontal | Pass |
| 6 | 11560.612 | 50.52 | 0.12 | 74.0 | -23.48 | Peak | 213.00 | 150 | Horizontal | Pass |
| 6** | 11560.612 | 42.06 | 0.12 | 54.0 | -11.94 | AV | 213.00 | 150 | Horizontal | Pass |

11ax20-SU, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1197.800 | 43.91 | -18.26 | 74.0 | -30.09 | Peak | 286.00 | 150 | Vertical | Pass |
| 1** | 1197.800 | 32.53 | -18.26 | 54.0 | -21.47 | AV | 286.00 | 150 | Vertical | Pass |
| 2 | 2792.800 | 47.44 | -11.11 | 74.0 | -26.56 | Peak | 274.00 | 150 | Vertical | Pass |
| 2** | 2792.800 | 34.47 | -11.11 | 54.0 | -19.53 | AV | 274.00 | 150 | Vertical | Pass |
| 3 | 4240.600 | 47.90 | -5.71 | 74.0 | -26.10 | Peak | 196.00 | 150 | Vertical | Pass |
| 3** | 4240.600 | 38.14 | -5.71 | 54.0 | -15.86 | AV | 196.00 | 150 | Vertical | Pass |
| 4 | 5222.800 | 95.61 | -4.16 | -- | -- | Peak | 360.00 | 150 | Vertical | N/A |
| 4** | 5222.800 | 85.88 | -4.16 | -- | -- | AV | 360.00 | 150 | Vertical | N/A |
| 5 | 7349.887 | 48.40 | -5.06 | 74.0 | -25.60 | Peak | 274.00 | 150 | Vertical | Pass |
| 5** | 7349.887 | 38.93 | -5.06 | 54.0 | -15.07 | AV | 274.00 | 150 | Vertical | Pass |
| 6 | 12076.387 | 51.09 | -1.36 | 74.0 | -22.91 | Peak | 106.00 | 150 | Vertical | Pass |
| 6** | 12076.387 | 41.86 | -1.36 | 54.0 | -12.14 | AV | 106.00 | 150 | Vertical | Pass |

11ax20-SU, U-NII-1, 1 GHz to 18 GHz, High channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1150.700 | 39.22 | -18.59 | 74.0 | -34.78 | Peak | 240.00 | 150 | Horizontal | Pass |
| 1** | 1150.700 | 28.26 | -18.59 | 54.0 | -25.74 | AV | 240.00 | 150 | Horizontal | Pass |
| 2 | 2780.800 | 43.00 | -11.33 | 74.0 | -31.00 | Peak | 130.00 | 150 | Horizontal | Pass |
| 2** | 2780.800 | 33.66 | -11.33 | 54.0 | -20.34 | AV | 130.00 | 150 | Horizontal | Pass |
| 3 | 4272.800 | 47.58 | -5.09 | 74.0 | -26.42 | Peak | 351.00 | 150 | Horizontal | Pass |
| 3** | 4272.800 | 37.97 | -5.09 | 54.0 | -16.03 | AV | 351.00 | 150 | Horizontal | Pass |
| 4 | 5241.000 | 106.00 | -4.19 | -- | -- | Peak | 152.00 | 150 | Horizontal | N/A |
| 4** | 5241.000 | 95.48 | -4.19 | -- | -- | AV | 152.00 | 150 | Horizontal | N/A |
| 5 | 7428.087 | 48.65 | -4.17 | 74.0 | -25.35 | Peak | 336.00 | 150 | Horizontal | Pass |
| 5** | 7428.087 | 40.19 | -4.17 | 54.0 | -13.81 | AV | 336.00 | 150 | Horizontal | Pass |
| 6 | 11585.912 | 51.04 | -0.03 | 74.0 | -22.96 | Peak | 360.00 | 150 | Horizontal | Pass |
| 6** | 11585.912 | 41.38 | -0.03 | 54.0 | -12.62 | AV | 360.00 | 150 | Horizontal | Pass |

11ax20-SU, U-NII-1, 1 GHz to 18 GHz, High channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1199.400 | 43.24 | -18.24 | 74.0 | -30.76 | Peak | 319.00 | 150 | Vertical | Pass |
| 1** | 1199.400 | 29.99 | -18.24 | 54.0 | -24.01 | AV | 319.00 | 150 | Vertical | Pass |
| 2 | 2328.900 | 51.87 | -13.83 | 74.0 | -22.13 | Peak | 261.00 | 150 | Vertical | Pass |
| 2** | 2328.900 | 32.66 | -13.83 | 54.0 | -21.34 | AV | 261.00 | 150 | Vertical | Pass |
| 3 | 4076.600 | 46.69 | -5.28 | 74.0 | -27.31 | Peak | 141.00 | 150 | Vertical | Pass |
| 3** | 4076.600 | 38.55 | -5.28 | 54.0 | -15.45 | AV | 141.00 | 150 | Vertical | Pass |
| 4 | 5241.000 | 96.41 | -4.19 | -- | -- | Peak | 0.00 | 150 | Vertical | N/A |
| 4** | 5241.000 | 87.63 | -4.19 | -- | -- | AV | 0.00 | 150 | Vertical | N/A |
| 5 | 7438.437 | 48.06 | -4.36 | 74.0 | -25.94 | Peak | 111.00 | 150 | Vertical | Pass |
| 5** | 7438.437 | 39.74 | -4.36 | 54.0 | -14.26 | AV | 111.00 | 150 | Vertical | Pass |
| 6 | 12131.875 | 51.20 | -0.67 | 74.0 | -22.80 | Peak | 360.00 | 150 | Vertical | Pass |
| 6** | 12131.875 | 41.48 | -0.67 | 54.0 | -12.52 | AV | 360.00 | 150 | Vertical | Pass |

11ax40-SU, U-NII-1, 1 GHz to 18 GHz, Low channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1163.600 | 41.04 | -18.45 | 74.0 | -32.96 | Peak | 240.00 | 150 | Horizontal | Pass |
| 1** | 1163.600 | 27.89 | -18.45 | 54.0 | -26.11 | AV | 240.00 | 150 | Horizontal | Pass |
| 2 | 2244.700 | 46.50 | -13.21 | 74.0 | -27.50 | Peak | 252.00 | 150 | Horizontal | Pass |
| 2** | 2244.700 | 38.66 | -13.21 | 54.0 | -15.34 | AV | 252.00 | 150 | Horizontal | Pass |
| 3 | 3984.400 | 47.11 | -6.33 | 74.0 | -26.89 | Peak | 35.00 | 150 | Horizontal | Pass |
| 3** | 3984.400 | 37.08 | -6.33 | 54.0 | -16.92 | AV | 35.00 | 150 | Horizontal | Pass |
| 4 | 5183.400 | 100.85 | -3.90 | -- | -- | Peak | 160.00 | 150 | Horizontal | N/A |
| 4** | 5183.400 | 92.57 | -3.90 | -- | -- | AV | 160.00 | 150 | Horizontal | N/A |
| 5 | 7427.513 | 49.45 | -4.12 | 74.0 | -24.55 | Peak | 114.00 | 150 | Horizontal | Pass |
| 5** | 7427.513 | 39.89 | -4.12 | 54.0 | -14.11 | AV | 114.00 | 150 | Horizontal | Pass |
| 6 | 12064.600 | 51.19 | -1.46 | 74.0 | -22.81 | Peak | 133.00 | 150 | Horizontal | Pass |
| 6** | 12064.600 | 41.84 | -1.46 | 54.0 | -12.16 | AV | 133.00 | 150 | Horizontal | Pass |

11ax40-SU, U-NII-1, 1 GHz to 18 GHz, Low channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1169.300 | 44.67 | -18.45 | 74.0 | -29.33 | Peak | 321.00 | 150 | Vertical | Pass |
| 1** | 1169.300 | 35.29 | -18.45 | 54.0 | -18.71 | AV | 321.00 | 150 | Vertical | Pass |
| 2 | 2794.900 | 46.65 | -11.23 | 74.0 | -27.35 | Peak | 321.00 | 150 | Vertical | Pass |
| 2** | 2794.900 | 38.43 | -11.23 | 54.0 | -15.57 | AV | 321.00 | 150 | Vertical | Pass |
| 3 | 4108.000 | 47.10 | -5.95 | 74.0 | -26.90 | Peak | 47.00 | 150 | Vertical | Pass |
| 3** | 4108.000 | 38.05 | -5.95 | 54.0 | -15.95 | AV | 47.00 | 150 | Vertical | Pass |
| 4 | 5188.600 | 92.94 | -3.95 | -- | -- | Peak | 352.00 | 150 | Vertical | N/A |
| 4** | 5188.600 | 84.78 | -3.95 | -- | -- | AV | 352.00 | 150 | Vertical | N/A |
| 5 | 7585.925 | 48.36 | -4.64 | 74.0 | -25.64 | Peak | 190.00 | 150 | Vertical | Pass |
| 5** | 7585.925 | 39.29 | -4.64 | 54.0 | -14.71 | AV | 190.00 | 150 | Vertical | Pass |
| 6 | 12103.987 | 52.14 | -0.96 | 74.0 | -21.86 | Peak | 150.00 | 150 | Vertical | Pass |
| 6** | 12103.987 | 42.21 | -0.96 | 54.0 | -11.79 | AV | 150.00 | 150 | Vertical | Pass |

11ax40-SU, U-NII-1, 1 GHz to 18 GHz, High channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1199.900 | 40.15 | -18.17 | 74.0 | -33.85 | Peak | 263.00 | 150 | Horizontal | Pass |
| 1** | 1199.900 | 30.87 | -18.17 | 54.0 | -23.13 | AV | 263.00 | 150 | Horizontal | Pass |
| 2 | 2785.000 | 42.63 | -11.24 | 74.0 | -31.37 | Peak | 263.00 | 150 | Horizontal | Pass |
| 2** | 2785.000 | 33.38 | -11.24 | 54.0 | -20.62 | AV | 263.00 | 150 | Horizontal | Pass |
| 3 | 4004.800 | 47.88 | -6.36 | 74.0 | -26.12 | Peak | 207.00 | 150 | Horizontal | Pass |
| 3** | 4004.800 | 37.30 | -6.36 | 54.0 | -16.70 | AV | 207.00 | 150 | Horizontal | Pass |
| 4 | 5241.800 | 100.47 | -4.23 | -- | -- | Peak | 145.00 | 150 | Horizontal | N/A |
| 4** | 5241.800 | 92.18 | -4.23 | -- | -- | AV | 145.00 | 150 | Horizontal | N/A |
| 5 | 7424.925 | 48.49 | -4.07 | 74.0 | -25.51 | Peak | 106.00 | 150 | Horizontal | Pass |
| 5** | 7424.925 | 39.60 | -4.07 | 54.0 | -14.40 | AV | 106.00 | 150 | Horizontal | Pass |
| 6 | 11986.113 | 50.79 | -1.62 | 74.0 | -23.21 | Peak | 32.00 | 150 | Horizontal | Pass |
| 6** | 11986.113 | 41.58 | -1.62 | 54.0 | -12.42 | AV | 32.00 | 150 | Horizontal | Pass |

11ax40-SU, U-NII-1, 1 GHz to 18 GHz, High channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1198.100 | 42.54 | -18.28 | 74.0 | -31.46 | Peak | 252.00 | 150 | Vertical | Pass |
| 1** | 1198.100 | 31.52 | -18.28 | 54.0 | -22.48 | AV | 252.00 | 150 | Vertical | Pass |
| 2 | 2799.000 | 46.17 | -11.41 | 74.0 | -27.83 | Peak | 280.00 | 150 | Vertical | Pass |
| 2** | 2799.000 | 34.80 | -11.41 | 54.0 | -19.20 | AV | 280.00 | 150 | Vertical | Pass |
| 3 | 4228.200 | 47.29 | -5.71 | 74.0 | -26.71 | Peak | 242.00 | 150 | Vertical | Pass |
| 3** | 4228.200 | 38.10 | -5.71 | 54.0 | -15.90 | AV | 242.00 | 150 | Vertical | Pass |
| 4 | 5240.400 | 93.60 | -4.15 | -- | -- | Peak | 360.00 | 150 | Vertical | N/A |
| 4** | 5240.400 | 83.96 | -4.15 | -- | -- | AV | 360.00 | 150 | Vertical | N/A |
| 5 | 7420.038 | 48.25 | -4.02 | 74.0 | -25.75 | Peak | 92.00 | 150 | Vertical | Pass |
| 5** | 7420.038 | 39.79 | -4.02 | 54.0 | -14.21 | AV | 92.00 | 150 | Vertical | Pass |
| 6 | 11710.401 | 50.97 | -0.80 | 74.0 | -23.03 | Peak | 335.00 | 150 | Vertical | Pass |
| 6** | 11710.401 | 41.89 | -0.80 | 54.0 | -12.11 | AV | 335.00 | 150 | Vertical | Pass |

11ax80-SU, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1196.500 | 42.32 | -18.17 | 74.0 | -31.68 | Peak | 238.00 | 150 | Horizontal | Pass |
| 1** | 1196.500 | 30.93 | -18.17 | 54.0 | -23.07 | AV | 238.00 | 150 | Horizontal | Pass |
| 2 | 2773.200 | 43.22 | -11.47 | 74.0 | -30.78 | Peak | 177.00 | 150 | Horizontal | Pass |
| 2** | 2773.200 | 33.91 | -11.47 | 54.0 | -20.09 | AV | 177.00 | 150 | Horizontal | Pass |
| 3 | 4010.800 | 46.90 | -6.55 | 74.0 | -27.10 | Peak | 316.00 | 150 | Horizontal | Pass |
| 3** | 4010.800 | 37.16 | -6.55 | 54.0 | -16.84 | AV | 316.00 | 150 | Horizontal | Pass |
| 4 | 5185.200 | 98.97 | -3.91 | -- | -- | Peak | 299.00 | 150 | Horizontal | N/A |
| 4** | 5185.200 | 88.45 | -3.91 | -- | -- | AV | 299.00 | 150 | Horizontal | N/A |
| 5 | 7354.487 | 48.28 | -5.06 | 74.0 | -25.72 | Peak | 315.00 | 150 | Horizontal | Pass |
| 5** | 7354.487 | 38.73 | -5.06 | 54.0 | -15.27 | AV | 315.00 | 150 | Horizontal | Pass |
| 6 | 12270.162 | 52.18 | 0.06 | 74.0 | -21.82 | Peak | 360.00 | 150 | Horizontal | Pass |
| 6** | 12270.162 | 42.22 | 0.06 | 54.0 | -11.78 | AV | 360.00 | 150 | Horizontal | Pass |

11ax80-SU, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1195.900 | 44.08 | -18.19 | 74.0 | -29.92 | Peak | 351.00 | 150 | Vertical | Pass |
| 1** | 1195.900 | 32.92 | -18.19 | 54.0 | -21.08 | AV | 351.00 | 150 | Vertical | Pass |
| 2 | 2794.700 | 46.10 | -11.21 | 74.0 | -27.90 | Peak | 236.00 | 150 | Vertical | Pass |
| 2** | 2794.700 | 34.52 | -11.21 | 54.0 | -19.48 | AV | 236.00 | 150 | Vertical | Pass |
| 3 | 4175.600 | 47.29 | -5.39 | 74.0 | -26.71 | Peak | 161.00 | 150 | Vertical | Pass |
| 3** | 4175.600 | 37.76 | -5.39 | 54.0 | -16.24 | AV | 161.00 | 150 | Vertical | Pass |
| 4 | 5193.800 | 90.15 | -3.93 | -- | -- | Peak | 348.00 | 150 | Vertical | N/A |
| 4** | 5193.800 | 80.82 | -3.93 | -- | -- | AV | 348.00 | 150 | Vertical | N/A |
| 5 | 7688.563 | 48.75 | -4.19 | 74.0 | -25.25 | Peak | 182.00 | 150 | Vertical | Pass |
| 5** | 7688.563 | 39.37 | -4.19 | 54.0 | -14.63 | AV | 182.00 | 150 | Vertical | Pass |
| 6 | 11589.363 | 51.55 | -0.06 | 74.0 | -22.45 | Peak | 0.00 | 150 | Vertical | Pass |
| 6** | 11589.363 | 41.86 | -0.06 | 54.0 | -12.14 | AV | 0.00 | 150 | Vertical | Pass |

11a, U-NII-2A, 1 GHz to 18 GHz, Low channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1163.800 | 42.01 | -18.45 | 74.0 | -31.99 | Peak | 348.00 | 150 | Horizontal | Pass |
| 1** | 1163.800 | 31.53 | -18.45 | 54.0 | -22.47 | AV | 348.00 | 150 | Horizontal | Pass |
| 2 | 2841.900 | 44.23 | -11.76 | 74.0 | -29.77 | Peak | 82.00 | 150 | Horizontal | Pass |
| 2** | 2841.900 | 33.27 | -11.76 | 54.0 | -20.73 | AV | 82.00 | 150 | Horizontal | Pass |
| 3 | 4007.000 | 46.75 | -6.43 | 74.0 | -27.25 | Peak | 141.00 | 150 | Horizontal | Pass |
| 3** | 4007.000 | 37.58 | -6.43 | 54.0 | -16.42 | AV | 141.00 | 150 | Horizontal | Pass |
| 4 | 5247.800 | 106.34 | -4.26 | -- | -- | Peak | 165.00 | 150 | Horizontal | N/A |
| 4** | 5247.800 | 97.11 | -4.26 | -- | -- | AV | 165.00 | 150 | Horizontal | N/A |
| 5 | 7328.325 | 48.41 | -4.94 | 74.0 | -25.59 | Peak | 140.00 | 150 | Horizontal | Pass |
| 5** | 7328.325 | 39.68 | -4.94 | 54.0 | -14.32 | AV | 140.00 | 150 | Horizontal | Pass |
| 6 | 12332.838 | 51.44 | -0.76 | 74.0 | -22.56 | Peak | 0.00 | 150 | Horizontal | Pass |
| 6** | 12332.838 | 41.79 | -0.76 | 54.0 | -12.21 | AV | 0.00 | 150 | Horizontal | Pass |

11a, U-NII-2A, 1 GHz to 18 GHz, Low channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1168.700 | 42.78 | -18.46 | 74.0 | -31.22 | Peak | 309.00 | 150 | Vertical | Pass |
| 1** | 1168.700 | 33.43 | -18.46 | 54.0 | -20.57 | AV | 309.00 | 150 | Vertical | Pass |
| 2 | 2789.700 | 46.00 | -11.09 | 74.0 | -28.00 | Peak | 229.00 | 150 | Vertical | Pass |
| 2** | 2789.700 | 35.25 | -11.09 | 54.0 | -18.75 | AV | 229.00 | 150 | Vertical | Pass |
| 3 | 4271.200 | 47.49 | -5.13 | 74.0 | -26.51 | Peak | 324.00 | 150 | Vertical | Pass |
| 3** | 4271.200 | 37.82 | -5.13 | 54.0 | -16.18 | AV | 324.00 | 150 | Vertical | Pass |
| 4 | 5245.200 | 97.53 | -4.21 | -- | -- | Peak | 349.00 | 150 | Vertical | N/A |
| 4** | 5245.200 | 89.61 | -4.21 | -- | -- | AV | 349.00 | 150 | Vertical | N/A |
| 5 | 7531.875 | 48.64 | -4.22 | 74.0 | -25.36 | Peak | 19.00 | 150 | Vertical | Pass |
| 5** | 7531.875 | 38.92 | -4.22 | 54.0 | -15.08 | AV | 19.00 | 150 | Vertical | Pass |
| 6 | 12331.400 | 51.58 | -0.72 | 74.0 | -22.42 | Peak | 19.00 | 150 | Vertical | Pass |
| 6** | 12331.400 | 42.88 | -0.72 | 54.0 | -11.12 | AV | 19.00 | 150 | Vertical | Pass |

11a, U-NII-2A, 1 GHz to 18 GHz, Middle channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1230.300 | 41.15 | -18.16 | 74.0 | -32.85 | Peak | 234.00 | 150 | Horizontal | Pass |
| 1** | 1230.300 | 32.10 | -18.16 | 54.0 | -21.90 | AV | 234.00 | 150 | Horizontal | Pass |
| 2 | 2821.500 | 44.01 | -11.82 | 74.0 | -29.99 | Peak | 36.00 | 150 | Horizontal | Pass |
| 2** | 2821.500 | 33.32 | -11.82 | 54.0 | -20.68 | AV | 36.00 | 150 | Horizontal | Pass |
| 3 | 4172.200 | 47.55 | -5.46 | 74.0 | -26.45 | Peak | 268.00 | 150 | Horizontal | Pass |
| 3** | 4172.200 | 37.37 | -5.46 | 54.0 | -16.63 | AV | 268.00 | 150 | Horizontal | Pass |
| 4 | 5288.600 | 106.10 | -3.68 | -- | -- | Peak | 150.00 | 150 | Horizontal | N/A |
| 4** | 5288.600 | 97.72 | -3.68 | -- | -- | AV | 150.00 | 150 | Horizontal | N/A |
| 5 | 7350.750 | 48.75 | -5.04 | 74.0 | -25.25 | Peak | 237.00 | 150 | Horizontal | Pass |
| 5** | 7350.750 | 39.45 | -5.04 | 54.0 | -14.55 | AV | 237.00 | 150 | Horizontal | Pass |
| 6 | 12250.613 | 51.35 | -0.08 | 74.0 | -22.65 | Peak | 237.00 | 150 | Horizontal | Pass |
| 6** | 12250.613 | 41.87 | -0.08 | 54.0 | -12.13 | AV | 237.00 | 150 | Horizontal | Pass |

11a, U-NII-2A, 1 GHz to 18 GHz, Middle channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1216.700 | 43.11 | -18.07 | 74.0 | -30.89 | Peak | 307.00 | 150 | Vertical | Pass |
| 1** | 1216.700 | 29.96 | -18.07 | 54.0 | -24.04 | AV | 307.00 | 150 | Vertical | Pass |
| 2 | 2800.800 | 45.38 | -11.40 | 74.0 | -28.62 | Peak | 114.00 | 150 | Vertical | Pass |
| 2** | 2800.800 | 34.43 | -11.40 | 54.0 | -19.57 | AV | 114.00 | 150 | Vertical | Pass |
| 3 | 4178.600 | 47.27 | -5.66 | 74.0 | -26.73 | Peak | 107.00 | 150 | Vertical | Pass |
| 3** | 4178.600 | 37.96 | -5.66 | 54.0 | -16.04 | AV | 107.00 | 150 | Vertical | Pass |
| 4 | 5284.800 | 97.63 | -3.55 | -- | -- | Peak | 107.00 | 150 | Vertical | N/A |
| 4** | 5284.800 | 88.78 | -3.55 | -- | -- | AV | 107.00 | 150 | Vertical | N/A |
| 5 | 7324.013 | 48.48 | -4.94 | 74.0 | -25.52 | Peak | 311.00 | 150 | Vertical | Pass |
| 5** | 7324.013 | 38.70 | -4.94 | 54.0 | -15.30 | AV | 311.00 | 150 | Vertical | Pass |
| 6 | 12111.750 | 51.43 | -0.81 | 74.0 | -22.57 | Peak | 78.00 | 150 | Vertical | Pass |
| 6** | 12111.750 | 41.56 | -0.81 | 54.0 | -12.44 | AV | 78.00 | 150 | Vertical | Pass |

11a, U-NII-2A, 1 GHz to 18 GHz, High channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1320.300 | 40.16 | -17.84 | 74.0 | -33.84 | Peak | 346.00 | 150 | Horizontal | Pass |
| 1** | 1320.300 | 30.29 | -17.84 | 54.0 | -23.71 | AV | 346.00 | 150 | Horizontal | Pass |
| 2 | 2855.500 | 43.63 | -11.48 | 74.0 | -30.37 | Peak | 330.00 | 150 | Horizontal | Pass |
| 2** | 2855.500 | 34.81 | -11.48 | 54.0 | -19.19 | AV | 330.00 | 150 | Horizontal | Pass |
| 3 | 4060.400 | 47.14 | -5.54 | 74.0 | -26.86 | Peak | 263.00 | 150 | Horizontal | Pass |
| 3** | 4060.400 | 38.73 | -5.54 | 54.0 | -15.27 | AV | 263.00 | 150 | Horizontal | Pass |
| 4 | 5304.800 | 105.96 | -3.90 | -- | -- | Peak | 315.00 | 150 | Horizontal | N/A |
| 4** | 5304.800 | 97.42 | -3.90 | -- | -- | AV | 315.00 | 150 | Horizontal | N/A |
| 5 | 7364.837 | 48.18 | -5.00 | 74.0 | -25.82 | Peak | 235.00 | 150 | Horizontal | Pass |
| 5** | 7364.837 | 39.48 | -5.00 | 54.0 | -14.52 | AV | 235.00 | 150 | Horizontal | Pass |
| 6 | 11625.012 | 50.73 | -0.21 | 74.0 | -23.27 | Peak | 0.00 | 150 | Horizontal | Pass |
| 6** | 11625.012 | 42.40 | -0.21 | 54.0 | -11.60 | AV | 0.00 | 150 | Horizontal | Pass |

11a, U-NII-2A, 1 GHz to 18 GHz, High channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1196.600 | 44.97 | -18.17 | 74.0 | -29.03 | Peak | 311.00 | 150 | Vertical | Pass |
| 1** | 1196.600 | 36.81 | -18.17 | 54.0 | -17.19 | AV | 311.00 | 150 | Vertical | Pass |
| 2 | 2795.500 | 46.46 | -11.29 | 74.0 | -27.54 | Peak | 272.00 | 150 | Vertical | Pass |
| 2** | 2795.500 | 35.03 | -11.29 | 54.0 | -18.97 | AV | 272.00 | 150 | Vertical | Pass |
| 3 | 4257.600 | 47.68 | -5.52 | 74.0 | -26.32 | Peak | 236.00 | 150 | Vertical | Pass |
| 3** | 4257.600 | 38.44 | -5.52 | 54.0 | -15.56 | AV | 236.00 | 150 | Vertical | Pass |
| 4 | 5308.000 | 98.64 | -3.93 | -- | -- | Peak | 354.00 | 150 | Vertical | N/A |
| 4** | 5308.000 | 89.10 | -3.93 | -- | -- | AV | 354.00 | 150 | Vertical | N/A |
| 5 | 7332.925 | 49.04 | -4.81 | 74.0 | -24.96 | Peak | 256.00 | 150 | Vertical | Pass |
| 5** | 7332.925 | 39.37 | -4.81 | 54.0 | -14.63 | AV | 256.00 | 150 | Vertical | Pass |
| 6 | 11585.625 | 51.23 | -0.03 | 74.0 | -22.77 | Peak | 149.00 | 150 | Vertical | Pass |
| 6** | 11585.625 | 41.71 | -0.03 | 54.0 | -12.29 | AV | 149.00 | 150 | Vertical | Pass |

11n20, U-NII-2A, 1 GHz to 18 GHz, Low channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1199.100 | 39.85 | -18.28 | 74.0 | -34.15 | Peak | 168.00 | 150 | Horizontal | Pass |
| 1** | 1199.100 | 29.88 | -18.28 | 54.0 | -24.12 | AV | 168.00 | 150 | Horizontal | Pass |
| 2 | 2855.800 | 43.42 | -11.47 | 74.0 | -30.58 | Peak | 288.00 | 150 | Horizontal | Pass |
| 2** | 2855.800 | 32.77 | -11.47 | 54.0 | -21.23 | AV | 288.00 | 150 | Horizontal | Pass |
| 3 | 4272.800 | 47.92 | -5.09 | 74.0 | -26.08 | Peak | 21.00 | 150 | Horizontal | Pass |
| 3** | 4272.800 | 38.41 | -5.09 | 54.0 | -15.59 | AV | 21.00 | 150 | Horizontal | Pass |
| 4 | 5255.000 | 105.17 | -4.07 | -- | -- | Peak | 289.00 | 150 | Horizontal | N/A |
| 4** | 5255.000 | 97.94 | -4.07 | -- | -- | AV | 289.00 | 150 | Horizontal | N/A |
| 5 | 7446.488 | 49.34 | -4.51 | 74.0 | -24.66 | Peak | 361.00 | 150 | Horizontal | Pass |
| 5** | 7446.488 | 39.06 | -4.51 | 54.0 | -14.94 | AV | 361.00 | 150 | Horizontal | Pass |
| 6 | 11676.188 | 51.27 | -0.87 | 74.0 | -22.73 | Peak | 272.00 | 150 | Horizontal | Pass |
| 6** | 11676.188 | 42.23 | -0.87 | 54.0 | -11.77 | AV | 272.00 | 150 | Horizontal | Pass |

11n20, U-NII-2A, 1 GHz to 18 GHz, Low channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1199.100 | 39.85 | -18.28 | 74.0 | -34.15 | Peak | 168.00 | 150 | Horizontal | Pass |
| 1** | 1199.100 | 29.88 | -18.28 | 54.0 | -24.12 | AV | 168.00 | 150 | Horizontal | Pass |
| 2 | 2855.800 | 43.42 | -11.47 | 74.0 | -30.58 | Peak | 288.00 | 150 | Horizontal | Pass |
| 2** | 2855.800 | 32.77 | -11.47 | 54.0 | -21.23 | AV | 288.00 | 150 | Horizontal | Pass |
| 3 | 4272.800 | 47.92 | -5.09 | 74.0 | -26.08 | Peak | 21.00 | 150 | Horizontal | Pass |
| 3** | 4272.800 | 38.41 | -5.09 | 54.0 | -15.59 | AV | 21.00 | 150 | Horizontal | Pass |
| 4 | 5255.000 | 105.17 | -4.07 | -- | -- | Peak | 289.00 | 150 | Horizontal | N/A |
| 4** | 5255.000 | 97.94 | -4.07 | -- | -- | AV | 289.00 | 150 | Horizontal | N/A |
| 5 | 7446.488 | 49.34 | -4.51 | 74.0 | -24.66 | Peak | 361.00 | 150 | Horizontal | Pass |
| 5** | 7446.488 | 39.06 | -4.51 | 54.0 | -14.94 | AV | 361.00 | 150 | Horizontal | Pass |
| 6 | 11676.188 | 51.27 | -0.87 | 74.0 | -22.73 | Peak | 272.00 | 150 | Horizontal | Pass |
| 6** | 11676.188 | 42.23 | -0.87 | 54.0 | -11.77 | AV | 272.00 | 150 | Horizontal | Pass |

11n20, U-NII-2A, 1 GHz to 18 GHz, Middle channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1163.700 | 39.17 | -18.45 | 74.0 | -34.83 | Peak | 202.00 | 150 | Horizontal | Pass |
| 1** | 1163.700 | 28.23 | -18.45 | 54.0 | -25.77 | AV | 202.00 | 150 | Horizontal | Pass |
| 2 | 2272.200 | 46.39 | -13.64 | 74.0 | -27.61 | Peak | 248.00 | 150 | Horizontal | Pass |
| 2** | 2272.200 | 33.36 | -13.64 | 54.0 | -20.64 | AV | 248.00 | 150 | Horizontal | Pass |
| 3 | 4197.400 | 47.25 | -5.92 | 74.0 | -26.75 | Peak | 360.00 | 150 | Horizontal | Pass |
| 3** | 4197.400 | 37.73 | -5.92 | 54.0 | -16.27 | AV | 360.00 | 150 | Horizontal | Pass |
| 4 | 5290.800 | 105.48 | -3.67 | -- | -- | Peak | 161.00 | 150 | Horizontal | N/A |
| 4** | 5290.800 | 98.32 | -3.67 | -- | -- | AV | 161.00 | 150 | Horizontal | N/A |
| 5 | 7426.362 | 49.12 | -4.07 | 74.0 | -24.88 | Peak | 192.00 | 150 | Horizontal | Pass |
| 5** | 7426.362 | 40.32 | -4.07 | 54.0 | -13.68 | AV | 192.00 | 150 | Horizontal | Pass |
| 6 | 12260.388 | 51.74 | 0.04 | 74.0 | -22.26 | Peak | 0.00 | 150 | Horizontal | Pass |
| 6** | 12260.388 | 42.74 | 0.04 | 54.0 | -11.26 | AV | 0.00 | 150 | Horizontal | Pass |

11n20, U-NII-2A, 1 GHz to 18 GHz, Middle channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1195.500 | 45.03 | -18.20 | 74.0 | -28.97 | Peak | 292.00 | 150 | Vertical | Pass |
| 1** | 1195.500 | 31.56 | -18.20 | 54.0 | -22.44 | AV | 292.00 | 150 | Vertical | Pass |
| 2 | 2805.600 | 46.92 | -11.57 | 74.0 | -27.08 | Peak | 99.00 | 150 | Vertical | Pass |
| 2** | 2805.600 | 34.16 | -11.57 | 54.0 | -19.84 | AV | 99.00 | 150 | Vertical | Pass |
| 3 | 4166.600 | 47.76 | -5.64 | 74.0 | -26.24 | Peak | 232.00 | 150 | Vertical | Pass |
| 3** | 4166.600 | 37.67 | -5.64 | 54.0 | -16.33 | AV | 232.00 | 150 | Vertical | Pass |
| 4 | 5294.800 | 97.23 | -3.71 | -- | -- | Peak | 104.00 | 150 | Vertical | N/A |
| 4** | 5294.800 | 89.24 | -3.71 | -- | -- | AV | 104.00 | 150 | Vertical | N/A |
| 5 | 7334.938 | 48.40 | -5.00 | 74.0 | -25.60 | Peak | 323.00 | 150 | Vertical | Pass |
| 5** | 7334.938 | 39.00 | -5.00 | 54.0 | -15.00 | AV | 323.00 | 150 | Vertical | Pass |
| 6 | 12101.687 | 51.05 | -1.00 | 74.0 | -22.95 | Peak | 223.00 | 150 | Vertical | Pass |
| 6** | 12101.687 | 41.95 | -1.00 | 54.0 | -12.05 | AV | 223.00 | 150 | Vertical | Pass |

11n20, U-NII-2A, 1 GHz to 18 GHz, High channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1197.000 | 39.13 | -18.20 | 74.0 | -34.87 | Peak | 288.00 | 150 | Horizontal | Pass |
| 1** | 1197.000 | 30.93 | -18.20 | 54.0 | -23.07 | AV | 288.00 | 150 | Horizontal | Pass |
| 2 | 2814.400 | 44.70 | -11.65 | 74.0 | -29.30 | Peak | 47.00 | 150 | Horizontal | Pass |
| 2** | 2814.400 | 34.59 | -11.65 | 54.0 | -19.41 | AV | 47.00 | 150 | Horizontal | Pass |
| 3 | 4330.800 | 47.62 | -5.30 | 74.0 | -26.38 | Peak | 125.00 | 150 | Horizontal | Pass |
| 3** | 4330.800 | 38.00 | -5.30 | 54.0 | -16.00 | AV | 125.00 | 150 | Horizontal | Pass |
| 4 | 5317.400 | 106.52 | -4.00 | -- | -- | Peak | 138.00 | 150 | Horizontal | N/A |
| 4** | 5317.400 | 98.63 | -4.00 | -- | -- | AV | 138.00 | 150 | Horizontal | N/A |
| 5 | 7357.362 | 48.18 | -4.88 | 74.0 | -25.82 | Peak | 147.00 | 150 | Horizontal | Pass |
| 5** | 7357.362 | 39.92 | -4.88 | 54.0 | -14.08 | AV | 147.00 | 150 | Horizontal | Pass |
| 6 | 12208.925 | 51.14 | -0.53 | 74.0 | -22.86 | Peak | 0.00 | 150 | Horizontal | Pass |
| 6** | 12208.925 | 41.83 | -0.53 | 54.0 | -12.17 | AV | 0.00 | 150 | Horizontal | Pass |

11n20, U-NII-2A, 1 GHz to 18 GHz, High channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1149.000 | 43.65 | -18.59 | 74.0 | -30.35 | Peak | 302.00 | 150 | Vertical | Pass |
| 1** | 1149.000 | 30.43 | -18.59 | 54.0 | -23.57 | AV | 302.00 | 150 | Vertical | Pass |
| 2 | 2747.800 | 46.38 | -11.78 | 74.0 | -27.62 | Peak | 106.00 | 150 | Vertical | Pass |
| 2** | 2747.800 | 33.61 | -11.78 | 54.0 | -20.39 | AV | 106.00 | 150 | Vertical | Pass |
| 3 | 4089.600 | 47.28 | -5.49 | 74.0 | -26.72 | Peak | 290.00 | 150 | Vertical | Pass |
| 3** | 4089.600 | 37.47 | -5.49 | 54.0 | -16.53 | AV | 290.00 | 150 | Vertical | Pass |
| 4 | 5313.000 | 96.69 | -4.04 | -- | -- | Peak | 340.00 | 150 | Vertical | N/A |
| 4** | 5313.000 | 88.86 | -4.04 | -- | -- | AV | 340.00 | 150 | Vertical | N/A |
| 5 | 7437.862 | 48.86 | -4.34 | 74.0 | -25.14 | Peak | 117.00 | 150 | Vertical | Pass |
| 5** | 7437.862 | 39.43 | -4.34 | 54.0 | -14.57 | AV | 117.00 | 150 | Vertical | Pass |
| 6 | 12251.475 | 51.27 | -0.07 | 74.0 | -22.73 | Peak | 213.00 | 150 | Vertical | Pass |
| 6** | 12251.475 | 41.96 | -0.07 | 54.0 | -12.04 | AV | 213.00 | 150 | Vertical | Pass |

11n40, U-NII-2A, 1 GHz to 18 GHz, Low channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1170.200 | 39.11 | -18.47 | 74.0 | -34.89 | Peak | 341.00 | 150 | Horizontal | Pass |
| 1** | 1170.200 | 28.47 | -18.47 | 54.0 | -25.53 | AV | 341.00 | 150 | Horizontal | Pass |
| 2 | 2753.100 | 43.98 | -11.60 | 74.0 | -30.02 | Peak | 40.00 | 150 | Horizontal | Pass |
| 2** | 2753.100 | 33.46 | -11.60 | 54.0 | -20.54 | AV | 40.00 | 150 | Horizontal | Pass |
| 3 | 4100.000 | 46.92 | -5.97 | 74.0 | -27.08 | Peak | 281.00 | 150 | Horizontal | Pass |
| 3** | 4100.000 | 37.15 | -5.97 | 54.0 | -16.85 | AV | 281.00 | 150 | Horizontal | Pass |
| 4 | 5278.000 | 105.95 | -3.65 | -- | -- | Peak | 149.00 | 150 | Horizontal | N/A |
| 4** | 5278.000 | 97.77 | -3.65 | -- | -- | AV | 149.00 | 150 | Horizontal | N/A |
| 5 | 7317.687 | 48.21 | -4.98 | 74.0 | -25.79 | Peak | 70.00 | 150 | Horizontal | Pass |
| 5** | 7317.687 | 38.72 | -4.98 | 54.0 | -15.28 | AV | 70.00 | 150 | Horizontal | Pass |
| 6 | 12104.563 | 50.98 | -0.95 | 74.0 | -23.02 | Peak | 0.00 | 150 | Horizontal | Pass |
| 6** | 12104.563 | 41.76 | -0.95 | 54.0 | -12.24 | AV | 0.00 | 150 | Horizontal | Pass |

11n40, U-NII-2A, 1 GHz to 18 GHz, Low channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1199.000 | 45.45 | -18.30 | 74.0 | -28.55 | Peak | 313.00 | 150 | Vertical | Pass |
| 1** | 1199.000 | 31.73 | -18.30 | 54.0 | -22.27 | AV | 313.00 | 150 | Vertical | Pass |
| 2 | 2800.200 | 47.38 | -11.40 | 74.0 | -26.62 | Peak | 102.00 | 150 | Vertical | Pass |
| 2** | 2800.200 | 35.13 | -11.40 | 54.0 | -18.87 | AV | 102.00 | 150 | Vertical | Pass |
| 3 | 4036.400 | 47.64 | -5.84 | 74.0 | -26.36 | Peak | 197.00 | 150 | Vertical | Pass |
| 3** | 4036.400 | 37.80 | -5.84 | 54.0 | -16.20 | AV | 197.00 | 150 | Vertical | Pass |
| 4 | 5266.600 | 97.08 | -3.75 | -- | -- | Peak | 0.00 | 150 | Vertical | N/A |
| 4** | 5266.600 | 88.60 | -3.75 | -- | -- | AV | 0.00 | 150 | Vertical | N/A |
| 5 | 7365.125 | 48.61 | -4.98 | 74.0 | -25.39 | Peak | 196.00 | 150 | Vertical | Pass |
| 5** | 7365.125 | 39.18 | -4.98 | 54.0 | -14.82 | AV | 196.00 | 150 | Vertical | Pass |
| 6 | 11591.088 | 50.80 | -0.07 | 74.0 | -23.20 | Peak | 326.00 | 150 | Vertical | Pass |
| 6** | 11591.088 | 41.58 | -0.07 | 54.0 | -12.42 | AV | 326.00 | 150 | Vertical | Pass |

11n40, U-NII-2A, 1 GHz to 18 GHz, High channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1196.800 | 41.63 | -18.18 | 74.0 | -32.37 | Peak | 0.00 | 150 | Horizontal | Pass |
| 1** | 1196.800 | 28.40 | -18.18 | 54.0 | -25.60 | AV | 0.00 | 150 | Horizontal | Pass |
| 2 | 2790.000 | 43.15 | -11.10 | 74.0 | -30.85 | Peak | 349.00 | 150 | Horizontal | Pass |
| 2** | 2790.000 | 33.84 | -11.10 | 54.0 | -20.16 | AV | 349.00 | 150 | Horizontal | Pass |
| 3 | 4154.000 | 47.05 | -5.75 | 74.0 | -26.95 | Peak | 178.00 | 150 | Horizontal | Pass |
| 3** | 4154.000 | 38.25 | -5.75 | 54.0 | -15.75 | AV | 178.00 | 150 | Horizontal | Pass |
| 4 | 5307.000 | 106.20 | -3.91 | -- | -- | Peak | 163.00 | 150 | Horizontal | N/A |
| 4** | 5307.000 | 97.04 | -3.91 | -- | -- | AV | 163.00 | 150 | Horizontal | N/A |
| 5 | 7326.025 | 48.47 | -4.91 | 74.0 | -25.53 | Peak | 97.00 | 150 | Horizontal | Pass |
| 5** | 7326.025 | 39.48 | -4.91 | 54.0 | -14.52 | AV | 97.00 | 150 | Horizontal | Pass |
| 6 | 11669.576 | 51.11 | -0.71 | 74.0 | -22.89 | Peak | 0.00 | 150 | Horizontal | Pass |
| 6** | 11669.576 | 41.41 | -0.71 | 54.0 | -12.59 | AV | 0.00 | 150 | Horizontal | Pass |

11n40, U-NII-2A, 1 GHz to 18 GHz, High channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1192.000 | 43.43 | -18.33 | 74.0 | -30.57 | Peak | 301.00 | 150 | Vertical | Pass |
| 1** | 1192.000 | 31.05 | -18.33 | 54.0 | -22.95 | AV | 301.00 | 150 | Vertical | Pass |
| 2 | 2799.400 | 46.72 | -11.41 | 74.0 | -27.28 | Peak | 1.00 | 150 | Vertical | Pass |
| 2** | 2799.400 | 34.97 | -11.41 | 54.0 | -19.03 | AV | 1.00 | 150 | Vertical | Pass |
| 3 | 4088.200 | 48.37 | -5.39 | 74.0 | -25.63 | Peak | 354.00 | 150 | Vertical | Pass |
| 3** | 4088.200 | 37.77 | -5.39 | 54.0 | -16.23 | AV | 354.00 | 150 | Vertical | Pass |
| 4 | 5316.600 | 96.69 | -4.01 | -- | -- | Peak | 354.00 | 150 | Vertical | N/A |
| 4** | 5316.600 | 89.35 | -4.01 | -- | -- | AV | 354.00 | 150 | Vertical | N/A |
| 5 | 7424.350 | 48.26 | -4.08 | 74.0 | -25.74 | Peak | 148.00 | 150 | Vertical | Pass |
| 5** | 7424.350 | 39.89 | -4.08 | 54.0 | -14.11 | AV | 148.00 | 150 | Vertical | Pass |
| 6 | 12101.975 | 51.48 | -0.99 | 74.0 | -22.52 | Peak | 148.00 | 150 | Vertical | Pass |
| 6** | 12101.975 | 42.10 | -0.99 | 54.0 | -11.90 | AV | 148.00 | 150 | Vertical | Pass |

11ac20, U-NII-2A, 1 GHz to 18 GHz, Low channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1170.500 | 39.34 | -18.47 | 74.0 | -34.66 | Peak | 242.00 | 150 | Horizontal | Pass |
| 1** | 1170.500 | 28.17 | -18.47 | 54.0 | -25.83 | AV | 242.00 | 150 | Horizontal | Pass |
| 2 | 2789.900 | 43.24 | -11.10 | 74.0 | -30.76 | Peak | 302.00 | 150 | Horizontal | Pass |
| 2** | 2789.900 | 34.43 | -11.10 | 54.0 | -19.57 | AV | 302.00 | 150 | Horizontal | Pass |
| 3 | 4030.600 | 46.71 | -6.10 | 74.0 | -27.29 | Peak | 140.00 | 150 | Horizontal | Pass |
| 3** | 4030.600 | 37.23 | -6.10 | 54.0 | -16.77 | AV | 140.00 | 150 | Horizontal | Pass |
| 4 | 5254.600 | 104.71 | -4.07 | -- | -- | Peak | 156.00 | 150 | Horizontal | N/A |
| 4** | 5254.600 | 97.22 | -4.07 | -- | -- | AV | 156.00 | 150 | Horizontal | N/A |
| 5 | 7424.637 | 49.00 | -4.07 | 74.0 | -25.00 | Peak | 0.00 | 150 | Horizontal | Pass |
| 5** | 7424.637 | 39.84 | -4.07 | 54.0 | -14.16 | AV | 0.00 | 150 | Horizontal | Pass |
| 6 | 12066.612 | 51.89 | -1.44 | 74.0 | -22.11 | Peak | 113.00 | 150 | Horizontal | Pass |
| 6** | 12066.612 | 41.46 | -1.44 | 54.0 | -12.54 | AV | 113.00 | 150 | Horizontal | Pass |

11ac20, U-NII-2A, 1 GHz to 18 GHz, Low channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1163.400 | 44.53 | -18.44 | 74.0 | -29.47 | Peak | 313.00 | 150 | Vertical | Pass |
| 1** | 1163.400 | 32.22 | -18.44 | 54.0 | -21.78 | AV | 313.00 | 150 | Vertical | Pass |
| 2 | 2796.100 | 46.57 | -11.36 | 74.0 | -27.43 | Peak | 235.00 | 150 | Vertical | Pass |
| 2** | 2796.100 | 35.76 | -11.36 | 54.0 | -18.24 | AV | 235.00 | 150 | Vertical | Pass |
| 3 | 3866.000 | 46.61 | -7.18 | 74.0 | -27.39 | Peak | 28.00 | 150 | Vertical | Pass |
| 3** | 3866.000 | 35.92 | -7.18 | 54.0 | -18.08 | AV | 28.00 | 150 | Vertical | Pass |
| 4 | 5257.400 | 96.87 | -4.00 | -- | -- | Peak | 93.00 | 150 | Vertical | N/A |
| 4** | 5257.400 | 88.08 | -4.00 | -- | -- | AV | 93.00 | 150 | Vertical | N/A |
| 5 | 7428.087 | 47.98 | -4.17 | 74.0 | -26.02 | Peak | 271.00 | 150 | Vertical | Pass |
| 5** | 7428.087 | 39.17 | -4.17 | 54.0 | -14.83 | AV | 271.00 | 150 | Vertical | Pass |
| 6 | 12235.088 | 51.43 | -0.31 | 74.0 | -22.57 | Peak | 345.00 | 150 | Vertical | Pass |
| 6** | 12235.088 | 41.88 | -0.31 | 54.0 | -12.12 | AV | 345.00 | 150 | Vertical | Pass |

11ac20, U-NII-2A, 1 GHz to 18 GHz, Middle channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1195.500 | 39.06 | -18.20 | 74.0 | -34.94 | Peak | 348.00 | 150 | Horizontal | Pass |
| 1** | 1195.500 | 28.62 | -18.20 | 54.0 | -25.38 | AV | 348.00 | 150 | Horizontal | Pass |
| 2 | 2778.000 | 42.94 | -11.45 | 74.0 | -31.06 | Peak | 330.00 | 150 | Horizontal | Pass |
| 2** | 2778.000 | 32.98 | -11.45 | 54.0 | -21.02 | AV | 330.00 | 150 | Horizontal | Pass |
| 3 | 4007.000 | 46.70 | -6.43 | 74.0 | -27.30 | Peak | 360.00 | 150 | Horizontal | Pass |
| 3** | 4007.000 | 37.98 | -6.43 | 54.0 | -16.02 | AV | 360.00 | 150 | Horizontal | Pass |
| 4 | 5295.600 | 105.54 | -3.73 | -- | -- | Peak | 162.00 | 150 | Horizontal | N/A |
| 4** | 5295.600 | 98.65 | -3.73 | -- | -- | AV | 162.00 | 150 | Horizontal | N/A |
| 5 | 7449.650 | 48.08 | -4.40 | 74.0 | -25.92 | Peak | 106.00 | 150 | Horizontal | Pass |
| 5** | 7449.650 | 39.68 | -4.40 | 54.0 | -14.32 | AV | 106.00 | 150 | Horizontal | Pass |
| 6 | 11591.375 | 51.27 | -0.08 | 74.0 | -22.73 | Peak | 179.00 | 150 | Horizontal | Pass |
| 6** | 11591.375 | 42.17 | -0.08 | 54.0 | -11.83 | AV | 179.00 | 150 | Horizontal | Pass |

11ac20, U-NII-2A, 1 GHz to 18 GHz, Middle channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1198.900 | 44.67 | -18.31 | 74.0 | -29.33 | Peak | 324.00 | 150 | Vertical | Pass |
| 1** | 1198.900 | 33.06 | -18.31 | 54.0 | -20.94 | AV | 324.00 | 150 | Vertical | Pass |
| 2 | 2771.900 | 45.65 | -11.49 | 74.0 | -28.35 | Peak | 307.00 | 150 | Vertical | Pass |
| 2** | 2771.900 | 35.70 | -11.49 | 54.0 | -18.30 | AV | 307.00 | 150 | Vertical | Pass |
| 3 | 3855.600 | 46.66 | -6.90 | 74.0 | -27.34 | Peak | 309.00 | 150 | Vertical | Pass |
| 3** | 3855.600 | 37.30 | -6.90 | 54.0 | -16.70 | AV | 309.00 | 150 | Vertical | Pass |
| 4 | 5293.200 | 97.78 | -3.68 | -- | -- | Peak | 104.00 | 150 | Vertical | N/A |
| 4** | 5293.200 | 90.32 | -3.68 | -- | -- | AV | 104.00 | 150 | Vertical | N/A |
| 5 | 7432.112 | 48.28 | -4.40 | 74.0 | -25.72 | Peak | 360.00 | 150 | Vertical | Pass |
| 5** | 7432.112 | 39.51 | -4.40 | 54.0 | -14.49 | AV | 360.00 | 150 | Vertical | Pass |
| 6 | 12254.638 | 51.13 | -0.03 | 74.0 | -22.87 | Peak | 0.00 | 150 | Vertical | Pass |
| 6** | 12254.638 | 41.84 | -0.03 | 54.0 | -12.16 | AV | 0.00 | 150 | Vertical | Pass |

11ac20, U-NII-2A, 1 GHz to 18 GHz, High channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1159.000 | 39.82 | -18.60 | 74.0 | -34.18 | Peak | 326.00 | 150 | Horizontal | Pass |
| 1** | 1159.000 | 27.26 | -18.60 | 54.0 | -26.74 | AV | 326.00 | 150 | Horizontal | Pass |
| 2 | 2840.300 | 42.87 | -11.84 | 74.0 | -31.13 | Peak | 217.00 | 150 | Horizontal | Pass |
| 2** | 2840.300 | 33.72 | -11.84 | 54.0 | -20.28 | AV | 217.00 | 150 | Horizontal | Pass |
| 3 | 4080.800 | 46.84 | -5.12 | 74.0 | -27.16 | Peak | 0.00 | 150 | Horizontal | Pass |
| 3** | 4080.800 | 38.18 | -5.12 | 54.0 | -15.82 | AV | 0.00 | 150 | Horizontal | Pass |
| 4 | 5306.800 | 105.39 | -3.90 | -- | -- | Peak | 157.00 | 150 | Horizontal | N/A |
| 4** | 5306.800 | 98.30 | -3.90 | -- | -- | AV | 157.00 | 150 | Horizontal | N/A |
| 5 | 7586.500 | 48.77 | -4.65 | 74.0 | -25.23 | Peak | 101.00 | 150 | Horizontal | Pass |
| 5** | 7586.500 | 38.59 | -4.65 | 54.0 | -15.41 | AV | 101.00 | 150 | Horizontal | Pass |
| 6 | 12013.712 | 51.18 | -1.22 | 74.0 | -22.82 | Peak | 346.00 | 150 | Horizontal | Pass |
| 6** | 12013.712 | 41.58 | -1.22 | 54.0 | -12.42 | AV | 346.00 | 150 | Horizontal | Pass |

11ac20, U-NII-2A, 1 GHz to 18 GHz, High channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1165.100 | 43.75 | -18.47 | 74.0 | -30.25 | Peak | 272.00 | 150 | Vertical | Pass |
| 1** | 1165.100 | 32.57 | -18.47 | 54.0 | -21.43 | AV | 272.00 | 150 | Vertical | Pass |
| 2 | 2804.300 | 46.60 | -11.55 | 74.0 | -27.40 | Peak | 101.00 | 150 | Vertical | Pass |
| 2** | 2804.300 | 38.02 | -11.55 | 54.0 | -15.98 | AV | 101.00 | 150 | Vertical | Pass |
| 3 | 4062.000 | 47.07 | -5.58 | 74.0 | -26.93 | Peak | 360.00 | 150 | Vertical | Pass |
| 3** | 4062.000 | 37.38 | -5.58 | 54.0 | -16.62 | AV | 360.00 | 150 | Vertical | Pass |
| 4 | 5313.200 | 96.41 | -4.02 | -- | -- | Peak | 89.00 | 150 | Vertical | N/A |
| 4** | 5313.200 | 89.44 | -4.02 | -- | -- | AV | 89.00 | 150 | Vertical | N/A |
| 5 | 7417.450 | 48.33 | -4.10 | 74.0 | -25.67 | Peak | 175.00 | 150 | Vertical | Pass |
| 5** | 7417.450 | 38.92 | -4.10 | 54.0 | -15.08 | AV | 175.00 | 150 | Vertical | Pass |
| 6 | 12244.000 | 51.00 | -0.23 | 74.0 | -23.00 | Peak | 77.00 | 150 | Vertical | Pass |
| 6** | 12244.000 | 41.47 | -0.23 | 54.0 | -12.53 | AV | 77.00 | 150 | Vertical | Pass |

11ac40, U-NII-2A, 1 GHz to 18 GHz, Low channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1196.000 | 40.63 | -18.19 | 74.0 | -33.37 | Peak | 273.00 | 150 | Horizontal | Pass |
| 1** | 1196.000 | 29.02 | -18.19 | 54.0 | -24.98 | AV | 273.00 | 150 | Horizontal | Pass |
| 2 | 2793.800 | 43.39 | -11.16 | 74.0 | -30.61 | Peak | 330.00 | 150 | Horizontal | Pass |
| 2** | 2793.800 | 33.56 | -11.16 | 54.0 | -20.44 | AV | 330.00 | 150 | Horizontal | Pass |
| 3 | 4263.600 | 47.99 | -5.43 | 74.0 | -26.01 | Peak | 343.00 | 150 | Horizontal | Pass |
| 3** | 4263.600 | 37.93 | -5.43 | 54.0 | -16.07 | AV | 343.00 | 150 | Horizontal | Pass |
| 4 | 5272.800 | 104.63 | -3.76 | -- | -- | Peak | 150.00 | 150 | Horizontal | N/A |
| 4** | 5272.800 | 96.88 | -3.76 | -- | -- | AV | 150.00 | 150 | Horizontal | N/A |
| 5 | 7419.175 | 48.65 | -4.08 | 74.0 | -25.35 | Peak | 311.00 | 150 | Horizontal | Pass |
| 5** | 7419.175 | 39.72 | -4.08 | 54.0 | -14.28 | AV | 311.00 | 150 | Horizontal | Pass |
| 6 | 11621.850 | 50.95 | -0.18 | 74.0 | -23.05 | Peak | 209.00 | 150 | Horizontal | Pass |
| 6** | 11621.850 | 42.24 | -0.18 | 54.0 | -11.76 | AV | 209.00 | 150 | Horizontal | Pass |

11ac40, U-NII-2A, 1 GHz to 18 GHz, Low channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1196.900 | 47.54 | -18.19 | 74.0 | -26.46 | Peak | 307.00 | 150 | Vertical | Pass |
| 1** | 1196.900 | 31.28 | -18.19 | 54.0 | -22.72 | AV | 307.00 | 150 | Vertical | Pass |
| 2 | 2798.800 | 46.37 | -11.41 | 74.0 | -27.63 | Peak | 226.00 | 150 | Vertical | Pass |
| 2** | 2798.800 | 35.06 | -11.41 | 54.0 | -18.94 | AV | 226.00 | 150 | Vertical | Pass |
| 3 | 4016.800 | 47.12 | -6.51 | 74.0 | -26.88 | Peak | 273.00 | 150 | Vertical | Pass |
| 3** | 4016.800 | 37.21 | -6.51 | 54.0 | -16.79 | AV | 273.00 | 150 | Vertical | Pass |
| 4 | 5266.600 | 96.31 | -3.75 | -- | -- | Peak | 334.00 | 150 | Vertical | N/A |
| 4** | 5266.600 | 88.71 | -3.75 | -- | -- | AV | 334.00 | 150 | Vertical | N/A |
| 5 | 7423.487 | 48.62 | -4.08 | 74.0 | -25.38 | Peak | 329.00 | 150 | Vertical | Pass |
| 5** | 7423.487 | 39.82 | -4.08 | 54.0 | -14.18 | AV | 329.00 | 150 | Vertical | Pass |
| 6 | 12348.075 | 51.59 | -1.19 | 74.0 | -22.41 | Peak | 241.00 | 150 | Vertical | Pass |
| 6** | 12348.075 | 41.56 | -1.19 | 54.0 | -12.44 | AV | 241.00 | 150 | Vertical | Pass |

11ac40, U-NII-2A, 1 GHz to 18 GHz, High channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1153.900 | 39.70 | -18.66 | 74.0 | -34.30 | Peak | 338.00 | 150 | Horizontal | Pass |
| 1** | 1153.900 | 29.40 | -18.66 | 54.0 | -24.60 | AV | 338.00 | 150 | Horizontal | Pass |
| 2 | 2774.900 | 43.58 | -11.42 | 74.0 | -30.42 | Peak | 51.00 | 150 | Horizontal | Pass |
| 2** | 2774.900 | 33.18 | -11.42 | 54.0 | -20.82 | AV | 51.00 | 150 | Horizontal | Pass |
| 3 | 4092.800 | 47.12 | -5.67 | 74.0 | -26.88 | Peak | 220.00 | 150 | Horizontal | Pass |
| 3** | 4092.800 | 38.11 | -5.67 | 54.0 | -15.89 | AV | 220.00 | 150 | Horizontal | Pass |
| 4 | 5307.000 | 105.26 | -3.91 | -- | -- | Peak | 145.00 | 150 | Horizontal | N/A |
| 4** | 5307.000 | 98.07 | -3.91 | -- | -- | AV | 145.00 | 150 | Horizontal | N/A |
| 5 | 7426.650 | 48.48 | -4.07 | 74.0 | -25.52 | Peak | 312.00 | 150 | Horizontal | Pass |
| 5** | 7426.650 | 39.22 | -4.07 | 54.0 | -14.78 | AV | 312.00 | 150 | Horizontal | Pass |
| 6 | 12266.713 | 51.36 | 0.05 | 74.0 | -22.64 | Peak | 16.00 | 150 | Horizontal | Pass |
| 6** | 12266.713 | 41.74 | 0.05 | 54.0 | -12.26 | AV | 16.00 | 150 | Horizontal | Pass |

11ac40, U-NII-2A, 1 GHz to 18 GHz, High channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1167.400 | 42.87 | -18.51 | 74.0 | -31.13 | Peak | 319.00 | 150 | Vertical | Pass |
| 1** | 1167.400 | 30.92 | -18.51 | 54.0 | -23.08 | AV | 319.00 | 150 | Vertical | Pass |
| 2 | 2796.700 | 45.04 | -11.42 | 74.0 | -28.96 | Peak | 254.00 | 150 | Vertical | Pass |
| 2** | 2796.700 | 36.03 | -11.42 | 54.0 | -17.97 | AV | 254.00 | 150 | Vertical | Pass |
| 3 | 4009.400 | 46.76 | -6.51 | 74.0 | -27.24 | Peak | 290.00 | 150 | Vertical | Pass |
| 3** | 4009.400 | 36.77 | -6.51 | 54.0 | -17.23 | AV | 290.00 | 150 | Vertical | Pass |
| 4 | 5318.000 | 97.49 | -3.97 | -- | -- | Peak | 107.00 | 150 | Vertical | N/A |
| 4** | 5318.000 | 88.72 | -3.97 | -- | -- | AV | 107.00 | 150 | Vertical | N/A |
| 5 | 7357.650 | 48.72 | -4.88 | 74.0 | -25.28 | Peak | 68.00 | 150 | Vertical | Pass |
| 5** | 7357.650 | 39.05 | -4.88 | 54.0 | -14.95 | AV | 68.00 | 150 | Vertical | Pass |
| 6 | 12072.075 | 51.27 | -1.40 | 74.0 | -22.73 | Peak | 312.00 | 150 | Vertical | Pass |
| 6** | 12072.075 | 42.20 | -1.40 | 54.0 | -11.80 | AV | 312.00 | 150 | Vertical | Pass |

11ac80, U-NII-2A, 1 GHz to 18 GHz, Middle channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1197.700 | 40.62 | -18.25 | 74.0 | -33.38 | Peak | 228.00 | 150 | Horizontal | Pass |
| 1** | 1197.700 | 31.93 | -18.25 | 54.0 | -22.07 | AV | 228.00 | 150 | Horizontal | Pass |
| 2 | 2744.700 | 42.98 | -11.79 | 74.0 | -31.02 | Peak | 260.00 | 150 | Horizontal | Pass |
| 2** | 2744.700 | 33.36 | -11.79 | 54.0 | -20.64 | AV | 260.00 | 150 | Horizontal | Pass |
| 3 | 4090.400 | 47.22 | -5.54 | 74.0 | -26.78 | Peak | 1.00 | 150 | Horizontal | Pass |
| 3** | 4090.400 | 38.10 | -5.54 | 54.0 | -15.90 | AV | 1.00 | 150 | Horizontal | Pass |
| 4 | 5305.200 | 105.80 | -3.90 | -- | -- | Peak | 152.00 | 150 | Horizontal | N/A |
| 4** | 5305.200 | 98.40 | -3.90 | -- | -- | AV | 152.00 | 150 | Horizontal | N/A |
| 5 | 7356.500 | 48.82 | -4.92 | 74.0 | -25.18 | Peak | 328.00 | 150 | Horizontal | Pass |
| 5** | 7356.500 | 39.48 | -4.92 | 54.0 | -14.52 | AV | 328.00 | 150 | Horizontal | Pass |
| 6 | 12227.325 | 51.73 | -0.29 | 74.0 | -22.27 | Peak | 4.00 | 150 | Horizontal | Pass |
| 6** | 12227.325 | 41.66 | -0.29 | 54.0 | -12.34 | AV | 4.00 | 150 | Horizontal | Pass |

11ac80, U-NII-2A, 1 GHz to 18 GHz, Middle channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1162.800 | 43.60 | -18.44 | 74.0 | -30.40 | Peak | 311.00 | 150 | Vertical | Pass |
| 1** | 1162.800 | 32.16 | -18.44 | 54.0 | -21.84 | AV | 311.00 | 150 | Vertical | Pass |
| 2 | 2796.400 | 44.78 | -11.39 | 74.0 | -29.22 | Peak | 233.00 | 150 | Vertical | Pass |
| 2** | 2796.400 | 36.33 | -11.39 | 54.0 | -17.67 | AV | 233.00 | 150 | Vertical | Pass |
| 3 | 4122.600 | 47.41 | -5.74 | 74.0 | -26.59 | Peak | 192.00 | 150 | Vertical | Pass |
| 3** | 4122.600 | 38.65 | -5.74 | 54.0 | -15.35 | AV | 192.00 | 150 | Vertical | Pass |
| 4 | 5294.600 | 95.90 | -3.71 | -- | -- | Peak | 107.00 | 150 | Vertical | N/A |
| 4** | 5294.600 | 87.99 | -3.71 | -- | -- | AV | 107.00 | 150 | Vertical | N/A |
| 5 | 7534.462 | 48.76 | -4.30 | 74.0 | -25.24 | Peak | 232.00 | 150 | Vertical | Pass |
| 5** | 7534.462 | 39.02 | -4.30 | 54.0 | -14.98 | AV | 232.00 | 150 | Vertical | Pass |
| 6 | 12269.587 | 51.53 | 0.06 | 74.0 | -22.47 | Peak | 22.00 | 150 | Vertical | Pass |
| 6** | 12269.587 | 42.30 | 0.06 | 54.0 | -11.70 | AV | 22.00 | 150 | Vertical | Pass |

11ax20-SU, U-NII-2A, 1 GHz to 18 GHz, Low channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1199.800 | 41.12 | -18.18 | 74.0 | -32.88 | Peak | 242.00 | 150 | Horizontal | Pass |
| 1** | 1199.800 | 31.57 | -18.18 | 54.0 | -22.43 | AV | 242.00 | 150 | Horizontal | Pass |
| 2 | 2801.000 | 43.98 | -11.40 | 74.0 | -30.02 | Peak | 219.00 | 150 | Horizontal | Pass |
| 2** | 2801.000 | 33.97 | -11.40 | 54.0 | -20.03 | AV | 219.00 | 150 | Horizontal | Pass |
| 3 | 4046.400 | 46.99 | -5.64 | 74.0 | -27.01 | Peak | 358.00 | 150 | Horizontal | Pass |
| 3** | 4046.400 | 37.20 | -5.64 | 54.0 | -16.80 | AV | 358.00 | 150 | Horizontal | Pass |
| 4 | 5254.600 | 104.53 | -4.07 | -- | -- | Peak | 161.00 | 150 | Horizontal | N/A |
| 4** | 5254.600 | 97.04 | -4.07 | -- | -- | AV | 161.00 | 150 | Horizontal | N/A |
| 5 | 7319.700 | 48.85 | -4.93 | 74.0 | -25.15 | Peak | 123.00 | 150 | Horizontal | Pass |
| 5** | 7319.700 | 38.34 | -4.93 | 54.0 | -15.66 | AV | 123.00 | 150 | Horizontal | Pass |
| 6 | 11621.850 | 51.54 | -0.18 | 74.0 | -22.46 | Peak | 176.00 | 150 | Horizontal | Pass |
| 6** | 11621.850 | 42.72 | -0.18 | 54.0 | -11.28 | AV | 176.00 | 150 | Horizontal | Pass |

11ax20-SU, U-NII-2A, 1 GHz to 18 GHz, Low channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1146.200 | 44.15 | -18.67 | 74.0 | -29.85 | Peak | 303.00 | 150 | Vertical | Pass |
| 1** | 1146.200 | 32.22 | -18.67 | 54.0 | -21.78 | AV | 303.00 | 150 | Vertical | Pass |
| 2 | 2790.100 | 48.43 | -11.10 | 74.0 | -25.57 | Peak | 234.00 | 150 | Vertical | Pass |
| 2** | 2790.100 | 33.73 | -11.10 | 54.0 | -20.27 | AV | 234.00 | 150 | Vertical | Pass |
| 3 | 4006.600 | 47.03 | -6.41 | 74.0 | -26.97 | Peak | 302.00 | 150 | Vertical | Pass |
| 3** | 4006.600 | 37.14 | -6.41 | 54.0 | -16.86 | AV | 302.00 | 150 | Vertical | Pass |
| 4 | 5248.400 | 94.72 | -4.27 | -- | -- | Peak | 352.00 | 150 | Vertical | N/A |
| 4** | 5248.400 | 85.71 | -4.27 | -- | -- | AV | 352.00 | 150 | Vertical | N/A |
| 5 | 7445.913 | 48.71 | -4.49 | 74.0 | -25.29 | Peak | 116.00 | 150 | Vertical | Pass |
| 5** | 7445.913 | 39.45 | -4.49 | 54.0 | -14.55 | AV | 116.00 | 150 | Vertical | Pass |
| 6 | 11668.712 | 51.46 | -0.68 | 74.0 | -22.54 | Peak | 311.00 | 150 | Vertical | Pass |
| 6** | 11668.712 | 41.22 | -0.68 | 54.0 | -12.78 | AV | 311.00 | 150 | Vertical | Pass |

11ax20-SU, U-NII-2A, 1 GHz to 18 GHz, Middle channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1195.500 | 41.76 | -18.20 | 74.0 | -32.24 | Peak | 346.00 | 150 | Horizontal | Pass |
| 1** | 1195.500 | 28.62 | -18.20 | 54.0 | -25.38 | AV | 346.00 | 150 | Horizontal | Pass |
| 2 | 2790.800 | 43.28 | -11.10 | 74.0 | -30.72 | Peak | 170.00 | 150 | Horizontal | Pass |
| 2** | 2790.800 | 33.56 | -11.10 | 54.0 | -20.44 | AV | 170.00 | 150 | Horizontal | Pass |
| 3 | 4093.400 | 47.16 | -5.71 | 74.0 | -26.84 | Peak | 277.00 | 150 | Horizontal | Pass |
| 3** | 4093.400 | 38.39 | -5.71 | 54.0 | -15.61 | AV | 277.00 | 150 | Horizontal | Pass |
| 4 | 5286.000 | 104.00 | -3.58 | -- | -- | Peak | 163.00 | 150 | Horizontal | N/A |
| 4** | 5286.000 | 97.07 | -3.58 | -- | -- | AV | 163.00 | 150 | Horizontal | N/A |
| 5 | 7419.463 | 48.68 | -4.06 | 74.0 | -25.32 | Peak | 293.00 | 150 | Horizontal | Pass |
| 5** | 7419.463 | 40.45 | -4.06 | 54.0 | -13.55 | AV | 293.00 | 150 | Horizontal | Pass |
| 6 | 12070.925 | 51.91 | -1.41 | 74.0 | -22.09 | Peak | 275.00 | 150 | Horizontal | Pass |
| 6** | 12070.925 | 42.10 | -1.41 | 54.0 | -11.90 | AV | 275.00 | 150 | Horizontal | Pass |

11ax20-SU, U-NII-2A, 1 GHz to 18 GHz, Middle channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1168.400 | 44.08 | -18.47 | 74.0 | -29.92 | Peak | 319.00 | 150 | Vertical | Pass |
| 1** | 1168.400 | 30.69 | -18.47 | 54.0 | -23.31 | AV | 319.00 | 150 | Vertical | Pass |
| 2 | 2848.900 | 46.67 | -11.65 | 74.0 | -27.33 | Peak | 301.00 | 150 | Vertical | Pass |
| 2** | 2848.900 | 33.62 | -11.65 | 54.0 | -20.38 | AV | 301.00 | 150 | Vertical | Pass |
| 3 | 4088.200 | 47.15 | -5.39 | 74.0 | -26.85 | Peak | 134.00 | 150 | Vertical | Pass |
| 3** | 4088.200 | 38.38 | -5.39 | 54.0 | -15.62 | AV | 134.00 | 150 | Vertical | Pass |
| 4 | 5296.200 | 96.51 | -3.75 | -- | -- | Peak | 109.00 | 150 | Vertical | N/A |
| 4** | 5296.200 | 88.37 | -3.75 | -- | -- | AV | 109.00 | 150 | Vertical | N/A |
| 5 | 7444.188 | 48.34 | -4.41 | 74.0 | -25.66 | Peak | 150.00 | 150 | Vertical | Pass |
| 5** | 7444.188 | 38.91 | -4.41 | 54.0 | -15.09 | AV | 150.00 | 150 | Vertical | Pass |
| 6 | 11586.487 | 51.33 | -0.04 | 74.0 | -22.67 | Peak | 276.00 | 150 | Vertical | Pass |
| 6** | 11586.487 | 41.70 | -0.04 | 54.0 | -12.30 | AV | 276.00 | 150 | Vertical | Pass |

11ax20-SU, U-NII-2A, 1 GHz to 18 GHz, High channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1163.700 | 42.68 | -18.45 | 74.0 | -31.32 | Peak | 332.00 | 150 | Horizontal | Pass |
| 1** | 1163.700 | 29.40 | -18.45 | 54.0 | -24.60 | AV | 332.00 | 150 | Horizontal | Pass |
| 2 | 2807.800 | 42.79 | -11.55 | 74.0 | -31.21 | Peak | 76.00 | 150 | Horizontal | Pass |
| 2** | 2807.800 | 33.79 | -11.55 | 54.0 | -20.21 | AV | 76.00 | 150 | Horizontal | Pass |
| 3 | 4203.600 | 47.47 | -6.21 | 74.0 | -26.53 | Peak | 8.00 | 150 | Horizontal | Pass |
| 3** | 4203.600 | 37.50 | -6.21 | 54.0 | -16.50 | AV | 8.00 | 150 | Horizontal | Pass |
| 4 | 5317.800 | 105.43 | -3.98 | -- | -- | Peak | 157.00 | 150 | Horizontal | N/A |
| 4** | 5317.800 | 97.94 | -3.98 | -- | -- | AV | 157.00 | 150 | Horizontal | N/A |
| 5 | 7585.350 | 48.26 | -4.65 | 74.0 | -25.74 | Peak | 55.00 | 150 | Horizontal | Pass |
| 5** | 7585.350 | 38.12 | -4.65 | 54.0 | -15.88 | AV | 55.00 | 150 | Horizontal | Pass |
| 6 | 11700.338 | 52.13 | -0.74 | 74.0 | -21.87 | Peak | 309.00 | 150 | Horizontal | Pass |
| 6** | 11700.338 | 40.83 | -0.74 | 54.0 | -13.17 | AV | 309.00 | 150 | Horizontal | Pass |

11ax20-SU, U-NII-2A, 1 GHz to 18 GHz, High channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1163.300 | 44.98 | -18.44 | 74.0 | -29.02 | Peak | 301.00 | 150 | Vertical | Pass |
| 1** | 1163.300 | 35.20 | -18.44 | 54.0 | -18.80 | AV | 301.00 | 150 | Vertical | Pass |
| 2 | 2801.900 | 47.08 | -11.44 | 74.0 | -26.92 | Peak | 108.00 | 150 | Vertical | Pass |
| 2** | 2801.900 | 33.85 | -11.44 | 54.0 | -20.15 | AV | 108.00 | 150 | Vertical | Pass |
| 3 | 4019.400 | 47.37 | -6.58 | 74.0 | -26.63 | Peak | 183.00 | 150 | Vertical | Pass |
| 3** | 4019.400 | 37.16 | -6.58 | 54.0 | -16.84 | AV | 183.00 | 150 | Vertical | Pass |
| 4 | 5306.600 | 95.84 | -3.90 | -- | -- | Peak | 97.00 | 150 | Vertical | N/A |
| 4** | 5306.600 | 88.24 | -3.90 | -- | -- | AV | 97.00 | 150 | Vertical | N/A |
| 5 | 7332.063 | 48.39 | -4.83 | 74.0 | -25.61 | Peak | 0.00 | 150 | Vertical | Pass |
| 5** | 7332.063 | 39.84 | -4.83 | 54.0 | -14.16 | AV | 0.00 | 150 | Vertical | Pass |
| 6 | 11686.825 | 51.45 | -0.89 | 74.0 | -22.55 | Peak | 77.00 | 150 | Vertical | Pass |
| 6** | 11686.825 | 41.83 | -0.89 | 54.0 | -12.17 | AV | 77.00 | 150 | Vertical | Pass |

11ax40-SU, U-NII-2A, 1 GHz to 18 GHz, Low channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1186.400 | 40.42 | -18.48 | 74.0 | -33.58 | Peak | 334.00 | 150 | Horizontal | Pass |
| 1** | 1186.400 | 28.46 | -18.48 | 54.0 | -25.54 | AV | 334.00 | 150 | Horizontal | Pass |
| 2 | 2762.800 | 43.83 | -11.41 | 74.0 | -30.17 | Peak | 4.00 | 150 | Horizontal | Pass |
| 2** | 2762.800 | 32.86 | -11.41 | 54.0 | -21.14 | AV | 4.00 | 150 | Horizontal | Pass |
| 3 | 4114.200 | 47.16 | -5.60 | 74.0 | -26.84 | Peak | 175.00 | 150 | Horizontal | Pass |
| 3** | 4114.200 | 37.22 | -5.60 | 54.0 | -16.78 | AV | 175.00 | 150 | Horizontal | Pass |
| 4 | 5276.200 | 103.56 | -3.71 | -- | -- | Peak | 150.00 | 150 | Horizontal | N/A |
| 4** | 5276.200 | 95.74 | -3.71 | -- | -- | AV | 150.00 | 150 | Horizontal | N/A |
| 5 | 7428.950 | 47.66 | -4.25 | 74.0 | -26.34 | Peak | 66.00 | 150 | Horizontal | Pass |
| 5** | 7428.950 | 39.04 | -4.25 | 54.0 | -14.96 | AV | 66.00 | 150 | Horizontal | Pass |
| 6 | 12336.287 | 51.19 | -0.86 | 74.0 | -22.81 | Peak | 122.00 | 150 | Horizontal | Pass |
| 6** | 12336.287 | 41.82 | -0.86 | 54.0 | -12.18 | AV | 122.00 | 150 | Horizontal | Pass |

11ax40-SU, U-NII-2A, 1 GHz to 18 GHz, Low channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1164.400 | 45.33 | -18.45 | 74.0 | -28.67 | Peak | 315.00 | 150 | Vertical | Pass |
| 1** | 1164.400 | 32.74 | -18.45 | 54.0 | -21.26 | AV | 315.00 | 150 | Vertical | Pass |
| 2 | 2802.900 | 47.85 | -11.49 | 74.0 | -26.15 | Peak | 99.00 | 150 | Vertical | Pass |
| 2** | 2802.900 | 37.12 | -11.49 | 54.0 | -16.88 | AV | 99.00 | 150 | Vertical | Pass |
| 3 | 4099.200 | 47.38 | -5.99 | 74.0 | -26.62 | Peak | 112.00 | 150 | Vertical | Pass |
| 3** | 4099.200 | 37.74 | -5.99 | 54.0 | -16.26 | AV | 112.00 | 150 | Vertical | Pass |
| 4 | 5263.000 | 95.11 | -3.94 | -- | -- | Peak | 99.00 | 150 | Vertical | N/A |
| 4** | 5263.000 | 87.11 | -3.94 | -- | -- | AV | 99.00 | 150 | Vertical | N/A |
| 5 | 7445.625 | 48.32 | -4.48 | 74.0 | -25.68 | Peak | 236.00 | 150 | Vertical | Pass |
| 5** | 7445.625 | 39.15 | -4.48 | 54.0 | -14.85 | AV | 236.00 | 150 | Vertical | Pass |
| 6 | 12207.776 | 51.63 | -0.56 | 74.0 | -22.37 | Peak | 346.00 | 150 | Vertical | Pass |
| 6** | 12207.776 | 42.52 | -0.56 | 54.0 | -11.48 | AV | 346.00 | 150 | Vertical | Pass |

11ax40-SU, U-NII-2A, 1 GHz to 18 GHz, High channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1197.300 | 44.15 | -18.22 | 74.0 | -29.85 | Peak | 335.00 | 150 | Horizontal | Pass |
| 1** | 1197.300 | 28.78 | -18.22 | 54.0 | -25.22 | AV | 335.00 | 150 | Horizontal | Pass |
| 2 | 1584.600 | 43.57 | -17.98 | 74.0 | -30.43 | Peak | 227.00 | 150 | Horizontal | Pass |
| 2** | 1584.600 | 36.20 | -17.98 | 54.0 | -17.80 | AV | 227.00 | 150 | Horizontal | Pass |
| 3 | 4043.600 | 47.09 | -5.66 | 74.0 | -26.91 | Peak | 48.00 | 150 | Horizontal | Pass |
| 3** | 4043.600 | 37.07 | -5.66 | 54.0 | -16.93 | AV | 48.00 | 150 | Horizontal | Pass |
| 4 | 5317.600 | 104.90 | -3.99 | -- | -- | Peak | 143.00 | 150 | Horizontal | N/A |
| 4** | 5317.600 | 97.27 | -3.99 | -- | -- | AV | 143.00 | 150 | Horizontal | N/A |
| 5 | 7454.825 | 48.67 | -4.45 | 74.0 | -25.33 | Peak | 167.00 | 150 | Horizontal | Pass |
| 5** | 7454.825 | 39.00 | -4.45 | 54.0 | -15.00 | AV | 167.00 | 150 | Horizontal | Pass |
| 6 | 12189.950 | 51.64 | -0.86 | 74.0 | -22.36 | Peak | 0.00 | 150 | Horizontal | Pass |
| 6** | 12189.950 | 41.44 | -0.86 | 54.0 | -12.56 | AV | 0.00 | 150 | Horizontal | Pass |

11ax40-SU, U-NII-2A, 1 GHz to 18 GHz, High channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1163.800 | 44.55 | -18.45 | 74.0 | -29.45 | Peak | 324.00 | 150 | Vertical | Pass |
| 1** | 1163.800 | 31.00 | -18.45 | 54.0 | -23.00 | AV | 324.00 | 150 | Vertical | Pass |
| 2 | 2855.800 | 47.49 | -11.47 | 74.0 | -26.51 | Peak | 103.00 | 150 | Vertical | Pass |
| 2** | 2855.800 | 34.89 | -11.47 | 54.0 | -19.11 | AV | 103.00 | 150 | Vertical | Pass |
| 3 | 4089.200 | 46.93 | -5.46 | 74.0 | -27.07 | Peak | 231.00 | 150 | Vertical | Pass |
| 3** | 4089.200 | 38.23 | -5.46 | 54.0 | -15.77 | AV | 231.00 | 150 | Vertical | Pass |
| 4 | 5315.600 | 96.55 | -3.97 | -- | -- | Peak | 346.00 | 150 | Vertical | N/A |
| 4** | 5315.600 | 87.64 | -3.97 | -- | -- | AV | 346.00 | 150 | Vertical | N/A |
| 5 | 7448.212 | 49.19 | -4.54 | 74.0 | -24.81 | Peak | 43.00 | 150 | Vertical | Pass |
| 5** | 7448.212 | 38.97 | -4.54 | 54.0 | -15.03 | AV | 43.00 | 150 | Vertical | Pass |
| 6 | 12178.737 | 51.15 | -0.98 | 74.0 | -22.85 | Peak | 189.00 | 150 | Vertical | Pass |
| 6** | 12178.737 | 42.80 | -0.98 | 54.0 | -11.20 | AV | 189.00 | 150 | Vertical | Pass |

11ax80-SU, U-NII-2A, 1 GHz to 18 GHz, Middle channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1198.000 | 40.64 | -18.27 | 74.0 | -33.36 | Peak | 182.00 | 150 | Horizontal | Pass |
| 1** | 1198.000 | 29.73 | -18.27 | 54.0 | -24.27 | AV | 182.00 | 150 | Horizontal | Pass |
| 2 | 2740.600 | 43.63 | -11.68 | 74.0 | -30.37 | Peak | 81.00 | 150 | Horizontal | Pass |
| 2** | 2740.600 | 33.81 | -11.68 | 54.0 | -20.19 | AV | 81.00 | 150 | Horizontal | Pass |
| 3 | 4274.000 | 47.62 | -5.07 | 74.0 | -26.38 | Peak | 161.00 | 150 | Horizontal | Pass |
| 3** | 4274.000 | 37.78 | -5.07 | 54.0 | -16.22 | AV | 161.00 | 150 | Horizontal | Pass |
| 4 | 5287.400 | 98.74 | -3.63 | -- | -- | Peak | 161.00 | 150 | Horizontal | N/A |
| 4** | 5287.400 | 90.14 | -3.63 | -- | -- | AV | 161.00 | 150 | Horizontal | N/A |
| 5 | 7558.038 | 48.24 | -4.55 | 74.0 | -25.76 | Peak | 324.00 | 150 | Horizontal | Pass |
| 5** | 7558.038 | 38.11 | -4.55 | 54.0 | -15.89 | AV | 324.00 | 150 | Horizontal | Pass |
| 6 | 12174.425 | 51.26 | -0.95 | 74.0 | -22.74 | Peak | 104.00 | 150 | Horizontal | Pass |
| 6** | 12174.425 | 42.17 | -0.95 | 54.0 | -11.83 | AV | 104.00 | 150 | Horizontal | Pass |

11ax80-SU, U-NII-2A, 1 GHz to 18 GHz, Middle channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1163.900 | 45.00 | -18.45 | 74.0 | -29.00 | Peak | 316.00 | 150 | Vertical | Pass |
| 1** | 1163.900 | 34.80 | -18.45 | 54.0 | -19.20 | AV | 316.00 | 150 | Vertical | Pass |
| 2 | 2805.700 | 46.42 | -11.57 | 74.0 | -27.58 | Peak | 97.00 | 150 | Vertical | Pass |
| 2** | 2805.700 | 35.05 | -11.57 | 54.0 | -18.95 | AV | 97.00 | 150 | Vertical | Pass |
| 3 | 4195.000 | 48.24 | -5.96 | 74.0 | -25.76 | Peak | 26.00 | 150 | Vertical | Pass |
| 3** | 4195.000 | 37.34 | -5.96 | 54.0 | -16.66 | AV | 26.00 | 150 | Vertical | Pass |
| 4 | 5293.200 | 93.11 | -3.68 | -- | -- | Peak | 111.00 | 150 | Vertical | N/A |
| 4** | 5293.200 | 82.00 | -3.68 | -- | -- | AV | 111.00 | 150 | Vertical | N/A |
| 5 | 7421.475 | 48.08 | -4.03 | 74.0 | -25.92 | Peak | 72.00 | 150 | Vertical | Pass |
| 5** | 7421.475 | 39.33 | -4.03 | 54.0 | -14.67 | AV | 72.00 | 150 | Vertical | Pass |
| 6 | 12172.987 | 51.69 | -0.95 | 74.0 | -22.31 | Peak | 93.00 | 150 | Vertical | Pass |
| 6** | 12172.987 | 42.14 | -0.95 | 54.0 | -11.86 | AV | 93.00 | 150 | Vertical | Pass |

11a, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1174.300 | 39.80 | -18.49 | 74.0 | -34.20 | Peak | 243.00 | 150 | Horizontal | Pass |
| 1** | 1174.300 | 27.67 | -18.49 | 54.0 | -26.33 | AV | 243.00 | 150 | Horizontal | Pass |
| 2 | 2848.800 | 42.58 | -11.66 | 74.0 | -31.42 | Peak | 267.00 | 150 | Horizontal | Pass |
| 2** | 2848.800 | 33.35 | -11.66 | 54.0 | -20.65 | AV | 267.00 | 150 | Horizontal | Pass |
| 3 | 4086.600 | 47.21 | -5.28 | 74.0 | -26.79 | Peak | 24.00 | 150 | Horizontal | Pass |
| 3** | 4086.600 | 38.11 | -5.28 | 54.0 | -15.89 | AV | 24.00 | 150 | Horizontal | Pass |
| 4 | 5488.200 | 107.13 | -2.83 | -- | -- | Peak | 138.00 | 150 | Horizontal | N/A |
| 4** | 5488.200 | 97.58 | -2.83 | -- | -- | AV | 138.00 | 150 | Horizontal | N/A |
| 5 | 7419.750 | 48.97 | -4.04 | 74.0 | -25.03 | Peak | 191.00 | 150 | Horizontal | Pass |
| 5** | 7419.750 | 39.53 | -4.04 | 54.0 | -14.47 | AV | 191.00 | 150 | Horizontal | Pass |
| 6 | 11617.537 | 50.98 | -0.16 | 74.0 | -23.02 | Peak | 337.00 | 150 | Horizontal | Pass |
| 6** | 11617.537 | 41.79 | -0.16 | 54.0 | -12.21 | AV | 337.00 | 150 | Horizontal | Pass |

11a, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1195.700 | 44.54 | -18.20 | 74.0 | -29.46 | Peak | 291.00 | 150 | Vertical | Pass |
| 1** | 1195.700 | 31.10 | -18.20 | 54.0 | -22.90 | AV | 291.00 | 150 | Vertical | Pass |
| 2 | 2798.000 | 44.08 | -11.42 | 74.0 | -29.92 | Peak | 259.00 | 150 | Vertical | Pass |
| 2** | 2798.000 | 35.41 | -11.42 | 54.0 | -18.59 | AV | 259.00 | 150 | Vertical | Pass |
| 3 | 4083.800 | 46.92 | -5.09 | 74.0 | -27.08 | Peak | 181.00 | 150 | Vertical | Pass |
| 3** | 4083.800 | 38.81 | -5.09 | 54.0 | -15.19 | AV | 181.00 | 150 | Vertical | Pass |
| 4 | 5485.600 | 99.59 | -2.76 | -- | -- | Peak | 91.00 | 150 | Vertical | N/A |
| 4** | 5485.600 | 92.08 | -2.76 | -- | -- | AV | 91.00 | 150 | Vertical | N/A |
| 5 | 7448.787 | 47.79 | -4.48 | 74.0 | -26.21 | Peak | 34.00 | 150 | Vertical | Pass |
| 5** | 7448.787 | 38.74 | -4.48 | 54.0 | -15.26 | AV | 34.00 | 150 | Vertical | Pass |
| 6 | 12237.963 | 51.97 | -0.32 | 74.0 | -22.03 | Peak | 70.00 | 150 | Vertical | Pass |
| 6** | 12237.963 | 42.57 | -0.32 | 54.0 | -11.43 | AV | 70.00 | 150 | Vertical | Pass |

11a, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1145.600 | 41.07 | -18.69 | 74.0 | -32.93 | Peak | 255.00 | 150 | Horizontal | Pass |
| 1** | 1145.600 | 29.13 | -18.69 | 54.0 | -24.87 | AV | 255.00 | 150 | Horizontal | Pass |
| 2 | 2838.100 | 43.34 | -11.90 | 74.0 | -30.66 | Peak | 298.00 | 150 | Horizontal | Pass |
| 2** | 2838.100 | 33.90 | -11.90 | 54.0 | -20.10 | AV | 298.00 | 150 | Horizontal | Pass |
| 3 | 4080.600 | 47.96 | -5.13 | 74.0 | -26.04 | Peak | 0.00 | 150 | Horizontal | Pass |
| 3** | 4080.600 | 38.00 | -5.13 | 54.0 | -16.00 | AV | 0.00 | 150 | Horizontal | Pass |
| 4 | 5568.400 | 106.71 | -3.83 | -- | -- | Peak | 141.00 | 150 | Horizontal | N/A |
| 4** | 5568.400 | 97.62 | -3.83 | -- | -- | AV | 141.00 | 150 | Horizontal | N/A |
| 5 | 7427.513 | 48.80 | -4.12 | 74.0 | -25.20 | Peak | 84.00 | 150 | Horizontal | Pass |
| 5** | 7427.513 | 39.91 | -4.12 | 54.0 | -14.09 | AV | 84.00 | 150 | Horizontal | Pass |
| 6 | 11650.600 | 51.38 | -0.35 | 74.0 | -22.62 | Peak | 353.00 | 150 | Horizontal | Pass |
| 6** | 11650.600 | 43.44 | -0.35 | 54.0 | -10.56 | AV | 353.00 | 150 | Horizontal | Pass |

11a, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1177.700 | 42.36 | -18.51 | 74.0 | -31.64 | Peak | 323.00 | 150 | Vertical | Pass |
| 1** | 1177.700 | 28.73 | -18.51 | 54.0 | -25.27 | AV | 323.00 | 150 | Vertical | Pass |
| 2 | 2794.400 | 45.06 | -11.19 | 74.0 | -28.94 | Peak | 234.00 | 150 | Vertical | Pass |
| 2** | 2794.400 | 34.78 | -11.19 | 54.0 | -19.22 | AV | 234.00 | 150 | Vertical | Pass |
| 3 | 4322.000 | 48.48 | -5.07 | 74.0 | -25.52 | Peak | 360.00 | 150 | Vertical | Pass |
| 3** | 4322.000 | 38.31 | -5.07 | 54.0 | -15.69 | AV | 360.00 | 150 | Vertical | Pass |
| 4 | 5569.000 | 100.43 | -3.82 | -- | -- | Peak | 81.00 | 150 | Vertical | N/A |
| 4** | 5569.000 | 93.48 | -3.82 | -- | -- | AV | 81.00 | 150 | Vertical | N/A |
| 5 | 7425.212 | 48.36 | -4.07 | 74.0 | -25.64 | Peak | 51.00 | 150 | Vertical | Pass |
| 5** | 7425.212 | 39.63 | -4.07 | 54.0 | -14.37 | AV | 51.00 | 150 | Vertical | Pass |
| 6 | 12100.250 | 51.30 | -1.02 | 74.0 | -22.70 | Peak | 69.00 | 150 | Vertical | Pass |
| 6** | 12100.250 | 42.20 | -1.02 | 54.0 | -11.80 | AV | 69.00 | 150 | Vertical | Pass |

11a, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1197.800 | 42.64 | -18.26 | 74.0 | -31.36 | Peak | 241.00 | 150 | Horizontal | Pass |
| 1** | 1197.800 | 31.11 | -18.26 | 54.0 | -22.89 | AV | 241.00 | 150 | Horizontal | Pass |
| 2 | 2832.600 | 42.89 | -11.88 | 74.0 | -31.11 | Peak | 34.00 | 150 | Horizontal | Pass |
| 2** | 2832.600 | 33.62 | -11.88 | 54.0 | -20.38 | AV | 34.00 | 150 | Horizontal | Pass |
| 3 | 4167.800 | 47.10 | -5.58 | 74.0 | -26.90 | Peak | 46.00 | 150 | Horizontal | Pass |
| 3** | 4167.800 | 38.26 | -5.58 | 54.0 | -15.74 | AV | 46.00 | 150 | Horizontal | Pass |
| 4 | 5685.000 | 104.05 | -4.25 | -- | -- | Peak | 131.00 | 150 | Horizontal | N/A |
| 4** | 5685.000 | 95.78 | -4.25 | -- | -- | AV | 131.00 | 150 | Horizontal | N/A |
| 5 | 7428.375 | 47.89 | -4.20 | 74.0 | -26.11 | Peak | 360.00 | 150 | Horizontal | Pass |
| 5** | 7428.375 | 39.73 | -4.20 | 54.0 | -14.27 | AV | 360.00 | 150 | Horizontal | Pass |
| 6 | 12100.250 | 50.57 | -1.02 | 74.0 | -23.43 | Peak | 360.00 | 150 | Horizontal | Pass |
| 6** | 12100.250 | 42.33 | -1.02 | 54.0 | -11.67 | AV | 360.00 | 150 | Horizontal | Pass |

11a, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1162.700 | 44.33 | -18.44 | 74.0 | -29.67 | Peak | 290.00 | 150 | Vertical | Pass |
| 1** | 1162.700 | 29.16 | -18.44 | 54.0 | -24.84 | AV | 290.00 | 150 | Vertical | Pass |
| 2 | 2789.800 | 44.45 | -11.09 | 74.0 | -29.55 | Peak | 274.00 | 150 | Vertical | Pass |
| 2** | 2789.800 | 35.30 | -11.09 | 54.0 | -18.70 | AV | 274.00 | 150 | Vertical | Pass |
| 3 | 4017.200 | 47.31 | -6.53 | 74.0 | -26.69 | Peak | 61.00 | 150 | Vertical | Pass |
| 3** | 4017.200 | 37.10 | -6.53 | 54.0 | -16.90 | AV | 61.00 | 150 | Vertical | Pass |
| 4 | 5694.600 | 99.51 | -4.27 | -- | -- | Peak | 89.00 | 150 | Vertical | N/A |
| 4** | 5694.600 | 91.71 | -4.27 | -- | -- | AV | 89.00 | 150 | Vertical | N/A |
| 5 | 7432.975 | 48.68 | -4.40 | 74.0 | -25.32 | Peak | 133.00 | 150 | Vertical | Pass |
| 5** | 7432.975 | 40.85 | -4.40 | 54.0 | -13.15 | AV | 133.00 | 150 | Vertical | Pass |
| 6 | 12169.825 | 51.14 | -0.93 | 74.0 | -22.86 | Peak | 55.00 | 150 | Vertical | Pass |
| 6** | 12169.825 | 41.79 | -0.93 | 54.0 | -12.21 | AV | 55.00 | 150 | Vertical | Pass |

11n20, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1121.300 | 40.85 | -18.62 | 74.0 | -33.15 | Peak | 254.00 | 150 | Horizontal | Pass |
| 1** | 1121.300 | 30.57 | -18.62 | 54.0 | -23.43 | AV | 254.00 | 150 | Horizontal | Pass |
| 2 | 2782.400 | 42.92 | -11.29 | 74.0 | -31.08 | Peak | 15.00 | 150 | Horizontal | Pass |
| 2** | 2782.400 | 33.88 | -11.29 | 54.0 | -20.12 | AV | 15.00 | 150 | Horizontal | Pass |
| 3 | 4168.000 | 47.04 | -5.56 | 74.0 | -26.96 | Peak | 162.00 | 150 | Horizontal | Pass |
| 3** | 4168.000 | 37.69 | -5.56 | 54.0 | -16.31 | AV | 162.00 | 150 | Horizontal | Pass |
| 4 | 5488.800 | 105.41 | -2.84 | -- | -- | Peak | 149.00 | 150 | Horizontal | N/A |
| 4** | 5488.800 | 97.62 | -2.84 | -- | -- | AV | 149.00 | 150 | Horizontal | N/A |
| 5 | 7428.375 | 49.08 | -4.20 | 74.0 | -24.92 | Peak | 188.00 | 150 | Horizontal | Pass |
| 5** | 7428.375 | 39.80 | -4.20 | 54.0 | -14.20 | AV | 188.00 | 150 | Horizontal | Pass |
| 6 | 12011.125 | 51.16 | -1.24 | 74.0 | -22.84 | Peak | 211.00 | 150 | Horizontal | Pass |
| 6** | 12011.125 | 42.64 | -1.24 | 54.0 | -11.36 | AV | 211.00 | 150 | Horizontal | Pass |

11n20, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1196.600 | 44.27 | -18.17 | 74.0 | -29.73 | Peak | 286.00 | 150 | Vertical | Pass |
| 1** | 1196.600 | 31.74 | -18.17 | 54.0 | -22.26 | AV | 286.00 | 150 | Vertical | Pass |
| 2 | 2793.000 | 45.92 | -11.12 | 74.0 | -28.08 | Peak | 241.00 | 150 | Vertical | Pass |
| 2** | 2793.000 | 34.89 | -11.12 | 54.0 | -19.11 | AV | 241.00 | 150 | Vertical | Pass |
| 3 | 4077.200 | 47.22 | -5.24 | 74.0 | -26.78 | Peak | 80.00 | 150 | Vertical | Pass |
| 3** | 4077.200 | 37.78 | -5.24 | 54.0 | -16.22 | AV | 80.00 | 150 | Vertical | Pass |
| 4 | 5488.800 | 99.95 | -2.84 | -- | -- | Peak | 94.00 | 150 | Vertical | N/A |
| 4** | 5488.800 | 92.84 | -2.84 | -- | -- | AV | 94.00 | 150 | Vertical | N/A |
| 5 | 7424.350 | 48.88 | -4.08 | 74.0 | -25.12 | Peak | 70.00 | 150 | Vertical | Pass |
| 5** | 7424.350 | 39.80 | -4.08 | 54.0 | -14.20 | AV | 70.00 | 150 | Vertical | Pass |
| 6 | 12306.099 | 51.43 | -0.10 | 74.0 | -22.57 | Peak | 237.00 | 150 | Vertical | Pass |
| 6** | 12306.099 | 41.64 | -0.10 | 54.0 | -12.36 | AV | 237.00 | 150 | Vertical | Pass |

11n20, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1231.200 | 41.35 | -18.16 | 74.0 | -32.65 | Peak | 246.00 | 150 | Horizontal | Pass |
| 1** | 1231.200 | 28.03 | -18.16 | 54.0 | -25.97 | AV | 246.00 | 150 | Horizontal | Pass |
| 2 | 2862.600 | 42.93 | -11.56 | 74.0 | -31.07 | Peak | 263.00 | 150 | Horizontal | Pass |
| 2** | 2862.600 | 32.76 | -11.56 | 54.0 | -21.24 | AV | 263.00 | 150 | Horizontal | Pass |
| 3 | 4119.000 | 46.75 | -5.66 | 74.0 | -27.25 | Peak | 38.00 | 150 | Horizontal | Pass |
| 3** | 4119.000 | 37.94 | -5.66 | 54.0 | -16.06 | AV | 38.00 | 150 | Horizontal | Pass |
| 4 | 5564.400 | 105.67 | -3.85 | -- | -- | Peak | 142.00 | 150 | Horizontal | N/A |
| 4** | 5564.400 | 99.34 | -3.85 | -- | -- | AV | 142.00 | 150 | Horizontal | N/A |
| 5 | 7426.362 | 47.68 | -4.07 | 74.0 | -26.32 | Peak | 263.00 | 150 | Horizontal | Pass |
| 5** | 7426.362 | 39.90 | -4.07 | 54.0 | -14.10 | AV | 263.00 | 150 | Horizontal | Pass |
| 6 | 12049.075 | 51.42 | -1.50 | 74.0 | -22.58 | Peak | 223.00 | 150 | Horizontal | Pass |
| 6** | 12049.075 | 41.22 | -1.50 | 54.0 | -12.78 | AV | 223.00 | 150 | Horizontal | Pass |

11n20, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1196.100 | 43.51 | -18.19 | 74.0 | -30.49 | Peak | 322.00 | 150 | Vertical | Pass |
| 1** | 1196.100 | 30.82 | -18.19 | 54.0 | -23.18 | AV | 322.00 | 150 | Vertical | Pass |
| 2 | 2798.200 | 46.22 | -11.42 | 74.0 | -27.78 | Peak | 245.00 | 150 | Vertical | Pass |
| 2** | 2798.200 | 34.68 | -11.42 | 54.0 | -19.32 | AV | 245.00 | 150 | Vertical | Pass |
| 3 | 3997.400 | 47.04 | -6.17 | 74.0 | -26.96 | Peak | 237.00 | 150 | Vertical | Pass |
| 3** | 3997.400 | 37.75 | -6.17 | 54.0 | -16.25 | AV | 237.00 | 150 | Vertical | Pass |
| 4 | 5568.000 | 99.58 | -3.84 | -- | -- | Peak | 94.00 | 150 | Vertical | N/A |
| 4** | 5568.000 | 90.64 | -3.84 | -- | -- | AV | 94.00 | 150 | Vertical | N/A |
| 5 | 7587.075 | 49.08 | -4.68 | 74.0 | -24.92 | Peak | 0.00 | 150 | Vertical | Pass |
| 5** | 7587.075 | 38.99 | -4.68 | 54.0 | -15.01 | AV | 0.00 | 150 | Vertical | Pass |
| 6 | 11622.425 | 50.89 | -0.19 | 74.0 | -23.11 | Peak | 53.00 | 150 | Vertical | Pass |
| 6** | 11622.425 | 41.90 | -0.19 | 54.0 | -12.10 | AV | 53.00 | 150 | Vertical | Pass |

11n20, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1199.100 | 42.97 | -18.28 | 74.0 | -31.03 | Peak | 282.00 | 150 | Horizontal | Pass |
| 1** | 1199.100 | 30.96 | -18.28 | 54.0 | -23.04 | AV | 282.00 | 150 | Horizontal | Pass |
| 2 | 2860.900 | 43.43 | -11.42 | 74.0 | -30.57 | Peak | 106.00 | 150 | Horizontal | Pass |
| 2** | 2860.900 | 33.91 | -11.42 | 54.0 | -20.09 | AV | 106.00 | 150 | Horizontal | Pass |
| 3 | 4066.800 | 47.17 | -5.52 | 74.0 | -26.83 | Peak | 104.00 | 150 | Horizontal | Pass |
| 3** | 4066.800 | 38.03 | -5.52 | 54.0 | -15.97 | AV | 104.00 | 150 | Horizontal | Pass |
| 4 | 5687.000 | 104.76 | -4.37 | -- | -- | Peak | 309.00 | 150 | Horizontal | N/A |
| 4** | 5687.000 | 95.36 | -4.37 | -- | -- | AV | 309.00 | 150 | Horizontal | N/A |
| 5 | 7424.350 | 47.92 | -4.08 | 74.0 | -26.08 | Peak | 360.00 | 150 | Horizontal | Pass |
| 5** | 7424.350 | 39.81 | -4.08 | 54.0 | -14.19 | AV | 360.00 | 150 | Horizontal | Pass |
| 6 | 12016.874 | 50.95 | -1.20 | 74.0 | -23.05 | Peak | 159.00 | 150 | Horizontal | Pass |
| 6** | 12016.874 | 41.62 | -1.20 | 54.0 | -12.38 | AV | 159.00 | 150 | Horizontal | Pass |

11n20, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1196.500 | 45.95 | -18.17 | 74.0 | -28.05 | Peak | 315.00 | 150 | Vertical | Pass |
| 1** | 1196.500 | 35.59 | -18.17 | 54.0 | -18.41 | AV | 315.00 | 150 | Vertical | Pass |
| 2 | 2798.200 | 45.68 | -11.42 | 74.0 | -28.32 | Peak | 291.00 | 150 | Vertical | Pass |
| 2** | 2798.200 | 35.29 | -11.42 | 54.0 | -18.71 | AV | 291.00 | 150 | Vertical | Pass |
| 3 | 4087.000 | 47.19 | -5.31 | 74.0 | -26.81 | Peak | 52.00 | 150 | Vertical | Pass |
| 3** | 4087.000 | 37.18 | -5.31 | 54.0 | -16.82 | AV | 52.00 | 150 | Vertical | Pass |
| 4 | 5697.400 | 99.77 | -4.38 | -- | -- | Peak | 90.00 | 150 | Vertical | N/A |
| 4** | 5697.400 | 91.73 | -4.38 | -- | -- | AV | 90.00 | 150 | Vertical | N/A |
| 5 | 7431.825 | 48.62 | -4.40 | 74.0 | -25.38 | Peak | 190.00 | 150 | Vertical | Pass |
| 5** | 7431.825 | 39.57 | -4.40 | 54.0 | -14.43 | AV | 190.00 | 150 | Vertical | Pass |
| 6 | 12160.338 | 51.02 | -0.89 | 74.0 | -22.98 | Peak | 261.00 | 150 | Vertical | Pass |
| 6** | 12160.338 | 41.57 | -0.89 | 54.0 | -12.43 | AV | 261.00 | 150 | Vertical | Pass |

11n40, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1197.100 | 42.92 | -18.20 | 74.0 | -31.08 | Peak | 275.00 | 150 | Horizontal | Pass |
| 1** | 1197.100 | 30.33 | -18.20 | 54.0 | -23.67 | AV | 275.00 | 150 | Horizontal | Pass |
| 2 | 2780.000 | 43.20 | -11.36 | 74.0 | -30.80 | Peak | 156.00 | 150 | Horizontal | Pass |
| 2** | 2780.000 | 33.95 | -11.36 | 54.0 | -20.05 | AV | 156.00 | 150 | Horizontal | Pass |
| 3 | 4233.000 | 47.35 | -5.95 | 74.0 | -26.65 | Peak | 225.00 | 150 | Horizontal | Pass |
| 3** | 4233.000 | 37.41 | -5.95 | 54.0 | -16.59 | AV | 225.00 | 150 | Horizontal | Pass |
| 4 | 5506.600 | 105.78 | -3.44 | -- | -- | Peak | 147.00 | 150 | Horizontal | N/A |
| 4** | 5506.600 | 97.52 | -3.44 | -- | -- | AV | 147.00 | 150 | Horizontal | N/A |
| 5 | 7420.038 | 48.28 | -4.02 | 74.0 | -25.72 | Peak | 295.00 | 150 | Horizontal | Pass |
| 5** | 7420.038 | 40.12 | -4.02 | 54.0 | -13.88 | AV | 295.00 | 150 | Horizontal | Pass |
| 6 | 12267.288 | 51.54 | 0.06 | 74.0 | -22.46 | Peak | 136.00 | 150 | Horizontal | Pass |
| 6** | 12267.288 | 43.19 | 0.06 | 54.0 | -10.81 | AV | 136.00 | 150 | Horizontal | Pass |

11n40, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1197.600 | 43.67 | -18.24 | 74.0 | -30.33 | Peak | 313.00 | 150 | Vertical | Pass |
| 1** | 1197.600 | 32.75 | -18.24 | 54.0 | -21.25 | AV | 313.00 | 150 | Vertical | Pass |
| 2 | 2793.800 | 46.19 | -11.16 | 74.0 | -27.81 | Peak | 250.00 | 150 | Vertical | Pass |
| 2** | 2793.800 | 33.02 | -11.16 | 54.0 | -20.98 | AV | 250.00 | 150 | Vertical | Pass |
| 3 | 4024.200 | 47.01 | -6.35 | 74.0 | -26.99 | Peak | 17.00 | 150 | Vertical | Pass |
| 3** | 4024.200 | 37.48 | -6.35 | 54.0 | -16.52 | AV | 17.00 | 150 | Vertical | Pass |
| 4 | 5505.000 | 98.15 | -3.39 | -- | -- | Peak | 103.00 | 150 | Vertical | N/A |
| 4** | 5505.000 | 90.48 | -3.39 | -- | -- | AV | 103.00 | 150 | Vertical | N/A |
| 5 | 7421.475 | 48.43 | -4.03 | 74.0 | -25.57 | Peak | 360.00 | 150 | Vertical | Pass |
| 5** | 7421.475 | 39.27 | -4.03 | 54.0 | -14.73 | AV | 360.00 | 150 | Vertical | Pass |
| 6 | 12267.862 | 52.02 | 0.06 | 74.0 | -21.98 | Peak | 260.00 | 150 | Vertical | Pass |
| 6** | 12267.862 | 42.89 | 0.06 | 54.0 | -11.11 | AV | 260.00 | 150 | Vertical | Pass |

11n40, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1154.800 | 41.97 | -18.62 | 74.0 | -32.03 | Peak | 244.00 | 150 | Horizontal | Pass |
| 1** | 1154.800 | 28.35 | -18.62 | 54.0 | -25.65 | AV | 244.00 | 150 | Horizontal | Pass |
| 2 | 2776.300 | 43.20 | -11.43 | 74.0 | -30.80 | Peak | 360.00 | 150 | Horizontal | Pass |
| 2** | 2776.300 | 34.52 | -11.43 | 54.0 | -19.48 | AV | 360.00 | 150 | Horizontal | Pass |
| 3 | 4060.600 | 47.19 | -5.54 | 74.0 | -26.81 | Peak | 297.00 | 150 | Horizontal | Pass |
| 3** | 4060.600 | 37.91 | -5.54 | 54.0 | -16.09 | AV | 297.00 | 150 | Horizontal | Pass |
| 4 | 5586.600 | 105.19 | -3.92 | -- | -- | Peak | 161.00 | 150 | Horizontal | N/A |
| 4** | 5586.600 | 98.16 | -3.92 | -- | -- | AV | 161.00 | 150 | Horizontal | N/A |
| 5 | 7421.763 | 48.08 | -4.04 | 74.0 | -25.92 | Peak | 191.00 | 150 | Horizontal | Pass |
| 5** | 7421.763 | 39.77 | -4.04 | 54.0 | -14.23 | AV | 191.00 | 150 | Horizontal | Pass |
| 6 | 12106.000 | 51.47 | -0.92 | 74.0 | -22.53 | Peak | 191.00 | 150 | Horizontal | Pass |
| 6** | 12106.000 | 42.57 | -0.92 | 54.0 | -11.43 | AV | 191.00 | 150 | Horizontal | Pass |

11n40, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1175.900 | 42.51 | -18.52 | 74.0 | -31.49 | Peak | 315.00 | 150 | Vertical | Pass |
| 1** | 1175.900 | 29.95 | -18.52 | 54.0 | -24.05 | AV | 315.00 | 150 | Vertical | Pass |
| 2 | 2794.800 | 45.64 | -11.22 | 74.0 | -28.36 | Peak | 235.00 | 150 | Vertical | Pass |
| 2** | 2794.800 | 34.42 | -11.22 | 54.0 | -19.58 | AV | 235.00 | 150 | Vertical | Pass |
| 3 | 4098.400 | 47.56 | -6.01 | 74.0 | -26.44 | Peak | 32.00 | 150 | Vertical | Pass |
| 3** | 4098.400 | 38.65 | -6.01 | 54.0 | -15.35 | AV | 32.00 | 150 | Vertical | Pass |
| 4 | 5594.200 | 100.16 | -3.99 | -- | -- | Peak | 105.00 | 150 | Vertical | N/A |
| 4** | 5594.200 | 91.82 | -3.99 | -- | -- | AV | 105.00 | 150 | Vertical | N/A |
| 5 | 7360.525 | 48.50 | -4.92 | 74.0 | -25.50 | Peak | 360.00 | 150 | Vertical | Pass |
| 5** | 7360.525 | 38.94 | -4.92 | 54.0 | -15.06 | AV | 360.00 | 150 | Vertical | Pass |
| 6 | 12105.425 | 51.37 | -0.93 | 74.0 | -22.63 | Peak | 218.00 | 150 | Vertical | Pass |
| 6** | 12105.425 | 42.81 | -0.93 | 54.0 | -11.19 | AV | 218.00 | 150 | Vertical | Pass |

11n40, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1197.500 | 42.17 | -18.23 | 74.0 | -31.83 | Peak | 0.00 | 150 | Horizontal | Pass |
| 1** | 1197.500 | 31.18 | -18.23 | 54.0 | -22.82 | AV | 0.00 | 150 | Horizontal | Pass |
| 2 | 2797.200 | 43.48 | -11.42 | 74.0 | -30.52 | Peak | 263.00 | 150 | Horizontal | Pass |
| 2** | 2797.200 | 33.93 | -11.42 | 54.0 | -20.07 | AV | 263.00 | 150 | Horizontal | Pass |
| 3 | 4051.000 | 47.10 | -5.48 | 74.0 | -26.90 | Peak | 292.00 | 150 | Horizontal | Pass |
| 3** | 4051.000 | 37.04 | -5.48 | 54.0 | -16.96 | AV | 292.00 | 150 | Horizontal | Pass |
| 4 | 5673.400 | 104.21 | -3.99 | -- | -- | Peak | 146.00 | 150 | Horizontal | N/A |
| 4** | 5673.400 | 97.26 | -3.99 | -- | -- | AV | 146.00 | 150 | Horizontal | N/A |
| 5 | 7449.937 | 48.75 | -4.37 | 74.0 | -25.25 | Peak | 244.00 | 150 | Horizontal | Pass |
| 5** | 7449.937 | 39.62 | -4.37 | 54.0 | -14.38 | AV | 244.00 | 150 | Horizontal | Pass |
| 6 | 11670.150 | 51.16 | -0.72 | 74.0 | -22.84 | Peak | 34.00 | 150 | Horizontal | Pass |
| 6** | 11670.150 | 41.23 | -0.72 | 54.0 | -12.77 | AV | 34.00 | 150 | Horizontal | Pass |

11n40, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1195.700 | 44.96 | -18.20 | 74.0 | -29.04 | Peak | 314.00 | 150 | Vertical | Pass |
| 1** | 1195.700 | 33.58 | -18.20 | 54.0 | -20.42 | AV | 314.00 | 150 | Vertical | Pass |
| 2 | 2790.900 | 46.30 | -11.10 | 74.0 | -27.70 | Peak | 226.00 | 150 | Vertical | Pass |
| 2** | 2790.900 | 34.09 | -11.10 | 54.0 | -19.91 | AV | 226.00 | 150 | Vertical | Pass |
| 3 | 4087.200 | 47.53 | -5.33 | 74.0 | -26.47 | Peak | 130.00 | 150 | Vertical | Pass |
| 3** | 4087.200 | 38.40 | -5.33 | 54.0 | -15.60 | AV | 130.00 | 150 | Vertical | Pass |
| 4 | 5664.000 | 99.39 | -3.96 | -- | -- | Peak | 90.00 | 150 | Vertical | N/A |
| 4** | 5664.000 | 92.82 | -3.96 | -- | -- | AV | 90.00 | 150 | Vertical | N/A |
| 5 | 7423.775 | 48.14 | -4.08 | 74.0 | -25.86 | Peak | 245.00 | 150 | Vertical | Pass |
| 5** | 7423.775 | 40.14 | -4.08 | 54.0 | -13.86 | AV | 245.00 | 150 | Vertical | Pass |
| 6 | 11741.450 | 51.91 | -1.19 | 74.0 | -22.09 | Peak | 170.00 | 150 | Vertical | Pass |
| 6** | 11741.450 | 40.52 | -1.19 | 54.0 | -13.48 | AV | 170.00 | 150 | Vertical | Pass |

11ac20, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1198.200 | 42.05 | -18.29 | 74.0 | -31.95 | Peak | 163.00 | 150 | Horizontal | Pass |
| 1** | 1198.200 | 30.70 | -18.29 | 54.0 | -23.30 | AV | 163.00 | 150 | Horizontal | Pass |
| 2 | 2794.100 | 43.10 | -11.17 | 74.0 | -30.90 | Peak | 5.00 | 150 | Horizontal | Pass |
| 2** | 2794.100 | 33.40 | -11.17 | 54.0 | -20.60 | AV | 5.00 | 150 | Horizontal | Pass |
| 3 | 4067.200 | 46.95 | -5.49 | 74.0 | -27.05 | Peak | 360.00 | 150 | Horizontal | Pass |
| 3** | 4067.200 | 37.36 | -5.49 | 54.0 | -16.64 | AV | 360.00 | 150 | Horizontal | Pass |
| 4 | 5487.000 | 105.86 | -2.81 | -- | -- | Peak | 141.00 | 150 | Horizontal | N/A |
| 4** | 5487.000 | 97.73 | -2.81 | -- | -- | AV | 141.00 | 150 | Horizontal | N/A |
| 5 | 7520.950 | 48.27 | -4.26 | 74.0 | -25.73 | Peak | 31.00 | 150 | Horizontal | Pass |
| 5** | 7520.950 | 38.13 | -4.26 | 54.0 | -15.87 | AV | 31.00 | 150 | Horizontal | Pass |
| 6 | 12337.724 | 51.96 | -0.90 | 74.0 | -22.04 | Peak | 143.00 | 150 | Horizontal | Pass |
| 6** | 12337.724 | 43.01 | -0.90 | 54.0 | -10.99 | AV | 143.00 | 150 | Horizontal | Pass |

11ac20, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1165.800 | 44.69 | -18.49 | 74.0 | -29.31 | Peak | 305.00 | 150 | Vertical | Pass |
| 1** | 1165.800 | 28.76 | -18.49 | 54.0 | -25.24 | AV | 305.00 | 150 | Vertical | Pass |
| 2 | 2801.300 | 46.78 | -11.41 | 74.0 | -27.22 | Peak | 250.00 | 150 | Vertical | Pass |
| 2** | 2801.300 | 34.55 | -11.41 | 54.0 | -19.45 | AV | 250.00 | 150 | Vertical | Pass |
| 3 | 4291.600 | 48.17 | -5.27 | 74.0 | -25.83 | Peak | 82.00 | 150 | Vertical | Pass |
| 3** | 4291.600 | 38.06 | -5.27 | 54.0 | -15.94 | AV | 82.00 | 150 | Vertical | Pass |
| 4 | 5497.000 | 99.41 | -3.03 | -- | -- | Peak | 95.00 | 150 | Vertical | N/A |
| 4** | 5497.000 | 92.17 | -3.03 | -- | -- | AV | 95.00 | 150 | Vertical | N/A |
| 5 | 7367.138 | 48.60 | -4.88 | 74.0 | -25.40 | Peak | 325.00 | 150 | Vertical | Pass |
| 5** | 7367.138 | 39.92 | -4.88 | 54.0 | -14.08 | AV | 325.00 | 150 | Vertical | Pass |
| 6 | 12236.237 | 51.31 | -0.31 | 74.0 | -22.69 | Peak | 84.00 | 150 | Vertical | Pass |
| 6** | 12236.237 | 42.28 | -0.31 | 54.0 | -11.72 | AV | 84.00 | 150 | Vertical | Pass |

11ac20, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1145.200 | 41.91 | -18.66 | 74.0 | -32.09 | Peak | 242.00 | 150 | Horizontal | Pass |
| 1** | 1145.200 | 30.84 | -18.66 | 54.0 | -23.16 | AV | 242.00 | 150 | Horizontal | Pass |
| 2 | 2802.300 | 43.76 | -11.46 | 74.0 | -30.24 | Peak | 63.00 | 150 | Horizontal | Pass |
| 2** | 2802.300 | 33.73 | -11.46 | 54.0 | -20.27 | AV | 63.00 | 150 | Horizontal | Pass |
| 3 | 4286.400 | 48.51 | -5.14 | 74.0 | -25.49 | Peak | 278.00 | 150 | Horizontal | Pass |
| 3** | 4286.400 | 38.24 | -5.14 | 54.0 | -15.76 | AV | 278.00 | 150 | Horizontal | Pass |
| 4 | 5564.600 | 106.02 | -3.86 | -- | -- | Peak | 144.00 | 150 | Horizontal | N/A |
| 4** | 5564.600 | 97.69 | -3.86 | -- | -- | AV | 144.00 | 150 | Horizontal | N/A |
| 5 | 7334.075 | 48.29 | -4.88 | 74.0 | -25.71 | Peak | 50.00 | 150 | Horizontal | Pass |
| 5** | 7334.075 | 38.80 | -4.88 | 54.0 | -15.20 | AV | 50.00 | 150 | Horizontal | Pass |
| 6 | 11595.688 | 50.73 | -0.11 | 74.0 | -23.27 | Peak | 281.00 | 150 | Horizontal | Pass |
| 6** | 11595.688 | 42.17 | -0.11 | 54.0 | -11.83 | AV | 281.00 | 150 | Horizontal | Pass |

11ac20, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1196.100 | 42.61 | -18.19 | 74.0 | -31.39 | Peak | 330.00 | 150 | Vertical | Pass |
| 1** | 1196.100 | 38.22 | -18.19 | 54.0 | -15.78 | AV | 330.00 | 150 | Vertical | Pass |
| 2 | 2798.200 | 45.76 | -11.42 | 74.0 | -28.24 | Peak | 243.00 | 150 | Vertical | Pass |
| 2** | 2798.200 | 34.48 | -11.42 | 54.0 | -19.52 | AV | 243.00 | 150 | Vertical | Pass |
| 3 | 4225.800 | 47.52 | -5.79 | 74.0 | -26.48 | Peak | 326.00 | 150 | Vertical | Pass |
| 3** | 4225.800 | 37.86 | -5.79 | 54.0 | -16.14 | AV | 326.00 | 150 | Vertical | Pass |
| 4 | 5568.200 | 99.09 | -3.84 | -- | -- | Peak | 95.00 | 150 | Vertical | N/A |
| 4** | 5568.200 | 90.96 | -3.84 | -- | -- | AV | 95.00 | 150 | Vertical | N/A |
| 5 | 7374.900 | 48.48 | -4.89 | 74.0 | -25.52 | Peak | 32.00 | 150 | Vertical | Pass |
| 5** | 7374.900 | 38.92 | -4.89 | 54.0 | -15.08 | AV | 32.00 | 150 | Vertical | Pass |
| 6 | 12139.062 | 51.16 | -0.68 | 74.0 | -22.84 | Peak | 14.00 | 150 | Vertical | Pass |
| 6** | 12139.062 | 41.87 | -0.68 | 54.0 | -12.13 | AV | 14.00 | 150 | Vertical | Pass |

11ac20, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1158.200 | 41.07 | -18.58 | 74.0 | -32.93 | Peak | 235.00 | 150 | Horizontal | Pass |
| 1** | 1158.200 | 28.76 | -18.58 | 54.0 | -25.24 | AV | 235.00 | 150 | Horizontal | Pass |
| 2 | 2775.700 | 42.57 | -11.41 | 74.0 | -31.43 | Peak | 104.00 | 150 | Horizontal | Pass |
| 2** | 2775.700 | 34.29 | -11.41 | 54.0 | -19.71 | AV | 104.00 | 150 | Horizontal | Pass |
| 3 | 4192.400 | 47.11 | -5.88 | 74.0 | -26.89 | Peak | 62.00 | 150 | Horizontal | Pass |
| 3** | 4192.400 | 37.60 | -5.88 | 54.0 | -16.40 | AV | 62.00 | 150 | Horizontal | Pass |
| 4 | 5692.600 | 103.95 | -4.34 | -- | -- | Peak | 137.00 | 150 | Horizontal | N/A |
| 4** | 5692.600 | 96.17 | -4.34 | -- | -- | AV | 137.00 | 150 | Horizontal | N/A |
| 5 | 7426.937 | 48.31 | -4.07 | 74.0 | -25.69 | Peak | 194.00 | 150 | Horizontal | Pass |
| 5** | 7426.937 | 39.33 | -4.07 | 54.0 | -14.67 | AV | 194.00 | 150 | Horizontal | Pass |
| 6 | 12167.812 | 51.30 | -0.92 | 74.0 | -22.70 | Peak | 360.00 | 150 | Horizontal | Pass |
| 6** | 12167.812 | 42.04 | -0.92 | 54.0 | -11.96 | AV | 360.00 | 150 | Horizontal | Pass |

11ac20, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1165.100 | 44.36 | -18.47 | 74.0 | -29.64 | Peak | 333.00 | 150 | Vertical | Pass |
| 1** | 1165.100 | 30.59 | -18.47 | 54.0 | -23.41 | AV | 333.00 | 150 | Vertical | Pass |
| 2 | 2790.800 | 46.59 | -11.10 | 74.0 | -27.41 | Peak | 240.00 | 150 | Vertical | Pass |
| 2** | 2790.800 | 33.82 | -11.10 | 54.0 | -20.18 | AV | 240.00 | 150 | Vertical | Pass |
| 3 | 4170.400 | 47.38 | -5.43 | 74.0 | -26.62 | Peak | 162.00 | 150 | Vertical | Pass |
| 3** | 4170.400 | 38.00 | -5.43 | 54.0 | -16.00 | AV | 162.00 | 150 | Vertical | Pass |
| 4 | 5695.600 | 99.45 | -4.28 | -- | -- | Peak | 99.00 | 150 | Vertical | N/A |
| 4** | 5695.600 | 92.64 | -4.28 | -- | -- | AV | 99.00 | 150 | Vertical | N/A |
| 5 | 7453.100 | 47.93 | -4.47 | 74.0 | -26.07 | Peak | 251.00 | 150 | Vertical | Pass |
| 5** | 7453.100 | 39.45 | -4.47 | 54.0 | -14.55 | AV | 251.00 | 150 | Vertical | Pass |
| 6 | 12111.750 | 51.67 | -0.81 | 74.0 | -22.33 | Peak | 176.00 | 150 | Vertical | Pass |
| 6** | 12111.750 | 41.72 | -0.81 | 54.0 | -12.28 | AV | 176.00 | 150 | Vertical | Pass |

11ac40, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1153.000 | 40.87 | -18.65 | 74.0 | -33.13 | Peak | 250.00 | 150 | Horizontal | Pass |
| 1** | 1153.000 | 28.90 | -18.65 | 54.0 | -25.10 | AV | 250.00 | 150 | Horizontal | Pass |
| 2 | 2745.100 | 43.51 | -11.81 | 74.0 | -30.49 | Peak | 51.00 | 150 | Horizontal | Pass |
| 2** | 2745.100 | 32.82 | -11.81 | 54.0 | -21.18 | AV | 51.00 | 150 | Horizontal | Pass |
| 3 | 4220.200 | 46.86 | -6.00 | 74.0 | -27.14 | Peak | 236.00 | 150 | Horizontal | Pass |
| 3** | 4220.200 | 37.98 | -6.00 | 54.0 | -16.02 | AV | 236.00 | 150 | Horizontal | Pass |
| 4 | 5507.400 | 106.14 | -3.49 | -- | -- | Peak | 146.00 | 150 | Horizontal | N/A |
| 4** | 5507.400 | 97.32 | -3.49 | -- | -- | AV | 146.00 | 150 | Horizontal | N/A |
| 5 | 7444.188 | 48.13 | -4.41 | 74.0 | -25.87 | Peak | 67.00 | 150 | Horizontal | Pass |
| 5** | 7444.188 | 39.07 | -4.41 | 54.0 | -14.93 | AV | 67.00 | 150 | Horizontal | Pass |
| 6 | 11619.550 | 50.77 | -0.16 | 74.0 | -23.23 | Peak | 14.00 | 150 | Horizontal | Pass |
| 6** | 11619.550 | 42.21 | -0.16 | 54.0 | -11.79 | AV | 14.00 | 150 | Horizontal | Pass |

11ac40, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1166.500 | 44.25 | -18.51 | 74.0 | -29.75 | Peak | 313.00 | 150 | Vertical | Pass |
| 1** | 1166.500 | 29.21 | -18.51 | 54.0 | -24.79 | AV | 313.00 | 150 | Vertical | Pass |
| 2 | 2798.300 | 45.78 | -11.42 | 74.0 | -28.22 | Peak | 346.00 | 150 | Vertical | Pass |
| 2** | 2798.300 | 35.02 | -11.42 | 54.0 | -18.98 | AV | 346.00 | 150 | Vertical | Pass |
| 3 | 4077.200 | 47.47 | -5.24 | 74.0 | -26.53 | Peak | 260.00 | 150 | Vertical | Pass |
| 3** | 4077.200 | 37.79 | -5.24 | 54.0 | -16.21 | AV | 260.00 | 150 | Vertical | Pass |
| 4 | 5517.600 | 99.17 | -3.75 | -- | -- | Peak | 93.00 | 150 | Vertical | N/A |
| 4** | 5517.600 | 90.84 | -3.75 | -- | -- | AV | 93.00 | 150 | Vertical | N/A |
| 5 | 7423.775 | 48.66 | -4.08 | 74.0 | -25.34 | Peak | 68.00 | 150 | Vertical | Pass |
| 5** | 7423.775 | 39.28 | -4.08 | 54.0 | -14.72 | AV | 68.00 | 150 | Vertical | Pass |
| 6 | 12270.162 | 51.22 | 0.06 | 74.0 | -22.78 | Peak | 302.00 | 150 | Vertical | Pass |
| 6** | 12270.162 | 42.54 | 0.06 | 54.0 | -11.46 | AV | 302.00 | 150 | Vertical | Pass |

11ac40, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1152.300 | 41.00 | -18.65 | 74.0 | -33.00 | Peak | 242.00 | 150 | Horizontal | Pass |
| 1** | 1152.300 | 32.79 | -18.65 | 54.0 | -21.21 | AV | 242.00 | 150 | Horizontal | Pass |
| 2 | 2768.300 | 43.32 | -11.54 | 74.0 | -30.68 | Peak | 305.00 | 150 | Horizontal | Pass |
| 2** | 2768.300 | 33.77 | -11.54 | 54.0 | -20.23 | AV | 305.00 | 150 | Horizontal | Pass |
| 3 | 4093.200 | 47.83 | -5.69 | 74.0 | -26.17 | Peak | 326.00 | 150 | Horizontal | Pass |
| 3** | 4093.200 | 37.79 | -5.69 | 54.0 | -16.21 | AV | 326.00 | 150 | Horizontal | Pass |
| 4 | 5597.800 | 105.54 | -3.87 | -- | -- | Peak | 139.00 | 150 | Horizontal | N/A |
| 4** | 5597.800 | 97.33 | -3.87 | -- | -- | AV | 139.00 | 150 | Horizontal | N/A |
| 5 | 7385.250 | 48.56 | -4.58 | 74.0 | -25.44 | Peak | 279.00 | 150 | Horizontal | Pass |
| 5** | 7385.250 | 38.44 | -4.58 | 54.0 | -15.56 | AV | 279.00 | 150 | Horizontal | Pass |
| 6 | 12063.450 | 51.09 | -1.47 | 74.0 | -22.91 | Peak | 173.00 | 150 | Horizontal | Pass |
| 6** | 12063.450 | 41.42 | -1.47 | 54.0 | -12.58 | AV | 173.00 | 150 | Horizontal | Pass |

11ac40, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1164.300 | 42.79 | -18.45 | 74.0 | -31.21 | Peak | 314.00 | 150 | Vertical | Pass |
| 1** | 1164.300 | 29.37 | -18.45 | 54.0 | -24.63 | AV | 314.00 | 150 | Vertical | Pass |
| 2 | 2795.100 | 43.98 | -11.25 | 74.0 | -30.02 | Peak | 14.00 | 150 | Vertical | Pass |
| 2** | 2795.100 | 33.55 | -11.25 | 54.0 | -20.45 | AV | 14.00 | 150 | Vertical | Pass |
| 3 | 4086.200 | 47.39 | -5.25 | 74.0 | -26.61 | Peak | 107.00 | 150 | Vertical | Pass |
| 3** | 4086.200 | 38.79 | -5.25 | 54.0 | -15.21 | AV | 107.00 | 150 | Vertical | Pass |
| 4 | 5596.400 | 100.20 | -3.90 | -- | -- | Peak | 107.00 | 150 | Vertical | N/A |
| 4** | 5596.400 | 91.53 | -3.90 | -- | -- | AV | 107.00 | 150 | Vertical | N/A |
| 5 | 7426.650 | 48.21 | -4.07 | 74.0 | -25.79 | Peak | 282.00 | 150 | Vertical | Pass |
| 5** | 7426.650 | 39.94 | -4.07 | 54.0 | -14.06 | AV | 282.00 | 150 | Vertical | Pass |
| 6 | 11623.287 | 51.45 | -0.20 | 74.0 | -22.55 | Peak | 49.00 | 150 | Vertical | Pass |
| 6** | 11623.287 | 41.59 | -0.20 | 54.0 | -12.41 | AV | 49.00 | 150 | Vertical | Pass |

11ac40, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1199.900 | 42.36 | -18.17 | 74.0 | -31.64 | Peak | 0.00 | 150 | Horizontal | Pass |
| 1** | 1199.900 | 31.55 | -18.17 | 54.0 | -22.45 | AV | 0.00 | 150 | Horizontal | Pass |
| 2 | 2788.100 | 42.94 | -11.07 | 74.0 | -31.06 | Peak | 276.00 | 150 | Horizontal | Pass |
| 2** | 2788.100 | 33.47 | -11.07 | 54.0 | -20.53 | AV | 276.00 | 150 | Horizontal | Pass |
| 3 | 4092.000 | 46.90 | -5.63 | 74.0 | -27.10 | Peak | 227.00 | 150 | Horizontal | Pass |
| 3** | 4092.000 | 38.11 | -5.63 | 54.0 | -15.89 | AV | 227.00 | 150 | Horizontal | Pass |
| 4 | 5668.600 | 104.25 | -3.88 | -- | -- | Peak | 142.00 | 150 | Horizontal | N/A |
| 4** | 5668.600 | 96.30 | -3.88 | -- | -- | AV | 142.00 | 150 | Horizontal | N/A |
| 5 | 7433.263 | 48.48 | -4.40 | 74.0 | -25.52 | Peak | 0.00 | 150 | Horizontal | Pass |
| 5** | 7433.263 | 39.23 | -4.40 | 54.0 | -14.77 | AV | 0.00 | 150 | Horizontal | Pass |
| 6 | 12100.825 | 51.70 | -1.01 | 74.0 | -22.30 | Peak | 15.00 | 150 | Horizontal | Pass |
| 6** | 12100.825 | 42.55 | -1.01 | 54.0 | -11.45 | AV | 15.00 | 150 | Horizontal | Pass |

11ac40, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1195.800 | 45.75 | -18.20 | 74.0 | -28.25 | Peak | 316.00 | 150 | Vertical | Pass |
| 1** | 1195.800 | 32.18 | -18.20 | 54.0 | -21.82 | AV | 316.00 | 150 | Vertical | Pass |
| 2 | 2799.300 | 44.19 | -11.41 | 74.0 | -29.81 | Peak | 235.00 | 150 | Vertical | Pass |
| 2** | 2799.300 | 34.38 | -11.41 | 54.0 | -19.62 | AV | 235.00 | 150 | Vertical | Pass |
| 3 | 4165.400 | 46.80 | -5.64 | 74.0 | -27.20 | Peak | 336.00 | 150 | Vertical | Pass |
| 3** | 4165.400 | 37.34 | -5.64 | 54.0 | -16.66 | AV | 336.00 | 150 | Vertical | Pass |
| 4 | 5666.800 | 100.75 | -3.93 | -- | -- | Peak | 95.00 | 150 | Vertical | N/A |
| 4** | 5666.800 | 92.98 | -3.93 | -- | -- | AV | 95.00 | 150 | Vertical | N/A |
| 5 | 7588.800 | 48.39 | -4.74 | 74.0 | -25.61 | Peak | 167.00 | 150 | Vertical | Pass |
| 5** | 7588.800 | 39.05 | -4.74 | 54.0 | -14.95 | AV | 167.00 | 150 | Vertical | Pass |
| 6 | 12101.112 | 51.41 | -1.01 | 74.0 | -22.59 | Peak | 109.00 | 150 | Vertical | Pass |
| 6** | 12101.112 | 41.62 | -1.01 | 54.0 | -12.38 | AV | 109.00 | 150 | Vertical | Pass |

11ac80, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1198.800 | 41.70 | -18.33 | 74.0 | -32.30 | Peak | 276.00 | 150 | Horizontal | Pass |
| 1** | 1198.800 | 31.28 | -18.33 | 54.0 | -22.72 | AV | 276.00 | 150 | Horizontal | Pass |
| 2 | 2851.800 | 42.90 | -11.54 | 74.0 | -31.10 | Peak | 295.00 | 150 | Horizontal | Pass |
| 2** | 2851.800 | 34.05 | -11.54 | 54.0 | -19.95 | AV | 295.00 | 150 | Horizontal | Pass |
| 3 | 4043.200 | 46.90 | -5.66 | 74.0 | -27.10 | Peak | 0.00 | 150 | Horizontal | Pass |
| 3** | 4043.200 | 38.50 | -5.66 | 54.0 | -15.50 | AV | 0.00 | 150 | Horizontal | Pass |
| 4 | 5538.400 | 106.08 | -3.82 | -- | -- | Peak | 311.00 | 150 | Horizontal | N/A |
| 4** | 5538.400 | 98.00 | -3.82 | -- | -- | AV | 311.00 | 150 | Horizontal | N/A |
| 5 | 7360.237 | 48.44 | -4.91 | 74.0 | -25.56 | Peak | 307.00 | 150 | Horizontal | Pass |
| 5** | 7360.237 | 39.09 | -4.91 | 54.0 | -14.91 | AV | 307.00 | 150 | Horizontal | Pass |
| 6 | 12179.025 | 51.45 | -0.98 | 74.0 | -22.55 | Peak | 94.00 | 150 | Horizontal | Pass |
| 6** | 12179.025 | 42.37 | -0.98 | 54.0 | -11.63 | AV | 94.00 | 150 | Horizontal | Pass |

11ac80, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1154.200 | 43.42 | -18.65 | 74.0 | -30.58 | Peak | 300.00 | 150 | Vertical | Pass |
| 1** | 1154.200 | 34.10 | -18.65 | 54.0 | -19.90 | AV | 300.00 | 150 | Vertical | Pass |
| 2 | 2788.700 | 45.82 | -11.07 | 74.0 | -28.18 | Peak | 256.00 | 150 | Vertical | Pass |
| 2** | 2788.700 | 38.79 | -11.07 | 54.0 | -15.21 | AV | 256.00 | 150 | Vertical | Pass |
| 3 | 4076.600 | 47.50 | -5.28 | 74.0 | -26.50 | Peak | 153.00 | 150 | Vertical | Pass |
| 3** | 4076.600 | 38.59 | -5.28 | 54.0 | -15.41 | AV | 153.00 | 150 | Vertical | Pass |
| 4 | 5538.800 | 99.18 | -3.80 | -- | -- | Peak | 96.00 | 150 | Vertical | N/A |
| 4** | 5538.800 | 92.43 | -3.80 | -- | -- | AV | 96.00 | 150 | Vertical | N/A |
| 5 | 7425.500 | 49.08 | -4.07 | 74.0 | -24.92 | Peak | 360.00 | 150 | Vertical | Pass |
| 5** | 7425.500 | 40.72 | -4.07 | 54.0 | -13.28 | AV | 360.00 | 150 | Vertical | Pass |
| 6 | 12105.425 | 51.18 | -0.93 | 74.0 | -22.82 | Peak | 75.00 | 150 | Vertical | Pass |
| 6** | 12105.425 | 42.28 | -0.93 | 54.0 | -11.72 | AV | 75.00 | 150 | Vertical | Pass |

11ac80, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1175.300 | 41.45 | -18.52 | 74.0 | -32.55 | Peak | 251.00 | 150 | Horizontal | Pass |
| 1** | 1175.300 | 29.05 | -18.52 | 54.0 | -24.95 | AV | 251.00 | 150 | Horizontal | Pass |
| 2 | 2789.400 | 43.08 | -11.09 | 74.0 | -30.92 | Peak | 251.00 | 150 | Horizontal | Pass |
| 2** | 2789.400 | 33.21 | -11.09 | 54.0 | -20.79 | AV | 251.00 | 150 | Horizontal | Pass |
| 3 | 4180.600 | 47.12 | -5.76 | 74.0 | -26.88 | Peak | 253.00 | 150 | Horizontal | Pass |
| 3** | 4180.600 | 37.51 | -5.76 | 54.0 | -16.49 | AV | 253.00 | 150 | Horizontal | Pass |
| 4 | 5614.800 | 104.38 | -3.92 | -- | -- | Peak | 138.00 | 150 | Horizontal | N/A |
| 4** | 5614.800 | 97.23 | -3.92 | -- | -- | AV | 138.00 | 150 | Horizontal | N/A |
| 5 | 7587.937 | 48.75 | -4.71 | 74.0 | -25.25 | Peak | 317.00 | 150 | Horizontal | Pass |
| 5** | 7587.937 | 38.93 | -4.71 | 54.0 | -15.07 | AV | 317.00 | 150 | Horizontal | Pass |
| 6 | 11677.050 | 50.90 | -0.89 | 74.0 | -23.10 | Peak | 96.00 | 150 | Horizontal | Pass |
| 6** | 11677.050 | 41.43 | -0.89 | 54.0 | -12.57 | AV | 96.00 | 150 | Horizontal | Pass |

11ac80, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1156.300 | 43.53 | -18.55 | 74.0 | -30.47 | Peak | 308.00 | 150 | Vertical | Pass |
| 1** | 1156.300 | 29.67 | -18.55 | 54.0 | -24.33 | AV | 308.00 | 150 | Vertical | Pass |
| 2 | 2783.100 | 44.70 | -11.29 | 74.0 | -29.30 | Peak | 249.00 | 150 | Vertical | Pass |
| 2** | 2783.100 | 34.11 | -11.29 | 54.0 | -19.89 | AV | 249.00 | 150 | Vertical | Pass |
| 3 | 4091.800 | 46.91 | -5.62 | 74.0 | -27.09 | Peak | 210.00 | 150 | Vertical | Pass |
| 3** | 4091.800 | 38.11 | -5.62 | 54.0 | -15.89 | AV | 210.00 | 150 | Vertical | Pass |
| 4 | 5612.200 | 100.06 | -3.85 | -- | -- | Peak | 101.00 | 150 | Vertical | N/A |
| 4** | 5612.200 | 93.75 | -3.85 | -- | -- | AV | 101.00 | 150 | Vertical | N/A |
| 5 | 7463.162 | 48.56 | -4.64 | 74.0 | -25.44 | Peak | 180.00 | 150 | Vertical | Pass |
| 5** | 7463.162 | 39.00 | -4.64 | 54.0 | -15.00 | AV | 180.00 | 150 | Vertical | Pass |
| 6 | 12015.438 | 51.41 | -1.21 | 74.0 | -22.59 | Peak | 16.00 | 150 | Vertical | Pass |
| 6** | 12015.438 | 41.87 | -1.21 | 54.0 | -12.13 | AV | 16.00 | 150 | Vertical | Pass |

11ax20-SU, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1166.900 | 44.64 | -18.52 | 74.0 | -29.36 | Peak | 250.00 | 150 | Horizontal | Pass |
| 1** | 1166.900 | 28.72 | -18.52 | 54.0 | -25.28 | AV | 250.00 | 150 | Horizontal | Pass |
| 2 | 2798.800 | 44.84 | -11.41 | 74.0 | -29.16 | Peak | 297.00 | 150 | Horizontal | Pass |
| 2** | 2798.800 | 33.90 | -11.41 | 54.0 | -20.10 | AV | 297.00 | 150 | Horizontal | Pass |
| 3 | 4122.200 | 47.30 | -5.72 | 74.0 | -26.70 | Peak | 34.00 | 150 | Horizontal | Pass |
| 3** | 4122.200 | 37.70 | -5.72 | 54.0 | -16.30 | AV | 34.00 | 150 | Horizontal | Pass |
| 4 | 5496.600 | 106.27 | -3.03 | -- | -- | Peak | 137.00 | 150 | Horizontal | N/A |
| 4** | 5496.600 | 97.61 | -3.03 | -- | -- | AV | 137.00 | 150 | Horizontal | N/A |
| 5 | 7429.525 | 48.56 | -4.29 | 74.0 | -25.44 | Peak | 360.00 | 150 | Horizontal | Pass |
| 5** | 7429.525 | 39.11 | -4.29 | 54.0 | -14.89 | AV | 360.00 | 150 | Horizontal | Pass |
| 6 | 10987.338 | 50.81 | -1.85 | 74.0 | -23.19 | Peak | 310.00 | 150 | Horizontal | Pass |
| 6** | 10987.338 | 40.01 | -1.85 | 54.0 | -13.99 | AV | 310.00 | 150 | Horizontal | Pass |

11ax20-SU, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1165.100 | 44.48 | -18.47 | 74.0 | -29.52 | Peak | 313.00 | 150 | Vertical | Pass |
| 1** | 1165.100 | 32.42 | -18.47 | 54.0 | -21.58 | AV | 313.00 | 150 | Vertical | Pass |
| 2 | 2768.800 | 45.35 | -11.53 | 74.0 | -28.65 | Peak | 255.00 | 150 | Vertical | Pass |
| 2** | 2768.800 | 34.26 | -11.53 | 54.0 | -19.74 | AV | 255.00 | 150 | Vertical | Pass |
| 3 | 3890.400 | 47.02 | -7.25 | 74.0 | -26.98 | Peak | 35.00 | 150 | Vertical | Pass |
| 3** | 3890.400 | 37.23 | -7.25 | 54.0 | -16.77 | AV | 35.00 | 150 | Vertical | Pass |
| 4 | 5503.000 | 99.81 | -3.31 | -- | -- | Peak | 88.00 | 150 | Vertical | N/A |
| 4** | 5503.000 | 89.77 | -3.31 | -- | -- | AV | 88.00 | 150 | Vertical | N/A |
| 5 | 7357.938 | 48.94 | -4.87 | 74.0 | -25.06 | Peak | 162.00 | 150 | Vertical | Pass |
| 5** | 7357.938 | 38.95 | -4.87 | 54.0 | -15.05 | AV | 162.00 | 150 | Vertical | Pass |
| 6 | 11653.763 | 51.01 | -0.39 | 74.0 | -22.99 | Peak | 310.00 | 150 | Vertical | Pass |
| 6** | 11653.763 | 43.29 | -0.39 | 54.0 | -10.71 | AV | 310.00 | 150 | Vertical | Pass |

11ax20-SU, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1159.700 | 40.97 | -18.63 | 74.0 | -33.03 | Peak | 6.00 | 150 | Horizontal | Pass |
| 1** | 1159.700 | 29.62 | -18.63 | 54.0 | -24.38 | AV | 6.00 | 150 | Horizontal | Pass |
| 2 | 2755.500 | 43.24 | -11.45 | 74.0 | -30.76 | Peak | 15.00 | 150 | Horizontal | Pass |
| 2** | 2755.500 | 33.41 | -11.45 | 54.0 | -20.59 | AV | 15.00 | 150 | Horizontal | Pass |
| 3 | 4074.600 | 46.79 | -5.46 | 74.0 | -27.21 | Peak | 154.00 | 150 | Horizontal | Pass |
| 3** | 4074.600 | 37.40 | -5.46 | 54.0 | -16.60 | AV | 154.00 | 150 | Horizontal | Pass |
| 4 | 5574.800 | 105.17 | -3.72 | -- | -- | Peak | 140.00 | 150 | Horizontal | N/A |
| 4** | 5574.800 | 96.09 | -3.72 | -- | -- | AV | 140.00 | 150 | Horizontal | N/A |
| 5 | 7451.087 | 49.07 | -4.39 | 74.0 | -24.93 | Peak | 243.00 | 150 | Horizontal | Pass |
| 5** | 7451.087 | 39.65 | -4.39 | 54.0 | -14.35 | AV | 243.00 | 150 | Horizontal | Pass |
| 6 | 12256.362 | 51.57 | -0.01 | 74.0 | -22.43 | Peak | 52.00 | 150 | Horizontal | Pass |
| 6** | 12256.362 | 41.85 | -0.01 | 54.0 | -12.15 | AV | 52.00 | 150 | Horizontal | Pass |

11ax20-SU, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1156.600 | 43.22 | -18.56 | 74.0 | -30.78 | Peak | 307.00 | 150 | Vertical | Pass |
| 1** | 1156.600 | 29.46 | -18.56 | 54.0 | -24.54 | AV | 307.00 | 150 | Vertical | Pass |
| 2 | 2818.800 | 44.76 | -11.70 | 74.0 | -29.24 | Peak | 307.00 | 150 | Vertical | Pass |
| 2** | 2818.800 | 34.55 | -11.70 | 54.0 | -19.45 | AV | 307.00 | 150 | Vertical | Pass |
| 3 | 4310.800 | 47.87 | -4.95 | 74.0 | -26.13 | Peak | 236.00 | 150 | Vertical | Pass |
| 3** | 4310.800 | 37.97 | -4.95 | 54.0 | -16.03 | AV | 236.00 | 150 | Vertical | Pass |
| 4 | 5577.800 | 98.61 | -3.73 | -- | -- | Peak | 92.00 | 150 | Vertical | N/A |
| 4** | 5577.800 | 90.26 | -3.73 | -- | -- | AV | 92.00 | 150 | Vertical | N/A |
| 5 | 7361.962 | 48.47 | -5.01 | 74.0 | -25.53 | Peak | 15.00 | 150 | Vertical | Pass |
| 5** | 7361.962 | 39.50 | -5.01 | 54.0 | -14.50 | AV | 15.00 | 150 | Vertical | Pass |
| 6 | 11649.450 | 51.80 | -0.34 | 74.0 | -22.20 | Peak | 90.00 | 150 | Vertical | Pass |
| 6** | 11649.450 | 41.86 | -0.34 | 54.0 | -12.14 | AV | 90.00 | 150 | Vertical | Pass |

11ax20-SU, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1196.900 | 41.98 | -18.19 | 74.0 | -32.02 | Peak | 269.00 | 150 | Horizontal | Pass |
| 1** | 1196.900 | 30.12 | -18.19 | 54.0 | -23.88 | AV | 269.00 | 150 | Horizontal | Pass |
| 2 | 2760.000 | 43.10 | -11.51 | 74.0 | -30.90 | Peak | 295.00 | 150 | Horizontal | Pass |
| 2** | 2760.000 | 32.98 | -11.51 | 54.0 | -21.02 | AV | 295.00 | 150 | Horizontal | Pass |
| 3 | 4045.400 | 47.22 | -5.65 | 74.0 | -26.78 | Peak | 229.00 | 150 | Horizontal | Pass |
| 3** | 4045.400 | 37.21 | -5.65 | 54.0 | -16.79 | AV | 229.00 | 150 | Horizontal | Pass |
| 4 | 5696.400 | 105.16 | -4.32 | -- | -- | Peak | 138.00 | 150 | Horizontal | N/A |
| 4** | 5696.400 | 95.79 | -4.32 | -- | -- | AV | 138.00 | 150 | Horizontal | N/A |
| 5 | 7447.638 | 48.26 | -4.53 | 74.0 | -25.74 | Peak | 360.00 | 150 | Horizontal | Pass |
| 5** | 7447.638 | 38.98 | -4.53 | 54.0 | -15.02 | AV | 360.00 | 150 | Horizontal | Pass |
| 6 | 12271.025 | 51.42 | 0.07 | 74.0 | -22.58 | Peak | 242.00 | 150 | Horizontal | Pass |
| 6** | 12271.025 | 42.73 | 0.07 | 54.0 | -11.27 | AV | 242.00 | 150 | Horizontal | Pass |

11ax20-SU, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1173.900 | 44.04 | -18.47 | 74.0 | -29.96 | Peak | 325.00 | 150 | Vertical | Pass |
| 1** | 1173.900 | 30.69 | -18.47 | 54.0 | -23.31 | AV | 325.00 | 150 | Vertical | Pass |
| 2 | 2794.200 | 45.64 | -11.18 | 74.0 | -28.36 | Peak | 243.00 | 150 | Vertical | Pass |
| 2** | 2794.200 | 37.05 | -11.18 | 54.0 | -16.95 | AV | 243.00 | 150 | Vertical | Pass |
| 3 | 4268.800 | 48.22 | -5.19 | 74.0 | -25.78 | Peak | 137.00 | 150 | Vertical | Pass |
| 3** | 4268.800 | 37.83 | -5.19 | 54.0 | -16.17 | AV | 137.00 | 150 | Vertical | Pass |
| 4 | 5701.200 | 100.22 | -4.47 | -- | -- | Peak | 97.00 | 150 | Vertical | N/A |
| 4** | 5701.200 | 90.87 | -4.47 | -- | -- | AV | 97.00 | 150 | Vertical | N/A |
| 5 | 7401.638 | 48.43 | -4.18 | 74.0 | -25.57 | Peak | 34.00 | 150 | Vertical | Pass |
| 5** | 7401.638 | 38.96 | -4.18 | 54.0 | -15.04 | AV | 34.00 | 150 | Vertical | Pass |
| 6 | 12109.162 | 51.16 | -0.86 | 74.0 | -22.84 | Peak | 167.00 | 150 | Vertical | Pass |
| 6** | 12109.162 | 42.26 | -0.86 | 54.0 | -11.74 | AV | 167.00 | 150 | Vertical | Pass |

11ax40-SU, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1197.600 | 44.33 | -18.24 | 74.0 | -29.67 | Peak | 239.00 | 150 | Horizontal | Pass |
| 1** | 1197.600 | 31.12 | -18.24 | 54.0 | -22.88 | AV | 239.00 | 150 | Horizontal | Pass |
| 2 | 2702.900 | 43.70 | -11.49 | 74.0 | -30.30 | Peak | 257.00 | 150 | Horizontal | Pass |
| 2** | 2702.900 | 33.43 | -11.49 | 54.0 | -20.57 | AV | 257.00 | 150 | Horizontal | Pass |
| 3 | 4076.600 | 47.61 | -5.28 | 74.0 | -26.39 | Peak | 281.00 | 150 | Horizontal | Pass |
| 3** | 4076.600 | 38.24 | -5.28 | 54.0 | -15.76 | AV | 281.00 | 150 | Horizontal | Pass |
| 4 | 5512.400 | 103.28 | -3.65 | -- | -- | Peak | 143.00 | 150 | Horizontal | N/A |
| 4** | 5512.400 | 93.84 | -3.65 | -- | -- | AV | 143.00 | 150 | Horizontal | N/A |
| 5 | 7422.338 | 48.38 | -4.07 | 74.0 | -25.62 | Peak | 191.00 | 150 | Horizontal | Pass |
| 5** | 7422.338 | 39.31 | -4.07 | 54.0 | -14.69 | AV | 191.00 | 150 | Horizontal | Pass |
| 6 | 11731.387 | 50.66 | -1.04 | 74.0 | -23.34 | Peak | 288.00 | 150 | Horizontal | Pass |
| 6** | 11731.387 | 41.08 | -1.04 | 54.0 | -12.92 | AV | 288.00 | 150 | Horizontal | Pass |

11ax40-SU, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1152.600 | 43.70 | -18.65 | 74.0 | -30.30 | Peak | 320.00 | 150 | Vertical | Pass |
| 1** | 1152.600 | 28.61 | -18.65 | 54.0 | -25.39 | AV | 320.00 | 150 | Vertical | Pass |
| 2 | 2792.400 | 44.22 | -11.09 | 74.0 | -29.78 | Peak | 355.00 | 150 | Vertical | Pass |
| 2** | 2792.400 | 34.32 | -11.09 | 54.0 | -19.68 | AV | 355.00 | 150 | Vertical | Pass |
| 3 | 4281.400 | 47.67 | -5.13 | 74.0 | -26.33 | Peak | 48.00 | 150 | Vertical | Pass |
| 3** | 4281.400 | 38.75 | -5.13 | 54.0 | -15.25 | AV | 48.00 | 150 | Vertical | Pass |
| 4 | 5498.200 | 95.56 | -3.06 | -- | -- | Peak | 97.00 | 150 | Vertical | N/A |
| 4** | 5498.200 | 87.11 | -3.06 | -- | -- | AV | 97.00 | 150 | Vertical | N/A |
| 5 | 7442.175 | 48.72 | -4.27 | 74.0 | -25.28 | Peak | 92.00 | 150 | Vertical | Pass |
| 5** | 7442.175 | 39.09 | -4.27 | 54.0 | -14.91 | AV | 92.00 | 150 | Vertical | Pass |
| 6 | 12189.375 | 52.20 | -0.87 | 74.0 | -21.80 | Peak | 246.00 | 150 | Vertical | Pass |
| 6** | 12189.375 | 41.47 | -0.87 | 54.0 | -12.53 | AV | 246.00 | 150 | Vertical | Pass |

11ax40-SU, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1162.100 | 41.34 | -18.49 | 74.0 | -32.66 | Peak | 269.00 | 150 | Horizontal | Pass |
| 1** | 1162.100 | 30.34 | -18.49 | 54.0 | -23.66 | AV | 269.00 | 150 | Horizontal | Pass |
| 2 | 2777.100 | 43.43 | -11.45 | 74.0 | -30.57 | Peak | 52.00 | 150 | Horizontal | Pass |
| 2** | 2777.100 | 33.10 | -11.45 | 54.0 | -20.90 | AV | 52.00 | 150 | Horizontal | Pass |
| 3 | 4091.000 | 47.21 | -5.57 | 74.0 | -26.79 | Peak | 323.00 | 150 | Horizontal | Pass |
| 3** | 4091.000 | 38.32 | -5.57 | 54.0 | -15.68 | AV | 323.00 | 150 | Horizontal | Pass |
| 4 | 5591.400 | 102.22 | -3.88 | -- | -- | Peak | 122.00 | 150 | Horizontal | N/A |
| 4** | 5591.400 | 93.56 | -3.88 | -- | -- | AV | 122.00 | 150 | Horizontal | N/A |
| 5 | 7418.888 | 48.59 | -4.10 | 74.0 | -25.41 | Peak | 36.00 | 150 | Horizontal | Pass |
| 5** | 7418.888 | 39.17 | -4.10 | 54.0 | -14.83 | AV | 36.00 | 150 | Horizontal | Pass |
| 6 | 12241.412 | 51.64 | -0.29 | 74.0 | -22.36 | Peak | 307.00 | 150 | Horizontal | Pass |
| 6** | 12241.412 | 41.97 | -0.29 | 54.0 | -12.03 | AV | 307.00 | 150 | Horizontal | Pass |

11ax40-SU, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1195.700 | 44.59 | -18.20 | 74.0 | -29.41 | Peak | 319.00 | 150 | Vertical | Pass |
| 1** | 1195.700 | 34.70 | -18.20 | 54.0 | -19.30 | AV | 319.00 | 150 | Vertical | Pass |
| 2 | 2795.400 | 45.94 | -11.28 | 74.0 | -28.06 | Peak | 234.00 | 150 | Vertical | Pass |
| 2** | 2795.400 | 34.66 | -11.28 | 54.0 | -19.34 | AV | 234.00 | 150 | Vertical | Pass |
| 3 | 4268.400 | 48.27 | -5.23 | 74.0 | -25.73 | Peak | 231.00 | 150 | Vertical | Pass |
| 3** | 4268.400 | 38.29 | -5.23 | 54.0 | -15.71 | AV | 231.00 | 150 | Vertical | Pass |
| 4 | 5586.200 | 97.79 | -3.90 | -- | -- | Peak | 93.00 | 150 | Vertical | N/A |
| 4** | 5586.200 | 86.76 | -3.90 | -- | -- | AV | 93.00 | 150 | Vertical | N/A |
| 5 | 7424.925 | 49.59 | -4.07 | 74.0 | -24.41 | Peak | 53.00 | 150 | Vertical | Pass |
| 5** | 7424.925 | 40.62 | -4.07 | 54.0 | -13.38 | AV | 53.00 | 150 | Vertical | Pass |
| 6 | 12101.687 | 51.39 | -1.00 | 74.0 | -22.61 | Peak | 312.00 | 150 | Vertical | Pass |
| 6** | 12101.687 | 42.20 | -1.00 | 54.0 | -11.80 | AV | 312.00 | 150 | Vertical | Pass |

11ax40-SU, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1164.100 | 41.28 | -18.45 | 74.0 | -32.72 | Peak | 330.00 | 150 | Horizontal | Pass |
| 1** | 1164.100 | 28.81 | -18.45 | 54.0 | -25.19 | AV | 330.00 | 150 | Horizontal | Pass |
| 2 | 2767.200 | 43.73 | -11.55 | 74.0 | -30.27 | Peak | 206.00 | 150 | Horizontal | Pass |
| 2** | 2767.200 | 34.36 | -11.55 | 54.0 | -19.64 | AV | 206.00 | 150 | Horizontal | Pass |
| 3 | 4095.600 | 47.02 | -5.89 | 74.0 | -26.98 | Peak | 191.00 | 150 | Horizontal | Pass |
| 3** | 4095.600 | 37.67 | -5.89 | 54.0 | -16.33 | AV | 191.00 | 150 | Horizontal | Pass |
| 4 | 5671.800 | 101.03 | -3.92 | -- | -- | Peak | 135.00 | 150 | Horizontal | N/A |
| 4** | 5671.800 | 92.33 | -3.92 | -- | -- | AV | 135.00 | 150 | Horizontal | N/A |
| 5 | 7433.838 | 48.63 | -4.38 | 74.0 | -25.37 | Peak | 360.00 | 150 | Horizontal | Pass |
| 5** | 7433.838 | 39.39 | -4.38 | 54.0 | -14.61 | AV | 360.00 | 150 | Horizontal | Pass |
| 6 | 12179.025 | 51.15 | -0.98 | 74.0 | -22.85 | Peak | 351.00 | 150 | Horizontal | Pass |
| 6** | 12179.025 | 41.95 | -0.98 | 54.0 | -12.05 | AV | 351.00 | 150 | Horizontal | Pass |

11ax40-SU, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1165.000 | 47.99 | -18.47 | 74.0 | -26.01 | Peak | 310.00 | 150 | Vertical | Pass |
| 1** | 1165.000 | 30.07 | -18.47 | 54.0 | -23.93 | AV | 310.00 | 150 | Vertical | Pass |
| 2 | 2796.300 | 45.35 | -11.38 | 74.0 | -28.65 | Peak | 238.00 | 150 | Vertical | Pass |
| 2** | 2796.300 | 35.15 | -11.38 | 54.0 | -18.85 | AV | 238.00 | 150 | Vertical | Pass |
| 3 | 4135.600 | 47.07 | -6.10 | 74.0 | -26.93 | Peak | 89.00 | 150 | Vertical | Pass |
| 3** | 4135.600 | 37.27 | -6.10 | 54.0 | -16.73 | AV | 89.00 | 150 | Vertical | Pass |
| 4 | 5661.000 | 96.93 | -3.74 | -- | -- | Peak | 89.00 | 150 | Vertical | N/A |
| 4** | 5661.000 | 88.14 | -3.74 | -- | -- | AV | 89.00 | 150 | Vertical | N/A |
| 5 | 7421.475 | 48.01 | -4.03 | 74.0 | -25.99 | Peak | 314.00 | 150 | Vertical | Pass |
| 5** | 7421.475 | 39.72 | -4.03 | 54.0 | -14.28 | AV | 314.00 | 150 | Vertical | Pass |
| 6 | 12109.162 | 51.72 | -0.86 | 74.0 | -22.28 | Peak | 256.00 | 150 | Vertical | Pass |
| 6** | 12109.162 | 41.87 | -0.86 | 54.0 | -12.13 | AV | 256.00 | 150 | Vertical | Pass |

11ax80-SU, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1197.300 | 41.83 | -18.22 | 74.0 | -32.17 | Peak | 237.00 | 150 | Horizontal | Pass |
| 1** | 1197.300 | 29.87 | -18.22 | 54.0 | -24.13 | AV | 237.00 | 150 | Horizontal | Pass |
| 2 | 2793.100 | 43.45 | -11.12 | 74.0 | -30.55 | Peak | 249.00 | 150 | Horizontal | Pass |
| 2** | 2793.100 | 33.93 | -11.12 | 54.0 | -20.07 | AV | 249.00 | 150 | Horizontal | Pass |
| 3 | 4098.400 | 46.97 | -6.01 | 74.0 | -27.03 | Peak | 127.00 | 150 | Horizontal | Pass |
| 3** | 4098.400 | 38.57 | -6.01 | 54.0 | -15.43 | AV | 127.00 | 150 | Horizontal | Pass |
| 4 | 5538.200 | 100.58 | -3.83 | -- | -- | Peak | 156.00 | 150 | Horizontal | N/A |
| 4** | 5538.200 | 90.51 | -3.83 | -- | -- | AV | 156.00 | 150 | Horizontal | N/A |
| 5 | 7378.925 | 48.87 | -4.73 | 74.0 | -25.13 | Peak | 75.00 | 150 | Horizontal | Pass |
| 5** | 7378.925 | 40.38 | -4.73 | 54.0 | -13.62 | AV | 75.00 | 150 | Horizontal | Pass |
| 6 | 12266.138 | 51.55 | 0.05 | 74.0 | -22.45 | Peak | 75.00 | 150 | Horizontal | Pass |
| 6** | 12266.138 | 42.58 | 0.05 | 54.0 | -11.42 | AV | 75.00 | 150 | Horizontal | Pass |

11ax80-SU, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1194.800 | 44.66 | -18.23 | 74.0 | -29.34 | Peak | 320.00 | 150 | Vertical | Pass |
| 1** | 1194.800 | 33.33 | -18.23 | 54.0 | -20.67 | AV | 320.00 | 150 | Vertical | Pass |
| 2 | 2790.100 | 44.49 | -11.10 | 74.0 | -29.51 | Peak | 304.00 | 150 | Vertical | Pass |
| 2** | 2790.100 | 34.32 | -11.10 | 54.0 | -19.68 | AV | 304.00 | 150 | Vertical | Pass |
| 3 | 4152.800 | 47.26 | -5.85 | 74.0 | -26.74 | Peak | 303.00 | 150 | Vertical | Pass |
| 3** | 4152.800 | 37.45 | -5.85 | 54.0 | -16.55 | AV | 303.00 | 150 | Vertical | Pass |
| 4 | 5517.200 | 93.56 | -3.75 | -- | -- | Peak | 107.00 | 150 | Vertical | N/A |
| 4** | 5517.200 | 83.72 | -3.75 | -- | -- | AV | 107.00 | 150 | Vertical | N/A |
| 5 | 7593.400 | 48.48 | -4.78 | 74.0 | -25.52 | Peak | 0.00 | 150 | Vertical | Pass |
| 5** | 7593.400 | 38.70 | -4.78 | 54.0 | -15.30 | AV | 0.00 | 150 | Vertical | Pass |
| 6 | 12188.512 | 51.96 | -0.88 | 74.0 | -22.04 | Peak | 218.00 | 150 | Vertical | Pass |
| 6** | 12188.512 | 43.31 | -0.88 | 54.0 | -10.69 | AV | 218.00 | 150 | Vertical | Pass |

11ax80-SU, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1166.200 | 43.07 | -18.50 | 74.0 | -30.93 | Peak | 262.00 | 150 | Horizontal | Pass |
| 1** | 1166.200 | 28.42 | -18.50 | 54.0 | -25.58 | AV | 262.00 | 150 | Horizontal | Pass |
| 2 | 2802.000 | 43.06 | -11.45 | 74.0 | -30.94 | Peak | 332.00 | 150 | Horizontal | Pass |
| 2** | 2802.000 | 34.18 | -11.45 | 54.0 | -19.82 | AV | 332.00 | 150 | Horizontal | Pass |
| 3 | 4112.000 | 46.68 | -5.79 | 74.0 | -27.32 | Peak | 170.00 | 150 | Horizontal | Pass |
| 3** | 4112.000 | 36.98 | -5.79 | 54.0 | -17.02 | AV | 170.00 | 150 | Horizontal | Pass |
| 4 | 5584.200 | 100.49 | -3.82 | -- | -- | Peak | 137.00 | 150 | Horizontal | N/A |
| 4** | 5584.200 | 89.43 | -3.82 | -- | -- | AV | 137.00 | 150 | Horizontal | N/A |
| 5 | 7426.362 | 48.98 | -4.07 | 74.0 | -25.02 | Peak | 0.00 | 150 | Horizontal | Pass |
| 5** | 7426.362 | 40.15 | -4.07 | 54.0 | -13.85 | AV | 0.00 | 150 | Horizontal | Pass |
| 6 | 11615.526 | 51.18 | -0.16 | 74.0 | -22.82 | Peak | 118.00 | 150 | Horizontal | Pass |
| 6** | 11615.526 | 42.49 | -0.16 | 54.0 | -11.51 | AV | 118.00 | 150 | Horizontal | Pass |

11ax80-SU, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1165.000 | 46.17 | -18.47 | 74.0 | -27.83 | Peak | 326.00 | 150 | Vertical | Pass |
| 1** | 1165.000 | 29.38 | -18.47 | 54.0 | -24.62 | AV | 326.00 | 150 | Vertical | Pass |
| 2 | 2795.100 | 46.14 | -11.25 | 74.0 | -27.86 | Peak | 264.00 | 150 | Vertical | Pass |
| 2** | 2795.100 | 34.26 | -11.25 | 54.0 | -19.74 | AV | 264.00 | 150 | Vertical | Pass |
| 3 | 4274.000 | 47.95 | -5.07 | 74.0 | -26.05 | Peak | 117.00 | 150 | Vertical | Pass |
| 3** | 4274.000 | 38.36 | -5.07 | 54.0 | -15.64 | AV | 117.00 | 150 | Vertical | Pass |
| 4 | 5599.400 | 93.73 | -3.97 | -- | -- | Peak | 101.00 | 150 | Vertical | N/A |
| 4** | 5599.400 | 83.94 | -3.97 | -- | -- | AV | 101.00 | 150 | Vertical | N/A |
| 5 | 7425.500 | 48.44 | -4.07 | 74.0 | -25.56 | Peak | 137.00 | 150 | Vertical | Pass |
| 5** | 7425.500 | 39.43 | -4.07 | 54.0 | -14.57 | AV | 137.00 | 150 | Vertical | Pass |
| 6 | 12106.863 | 51.57 | -0.90 | 74.0 | -22.43 | Peak | 76.00 | 150 | Vertical | Pass |
| 6** | 12106.863 | 42.23 | -0.90 | 54.0 | -11.77 | AV | 76.00 | 150 | Vertical | Pass |

11a, U-NII-3, 1 GHz to 18 GHz, Low channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1199.500 | 41.60 | -18.23 | 74.0 | -32.40 | Peak | 0.00 | 150 | Horizontal | Pass |
| 1** | 1199.500 | 30.98 | -18.23 | 54.0 | -23.02 | AV | 0.00 | 150 | Horizontal | Pass |
| 2 | 2830.300 | 43.64 | -11.78 | 74.0 | -30.36 | Peak | 213.00 | 150 | Horizontal | Pass |
| 2** | 2830.300 | 34.22 | -11.78 | 54.0 | -19.78 | AV | 213.00 | 150 | Horizontal | Pass |
| 3 | 4918.200 | 49.99 | -4.21 | 74.0 | -24.01 | Peak | 235.00 | 150 | Horizontal | Pass |
| 3** | 4918.200 | 40.02 | -4.21 | 54.0 | -13.98 | AV | 235.00 | 150 | Horizontal | Pass |
| 4 | 5737.200 | 96.94 | -4.23 | -- | -- | Peak | 103.00 | 150 | Horizontal | N/A |
| 4** | 5737.200 | 90.43 | -4.23 | -- | -- | AV | 103.00 | 150 | Horizontal | N/A |
| 5 | 7425.787 | 48.58 | -4.07 | 74.0 | -25.42 | Peak | 109.00 | 150 | Horizontal | Pass |
| 5** | 7425.787 | 39.51 | -4.07 | 54.0 | -14.49 | AV | 109.00 | 150 | Horizontal | Pass |
| 6 | 12236.526 | 51.89 | -0.31 | 74.0 | -22.11 | Peak | 332.00 | 150 | Horizontal | Pass |
| 6** | 12236.526 | 42.05 | -0.31 | 54.0 | -11.95 | AV | 332.00 | 150 | Horizontal | Pass |

11a, U-NII-3, 1 GHz to 18 GHz, Low channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1199.500 | 48.77 | -18.23 | 74.0 | -25.23 | Peak | 312.00 | 150 | Vertical | Pass |
| 1** | 1199.500 | 34.30 | -18.23 | 54.0 | -19.70 | AV | 312.00 | 150 | Vertical | Pass |
| 2 | 2798.600 | 47.96 | -11.41 | 74.0 | -26.04 | Peak | 248.00 | 150 | Vertical | Pass |
| 2** | 2798.600 | 39.92 | -11.41 | 54.0 | -14.08 | AV | 248.00 | 150 | Vertical | Pass |
| 3 | 4085.200 | 48.01 | -5.18 | 74.0 | -25.99 | Peak | 268.00 | 150 | Vertical | Pass |
| 3** | 4085.200 | 37.95 | -5.18 | 54.0 | -16.05 | AV | 268.00 | 150 | Vertical | Pass |
| 4 | 5738.200 | 93.65 | -4.19 | -- | -- | Peak | 100.00 | 150 | Vertical | N/A |
| 4** | 5738.200 | 85.96 | -4.19 | -- | -- | AV | 100.00 | 150 | Vertical | N/A |
| 5 | 7427.513 | 49.42 | -4.12 | 74.0 | -24.58 | Peak | 143.00 | 150 | Vertical | Pass |
| 5** | 7427.513 | 40.25 | -4.12 | 54.0 | -13.75 | AV | 143.00 | 150 | Vertical | Pass |
| 6 | 12238.825 | 51.23 | -0.32 | 74.0 | -22.77 | Peak | 106.00 | 150 | Vertical | Pass |
| 6** | 12238.825 | 42.59 | -0.32 | 54.0 | -11.41 | AV | 106.00 | 150 | Vertical | Pass |

11a, U-NII-3, 1 GHz to 18 GHz, Middle channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1186.500 | 42.59 | -18.48 | 74.0 | -31.41 | Peak | 241.00 | 150 | Horizontal | Pass |
| 1** | 1186.500 | 30.82 | -18.48 | 54.0 | -23.18 | AV | 241.00 | 150 | Horizontal | Pass |
| 2 | 2769.200 | 43.60 | -11.53 | 74.0 | -30.40 | Peak | 0.00 | 150 | Horizontal | Pass |
| 2** | 2769.200 | 33.80 | -11.53 | 54.0 | -20.20 | AV | 0.00 | 150 | Horizontal | Pass |
| 3 | 4155.000 | 47.63 | -5.73 | 74.0 | -26.37 | Peak | 333.00 | 150 | Horizontal | Pass |
| 3** | 4155.000 | 37.76 | -5.73 | 54.0 | -16.24 | AV | 333.00 | 150 | Horizontal | Pass |
| 4 | 5770.400 | 98.15 | -3.27 | -- | -- | Peak | 141.00 | 150 | Horizontal | N/A |
| 4** | 5770.400 | 90.13 | -3.27 | -- | -- | AV | 141.00 | 150 | Horizontal | N/A |
| 5 | 7432.400 | 49.18 | -4.40 | 74.0 | -24.82 | Peak | 193.00 | 150 | Horizontal | Pass |
| 5** | 7432.400 | 39.31 | -4.40 | 54.0 | -14.69 | AV | 193.00 | 150 | Horizontal | Pass |
| 6 | 11590.513 | 50.96 | -0.07 | 74.0 | -23.04 | Peak | 80.00 | 150 | Horizontal | Pass |
| 6** | 11590.513 | 42.18 | -0.07 | 54.0 | -11.82 | AV | 80.00 | 150 | Horizontal | Pass |

11a, U-NII-3, 1 GHz to 18 GHz, Middle channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1164.800 | 46.47 | -18.46 | 74.0 | -27.53 | Peak | 311.00 | 150 | Vertical | Pass |
| 1** | 1164.800 | 33.02 | -18.46 | 54.0 | -20.98 | AV | 311.00 | 150 | Vertical | Pass |
| 2 | 2794.700 | 45.13 | -11.21 | 74.0 | -28.87 | Peak | 311.00 | 150 | Vertical | Pass |
| 2** | 2794.700 | 36.58 | -11.21 | 54.0 | -17.42 | AV | 311.00 | 150 | Vertical | Pass |
| 3 | 4152.200 | 46.93 | -5.89 | 74.0 | -27.07 | Peak | 79.00 | 150 | Vertical | Pass |
| 3** | 4152.200 | 37.76 | -5.89 | 54.0 | -16.24 | AV | 79.00 | 150 | Vertical | Pass |
| 4 | 5769.400 | 95.56 | -3.28 | -- | -- | Peak | 95.00 | 150 | Vertical | N/A |
| 4** | 5769.400 | 87.14 | -3.28 | -- | -- | AV | 95.00 | 150 | Vertical | N/A |
| 5 | 7446.200 | 49.09 | -4.50 | 74.0 | -24.91 | Peak | 253.00 | 150 | Vertical | Pass |
| 5** | 7446.200 | 40.29 | -4.50 | 54.0 | -13.71 | AV | 253.00 | 150 | Vertical | Pass |
| 6 | 11595.400 | 51.50 | -0.11 | 74.0 | -22.50 | Peak | 305.00 | 150 | Vertical | Pass |
| 6** | 11595.400 | 41.73 | -0.11 | 54.0 | -12.27 | AV | 305.00 | 150 | Vertical | Pass |

11a, U-NII-3, 1 GHz to 18 GHz, High channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1200.600 | 41.96 | -18.07 | 74.0 | -32.04 | Peak | 277.00 | 150 | Horizontal | Pass |
| 1** | 1200.600 | 31.75 | -18.07 | 54.0 | -22.25 | AV | 277.00 | 150 | Horizontal | Pass |
| 2 | 2747.300 | 43.50 | -11.80 | 74.0 | -30.50 | Peak | 244.00 | 150 | Horizontal | Pass |
| 2** | 2747.300 | 33.36 | -11.80 | 54.0 | -20.64 | AV | 244.00 | 150 | Horizontal | Pass |
| 3 | 4284.000 | 47.82 | -5.10 | 74.0 | -26.18 | Peak | 91.00 | 150 | Horizontal | Pass |
| 3** | 4284.000 | 38.38 | -5.10 | 54.0 | -15.62 | AV | 91.00 | 150 | Horizontal | Pass |
| 4 | 5813.400 | 98.82 | -2.95 | -- | -- | Peak | 126.00 | 150 | Horizontal | N/A |
| 4** | 5813.400 | 90.78 | -2.95 | -- | -- | AV | 126.00 | 150 | Horizontal | N/A |
| 5 | 7423.487 | 48.43 | -4.08 | 74.0 | -25.57 | Peak | 49.00 | 150 | Horizontal | Pass |
| 5** | 7423.487 | 39.35 | -4.08 | 54.0 | -14.65 | AV | 49.00 | 150 | Horizontal | Pass |
| 6 | 12106.287 | 51.96 | -0.91 | 74.0 | -22.04 | Peak | 122.00 | 150 | Horizontal | Pass |
| 6** | 12106.287 | 42.78 | -0.91 | 54.0 | -11.22 | AV | 122.00 | 150 | Horizontal | Pass |

11a, U-NII-3, 1 GHz to 18 GHz, High channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1198.900 | 43.37 | -18.31 | 74.0 | -30.63 | Peak | 324.00 | 150 | Vertical | Pass |
| 1** | 1198.900 | 35.36 | -18.31 | 54.0 | -18.64 | AV | 324.00 | 150 | Vertical | Pass |
| 2 | 2798.000 | 45.47 | -11.42 | 74.0 | -28.53 | Peak | 243.00 | 150 | Vertical | Pass |
| 2** | 2798.000 | 33.71 | -11.42 | 54.0 | -20.29 | AV | 243.00 | 150 | Vertical | Pass |
| 3 | 3743.200 | 48.02 | -7.47 | 74.0 | -25.98 | Peak | 253.00 | 150 | Vertical | Pass |
| 3** | 3743.200 | 36.23 | -7.47 | 54.0 | -17.77 | AV | 253.00 | 150 | Vertical | Pass |
| 4 | 5819.000 | 96.20 | -2.83 | -- | -- | Peak | 89.00 | 150 | Vertical | N/A |
| 4** | 5819.000 | 88.16 | -2.83 | -- | -- | AV | 89.00 | 150 | Vertical | N/A |
| 5 | 7426.362 | 48.67 | -4.07 | 74.0 | -25.33 | Peak | 177.00 | 150 | Vertical | Pass |
| 5** | 7426.362 | 40.20 | -4.07 | 54.0 | -13.80 | AV | 177.00 | 150 | Vertical | Pass |
| 6 | 12166.375 | 51.58 | -0.92 | 74.0 | -22.42 | Peak | 265.00 | 150 | Vertical | Pass |
| 6** | 12166.375 | 41.49 | -0.92 | 54.0 | -12.51 | AV | 265.00 | 150 | Vertical | Pass |

11n20, U-NII-3, 1 GHz to 18 GHz, Low channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1199.900 | 43.99 | -18.17 | 74.0 | -30.01 | Peak | 238.00 | 150 | Horizontal | Pass |
| 1** | 1199.900 | 34.56 | -18.17 | 54.0 | -19.44 | AV | 238.00 | 150 | Horizontal | Pass |
| 2 | 2855.300 | 44.98 | -11.49 | 74.0 | -29.02 | Peak | 326.00 | 150 | Horizontal | Pass |
| 2** | 2855.300 | 33.64 | -11.49 | 54.0 | -20.36 | AV | 326.00 | 150 | Horizontal | Pass |
| 3 | 4075.400 | 47.15 | -5.37 | 74.0 | -26.85 | Peak | 340.00 | 150 | Horizontal | Pass |
| 3** | 4075.400 | 38.29 | -5.37 | 54.0 | -15.71 | AV | 340.00 | 150 | Horizontal | Pass |
| 4 | 5740.600 | 96.80 | -4.14 | -- | -- | Peak | 131.00 | 150 | Horizontal | N/A |
| 4** | 5740.600 | 90.14 | -4.14 | -- | -- | AV | 131.00 | 150 | Horizontal | N/A |
| 5 | 7426.075 | 49.36 | -4.07 | 74.0 | -24.64 | Peak | 169.00 | 150 | Horizontal | Pass |
| 5** | 7426.075 | 39.96 | -4.07 | 54.0 | -14.04 | AV | 169.00 | 150 | Horizontal | Pass |
| 6 | 12271.025 | 51.55 | 0.07 | 74.0 | -22.45 | Peak | 32.00 | 150 | Horizontal | Pass |
| 6** | 12271.025 | 42.61 | 0.07 | 54.0 | -11.39 | AV | 32.00 | 150 | Horizontal | Pass |

11n20, U-NII-3, 1 GHz to 18 GHz, Low channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1164.100 | 45.63 | -18.45 | 74.0 | -28.37 | Peak | 305.00 | 150 | Vertical | Pass |
| 1** | 1164.100 | 30.56 | -18.45 | 54.0 | -23.44 | AV | 305.00 | 150 | Vertical | Pass |
| 2 | 2793.500 | 46.33 | -11.14 | 74.0 | -27.67 | Peak | 259.00 | 150 | Vertical | Pass |
| 2** | 2793.500 | 34.20 | -11.14 | 54.0 | -19.80 | AV | 259.00 | 150 | Vertical | Pass |
| 3 | 4079.000 | 47.31 | -5.17 | 74.0 | -26.69 | Peak | 36.00 | 150 | Vertical | Pass |
| 3** | 4079.000 | 37.59 | -5.17 | 54.0 | -16.41 | AV | 36.00 | 150 | Vertical | Pass |
| 4 | 5737.400 | 93.04 | -4.22 | -- | -- | Peak | 95.00 | 150 | Vertical | N/A |
| 4** | 5737.400 | 85.12 | -4.22 | -- | -- | AV | 95.00 | 150 | Vertical | N/A |
| 5 | 7443.038 | 48.61 | -4.33 | 74.0 | -25.39 | Peak | 67.00 | 150 | Vertical | Pass |
| 5** | 7443.038 | 38.70 | -4.33 | 54.0 | -15.30 | AV | 67.00 | 150 | Vertical | Pass |
| 6 | 11656.637 | 51.65 | -0.43 | 74.0 | -22.35 | Peak | 360.00 | 150 | Vertical | Pass |
| 6** | 11656.637 | 41.60 | -0.43 | 54.0 | -12.40 | AV | 360.00 | 150 | Vertical | Pass |

11n20, U-NII-3, 1 GHz to 18 GHz, Middle channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1196.200 | 42.28 | -18.18 | 74.0 | -31.72 | Peak | 279.00 | 150 | Horizontal | Pass |
| 1** | 1196.200 | 31.07 | -18.18 | 54.0 | -22.93 | AV | 279.00 | 150 | Horizontal | Pass |
| 2 | 2799.900 | 43.21 | -11.40 | 74.0 | -30.79 | Peak | 0.00 | 150 | Horizontal | Pass |
| 2** | 2799.900 | 34.37 | -11.40 | 54.0 | -19.63 | AV | 0.00 | 150 | Horizontal | Pass |
| 3 | 4097.800 | 46.68 | -6.03 | 74.0 | -27.32 | Peak | 0.00 | 150 | Horizontal | Pass |
| 3** | 4097.800 | 37.83 | -6.03 | 54.0 | -16.17 | AV | 0.00 | 150 | Horizontal | Pass |
| 4 | 5772.600 | 97.87 | -3.22 | -- | -- | Peak | 304.00 | 150 | Horizontal | N/A |
| 4** | 5772.600 | 89.78 | -3.22 | -- | -- | AV | 304.00 | 150 | Horizontal | N/A |
| 5 | 7424.062 | 48.80 | -4.08 | 74.0 | -25.20 | Peak | 100.00 | 150 | Horizontal | Pass |
| 5** | 7424.062 | 39.75 | -4.08 | 54.0 | -14.25 | AV | 100.00 | 150 | Horizontal | Pass |
| 6 | 12349.225 | 50.88 | -1.22 | 74.0 | -23.12 | Peak | 48.00 | 150 | Horizontal | Pass |
| 6** | 12349.225 | 41.59 | -1.22 | 54.0 | -12.41 | AV | 48.00 | 150 | Horizontal | Pass |

11n20, U-NII-3, 1 GHz to 18 GHz, Middle channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1198.800 | 47.00 | -18.33 | 74.0 | -27.00 | Peak | 307.00 | 150 | Vertical | Pass |
| 1** | 1198.800 | 31.96 | -18.33 | 54.0 | -22.04 | AV | 307.00 | 150 | Vertical | Pass |
| 2 | 2797.600 | 45.65 | -11.42 | 74.0 | -28.35 | Peak | 234.00 | 150 | Vertical | Pass |
| 2** | 2797.600 | 34.67 | -11.42 | 54.0 | -19.33 | AV | 234.00 | 150 | Vertical | Pass |
| 3 | 4112.200 | 46.80 | -5.77 | 74.0 | -27.20 | Peak | 135.00 | 150 | Vertical | Pass |
| 3** | 4112.200 | 36.96 | -5.77 | 54.0 | -17.04 | AV | 135.00 | 150 | Vertical | Pass |
| 4 | 5772.200 | 95.38 | -3.24 | -- | -- | Peak | 97.00 | 150 | Vertical | N/A |
| 4** | 5772.200 | 87.46 | -3.24 | -- | -- | AV | 97.00 | 150 | Vertical | N/A |
| 5 | 7420.038 | 48.87 | -4.02 | 74.0 | -25.13 | Peak | 100.00 | 150 | Vertical | Pass |
| 5** | 7420.038 | 39.99 | -4.02 | 54.0 | -14.01 | AV | 100.00 | 150 | Vertical | Pass |
| 6 | 12329.675 | 51.61 | -0.67 | 74.0 | -22.39 | Peak | 306.00 | 150 | Vertical | Pass |
| 6** | 12329.675 | 41.87 | -0.67 | 54.0 | -12.13 | AV | 306.00 | 150 | Vertical | Pass |

11n20, U-NII-3, 1 GHz to 18 GHz, High channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1158.700 | 43.32 | -18.59 | 74.0 | -30.68 | Peak | 244.00 | 150 | Horizontal | Pass |
| 1** | 1158.700 | 29.06 | -18.59 | 54.0 | -24.94 | AV | 244.00 | 150 | Horizontal | Pass |
| 2 | 2805.500 | 42.88 | -11.57 | 74.0 | -31.12 | Peak | 21.00 | 150 | Horizontal | Pass |
| 2** | 2805.500 | 33.87 | -11.57 | 54.0 | -20.13 | AV | 21.00 | 150 | Horizontal | Pass |
| 3 | 4040.600 | 46.83 | -5.73 | 74.0 | -27.17 | Peak | 339.00 | 150 | Horizontal | Pass |
| 3** | 4040.600 | 37.44 | -5.73 | 54.0 | -16.56 | AV | 339.00 | 150 | Horizontal | Pass |
| 4 | 5811.400 | 97.30 | -3.01 | -- | -- | Peak | 139.00 | 150 | Horizontal | N/A |
| 4** | 5811.400 | 89.93 | -3.01 | -- | -- | AV | 139.00 | 150 | Horizontal | N/A |
| 5 | 7540.212 | 48.91 | -4.43 | 74.0 | -25.09 | Peak | 120.00 | 150 | Horizontal | Pass |
| 5** | 7540.212 | 37.90 | -4.43 | 54.0 | -16.10 | AV | 120.00 | 150 | Horizontal | Pass |
| 6 | 11623.862 | 51.26 | -0.20 | 74.0 | -22.74 | Peak | 120.00 | 150 | Horizontal | Pass |
| 6** | 11623.862 | 42.47 | -0.20 | 54.0 | -11.53 | AV | 120.00 | 150 | Horizontal | Pass |

11n20, U-NII-3, 1 GHz to 18 GHz, High channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1165.300 | 46.31 | -18.47 | 74.0 | -27.69 | Peak | 315.00 | 150 | Vertical | Pass |
| 1** | 1165.300 | 32.74 | -18.47 | 54.0 | -21.26 | AV | 315.00 | 150 | Vertical | Pass |
| 2 | 2795.700 | 46.57 | -11.32 | 74.0 | -27.43 | Peak | 238.00 | 150 | Vertical | Pass |
| 2** | 2795.700 | 34.43 | -11.32 | 54.0 | -19.57 | AV | 238.00 | 150 | Vertical | Pass |
| 3 | 4075.200 | 47.12 | -5.39 | 74.0 | -26.88 | Peak | 43.00 | 150 | Vertical | Pass |
| 3** | 4075.200 | 37.57 | -5.39 | 54.0 | -16.43 | AV | 43.00 | 150 | Vertical | Pass |
| 4 | 5822.400 | 95.89 | -2.84 | -- | -- | Peak | 93.00 | 150 | Vertical | N/A |
| 4** | 5822.400 | 88.24 | -2.84 | -- | -- | AV | 93.00 | 150 | Vertical | N/A |
| 5 | 7424.925 | 48.52 | -4.07 | 74.0 | -25.48 | Peak | 84.00 | 150 | Vertical | Pass |
| 5** | 7424.925 | 40.26 | -4.07 | 54.0 | -13.74 | AV | 84.00 | 150 | Vertical | Pass |
| 6 | 12257.512 | 51.08 | 0.00 | 74.0 | -22.92 | Peak | 346.00 | 150 | Vertical | Pass |
| 6** | 12257.512 | 41.43 | 0.00 | 54.0 | -12.57 | AV | 346.00 | 150 | Vertical | Pass |

11n40, U-NII-3, 1 GHz to 18 GHz, Low channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1162.000 | 44.70 | -18.50 | 74.0 | -29.30 | Peak | 241.00 | 150 | Horizontal | Pass |
| 1** | 1162.000 | 28.27 | -18.50 | 54.0 | -25.73 | AV | 241.00 | 150 | Horizontal | Pass |
| 2 | 2822.200 | 43.10 | -11.86 | 74.0 | -30.90 | Peak | 325.00 | 150 | Horizontal | Pass |
| 2** | 2822.200 | 34.02 | -11.86 | 54.0 | -19.98 | AV | 325.00 | 150 | Horizontal | Pass |
| 3 | 4134.000 | 46.57 | -6.10 | 74.0 | -27.43 | Peak | 217.00 | 150 | Horizontal | Pass |
| 3** | 4134.000 | 37.34 | -6.10 | 54.0 | -16.66 | AV | 217.00 | 150 | Horizontal | Pass |
| 4 | 5749.200 | 97.38 | -3.76 | -- | -- | Peak | 140.00 | 150 | Horizontal | N/A |
| 4** | 5749.200 | 88.93 | -3.76 | -- | -- | AV | 140.00 | 150 | Horizontal | N/A |
| 5 | 7443.612 | 48.51 | -4.37 | 74.0 | -25.49 | Peak | 334.00 | 150 | Horizontal | Pass |
| 5** | 7443.612 | 39.58 | -4.37 | 54.0 | -14.42 | AV | 334.00 | 150 | Horizontal | Pass |
| 6 | 12241.125 | 51.18 | -0.30 | 74.0 | -22.82 | Peak | 244.00 | 150 | Horizontal | Pass |
| 6** | 12241.125 | 42.13 | -0.30 | 54.0 | -11.87 | AV | 244.00 | 150 | Horizontal | Pass |

11n40, U-NII-3, 1 GHz to 18 GHz, Low channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1165.600 | 46.94 | -18.48 | 74.0 | -27.06 | Peak | 308.00 | 150 | Vertical | Pass |
| 1** | 1165.600 | 35.99 | -18.48 | 54.0 | -18.01 | AV | 308.00 | 150 | Vertical | Pass |
| 2 | 2790.500 | 46.57 | -11.10 | 74.0 | -27.43 | Peak | 236.00 | 150 | Vertical | Pass |
| 2** | 2790.500 | 34.46 | -11.10 | 54.0 | -19.54 | AV | 236.00 | 150 | Vertical | Pass |
| 3 | 4319.800 | 47.96 | -4.95 | 74.0 | -26.04 | Peak | 105.00 | 150 | Vertical | Pass |
| 3** | 4319.800 | 38.77 | -4.95 | 54.0 | -15.23 | AV | 105.00 | 150 | Vertical | Pass |
| 4 | 5762.800 | 95.34 | -3.44 | -- | -- | Peak | 105.00 | 150 | Vertical | N/A |
| 4** | 5762.800 | 86.73 | -3.44 | -- | -- | AV | 105.00 | 150 | Vertical | N/A |
| 5 | 7426.362 | 48.52 | -4.07 | 74.0 | -25.48 | Peak | 13.00 | 150 | Vertical | Pass |
| 5** | 7426.362 | 39.32 | -4.07 | 54.0 | -14.68 | AV | 13.00 | 150 | Vertical | Pass |
| 6 | 12242.850 | 51.12 | -0.26 | 74.0 | -22.88 | Peak | 279.00 | 150 | Vertical | Pass |
| 6** | 12242.850 | 42.01 | -0.26 | 54.0 | -11.99 | AV | 279.00 | 150 | Vertical | Pass |

11n40, U-NII-3, 1 GHz to 18 GHz, High channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1164.800 | 42.13 | -18.46 | 74.0 | -31.87 | Peak | 233.00 | 150 | Horizontal | Pass |
| 1** | 1164.800 | 30.68 | -18.46 | 54.0 | -23.32 | AV | 233.00 | 150 | Horizontal | Pass |
| 2 | 2798.600 | 43.76 | -11.41 | 74.0 | -30.24 | Peak | 332.00 | 150 | Horizontal | Pass |
| 2** | 2798.600 | 34.79 | -11.41 | 54.0 | -19.21 | AV | 332.00 | 150 | Horizontal | Pass |
| 3 | 4272.400 | 47.12 | -5.10 | 74.0 | -26.88 | Peak | 229.00 | 150 | Horizontal | Pass |
| 3** | 4272.400 | 37.65 | -5.10 | 54.0 | -16.35 | AV | 229.00 | 150 | Horizontal | Pass |
| 4 | 5802.800 | 96.53 | -3.18 | -- | -- | Peak | 145.00 | 150 | Horizontal | N/A |
| 4** | 5802.800 | 88.83 | -3.18 | -- | -- | AV | 145.00 | 150 | Horizontal | N/A |
| 5 | 7423.487 | 48.49 | -4.08 | 74.0 | -25.51 | Peak | 139.00 | 150 | Horizontal | Pass |
| 5** | 7423.487 | 40.26 | -4.08 | 54.0 | -13.74 | AV | 139.00 | 150 | Horizontal | Pass |
| 6 | 12243.138 | 51.40 | -0.25 | 74.0 | -22.60 | Peak | 297.00 | 150 | Horizontal | Pass |
| 6** | 12243.138 | 42.62 | -0.25 | 54.0 | -11.38 | AV | 297.00 | 150 | Horizontal | Pass |

11n40, U-NII-3, 1 GHz to 18 GHz, High channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1165.700 | 47.31 | -18.49 | 74.0 | -26.69 | Peak | 323.00 | 150 | Vertical | Pass |
| 1** | 1165.700 | 31.36 | -18.49 | 54.0 | -22.64 | AV | 323.00 | 150 | Vertical | Pass |
| 2 | 2791.600 | 45.38 | -11.10 | 74.0 | -28.62 | Peak | 252.00 | 150 | Vertical | Pass |
| 2** | 2791.600 | 34.81 | -11.10 | 54.0 | -19.19 | AV | 252.00 | 150 | Vertical | Pass |
| 3 | 4084.800 | 47.08 | -5.14 | 74.0 | -26.92 | Peak | 360.00 | 150 | Vertical | Pass |
| 3** | 4084.800 | 38.56 | -5.14 | 54.0 | -15.44 | AV | 360.00 | 150 | Vertical | Pass |
| 4 | 5803.000 | 94.74 | -3.18 | -- | -- | Peak | 107.00 | 150 | Vertical | N/A |
| 4** | 5803.000 | 86.33 | -3.18 | -- | -- | AV | 107.00 | 150 | Vertical | N/A |
| 5 | 7432.112 | 48.30 | -4.40 | 74.0 | -25.70 | Peak | 31.00 | 150 | Vertical | Pass |
| 5** | 7432.112 | 39.08 | -4.40 | 54.0 | -14.92 | AV | 31.00 | 150 | Vertical | Pass |
| 6 | 12269.875 | 51.17 | 0.06 | 74.0 | -22.83 | Peak | 50.00 | 150 | Vertical | Pass |
| 6** | 12269.875 | 42.53 | 0.06 | 54.0 | -11.47 | AV | 50.00 | 150 | Vertical | Pass |

11ac20, U-NII-3, 1 GHz to 18 GHz, Low channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1158.700 | 41.70 | -18.59 | 74.0 | -32.30 | Peak | 242.00 | 150 | Horizontal | Pass |
| 1** | 1158.700 | 31.03 | -18.59 | 54.0 | -22.97 | AV | 242.00 | 150 | Horizontal | Pass |
| 2 | 2774.400 | 43.72 | -11.44 | 74.0 | -30.28 | Peak | 148.00 | 150 | Horizontal | Pass |
| 2** | 2774.400 | 33.59 | -11.44 | 54.0 | -20.41 | AV | 148.00 | 150 | Horizontal | Pass |
| 3 | 3873.600 | 46.57 | -7.07 | 74.0 | -27.43 | Peak | 338.00 | 150 | Horizontal | Pass |
| 3** | 3873.600 | 36.81 | -7.07 | 54.0 | -17.19 | AV | 338.00 | 150 | Horizontal | Pass |
| 4 | 5750.400 | 96.92 | -3.66 | -- | -- | Peak | 129.00 | 150 | Horizontal | N/A |
| 4** | 5750.400 | 90.08 | -3.66 | -- | -- | AV | 129.00 | 150 | Horizontal | N/A |
| 5 | 7447.350 | 48.36 | -4.53 | 74.0 | -25.64 | Peak | 281.00 | 150 | Horizontal | Pass |
| 5** | 7447.350 | 38.65 | -4.53 | 54.0 | -15.35 | AV | 281.00 | 150 | Horizontal | Pass |
| 6 | 12133.313 | 51.21 | -0.67 | 74.0 | -22.79 | Peak | 0.00 | 150 | Horizontal | Pass |
| 6** | 12133.313 | 41.88 | -0.67 | 54.0 | -12.12 | AV | 0.00 | 150 | Horizontal | Pass |

11ac20, U-NII-3, 1 GHz to 18 GHz, Low channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1196.500 | 48.37 | -18.17 | 74.0 | -25.63 | Peak | 339.00 | 150 | Vertical | Pass |
| 1** | 1196.500 | 30.79 | -18.17 | 54.0 | -23.21 | AV | 339.00 | 150 | Vertical | Pass |
| 2 | 2791.900 | 46.86 | -11.10 | 74.0 | -27.14 | Peak | 190.00 | 150 | Vertical | Pass |
| 2** | 2791.900 | 33.90 | -11.10 | 54.0 | -20.10 | AV | 190.00 | 150 | Vertical | Pass |
| 3 | 3974.200 | 47.22 | -6.61 | 74.0 | -26.78 | Peak | 165.00 | 150 | Vertical | Pass |
| 3** | 3974.200 | 38.05 | -6.61 | 54.0 | -15.95 | AV | 165.00 | 150 | Vertical | Pass |
| 4 | 5753.400 | 94.51 | -3.57 | -- | -- | Peak | 105.00 | 150 | Vertical | N/A |
| 4** | 5753.400 | 86.67 | -3.57 | -- | -- | AV | 105.00 | 150 | Vertical | N/A |
| 5 | 7345.288 | 49.07 | -5.16 | 74.0 | -24.93 | Peak | 295.00 | 150 | Vertical | Pass |
| 5** | 7345.288 | 40.10 | -5.16 | 54.0 | -13.90 | AV | 295.00 | 150 | Vertical | Pass |
| 6 | 11683.375 | 50.94 | -0.93 | 74.0 | -23.06 | Peak | 0.00 | 150 | Vertical | Pass |
| 6** | 11683.375 | 41.87 | -0.93 | 54.0 | -12.13 | AV | 0.00 | 150 | Vertical | Pass |

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1195.500 | 43.84 | -18.20 | 74.0 | -30.16 | Peak | 243.00 | 150 | Horizontal | Pass |
| 1** | 1195.500 | 32.63 | -18.20 | 54.0 | -21.37 | AV | 243.00 | 150 | Horizontal | Pass |
| 2 | 2780.800 | 43.81 | -11.33 | 74.0 | -30.19 | Peak | 0.00 | 150 | Horizontal | Pass |
| 2** | 2780.800 | 33.93 | -11.33 | 54.0 | -20.07 | AV | 0.00 | 150 | Horizontal | Pass |
| 3 | 4121.600 | 47.41 | -5.69 | 74.0 | -26.59 | Peak | 286.00 | 150 | Horizontal | Pass |
| 3** | 4121.600 | 37.44 | -5.69 | 54.0 | -16.56 | AV | 286.00 | 150 | Horizontal | Pass |
| 4 | 5780.600 | 96.38 | -3.25 | -- | -- | Peak | 133.00 | 150 | Horizontal | N/A |
| 4** | 5780.600 | 89.86 | -3.25 | -- | -- | AV | 133.00 | 150 | Horizontal | N/A |
| 5 | 7378.062 | 48.48 | -4.78 | 74.0 | -25.52 | Peak | 264.00 | 150 | Horizontal | Pass |
| 5** | 7378.062 | 38.46 | -4.78 | 54.0 | -15.54 | AV | 264.00 | 150 | Horizontal | Pass |
| 6 | 12250.900 | 51.56 | -0.08 | 74.0 | -22.44 | Peak | 281.00 | 150 | Horizontal | Pass |
| 6** | 12250.900 | 41.17 | -0.08 | 54.0 | -12.83 | AV | 281.00 | 150 | Horizontal | Pass |

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1202.900 | 44.00 | -18.08 | 74.0 | -30.00 | Peak | 301.00 | 150 | Vertical | Pass |
| 1** | 1202.900 | 31.31 | -18.08 | 54.0 | -22.69 | AV | 301.00 | 150 | Vertical | Pass |
| 2 | 2794.200 | 46.09 | -11.18 | 74.0 | -27.91 | Peak | 237.00 | 150 | Vertical | Pass |
| 2** | 2794.200 | 33.60 | -11.18 | 54.0 | -20.40 | AV | 237.00 | 150 | Vertical | Pass |
| 3 | 4064.000 | 47.41 | -5.63 | 74.0 | -26.59 | Peak | 177.00 | 150 | Vertical | Pass |
| 3** | 4064.000 | 38.37 | -5.63 | 54.0 | -15.63 | AV | 177.00 | 150 | Vertical | Pass |
| 4 | 5777.400 | 93.90 | -3.26 | -- | -- | Peak | 84.00 | 150 | Vertical | N/A |
| 4** | 5777.400 | 85.53 | -3.26 | -- | -- | AV | 84.00 | 150 | Vertical | N/A |
| 5 | 7438.725 | 48.57 | -4.36 | 74.0 | -25.43 | Peak | 119.00 | 150 | Vertical | Pass |
| 5** | 7438.725 | 39.62 | -4.36 | 54.0 | -14.38 | AV | 119.00 | 150 | Vertical | Pass |
| 6 | 12248.313 | 52.15 | -0.13 | 74.0 | -21.85 | Peak | 336.00 | 150 | Vertical | Pass |
| 6** | 12248.313 | 41.89 | -0.13 | 54.0 | -12.11 | AV | 336.00 | 150 | Vertical | Pass |

11ac20, U-NII-3, 1 GHz to 18 GHz, High channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1194.700 | 43.97 | -18.23 | 74.0 | -30.03 | Peak | 242.00 | 150 | Horizontal | Pass |
| 1** | 1194.700 | 29.38 | -18.23 | 54.0 | -24.62 | AV | 242.00 | 150 | Horizontal | Pass |
| 2 | 2756.100 | 42.88 | -11.40 | 74.0 | -31.12 | Peak | 172.00 | 150 | Horizontal | Pass |
| 2** | 2756.100 | 33.11 | -11.40 | 54.0 | -20.89 | AV | 172.00 | 150 | Horizontal | Pass |
| 3 | 4219.000 | 47.96 | -6.04 | 74.0 | -26.04 | Peak | 295.00 | 150 | Horizontal | Pass |
| 3** | 4219.000 | 37.66 | -6.04 | 54.0 | -16.34 | AV | 295.00 | 150 | Horizontal | Pass |
| 4 | 5828.400 | 96.94 | -2.94 | -- | -- | Peak | 91.00 | 150 | Horizontal | N/A |
| 4** | 5828.400 | 89.42 | -2.94 | -- | -- | AV | 91.00 | 150 | Horizontal | N/A |
| 5 | 7464.888 | 48.39 | -4.57 | 74.0 | -25.61 | Peak | 252.00 | 150 | Horizontal | Pass |
| 5** | 7464.888 | 38.64 | -4.57 | 54.0 | -15.36 | AV | 252.00 | 150 | Horizontal | Pass |
| 6 | 12194.550 | 51.11 | -0.81 | 74.0 | -22.89 | Peak | 68.00 | 150 | Horizontal | Pass |
| 6** | 12194.550 | 41.02 | -0.81 | 54.0 | -12.98 | AV | 68.00 | 150 | Horizontal | Pass |

11ac20, U-NII-3, 1 GHz to 18 GHz, High channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1167.900 | 44.94 | -18.49 | 74.0 | -29.06 | Peak | 317.00 | 150 | Vertical | Pass |
| 1** | 1167.900 | 31.64 | -18.49 | 54.0 | -22.36 | AV | 317.00 | 150 | Vertical | Pass |
| 2 | 2800.400 | 45.27 | -11.40 | 74.0 | -28.73 | Peak | 317.00 | 150 | Vertical | Pass |
| 2** | 2800.400 | 34.32 | -11.40 | 54.0 | -19.68 | AV | 317.00 | 150 | Vertical | Pass |
| 3 | 4074.000 | 47.20 | -5.52 | 74.0 | -26.80 | Peak | 55.00 | 150 | Vertical | Pass |
| 3** | 4074.000 | 37.56 | -5.52 | 54.0 | -16.44 | AV | 55.00 | 150 | Vertical | Pass |
| 4 | 5817.200 | 95.49 | -2.92 | -- | -- | Peak | 83.00 | 150 | Vertical | N/A |
| 4** | 5817.200 | 87.66 | -2.92 | -- | -- | AV | 83.00 | 150 | Vertical | N/A |
| 5 | 7425.212 | 48.55 | -4.07 | 74.0 | -25.45 | Peak | 333.00 | 150 | Vertical | Pass |
| 5** | 7425.212 | 39.97 | -4.07 | 54.0 | -14.03 | AV | 333.00 | 150 | Vertical | Pass |
| 6 | 11633.063 | 50.87 | -0.30 | 74.0 | -23.13 | Peak | 66.00 | 150 | Vertical | Pass |
| 6** | 11633.063 | 40.94 | -0.30 | 54.0 | -13.06 | AV | 66.00 | 150 | Vertical | Pass |

11ac40, U-NII-3, 1 GHz to 18 GHz, Low channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1195.700 | 42.62 | -18.20 | 74.0 | -31.38 | Peak | 232.00 | 150 | Horizontal | Pass |
| 1** | 1195.700 | 30.83 | -18.20 | 54.0 | -23.17 | AV | 232.00 | 150 | Horizontal | Pass |
| 2 | 2766.500 | 43.58 | -11.55 | 74.0 | -30.42 | Peak | 40.00 | 150 | Horizontal | Pass |
| 2** | 2766.500 | 34.76 | -11.55 | 54.0 | -19.24 | AV | 40.00 | 150 | Horizontal | Pass |
| 3 | 4175.000 | 47.38 | -5.41 | 74.0 | -26.62 | Peak | 29.00 | 150 | Horizontal | Pass |
| 3** | 4175.000 | 37.69 | -5.41 | 54.0 | -16.31 | AV | 29.00 | 150 | Horizontal | Pass |
| 4 | 5752.000 | 97.41 | -3.68 | -- | -- | Peak | 136.00 | 150 | Horizontal | N/A |
| 4** | 5752.000 | 89.85 | -3.68 | -- | -- | AV | 136.00 | 150 | Horizontal | N/A |
| 5 | 7365.412 | 48.50 | -4.96 | 74.0 | -25.50 | Peak | 210.00 | 150 | Horizontal | Pass |
| 5** | 7365.412 | 39.17 | -4.96 | 54.0 | -14.83 | AV | 210.00 | 150 | Horizontal | Pass |
| 6 | 11625.875 | 51.03 | -0.22 | 74.0 | -22.97 | Peak | 246.00 | 150 | Horizontal | Pass |
| 6** | 11625.875 | 41.84 | -0.22 | 54.0 | -12.16 | AV | 246.00 | 150 | Horizontal | Pass |

11ac40, U-NII-3, 1 GHz to 18 GHz, Low channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1191.700 | 44.65 | -18.34 | 74.0 | -29.35 | Peak | 328.00 | 150 | Vertical | Pass |
| 1** | 1191.700 | 30.38 | -18.34 | 54.0 | -23.62 | AV | 328.00 | 150 | Vertical | Pass |
| 2 | 2790.700 | 45.25 | -11.10 | 74.0 | -28.75 | Peak | 241.00 | 150 | Vertical | Pass |
| 2** | 2790.700 | 35.20 | -11.10 | 54.0 | -18.80 | AV | 241.00 | 150 | Vertical | Pass |
| 3 | 4078.000 | 46.87 | -5.19 | 74.0 | -27.13 | Peak | 121.00 | 150 | Vertical | Pass |
| 3** | 4078.000 | 37.80 | -5.19 | 54.0 | -16.20 | AV | 121.00 | 150 | Vertical | Pass |
| 4 | 5758.200 | 95.21 | -3.48 | -- | -- | Peak | 106.00 | 150 | Vertical | N/A |
| 4** | 5758.200 | 87.50 | -3.48 | -- | -- | AV | 106.00 | 150 | Vertical | N/A |
| 5 | 7329.187 | 48.37 | -4.97 | 74.0 | -25.63 | Peak | 263.00 | 150 | Vertical | Pass |
| 5** | 7329.187 | 38.69 | -4.97 | 54.0 | -15.31 | AV | 263.00 | 150 | Vertical | Pass |
| 6 | 11070.713 | 50.36 | -0.62 | 74.0 | -23.64 | Peak | 0.00 | 150 | Vertical | Pass |
| 6** | 11070.713 | 41.63 | -0.62 | 54.0 | -12.37 | AV | 0.00 | 150 | Vertical | Pass |

11ac40, U-NII-3, 1 GHz to 18 GHz, High channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1189.700 | 43.85 | -18.36 | 74.0 | -30.15 | Peak | 238.00 | 150 | Horizontal | Pass |
| 1** | 1189.700 | 31.59 | -18.36 | 54.0 | -22.41 | AV | 238.00 | 150 | Horizontal | Pass |
| 2 | 2786.900 | 43.26 | -11.14 | 74.0 | -30.74 | Peak | 205.00 | 150 | Horizontal | Pass |
| 2** | 2786.900 | 33.78 | -11.14 | 54.0 | -20.22 | AV | 205.00 | 150 | Horizontal | Pass |
| 3 | 4150.800 | 48.02 | -5.99 | 74.0 | -25.98 | Peak | 360.00 | 150 | Horizontal | Pass |
| 3** | 4150.800 | 38.84 | -5.99 | 54.0 | -15.16 | AV | 360.00 | 150 | Horizontal | Pass |
| 4 | 5799.400 | 96.22 | -3.16 | -- | -- | Peak | 123.00 | 150 | Horizontal | N/A |
| 4** | 5799.400 | 88.99 | -3.16 | -- | -- | AV | 123.00 | 150 | Horizontal | N/A |
| 5 | 7359.375 | 47.93 | -4.87 | 74.0 | -26.07 | Peak | 85.00 | 150 | Horizontal | Pass |
| 5** | 7359.375 | 39.22 | -4.87 | 54.0 | -14.78 | AV | 85.00 | 150 | Horizontal | Pass |
| 6 | 12190.525 | 51.25 | -0.86 | 74.0 | -22.75 | Peak | 285.00 | 150 | Horizontal | Pass |
| 6** | 12190.525 | 43.58 | -0.86 | 54.0 | -10.42 | AV | 285.00 | 150 | Horizontal | Pass |

11ac40, U-NII-3, 1 GHz to 18 GHz, High channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1197.000 | 44.43 | -18.20 | 74.0 | -29.57 | Peak | 343.00 | 150 | Vertical | Pass |
| 1** | 1197.000 | 34.61 | -18.20 | 54.0 | -19.39 | AV | 343.00 | 150 | Vertical | Pass |
| 2 | 2797.100 | 47.52 | -11.42 | 74.0 | -26.48 | Peak | 273.00 | 150 | Vertical | Pass |
| 2** | 2797.100 | 34.15 | -11.42 | 54.0 | -19.85 | AV | 273.00 | 150 | Vertical | Pass |
| 3 | 4264.200 | 47.46 | -5.40 | 74.0 | -26.54 | Peak | 327.00 | 150 | Vertical | Pass |
| 3** | 4264.200 | 38.51 | -5.40 | 54.0 | -15.49 | AV | 327.00 | 150 | Vertical | Pass |
| 4 | 5798.400 | 94.87 | -3.18 | -- | -- | Peak | 99.00 | 150 | Vertical | N/A |
| 4** | 5798.400 | 86.31 | -3.18 | -- | -- | AV | 99.00 | 150 | Vertical | N/A |
| 5 | 7371.450 | 48.41 | -4.73 | 74.0 | -25.59 | Peak | 169.00 | 150 | Vertical | Pass |
| 5** | 7371.450 | 39.58 | -4.73 | 54.0 | -14.42 | AV | 169.00 | 150 | Vertical | Pass |
| 6 | 11613.513 | 50.86 | -0.16 | 74.0 | -23.14 | Peak | 206.00 | 150 | Vertical | Pass |
| 6** | 11613.513 | 41.55 | -0.16 | 54.0 | -12.45 | AV | 206.00 | 150 | Vertical | Pass |

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1191.600 | 42.01 | -18.34 | 74.0 | -31.99 | Peak | 229.00 | 150 | Horizontal | Pass |
| 1** | 1191.600 | 30.27 | -18.34 | 54.0 | -23.73 | AV | 229.00 | 150 | Horizontal | Pass |
| 2 | 2801.100 | 43.32 | -11.40 | 74.0 | -30.68 | Peak | 248.00 | 150 | Horizontal | Pass |
| 2** | 2801.100 | 33.66 | -11.40 | 54.0 | -20.34 | AV | 248.00 | 150 | Horizontal | Pass |
| 3 | 4067.600 | 47.11 | -5.49 | 74.0 | -26.89 | Peak | 0.00 | 150 | Horizontal | Pass |
| 3** | 4067.600 | 38.34 | -5.49 | 54.0 | -15.66 | AV | 0.00 | 150 | Horizontal | Pass |
| 4 | 5778.200 | 96.48 | -3.30 | -- | -- | Peak | 150.00 | 150 | Horizontal | N/A |
| 4** | 5778.200 | 89.69 | -3.30 | -- | -- | AV | 150.00 | 150 | Horizontal | N/A |
| 5 | 7363.112 | 48.21 | -5.09 | 74.0 | -25.79 | Peak | 180.00 | 150 | Horizontal | Pass |
| 5** | 7363.112 | 39.23 | -5.09 | 54.0 | -14.77 | AV | 180.00 | 150 | Horizontal | Pass |
| 6 | 12014.000 | 51.15 | -1.22 | 74.0 | -22.85 | Peak | 124.00 | 150 | Horizontal | Pass |
| 6** | 12014.000 | 42.53 | -1.22 | 54.0 | -11.47 | AV | 124.00 | 150 | Horizontal | Pass |

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1197.400 | 49.35 | -18.23 | 74.0 | -24.65 | Peak | 327.00 | 150 | Vertical | Pass |
| 1** | 1197.400 | 31.91 | -18.23 | 54.0 | -22.09 | AV | 327.00 | 150 | Vertical | Pass |
| 2 | 2799.300 | 45.73 | -11.41 | 74.0 | -28.27 | Peak | 256.00 | 150 | Vertical | Pass |
| 2** | 2799.300 | 34.15 | -11.41 | 54.0 | -19.85 | AV | 256.00 | 150 | Vertical | Pass |
| 3 | 3988.000 | 47.25 | -6.41 | 74.0 | -26.75 | Peak | 127.00 | 150 | Vertical | Pass |
| 3** | 3988.000 | 37.78 | -6.41 | 54.0 | -16.22 | AV | 127.00 | 150 | Vertical | Pass |
| 4 | 5793.000 | 94.12 | -3.09 | -- | -- | Peak | 108.00 | 150 | Vertical | N/A |
| 4** | 5793.000 | 85.68 | -3.09 | -- | -- | AV | 108.00 | 150 | Vertical | N/A |
| 5 | 7372.600 | 48.38 | -4.84 | 74.0 | -25.62 | Peak | 338.00 | 150 | Vertical | Pass |
| 5** | 7372.600 | 39.01 | -4.84 | 54.0 | -14.99 | AV | 338.00 | 150 | Vertical | Pass |
| 6 | 12073.513 | 51.71 | -1.38 | 74.0 | -22.29 | Peak | 360.00 | 150 | Vertical | Pass |
| 6** | 12073.513 | 41.54 | -1.38 | 54.0 | -12.46 | AV | 360.00 | 150 | Vertical | Pass |

11ax20-SU, U-NII-3, 1 GHz to 18 GHz, Low channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1199.500 | 44.97 | -18.23 | 74.0 | -29.03 | Peak | 281.00 | 150 | Horizontal | Pass |
| 1** | 1199.500 | 36.92 | -18.23 | 54.0 | -17.08 | AV | 281.00 | 150 | Horizontal | Pass |
| 2 | 2784.700 | 43.28 | -11.26 | 74.0 | -30.72 | Peak | 360.00 | 150 | Horizontal | Pass |
| 2** | 2784.700 | 34.64 | -11.26 | 54.0 | -19.36 | AV | 360.00 | 150 | Horizontal | Pass |
| 3 | 4040.000 | 47.26 | -5.76 | 74.0 | -26.74 | Peak | 79.00 | 150 | Horizontal | Pass |
| 3** | 4040.000 | 37.39 | -5.76 | 54.0 | -16.61 | AV | 79.00 | 150 | Horizontal | Pass |
| 4 | 5746.000 | 98.86 | -4.04 | -- | -- | Peak | 139.00 | 150 | Horizontal | N/A |
| 4** | 5746.000 | 88.68 | -4.04 | -- | -- | AV | 139.00 | 150 | Horizontal | N/A |
| 5 | 7453.388 | 48.01 | -4.46 | 74.0 | -25.99 | Peak | 331.00 | 150 | Horizontal | Pass |
| 5** | 7453.388 | 38.81 | -4.46 | 54.0 | -15.19 | AV | 331.00 | 150 | Horizontal | Pass |
| 6 | 12269.587 | 51.44 | 0.06 | 74.0 | -22.56 | Peak | 296.00 | 150 | Horizontal | Pass |
| 6** | 12269.587 | 41.97 | 0.06 | 54.0 | -12.03 | AV | 296.00 | 150 | Horizontal | Pass |

11ax20-SU, U-NII-3, 1 GHz to 18 GHz, Low channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1196.500 | 47.13 | -18.17 | 74.0 | -26.87 | Peak | 341.00 | 150 | Vertical | Pass |
| 1** | 1196.500 | 31.70 | -18.17 | 54.0 | -22.30 | AV | 341.00 | 150 | Vertical | Pass |
| 2 | 2806.400 | 45.67 | -11.56 | 74.0 | -28.33 | Peak | 310.00 | 150 | Vertical | Pass |
| 2** | 2806.400 | 34.78 | -11.56 | 54.0 | -19.22 | AV | 310.00 | 150 | Vertical | Pass |
| 3 | 4346.000 | 48.97 | -5.96 | 74.0 | -25.03 | Peak | 48.00 | 150 | Vertical | Pass |
| 3** | 4346.000 | 38.79 | -5.96 | 54.0 | -15.21 | AV | 48.00 | 150 | Vertical | Pass |
| 4 | 5749.400 | 94.30 | -3.74 | -- | -- | Peak | 108.00 | 150 | Vertical | N/A |
| 4** | 5749.400 | 86.16 | -3.74 | -- | -- | AV | 108.00 | 150 | Vertical | N/A |
| 5 | 7375.475 | 49.15 | -4.84 | 74.0 | -24.85 | Peak | 360.00 | 150 | Vertical | Pass |
| 5** | 7375.475 | 38.81 | -4.84 | 54.0 | -15.19 | AV | 360.00 | 150 | Vertical | Pass |
| 6 | 11655.200 | 50.84 | -0.41 | 74.0 | -23.16 | Peak | 65.00 | 150 | Vertical | Pass |
| 6** | 11655.200 | 41.46 | -0.41 | 54.0 | -12.54 | AV | 65.00 | 150 | Vertical | Pass |

11ax20-SU, U-NII-3, 1 GHz to 18 GHz, Middle channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1196.700 | 44.66 | -18.17 | 74.0 | -29.34 | Peak | 282.00 | 150 | Horizontal | Pass |
| 1** | 1196.700 | 36.88 | -18.17 | 54.0 | -17.12 | AV | 282.00 | 150 | Horizontal | Pass |
| 2 | 2771.500 | 43.31 | -11.49 | 74.0 | -30.69 | Peak | 58.00 | 150 | Horizontal | Pass |
| 2** | 2771.500 | 33.29 | -11.49 | 54.0 | -20.71 | AV | 58.00 | 150 | Horizontal | Pass |
| 3 | 4111.400 | 47.42 | -5.78 | 74.0 | -26.58 | Peak | 278.00 | 150 | Horizontal | Pass |
| 3** | 4111.400 | 37.16 | -5.78 | 54.0 | -16.84 | AV | 278.00 | 150 | Horizontal | Pass |
| 4 | 5786.000 | 99.34 | -3.06 | -- | -- | Peak | 136.00 | 150 | Horizontal | N/A |
| 4** | 5786.000 | 88.09 | -3.06 | -- | -- | AV | 136.00 | 150 | Horizontal | N/A |
| 5 | 7363.400 | 48.23 | -5.08 | 74.0 | -25.77 | Peak | 271.00 | 150 | Horizontal | Pass |
| 5** | 7363.400 | 39.34 | -5.08 | 54.0 | -14.66 | AV | 271.00 | 150 | Horizontal | Pass |
| 6 | 12164.650 | 51.85 | -0.91 | 74.0 | -22.15 | Peak | 31.00 | 150 | Horizontal | Pass |
| 6** | 12164.650 | 42.01 | -0.91 | 54.0 | -11.99 | AV | 31.00 | 150 | Horizontal | Pass |

11ax20-SU, U-NII-3, 1 GHz to 18 GHz, Middle channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1166.000 | 45.25 | -18.50 | 74.0 | -28.75 | Peak | 305.00 | 150 | Vertical | Pass |
| 1** | 1166.000 | 28.96 | -18.50 | 54.0 | -25.04 | AV | 305.00 | 150 | Vertical | Pass |
| 2 | 2798.500 | 47.44 | -11.41 | 74.0 | -26.56 | Peak | 251.00 | 150 | Vertical | Pass |
| 2** | 2798.500 | 37.19 | -11.41 | 54.0 | -16.81 | AV | 251.00 | 150 | Vertical | Pass |
| 3 | 4083.800 | 47.35 | -5.09 | 74.0 | -26.65 | Peak | 360.00 | 150 | Vertical | Pass |
| 3** | 4083.800 | 38.14 | -5.09 | 54.0 | -15.86 | AV | 360.00 | 150 | Vertical | Pass |
| 4 | 5783.000 | 94.98 | -3.12 | -- | -- | Peak | 82.00 | 150 | Vertical | N/A |
| 4** | 5783.000 | 85.91 | -3.12 | -- | -- | AV | 82.00 | 150 | Vertical | N/A |
| 5 | 7359.950 | 48.50 | -4.90 | 74.0 | -25.50 | Peak | 316.00 | 150 | Vertical | Pass |
| 5** | 7359.950 | 39.50 | -4.90 | 54.0 | -14.50 | AV | 316.00 | 150 | Vertical | Pass |
| 6 | 11616.099 | 51.15 | -0.16 | 74.0 | -22.85 | Peak | 297.00 | 150 | Vertical | Pass |
| 6** | 11616.099 | 41.91 | -0.16 | 54.0 | -12.09 | AV | 297.00 | 150 | Vertical | Pass |

11ax20-SU, U-NII-3, 1 GHz to 18 GHz, High channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1197.500 | 43.35 | -18.23 | 74.0 | -30.65 | Peak | 226.00 | 150 | Horizontal | Pass |
| 1** | 1197.500 | 32.02 | -18.23 | 54.0 | -21.98 | AV | 226.00 | 150 | Horizontal | Pass |
| 2 | 2777.300 | 43.92 | -11.46 | 74.0 | -30.08 | Peak | 65.00 | 150 | Horizontal | Pass |
| 2** | 2777.300 | 34.16 | -11.46 | 54.0 | -19.84 | AV | 65.00 | 150 | Horizontal | Pass |
| 3 | 4238.600 | 47.74 | -5.70 | 74.0 | -26.26 | Peak | 41.00 | 150 | Horizontal | Pass |
| 3** | 4238.600 | 38.14 | -5.70 | 54.0 | -15.86 | AV | 41.00 | 150 | Horizontal | Pass |
| 4 | 5826.400 | 99.33 | -2.90 | -- | -- | Peak | 125.00 | 150 | Horizontal | N/A |
| 4** | 5826.400 | 88.63 | -2.90 | -- | -- | AV | 125.00 | 150 | Horizontal | N/A |
| 5 | 7431.825 | 48.07 | -4.40 | 74.0 | -25.93 | Peak | 149.00 | 150 | Horizontal | Pass |
| 5** | 7431.825 | 39.48 | -4.40 | 54.0 | -14.52 | AV | 149.00 | 150 | Horizontal | Pass |
| 6 | 11589.075 | 52.13 | -0.06 | 74.0 | -21.87 | Peak | 360.00 | 150 | Horizontal | Pass |
| 6** | 11589.075 | 42.70 | -0.06 | 54.0 | -11.30 | AV | 360.00 | 150 | Horizontal | Pass |

11ax20-SU, U-NII-3, 1 GHz to 18 GHz, High channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1163.400 | 45.05 | -18.44 | 74.0 | -28.95 | Peak | 335.00 | 150 | Vertical | Pass |
| 1** | 1163.400 | 30.21 | -18.44 | 54.0 | -23.79 | AV | 335.00 | 150 | Vertical | Pass |
| 2 | 2794.700 | 47.40 | -11.21 | 74.0 | -26.60 | Peak | 350.00 | 150 | Vertical | Pass |
| 2** | 2794.700 | 34.92 | -11.21 | 54.0 | -19.08 | AV | 350.00 | 150 | Vertical | Pass |
| 3 | 4175.000 | 46.94 | -5.41 | 74.0 | -27.06 | Peak | 104.00 | 150 | Vertical | Pass |
| 3** | 4175.000 | 37.89 | -5.41 | 54.0 | -16.11 | AV | 104.00 | 150 | Vertical | Pass |
| 4 | 5825.800 | 97.77 | -2.92 | -- | -- | Peak | 92.00 | 150 | Vertical | N/A |
| 4** | 5825.800 | 86.80 | -2.92 | -- | -- | AV | 92.00 | 150 | Vertical | N/A |
| 5 | 7431.538 | 48.43 | -4.40 | 74.0 | -25.57 | Peak | 82.00 | 150 | Vertical | Pass |
| 5** | 7431.538 | 39.42 | -4.40 | 54.0 | -14.58 | AV | 82.00 | 150 | Vertical | Pass |
| 6 | 11658.937 | 51.15 | -0.46 | 74.0 | -22.85 | Peak | 311.00 | 150 | Vertical | Pass |
| 6** | 11658.937 | 41.60 | -0.46 | 54.0 | -12.40 | AV | 311.00 | 150 | Vertical | Pass |

11ax40-SU, U-NII-3, 1 GHz to 18 GHz, Low channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1199.300 | 45.71 | -18.25 | 74.0 | -28.29 | Peak | 230.00 | 150 | Horizontal | Pass |
| 1** | 1199.300 | 32.20 | -18.25 | 54.0 | -21.80 | AV | 230.00 | 150 | Horizontal | Pass |
| 2 | 2799.300 | 43.09 | -11.41 | 74.0 | -30.91 | Peak | 37.00 | 150 | Horizontal | Pass |
| 2** | 2799.300 | 34.04 | -11.41 | 54.0 | -19.96 | AV | 37.00 | 150 | Horizontal | Pass |
| 3 | 4268.400 | 47.41 | -5.23 | 74.0 | -26.59 | Peak | 117.00 | 150 | Horizontal | Pass |
| 3** | 4268.400 | 38.83 | -5.23 | 54.0 | -15.17 | AV | 117.00 | 150 | Horizontal | Pass |
| 4 | 5765.600 | 94.80 | -3.38 | -- | -- | Peak | 142.00 | 150 | Horizontal | N/A |
| 4** | 5765.600 | 85.81 | -3.38 | -- | -- | AV | 142.00 | 150 | Horizontal | N/A |
| 5 | 7424.637 | 48.71 | -4.07 | 74.0 | -25.29 | Peak | 175.00 | 150 | Horizontal | Pass |
| 5** | 7424.637 | 39.79 | -4.07 | 54.0 | -14.21 | AV | 175.00 | 150 | Horizontal | Pass |
| 6 | 12100.250 | 51.31 | -1.02 | 74.0 | -22.69 | Peak | 141.00 | 150 | Horizontal | Pass |
| 6** | 12100.250 | 42.42 | -1.02 | 54.0 | -11.58 | AV | 141.00 | 150 | Horizontal | Pass |

11ax40-SU, U-NII-3, 1 GHz to 18 GHz, Low channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1177.700 | 44.35 | -18.51 | 74.0 | -29.65 | Peak | 312.00 | 150 | Vertical | Pass |
| 1** | 1177.700 | 32.45 | -18.51 | 54.0 | -21.55 | AV | 312.00 | 150 | Vertical | Pass |
| 2 | 2793.300 | 45.68 | -11.13 | 74.0 | -28.32 | Peak | 253.00 | 150 | Vertical | Pass |
| 2** | 2793.300 | 38.67 | -11.13 | 54.0 | -15.33 | AV | 253.00 | 150 | Vertical | Pass |
| 3 | 4082.800 | 47.48 | -5.06 | 74.0 | -26.52 | Peak | 115.00 | 150 | Vertical | Pass |
| 3** | 4082.800 | 38.19 | -5.06 | 54.0 | -15.81 | AV | 115.00 | 150 | Vertical | Pass |
| 4 | 5756.800 | 92.83 | -3.43 | -- | -- | Peak | 103.00 | 150 | Vertical | N/A |
| 4** | 5756.800 | 84.07 | -3.43 | -- | -- | AV | 103.00 | 150 | Vertical | N/A |
| 5 | 7389.850 | 48.41 | -4.32 | 74.0 | -25.59 | Peak | 118.00 | 150 | Vertical | Pass |
| 5** | 7389.850 | 40.13 | -4.32 | 54.0 | -13.87 | AV | 118.00 | 150 | Vertical | Pass |
| 6 | 11581.600 | 51.22 | 0.01 | 74.0 | -22.78 | Peak | 136.00 | 150 | Vertical | Pass |
| 6** | 11581.600 | 41.27 | 0.01 | 54.0 | -12.73 | AV | 136.00 | 150 | Vertical | Pass |

11ax40-SU, U-NII-3, 1 GHz to 18 GHz, High channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1161.400 | 41.88 | -18.56 | 74.0 | -32.12 | Peak | 269.00 | 150 | Horizontal | Pass |
| 1** | 1161.400 | 28.62 | -18.56 | 54.0 | -25.38 | AV | 269.00 | 150 | Horizontal | Pass |
| 2 | 2743.800 | 43.45 | -11.74 | 74.0 | -30.55 | Peak | 238.00 | 150 | Horizontal | Pass |
| 2** | 2743.800 | 33.39 | -11.74 | 54.0 | -20.61 | AV | 238.00 | 150 | Horizontal | Pass |
| 3 | 4060.800 | 47.10 | -5.55 | 74.0 | -26.90 | Peak | 339.00 | 150 | Horizontal | Pass |
| 3** | 4060.800 | 38.48 | -5.55 | 54.0 | -15.52 | AV | 339.00 | 150 | Horizontal | Pass |
| 4 | 5784.400 | 96.20 | -3.00 | -- | -- | Peak | 129.00 | 150 | Horizontal | N/A |
| 4** | 5784.400 | 85.59 | -3.00 | -- | -- | AV | 129.00 | 150 | Horizontal | N/A |
| 5 | 7429.813 | 49.15 | -4.31 | 74.0 | -24.85 | Peak | 85.00 | 150 | Horizontal | Pass |
| 5** | 7429.813 | 39.72 | -4.31 | 54.0 | -14.28 | AV | 85.00 | 150 | Horizontal | Pass |
| 6 | 12339.738 | 51.65 | -0.96 | 74.0 | -22.35 | Peak | 282.00 | 150 | Horizontal | Pass |
| 6** | 12339.738 | 41.36 | -0.96 | 54.0 | -12.64 | AV | 282.00 | 150 | Horizontal | Pass |

11ax40-SU, U-NII-3, 1 GHz to 18 GHz, High channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1200.000 | 46.61 | -18.16 | 74.0 | -27.39 | Peak | 328.00 | 150 | Vertical | Pass |
| 1** | 1200.000 | 30.29 | -18.16 | 54.0 | -23.71 | AV | 328.00 | 150 | Vertical | Pass |
| 2 | 2795.800 | 45.06 | -11.33 | 74.0 | -28.94 | Peak | 231.00 | 150 | Vertical | Pass |
| 2** | 2795.800 | 35.81 | -11.33 | 54.0 | -18.19 | AV | 231.00 | 150 | Vertical | Pass |
| 3 | 4662.200 | 51.13 | -4.69 | 74.0 | -22.87 | Peak | 260.00 | 150 | Vertical | Pass |
| 3** | 4662.200 | 38.85 | -4.69 | 54.0 | -15.15 | AV | 260.00 | 150 | Vertical | Pass |
| 4 | 5797.400 | 92.86 | -3.20 | -- | -- | Peak | 97.00 | 150 | Vertical | N/A |
| 4** | 5797.400 | 83.21 | -3.20 | -- | -- | AV | 97.00 | 150 | Vertical | N/A |
| 5 | 7315.100 | 48.57 | -5.00 | 74.0 | -25.43 | Peak | 69.00 | 150 | Vertical | Pass |
| 5** | 7315.100 | 38.75 | -5.00 | 54.0 | -15.25 | AV | 69.00 | 150 | Vertical | Pass |
| 6 | 12216.688 | 51.18 | -0.35 | 74.0 | -22.82 | Peak | 254.00 | 150 | Vertical | Pass |
| 6** | 12216.688 | 40.89 | -0.35 | 54.0 | -13.11 | AV | 254.00 | 150 | Vertical | Pass |

11ax80-SU, U-NII-3, 1 GHz to 18 GHz, Middle channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1199.300 | 42.41 | -18.25 | 74.0 | -31.59 | Peak | 222.00 | 150 | Horizontal | Pass |
| 1** | 1199.300 | 31.40 | -18.25 | 54.0 | -22.60 | AV | 222.00 | 150 | Horizontal | Pass |
| 2 | 2805.200 | 43.13 | -11.58 | 74.0 | -30.87 | Peak | 360.00 | 150 | Horizontal | Pass |
| 2** | 2805.200 | 33.98 | -11.58 | 54.0 | -20.02 | AV | 360.00 | 150 | Horizontal | Pass |
| 3 | 4021.200 | 47.63 | -6.53 | 74.0 | -26.37 | Peak | 360.00 | 150 | Horizontal | Pass |
| 3** | 4021.200 | 38.43 | -6.53 | 54.0 | -15.57 | AV | 360.00 | 150 | Horizontal | Pass |
| 4 | 5768.200 | 92.52 | -3.35 | -- | -- | Peak | 304.00 | 150 | Horizontal | N/A |
| 4** | 5768.200 | 82.78 | -3.35 | -- | -- | AV | 304.00 | 150 | Horizontal | N/A |
| 5 | 7439.875 | 48.15 | -4.37 | 74.0 | -25.85 | Peak | 18.00 | 150 | Horizontal | Pass |
| 5** | 7439.875 | 40.07 | -4.37 | 54.0 | -13.93 | AV | 18.00 | 150 | Horizontal | Pass |
| 6 | 11677.338 | 51.29 | -0.90 | 74.0 | -22.71 | Peak | 72.00 | 150 | Horizontal | Pass |
| 6** | 11677.338 | 42.26 | -0.90 | 54.0 | -11.74 | AV | 72.00 | 150 | Horizontal | Pass |

11ax80-SU, U-NII-3, 1 GHz to 18 GHz, Middle channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1195.600 | 46.13 | -18.20 | 74.0 | -27.87 | Peak | 315.00 | 150 | Vertical | Pass |
| 1** | 1195.600 | 37.54 | -18.20 | 54.0 | -16.46 | AV | 315.00 | 150 | Vertical | Pass |
| 2 | 2792.400 | 47.18 | -11.09 | 74.0 | -26.82 | Peak | 235.00 | 150 | Vertical | Pass |
| 2** | 2792.400 | 35.71 | -11.09 | 54.0 | -18.29 | AV | 235.00 | 150 | Vertical | Pass |
| 3 | 4057.800 | 47.12 | -5.59 | 74.0 | -26.88 | Peak | 352.00 | 150 | Vertical | Pass |
| 3** | 4057.800 | 37.86 | -5.59 | 54.0 | -16.14 | AV | 352.00 | 150 | Vertical | Pass |
| 4 | 5762.000 | 90.16 | -3.44 | -- | -- | Peak | 104.00 | 150 | Vertical | N/A |
| 4** | 5762.000 | 80.00 | -3.44 | -- | -- | AV | 104.00 | 150 | Vertical | N/A |
| 5 | 7398.188 | 48.69 | -4.21 | 74.0 | -25.31 | Peak | 360.00 | 150 | Vertical | Pass |
| 5** | 7398.188 | 39.19 | -4.21 | 54.0 | -14.81 | AV | 360.00 | 150 | Vertical | Pass |
| 6 | 12222.151 | 51.46 | -0.28 | 74.0 | -22.54 | Peak | 14.00 | 150 | Vertical | Pass |
| 6** | 12222.151 | 41.35 | -0.28 | 54.0 | -12.65 | AV | 14.00 | 150 | Vertical | Pass |

MIMO

11a, U-NII-1, 1 GHz to 18 GHz, Low channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| | 1198.900 | 41.42 | -18.31 | 74.0 | -32.58 | Peak | 348.00 | 150 | Horizontal | Pass |
| 1** | 1198.900 | 31.33 | -18.31 | 54.0 | -22.67 | AV | 348.00 | 150 | Horizontal | Pass |
| 2 | 2836.400 | 43.21 | -11.85 | 74.0 | -30.79 | Peak | 240.00 | 150 | Horizontal | Pass |
| 2** | 2836.400 | 34.38 | -11.85 | 54.0 | -19.62 | AV | 240.00 | 150 | Horizontal | Pass |
| 3 | 4079.400 | 46.82 | -5.17 | 74.0 | -27.18 | Peak | 27.00 | 150 | Horizontal | Pass |
| 3** | 4079.400 | 37.77 | -5.17 | 54.0 | -16.23 | AV | 27.00 | 150 | Horizontal | Pass |
| 4 | 5173.600 | 105.74 | -3.98 | -- | -- | Peak | 302.00 | 150 | Horizontal | N/A |
| 4** | 5173.600 | 98.53 | -3.98 | -- | -- | AV | 302.00 | 150 | Horizontal | N/A |
| 5 | 7356.788 | 48.50 | -4.89 | 74.0 | -25.50 | Peak | 175.00 | 150 | Horizontal | Pass |
| 5** | 7356.788 | 39.19 | -4.89 | 54.0 | -14.81 | AV | 175.00 | 150 | Horizontal | Pass |
| 6 | 12103.987 | 51.84 | -0.96 | 74.0 | -22.16 | Peak | 140.00 | 150 | Horizontal | Pass |
| 6** | 12103.987 | 42.05 | -0.96 | 54.0 | -11.95 | AV | 140.00 | 150 | Horizontal | Pass |

11a, U-NII-1, 1 GHz to 18 GHz, Low channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1196.900 | 47.02 | -18.19 | 74.0 | -26.98 | Peak | 300.00 | 150 | Vertical | Pass |
| 1** | 1196.900 | 31.59 | -18.19 | 54.0 | -22.41 | AV | 300.00 | 150 | Vertical | Pass |
| 2 | 2787.400 | 44.25 | -11.11 | 74.0 | -29.75 | Peak | 317.00 | 150 | Vertical | Pass |
| 2** | 2787.400 | 33.68 | -11.11 | 54.0 | -20.32 | AV | 317.00 | 150 | Vertical | Pass |
| 3 | 4239.000 | 47.99 | -5.69 | 74.0 | -26.01 | Peak | 0.00 | 150 | Vertical | Pass |
| 3** | 4239.000 | 38.11 | -5.69 | 54.0 | -15.89 | AV | 0.00 | 150 | Vertical | Pass |
| 4 | 5174.000 | 100.41 | -3.97 | -- | -- | Peak | 6.00 | 150 | Vertical | N/A |
| 4** | 5174.000 | 92.30 | -3.97 | -- | -- | AV | 6.00 | 150 | Vertical | N/A |
| 5 | 7357.075 | 48.72 | -4.89 | 74.0 | -25.28 | Peak | 282.00 | 150 | Vertical | Pass |
| 5** | 7357.075 | 39.32 | -4.89 | 54.0 | -14.68 | AV | 282.00 | 150 | Vertical | Pass |
| 6 | 11672.162 | 51.20 | -0.77 | 74.0 | -22.80 | Peak | 14.00 | 150 | Vertical | Pass |
| 6** | 11672.162 | 41.62 | -0.77 | 54.0 | -12.38 | AV | 14.00 | 150 | Vertical | Pass |

11a, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1161.800 | 41.19 | -18.52 | 74.0 | -32.81 | Peak | 360.00 | 150 | Horizontal | Pass |
| 1** | 1161.800 | 28.49 | -18.52 | 54.0 | -25.51 | AV | 360.00 | 150 | Horizontal | Pass |
| 2 | 2837.200 | 43.58 | -11.87 | 74.0 | -30.42 | Peak | 155.00 | 150 | Horizontal | Pass |
| 2** | 2837.200 | 34.45 | -11.87 | 54.0 | -19.55 | AV | 155.00 | 150 | Horizontal | Pass |
| 3 | 4171.000 | 47.50 | -5.44 | 74.0 | -26.50 | Peak | 199.00 | 150 | Horizontal | Pass |
| 3** | 4171.000 | 38.05 | -5.44 | 54.0 | -15.95 | AV | 199.00 | 150 | Horizontal | Pass |
| 4 | 5207.800 | 107.61 | -3.93 | -- | -- | Peak | 301.00 | 150 | Horizontal | N/A |
| 4** | 5207.800 | 101.26 | -3.93 | -- | -- | AV | 301.00 | 150 | Horizontal | N/A |
| 5 | 7368.862 | 48.98 | -4.87 | 74.0 | -25.02 | Peak | 272.00 | 150 | Horizontal | Pass |
| 5** | 7368.862 | 39.68 | -4.87 | 54.0 | -14.32 | AV | 272.00 | 150 | Horizontal | Pass |
| 6 | 12240.263 | 51.27 | -0.32 | 74.0 | -22.73 | Peak | 144.00 | 150 | Horizontal | Pass |
| 6** | 12240.263 | 41.70 | -0.32 | 54.0 | -12.30 | AV | 144.00 | 150 | Horizontal | Pass |

11a, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1163.000 | 44.35 | -18.44 | 74.0 | -29.65 | Peak | 293.00 | 150 | Vertical | Pass |
| 1** | 1163.000 | 31.02 | -18.44 | 54.0 | -22.98 | AV | 293.00 | 150 | Vertical | Pass |
| 2 | 2798.500 | 45.90 | -11.41 | 74.0 | -28.10 | Peak | 283.00 | 150 | Vertical | Pass |
| 2** | 2798.500 | 35.65 | -11.41 | 54.0 | -18.35 | AV | 283.00 | 150 | Vertical | Pass |
| 3 | 4023.800 | 47.61 | -6.37 | 74.0 | -26.39 | Peak | 325.00 | 150 | Vertical | Pass |
| 3** | 4023.800 | 37.61 | -6.37 | 54.0 | -16.39 | AV | 325.00 | 150 | Vertical | Pass |
| 4 | 5205.000 | 99.46 | -3.97 | -- | -- | Peak | 9.00 | 150 | Vertical | N/A |
| 4** | 5205.000 | 92.74 | -3.97 | -- | -- | AV | 9.00 | 150 | Vertical | N/A |
| 5 | 7357.362 | 48.68 | -4.88 | 74.0 | -25.32 | Peak | 0.00 | 150 | Vertical | Pass |
| 5** | 7357.362 | 39.61 | -4.88 | 54.0 | -14.39 | AV | 0.00 | 150 | Vertical | Pass |
| 6 | 12174.713 | 52.24 | -0.96 | 74.0 | -21.76 | Peak | 360.00 | 150 | Vertical | Pass |
| 6** | 12174.713 | 41.97 | -0.96 | 54.0 | -12.03 | AV | 360.00 | 150 | Vertical | Pass |

11a, U-NII-1, 1 GHz to 18 GHz, High channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1199.100 | 41.10 | -18.28 | 74.0 | -32.90 | Peak | 323.00 | 150 | Horizontal | Pass |
| 1** | 1199.100 | 31.66 | -18.28 | 54.0 | -22.34 | AV | 323.00 | 150 | Horizontal | Pass |
| 2 | 2798.800 | 42.85 | -11.41 | 74.0 | -31.15 | Peak | 347.00 | 150 | Horizontal | Pass |
| 2** | 2798.800 | 33.42 | -11.41 | 54.0 | -20.58 | AV | 347.00 | 150 | Horizontal | Pass |
| 3 | 4062.400 | 46.76 | -5.60 | 74.0 | -27.24 | Peak | 75.00 | 150 | Horizontal | Pass |
| 3** | 4062.400 | 37.35 | -5.60 | 54.0 | -16.65 | AV | 75.00 | 150 | Horizontal | Pass |
| 4 | 5227.400 | 107.58 | -4.06 | -- | -- | Peak | 301.00 | 150 | Horizontal | N/A |
| 4** | 5227.400 | 100.24 | -4.06 | -- | -- | AV | 301.00 | 150 | Horizontal | N/A |
| 5 | 7588.513 | 48.80 | -4.73 | 74.0 | -25.20 | Peak | 264.00 | 150 | Horizontal | Pass |
| 5** | 7588.513 | 39.02 | -4.73 | 54.0 | -14.98 | AV | 264.00 | 150 | Horizontal | Pass |
| 6 | 12205.763 | 51.13 | -0.61 | 74.0 | -22.87 | Peak | 51.00 | 150 | Horizontal | Pass |
| 6** | 12205.763 | 41.63 | -0.61 | 54.0 | -12.37 | AV | 51.00 | 150 | Horizontal | Pass |

11a, U-NII-1, 1 GHz to 18 GHz, High channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1163.700 | 46.79 | -18.45 | 74.0 | -27.21 | Peak | 318.00 | 150 | Vertical | Pass |
| 1** | 1163.700 | 35.67 | -18.45 | 54.0 | -18.33 | AV | 318.00 | 150 | Vertical | Pass |
| 2 | 2852.400 | 45.24 | -11.54 | 74.0 | -28.76 | Peak | 259.00 | 150 | Vertical | Pass |
| 2** | 2852.400 | 33.45 | -11.54 | 54.0 | -20.55 | AV | 259.00 | 150 | Vertical | Pass |
| 3 | 4076.000 | 47.26 | -5.31 | 74.0 | -26.74 | Peak | 262.00 | 150 | Vertical | Pass |
| 3** | 4076.000 | 37.82 | -5.31 | 54.0 | -16.18 | AV | 262.00 | 150 | Vertical | Pass |
| 4 | 5233.800 | 100.58 | -4.19 | -- | -- | Peak | 349.00 | 150 | Vertical | N/A |
| 4** | 5233.800 | 93.72 | -4.19 | -- | -- | AV | 349.00 | 150 | Vertical | N/A |
| 5 | 7427.800 | 48.52 | -4.15 | 74.0 | -25.48 | Peak | 0.00 | 150 | Vertical | Pass |
| 5** | 7427.800 | 39.45 | -4.15 | 54.0 | -14.55 | AV | 0.00 | 150 | Vertical | Pass |
| 6 | 11591.088 | 51.17 | -0.07 | 74.0 | -22.83 | Peak | 197.00 | 150 | Vertical | Pass |
| 6** | 11591.088 | 41.53 | -0.07 | 54.0 | -12.47 | AV | 197.00 | 150 | Vertical | Pass |

11n20, U-NII-1, 1 GHz to 18 GHz, Low channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1199.300 | 40.43 | -18.25 | 74.0 | -33.57 | Peak | 319.00 | 150 | Horizontal | Pass |
| 1** | 1199.300 | 30.68 | -18.25 | 54.0 | -23.32 | AV | 319.00 | 150 | Horizontal | Pass |
| 2 | 2790.000 | 43.81 | -11.10 | 74.0 | -30.19 | Peak | 185.00 | 150 | Horizontal | Pass |
| 2** | 2790.000 | 33.97 | -11.10 | 54.0 | -20.03 | AV | 185.00 | 150 | Horizontal | Pass |
| 3 | 4074.200 | 47.00 | -5.50 | 74.0 | -27.00 | Peak | 38.00 | 150 | Horizontal | Pass |
| 3** | 4074.200 | 38.22 | -5.50 | 54.0 | -15.78 | AV | 38.00 | 150 | Horizontal | Pass |
| 4 | 5166.000 | 106.63 | -3.85 | -- | -- | Peak | 309.00 | 150 | Horizontal | N/A |
| 4** | 5166.000 | 99.36 | -3.85 | -- | -- | AV | 309.00 | 150 | Horizontal | N/A |
| 5 | 7353.050 | 48.74 | -5.08 | 74.0 | -25.26 | Peak | 116.00 | 150 | Horizontal | Pass |
| 5** | 7353.050 | 38.91 | -5.08 | 54.0 | -15.09 | AV | 116.00 | 150 | Horizontal | Pass |
| 6 | 11623.287 | 51.44 | -0.20 | 74.0 | -22.56 | Peak | 50.00 | 150 | Horizontal | Pass |
| 6** | 11623.287 | 42.20 | -0.20 | 54.0 | -11.80 | AV | 50.00 | 150 | Horizontal | Pass |

11n20, U-NII-1, 1 GHz to 18 GHz, Low channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1162.200 | 45.40 | -18.48 | 74.0 | -28.60 | Peak | 325.00 | 150 | Vertical | Pass |
| 1** | 1162.200 | 31.96 | -18.48 | 54.0 | -22.04 | AV | 325.00 | 150 | Vertical | Pass |
| 2 | 2800.900 | 45.81 | -11.40 | 74.0 | -28.19 | Peak | 284.00 | 150 | Vertical | Pass |
| 2** | 2800.900 | 33.91 | -11.40 | 54.0 | -20.09 | AV | 284.00 | 150 | Vertical | Pass |
| 3 | 3952.000 | 46.61 | -6.83 | 74.0 | -27.39 | Peak | 183.00 | 150 | Vertical | Pass |
| 3** | 3952.000 | 36.58 | -6.83 | 54.0 | -17.42 | AV | 183.00 | 150 | Vertical | Pass |
| 4 | 5177.400 | 100.51 | -3.99 | -- | -- | Peak | 317.00 | 150 | Vertical | N/A |
| 4** | 5177.400 | 93.48 | -3.99 | -- | -- | AV | 317.00 | 150 | Vertical | N/A |
| 5 | 7362.250 | 48.48 | -5.03 | 74.0 | -25.52 | Peak | 220.00 | 150 | Vertical | Pass |
| 5** | 7362.250 | 39.68 | -5.03 | 54.0 | -14.32 | AV | 220.00 | 150 | Vertical | Pass |
| 6 | 11660.375 | 51.17 | -0.48 | 74.0 | -22.83 | Peak | 77.00 | 150 | Vertical | Pass |
| 6** | 11660.375 | 42.68 | -0.48 | 54.0 | -11.32 | AV | 77.00 | 150 | Vertical | Pass |

11n20, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1165.300 | 41.66 | -18.47 | 74.0 | -32.34 | Peak | 350.00 | 150 | Horizontal | Pass |
| 1** | 1165.300 | 28.62 | -18.47 | 54.0 | -25.38 | AV | 350.00 | 150 | Horizontal | Pass |
| 2 | 2845.500 | 42.76 | -11.76 | 74.0 | -31.24 | Peak | 124.00 | 150 | Horizontal | Pass |
| 2** | 2845.500 | 33.85 | -11.76 | 54.0 | -20.15 | AV | 124.00 | 150 | Horizontal | Pass |
| 3 | 4094.000 | 46.99 | -5.76 | 74.0 | -27.01 | Peak | 207.00 | 150 | Horizontal | Pass |
| 3** | 4094.000 | 37.73 | -5.76 | 54.0 | -16.27 | AV | 207.00 | 150 | Horizontal | Pass |
| 4 | 5215.600 | 107.72 | -3.89 | -- | -- | Peak | 315.00 | 150 | Horizontal | N/A |
| 4** | 5215.600 | 100.51 | -3.89 | -- | -- | AV | 315.00 | 150 | Horizontal | N/A |
| 5 | 7470.638 | 48.76 | -4.67 | 74.0 | -25.24 | Peak | 360.00 | 150 | Horizontal | Pass |
| 5** | 7470.638 | 38.94 | -4.67 | 54.0 | -15.06 | AV | 360.00 | 150 | Horizontal | Pass |
| 6 | 12260.963 | 51.63 | 0.04 | 74.0 | -22.37 | Peak | 261.00 | 150 | Horizontal | Pass |
| 6** | 12260.963 | 42.11 | 0.04 | 54.0 | -11.89 | AV | 261.00 | 150 | Horizontal | Pass |

11n20, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1154.200 | 45.77 | -18.65 | 74.0 | -28.23 | Peak | 322.00 | 150 | Vertical | Pass |
| 1** | 1154.200 | 30.57 | -18.65 | 54.0 | -23.43 | AV | 322.00 | 150 | Vertical | Pass |
| 2 | 2798.000 | 46.29 | -11.42 | 74.0 | -27.71 | Peak | 261.00 | 150 | Vertical | Pass |
| 2** | 2798.000 | 36.45 | -11.42 | 54.0 | -17.55 | AV | 261.00 | 150 | Vertical | Pass |
| 3 | 4208.400 | 47.53 | -6.18 | 74.0 | -26.47 | Peak | 0.00 | 150 | Vertical | Pass |
| 3** | 4208.400 | 37.64 | -6.18 | 54.0 | -16.36 | AV | 0.00 | 150 | Vertical | Pass |
| 4 | 5206.800 | 100.29 | -3.90 | -- | -- | Peak | 0.00 | 150 | Vertical | N/A |
| 4** | 5206.800 | 92.38 | -3.90 | -- | -- | AV | 0.00 | 150 | Vertical | N/A |
| 5 | 7432.975 | 48.87 | -4.40 | 74.0 | -25.13 | Peak | 360.00 | 150 | Vertical | Pass |
| 5** | 7432.975 | 39.41 | -4.40 | 54.0 | -14.59 | AV | 360.00 | 150 | Vertical | Pass |
| 6 | 12165.512 | 51.57 | -0.91 | 74.0 | -22.43 | Peak | 229.00 | 150 | Vertical | Pass |
| 6** | 12165.512 | 41.22 | -0.91 | 54.0 | -12.78 | AV | 229.00 | 150 | Vertical | Pass |

11n20, U-NII-1, 1 GHz to 18 GHz, High channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1200.800 | 39.75 | -18.04 | 74.0 | -34.25 | Peak | 325.00 | 150 | Horizontal | Pass |
| 1** | 1200.800 | 31.10 | -18.04 | 54.0 | -22.90 | AV | 325.00 | 150 | Horizontal | Pass |
| 2 | 2794.300 | 44.24 | -11.18 | 74.0 | -29.76 | Peak | 235.00 | 150 | Horizontal | Pass |
| 2** | 2794.300 | 33.32 | -11.18 | 54.0 | -20.68 | AV | 235.00 | 150 | Horizontal | Pass |
| 3 | 4175.600 | 47.96 | -5.39 | 74.0 | -26.04 | Peak | 335.00 | 150 | Horizontal | Pass |
| 3** | 4175.600 | 39.23 | -5.39 | 54.0 | -14.77 | AV | 335.00 | 150 | Horizontal | Pass |
| 4 | 5236.000 | 108.49 | -4.31 | -- | -- | Peak | 308.00 | 150 | Horizontal | N/A |
| 4** | 5236.000 | 101.28 | -4.31 | -- | -- | AV | 308.00 | 150 | Horizontal | N/A |
| 5 | 7474.662 | 48.36 | -4.64 | 74.0 | -25.64 | Peak | 132.00 | 150 | Horizontal | Pass |
| 5** | 7474.662 | 38.17 | -4.64 | 54.0 | -15.83 | AV | 132.00 | 150 | Horizontal | Pass |
| 6 | 12103.125 | 51.18 | -0.97 | 74.0 | -22.82 | Peak | 246.00 | 150 | Horizontal | Pass |
| 6** | 12103.125 | 42.51 | -0.97 | 54.0 | -11.49 | AV | 246.00 | 150 | Horizontal | Pass |

11n20, U-NII-1, 1 GHz to 18 GHz, High channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1190.100 | 45.33 | -18.35 | 74.0 | -28.67 | Peak | 309.00 | 150 | Vertical | Pass |
| 1** | 1190.100 | 36.03 | -18.35 | 54.0 | -17.97 | AV | 309.00 | 150 | Vertical | Pass |
| 2 | 2792.300 | 46.84 | -11.09 | 74.0 | -27.16 | Peak | 241.00 | 150 | Vertical | Pass |
| 2** | 2792.300 | 37.62 | -11.09 | 54.0 | -16.38 | AV | 241.00 | 150 | Vertical | Pass |
| 3 | 4065.400 | 47.44 | -5.63 | 74.0 | -26.56 | Peak | 244.00 | 150 | Vertical | Pass |
| 3** | 4065.400 | 37.78 | -5.63 | 54.0 | -16.22 | AV | 244.00 | 150 | Vertical | Pass |
| 4 | 5236.200 | 100.82 | -4.31 | -- | -- | Peak | 351.00 | 150 | Vertical | N/A |
| 4** | 5236.200 | 92.50 | -4.31 | -- | -- | AV | 351.00 | 150 | Vertical | N/A |
| 5 | 7437.575 | 48.09 | -4.34 | 74.0 | -25.91 | Peak | 36.00 | 150 | Vertical | Pass |
| 5** | 7437.575 | 39.86 | -4.34 | 54.0 | -14.14 | AV | 36.00 | 150 | Vertical | Pass |
| 6 | 12100.825 | 51.74 | -1.01 | 74.0 | -22.26 | Peak | 246.00 | 150 | Vertical | Pass |
| 6** | 12100.825 | 42.20 | -1.01 | 54.0 | -11.80 | AV | 246.00 | 150 | Vertical | Pass |

11n40, U-NII-1, 1 GHz to 18 GHz, Low channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1198.800 | 39.40 | -18.33 | 74.0 | -34.60 | Peak | 317.00 | 150 | Horizontal | Pass |
| 1** | 1198.800 | 31.63 | -18.33 | 54.0 | -22.37 | AV | 317.00 | 150 | Horizontal | Pass |
| 2 | 2820.100 | 43.02 | -11.74 | 74.0 | -30.98 | Peak | 317.00 | 150 | Horizontal | Pass |
| 2** | 2820.100 | 33.47 | -11.74 | 54.0 | -20.53 | AV | 317.00 | 150 | Horizontal | Pass |
| 3 | 4081.800 | 46.99 | -5.07 | 74.0 | -27.01 | Peak | 66.00 | 150 | Horizontal | Pass |
| 3** | 4081.800 | 38.37 | -5.07 | 54.0 | -15.63 | AV | 66.00 | 150 | Horizontal | Pass |
| 4 | 5186.800 | 107.21 | -3.99 | -- | -- | Peak | 309.00 | 150 | Horizontal | N/A |
| 4** | 5186.800 | 99.74 | -3.99 | -- | -- | AV | 309.00 | 150 | Horizontal | N/A |
| 5 | 7665.275 | 48.30 | -4.61 | 74.0 | -25.70 | Peak | 282.00 | 150 | Horizontal | Pass |
| 5** | 7665.275 | 38.38 | -4.61 | 54.0 | -15.62 | AV | 282.00 | 150 | Horizontal | Pass |
| 6 | 11995.025 | 51.75 | -1.43 | 74.0 | -22.25 | Peak | 320.00 | 150 | Horizontal | Pass |
| 6** | 11995.025 | 40.97 | -1.43 | 54.0 | -13.03 | AV | 320.00 | 150 | Horizontal | Pass |

11n40, U-NII-1, 1 GHz to 18 GHz, Low channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1163.800 | 46.19 | -18.45 | 74.0 | -27.81 | Peak | 319.00 | 150 | Vertical | Pass |
| 1** | 1163.800 | 28.94 | -18.45 | 54.0 | -25.06 | AV | 319.00 | 150 | Vertical | Pass |
| 2 | 2793.000 | 45.70 | -11.12 | 74.0 | -28.30 | Peak | 311.00 | 150 | Vertical | Pass |
| 2** | 2793.000 | 33.88 | -11.12 | 54.0 | -20.12 | AV | 311.00 | 150 | Vertical | Pass |
| 3 | 4023.400 | 47.09 | -6.40 | 74.0 | -26.91 | Peak | 177.00 | 150 | Vertical | Pass |
| 3** | 4023.400 | 37.49 | -6.40 | 54.0 | -16.51 | AV | 177.00 | 150 | Vertical | Pass |
| 4 | 5187.800 | 100.79 | -3.99 | -- | -- | Peak | 360.00 | 150 | Vertical | N/A |
| 4** | 5187.800 | 94.32 | -3.99 | -- | -- | AV | 360.00 | 150 | Vertical | N/A |
| 5 | 7427.225 | 48.07 | -4.10 | 74.0 | -25.93 | Peak | 360.00 | 150 | Vertical | Pass |
| 5** | 7427.225 | 39.06 | -4.10 | 54.0 | -14.94 | AV | 360.00 | 150 | Vertical | Pass |
| 6 | 11650.600 | 50.87 | -0.35 | 74.0 | -23.13 | Peak | 15.00 | 150 | Vertical | Pass |
| 6** | 11650.600 | 41.49 | -0.35 | 54.0 | -12.51 | AV | 15.00 | 150 | Vertical | Pass |

11n40, U-NII-1, 1 GHz to 18 GHz, High channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1199.500 | 40.70 | -18.23 | 74.0 | -33.30 | Peak | 318.00 | 150 | Horizontal | Pass |
| 1** | 1199.500 | 31.93 | -18.23 | 54.0 | -22.07 | AV | 318.00 | 150 | Horizontal | Pass |
| 2 | 2865.600 | 43.67 | -11.36 | 74.0 | -30.33 | Peak | 0.00 | 150 | Horizontal | Pass |
| 2** | 2865.600 | 33.78 | -11.36 | 54.0 | -20.22 | AV | 0.00 | 150 | Horizontal | Pass |
| 3 | 3985.600 | 47.38 | -6.35 | 74.0 | -26.62 | Peak | 91.00 | 150 | Horizontal | Pass |
| 3** | 3985.600 | 37.65 | -6.35 | 54.0 | -16.35 | AV | 91.00 | 150 | Horizontal | Pass |
| 4 | 5236.000 | 108.27 | -4.31 | -- | -- | Peak | 309.00 | 150 | Horizontal | N/A |
| 4** | 5236.000 | 100.10 | -4.31 | -- | -- | AV | 309.00 | 150 | Horizontal | N/A |
| 5 | 7498.237 | 47.95 | -4.38 | 74.0 | -26.05 | Peak | 75.00 | 150 | Horizontal | Pass |
| 5** | 7498.237 | 38.52 | -4.38 | 54.0 | -15.48 | AV | 75.00 | 150 | Horizontal | Pass |
| 6 | 12161.776 | 51.63 | -0.89 | 74.0 | -22.37 | Peak | 187.00 | 150 | Horizontal | Pass |
| 6** | 12161.776 | 42.07 | -0.89 | 54.0 | -11.93 | AV | 187.00 | 150 | Horizontal | Pass |

11n40, U-NII-1, 1 GHz to 18 GHz, High channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1197.300 | 45.58 | -18.22 | 74.0 | -28.42 | Peak | 325.00 | 150 | Vertical | Pass |
| 1** | 1197.300 | 33.21 | -18.22 | 54.0 | -20.79 | AV | 325.00 | 150 | Vertical | Pass |
| 2 | 2799.300 | 46.16 | -11.41 | 74.0 | -27.84 | Peak | 251.00 | 150 | Vertical | Pass |
| 2** | 2799.300 | 35.77 | -11.41 | 54.0 | -18.23 | AV | 251.00 | 150 | Vertical | Pass |
| 3 | 4250.400 | 47.91 | -5.56 | 74.0 | -26.09 | Peak | 136.00 | 150 | Vertical | Pass |
| 3** | 4250.400 | 38.16 | -5.56 | 54.0 | -15.84 | AV | 136.00 | 150 | Vertical | Pass |
| 4 | 5227.400 | 100.08 | -4.06 | -- | -- | Peak | 360.00 | 150 | Vertical | N/A |
| 4** | 5227.400 | 93.06 | -4.06 | -- | -- | AV | 360.00 | 150 | Vertical | N/A |
| 5 | 7371.163 | 48.68 | -4.76 | 74.0 | -25.32 | Peak | 301.00 | 150 | Vertical | Pass |
| 5** | 7371.163 | 39.16 | -4.76 | 54.0 | -14.84 | AV | 301.00 | 150 | Vertical | Pass |
| 6 | 12068.338 | 51.39 | -1.43 | 74.0 | -22.61 | Peak | 358.00 | 150 | Vertical | Pass |
| 6** | 12068.338 | 42.66 | -1.43 | 54.0 | -11.34 | AV | 358.00 | 150 | Vertical | Pass |

11ac20, U-NII-1, 1 GHz to 18 GHz, Low channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1198.900 | 39.75 | -18.31 | 74.0 | -34.25 | Peak | 245.00 | 150 | Horizontal | Pass |
| 1** | 1198.900 | 31.30 | -18.31 | 54.0 | -22.70 | AV | 245.00 | 150 | Horizontal | Pass |
| 2 | 2836.000 | 43.64 | -11.84 | 74.0 | -30.36 | Peak | 254.00 | 150 | Horizontal | Pass |
| 2** | 2836.000 | 33.13 | -11.84 | 54.0 | -20.87 | AV | 254.00 | 150 | Horizontal | Pass |
| 3 | 3970.800 | 47.40 | -6.68 | 74.0 | -26.60 | Peak | 160.00 | 150 | Horizontal | Pass |
| 3** | 3970.800 | 36.72 | -6.68 | 54.0 | -17.28 | AV | 160.00 | 150 | Horizontal | Pass |
| 4 | 5176.000 | 105.80 | -4.00 | -- | -- | Peak | 295.00 | 150 | Horizontal | N/A |
| 4** | 5176.000 | 99.52 | -4.00 | -- | -- | AV | 295.00 | 150 | Horizontal | N/A |
| 5 | 7426.937 | 48.59 | -4.07 | 74.0 | -25.41 | Peak | 171.00 | 150 | Horizontal | Pass |
| 5** | 7426.937 | 39.96 | -4.07 | 54.0 | -14.04 | AV | 171.00 | 150 | Horizontal | Pass |
| 6 | 12074.951 | 51.09 | -1.37 | 74.0 | -22.91 | Peak | 92.00 | 150 | Horizontal | Pass |
| 6** | 12074.951 | 42.02 | -1.37 | 54.0 | -11.98 | AV | 92.00 | 150 | Horizontal | Pass |

11ac20, U-NII-1, 1 GHz to 18 GHz, Low channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1165.400 | 44.58 | -18.48 | 74.0 | -29.42 | Peak | 320.00 | 150 | Vertical | Pass |
| 1** | 1165.400 | 32.60 | -18.48 | 54.0 | -21.40 | AV | 320.00 | 150 | Vertical | Pass |
| 2 | 2798.200 | 46.35 | -11.42 | 74.0 | -27.65 | Peak | 240.00 | 150 | Vertical | Pass |
| 2** | 2798.200 | 34.68 | -11.42 | 54.0 | -19.32 | AV | 240.00 | 150 | Vertical | Pass |
| 3 | 4079.800 | 47.48 | -5.16 | 74.0 | -26.52 | Peak | 140.00 | 150 | Vertical | Pass |
| 3** | 4079.800 | 38.60 | -5.16 | 54.0 | -15.40 | AV | 140.00 | 150 | Vertical | Pass |
| 4 | 5177.800 | 101.61 | -3.97 | -- | -- | Peak | 4.00 | 150 | Vertical | N/A |
| 4** | 5177.800 | 92.72 | -3.97 | -- | -- | AV | 4.00 | 150 | Vertical | N/A |
| 5 | 7424.637 | 48.72 | -4.07 | 74.0 | -25.28 | Peak | 145.00 | 150 | Vertical | Pass |
| 5** | 7424.637 | 39.93 | -4.07 | 54.0 | -14.07 | AV | 145.00 | 150 | Vertical | Pass |
| 6 | 11495.925 | 51.57 | -1.40 | 74.0 | -22.43 | Peak | 360.00 | 150 | Vertical | Pass |
| 6** | 11495.925 | 40.21 | -1.40 | 54.0 | -13.79 | AV | 360.00 | 150 | Vertical | Pass |

11ac20, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1160.000 | 40.33 | -18.64 | 74.0 | -33.67 | Peak | 243.00 | 150 | Horizontal | Pass |
| 1** | 1160.000 | 28.10 | -18.64 | 54.0 | -25.90 | AV | 243.00 | 150 | Horizontal | Pass |
| 2 | 2784.400 | 43.41 | -11.27 | 74.0 | -30.59 | Peak | 360.00 | 150 | Horizontal | Pass |
| 2** | 2784.400 | 34.37 | -11.27 | 54.0 | -19.63 | AV | 360.00 | 150 | Horizontal | Pass |
| 3 | 4077.400 | 46.71 | -5.23 | 74.0 | -27.29 | Peak | 350.00 | 150 | Horizontal | Pass |
| 3** | 4077.400 | 38.12 | -5.23 | 54.0 | -15.88 | AV | 350.00 | 150 | Horizontal | Pass |
| 4 | 5217.800 | 106.86 | -4.05 | -- | -- | Peak | 309.00 | 150 | Horizontal | N/A |
| 4** | 5217.800 | 100.42 | -4.05 | -- | -- | AV | 309.00 | 150 | Horizontal | N/A |
| 5 | 7426.937 | 48.28 | -4.07 | 74.0 | -25.72 | Peak | 331.00 | 150 | Horizontal | Pass |
| 5** | 7426.937 | 39.76 | -4.07 | 54.0 | -14.24 | AV | 331.00 | 150 | Horizontal | Pass |
| 6 | 11585.338 | 51.55 | -0.03 | 74.0 | -22.45 | Peak | 115.00 | 150 | Horizontal | Pass |
| 6** | 11585.338 | 42.38 | -0.03 | 54.0 | -11.62 | AV | 115.00 | 150 | Horizontal | Pass |

11ac20, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1163.900 | 46.51 | -18.45 | 74.0 | -27.49 | Peak | 321.00 | 150 | Vertical | Pass |
| 1** | 1163.900 | 33.07 | -18.45 | 54.0 | -20.93 | AV | 321.00 | 150 | Vertical | Pass |
| 2 | 2799.600 | 47.28 | -11.41 | 74.0 | -26.72 | Peak | 241.00 | 150 | Vertical | Pass |
| 2** | 2799.600 | 36.30 | -11.41 | 54.0 | -17.70 | AV | 241.00 | 150 | Vertical | Pass |
| 3 | 4009.600 | 46.92 | -6.51 | 74.0 | -27.08 | Peak | 318.00 | 150 | Vertical | Pass |
| 3** | 4009.600 | 37.37 | -6.51 | 54.0 | -16.63 | AV | 318.00 | 150 | Vertical | Pass |
| 4 | 5217.600 | 100.31 | -4.04 | -- | -- | Peak | 8.00 | 150 | Vertical | N/A |
| 4** | 5217.600 | 92.82 | -4.04 | -- | -- | AV | 8.00 | 150 | Vertical | N/A |
| 5 | 7586.212 | 49.02 | -4.64 | 74.0 | -24.98 | Peak | 217.00 | 150 | Vertical | Pass |
| 5** | 7586.212 | 39.08 | -4.64 | 54.0 | -14.92 | AV | 217.00 | 150 | Vertical | Pass |
| 6 | 12248.313 | 52.50 | -0.13 | 74.0 | -21.50 | Peak | 178.00 | 150 | Vertical | Pass |
| 6** | 12248.313 | 42.27 | -0.13 | 54.0 | -11.73 | AV | 178.00 | 150 | Vertical | Pass |

11ac20, U-NII-1, 1 GHz to 18 GHz, High channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1164.000 | 39.71 | -18.45 | 74.0 | -34.29 | Peak | 360.00 | 150 | Horizontal | Pass |
| 1** | 1164.000 | 28.65 | -18.45 | 54.0 | -25.35 | AV | 360.00 | 150 | Horizontal | Pass |
| 2 | 2798.300 | 42.97 | -11.42 | 74.0 | -31.03 | Peak | 52.00 | 150 | Horizontal | Pass |
| 2** | 2798.300 | 36.14 | -11.42 | 54.0 | -17.86 | AV | 52.00 | 150 | Horizontal | Pass |
| 3 | 4087.600 | 46.90 | -5.35 | 74.0 | -27.10 | Peak | 335.00 | 150 | Horizontal | Pass |
| 3** | 4087.600 | 38.42 | -5.35 | 54.0 | -15.58 | AV | 335.00 | 150 | Horizontal | Pass |
| 4 | 5236.000 | 108.18 | -4.31 | -- | -- | Peak | 306.00 | 150 | Horizontal | N/A |
| 4** | 5236.000 | 102.73 | -4.31 | -- | -- | AV | 306.00 | 150 | Horizontal | N/A |
| 5 | 7424.637 | 48.37 | -4.07 | 74.0 | -25.63 | Peak | 113.00 | 150 | Horizontal | Pass |
| 5** | 7424.637 | 40.01 | -4.07 | 54.0 | -13.99 | AV | 113.00 | 150 | Horizontal | Pass |
| 6 | 12106.863 | 52.31 | -0.90 | 74.0 | -21.69 | Peak | 350.00 | 150 | Horizontal | Pass |
| 6** | 12106.863 | 42.15 | -0.90 | 54.0 | -11.85 | AV | 350.00 | 150 | Horizontal | Pass |

11ac20, U-NII-1, 1 GHz to 18 GHz, High channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1161.600 | 45.31 | -18.54 | 74.0 | -28.69 | Peak | 296.00 | 150 | Vertical | Pass |
| 1** | 1161.600 | 31.98 | -18.54 | 54.0 | -22.02 | AV | 296.00 | 150 | Vertical | Pass |
| 2 | 2790.900 | 45.77 | -11.10 | 74.0 | -28.23 | Peak | 247.00 | 150 | Vertical | Pass |
| 2** | 2790.900 | 36.04 | -11.10 | 54.0 | -17.96 | AV | 247.00 | 150 | Vertical | Pass |
| 3 | 4204.200 | 47.34 | -6.22 | 74.0 | -26.66 | Peak | 92.00 | 150 | Vertical | Pass |
| 3** | 4204.200 | 37.09 | -6.22 | 54.0 | -16.91 | AV | 92.00 | 150 | Vertical | Pass |
| 4 | 5237.600 | 100.50 | -4.32 | -- | -- | Peak | 338.00 | 150 | Vertical | N/A |
| 4** | 5237.600 | 94.23 | -4.32 | -- | -- | AV | 338.00 | 150 | Vertical | N/A |
| 5 | 7359.663 | 48.21 | -4.88 | 74.0 | -25.79 | Peak | 183.00 | 150 | Vertical | Pass |
| 5** | 7359.663 | 39.15 | -4.88 | 54.0 | -14.85 | AV | 183.00 | 150 | Vertical | Pass |
| 6 | 11589.937 | 50.56 | -0.06 | 74.0 | -23.44 | Peak | 163.00 | 150 | Vertical | Pass |
| 6** | 11589.937 | 42.55 | -0.06 | 54.0 | -11.45 | AV | 163.00 | 150 | Vertical | Pass |

11ac40, U-NII-1, 1 GHz to 18 GHz, Low channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1197.400 | 39.46 | -18.23 | 74.0 | -34.54 | Peak | 360.00 | 150 | Horizontal | Pass |
| 1** | 1197.400 | 32.79 | -18.23 | 54.0 | -21.21 | AV | 360.00 | 150 | Horizontal | Pass |
| 2 | 2799.800 | 43.75 | -11.40 | 74.0 | -30.25 | Peak | 150.00 | 150 | Horizontal | Pass |
| 2** | 2799.800 | 32.84 | -11.40 | 54.0 | -21.16 | AV | 150.00 | 150 | Horizontal | Pass |
| 3 | 4067.400 | 46.95 | -5.48 | 74.0 | -27.05 | Peak | 159.00 | 150 | Horizontal | Pass |
| 3** | 4067.400 | 37.71 | -5.48 | 54.0 | -16.29 | AV | 159.00 | 150 | Horizontal | Pass |
| 4 | 5196.000 | 107.08 | -3.94 | -- | -- | Peak | 304.00 | 150 | Horizontal | N/A |
| 4** | 5196.000 | 101.09 | -3.94 | -- | -- | AV | 304.00 | 150 | Horizontal | N/A |
| 5 | 7431.538 | 48.45 | -4.40 | 74.0 | -25.55 | Peak | 287.00 | 150 | Horizontal | Pass |
| 5** | 7431.538 | 40.47 | -4.40 | 54.0 | -13.53 | AV | 287.00 | 150 | Horizontal | Pass |
| 6 | 12244.000 | 52.51 | -0.23 | 74.0 | -21.49 | Peak | 115.00 | 150 | Horizontal | Pass |
| 6** | 12244.000 | 42.97 | -0.23 | 54.0 | -11.03 | AV | 115.00 | 150 | Horizontal | Pass |

11ac40, U-NII-1, 1 GHz to 18 GHz, Low channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1199.200 | 45.86 | -18.27 | 74.0 | -28.14 | Peak | 290.00 | 150 | Vertical | Pass |
| 1** | 1199.200 | 31.71 | -18.27 | 54.0 | -22.29 | AV | 290.00 | 150 | Vertical | Pass |
| 2 | 2796.500 | 46.49 | -11.40 | 74.0 | -27.51 | Peak | 115.00 | 150 | Vertical | Pass |
| 2** | 2796.500 | 34.44 | -11.40 | 54.0 | -19.56 | AV | 115.00 | 150 | Vertical | Pass |
| 3 | 4157.800 | 47.30 | -5.72 | 74.0 | -26.70 | Peak | 190.00 | 150 | Vertical | Pass |
| 3** | 4157.800 | 37.32 | -5.72 | 54.0 | -16.68 | AV | 190.00 | 150 | Vertical | Pass |
| 4 | 5197.400 | 100.94 | -3.97 | -- | -- | Peak | 0.00 | 150 | Vertical | N/A |
| 4** | 5197.400 | 93.53 | -3.97 | -- | -- | AV | 0.00 | 150 | Vertical | N/A |
| 5 | 7428.663 | 48.35 | -4.22 | 74.0 | -25.65 | Peak | 213.00 | 150 | Vertical | Pass |
| 5** | 7428.663 | 39.46 | -4.22 | 54.0 | -14.54 | AV | 213.00 | 150 | Vertical | Pass |
| 6 | 12267.862 | 52.15 | 0.06 | 74.0 | -21.85 | Peak | 51.00 | 150 | Vertical | Pass |
| 6** | 12267.862 | 42.14 | 0.06 | 54.0 | -11.86 | AV | 51.00 | 150 | Vertical | Pass |

11ac40, U-NII-1, 1 GHz to 18 GHz, High channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1194.700 | 43.10 | -18.23 | 74.0 | -30.90 | Peak | 322.00 | 150 | Horizontal | Pass |
| 1** | 1194.700 | 31.57 | -18.23 | 54.0 | -22.43 | AV | 322.00 | 150 | Horizontal | Pass |
| 2 | 2850.200 | 43.34 | -11.59 | 74.0 | -30.66 | Peak | 0.00 | 150 | Horizontal | Pass |
| 2** | 2850.200 | 33.47 | -11.59 | 54.0 | -20.53 | AV | 0.00 | 150 | Horizontal | Pass |
| 3 | 4084.800 | 47.10 | -5.14 | 74.0 | -26.90 | Peak | 226.00 | 150 | Horizontal | Pass |
| 3** | 4084.800 | 37.87 | -5.14 | 54.0 | -16.13 | AV | 226.00 | 150 | Horizontal | Pass |
| 4 | 5235.800 | 108.38 | -4.29 | -- | -- | Peak | 304.00 | 150 | Horizontal | N/A |
| 4** | 5235.800 | 101.04 | -4.29 | -- | -- | AV | 304.00 | 150 | Horizontal | N/A |
| 5 | 7365.987 | 49.34 | -4.94 | 74.0 | -24.66 | Peak | 210.00 | 150 | Horizontal | Pass |
| 5** | 7365.987 | 39.65 | -4.94 | 54.0 | -14.35 | AV | 210.00 | 150 | Horizontal | Pass |
| 6 | 11590.513 | 51.52 | -0.07 | 74.0 | -22.48 | Peak | 287.00 | 150 | Horizontal | Pass |
| 6** | 11590.513 | 42.32 | -0.07 | 54.0 | -11.68 | AV | 287.00 | 150 | Horizontal | Pass |

11ac40, U-NII-1, 1 GHz to 18 GHz, High channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1197.300 | 45.14 | -18.22 | 74.0 | -28.86 | Peak | 301.00 | 150 | Vertical | Pass |
| 1** | 1197.300 | 31.37 | -18.22 | 54.0 | -22.63 | AV | 301.00 | 150 | Vertical | Pass |
| 2 | 2778.500 | 46.40 | -11.42 | 74.0 | -27.60 | Peak | 107.00 | 150 | Vertical | Pass |
| 2** | 2778.500 | 34.19 | -11.42 | 54.0 | -19.81 | AV | 107.00 | 150 | Vertical | Pass |
| 3 | 4035.000 | 46.97 | -5.88 | 74.0 | -27.03 | Peak | 36.00 | 150 | Vertical | Pass |
| 3** | 4035.000 | 38.05 | -5.88 | 54.0 | -15.95 | AV | 36.00 | 150 | Vertical | Pass |
| 4 | 5229.000 | 100.49 | -4.10 | -- | -- | Peak | 0.00 | 150 | Vertical | N/A |
| 4** | 5229.000 | 92.94 | -4.10 | -- | -- | AV | 0.00 | 150 | Vertical | N/A |
| 5 | 7423.775 | 48.51 | -4.08 | 74.0 | -25.49 | Peak | 75.00 | 150 | Vertical | Pass |
| 5** | 7423.775 | 39.30 | -4.08 | 54.0 | -14.70 | AV | 75.00 | 150 | Vertical | Pass |
| 6 | 12176.151 | 51.45 | -0.96 | 74.0 | -22.55 | Peak | 96.00 | 150 | Vertical | Pass |
| 6** | 12176.151 | 42.43 | -0.96 | 54.0 | -11.57 | AV | 96.00 | 150 | Vertical | Pass |

11ac80, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1165.300 | 41.02 | -18.47 | 74.0 | -32.98 | Peak | 342.00 | 150 | Horizontal | Pass |
| 1** | 1165.300 | 28.72 | -18.47 | 54.0 | -25.28 | AV | 342.00 | 150 | Horizontal | Pass |
| 2 | 2767.900 | 43.21 | -11.54 | 74.0 | -30.79 | Peak | 198.00 | 150 | Horizontal | Pass |
| 2** | 2767.900 | 33.88 | -11.54 | 54.0 | -20.12 | AV | 198.00 | 150 | Horizontal | Pass |
| 3 | 4043.000 | 46.80 | -5.67 | 74.0 | -27.20 | Peak | 49.00 | 150 | Horizontal | Pass |
| 3** | 4043.000 | 38.16 | -5.67 | 54.0 | -15.84 | AV | 49.00 | 150 | Horizontal | Pass |
| 4 | 5225.800 | 108.01 | -4.06 | -- | -- | Peak | 295.00 | 150 | Horizontal | N/A |
| 4** | 5225.800 | 101.56 | -4.06 | -- | -- | AV | 295.00 | 150 | Horizontal | N/A |
| 5 | 7397.038 | 48.79 | -4.25 | 74.0 | -25.21 | Peak | 13.00 | 150 | Horizontal | Pass |
| 5** | 7397.038 | 38.98 | -4.25 | 54.0 | -15.02 | AV | 13.00 | 150 | Horizontal | Pass |
| 6 | 11199.225 | 50.40 | -1.86 | 74.0 | -23.60 | Peak | 212.00 | 150 | Horizontal | Pass |
| 6** | 11199.225 | 40.30 | -1.86 | 54.0 | -13.70 | AV | 212.00 | 150 | Horizontal | Pass |

11ac80, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1178.600 | 45.35 | -18.51 | 74.0 | -28.65 | Peak | 295.00 | 150 | Vertical | Pass |
| 1** | 1178.600 | 32.20 | -18.51 | 54.0 | -21.80 | AV | 295.00 | 150 | Vertical | Pass |
| 2 | 2799.400 | 46.52 | -11.41 | 74.0 | -27.48 | Peak | 250.00 | 150 | Vertical | Pass |
| 2** | 2799.400 | 34.31 | -11.41 | 54.0 | -19.69 | AV | 250.00 | 150 | Vertical | Pass |
| 3 | 4234.000 | 47.30 | -5.87 | 74.0 | -26.70 | Peak | 264.00 | 150 | Vertical | Pass |
| 3** | 4234.000 | 38.73 | -5.87 | 54.0 | -15.27 | AV | 264.00 | 150 | Vertical | Pass |
| 4 | 5218.400 | 101.38 | -4.09 | -- | -- | Peak | 0.00 | 150 | Vertical | N/A |
| 4** | 5218.400 | 93.98 | -4.09 | -- | -- | AV | 0.00 | 150 | Vertical | N/A |
| 5 | 7426.075 | 49.33 | -4.07 | 74.0 | -24.67 | Peak | 88.00 | 150 | Vertical | Pass |
| 5** | 7426.075 | 39.97 | -4.07 | 54.0 | -14.03 | AV | 88.00 | 150 | Vertical | Pass |
| 6 | 11680.500 | 50.55 | -0.96 | 74.0 | -23.45 | Peak | 105.00 | 150 | Vertical | Pass |
| 6** | 11680.500 | 42.52 | -0.96 | 54.0 | -11.48 | AV | 105.00 | 150 | Vertical | Pass |

11ax20-SU, U-NII-1, 1 GHz to 18 GHz, Low channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1167.100 | 39.69 | -18.52 | 74.0 | -34.31 | Peak | 232.00 | 150 | Horizontal | Pass |
| 1** | 1167.100 | 28.56 | -18.52 | 54.0 | -25.44 | AV | 232.00 | 150 | Horizontal | Pass |
| 2 | 2815.700 | 42.45 | -11.77 | 74.0 | -31.55 | Peak | 345.00 | 150 | Horizontal | Pass |
| 2** | 2815.700 | 33.92 | -11.77 | 54.0 | -20.08 | AV | 345.00 | 150 | Horizontal | Pass |
| 3 | 4200.600 | 47.66 | -6.11 | 74.0 | -26.34 | Peak | 0.00 | 150 | Horizontal | Pass |
| 3** | 4200.600 | 37.78 | -6.11 | 54.0 | -16.22 | AV | 0.00 | 150 | Horizontal | Pass |
| 4 | 5185.000 | 107.12 | -3.91 | -- | -- | Peak | 303.00 | 150 | Horizontal | N/A |
| 4** | 5185.000 | 98.51 | -3.91 | -- | -- | AV | 303.00 | 150 | Horizontal | N/A |
| 5 | 7370.013 | 48.98 | -4.84 | 74.0 | -25.02 | Peak | 180.00 | 150 | Horizontal | Pass |
| 5** | 7370.013 | 39.17 | -4.84 | 54.0 | -14.83 | AV | 180.00 | 150 | Horizontal | Pass |
| 6 | 12347.213 | 51.22 | -1.16 | 74.0 | -22.78 | Peak | 344.00 | 150 | Horizontal | Pass |
| 6** | 12347.213 | 41.65 | -1.16 | 54.0 | -12.35 | AV | 344.00 | 150 | Horizontal | Pass |

11ax20-SU, U-NII-1, 1 GHz to 18 GHz, Low channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1198.300 | 46.33 | -18.30 | 74.0 | -27.67 | Peak | 291.00 | 150 | Vertical | Pass |
| 1** | 1198.300 | 32.80 | -18.30 | 54.0 | -21.20 | AV | 291.00 | 150 | Vertical | Pass |
| 2 | 2797.500 | 45.75 | -11.42 | 74.0 | -28.25 | Peak | 236.00 | 150 | Vertical | Pass |
| 2** | 2797.500 | 34.54 | -11.42 | 54.0 | -19.46 | AV | 236.00 | 150 | Vertical | Pass |
| 3 | 4060.800 | 46.84 | -5.55 | 74.0 | -27.16 | Peak | 341.00 | 150 | Vertical | Pass |
| 3** | 4060.800 | 38.18 | -5.55 | 54.0 | -15.82 | AV | 341.00 | 150 | Vertical | Pass |
| 4 | 5179.000 | 102.17 | -3.94 | -- | -- | Peak | 5.00 | 150 | Vertical | N/A |
| 4** | 5179.000 | 91.95 | -3.94 | -- | -- | AV | 5.00 | 150 | Vertical | N/A |
| 5 | 7445.913 | 48.25 | -4.49 | 74.0 | -25.75 | Peak | 294.00 | 150 | Vertical | Pass |
| 5** | 7445.913 | 39.40 | -4.49 | 54.0 | -14.60 | AV | 294.00 | 150 | Vertical | Pass |
| 6 | 11651.463 | 50.36 | -0.36 | 74.0 | -23.64 | Peak | 242.00 | 150 | Vertical | Pass |
| 6** | 11651.463 | 41.61 | -0.36 | 54.0 | -12.39 | AV | 242.00 | 150 | Vertical | Pass |

11ax20-SU, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1160.100 | 39.50 | -18.64 | 74.0 | -34.50 | Peak | 360.00 | 150 | Horizontal | Pass |
| 1** | 1160.100 | 27.55 | -18.64 | 54.0 | -26.45 | AV | 360.00 | 150 | Horizontal | Pass |
| 2 | 2837.800 | 43.71 | -11.89 | 74.0 | -30.29 | Peak | 321.00 | 150 | Horizontal | Pass |
| 2** | 2837.800 | 34.35 | -11.89 | 54.0 | -19.65 | AV | 321.00 | 150 | Horizontal | Pass |
| 3 | 4185.200 | 47.22 | -5.80 | 74.0 | -26.78 | Peak | 80.00 | 150 | Horizontal | Pass |
| 3** | 4185.200 | 38.08 | -5.80 | 54.0 | -15.92 | AV | 80.00 | 150 | Horizontal | Pass |
| 4 | 5221.000 | 107.58 | -4.09 | -- | -- | Peak | 18.00 | 150 | Horizontal | N/A |
| 4** | 5221.000 | 97.39 | -4.09 | -- | -- | AV | 18.00 | 150 | Horizontal | N/A |
| 5 | 7377.487 | 48.66 | -4.79 | 74.0 | -25.34 | Peak | 334.00 | 150 | Horizontal | Pass |
| 5** | 7377.487 | 38.37 | -4.79 | 54.0 | -15.63 | AV | 334.00 | 150 | Horizontal | Pass |
| 6 | 11596.550 | 50.67 | -0.12 | 74.0 | -23.33 | Peak | 32.00 | 150 | Horizontal | Pass |
| 6** | 11596.550 | 41.10 | -0.12 | 54.0 | -12.90 | AV | 32.00 | 150 | Horizontal | Pass |

11ax20-SU, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1163.200 | 43.64 | -18.44 | 74.0 | -30.36 | Peak | 289.00 | 150 | Vertical | Pass |
| 1** | 1163.200 | 32.18 | -18.44 | 54.0 | -21.82 | AV | 289.00 | 150 | Vertical | Pass |
| 2 | 2793.200 | 46.16 | -11.13 | 74.0 | -27.84 | Peak | 266.00 | 150 | Vertical | Pass |
| 2** | 2793.200 | 34.82 | -11.13 | 54.0 | -19.18 | AV | 266.00 | 150 | Vertical | Pass |
| 3 | 4259.200 | 48.08 | -5.51 | 74.0 | -25.92 | Peak | 59.00 | 150 | Vertical | Pass |
| 3** | 4259.200 | 38.78 | -5.51 | 54.0 | -15.22 | AV | 59.00 | 150 | Vertical | Pass |
| 4 | 5219.200 | 100.26 | -4.13 | -- | -- | Peak | 0.00 | 150 | Vertical | N/A |
| 4** | 5219.200 | 92.18 | -4.13 | -- | -- | AV | 0.00 | 150 | Vertical | N/A |
| 5 | 7369.438 | 48.60 | -4.88 | 74.0 | -25.40 | Peak | 194.00 | 150 | Vertical | Pass |
| 5** | 7369.438 | 40.28 | -4.88 | 54.0 | -13.72 | AV | 194.00 | 150 | Vertical | Pass |
| 6 | 11675.037 | 50.56 | -0.84 | 74.0 | -23.44 | Peak | 230.00 | 150 | Vertical | Pass |
| 6** | 11675.037 | 42.25 | -0.84 | 54.0 | -11.75 | AV | 230.00 | 150 | Vertical | Pass |

11ax20-SU, U-NII-1, 1 GHz to 18 GHz, High channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1196.000 | 38.94 | -18.19 | 74.0 | -35.06 | Peak | 354.00 | 150 | Horizontal | Pass |
| 1** | 1196.000 | 30.01 | -18.19 | 54.0 | -23.99 | AV | 354.00 | 150 | Horizontal | Pass |
| 2 | 2780.700 | 43.19 | -11.33 | 74.0 | -30.81 | Peak | 255.00 | 150 | Horizontal | Pass |
| 2** | 2780.700 | 33.14 | -11.33 | 54.0 | -20.86 | AV | 255.00 | 150 | Horizontal | Pass |
| 3 | 4082.200 | 47.44 | -5.05 | 74.0 | -26.56 | Peak | 313.00 | 150 | Horizontal | Pass |
| 3** | 4082.200 | 37.73 | -5.05 | 54.0 | -16.27 | AV | 313.00 | 150 | Horizontal | Pass |
| 4 | 5244.800 | 109.07 | -4.21 | -- | -- | Peak | 313.00 | 150 | Horizontal | N/A |
| 4** | 5244.800 | 100.15 | -4.21 | -- | -- | AV | 313.00 | 150 | Horizontal | N/A |
| 5 | 7423.200 | 48.59 | -4.08 | 74.0 | -25.41 | Peak | 218.00 | 150 | Horizontal | Pass |
| 5** | 7423.200 | 41.11 | -4.08 | 54.0 | -12.89 | AV | 218.00 | 150 | Horizontal | Pass |
| 6 | 11170.763 | 50.77 | -2.00 | 74.0 | -23.23 | Peak | 72.00 | 150 | Horizontal | Pass |
| 6** | 11170.763 | 41.18 | -2.00 | 54.0 | -12.82 | AV | 72.00 | 150 | Horizontal | Pass |

11ax20-SU, U-NII-1, 1 GHz to 18 GHz, High channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1171.800 | 44.62 | -18.47 | 74.0 | -29.38 | Peak | 288.00 | 150 | Vertical | Pass |
| 1** | 1171.800 | 33.74 | -18.47 | 54.0 | -20.26 | AV | 288.00 | 150 | Vertical | Pass |
| 2 | 2794.900 | 45.83 | -11.23 | 74.0 | -28.17 | Peak | 240.00 | 150 | Vertical | Pass |
| 2** | 2794.900 | 33.62 | -11.23 | 54.0 | -20.38 | AV | 240.00 | 150 | Vertical | Pass |
| 3 | 4093.000 | 46.97 | -5.68 | 74.0 | -27.03 | Peak | 28.00 | 150 | Vertical | Pass |
| 3** | 4093.000 | 38.47 | -5.68 | 54.0 | -15.53 | AV | 28.00 | 150 | Vertical | Pass |
| 4 | 5239.000 | 102.40 | -4.26 | -- | -- | Peak | 15.00 | 150 | Vertical | N/A |
| 4** | 5239.000 | 92.06 | -4.26 | -- | -- | AV | 15.00 | 150 | Vertical | N/A |
| 5 | 7420.038 | 48.46 | -4.02 | 74.0 | -25.54 | Peak | 139.00 | 150 | Vertical | Pass |
| 5** | 7420.038 | 39.69 | -4.02 | 54.0 | -14.31 | AV | 139.00 | 150 | Vertical | Pass |
| 6 | 11455.674 | 50.41 | -1.37 | 74.0 | -23.59 | Peak | 267.00 | 150 | Vertical | Pass |
| 6** | 11455.674 | 40.45 | -1.37 | 54.0 | -13.55 | AV | 267.00 | 150 | Vertical | Pass |

11ax40-SU, U-NII-1, 1 GHz to 18 GHz, Low channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1165.900 | 39.87 | -18.49 | 74.0 | -34.13 | Peak | 356.00 | 150 | Horizontal | Pass |
| 1** | 1165.900 | 28.43 | -18.49 | 54.0 | -25.57 | AV | 356.00 | 150 | Horizontal | Pass |
| 2 | 2818.100 | 42.97 | -11.68 | 74.0 | -31.03 | Peak | 77.00 | 150 | Horizontal | Pass |
| 2** | 2818.100 | 34.23 | -11.68 | 54.0 | -19.77 | AV | 77.00 | 150 | Horizontal | Pass |
| 3 | 4001.400 | 47.07 | -6.34 | 74.0 | -26.93 | Peak | 144.00 | 150 | Horizontal | Pass |
| 3** | 4001.400 | 38.42 | -6.34 | 54.0 | -15.58 | AV | 144.00 | 150 | Horizontal | Pass |
| 4 | 5186.400 | 105.45 | -3.97 | -- | -- | Peak | 305.00 | 150 | Horizontal | N/A |
| 4** | 5186.400 | 95.98 | -3.97 | -- | -- | AV | 305.00 | 150 | Horizontal | N/A |
| 5 | 7434.413 | 48.08 | -4.37 | 74.0 | -25.92 | Peak | 159.00 | 150 | Horizontal | Pass |
| 5** | 7434.413 | 39.29 | -4.37 | 54.0 | -14.71 | AV | 159.00 | 150 | Horizontal | Pass |
| 6 | 12242.850 | 52.32 | -0.26 | 74.0 | -21.68 | Peak | 86.00 | 150 | Horizontal | Pass |
| 6** | 12242.850 | 41.90 | -0.26 | 54.0 | -12.10 | AV | 86.00 | 150 | Horizontal | Pass |

11ax40-SU, U-NII-1, 1 GHz to 18 GHz, Low channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1199.900 | 44.89 | -18.17 | 74.0 | -29.11 | Peak | 299.00 | 150 | Vertical | Pass |
| 1** | 1199.900 | 38.08 | -18.17 | 54.0 | -15.92 | AV | 299.00 | 150 | Vertical | Pass |
| 2 | 2796.900 | 45.57 | -11.42 | 74.0 | -28.43 | Peak | 272.00 | 150 | Vertical | Pass |
| 2** | 2796.900 | 33.26 | -11.42 | 54.0 | -20.74 | AV | 272.00 | 150 | Vertical | Pass |
| 3 | 4086.800 | 46.85 | -5.30 | 74.0 | -27.15 | Peak | 338.00 | 150 | Vertical | Pass |
| 3** | 4086.800 | 37.95 | -5.30 | 54.0 | -16.05 | AV | 338.00 | 150 | Vertical | Pass |
| 4 | 5196.600 | 98.89 | -3.95 | -- | -- | Peak | 0.00 | 150 | Vertical | N/A |
| 4** | 5196.600 | 88.73 | -3.95 | -- | -- | AV | 0.00 | 150 | Vertical | N/A |
| 5 | 7454.825 | 48.51 | -4.45 | 74.0 | -25.49 | Peak | 227.00 | 150 | Vertical | Pass |
| 5** | 7454.825 | 38.26 | -4.45 | 54.0 | -15.74 | AV | 227.00 | 150 | Vertical | Pass |
| 6 | 12100.250 | 51.23 | -1.02 | 74.0 | -22.77 | Peak | 334.00 | 150 | Vertical | Pass |
| 6** | 12100.250 | 42.14 | -1.02 | 54.0 | -11.86 | AV | 334.00 | 150 | Vertical | Pass |

11ax40-SU, U-NII-1, 1 GHz to 18 GHz, High channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1168.100 | 41.57 | -18.48 | 74.0 | -32.43 | Peak | 356.00 | 150 | Horizontal | Pass |
| 1** | 1168.100 | 28.28 | -18.48 | 54.0 | -25.72 | AV | 356.00 | 150 | Horizontal | Pass |
| 2 | 2805.800 | 43.52 | -11.57 | 74.0 | -30.48 | Peak | 311.00 | 150 | Horizontal | Pass |
| 2** | 2805.800 | 33.74 | -11.57 | 54.0 | -20.26 | AV | 311.00 | 150 | Horizontal | Pass |
| 3 | 4080.400 | 47.14 | -5.14 | 74.0 | -26.86 | Peak | 231.00 | 150 | Horizontal | Pass |
| 3** | 4080.400 | 37.68 | -5.14 | 54.0 | -16.32 | AV | 231.00 | 150 | Horizontal | Pass |
| 4 | 5237.200 | 105.46 | -4.32 | -- | -- | Peak | 311.00 | 150 | Horizontal | N/A |
| 4** | 5237.200 | 96.58 | -4.32 | -- | -- | AV | 311.00 | 150 | Horizontal | N/A |
| 5 | 7362.250 | 48.27 | -5.03 | 74.0 | -25.73 | Peak | 95.00 | 150 | Horizontal | Pass |
| 5** | 7362.250 | 38.75 | -5.03 | 54.0 | -15.25 | AV | 95.00 | 150 | Horizontal | Pass |
| 6 | 12015.725 | 50.83 | -1.20 | 74.0 | -23.17 | Peak | 350.00 | 150 | Horizontal | Pass |
| 6** | 12015.725 | 41.85 | -1.20 | 54.0 | -12.15 | AV | 350.00 | 150 | Horizontal | Pass |

11ax40-SU, U-NII-1, 1 GHz to 18 GHz, High channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1164.200 | 44.84 | -18.45 | 74.0 | -29.16 | Peak | 297.00 | 150 | Vertical | Pass |
| 1** | 1164.200 | 37.18 | -18.45 | 54.0 | -16.82 | AV | 297.00 | 150 | Vertical | Pass |
| 2 | 2792.500 | 45.27 | -11.10 | 74.0 | -28.73 | Peak | 242.00 | 150 | Vertical | Pass |
| 2** | 2792.500 | 34.40 | -11.10 | 54.0 | -19.60 | AV | 242.00 | 150 | Vertical | Pass |
| 3 | 4156.000 | 46.92 | -5.78 | 74.0 | -27.08 | Peak | 238.00 | 150 | Vertical | Pass |
| 3** | 4156.000 | 37.67 | -5.78 | 54.0 | -16.33 | AV | 238.00 | 150 | Vertical | Pass |
| 4 | 5227.600 | 97.66 | -4.06 | -- | -- | Peak | 349.00 | 150 | Vertical | N/A |
| 4** | 5227.600 | 89.93 | -4.06 | -- | -- | AV | 349.00 | 150 | Vertical | N/A |
| 5 | 7357.650 | 49.34 | -4.88 | 74.0 | -24.66 | Peak | 167.00 | 150 | Vertical | Pass |
| 5** | 7357.650 | 39.90 | -4.88 | 54.0 | -14.10 | AV | 167.00 | 150 | Vertical | Pass |
| 6 | 12020.325 | 51.68 | -1.18 | 74.0 | -22.32 | Peak | 0.00 | 150 | Vertical | Pass |
| 6** | 12020.325 | 41.78 | -1.18 | 54.0 | -12.22 | AV | 0.00 | 150 | Vertical | Pass |

11ax80-SU, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1195.700 | 44.79 | -18.20 | 74.0 | -29.21 | Peak | 359.00 | 150 | Horizontal | Pass |
| 1** | 1195.700 | 28.24 | -18.20 | 54.0 | -25.76 | AV | 359.00 | 150 | Horizontal | Pass |
| 2 | 2800.300 | 43.07 | -11.40 | 74.0 | -30.93 | Peak | 347.00 | 150 | Horizontal | Pass |
| 2** | 2800.300 | 33.34 | -11.40 | 54.0 | -20.66 | AV | 347.00 | 150 | Horizontal | Pass |
| 3 | 4099.400 | 46.58 | -5.98 | 74.0 | -27.42 | Peak | 6.00 | 150 | Horizontal | Pass |
| 3** | 4099.400 | 37.42 | -5.98 | 54.0 | -16.58 | AV | 6.00 | 150 | Horizontal | Pass |
| 4 | 5231.200 | 102.37 | -4.20 | -- | -- | Peak | 6.00 | 150 | Horizontal | N/A |
| 4** | 5231.200 | 91.66 | -4.20 | -- | -- | AV | 6.00 | 150 | Horizontal | N/A |
| 5 | 7408.538 | 48.41 | -4.27 | 74.0 | -25.59 | Peak | 183.00 | 150 | Horizontal | Pass |
| 5** | 7408.538 | 39.32 | -4.27 | 54.0 | -14.68 | AV | 183.00 | 150 | Horizontal | Pass |
| 6 | 11086.525 | 50.52 | -0.64 | 74.0 | -23.48 | Peak | 266.00 | 150 | Horizontal | Pass |
| 6** | 11086.525 | 40.53 | -0.64 | 54.0 | -13.47 | AV | 266.00 | 150 | Horizontal | Pass |

11ax80-SU, U-NII-1, 1 GHz to 18 GHz, Middle channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1201.800 | 43.81 | -18.05 | 74.0 | -30.19 | Peak | 316.00 | 150 | Vertical | Pass |
| 1** | 1201.800 | 31.54 | -18.05 | 54.0 | -22.46 | AV | 316.00 | 150 | Vertical | Pass |
| 2 | 2797.400 | 46.44 | -11.42 | 74.0 | -27.56 | Peak | 237.00 | 150 | Vertical | Pass |
| 2** | 2797.400 | 34.09 | -11.42 | 54.0 | -19.91 | AV | 237.00 | 150 | Vertical | Pass |
| 3 | 4045.800 | 47.41 | -5.65 | 74.0 | -26.59 | Peak | 57.00 | 150 | Vertical | Pass |
| 3** | 4045.800 | 37.04 | -5.65 | 54.0 | -16.96 | AV | 57.00 | 150 | Vertical | Pass |
| 4 | 5208.000 | 97.38 | -3.94 | -- | -- | Peak | 6.00 | 150 | Vertical | N/A |
| 4** | 5208.000 | 85.67 | -3.94 | -- | -- | AV | 6.00 | 150 | Vertical | N/A |
| 5 | 7465.462 | 48.39 | -4.57 | 74.0 | -25.61 | Peak | 213.00 | 150 | Vertical | Pass |
| 5** | 7465.462 | 38.21 | -4.57 | 54.0 | -15.79 | AV | 213.00 | 150 | Vertical | Pass |
| 6 | 12270.451 | 51.43 | 0.06 | 74.0 | -22.57 | Peak | 191.00 | 150 | Vertical | Pass |
| 6** | 12270.451 | 42.17 | 0.06 | 54.0 | -11.83 | AV | 191.00 | 150 | Vertical | Pass |

11a, U-NII-2A, 1 GHz to 18 GHz, Low channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1165.000 | 40.38 | -18.47 | 74.0 | -33.62 | Peak | 4.00 | 150 | Horizontal | Pass |
| 1** | 1165.000 | 27.67 | -18.47 | 54.0 | -26.33 | AV | 4.00 | 150 | Horizontal | Pass |
| 2 | 2833.000 | 43.25 | -11.89 | 74.0 | -30.75 | Peak | 49.00 | 150 | Horizontal | Pass |
| 2** | 2833.000 | 33.03 | -11.89 | 54.0 | -20.97 | AV | 49.00 | 150 | Horizontal | Pass |
| 3 | 4072.200 | 46.86 | -5.54 | 74.0 | -27.14 | Peak | 118.00 | 150 | Horizontal | Pass |
| 3** | 4072.200 | 37.15 | -5.54 | 54.0 | -16.85 | AV | 118.00 | 150 | Horizontal | Pass |
| 4 | 5253.200 | 107.81 | -4.08 | -- | -- | Peak | 314.00 | 150 | Horizontal | N/A |
| 4** | 5253.200 | 101.78 | -4.08 | -- | -- | AV | 314.00 | 150 | Horizontal | N/A |
| 5 | 7428.375 | 48.63 | -4.20 | 74.0 | -25.37 | Peak | 104.00 | 150 | Horizontal | Pass |
| 5** | 7428.375 | 40.19 | -4.20 | 54.0 | -13.81 | AV | 104.00 | 150 | Horizontal | Pass |
| 6 | 11171.625 | 51.71 | -2.00 | 74.0 | -22.29 | Peak | 122.00 | 150 | Horizontal | Pass |
| 6** | 11171.625 | 40.60 | -2.00 | 54.0 | -13.40 | AV | 122.00 | 150 | Horizontal | Pass |

11a, U-NII-2A, 1 GHz to 18 GHz, Low channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1164.300 | 45.09 | -18.45 | 74.0 | -28.91 | Peak | 293.00 | 150 | Vertical | Pass |
| 1** | 1164.300 | 33.97 | -18.45 | 54.0 | -20.03 | AV | 293.00 | 150 | Vertical | Pass |
| 2 | 2795.300 | 48.79 | -11.27 | 74.0 | -25.21 | Peak | 109.00 | 150 | Vertical | Pass |
| 2** | 2795.300 | 34.00 | -11.27 | 54.0 | -20.00 | AV | 109.00 | 150 | Vertical | Pass |
| 3 | 4277.000 | 48.44 | -5.06 | 74.0 | -25.56 | Peak | 314.00 | 150 | Vertical | Pass |
| 3** | 4277.000 | 37.77 | -5.06 | 54.0 | -16.23 | AV | 314.00 | 150 | Vertical | Pass |
| 4 | 5254.000 | 100.78 | -4.07 | -- | -- | Peak | 0.00 | 150 | Vertical | N/A |
| 4** | 5254.000 | 94.49 | -4.07 | -- | -- | AV | 0.00 | 150 | Vertical | N/A |
| 5 | 7421.188 | 49.25 | -4.01 | 74.0 | -24.75 | Peak | 219.00 | 150 | Vertical | Pass |
| 5** | 7421.188 | 39.42 | -4.01 | 54.0 | -14.58 | AV | 219.00 | 150 | Vertical | Pass |
| 6 | 12372.225 | 51.46 | -1.54 | 74.0 | -22.54 | Peak | 44.00 | 150 | Vertical | Pass |
| 6** | 12372.225 | 40.67 | -1.54 | 54.0 | -13.33 | AV | 44.00 | 150 | Vertical | Pass |

11a, U-NII-2A, 1 GHz to 18 GHz, Middle channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1198.200 | 40.34 | -18.29 | 74.0 | -33.66 | Peak | 209.00 | 150 | Horizontal | Pass |
| 1** | 1198.200 | 28.43 | -18.29 | 54.0 | -25.57 | AV | 209.00 | 150 | Horizontal | Pass |
| 2 | 2789.000 | 42.76 | -11.08 | 74.0 | -31.24 | Peak | 118.00 | 150 | Horizontal | Pass |
| 2** | 2789.000 | 34.47 | -11.08 | 54.0 | -19.53 | AV | 118.00 | 150 | Horizontal | Pass |
| 3 | 4153.800 | 47.60 | -5.77 | 74.0 | -26.40 | Peak | 20.00 | 150 | Horizontal | Pass |
| 3** | 4153.800 | 38.51 | -5.77 | 54.0 | -15.49 | AV | 20.00 | 150 | Horizontal | Pass |
| 4 | 5293.800 | 108.91 | -3.69 | -- | -- | Peak | 307.00 | 150 | Horizontal | N/A |
| 4** | 5293.800 | 102.58 | -3.69 | -- | -- | AV | 307.00 | 150 | Horizontal | N/A |
| 5 | 7450.225 | 48.42 | -4.34 | 74.0 | -25.58 | Peak | 259.00 | 150 | Horizontal | Pass |
| 5** | 7450.225 | 39.58 | -4.34 | 54.0 | -14.42 | AV | 259.00 | 150 | Horizontal | Pass |
| 6 | 12104.275 | 51.84 | -0.95 | 74.0 | -22.16 | Peak | 311.00 | 150 | Horizontal | Pass |
| 6** | 12104.275 | 42.51 | -0.95 | 54.0 | -11.49 | AV | 311.00 | 150 | Horizontal | Pass |

11a, U-NII-2A, 1 GHz to 18 GHz, Middle channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1194.900 | 45.98 | -18.22 | 74.0 | -28.02 | Peak | 306.00 | 150 | Vertical | Pass |
| 1** | 1194.900 | 30.56 | -18.22 | 54.0 | -23.44 | AV | 306.00 | 150 | Vertical | Pass |
| 2 | 2795.500 | 48.52 | -11.29 | 74.0 | -25.48 | Peak | 113.00 | 150 | Vertical | Pass |
| 2** | 2795.500 | 35.78 | -11.29 | 54.0 | -18.22 | AV | 113.00 | 150 | Vertical | Pass |
| 3 | 4266.800 | 47.38 | -5.35 | 74.0 | -26.62 | Peak | 170.00 | 150 | Vertical | Pass |
| 3** | 4266.800 | 37.97 | -5.35 | 54.0 | -16.03 | AV | 170.00 | 150 | Vertical | Pass |
| 4 | 5293.800 | 100.98 | -3.69 | -- | -- | Peak | 0.00 | 150 | Vertical | N/A |
| 4** | 5293.800 | 94.55 | -3.69 | -- | -- | AV | 0.00 | 150 | Vertical | N/A |
| 5 | 7522.387 | 47.87 | -4.27 | 74.0 | -26.13 | Peak | 128.00 | 150 | Vertical | Pass |
| 5** | 7522.387 | 38.26 | -4.27 | 54.0 | -15.74 | AV | 128.00 | 150 | Vertical | Pass |
| 6 | 12103.987 | 51.51 | -0.96 | 74.0 | -22.49 | Peak | 222.00 | 150 | Vertical | Pass |
| 6** | 12103.987 | 42.38 | -0.96 | 54.0 | -11.62 | AV | 222.00 | 150 | Vertical | Pass |

11a, U-NII-2A, 1 GHz to 18 GHz, High channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1157.500 | 39.00 | -18.57 | 74.0 | -35.00 | Peak | 332.00 | 150 | Horizontal | Pass |
| 1** | 1157.500 | 29.88 | -18.57 | 54.0 | -24.12 | AV | 332.00 | 150 | Horizontal | Pass |
| 2 | 2820.300 | 43.42 | -11.75 | 74.0 | -30.58 | Peak | 39.00 | 150 | Horizontal | Pass |
| 2** | 2820.300 | 33.20 | -11.75 | 54.0 | -20.80 | AV | 39.00 | 150 | Horizontal | Pass |
| 3 | 4034.400 | 46.91 | -5.87 | 74.0 | -27.09 | Peak | 225.00 | 150 | Horizontal | Pass |
| 3** | 4034.400 | 37.46 | -5.87 | 54.0 | -16.54 | AV | 225.00 | 150 | Horizontal | Pass |
| 4 | 5313.000 | 109.15 | -4.04 | -- | -- | Peak | 312.00 | 150 | Horizontal | N/A |
| 4** | 5313.000 | 102.81 | -4.04 | -- | -- | AV | 312.00 | 150 | Horizontal | N/A |
| 5 | 7327.750 | 48.16 | -4.93 | 74.0 | -25.84 | Peak | 347.00 | 150 | Horizontal | Pass |
| 5** | 7327.750 | 38.95 | -4.93 | 54.0 | -15.05 | AV | 347.00 | 150 | Horizontal | Pass |
| 6 | 11655.200 | 51.22 | -0.41 | 74.0 | -22.78 | Peak | 185.00 | 150 | Horizontal | Pass |
| 6** | 11655.200 | 41.52 | -0.41 | 54.0 | -12.48 | AV | 185.00 | 150 | Horizontal | Pass |

11a, U-NII-2A, 1 GHz to 18 GHz, High channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1168.400 | 43.82 | -18.47 | 74.0 | -30.18 | Peak | 304.00 | 150 | Vertical | Pass |
| 1** | 1168.400 | 32.32 | -18.47 | 54.0 | -21.68 | AV | 304.00 | 150 | Vertical | Pass |
| 2 | 2801.200 | 47.27 | -11.41 | 74.0 | -26.73 | Peak | 296.00 | 150 | Vertical | Pass |
| 2** | 2801.200 | 33.75 | -11.41 | 54.0 | -20.25 | AV | 296.00 | 150 | Vertical | Pass |
| 3 | 4018.200 | 47.39 | -6.57 | 74.0 | -26.61 | Peak | 237.00 | 150 | Vertical | Pass |
| 3** | 4018.200 | 37.36 | -6.57 | 54.0 | -16.64 | AV | 237.00 | 150 | Vertical | Pass |
| 4 | 5314.600 | 101.72 | -3.94 | -- | -- | Peak | 8.00 | 150 | Vertical | N/A |
| 4** | 5314.600 | 95.10 | -3.94 | -- | -- | AV | 8.00 | 150 | Vertical | N/A |
| 5 | 7429.525 | 48.58 | -4.29 | 74.0 | -25.42 | Peak | 134.00 | 150 | Vertical | Pass |
| 5** | 7429.525 | 39.85 | -4.29 | 54.0 | -14.15 | AV | 134.00 | 150 | Vertical | Pass |
| 6 | 12247.451 | 51.06 | -0.15 | 74.0 | -22.94 | Peak | 276.00 | 150 | Vertical | Pass |
| 6** | 12247.451 | 41.51 | -0.15 | 54.0 | -12.49 | AV | 276.00 | 150 | Vertical | Pass |

11n20, U-NII-2A, 1 GHz to 18 GHz, Low channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1170.100 | 39.84 | -18.47 | 74.0 | -34.16 | Peak | 339.00 | 150 | Horizontal | Pass |
| 1** | 1170.100 | 28.84 | -18.47 | 54.0 | -25.16 | AV | 339.00 | 150 | Horizontal | Pass |
| 2 | 2738.500 | 43.17 | -11.60 | 74.0 | -30.83 | Peak | 280.00 | 150 | Horizontal | Pass |
| 2** | 2738.500 | 32.91 | -11.60 | 54.0 | -21.09 | AV | 280.00 | 150 | Horizontal | Pass |
| 3 | 4079.600 | 47.20 | -5.16 | 74.0 | -26.80 | Peak | 124.00 | 150 | Horizontal | Pass |
| 3** | 4079.600 | 37.44 | -5.16 | 54.0 | -16.56 | AV | 124.00 | 150 | Horizontal | Pass |
| 4 | 5256.400 | 108.83 | -4.03 | -- | -- | Peak | 323.00 | 150 | Horizontal | N/A |
| 4** | 5256.400 | 102.80 | -4.03 | -- | -- | AV | 323.00 | 150 | Horizontal | N/A |
| 5 | 7422.913 | 48.49 | -4.09 | 74.0 | -25.51 | Peak | 218.00 | 150 | Horizontal | Pass |
| 5** | 7422.913 | 41.22 | -4.09 | 54.0 | -12.78 | AV | 218.00 | 150 | Horizontal | Pass |
| 6 | 11659.800 | 50.91 | -0.47 | 74.0 | -23.09 | Peak | 253.00 | 150 | Horizontal | Pass |
| 6** | 11659.800 | 41.93 | -0.47 | 54.0 | -12.07 | AV | 253.00 | 150 | Horizontal | Pass |

11n20, U-NII-2A, 1 GHz to 18 GHz, Low channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1143.500 | 43.50 | -18.54 | 74.0 | -30.50 | Peak | 309.00 | 150 | Vertical | Pass |
| 1** | 1143.500 | 30.18 | -18.54 | 54.0 | -23.82 | AV | 309.00 | 150 | Vertical | Pass |
| 2 | 2798.100 | 46.51 | -11.42 | 74.0 | -27.49 | Peak | 237.00 | 150 | Vertical | Pass |
| 2** | 2798.100 | 35.57 | -11.42 | 54.0 | -18.43 | AV | 237.00 | 150 | Vertical | Pass |
| 3 | 4035.400 | 47.47 | -5.88 | 74.0 | -26.53 | Peak | 0.00 | 150 | Vertical | Pass |
| 3** | 4035.400 | 37.27 | -5.88 | 54.0 | -16.73 | AV | 0.00 | 150 | Vertical | Pass |
| 4 | 5257.600 | 100.96 | -3.99 | -- | -- | Peak | 360.00 | 150 | Vertical | N/A |
| 4** | 5257.600 | 93.66 | -3.99 | -- | -- | AV | 360.00 | 150 | Vertical | N/A |
| 5 | 7358.800 | 48.44 | -4.85 | 74.0 | -25.56 | Peak | 55.00 | 150 | Vertical | Pass |
| 5** | 7358.800 | 40.02 | -4.85 | 54.0 | -13.98 | AV | 55.00 | 150 | Vertical | Pass |
| 6 | 12071.213 | 51.06 | -1.40 | 74.0 | -22.94 | Peak | 201.00 | 150 | Vertical | Pass |
| 6** | 12071.213 | 41.75 | -1.40 | 54.0 | -12.25 | AV | 201.00 | 150 | Vertical | Pass |

11n20, U-NII-2A, 1 GHz to 18 GHz, Middle channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1168.400 | 39.90 | -18.47 | 74.0 | -34.10 | Peak | 342.00 | 150 | Horizontal | Pass |
| 1** | 1168.400 | 29.84 | -18.47 | 54.0 | -24.16 | AV | 342.00 | 150 | Horizontal | Pass |
| 2 | 2798.300 | 43.18 | -11.42 | 74.0 | -30.82 | Peak | 252.00 | 150 | Horizontal | Pass |
| 2** | 2798.300 | 33.69 | -11.42 | 54.0 | -20.31 | AV | 252.00 | 150 | Horizontal | Pass |
| 3 | 3956.600 | 47.48 | -6.80 | 74.0 | -26.52 | Peak | 160.00 | 150 | Horizontal | Pass |
| 3** | 3956.600 | 36.88 | -6.80 | 54.0 | -17.12 | AV | 160.00 | 150 | Horizontal | Pass |
| 4 | 5296.400 | 109.61 | -3.76 | -- | -- | Peak | 324.00 | 150 | Horizontal | N/A |
| 4** | 5296.400 | 103.00 | -3.76 | -- | -- | AV | 324.00 | 150 | Horizontal | N/A |
| 5 | 7422.913 | 48.19 | -4.09 | 74.0 | -25.81 | Peak | 347.00 | 150 | Horizontal | Pass |
| 5** | 7422.913 | 39.28 | -4.09 | 54.0 | -14.72 | AV | 347.00 | 150 | Horizontal | Pass |
| 6 | 12104.275 | 51.98 | -0.95 | 74.0 | -22.02 | Peak | 181.00 | 150 | Horizontal | Pass |
| 6** | 12104.275 | 41.81 | -0.95 | 54.0 | -12.19 | AV | 181.00 | 150 | Horizontal | Pass |

11n20, U-NII-2A, 1 GHz to 18 GHz, Middle channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1173.300 | 44.73 | -18.45 | 74.0 | -29.27 | Peak | 288.00 | 150 | Vertical | Pass |
| 1** | 1173.300 | 30.67 | -18.45 | 54.0 | -23.33 | AV | 288.00 | 150 | Vertical | Pass |
| 2 | 2788.400 | 47.42 | -11.07 | 74.0 | -26.58 | Peak | 103.00 | 150 | Vertical | Pass |
| 2** | 2788.400 | 36.27 | -11.07 | 54.0 | -17.73 | AV | 103.00 | 150 | Vertical | Pass |
| 3 | 4304.200 | 49.37 | -5.23 | 74.0 | -24.63 | Peak | 234.00 | 150 | Vertical | Pass |
| 3** | 4304.200 | 38.06 | -5.23 | 54.0 | -15.94 | AV | 234.00 | 150 | Vertical | Pass |
| 4 | 5298.000 | 103.29 | -3.82 | -- | -- | Peak | 360.00 | 150 | Vertical | N/A |
| 4** | 5298.000 | 95.34 | -3.82 | -- | -- | AV | 360.00 | 150 | Vertical | N/A |
| 5 | 7428.950 | 48.29 | -4.25 | 74.0 | -25.71 | Peak | 91.00 | 150 | Vertical | Pass |
| 5** | 7428.950 | 39.32 | -4.25 | 54.0 | -14.68 | AV | 91.00 | 150 | Vertical | Pass |
| 6 | 11671.588 | 51.25 | -0.76 | 74.0 | -22.75 | Peak | 179.00 | 150 | Vertical | Pass |
| 6** | 11671.588 | 41.42 | -0.76 | 54.0 | -12.58 | AV | 179.00 | 150 | Vertical | Pass |

11n20, U-NII-2A, 1 GHz to 18 GHz, High channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1199.400 | 39.52 | -18.24 | 74.0 | -34.48 | Peak | 321.00 | 150 | Horizontal | Pass |
| 1** | 1199.400 | 29.89 | -18.24 | 54.0 | -24.11 | AV | 321.00 | 150 | Horizontal | Pass |
| 2 | 2785.500 | 43.35 | -11.22 | 74.0 | -30.65 | Peak | 245.00 | 150 | Horizontal | Pass |
| 2** | 2785.500 | 33.42 | -11.22 | 54.0 | -20.58 | AV | 245.00 | 150 | Horizontal | Pass |
| 3 | 4233.400 | 47.53 | -5.93 | 74.0 | -26.47 | Peak | 139.00 | 150 | Horizontal | Pass |
| 3** | 4233.400 | 37.34 | -5.93 | 54.0 | -16.66 | AV | 139.00 | 150 | Horizontal | Pass |
| 4 | 5306.000 | 110.30 | -3.90 | -- | -- | Peak | 306.00 | 150 | Horizontal | N/A |
| 4** | 5306.000 | 102.89 | -3.90 | -- | -- | AV | 306.00 | 150 | Horizontal | N/A |
| 5 | 7412.562 | 48.21 | -4.16 | 74.0 | -25.79 | Peak | 27.00 | 150 | Horizontal | Pass |
| 5** | 7412.562 | 38.83 | -4.16 | 54.0 | -15.17 | AV | 27.00 | 150 | Horizontal | Pass |
| 6 | 11654.050 | 51.63 | -0.39 | 74.0 | -22.37 | Peak | 85.00 | 150 | Horizontal | Pass |
| 6** | 11654.050 | 41.07 | -0.39 | 54.0 | -12.93 | AV | 85.00 | 150 | Horizontal | Pass |

11n20, U-NII-2A, 1 GHz to 18 GHz, High channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1166.700 | 43.58 | -18.52 | 74.0 | -30.42 | Peak | 277.00 | 150 | Vertical | Pass |
| 1** | 1166.700 | 29.59 | -18.52 | 54.0 | -24.41 | AV | 277.00 | 150 | Vertical | Pass |
| 2 | 2813.900 | 45.16 | -11.60 | 74.0 | -28.84 | Peak | 106.00 | 150 | Vertical | Pass |
| 2** | 2813.900 | 34.40 | -11.60 | 54.0 | -19.60 | AV | 106.00 | 150 | Vertical | Pass |
| 3 | 4255.200 | 47.17 | -5.53 | 74.0 | -26.83 | Peak | 111.00 | 150 | Vertical | Pass |
| 3** | 4255.200 | 37.77 | -5.53 | 54.0 | -16.23 | AV | 111.00 | 150 | Vertical | Pass |
| 4 | 5318.400 | 102.47 | -3.95 | -- | -- | Peak | 10.00 | 150 | Vertical | N/A |
| 4** | 5318.400 | 95.86 | -3.95 | -- | -- | AV | 10.00 | 150 | Vertical | N/A |
| 5 | 7353.337 | 48.65 | -5.07 | 74.0 | -25.35 | Peak | 216.00 | 150 | Vertical | Pass |
| 5** | 7353.337 | 38.56 | -5.07 | 54.0 | -15.44 | AV | 216.00 | 150 | Vertical | Pass |
| 6 | 11999.912 | 51.77 | -1.32 | 74.0 | -22.23 | Peak | 160.00 | 150 | Vertical | Pass |
| 6** | 11999.912 | 42.26 | -1.32 | 54.0 | -11.74 | AV | 160.00 | 150 | Vertical | Pass |

11n40, U-NII-2A, 1 GHz to 18 GHz, Low channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1197.900 | 39.20 | -18.27 | 74.0 | -34.80 | Peak | 199.00 | 150 | Horizontal | Pass |
| 1** | 1197.900 | 30.92 | -18.27 | 54.0 | -23.08 | AV | 199.00 | 150 | Horizontal | Pass |
| 2 | 2798.500 | 43.56 | -11.41 | 74.0 | -30.44 | Peak | 216.00 | 150 | Horizontal | Pass |
| 2** | 2798.500 | 34.05 | -11.41 | 54.0 | -19.95 | AV | 216.00 | 150 | Horizontal | Pass |
| 3 | 4274.800 | 47.90 | -5.06 | 74.0 | -26.10 | Peak | 162.00 | 150 | Horizontal | Pass |
| 3** | 4274.800 | 38.16 | -5.06 | 54.0 | -15.84 | AV | 162.00 | 150 | Horizontal | Pass |
| 4 | 5266.000 | 108.96 | -3.76 | -- | -- | Peak | 312.00 | 150 | Horizontal | N/A |
| 4** | 5266.000 | 103.85 | -3.76 | -- | -- | AV | 312.00 | 150 | Horizontal | N/A |
| 5 | 7357.075 | 48.46 | -4.89 | 74.0 | -25.54 | Peak | 176.00 | 150 | Horizontal | Pass |
| 5** | 7357.075 | 39.26 | -4.89 | 54.0 | -14.74 | AV | 176.00 | 150 | Horizontal | Pass |
| 6 | 12076.675 | 51.05 | -1.36 | 74.0 | -22.95 | Peak | 0.00 | 150 | Horizontal | Pass |
| 6** | 12076.675 | 41.82 | -1.36 | 54.0 | -12.18 | AV | 0.00 | 150 | Horizontal | Pass |

11n40, U-NII-2A, 1 GHz to 18 GHz, Low channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1164.900 | 44.61 | -18.46 | 74.0 | -29.39 | Peak | 315.00 | 150 | Vertical | Pass |
| 1** | 1164.900 | 32.08 | -18.46 | 54.0 | -21.92 | AV | 315.00 | 150 | Vertical | Pass |
| 2 | 2795.300 | 46.87 | -11.27 | 74.0 | -27.13 | Peak | 269.00 | 150 | Vertical | Pass |
| 2** | 2795.300 | 34.70 | -11.27 | 54.0 | -19.30 | AV | 269.00 | 150 | Vertical | Pass |
| 3 | 4251.400 | 47.91 | -5.53 | 74.0 | -26.09 | Peak | 34.00 | 150 | Vertical | Pass |
| 3** | 4251.400 | 37.87 | -5.53 | 54.0 | -16.13 | AV | 34.00 | 150 | Vertical | Pass |
| 4 | 5267.200 | 101.58 | -3.74 | -- | -- | Peak | 0.00 | 150 | Vertical | N/A |
| 4** | 5267.200 | 94.10 | -3.74 | -- | -- | AV | 0.00 | 150 | Vertical | N/A |
| 5 | 7322.575 | 48.76 | -4.96 | 74.0 | -25.24 | Peak | 346.00 | 150 | Vertical | Pass |
| 5** | 7322.575 | 38.82 | -4.96 | 54.0 | -15.18 | AV | 346.00 | 150 | Vertical | Pass |
| 6 | 11620.987 | 51.22 | -0.17 | 74.0 | -22.78 | Peak | 194.00 | 150 | Vertical | Pass |
| 6** | 11620.987 | 41.49 | -0.17 | 54.0 | -12.51 | AV | 194.00 | 150 | Vertical | Pass |

11n40, U-NII-2A, 1 GHz to 18 GHz, High channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1195.500 | 41.19 | -18.20 | 74.0 | -32.81 | Peak | 350.00 | 150 | Horizontal | Pass |
| 1** | 1195.500 | 29.52 | -18.20 | 54.0 | -24.48 | AV | 350.00 | 150 | Horizontal | Pass |
| 2 | 2797.000 | 42.77 | -11.42 | 74.0 | -31.23 | Peak | 69.00 | 150 | Horizontal | Pass |
| 2** | 2797.000 | 33.08 | -11.42 | 54.0 | -20.92 | AV | 69.00 | 150 | Horizontal | Pass |
| 3 | 4095.200 | 47.05 | -5.85 | 74.0 | -26.95 | Peak | 258.00 | 150 | Horizontal | Pass |
| 3** | 4095.200 | 38.00 | -5.85 | 54.0 | -16.00 | AV | 258.00 | 150 | Horizontal | Pass |
| 4 | 5307.000 | 109.49 | -3.91 | -- | -- | Peak | 317.00 | 150 | Horizontal | N/A |
| 4** | 5307.000 | 103.96 | -3.91 | -- | -- | AV | 317.00 | 150 | Horizontal | N/A |
| 5 | 7345.288 | 48.26 | -5.16 | 74.0 | -25.74 | Peak | 44.00 | 150 | Horizontal | Pass |
| 5** | 7345.288 | 38.30 | -5.16 | 54.0 | -15.70 | AV | 44.00 | 150 | Horizontal | Pass |
| 6 | 12342.325 | 51.60 | -1.03 | 74.0 | -22.40 | Peak | 0.00 | 150 | Horizontal | Pass |
| 6** | 12342.325 | 41.05 | -1.03 | 54.0 | -12.95 | AV | 0.00 | 150 | Horizontal | Pass |

11n40, U-NII-2A, 1 GHz to 18 GHz, High channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1201.900 | 44.16 | -18.05 | 74.0 | -29.84 | Peak | 305.00 | 150 | Vertical | Pass |
| 1** | 1201.900 | 31.12 | -18.05 | 54.0 | -22.88 | AV | 305.00 | 150 | Vertical | Pass |
| 2 | 2793.700 | 46.26 | -11.15 | 74.0 | -27.74 | Peak | 96.00 | 150 | Vertical | Pass |
| 2** | 2793.700 | 37.17 | -11.15 | 54.0 | -16.83 | AV | 96.00 | 150 | Vertical | Pass |
| 3 | 3979.200 | 47.26 | -6.49 | 74.0 | -26.74 | Peak | 100.00 | 150 | Vertical | Pass |
| 3** | 3979.200 | 37.73 | -6.49 | 54.0 | -16.27 | AV | 100.00 | 150 | Vertical | Pass |
| 4 | 5318.000 | 102.83 | -3.97 | -- | -- | Peak | 360.00 | 150 | Vertical | N/A |
| 4** | 5318.000 | 95.17 | -3.97 | -- | -- | AV | 360.00 | 150 | Vertical | N/A |
| 5 | 7429.237 | 49.04 | -4.27 | 74.0 | -24.96 | Peak | 234.00 | 150 | Vertical | Pass |
| 5** | 7429.237 | 39.14 | -4.27 | 54.0 | -14.86 | AV | 234.00 | 150 | Vertical | Pass |
| 6 | 12015.725 | 51.36 | -1.20 | 74.0 | -22.64 | Peak | 290.00 | 150 | Vertical | Pass |
| 6** | 12015.725 | 42.09 | -1.20 | 54.0 | -11.91 | AV | 290.00 | 150 | Vertical | Pass |

11ac20, U-NII-2A, 1 GHz to 18 GHz, Low channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1186.200 | 38.85 | -18.49 | 74.0 | -35.15 | Peak | 14.00 | 150 | Horizontal | Pass |
| 1** | 1186.200 | 28.70 | -18.49 | 54.0 | -25.30 | AV | 14.00 | 150 | Horizontal | Pass |
| 2 | 2804.800 | 42.98 | -11.56 | 74.0 | -31.02 | Peak | 124.00 | 150 | Horizontal | Pass |
| 2** | 2804.800 | 34.83 | -11.56 | 54.0 | -19.17 | AV | 124.00 | 150 | Horizontal | Pass |
| 3 | 4010.600 | 47.54 | -6.54 | 74.0 | -26.46 | Peak | 207.00 | 150 | Horizontal | Pass |
| 3** | 4010.600 | 36.99 | -6.54 | 54.0 | -17.01 | AV | 207.00 | 150 | Horizontal | Pass |
| 4 | 5255.600 | 108.71 | -4.05 | -- | -- | Peak | 321.00 | 150 | Horizontal | N/A |
| 4** | 5255.600 | 102.74 | -4.05 | -- | -- | AV | 321.00 | 150 | Horizontal | N/A |
| 5 | 7359.088 | 48.19 | -4.86 | 74.0 | -25.81 | Peak | 0.00 | 150 | Horizontal | Pass |
| 5** | 7359.088 | 39.32 | -4.86 | 54.0 | -14.68 | AV | 0.00 | 150 | Horizontal | Pass |
| 6 | 12104.275 | 51.92 | -0.95 | 74.0 | -22.08 | Peak | 63.00 | 150 | Horizontal | Pass |
| 6** | 12104.275 | 42.01 | -0.95 | 54.0 | -11.99 | AV | 63.00 | 150 | Horizontal | Pass |

11ac20, U-NII-2A, 1 GHz to 18 GHz, Low channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1198.800 | 43.80 | -18.33 | 74.0 | -30.20 | Peak | 259.00 | 150 | Vertical | Pass |
| 1** | 1198.800 | 31.21 | -18.33 | 54.0 | -22.79 | AV | 259.00 | 150 | Vertical | Pass |
| 2 | 2794.400 | 45.78 | -11.19 | 74.0 | -28.22 | Peak | 110.00 | 150 | Vertical | Pass |
| 2** | 2794.400 | 34.39 | -11.19 | 54.0 | -19.61 | AV | 110.00 | 150 | Vertical | Pass |
| 3 | 4063.000 | 47.24 | -5.62 | 74.0 | -26.76 | Peak | 0.00 | 150 | Vertical | Pass |
| 3** | 4063.000 | 37.40 | -5.62 | 54.0 | -16.60 | AV | 0.00 | 150 | Vertical | Pass |
| 4 | 5257.600 | 100.65 | -3.99 | -- | -- | Peak | 0.00 | 150 | Vertical | N/A |
| 4** | 5257.600 | 93.40 | -3.99 | -- | -- | AV | 0.00 | 150 | Vertical | N/A |
| 5 | 7451.663 | 48.51 | -4.43 | 74.0 | -25.49 | Peak | 214.00 | 150 | Vertical | Pass |
| 5** | 7451.663 | 39.23 | -4.43 | 54.0 | -14.77 | AV | 214.00 | 150 | Vertical | Pass |
| 6 | 11622.713 | 51.14 | -0.19 | 74.0 | -22.86 | Peak | 195.00 | 150 | Vertical | Pass |
| 6** | 11622.713 | 41.72 | -0.19 | 54.0 | -12.28 | AV | 195.00 | 150 | Vertical | Pass |

11ac20, U-NII-2A, 1 GHz to 18 GHz, Middle channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1188.800 | 39.26 | -18.39 | 74.0 | -34.74 | Peak | 1.00 | 150 | Horizontal | Pass |
| 1** | 1188.800 | 28.02 | -18.39 | 54.0 | -25.98 | AV | 1.00 | 150 | Horizontal | Pass |
| 2 | 2744.400 | 43.30 | -11.77 | 74.0 | -30.70 | Peak | 242.00 | 150 | Horizontal | Pass |
| 2** | 2744.400 | 34.17 | -11.77 | 54.0 | -19.83 | AV | 242.00 | 150 | Horizontal | Pass |
| 3 | 4110.400 | 47.36 | -5.76 | 74.0 | -26.64 | Peak | 222.00 | 150 | Horizontal | Pass |
| 3** | 4110.400 | 37.75 | -5.76 | 54.0 | -16.25 | AV | 222.00 | 150 | Horizontal | Pass |
| 4 | 5296.600 | 110.12 | -3.76 | -- | -- | Peak | 325.00 | 150 | Horizontal | N/A |
| 4** | 5296.600 | 103.35 | -3.76 | -- | -- | AV | 325.00 | 150 | Horizontal | N/A |
| 5 | 7427.513 | 48.27 | -4.12 | 74.0 | -25.73 | Peak | 100.00 | 150 | Horizontal | Pass |
| 5** | 7427.513 | 39.97 | -4.12 | 54.0 | -14.03 | AV | 100.00 | 150 | Horizontal | Pass |
| 6 | 11664.687 | 50.93 | -0.59 | 74.0 | -23.07 | Peak | 0.00 | 150 | Horizontal | Pass |
| 6** | 11664.687 | 41.52 | -0.59 | 54.0 | -12.48 | AV | 0.00 | 150 | Horizontal | Pass |

11ac20, U-NII-2A, 1 GHz to 18 GHz, Middle channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1160.300 | 44.31 | -18.65 | 74.0 | -29.69 | Peak | 309.00 | 150 | Vertical | Pass |
| 1** | 1160.300 | 30.33 | -18.65 | 54.0 | -23.67 | AV | 309.00 | 150 | Vertical | Pass |
| 2 | 2784.300 | 47.72 | -11.28 | 74.0 | -26.28 | Peak | 100.00 | 150 | Vertical | Pass |
| 2** | 2784.300 | 35.97 | -11.28 | 54.0 | -18.03 | AV | 100.00 | 150 | Vertical | Pass |
| 3 | 4105.800 | 46.67 | -6.00 | 74.0 | -27.33 | Peak | 225.00 | 150 | Vertical | Pass |
| 3** | 4105.800 | 38.16 | -6.00 | 54.0 | -15.84 | AV | 225.00 | 150 | Vertical | Pass |
| 4 | 5287.400 | 101.94 | -3.63 | -- | -- | Peak | 360.00 | 150 | Vertical | N/A |
| 4** | 5287.400 | 93.75 | -3.63 | -- | -- | AV | 360.00 | 150 | Vertical | N/A |
| 5 | 7489.900 | 48.07 | -4.38 | 74.0 | -25.93 | Peak | 213.00 | 150 | Vertical | Pass |
| 5** | 7489.900 | 38.62 | -4.38 | 54.0 | -15.38 | AV | 213.00 | 150 | Vertical | Pass |
| 6 | 12238.537 | 51.97 | -0.32 | 74.0 | -22.03 | Peak | 120.00 | 150 | Vertical | Pass |
| 6** | 12238.537 | 42.90 | -0.32 | 54.0 | -11.10 | AV | 120.00 | 150 | Vertical | Pass |

11ac20, U-NII-2A, 1 GHz to 18 GHz, High channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1163.900 | 45.42 | -18.45 | 74.0 | -28.58 | Peak | 342.00 | 150 | Horizontal | Pass |
| 1** | 1163.900 | 29.59 | -18.45 | 54.0 | -24.41 | AV | 342.00 | 150 | Horizontal | Pass |
| 2 | 2780.600 | 43.03 | -11.33 | 74.0 | -30.97 | Peak | 13.00 | 150 | Horizontal | Pass |
| 2** | 2780.600 | 33.66 | -11.33 | 54.0 | -20.34 | AV | 13.00 | 150 | Horizontal | Pass |
| 3 | 4272.600 | 48.28 | -5.10 | 74.0 | -25.72 | Peak | 13.00 | 150 | Horizontal | Pass |
| 3** | 4272.600 | 37.68 | -5.10 | 54.0 | -16.32 | AV | 13.00 | 150 | Horizontal | Pass |
| 4 | 5316.600 | 109.82 | -4.01 | -- | -- | Peak | 331.00 | 150 | Horizontal | N/A |
| 4** | 5316.600 | 103.37 | -4.01 | -- | -- | AV | 331.00 | 150 | Horizontal | N/A |
| 5 | 7433.550 | 48.15 | -4.39 | 74.0 | -25.85 | Peak | 130.00 | 150 | Horizontal | Pass |
| 5** | 7433.550 | 39.34 | -4.39 | 54.0 | -14.66 | AV | 130.00 | 150 | Horizontal | Pass |
| 6 | 11678.200 | 51.18 | -0.92 | 74.0 | -22.82 | Peak | 209.00 | 150 | Horizontal | Pass |
| 6** | 11678.200 | 42.42 | -0.92 | 54.0 | -11.58 | AV | 209.00 | 150 | Horizontal | Pass |

11ac20, U-NII-2A, 1 GHz to 18 GHz, High channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1162.600 | 44.85 | -18.44 | 74.0 | -29.15 | Peak | 289.00 | 150 | Vertical | Pass |
| 1** | 1162.600 | 28.59 | -18.44 | 54.0 | -25.41 | AV | 289.00 | 150 | Vertical | Pass |
| 2 | 2809.900 | 47.74 | -11.58 | 74.0 | -26.26 | Peak | 289.00 | 150 | Vertical | Pass |
| 2** | 2809.900 | 33.68 | -11.58 | 54.0 | -20.32 | AV | 289.00 | 150 | Vertical | Pass |
| 3 | 4138.200 | 47.14 | -6.21 | 74.0 | -26.86 | Peak | 286.00 | 150 | Vertical | Pass |
| 3** | 4138.200 | 37.21 | -6.21 | 54.0 | -16.79 | AV | 286.00 | 150 | Vertical | Pass |
| 4 | 5317.800 | 103.33 | -3.98 | -- | -- | Peak | 17.00 | 150 | Vertical | N/A |
| 4** | 5317.800 | 96.22 | -3.98 | -- | -- | AV | 17.00 | 150 | Vertical | N/A |
| 5 | 7426.362 | 48.25 | -4.07 | 74.0 | -25.75 | Peak | 151.00 | 150 | Vertical | Pass |
| 5** | 7426.362 | 39.40 | -4.07 | 54.0 | -14.60 | AV | 151.00 | 150 | Vertical | Pass |
| 6 | 12127.275 | 51.23 | -0.67 | 74.0 | -22.77 | Peak | 190.00 | 150 | Vertical | Pass |
| 6** | 12127.275 | 41.76 | -0.67 | 54.0 | -12.24 | AV | 190.00 | 150 | Vertical | Pass |

11ac40, U-NII-2A, 1 GHz to 18 GHz, Low channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1196.500 | 39.23 | -18.17 | 74.0 | -34.77 | Peak | 322.00 | 150 | Horizontal | Pass |
| 1** | 1196.500 | 29.02 | -18.17 | 54.0 | -24.98 | AV | 322.00 | 150 | Horizontal | Pass |
| 2 | 2789.400 | 42.99 | -11.09 | 74.0 | -31.01 | Peak | 322.00 | 150 | Horizontal | Pass |
| 2** | 2789.400 | 33.59 | -11.09 | 54.0 | -20.41 | AV | 322.00 | 150 | Horizontal | Pass |
| 3 | 4075.600 | 47.59 | -5.35 | 74.0 | -26.41 | Peak | 335.00 | 150 | Horizontal | Pass |
| 3** | 4075.600 | 37.28 | -5.35 | 54.0 | -16.72 | AV | 335.00 | 150 | Horizontal | Pass |
| 4 | 5266.200 | 109.32 | -3.75 | -- | -- | Peak | 312.00 | 150 | Horizontal | N/A |
| 4** | 5266.200 | 101.69 | -3.75 | -- | -- | AV | 312.00 | 150 | Horizontal | N/A |
| 5 | 7449.075 | 48.30 | -4.45 | 74.0 | -25.70 | Peak | 145.00 | 150 | Horizontal | Pass |
| 5** | 7449.075 | 38.92 | -4.45 | 54.0 | -15.08 | AV | 145.00 | 150 | Horizontal | Pass |
| 6 | 11591.950 | 51.55 | -0.08 | 74.0 | -22.45 | Peak | 360.00 | 150 | Horizontal | Pass |
| 6** | 11591.950 | 42.18 | -0.08 | 54.0 | -11.82 | AV | 360.00 | 150 | Horizontal | Pass |

11ac40, U-NII-2A, 1 GHz to 18 GHz, Low channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1170.900 | 44.10 | -18.48 | 74.0 | -29.90 | Peak | 283.00 | 150 | Vertical | Pass |
| 1** | 1170.900 | 29.11 | -18.48 | 54.0 | -24.89 | AV | 283.00 | 150 | Vertical | Pass |
| 2 | 2799.500 | 46.97 | -11.41 | 74.0 | -27.03 | Peak | 112.00 | 150 | Vertical | Pass |
| 2** | 2799.500 | 33.51 | -11.41 | 54.0 | -20.49 | AV | 112.00 | 150 | Vertical | Pass |
| 3 | 4079.400 | 47.94 | -5.17 | 74.0 | -26.06 | Peak | 93.00 | 150 | Vertical | Pass |
| 3** | 4079.400 | 38.69 | -5.17 | 54.0 | -15.31 | AV | 93.00 | 150 | Vertical | Pass |
| 4 | 5277.600 | 101.95 | -3.67 | -- | -- | Peak | 360.00 | 150 | Vertical | N/A |
| 4** | 5277.600 | 94.93 | -3.67 | -- | -- | AV | 360.00 | 150 | Vertical | N/A |
| 5 | 7371.450 | 48.10 | -4.73 | 74.0 | -25.90 | Peak | 168.00 | 150 | Vertical | Pass |
| 5** | 7371.450 | 39.24 | -4.73 | 54.0 | -14.76 | AV | 168.00 | 150 | Vertical | Pass |
| 6 | 12105.425 | 51.29 | -0.93 | 74.0 | -22.71 | Peak | 82.00 | 150 | Vertical | Pass |
| 6** | 12105.425 | 42.14 | -0.93 | 54.0 | -11.86 | AV | 82.00 | 150 | Vertical | Pass |

11ac40, U-NII-2A, 1 GHz to 18 GHz, High channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1200.400 | 41.58 | -18.10 | 74.0 | -32.42 | Peak | 338.00 | 150 | Horizontal | Pass |
| 1** | 1200.400 | 29.22 | -18.10 | 54.0 | -24.78 | AV | 338.00 | 150 | Horizontal | Pass |
| 2 | 2819.100 | 42.80 | -11.71 | 74.0 | -31.20 | Peak | 44.00 | 150 | Horizontal | Pass |
| 2** | 2819.100 | 33.01 | -11.71 | 54.0 | -20.99 | AV | 44.00 | 150 | Horizontal | Pass |
| 3 | 4092.400 | 47.39 | -5.65 | 74.0 | -26.61 | Peak | 360.00 | 150 | Horizontal | Pass |
| 3** | 4092.400 | 37.99 | -5.65 | 54.0 | -16.01 | AV | 360.00 | 150 | Horizontal | Pass |
| 4 | 5305.600 | 109.59 | -3.90 | -- | -196.41 | Peak | 306.00 | 150 | Horizontal | Pass |
| 4** | 5305.600 | 102.73 | -3.90 | -- | 102.73 | AV | 306.00 | 150 | Horizontal | N/A |
| 5 | 7519.513 | 48.12 | -4.20 | 74.0 | -25.88 | Peak | 0.00 | 150 | Horizontal | Pass |
| 5** | 7519.513 | 38.94 | -4.20 | 54.0 | -15.06 | AV | 0.00 | 150 | Horizontal | Pass |
| 6 | 12258.662 | 51.16 | 0.02 | 74.0 | -22.84 | Peak | 323.00 | 150 | Horizontal | Pass |
| 6** | 12258.662 | 42.38 | 0.02 | 54.0 | -11.62 | AV | 323.00 | 150 | Horizontal | Pass |

11ac40, U-NII-2A, 1 GHz to 18 GHz, High channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1163.900 | 44.92 | -18.45 | 74.0 | -29.08 | Peak | 276.00 | 150 | Vertical | Pass |
| 1** | 1163.900 | 31.93 | -18.45 | 54.0 | -22.07 | AV | 276.00 | 150 | Vertical | Pass |
| 2 | 2792.900 | 48.18 | -11.11 | 74.0 | -25.82 | Peak | 84.00 | 150 | Vertical | Pass |
| 2** | 2792.900 | 35.15 | -11.11 | 54.0 | -18.85 | AV | 84.00 | 150 | Vertical | Pass |
| 3 | 3894.600 | 46.44 | -7.40 | 74.0 | -27.56 | Peak | 360.00 | 150 | Vertical | Pass |
| 3** | 3894.600 | 37.10 | -7.40 | 54.0 | -16.90 | AV | 360.00 | 150 | Vertical | Pass |
| 4 | 5308.400 | 103.42 | -3.93 | -- | -- | Peak | 360.00 | 150 | Vertical | N/A |
| 4** | 5308.400 | 94.40 | -3.93 | -- | -- | AV | 360.00 | 150 | Vertical | N/A |
| 5 | 7437.287 | 48.12 | -4.34 | 74.0 | -25.88 | Peak | 54.00 | 150 | Vertical | Pass |
| 5** | 7437.287 | 38.95 | -4.34 | 54.0 | -15.05 | AV | 54.00 | 150 | Vertical | Pass |
| 6 | 11672.162 | 51.11 | -0.77 | 74.0 | -22.89 | Peak | 74.00 | 150 | Vertical | Pass |
| 6** | 11672.162 | 41.64 | -0.77 | 54.0 | -12.36 | AV | 74.00 | 150 | Vertical | Pass |

11ac80, U-NII-2A, 1 GHz to 18 GHz, Middle channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1198.000 | 42.21 | -18.27 | 74.0 | -31.79 | Peak | 360.00 | 150 | Horizontal | Pass |
| 1** | 1198.000 | 32.07 | -18.27 | 54.0 | -21.93 | AV | 360.00 | 150 | Horizontal | Pass |
| 2 | 2803.800 | 43.12 | -11.53 | 74.0 | -30.88 | Peak | 163.00 | 150 | Horizontal | Pass |
| 2** | 2803.800 | 33.87 | -11.53 | 54.0 | -20.13 | AV | 163.00 | 150 | Horizontal | Pass |
| 3 | 4008.400 | 46.55 | -6.49 | 74.0 | -27.45 | Peak | 229.00 | 150 | Horizontal | Pass |
| 3** | 4008.400 | 38.02 | -6.49 | 54.0 | -15.98 | AV | 229.00 | 150 | Horizontal | Pass |
| 4 | 5306.000 | 109.63 | -3.90 | -- | -- | Peak | 325.00 | 150 | Horizontal | N/A |
| 4** | 5306.000 | 103.68 | -3.90 | -- | -- | AV | 325.00 | 150 | Horizontal | N/A |
| 5 | 7328.612 | 48.64 | -4.95 | 74.0 | -25.36 | Peak | 330.00 | 150 | Horizontal | Pass |
| 5** | 7328.612 | 38.72 | -4.95 | 54.0 | -15.28 | AV | 330.00 | 150 | Horizontal | Pass |
| 6 | 12093.350 | 51.42 | -1.13 | 74.0 | -22.58 | Peak | 44.00 | 150 | Horizontal | Pass |
| 6** | 12093.350 | 41.56 | -1.13 | 54.0 | -12.44 | AV | 44.00 | 150 | Horizontal | Pass |

11ac80, U-NII-2A, 1 GHz to 18 GHz, Middle channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1176.000 | 44.56 | -18.52 | 74.0 | -29.44 | Peak | 307.00 | 150 | Vertical | Pass |
| 1** | 1176.000 | 31.92 | -18.52 | 54.0 | -22.08 | AV | 307.00 | 150 | Vertical | Pass |
| 2 | 2794.000 | 46.61 | -11.17 | 74.0 | -27.39 | Peak | 98.00 | 150 | Vertical | Pass |
| 2** | 2794.000 | 33.30 | -11.17 | 54.0 | -20.70 | AV | 98.00 | 150 | Vertical | Pass |
| 3 | 3996.000 | 48.34 | -6.27 | 74.0 | -25.66 | Peak | 241.00 | 150 | Vertical | Pass |
| 3** | 3996.000 | 39.57 | -6.27 | 54.0 | -14.43 | AV | 241.00 | 150 | Vertical | Pass |
| 4 | 5297.400 | 102.38 | -3.79 | -- | -- | Peak | 360.00 | 150 | Vertical | N/A |
| 4** | 5297.400 | 94.76 | -3.79 | -- | -- | AV | 360.00 | 150 | Vertical | N/A |
| 5 | 7369.150 | 48.15 | -4.87 | 74.0 | -25.85 | Peak | 185.00 | 150 | Vertical | Pass |
| 5** | 7369.150 | 39.56 | -4.87 | 54.0 | -14.44 | AV | 185.00 | 150 | Vertical | Pass |
| 6 | 11991.862 | 51.83 | -1.50 | 74.0 | -22.17 | Peak | 148.00 | 150 | Vertical | Pass |
| 6** | 11991.862 | 41.77 | -1.50 | 54.0 | -12.23 | AV | 148.00 | 150 | Vertical | Pass |

11ax20-SU, U-NII-2A, 1 GHz to 18 GHz, Low channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1172.800 | 39.14 | -18.46 | 74.0 | -34.86 | Peak | 360.00 | 150 | Horizontal | Pass |
| 1** | 1172.800 | 27.61 | -18.46 | 54.0 | -26.39 | AV | 360.00 | 150 | Horizontal | Pass |
| 2 | 2799.500 | 43.06 | -11.41 | 74.0 | -30.94 | Peak | 59.00 | 150 | Horizontal | Pass |
| 2** | 2799.500 | 33.38 | -11.41 | 54.0 | -20.62 | AV | 59.00 | 150 | Horizontal | Pass |
| 3 | 4077.600 | 47.93 | -5.22 | 74.0 | -26.07 | Peak | 0.00 | 150 | Horizontal | Pass |
| 3** | 4077.600 | 37.75 | -5.22 | 54.0 | -16.25 | AV | 0.00 | 150 | Horizontal | Pass |
| 4 | 5265.000 | 109.54 | -3.85 | -- | -- | Peak | 328.00 | 150 | Horizontal | N/A |
| 4** | 5265.000 | 100.93 | -3.85 | -- | -- | AV | 328.00 | 150 | Horizontal | N/A |
| 5 | 7438.437 | 48.46 | -4.36 | 74.0 | -25.54 | Peak | 182.00 | 150 | Horizontal | Pass |
| 5** | 7438.437 | 39.98 | -4.36 | 54.0 | -14.02 | AV | 182.00 | 150 | Horizontal | Pass |
| 6 | 12240.263 | 51.20 | -0.32 | 74.0 | -22.80 | Peak | 81.00 | 150 | Horizontal | Pass |
| 6** | 12240.263 | 42.74 | -0.32 | 54.0 | -11.26 | AV | 81.00 | 150 | Horizontal | Pass |

11ax20-SU, U-NII-2A, 1 GHz to 18 GHz, Low channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1165.900 | 47.32 | -18.49 | 74.0 | -26.68 | Peak | 313.00 | 150 | Vertical | Pass |
| 1** | 1165.900 | 31.84 | -18.49 | 54.0 | -22.16 | AV | 313.00 | 150 | Vertical | Pass |
| 2 | 2806.500 | 44.84 | -11.56 | 74.0 | -29.16 | Peak | 96.00 | 150 | Vertical | Pass |
| 2** | 2806.500 | 33.22 | -11.56 | 54.0 | -20.78 | AV | 96.00 | 150 | Vertical | Pass |
| 3 | 4197.600 | 48.39 | -5.93 | 74.0 | -25.61 | Peak | 246.00 | 150 | Vertical | Pass |
| 3** | 4197.600 | 37.57 | -5.93 | 54.0 | -16.43 | AV | 246.00 | 150 | Vertical | Pass |
| 4 | 5268.200 | 100.75 | -3.72 | -- | -- | Peak | 360.00 | 150 | Vertical | N/A |
| 4** | 5268.200 | 92.72 | -3.72 | -- | -- | AV | 360.00 | 150 | Vertical | N/A |
| 5 | 7361.962 | 48.28 | -5.01 | 74.0 | -25.72 | Peak | 308.00 | 150 | Vertical | Pass |
| 5** | 7361.962 | 39.32 | -5.01 | 54.0 | -14.68 | AV | 308.00 | 150 | Vertical | Pass |
| 6 | 12007.963 | 50.85 | -1.26 | 74.0 | -23.15 | Peak | 344.00 | 150 | Vertical | Pass |
| 6** | 12007.963 | 42.04 | -1.26 | 54.0 | -11.96 | AV | 344.00 | 150 | Vertical | Pass |

11ax20-SU, U-NII-2A, 1 GHz to 18 GHz, Middle channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1546.400 | 38.56 | -18.00 | 74.0 | -35.44 | Peak | 64.00 | 150 | Horizontal | Pass |
| 1** | 1546.400 | 28.22 | -18.00 | 54.0 | -25.78 | AV | 64.00 | 150 | Horizontal | Pass |
| 2 | 2775.800 | 44.27 | -11.41 | 74.0 | -29.73 | Peak | 165.00 | 150 | Horizontal | Pass |
| 2** | 2775.800 | 34.20 | -11.41 | 54.0 | -19.80 | AV | 165.00 | 150 | Horizontal | Pass |
| 3 | 3991.600 | 46.53 | -6.23 | 74.0 | -27.47 | Peak | 8.00 | 150 | Horizontal | Pass |
| 3** | 3991.600 | 37.42 | -6.23 | 54.0 | -16.58 | AV | 8.00 | 150 | Horizontal | Pass |
| 4 | 5296.800 | 110.31 | -3.77 | -- | -- | Peak | 321.00 | 150 | Horizontal | N/A |
| 4** | 5296.800 | 102.70 | -3.77 | -- | -- | AV | 321.00 | 150 | Horizontal | N/A |
| 5 | 7333.788 | 49.42 | -4.84 | 74.0 | -24.58 | Peak | 260.00 | 150 | Horizontal | Pass |
| 5** | 7333.788 | 39.19 | -4.84 | 54.0 | -14.81 | AV | 260.00 | 150 | Horizontal | Pass |
| 6 | 11610.637 | 50.83 | -0.16 | 74.0 | -23.17 | Peak | 330.00 | 150 | Horizontal | Pass |
| 6** | 11610.637 | 41.74 | -0.16 | 54.0 | -12.26 | AV | 330.00 | 150 | Horizontal | Pass |

11ax20-SU, U-NII-2A, 1 GHz to 18 GHz, Middle channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1199.200 | 44.26 | -18.27 | 74.0 | -29.74 | Peak | 265.00 | 150 | Vertical | Pass |
| 1** | 1199.200 | 33.65 | -18.27 | 54.0 | -20.35 | AV | 265.00 | 150 | Vertical | Pass |
| 2 | 2794.600 | 48.01 | -11.20 | 74.0 | -25.99 | Peak | 103.00 | 150 | Vertical | Pass |
| 2** | 2794.600 | 33.93 | -11.20 | 54.0 | -20.07 | AV | 103.00 | 150 | Vertical | Pass |
| 3 | 4046.200 | 47.59 | -5.65 | 74.0 | -26.41 | Peak | 129.00 | 150 | Vertical | Pass |
| 3** | 4046.200 | 37.59 | -5.65 | 54.0 | -16.41 | AV | 129.00 | 150 | Vertical | Pass |
| 4 | 5297.400 | 102.07 | -3.79 | -- | -- | Peak | 0.00 | 150 | Vertical | N/A |
| 4** | 5297.400 | 92.97 | -3.79 | -- | -- | AV | 0.00 | 150 | Vertical | N/A |
| 5 | 7393.587 | 48.13 | -4.25 | 74.0 | -25.87 | Peak | 5.00 | 150 | Vertical | Pass |
| 5** | 7393.587 | 38.36 | -4.25 | 54.0 | -15.64 | AV | 5.00 | 150 | Vertical | Pass |
| 6 | 12272.463 | 51.31 | 0.07 | 74.0 | -22.69 | Peak | 96.00 | 150 | Vertical | Pass |
| 6** | 12272.463 | 42.02 | 0.07 | 54.0 | -11.98 | AV | 96.00 | 150 | Vertical | Pass |

11ax20-SU, U-NII-2A, 1 GHz to 18 GHz, High channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1521.800 | 38.58 | -18.08 | 74.0 | -35.42 | Peak | 171.00 | 150 | Horizontal | Pass |
| 1** | 1521.800 | 28.55 | -18.08 | 54.0 | -25.45 | AV | 171.00 | 150 | Horizontal | Pass |
| 2 | 2793.100 | 42.38 | -11.12 | 74.0 | -31.62 | Peak | 220.00 | 150 | Horizontal | Pass |
| 2** | 2793.100 | 33.52 | -11.12 | 54.0 | -20.48 | AV | 220.00 | 150 | Horizontal | Pass |
| 3 | 4126.800 | 47.52 | -5.98 | 74.0 | -26.48 | Peak | 360.00 | 150 | Horizontal | Pass |
| 3** | 4126.800 | 37.75 | -5.98 | 54.0 | -16.25 | AV | 360.00 | 150 | Horizontal | Pass |
| 4 | 5317.800 | 110.88 | -3.98 | -- | -- | Peak | 324.00 | 150 | Horizontal | N/A |
| 4** | 5317.800 | 101.57 | -3.98 | -- | -- | AV | 324.00 | 150 | Horizontal | N/A |
| 5 | 7427.513 | 48.27 | -4.12 | 74.0 | -25.73 | Peak | 274.00 | 150 | Horizontal | Pass |
| 5** | 7427.513 | 39.55 | -4.12 | 54.0 | -14.45 | AV | 274.00 | 150 | Horizontal | Pass |
| 6 | 12328.526 | 50.92 | -0.63 | 74.0 | -23.08 | Peak | 184.00 | 150 | Horizontal | Pass |
| 6** | 12328.526 | 42.19 | -0.63 | 54.0 | -11.81 | AV | 184.00 | 150 | Horizontal | Pass |

11ax20-SU, U-NII-2A, 1 GHz to 18 GHz, High channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1585.300 | 43.06 | -17.99 | 74.0 | -30.94 | Peak | 337.00 | 150 | Vertical | Pass |
| 1** | 1585.300 | 28.50 | -17.99 | 54.0 | -25.50 | AV | 337.00 | 150 | Vertical | Pass |
| 2 | 2785.500 | 48.03 | -11.22 | 74.0 | -25.97 | Peak | 119.00 | 150 | Vertical | Pass |
| 2** | 2785.500 | 34.05 | -11.22 | 54.0 | -19.95 | AV | 119.00 | 150 | Vertical | Pass |
| 3 | 4057.200 | 46.72 | -5.61 | 74.0 | -27.28 | Peak | 322.00 | 150 | Vertical | Pass |
| 3** | 4057.200 | 37.70 | -5.61 | 54.0 | -16.30 | AV | 322.00 | 150 | Vertical | Pass |
| 4 | 5317.400 | 103.36 | -4.00 | -- | -- | Peak | 360.00 | 150 | Vertical | N/A |
| 4** | 5317.400 | 94.16 | -4.00 | -- | -- | AV | 360.00 | 150 | Vertical | N/A |
| 5 | 7457.125 | 48.87 | -4.47 | 74.0 | -25.13 | Peak | 310.00 | 150 | Vertical | Pass |
| 5** | 7457.125 | 39.19 | -4.47 | 54.0 | -14.81 | AV | 310.00 | 150 | Vertical | Pass |
| 6 | 12107.725 | 51.61 | -0.89 | 74.0 | -22.39 | Peak | 274.00 | 150 | Vertical | Pass |
| 6** | 12107.725 | 42.43 | -0.89 | 54.0 | -11.57 | AV | 274.00 | 150 | Vertical | Pass |

11ax40-SU, U-NII-2A, 1 GHz to 18 GHz, Low channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1495.800 | 38.71 | -17.92 | 74.0 | -35.29 | Peak | 167.00 | 150 | Horizontal | Pass |
| 1** | 1495.800 | 29.04 | -17.92 | 54.0 | -24.96 | AV | 167.00 | 150 | Horizontal | Pass |
| 2 | 2838.600 | 43.18 | -11.92 | 74.0 | -30.82 | Peak | 81.00 | 150 | Horizontal | Pass |
| 2** | 2838.600 | 33.62 | -11.92 | 54.0 | -20.38 | AV | 81.00 | 150 | Horizontal | Pass |
| 3 | 4083.800 | 47.00 | -5.09 | 74.0 | -27.00 | Peak | 68.00 | 150 | Horizontal | Pass |
| 3** | 4083.800 | 37.89 | -5.09 | 54.0 | -16.11 | AV | 68.00 | 150 | Horizontal | Pass |
| 4 | 5275.800 | 107.49 | -3.73 | -- | -- | Peak | 83.00 | 150 | Horizontal | N/A |
| 4** | 5275.800 | 99.08 | -3.73 | -- | -- | AV | 83.00 | 150 | Horizontal | N/A |
| 5 | 7424.350 | 48.14 | -4.08 | 74.0 | -25.86 | Peak | 191.00 | 150 | Horizontal | Pass |
| 5** | 7424.350 | 39.38 | -4.08 | 54.0 | -14.62 | AV | 191.00 | 150 | Horizontal | Pass |
| 6 | 12096.513 | 51.56 | -1.08 | 74.0 | -22.44 | Peak | 290.00 | 150 | Horizontal | Pass |
| 6** | 12096.513 | 42.50 | -1.08 | 54.0 | -11.50 | AV | 290.00 | 150 | Horizontal | Pass |

11ax40-SU, U-NII-2A, 1 GHz to 18 GHz, Low channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1176.600 | 43.25 | -18.52 | 74.0 | -30.75 | Peak | 285.00 | 150 | Vertical | Pass |
| 1** | 1176.600 | 30.83 | -18.52 | 54.0 | -23.17 | AV | 285.00 | 150 | Vertical | Pass |
| 2 | 2796.600 | 47.78 | -11.41 | 74.0 | -26.22 | Peak | 236.00 | 150 | Vertical | Pass |
| 2** | 2796.600 | 35.72 | -11.41 | 54.0 | -18.28 | AV | 236.00 | 150 | Vertical | Pass |
| 3 | 4070.000 | 47.45 | -5.55 | 74.0 | -26.55 | Peak | 181.00 | 150 | Vertical | Pass |
| 3** | 4070.000 | 37.39 | -5.55 | 54.0 | -16.61 | AV | 181.00 | 150 | Vertical | Pass |
| 4 | 5268.200 | 99.44 | -3.72 | -- | -- | Peak | 360.00 | 150 | Vertical | N/A |
| 4** | 5268.200 | 91.09 | -3.72 | -- | -- | AV | 360.00 | 150 | Vertical | N/A |
| 5 | 7443.612 | 48.35 | -4.37 | 74.0 | -25.65 | Peak | 273.00 | 150 | Vertical | Pass |
| 5** | 7443.612 | 39.13 | -4.37 | 54.0 | -14.87 | AV | 273.00 | 150 | Vertical | Pass |
| 6 | 11991.287 | 51.37 | -1.51 | 74.0 | -22.63 | Peak | 67.00 | 150 | Vertical | Pass |
| 6** | 11991.287 | 40.99 | -1.51 | 54.0 | -13.01 | AV | 67.00 | 150 | Vertical | Pass |

11ax40-SU, U-NII-2A, 1 GHz to 18 GHz, High channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1197.100 | 39.73 | -18.20 | 74.0 | -34.27 | Peak | 250.00 | 150 | Horizontal | Pass |
| 1** | 1197.100 | 29.50 | -18.20 | 54.0 | -24.50 | AV | 250.00 | 150 | Horizontal | Pass |
| 2 | 2803.500 | 43.20 | -11.52 | 74.0 | -30.80 | Peak | 220.00 | 150 | Horizontal | Pass |
| 2** | 2803.500 | 34.14 | -11.52 | 54.0 | -19.86 | AV | 220.00 | 150 | Horizontal | Pass |
| 3 | 4100.000 | 46.88 | -5.97 | 74.0 | -27.12 | Peak | 324.00 | 150 | Horizontal | Pass |
| 3** | 4100.000 | 37.20 | -5.97 | 54.0 | -16.80 | AV | 324.00 | 150 | Horizontal | Pass |
| 4 | 5316.600 | 108.62 | -4.01 | -- | -- | Peak | 312.00 | 150 | Horizontal | N/A |
| 4** | 5316.600 | 100.39 | -4.01 | -- | -- | AV | 312.00 | 150 | Horizontal | N/A |
| 5 | 7424.637 | 48.68 | -4.07 | 74.0 | -25.32 | Peak | 310.00 | 150 | Horizontal | Pass |
| 5** | 7424.637 | 40.34 | -4.07 | 54.0 | -13.66 | AV | 310.00 | 150 | Horizontal | Pass |
| 6 | 12235.950 | 51.69 | -0.31 | 74.0 | -22.31 | Peak | 221.00 | 150 | Horizontal | Pass |
| 6** | 12235.950 | 42.21 | -0.31 | 54.0 | -11.79 | AV | 221.00 | 150 | Horizontal | Pass |

11ax40-SU, U-NII-2A, 1 GHz to 18 GHz, High channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1198.600 | 46.05 | -18.32 | 74.0 | -27.95 | Peak | 303.00 | 150 | Vertical | Pass |
| 1** | 1198.600 | 35.19 | -18.32 | 54.0 | -18.81 | AV | 303.00 | 150 | Vertical | Pass |
| 2 | 2853.400 | 47.46 | -11.53 | 74.0 | -26.54 | Peak | 303.00 | 150 | Vertical | Pass |
| 2** | 2853.400 | 37.53 | -11.53 | 54.0 | -16.47 | AV | 303.00 | 150 | Vertical | Pass |
| 3 | 4173.000 | 47.64 | -5.46 | 74.0 | -26.36 | Peak | 110.00 | 150 | Vertical | Pass |
| 3** | 4173.000 | 37.51 | -5.46 | 54.0 | -16.49 | AV | 110.00 | 150 | Vertical | Pass |
| 4 | 5318.000 | 100.43 | -3.97 | -- | -- | Peak | 0.00 | 150 | Vertical | N/A |
| 4** | 5318.000 | 90.95 | -3.97 | -- | -- | AV | 0.00 | 150 | Vertical | N/A |
| 5 | 7428.375 | 48.87 | -4.20 | 74.0 | -25.13 | Peak | 267.00 | 150 | Vertical | Pass |
| 5** | 7428.375 | 40.30 | -4.20 | 54.0 | -13.70 | AV | 267.00 | 150 | Vertical | Pass |
| 6 | 12106.000 | 51.78 | -0.92 | 74.0 | -22.22 | Peak | 75.00 | 150 | Vertical | Pass |
| 6** | 12106.000 | 42.59 | -0.92 | 54.0 | -11.41 | AV | 75.00 | 150 | Vertical | Pass |

11ax80-SU, U-NII-2A, 1 GHz to 18 GHz, Middle channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1170.700 | 41.20 | -18.47 | 74.0 | -32.80 | Peak | 237.00 | 150 | Horizontal | Pass |
| 1** | 1170.700 | 29.37 | -18.47 | 54.0 | -24.63 | AV | 237.00 | 150 | Horizontal | Pass |
| 2 | 2800.700 | 44.54 | -11.40 | 74.0 | -29.46 | Peak | 175.00 | 150 | Horizontal | Pass |
| 2** | 2800.700 | 34.33 | -11.40 | 54.0 | -19.67 | AV | 175.00 | 150 | Horizontal | Pass |
| 3 | 4064.000 | 47.03 | -5.63 | 74.0 | -26.97 | Peak | 304.00 | 150 | Horizontal | Pass |
| 3** | 4064.000 | 37.66 | -5.63 | 54.0 | -16.34 | AV | 304.00 | 150 | Horizontal | Pass |
| 4 | 5273.800 | 106.08 | -3.78 | -- | -- | Peak | 317.00 | 150 | Horizontal | N/A |
| 4** | 5273.800 | 96.50 | -3.78 | -- | -- | AV | 317.00 | 150 | Horizontal | N/A |
| 5 | 7434.988 | 48.98 | -4.36 | 74.0 | -25.02 | Peak | 130.00 | 150 | Horizontal | Pass |
| 5** | 7434.988 | 39.45 | -4.36 | 54.0 | -14.55 | AV | 130.00 | 150 | Horizontal | Pass |
| 6 | 12235.950 | 51.87 | -0.31 | 74.0 | -22.13 | Peak | 184.00 | 150 | Horizontal | Pass |
| 6** | 12235.950 | 42.75 | -0.31 | 54.0 | -11.25 | AV | 184.00 | 150 | Horizontal | Pass |

11ax80-SU, U-NII-2A, 1 GHz to 18 GHz, Middle channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1163.600 | 44.02 | -18.45 | 74.0 | -29.98 | Peak | 266.00 | 150 | Vertical | Pass |
| 1** | 1163.600 | 33.05 | -18.45 | 54.0 | -20.95 | AV | 266.00 | 150 | Vertical | Pass |
| 2 | 2794.700 | 47.96 | -11.21 | 74.0 | -26.04 | Peak | 266.00 | 150 | Vertical | Pass |
| 2** | 2794.700 | 35.19 | -11.21 | 54.0 | -18.81 | AV | 266.00 | 150 | Vertical | Pass |
| 3 | 4085.400 | 47.02 | -5.19 | 74.0 | -26.98 | Peak | 194.00 | 150 | Vertical | Pass |
| 3** | 4085.400 | 38.46 | -5.19 | 54.0 | -15.54 | AV | 194.00 | 150 | Vertical | Pass |
| 4 | 5278.600 | 98.17 | -3.63 | -- | -- | Peak | 9.00 | 150 | Vertical | N/A |
| 4** | 5278.600 | 87.81 | -3.63 | -- | -- | AV | 9.00 | 150 | Vertical | N/A |
| 5 | 7537.050 | 48.44 | -4.44 | 74.0 | -25.56 | Peak | 294.00 | 150 | Vertical | Pass |
| 5** | 7537.050 | 38.58 | -4.44 | 54.0 | -15.42 | AV | 294.00 | 150 | Vertical | Pass |
| 6 | 12234.225 | 51.43 | -0.31 | 74.0 | -22.57 | Peak | 312.00 | 150 | Vertical | Pass |
| 6** | 12234.225 | 41.81 | -0.31 | 54.0 | -12.19 | AV | 312.00 | 150 | Vertical | Pass |

11a, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1229.100 | 42.51 | -18.06 | 74.0 | -31.49 | Peak | 246.00 | 150 | Horizontal | Pass |
| 1** | 1229.100 | 29.55 | -18.06 | 54.0 | -24.45 | AV | 246.00 | 150 | Horizontal | Pass |
| 2 | 2789.600 | 42.58 | -11.09 | 74.0 | -31.42 | Peak | 165.00 | 150 | Horizontal | Pass |
| 2** | 2789.600 | 34.33 | -11.09 | 54.0 | -19.67 | AV | 165.00 | 150 | Horizontal | Pass |
| 3 | 4035.400 | 47.38 | -5.88 | 74.0 | -26.62 | Peak | 140.00 | 150 | Horizontal | Pass |
| 3** | 4035.400 | 37.86 | -5.88 | 54.0 | -16.14 | AV | 140.00 | 150 | Horizontal | Pass |
| 4 | 5494.200 | 110.69 | -2.99 | -- | -- | Peak | 317.00 | 150 | Horizontal | N/A |
| 4** | 5494.200 | 104.04 | -2.99 | -- | -- | AV | 317.00 | 150 | Horizontal | N/A |
| 5 | 7591.675 | 48.59 | -4.75 | 74.0 | -25.41 | Peak | 31.00 | 150 | Horizontal | Pass |
| 5** | 7591.675 | 39.19 | -4.75 | 54.0 | -14.81 | AV | 31.00 | 150 | Horizontal | Pass |
| 6 | 12192.825 | 51.22 | -0.83 | 74.0 | -22.78 | Peak | 189.00 | 150 | Horizontal | Pass |
| 6** | 12192.825 | 41.88 | -0.83 | 54.0 | -12.12 | AV | 189.00 | 150 | Horizontal | Pass |

11a, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1196.200 | 45.59 | -18.18 | 74.0 | -28.41 | Peak | 307.00 | 150 | Vertical | Pass |
| 1** | 1196.200 | 36.82 | -18.18 | 54.0 | -17.18 | AV | 307.00 | 150 | Vertical | Pass |
| 2 | 2784.100 | 46.71 | -11.28 | 74.0 | -27.29 | Peak | 99.00 | 150 | Vertical | Pass |
| 2** | 2784.100 | 33.72 | -11.28 | 54.0 | -20.28 | AV | 99.00 | 150 | Vertical | Pass |
| 3 | 4058.000 | 47.38 | -5.58 | 74.0 | -26.62 | Peak | 213.00 | 150 | Vertical | Pass |
| 3** | 4058.000 | 37.72 | -5.58 | 54.0 | -16.28 | AV | 213.00 | 150 | Vertical | Pass |
| 4 | 5488.400 | 100.64 | -2.83 | -- | -- | Peak | 118.00 | 150 | Vertical | N/A |
| 4** | 5488.400 | 93.47 | -2.83 | -- | -- | AV | 118.00 | 150 | Vertical | N/A |
| 5 | 7585.350 | 48.19 | -4.65 | 74.0 | -25.81 | Peak | 0.00 | 150 | Vertical | Pass |
| 5** | 7585.350 | 38.30 | -4.65 | 54.0 | -15.70 | AV | 0.00 | 150 | Vertical | Pass |
| 6 | 12273.325 | 52.01 | 0.07 | 74.0 | -21.99 | Peak | 190.00 | 150 | Vertical | Pass |
| 6** | 12273.325 | 42.12 | 0.07 | 54.0 | -11.88 | AV | 190.00 | 150 | Vertical | Pass |

11a, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1199.100 | 43.44 | -18.28 | 74.0 | -30.56 | Peak | 340.00 | 150 | Horizontal | Pass |
| 1** | 1199.100 | 29.90 | -18.28 | 54.0 | -24.10 | AV | 340.00 | 150 | Horizontal | Pass |
| 2 | 2791.500 | 44.93 | -11.10 | 74.0 | -29.07 | Peak | 262.00 | 150 | Horizontal | Pass |
| 2** | 2791.500 | 33.74 | -11.10 | 54.0 | -20.26 | AV | 262.00 | 150 | Horizontal | Pass |
| 3 | 3997.400 | 47.65 | -6.17 | 74.0 | -26.35 | Peak | 360.00 | 150 | Horizontal | Pass |
| 3** | 3997.400 | 36.93 | -6.17 | 54.0 | -17.07 | AV | 360.00 | 150 | Horizontal | Pass |
| 4 | 5564.000 | 110.02 | -3.84 | -- | -- | Peak | 310.00 | 150 | Horizontal | N/A |
| 4** | 5564.000 | 102.90 | -3.84 | -- | -- | AV | 310.00 | 150 | Horizontal | N/A |
| 5 | 7427.225 | 48.06 | -4.10 | 74.0 | -25.94 | Peak | 155.00 | 150 | Horizontal | Pass |
| 5** | 7427.225 | 39.75 | -4.10 | 54.0 | -14.25 | AV | 155.00 | 150 | Horizontal | Pass |
| 6 | 12145.963 | 51.36 | -0.76 | 74.0 | -22.64 | Peak | 329.00 | 150 | Horizontal | Pass |
| 6** | 12145.963 | 41.92 | -0.76 | 54.0 | -12.08 | AV | 329.00 | 150 | Horizontal | Pass |

11a, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1164.600 | 44.82 | -18.46 | 74.0 | -29.18 | Peak | 277.00 | 150 | Vertical | Pass |
| 1** | 1164.600 | 29.58 | -18.46 | 54.0 | -24.42 | AV | 277.00 | 150 | Vertical | Pass |
| 2 | 2793.400 | 46.05 | -11.14 | 74.0 | -27.95 | Peak | 237.00 | 150 | Vertical | Pass |
| 2** | 2793.400 | 37.50 | -11.14 | 54.0 | -16.50 | AV | 237.00 | 150 | Vertical | Pass |
| 3 | 4103.200 | 47.30 | -6.04 | 74.0 | -26.70 | Peak | 320.00 | 150 | Vertical | Pass |
| 3** | 4103.200 | 38.78 | -6.04 | 54.0 | -15.22 | AV | 320.00 | 150 | Vertical | Pass |
| 4 | 5568.000 | 102.37 | -3.84 | -- | -- | Peak | 92.00 | 150 | Vertical | N/A |
| 4** | 5568.000 | 92.56 | -3.84 | -- | -- | AV | 92.00 | 150 | Vertical | N/A |
| 5 | 7375.475 | 48.82 | -4.84 | 74.0 | -25.18 | Peak | 0.00 | 150 | Vertical | Pass |
| 5** | 7375.475 | 39.47 | -4.84 | 54.0 | -14.53 | AV | 0.00 | 150 | Vertical | Pass |
| 6 | 12247.737 | 50.94 | -0.14 | 74.0 | -23.06 | Peak | 294.00 | 150 | Vertical | Pass |
| 6** | 12247.737 | 42.14 | -0.14 | 54.0 | -11.86 | AV | 294.00 | 150 | Vertical | Pass |

11a, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1164.600 | 41.76 | -18.46 | 74.0 | -32.24 | Peak | 241.00 | 150 | Horizontal | Pass |
| 1** | 1164.600 | 30.80 | -18.46 | 54.0 | -23.20 | AV | 241.00 | 150 | Horizontal | Pass |
| 2 | 2796.000 | 42.89 | -11.35 | 74.0 | -31.11 | Peak | 115.00 | 150 | Horizontal | Pass |
| 2** | 2796.000 | 33.39 | -11.35 | 54.0 | -20.61 | AV | 115.00 | 150 | Horizontal | Pass |
| 3 | 4117.400 | 47.05 | -5.65 | 74.0 | -26.95 | Peak | 265.00 | 150 | Horizontal | Pass |
| 3** | 4117.400 | 37.73 | -5.65 | 54.0 | -16.27 | AV | 265.00 | 150 | Horizontal | Pass |
| 4 | 5693.800 | 108.12 | -4.30 | -- | -- | Peak | 313.00 | 150 | Horizontal | N/A |
| 4** | 5693.800 | 100.96 | -4.30 | -- | -- | AV | 313.00 | 150 | Horizontal | N/A |
| 5 | 7426.937 | 48.32 | -4.07 | 74.0 | -25.68 | Peak | 16.00 | 150 | Horizontal | Pass |
| 5** | 7426.937 | 39.79 | -4.07 | 54.0 | -14.21 | AV | 16.00 | 150 | Horizontal | Pass |
| 6 | 12176.151 | 51.52 | -0.96 | 74.0 | -22.48 | Peak | 68.00 | 150 | Horizontal | Pass |
| 6** | 12176.151 | 42.64 | -0.96 | 54.0 | -11.36 | AV | 68.00 | 150 | Horizontal | Pass |

11a, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1176.000 | 42.99 | -18.52 | 74.0 | -31.01 | Peak | 300.00 | 150 | Vertical | Pass |
| 1** | 1176.000 | 30.48 | -18.52 | 54.0 | -23.52 | AV | 300.00 | 150 | Vertical | Pass |
| 2 | 2737.800 | 46.65 | -11.56 | 74.0 | -27.35 | Peak | 118.00 | 150 | Vertical | Pass |
| 2** | 2737.800 | 33.82 | -11.56 | 54.0 | -20.18 | AV | 118.00 | 150 | Vertical | Pass |
| 3 | 4119.600 | 47.19 | -5.65 | 74.0 | -26.81 | Peak | 266.00 | 150 | Vertical | Pass |
| 3** | 4119.600 | 37.25 | -5.65 | 54.0 | -16.75 | AV | 266.00 | 150 | Vertical | Pass |
| 4 | 5694.000 | 101.03 | -4.29 | -- | -- | Peak | 107.00 | 150 | Vertical | N/A |
| 4** | 5694.000 | 92.83 | -4.29 | -- | -- | AV | 107.00 | 150 | Vertical | N/A |
| 5 | 7513.763 | 48.48 | -4.28 | 74.0 | -25.52 | Peak | 87.00 | 150 | Vertical | Pass |
| 5** | 7513.763 | 38.55 | -4.28 | 54.0 | -15.45 | AV | 87.00 | 150 | Vertical | Pass |
| 6 | 12092.775 | 52.07 | -1.14 | 74.0 | -21.93 | Peak | 1.00 | 150 | Vertical | Pass |
| 6** | 12092.775 | 41.18 | -1.14 | 54.0 | -12.82 | AV | 1.00 | 150 | Vertical | Pass |

11n20, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1199.500 | 40.50 | -18.23 | 74.0 | -33.50 | Peak | 233.00 | 150 | Horizontal | Pass |
| 1** | 1199.500 | 29.61 | -18.23 | 54.0 | -24.39 | AV | 233.00 | 150 | Horizontal | Pass |
| 2 | 2772.700 | 43.26 | -11.48 | 74.0 | -30.74 | Peak | 337.00 | 150 | Horizontal | Pass |
| 2** | 2772.700 | 33.42 | -11.48 | 54.0 | -20.58 | AV | 337.00 | 150 | Horizontal | Pass |
| 3 | 4211.800 | 47.83 | -6.18 | 74.0 | -26.17 | Peak | 9.00 | 150 | Horizontal | Pass |
| 3** | 4211.800 | 37.24 | -6.18 | 54.0 | -16.76 | AV | 9.00 | 150 | Horizontal | Pass |
| 4 | 5497.800 | 111.36 | -3.05 | -- | -- | Peak | 313.00 | 150 | Horizontal | N/A |
| 4** | 5497.800 | 105.12 | -3.05 | -- | -- | AV | 313.00 | 150 | Horizontal | N/A |
| 5 | 7424.062 | 48.69 | -4.08 | 74.0 | -25.31 | Peak | 134.00 | 150 | Horizontal | Pass |
| 5** | 7424.062 | 39.11 | -4.08 | 54.0 | -14.89 | AV | 134.00 | 150 | Horizontal | Pass |
| 6 | 11574.700 | 51.18 | 0.05 | 74.0 | -22.82 | Peak | 0.00 | 150 | Horizontal | Pass |
| 6** | 11574.700 | 41.60 | 0.05 | 54.0 | -12.40 | AV | 0.00 | 150 | Horizontal | Pass |

11n20, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1195.800 | 45.05 | -18.20 | 74.0 | -28.95 | Peak | 302.00 | 150 | Vertical | Pass |
| 1** | 1195.800 | 32.27 | -18.20 | 54.0 | -21.73 | AV | 302.00 | 150 | Vertical | Pass |
| 2 | 2788.900 | 46.09 | -11.08 | 74.0 | -27.91 | Peak | 273.00 | 150 | Vertical | Pass |
| 2** | 2788.900 | 34.38 | -11.08 | 54.0 | -19.62 | AV | 273.00 | 150 | Vertical | Pass |
| 3 | 4093.800 | 47.75 | -5.74 | 74.0 | -26.25 | Peak | 282.00 | 150 | Vertical | Pass |
| 3** | 4093.800 | 38.17 | -5.74 | 54.0 | -15.83 | AV | 282.00 | 150 | Vertical | Pass |
| 4 | 5485.200 | 100.84 | -2.75 | -- | -- | Peak | 108.00 | 150 | Vertical | N/A |
| 4** | 5485.200 | 93.52 | -2.75 | -- | -- | AV | 108.00 | 150 | Vertical | N/A |
| 5 | 7429.525 | 49.48 | -4.29 | 74.0 | -24.52 | Peak | 153.00 | 150 | Vertical | Pass |
| 5** | 7429.525 | 40.00 | -4.29 | 54.0 | -14.00 | AV | 153.00 | 150 | Vertical | Pass |
| 6 | 12068.625 | 51.53 | -1.42 | 74.0 | -22.47 | Peak | 360.00 | 150 | Vertical | Pass |
| 6** | 12068.625 | 42.06 | -1.42 | 54.0 | -11.94 | AV | 360.00 | 150 | Vertical | Pass |

11n20, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1199.100 | 43.90 | -18.28 | 74.0 | -30.10 | Peak | 236.00 | 150 | Horizontal | Pass |
| 1** | 1199.100 | 29.76 | -18.28 | 54.0 | -24.24 | AV | 236.00 | 150 | Horizontal | Pass |
| 2 | 2790.300 | 43.50 | -11.10 | 74.0 | -30.50 | Peak | 18.00 | 150 | Horizontal | Pass |
| 2** | 2790.300 | 33.50 | -11.10 | 54.0 | -20.50 | AV | 18.00 | 150 | Horizontal | Pass |
| 3 | 4097.200 | 46.67 | -6.05 | 74.0 | -27.33 | Peak | 70.00 | 150 | Horizontal | Pass |
| 3** | 4097.200 | 37.90 | -6.05 | 54.0 | -16.10 | AV | 70.00 | 150 | Horizontal | Pass |
| 4 | 5566.800 | 109.57 | -3.87 | -- | -- | Peak | 315.00 | 150 | Horizontal | N/A |
| 4** | 5566.800 | 103.64 | -3.87 | -- | -- | AV | 315.00 | 150 | Horizontal | N/A |
| 5 | 7424.062 | 48.63 | -4.08 | 74.0 | -25.37 | Peak | 294.00 | 150 | Horizontal | Pass |
| 5** | 7424.062 | 39.36 | -4.08 | 54.0 | -14.64 | AV | 294.00 | 150 | Horizontal | Pass |
| 6 | 12267.575 | 51.14 | 0.06 | 74.0 | -22.86 | Peak | 0.00 | 150 | Horizontal | Pass |
| 6** | 12267.575 | 42.76 | 0.06 | 54.0 | -11.24 | AV | 0.00 | 150 | Horizontal | Pass |

11n20, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1196.400 | 46.03 | -18.18 | 74.0 | -27.97 | Peak | 269.00 | 150 | Vertical | Pass |
| 1** | 1196.400 | 32.56 | -18.18 | 54.0 | -21.44 | AV | 269.00 | 150 | Vertical | Pass |
| 2 | 2796.800 | 46.28 | -11.42 | 74.0 | -27.72 | Peak | 337.00 | 150 | Vertical | Pass |
| 2** | 2796.800 | 34.92 | -11.42 | 54.0 | -19.08 | AV | 337.00 | 150 | Vertical | Pass |
| 3 | 4081.400 | 46.97 | -5.09 | 74.0 | -27.03 | Peak | 168.00 | 150 | Vertical | Pass |
| 3** | 4081.400 | 39.48 | -5.09 | 54.0 | -14.52 | AV | 168.00 | 150 | Vertical | Pass |
| 4 | 5569.000 | 101.80 | -3.82 | -- | -- | Peak | 0.00 | 150 | Vertical | N/A |
| 4** | 5569.000 | 93.81 | -3.82 | -- | -- | AV | 0.00 | 150 | Vertical | N/A |
| 5 | 7389.850 | 48.31 | -4.32 | 74.0 | -25.69 | Peak | 51.00 | 150 | Vertical | Pass |
| 5** | 7389.850 | 38.37 | -4.32 | 54.0 | -15.63 | AV | 51.00 | 150 | Vertical | Pass |
| 6 | 12235.375 | 51.67 | -0.31 | 74.0 | -22.33 | Peak | 238.00 | 150 | Vertical | Pass |
| 6** | 12235.375 | 42.40 | -0.31 | 54.0 | -11.60 | AV | 238.00 | 150 | Vertical | Pass |

11n20, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1205.500 | 38.90 | -18.16 | 74.0 | -35.10 | Peak | 347.00 | 150 | Horizontal | Pass |
| 1** | 1205.500 | 29.35 | -18.16 | 54.0 | -24.65 | AV | 347.00 | 150 | Horizontal | Pass |
| 2 | 2796.500 | 42.55 | -11.40 | 74.0 | -31.45 | Peak | 33.00 | 150 | Horizontal | Pass |
| 2** | 2796.500 | 33.69 | -11.40 | 54.0 | -20.31 | AV | 33.00 | 150 | Horizontal | Pass |
| 3 | 4176.800 | 47.10 | -5.50 | 74.0 | -26.90 | Peak | 118.00 | 150 | Horizontal | Pass |
| 3** | 4176.800 | 37.79 | -5.50 | 54.0 | -16.21 | AV | 118.00 | 150 | Horizontal | Pass |
| 4 | 5697.600 | 107.85 | -4.39 | -- | -- | Peak | 320.00 | 150 | Horizontal | N/A |
| 4** | 5697.600 | 101.04 | -4.39 | -- | -- | AV | 320.00 | 150 | Horizontal | N/A |
| 5 | 7429.237 | 48.28 | -4.27 | 74.0 | -25.72 | Peak | 0.00 | 150 | Horizontal | Pass |
| 5** | 7429.237 | 40.48 | -4.27 | 54.0 | -13.52 | AV | 0.00 | 150 | Horizontal | Pass |
| 6 | 12235.950 | 51.73 | -0.31 | 74.0 | -22.27 | Peak | 119.00 | 150 | Horizontal | Pass |
| 6** | 12235.950 | 42.19 | -0.31 | 54.0 | -11.81 | AV | 119.00 | 150 | Horizontal | Pass |

11n20, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1146.800 | 43.49 | -18.65 | 74.0 | -30.51 | Peak | 306.00 | 150 | Vertical | Pass |
| 1** | 1146.800 | 28.51 | -18.65 | 54.0 | -25.49 | AV | 306.00 | 150 | Vertical | Pass |
| 2 | 2784.700 | 49.33 | -11.26 | 74.0 | -24.67 | Peak | 105.00 | 150 | Vertical | Pass |
| 2** | 2784.700 | 34.99 | -11.26 | 54.0 | -19.01 | AV | 105.00 | 150 | Vertical | Pass |
| 3 | 4082.200 | 47.10 | -5.05 | 74.0 | -26.90 | Peak | 215.00 | 150 | Vertical | Pass |
| 3** | 4082.200 | 38.60 | -5.05 | 54.0 | -15.40 | AV | 215.00 | 150 | Vertical | Pass |
| 4 | 5698.000 | 101.24 | -4.42 | -- | -- | Peak | 107.00 | 150 | Vertical | N/A |
| 4** | 5698.000 | 92.88 | -4.42 | -- | -- | AV | 107.00 | 150 | Vertical | N/A |
| 5 | 7340.112 | 48.63 | -5.19 | 74.0 | -25.37 | Peak | 241.00 | 150 | Vertical | Pass |
| 5** | 7340.112 | 38.94 | -5.19 | 54.0 | -15.06 | AV | 241.00 | 150 | Vertical | Pass |
| 6 | 12339.738 | 51.62 | -0.96 | 74.0 | -22.38 | Peak | 172.00 | 150 | Vertical | Pass |
| 6** | 12339.738 | 41.50 | -0.96 | 54.0 | -12.50 | AV | 172.00 | 150 | Vertical | Pass |

11n40, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1162.300 | 40.28 | -18.47 | 74.0 | -33.72 | Peak | 348.00 | 150 | Horizontal | Pass |
| 1** | 1162.300 | 29.38 | -18.47 | 54.0 | -24.62 | AV | 348.00 | 150 | Horizontal | Pass |
| 2 | 2835.500 | 43.57 | -11.83 | 74.0 | -30.43 | Peak | 227.00 | 150 | Horizontal | Pass |
| 2** | 2835.500 | 34.15 | -11.83 | 54.0 | -19.85 | AV | 227.00 | 150 | Horizontal | Pass |
| 3 | 4082.200 | 47.04 | -5.05 | 74.0 | -26.96 | Peak | 285.00 | 150 | Horizontal | Pass |
| 3** | 4082.200 | 37.92 | -5.05 | 54.0 | -16.08 | AV | 285.00 | 150 | Horizontal | Pass |
| 4 | 5518.000 | 109.85 | -3.76 | -- | -- | Peak | 322.00 | 150 | Horizontal | N/A |
| 4** | 5518.000 | 104.21 | -3.76 | -- | -- | AV | 322.00 | 150 | Horizontal | N/A |
| 5 | 7587.075 | 49.18 | -4.68 | 74.0 | -24.82 | Peak | 0.00 | 150 | Horizontal | Pass |
| 5** | 7587.075 | 39.03 | -4.68 | 54.0 | -14.97 | AV | 0.00 | 150 | Horizontal | Pass |
| 6 | 12350.375 | 51.40 | -1.25 | 74.0 | -22.60 | Peak | 360.00 | 150 | Horizontal | Pass |
| 6** | 12350.375 | 41.45 | -1.25 | 54.0 | -12.55 | AV | 360.00 | 150 | Horizontal | Pass |

11n40, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1149.200 | 45.09 | -18.58 | 74.0 | -28.91 | Peak | 301.00 | 150 | Vertical | Pass |
| 1** | 1149.200 | 28.23 | -18.58 | 54.0 | -25.77 | AV | 301.00 | 150 | Vertical | Pass |
| 2 | 2785.500 | 46.07 | -11.22 | 74.0 | -27.93 | Peak | 233.00 | 150 | Vertical | Pass |
| 2** | 2785.500 | 36.16 | -11.22 | 54.0 | -17.84 | AV | 233.00 | 150 | Vertical | Pass |
| 3 | 4063.600 | 47.21 | -5.63 | 74.0 | -26.79 | Peak | 205.00 | 150 | Vertical | Pass |
| 3** | 4063.600 | 38.31 | -5.63 | 54.0 | -15.69 | AV | 205.00 | 150 | Vertical | Pass |
| 4 | 5507.000 | 100.79 | -3.47 | -- | -- | Peak | 351.00 | 150 | Vertical | N/A |
| 4** | 5507.000 | 94.12 | -3.47 | -- | -- | AV | 351.00 | 150 | Vertical | N/A |
| 5 | 7591.100 | 48.37 | -4.77 | 74.0 | -25.63 | Peak | 118.00 | 150 | Vertical | Pass |
| 5** | 7591.100 | 38.82 | -4.77 | 54.0 | -15.18 | AV | 118.00 | 150 | Vertical | Pass |
| 6 | 11616.388 | 50.93 | -0.16 | 74.0 | -23.07 | Peak | 0.00 | 150 | Vertical | Pass |
| 6** | 11616.388 | 41.89 | -0.16 | 54.0 | -12.11 | AV | 0.00 | 150 | Vertical | Pass |

11n40, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1196.100 | 41.16 | -18.19 | 74.0 | -32.84 | Peak | 243.00 | 150 | Horizontal | Pass |
| 1** | 1196.100 | 28.90 | -18.19 | 54.0 | -25.10 | AV | 243.00 | 150 | Horizontal | Pass |
| 2 | 2838.400 | 43.29 | -11.91 | 74.0 | -30.71 | Peak | 108.00 | 150 | Horizontal | Pass |
| 2** | 2838.400 | 33.70 | -11.91 | 54.0 | -20.30 | AV | 108.00 | 150 | Horizontal | Pass |
| 3 | 4077.000 | 47.29 | -5.25 | 74.0 | -26.71 | Peak | 228.00 | 150 | Horizontal | Pass |
| 3** | 4077.000 | 39.06 | -5.25 | 54.0 | -14.94 | AV | 228.00 | 150 | Horizontal | Pass |
| 4 | 5588.800 | 109.20 | -3.96 | -- | -- | Peak | 312.00 | 150 | Horizontal | N/A |
| 4** | 5588.800 | 102.87 | -3.96 | -- | -- | AV | 312.00 | 150 | Horizontal | N/A |
| 5 | 7447.350 | 49.15 | -4.53 | 74.0 | -24.85 | Peak | 221.00 | 150 | Horizontal | Pass |
| 5** | 7447.350 | 38.59 | -4.53 | 54.0 | -15.41 | AV | 221.00 | 150 | Horizontal | Pass |
| 6 | 12233.075 | 51.91 | -0.31 | 74.0 | -22.09 | Peak | 221.00 | 150 | Horizontal | Pass |
| 6** | 12233.075 | 43.40 | -0.31 | 54.0 | -10.60 | AV | 221.00 | 150 | Horizontal | Pass |

11n40, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1179.600 | 45.25 | -18.52 | 74.0 | -28.75 | Peak | 297.00 | 150 | Vertical | Pass |
| 1** | 1179.600 | 33.36 | -18.52 | 54.0 | -20.64 | AV | 297.00 | 150 | Vertical | Pass |
| 2 | 2799.100 | 45.47 | -11.41 | 74.0 | -28.53 | Peak | 235.00 | 150 | Vertical | Pass |
| 2** | 2799.100 | 35.15 | -11.41 | 54.0 | -18.85 | AV | 235.00 | 150 | Vertical | Pass |
| 3 | 4091.200 | 46.75 | -5.58 | 74.0 | -27.25 | Peak | 173.00 | 150 | Vertical | Pass |
| 3** | 4091.200 | 37.98 | -5.58 | 54.0 | -16.02 | AV | 173.00 | 150 | Vertical | Pass |
| 4 | 5587.000 | 99.81 | -3.93 | -- | -- | Peak | 258.00 | 150 | Vertical | N/A |
| 4** | 5587.000 | 93.12 | -3.93 | -- | -- | AV | 258.00 | 150 | Vertical | N/A |
| 5 | 7357.938 | 48.67 | -4.87 | 74.0 | -25.33 | Peak | 42.00 | 150 | Vertical | Pass |
| 5** | 7357.938 | 39.23 | -4.87 | 54.0 | -14.77 | AV | 42.00 | 150 | Vertical | Pass |
| 6 | 12243.138 | 51.35 | -0.25 | 74.0 | -22.65 | Peak | 170.00 | 150 | Vertical | Pass |
| 6** | 12243.138 | 42.63 | -0.25 | 54.0 | -11.37 | AV | 170.00 | 150 | Vertical | Pass |

11n40, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1197.800 | 39.80 | -18.26 | 74.0 | -34.20 | Peak | 344.00 | 150 | Horizontal | Pass |
| 1** | 1197.800 | 29.17 | -18.26 | 54.0 | -24.83 | AV | 344.00 | 150 | Horizontal | Pass |
| 2 | 2820.100 | 43.58 | -11.74 | 74.0 | -30.42 | Peak | 230.00 | 150 | Horizontal | Pass |
| 2** | 2820.100 | 33.94 | -11.74 | 54.0 | -20.06 | AV | 230.00 | 150 | Horizontal | Pass |
| 3 | 3999.600 | 47.83 | -6.24 | 74.0 | -26.17 | Peak | 190.00 | 150 | Horizontal | Pass |
| 3** | 3999.600 | 37.30 | -6.24 | 54.0 | -16.70 | AV | 190.00 | 150 | Horizontal | Pass |
| 4 | 5669.000 | 107.95 | -3.88 | -- | -- | Peak | 302.00 | 150 | Horizontal | N/A |
| 4** | 5669.000 | 101.22 | -3.88 | -- | -- | AV | 302.00 | 150 | Horizontal | N/A |
| 5 | 7466.325 | 48.33 | -4.59 | 74.0 | -25.67 | Peak | 360.00 | 150 | Horizontal | Pass |
| 5** | 7466.325 | 38.90 | -4.59 | 54.0 | -15.10 | AV | 360.00 | 150 | Horizontal | Pass |
| 6 | 11664.687 | 50.96 | -0.59 | 74.0 | -23.04 | Peak | 127.00 | 150 | Horizontal | Pass |
| 6** | 11664.687 | 42.54 | -0.59 | 54.0 | -11.46 | AV | 127.00 | 150 | Horizontal | Pass |

11n40, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1199.500 | 44.89 | -18.23 | 74.0 | -29.11 | Peak | 15.00 | 150 | Vertical | Pass |
| 1** | 1199.500 | 34.66 | -18.23 | 54.0 | -19.34 | AV | 15.00 | 150 | Vertical | Pass |
| 2 | 2789.700 | 45.14 | -11.09 | 74.0 | -28.86 | Peak | 241.00 | 150 | Vertical | Pass |
| 2** | 2789.700 | 35.86 | -11.09 | 54.0 | -18.14 | AV | 241.00 | 150 | Vertical | Pass |
| 3 | 4080.200 | 47.09 | -5.15 | 74.0 | -26.91 | Peak | 234.00 | 150 | Vertical | Pass |
| 3** | 4080.200 | 38.00 | -5.15 | 54.0 | -16.00 | AV | 234.00 | 150 | Vertical | Pass |
| 4 | 5665.200 | 100.13 | -4.02 | -- | -- | Peak | 95.00 | 150 | Vertical | N/A |
| 4** | 5665.200 | 92.49 | -4.02 | -- | -- | AV | 95.00 | 150 | Vertical | N/A |
| 5 | 7464.312 | 48.56 | -4.59 | 74.0 | -25.44 | Peak | 117.00 | 150 | Vertical | Pass |
| 5** | 7464.312 | 39.16 | -4.59 | 54.0 | -14.84 | AV | 117.00 | 150 | Vertical | Pass |
| 6 | 11588.213 | 50.89 | -0.05 | 74.0 | -23.11 | Peak | 10.00 | 150 | Vertical | Pass |
| 6** | 11588.213 | 41.96 | -0.05 | 54.0 | -12.04 | AV | 10.00 | 150 | Vertical | Pass |

11ac20, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1165.200 | 40.26 | -18.47 | 74.0 | -33.74 | Peak | 20.00 | 150 | Horizontal | Pass |
| 1** | 1165.200 | 28.07 | -18.47 | 54.0 | -25.93 | AV | 20.00 | 150 | Horizontal | Pass |
| 2 | 2784.800 | 43.14 | -11.25 | 74.0 | -30.86 | Peak | 0.00 | 150 | Horizontal | Pass |
| 2** | 2784.800 | 33.59 | -11.25 | 54.0 | -20.41 | AV | 0.00 | 150 | Horizontal | Pass |
| 3 | 4074.800 | 47.28 | -5.44 | 74.0 | -26.72 | Peak | 251.00 | 150 | Horizontal | Pass |
| 3** | 4074.800 | 37.84 | -5.44 | 54.0 | -16.16 | AV | 251.00 | 150 | Horizontal | Pass |
| 4 | 5496.400 | 110.29 | -3.03 | -- | -- | Peak | 300.00 | 150 | Horizontal | N/A |
| 4** | 5496.400 | 103.44 | -3.03 | -- | -- | AV | 300.00 | 150 | Horizontal | N/A |
| 5 | 7365.987 | 48.20 | -4.94 | 74.0 | -25.80 | Peak | 142.00 | 150 | Horizontal | Pass |
| 5** | 7365.987 | 38.60 | -4.94 | 54.0 | -15.40 | AV | 142.00 | 150 | Horizontal | Pass |
| 6 | 11624.438 | 52.35 | -0.21 | 74.0 | -21.65 | Peak | 360.00 | 150 | Horizontal | Pass |
| 6** | 11624.438 | 41.79 | -0.21 | 54.0 | -12.21 | AV | 360.00 | 150 | Horizontal | Pass |

11ac20, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1161.500 | 43.93 | -18.55 | 74.0 | -30.07 | Peak | 281.00 | 150 | Vertical | Pass |
| 1** | 1161.500 | 28.17 | -18.55 | 54.0 | -25.83 | AV | 281.00 | 150 | Vertical | Pass |
| 2 | 2799.400 | 45.06 | -11.41 | 74.0 | -28.94 | Peak | 314.00 | 150 | Vertical | Pass |
| 2** | 2799.400 | 36.75 | -11.41 | 54.0 | -17.25 | AV | 314.00 | 150 | Vertical | Pass |
| 3 | 4269.400 | 48.45 | -5.15 | 74.0 | -25.55 | Peak | 88.00 | 150 | Vertical | Pass |
| 3** | 4269.400 | 38.07 | -5.15 | 54.0 | -15.93 | AV | 88.00 | 150 | Vertical | Pass |
| 4 | 5497.200 | 102.04 | -3.03 | -- | -- | Peak | 352.00 | 150 | Vertical | N/A |
| 4** | 5497.200 | 93.84 | -3.03 | -- | -- | AV | 352.00 | 150 | Vertical | N/A |
| 5 | 7482.713 | 48.12 | -4.49 | 74.0 | -25.88 | Peak | 137.00 | 150 | Vertical | Pass |
| 5** | 7482.713 | 38.68 | -4.49 | 54.0 | -15.32 | AV | 137.00 | 150 | Vertical | Pass |
| 6 | 11600.000 | 51.14 | -0.15 | 74.0 | -22.86 | Peak | 279.00 | 150 | Vertical | Pass |
| 6** | 11600.000 | 42.14 | -0.15 | 54.0 | -11.86 | AV | 279.00 | 150 | Vertical | Pass |

11ac20, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1163.700 | 40.58 | -18.45 | 74.0 | -33.42 | Peak | 240.00 | 150 | Horizontal | Pass |
| 1** | 1163.700 | 28.81 | -18.45 | 54.0 | -25.19 | AV | 240.00 | 150 | Horizontal | Pass |
| 2 | 2775.500 | 43.26 | -11.40 | 74.0 | -30.74 | Peak | 227.00 | 150 | Horizontal | Pass |
| 2** | 2775.500 | 33.33 | -11.40 | 54.0 | -20.67 | AV | 227.00 | 150 | Horizontal | Pass |
| 3 | 4053.200 | 47.30 | -5.56 | 74.0 | -26.70 | Peak | 120.00 | 150 | Horizontal | Pass |
| 3** | 4053.200 | 38.61 | -5.56 | 54.0 | -15.39 | AV | 120.00 | 150 | Horizontal | Pass |
| 4 | 5578.000 | 109.64 | -3.72 | -- | -- | Peak | 313.00 | 150 | Horizontal | N/A |
| 4** | 5578.000 | 103.57 | -3.72 | -- | -- | AV | 313.00 | 150 | Horizontal | N/A |
| 5 | 7367.425 | 49.33 | -4.86 | 74.0 | -24.67 | Peak | 360.00 | 150 | Horizontal | Pass |
| 5** | 7367.425 | 39.53 | -4.86 | 54.0 | -14.47 | AV | 360.00 | 150 | Horizontal | Pass |
| 6 | 12105.425 | 51.68 | -0.93 | 74.0 | -22.32 | Peak | 162.00 | 150 | Horizontal | Pass |
| 6** | 12105.425 | 42.47 | -0.93 | 54.0 | -11.53 | AV | 162.00 | 150 | Horizontal | Pass |

11ac20, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1196.100 | 45.32 | -18.19 | 74.0 | -28.68 | Peak | 324.00 | 150 | Vertical | Pass |
| 1** | 1196.100 | 29.91 | -18.19 | 54.0 | -24.09 | AV | 324.00 | 150 | Vertical | Pass |
| 2 | 2815.700 | 45.64 | -11.77 | 74.0 | -28.36 | Peak | 360.00 | 150 | Vertical | Pass |
| 2** | 2815.700 | 33.43 | -11.77 | 54.0 | -20.57 | AV | 360.00 | 150 | Vertical | Pass |
| 3 | 4179.600 | 47.50 | -5.71 | 74.0 | -26.50 | Peak | 247.00 | 150 | Vertical | Pass |
| 3** | 4179.600 | 37.43 | -5.71 | 54.0 | -16.57 | AV | 247.00 | 150 | Vertical | Pass |
| 4 | 5567.800 | 101.30 | -3.85 | -- | -- | Peak | 3.00 | 150 | Vertical | N/A |
| 4** | 5567.800 | 93.12 | -3.85 | -- | -- | AV | 3.00 | 150 | Vertical | N/A |
| 5 | 7430.100 | 48.21 | -4.33 | 74.0 | -25.79 | Peak | 121.00 | 150 | Vertical | Pass |
| 5** | 7430.100 | 39.92 | -4.33 | 54.0 | -14.08 | AV | 121.00 | 150 | Vertical | Pass |
| 6 | 11647.438 | 51.59 | -0.35 | 74.0 | -22.41 | Peak | 157.00 | 150 | Vertical | Pass |
| 6** | 11647.438 | 41.47 | -0.35 | 54.0 | -12.53 | AV | 157.00 | 150 | Vertical | Pass |

11ac20, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1199.800 | 39.10 | -18.18 | 74.0 | -34.90 | Peak | 229.00 | 150 | Horizontal | Pass |
| 1** | 1199.800 | 28.83 | -18.18 | 54.0 | -25.17 | AV | 229.00 | 150 | Horizontal | Pass |
| 2 | 2782.900 | 42.84 | -11.29 | 74.0 | -31.16 | Peak | 359.00 | 150 | Horizontal | Pass |
| 2** | 2782.900 | 33.82 | -11.29 | 54.0 | -20.18 | AV | 359.00 | 150 | Horizontal | Pass |
| 3 | 4106.000 | 48.03 | -6.00 | 74.0 | -25.97 | Peak | 229.00 | 150 | Horizontal | Pass |
| 3** | 4106.000 | 37.38 | -6.00 | 54.0 | -16.62 | AV | 229.00 | 150 | Horizontal | Pass |
| 4 | 5688.400 | 109.27 | -4.47 | -- | -- | Peak | 309.00 | 150 | Horizontal | N/A |
| 4** | 5688.400 | 101.50 | -4.47 | -- | -- | AV | 309.00 | 150 | Horizontal | N/A |
| 5 | 7595.412 | 49.52 | -4.87 | 74.0 | -24.48 | Peak | 323.00 | 150 | Horizontal | Pass |
| 5** | 7595.412 | 38.65 | -4.87 | 54.0 | -15.35 | AV | 323.00 | 150 | Horizontal | Pass |
| 6 | 12333.125 | 51.22 | -0.77 | 74.0 | -22.78 | Peak | 52.00 | 150 | Horizontal | Pass |
| 6** | 12333.125 | 42.05 | -0.77 | 54.0 | -11.95 | AV | 52.00 | 150 | Horizontal | Pass |

11ac20, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1154.500 | 43.58 | -18.64 | 74.0 | -30.42 | Peak | 310.00 | 150 | Vertical | Pass |
| 1** | 1154.500 | 28.64 | -18.64 | 54.0 | -25.36 | AV | 310.00 | 150 | Vertical | Pass |
| 2 | 2807.500 | 46.08 | -11.54 | 74.0 | -27.92 | Peak | 310.00 | 150 | Vertical | Pass |
| 2** | 2807.500 | 36.57 | -11.54 | 54.0 | -17.43 | AV | 310.00 | 150 | Vertical | Pass |
| 3 | 4063.600 | 47.12 | -5.63 | 74.0 | -26.88 | Peak | 278.00 | 150 | Vertical | Pass |
| 3** | 4063.600 | 38.62 | -5.63 | 54.0 | -15.38 | AV | 278.00 | 150 | Vertical | Pass |
| 4 | 5695.800 | 100.84 | -4.29 | -- | -- | Peak | 90.00 | 150 | Vertical | N/A |
| 4** | 5695.800 | 94.36 | -4.29 | -- | -- | AV | 90.00 | 150 | Vertical | N/A |
| 5 | 7598.575 | 49.15 | -4.81 | 74.0 | -24.85 | Peak | 207.00 | 150 | Vertical | Pass |
| 5** | 7598.575 | 38.62 | -4.81 | 54.0 | -15.38 | AV | 207.00 | 150 | Vertical | Pass |
| 6 | 11656.063 | 51.42 | -0.42 | 74.0 | -22.58 | Peak | 360.00 | 150 | Vertical | Pass |
| 6** | 11656.063 | 41.86 | -0.42 | 54.0 | -12.14 | AV | 360.00 | 150 | Vertical | Pass |

11ac40, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1166.700 | 40.81 | -18.52 | 74.0 | -33.19 | Peak | 249.00 | 150 | Horizontal | Pass |
| 1** | 1166.700 | 27.84 | -18.52 | 54.0 | -26.16 | AV | 249.00 | 150 | Horizontal | Pass |
| 2 | 2843.800 | 43.33 | -11.77 | 74.0 | -30.67 | Peak | 24.00 | 150 | Horizontal | Pass |
| 2** | 2843.800 | 33.38 | -11.77 | 54.0 | -20.62 | AV | 24.00 | 150 | Horizontal | Pass |
| 3 | 4093.800 | 47.09 | -5.74 | 74.0 | -26.91 | Peak | 333.00 | 150 | Horizontal | Pass |
| 3** | 4093.800 | 38.62 | -5.74 | 54.0 | -15.38 | AV | 333.00 | 150 | Horizontal | Pass |
| 4 | 5517.400 | 110.31 | -3.75 | -- | -- | Peak | 302.00 | 150 | Horizontal | N/A |
| 4** | 5517.400 | 104.23 | -3.75 | -- | -- | AV | 302.00 | 150 | Horizontal | N/A |
| 5 | 7531.013 | 48.25 | -4.24 | 74.0 | -25.75 | Peak | 86.00 | 150 | Horizontal | Pass |
| 5** | 7531.013 | 38.46 | -4.24 | 54.0 | -15.54 | AV | 86.00 | 150 | Horizontal | Pass |
| 6 | 12111.175 | 51.16 | -0.83 | 74.0 | -22.84 | Peak | 248.00 | 150 | Horizontal | Pass |
| 6** | 12111.175 | 41.89 | -0.83 | 54.0 | -12.11 | AV | 248.00 | 150 | Horizontal | Pass |

11ac40, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1198.600 | 43.56 | -18.32 | 74.0 | -30.44 | Peak | 314.00 | 150 | Vertical | Pass |
| 1** | 1198.600 | 30.73 | -18.32 | 54.0 | -23.27 | AV | 314.00 | 150 | Vertical | Pass |
| 2 | 2791.300 | 48.19 | -11.10 | 74.0 | -25.81 | Peak | 125.00 | 150 | Vertical | Pass |
| 2** | 2791.300 | 35.63 | -11.10 | 54.0 | -18.37 | AV | 125.00 | 150 | Vertical | Pass |
| 3 | 4083.000 | 47.36 | -5.07 | 74.0 | -26.64 | Peak | 275.00 | 150 | Vertical | Pass |
| 3** | 4083.000 | 37.80 | -5.07 | 54.0 | -16.20 | AV | 275.00 | 150 | Vertical | Pass |
| 4 | 5508.400 | 100.28 | -3.55 | -- | -- | Peak | 290.00 | 150 | Vertical | N/A |
| 4** | 5508.400 | 93.50 | -3.55 | -- | -- | AV | 290.00 | 150 | Vertical | N/A |
| 5 | 7531.875 | 47.88 | -4.22 | 74.0 | -26.12 | Peak | 284.00 | 150 | Vertical | Pass |
| 5** | 7531.875 | 39.36 | -4.22 | 54.0 | -14.64 | AV | 284.00 | 150 | Vertical | Pass |
| 6 | 12241.700 | 50.94 | -0.28 | 74.0 | -23.06 | Peak | 302.00 | 150 | Vertical | Pass |
| 6** | 12241.700 | 42.12 | -0.28 | 54.0 | -11.88 | AV | 302.00 | 150 | Vertical | Pass |

11ac40, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1195.900 | 41.76 | -18.19 | 74.0 | -32.24 | Peak | 253.00 | 150 | Horizontal | Pass |
| 1** | 1195.900 | 28.60 | -18.19 | 54.0 | -25.40 | AV | 253.00 | 150 | Horizontal | Pass |
| 2 | 2785.100 | 42.61 | -11.24 | 74.0 | -31.39 | Peak | 207.00 | 150 | Horizontal | Pass |
| 2** | 2785.100 | 32.87 | -11.24 | 54.0 | -21.13 | AV | 207.00 | 150 | Horizontal | Pass |
| 3 | 4177.600 | 47.29 | -5.60 | 74.0 | -26.71 | Peak | 251.00 | 150 | Horizontal | Pass |
| 3** | 4177.600 | 37.32 | -5.60 | 54.0 | -16.68 | AV | 251.00 | 150 | Horizontal | Pass |
| 4 | 5596.800 | 109.09 | -3.88 | -- | -- | Peak | 300.00 | 150 | Horizontal | N/A |
| 4** | 5596.800 | 102.17 | -3.88 | -- | -- | AV | 300.00 | 150 | Horizontal | N/A |
| 5 | 7420.325 | 48.30 | -4.00 | 74.0 | -25.70 | Peak | 118.00 | 150 | Horizontal | Pass |
| 5** | 7420.325 | 39.29 | -4.00 | 54.0 | -14.71 | AV | 118.00 | 150 | Horizontal | Pass |
| 6 | 11653.188 | 52.11 | -0.38 | 74.0 | -21.89 | Peak | 48.00 | 150 | Horizontal | Pass |
| 6** | 11653.188 | 41.62 | -0.38 | 54.0 | -12.38 | AV | 48.00 | 150 | Horizontal | Pass |

11ac40, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1171.100 | 44.59 | -18.48 | 74.0 | -29.41 | Peak | 295.00 | 150 | Vertical | Pass |
| 1** | 1171.100 | 33.33 | -18.48 | 54.0 | -20.67 | AV | 295.00 | 150 | Vertical | Pass |
| 2 | 2809.500 | 45.88 | -11.56 | 74.0 | -28.12 | Peak | 114.00 | 150 | Vertical | Pass |
| 2** | 2809.500 | 35.00 | -11.56 | 54.0 | -19.00 | AV | 114.00 | 150 | Vertical | Pass |
| 3 | 4079.000 | 47.77 | -5.17 | 74.0 | -26.23 | Peak | 0.00 | 150 | Vertical | Pass |
| 3** | 4079.000 | 37.70 | -5.17 | 54.0 | -16.30 | AV | 0.00 | 150 | Vertical | Pass |
| 4 | 5589.200 | 100.73 | -3.94 | -- | -- | Peak | 13.00 | 150 | Vertical | N/A |
| 4** | 5589.200 | 91.96 | -3.94 | -- | -- | AV | 13.00 | 150 | Vertical | N/A |
| 5 | 7426.362 | 48.51 | -4.07 | 74.0 | -25.49 | Peak | 339.00 | 150 | Vertical | Pass |
| 5** | 7426.362 | 39.98 | -4.07 | 54.0 | -14.02 | AV | 339.00 | 150 | Vertical | Pass |
| 6 | 11617.825 | 51.26 | -0.16 | 74.0 | -22.74 | Peak | 141.00 | 150 | Vertical | Pass |
| 6** | 11617.825 | 41.48 | -0.16 | 54.0 | -12.52 | AV | 141.00 | 150 | Vertical | Pass |

11ac40, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1199.700 | 40.27 | -18.20 | 74.0 | -33.73 | Peak | 268.00 | 150 | Horizontal | Pass |
| 1** | 1199.700 | 31.91 | -18.20 | 54.0 | -22.09 | AV | 268.00 | 150 | Horizontal | Pass |
| 2 | 2779.700 | 42.70 | -11.37 | 74.0 | -31.30 | Peak | 360.00 | 150 | Horizontal | Pass |
| 2** | 2779.700 | 33.55 | -11.37 | 54.0 | -20.45 | AV | 360.00 | 150 | Horizontal | Pass |
| 3 | 4119.600 | 47.35 | -5.65 | 74.0 | -26.65 | Peak | 176.00 | 150 | Horizontal | Pass |
| 3** | 4119.600 | 37.90 | -5.65 | 54.0 | -16.10 | AV | 176.00 | 150 | Horizontal | Pass |
| 4 | 5678.400 | 108.33 | -4.21 | -- | -- | Peak | 293.00 | 150 | Horizontal | N/A |
| 4** | 5678.400 | 100.95 | -4.21 | -- | -- | AV | 293.00 | 150 | Horizontal | N/A |
| 5 | 7526.413 | 48.03 | -4.32 | 74.0 | -25.97 | Peak | 52.00 | 150 | Horizontal | Pass |
| 5** | 7526.413 | 38.82 | -4.32 | 54.0 | -15.18 | AV | 52.00 | 150 | Horizontal | Pass |
| 6 | 12080.125 | 51.18 | -1.33 | 74.0 | -22.82 | Peak | 332.00 | 150 | Horizontal | Pass |
| 6** | 12080.125 | 42.58 | -1.33 | 54.0 | -11.42 | AV | 332.00 | 150 | Horizontal | Pass |

11ac40, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1163.200 | 44.54 | -18.44 | 74.0 | -29.46 | Peak | 317.00 | 150 | Vertical | Pass |
| 1** | 1163.200 | 33.79 | -18.44 | 54.0 | -20.21 | AV | 317.00 | 150 | Vertical | Pass |
| 2 | 2785.500 | 45.52 | -11.22 | 74.0 | -28.48 | Peak | 130.00 | 150 | Vertical | Pass |
| 2** | 2785.500 | 34.68 | -11.22 | 54.0 | -19.32 | AV | 130.00 | 150 | Vertical | Pass |
| 3 | 4079.200 | 47.58 | -5.17 | 74.0 | -26.42 | Peak | 294.00 | 150 | Vertical | Pass |
| 3** | 4079.200 | 37.60 | -5.17 | 54.0 | -16.40 | AV | 294.00 | 150 | Vertical | Pass |
| 4 | 5677.600 | 100.67 | -4.19 | -- | -- | Peak | 277.00 | 150 | Vertical | N/A |
| 4** | 5677.600 | 91.77 | -4.19 | -- | -- | AV | 277.00 | 150 | Vertical | N/A |
| 5 | 7457.413 | 48.58 | -4.48 | 74.0 | -25.42 | Peak | 51.00 | 150 | Vertical | Pass |
| 5** | 7457.413 | 39.53 | -4.48 | 54.0 | -14.47 | AV | 51.00 | 150 | Vertical | Pass |
| 6 | 12267.575 | 51.61 | 0.06 | 74.0 | -22.39 | Peak | 124.00 | 150 | Vertical | Pass |
| 6** | 12267.575 | 42.49 | 0.06 | 54.0 | -11.51 | AV | 124.00 | 150 | Vertical | Pass |

11ac80, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1165.200 | 43.93 | -18.47 | 74.0 | -30.07 | Peak | 233.00 | 150 | Horizontal | Pass |
| 1** | 1165.200 | 27.92 | -18.47 | 54.0 | -26.08 | AV | 233.00 | 150 | Horizontal | Pass |
| 2 | 2815.000 | 43.52 | -11.70 | 74.0 | -30.48 | Peak | 136.00 | 150 | Horizontal | Pass |
| 2** | 2815.000 | 33.32 | -11.70 | 54.0 | -20.68 | AV | 136.00 | 150 | Horizontal | Pass |
| 3 | 4131.000 | 47.44 | -6.04 | 74.0 | -26.56 | Peak | 218.00 | 150 | Horizontal | Pass |
| 3** | 4131.000 | 37.70 | -6.04 | 54.0 | -16.30 | AV | 218.00 | 150 | Horizontal | Pass |
| 4 | 5536.400 | 109.54 | -3.84 | -- | -- | Peak | 320.00 | 150 | Horizontal | N/A |
| 4** | 5536.400 | 103.39 | -3.84 | -- | -- | AV | 320.00 | 150 | Horizontal | N/A |
| 5 | 7349.313 | 48.64 | -5.09 | 74.0 | -25.36 | Peak | 13.00 | 150 | Horizontal | Pass |
| 5** | 7349.313 | 38.66 | -5.09 | 54.0 | -15.34 | AV | 13.00 | 150 | Horizontal | Pass |
| 6 | 12248.887 | 51.44 | -0.12 | 74.0 | -22.56 | Peak | 132.00 | 150 | Horizontal | Pass |
| 6** | 12248.887 | 41.68 | -0.12 | 54.0 | -12.32 | AV | 132.00 | 150 | Horizontal | Pass |

11ac80, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1165.100 | 45.17 | -18.47 | 74.0 | -28.83 | Peak | 272.00 | 150 | Vertical | Pass |
| 1** | 1165.100 | 35.57 | -18.47 | 54.0 | -18.43 | AV | 272.00 | 150 | Vertical | Pass |
| 2 | 2790.200 | 45.34 | -11.10 | 74.0 | -28.66 | Peak | 224.00 | 150 | Vertical | Pass |
| 2** | 2790.200 | 33.37 | -11.10 | 54.0 | -20.63 | AV | 224.00 | 150 | Vertical | Pass |
| 3 | 4100.200 | 46.77 | -5.96 | 74.0 | -27.23 | Peak | 0.00 | 150 | Vertical | Pass |
| 3** | 4100.200 | 37.87 | -5.96 | 54.0 | -16.13 | AV | 0.00 | 150 | Vertical | Pass |
| 4 | 5538.600 | 101.15 | -3.81 | -- | -- | Peak | 360.00 | 150 | Vertical | N/A |
| 4** | 5538.600 | 93.99 | -3.81 | -- | -- | AV | 360.00 | 150 | Vertical | N/A |
| 5 | 7331.775 | 48.11 | -4.84 | 74.0 | -25.89 | Peak | 302.00 | 150 | Vertical | Pass |
| 5** | 7331.775 | 39.47 | -4.84 | 54.0 | -14.53 | AV | 302.00 | 150 | Vertical | Pass |
| 6 | 12241.700 | 51.24 | -0.28 | 74.0 | -22.76 | Peak | 60.00 | 150 | Vertical | Pass |
| 6** | 12241.700 | 42.27 | -0.28 | 54.0 | -11.73 | AV | 60.00 | 150 | Vertical | Pass |

11ac80, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1196.200 | 39.66 | -18.18 | 74.0 | -34.34 | Peak | 300.00 | 150 | Horizontal | Pass |
| 1** | 1196.200 | 30.98 | -18.18 | 54.0 | -23.02 | AV | 300.00 | 150 | Horizontal | Pass |
| 2 | 2796.400 | 42.99 | -11.39 | 74.0 | -31.01 | Peak | 258.00 | 150 | Horizontal | Pass |
| 2** | 2796.400 | 33.82 | -11.39 | 54.0 | -20.18 | AV | 258.00 | 150 | Horizontal | Pass |
| 3 | 4076.800 | 46.50 | -5.27 | 74.0 | -27.50 | Peak | 19.00 | 150 | Horizontal | Pass |
| 3** | 4076.800 | 38.09 | -5.27 | 54.0 | -15.91 | AV | 19.00 | 150 | Horizontal | Pass |
| 4 | 5627.000 | 109.22 | -3.69 | -- | -- | Peak | 318.00 | 150 | Horizontal | N/A |
| 4** | 5627.000 | 101.39 | -3.69 | -- | -- | AV | 318.00 | 150 | Horizontal | N/A |
| 5 | 7423.775 | 48.09 | -4.08 | 74.0 | -25.91 | Peak | 0.00 | 150 | Horizontal | Pass |
| 5** | 7423.775 | 39.47 | -4.08 | 54.0 | -14.53 | AV | 0.00 | 150 | Horizontal | Pass |
| 6 | 12245.151 | 51.59 | -0.20 | 74.0 | -22.41 | Peak | 144.00 | 150 | Horizontal | Pass |
| 6** | 12245.151 | 42.04 | -0.20 | 54.0 | -11.96 | AV | 144.00 | 150 | Horizontal | Pass |

11ac80, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1166.500 | 45.14 | -18.51 | 74.0 | -28.86 | Peak | 304.00 | 150 | Vertical | Pass |
| 1** | 1166.500 | 31.65 | -18.51 | 54.0 | -22.35 | AV | 304.00 | 150 | Vertical | Pass |
| 2 | 2796.700 | 45.76 | -11.42 | 74.0 | -28.24 | Peak | 260.00 | 150 | Vertical | Pass |
| 2** | 2796.700 | 35.38 | -11.42 | 54.0 | -18.62 | AV | 260.00 | 150 | Vertical | Pass |
| 3 | 4079.600 | 47.59 | -5.16 | 74.0 | -26.41 | Peak | 291.00 | 150 | Vertical | Pass |
| 3** | 4079.600 | 37.72 | -5.16 | 54.0 | -16.28 | AV | 291.00 | 150 | Vertical | Pass |
| 4 | 5626.000 | 99.35 | -3.74 | -- | -- | Peak | 102.00 | 150 | Vertical | N/A |
| 4** | 5626.000 | 91.12 | -3.74 | -- | -- | AV | 102.00 | 150 | Vertical | N/A |
| 5 | 7443.900 | 48.22 | -4.39 | 74.0 | -25.78 | Peak | 256.00 | 150 | Vertical | Pass |
| 5** | 7443.900 | 39.68 | -4.39 | 54.0 | -14.32 | AV | 256.00 | 150 | Vertical | Pass |
| 6 | 12333.987 | 51.34 | -0.79 | 74.0 | -22.66 | Peak | 342.00 | 150 | Vertical | Pass |
| 6** | 12333.987 | 42.27 | -0.79 | 54.0 | -11.73 | AV | 342.00 | 150 | Vertical | Pass |

11ax20-SU, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1162.200 | 38.99 | -18.48 | 74.0 | -35.01 | Peak | 208.00 | 150 | Horizontal | Pass |
| 1** | 1162.200 | 27.78 | -18.48 | 54.0 | -26.22 | AV | 208.00 | 150 | Horizontal | Pass |
| 2 | 2805.200 | 42.52 | -11.58 | 74.0 | -31.48 | Peak | 232.00 | 150 | Horizontal | Pass |
| 2** | 2805.200 | 33.45 | -11.58 | 54.0 | -20.55 | AV | 232.00 | 150 | Horizontal | Pass |
| 3 | 4055.000 | 47.53 | -5.56 | 74.0 | -26.47 | Peak | 0.00 | 150 | Horizontal | Pass |
| 3** | 4055.000 | 37.48 | -5.56 | 54.0 | -16.52 | AV | 0.00 | 150 | Horizontal | Pass |
| 4 | 5498.800 | 109.92 | -3.09 | -- | -- | Peak | 283.00 | 150 | Horizontal | N/A |
| 4** | 5498.800 | 103.12 | -3.09 | -- | -- | AV | 283.00 | 150 | Horizontal | N/A |
| 5 | 7350.750 | 48.48 | -5.04 | 74.0 | -25.52 | Peak | 61.00 | 150 | Horizontal | Pass |
| 5** | 7350.750 | 39.19 | -5.04 | 54.0 | -14.81 | AV | 61.00 | 150 | Horizontal | Pass |
| 6 | 12066.900 | 51.94 | -1.44 | 74.0 | -22.06 | Peak | 0.00 | 150 | Horizontal | Pass |
| 6** | 12066.900 | 40.95 | -1.44 | 54.0 | -13.05 | AV | 0.00 | 150 | Horizontal | Pass |

11ax20-SU, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1177.200 | 43.86 | -18.51 | 74.0 | -30.14 | Peak | 290.00 | 150 | Vertical | Pass |
| 1** | 1177.200 | 33.40 | -18.51 | 54.0 | -20.60 | AV | 290.00 | 150 | Vertical | Pass |
| 2 | 2790.500 | 46.44 | -11.10 | 74.0 | -27.56 | Peak | 268.00 | 150 | Vertical | Pass |
| 2** | 2790.500 | 33.70 | -11.10 | 54.0 | -20.30 | AV | 268.00 | 150 | Vertical | Pass |
| 3 | 4055.600 | 47.66 | -5.58 | 74.0 | -26.34 | Peak | 347.00 | 150 | Vertical | Pass |
| 3** | 4055.600 | 38.38 | -5.58 | 54.0 | -15.62 | AV | 347.00 | 150 | Vertical | Pass |
| 4 | 5498.000 | 102.04 | -3.06 | -- | -- | Peak | 19.00 | 150 | Vertical | N/A |
| 4** | 5498.000 | 94.13 | -3.06 | -- | -- | AV | 19.00 | 150 | Vertical | N/A |
| 5 | 7419.750 | 48.41 | -4.04 | 74.0 | -25.59 | Peak | 5.00 | 150 | Vertical | Pass |
| 5** | 7419.750 | 39.42 | -4.04 | 54.0 | -14.58 | AV | 5.00 | 150 | Vertical | Pass |
| 6 | 12175.000 | 51.34 | -0.96 | 74.0 | -22.66 | Peak | 0.00 | 150 | Vertical | Pass |
| 6** | 12175.000 | 41.64 | -0.96 | 54.0 | -12.36 | AV | 0.00 | 150 | Vertical | Pass |

11ax20-SU, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1512.800 | 39.16 | -18.04 | 74.0 | -34.84 | Peak | 254.00 | 150 | Horizontal | Pass |
| 1** | 1512.800 | 28.38 | -18.04 | 54.0 | -25.62 | AV | 254.00 | 150 | Horizontal | Pass |
| 2 | 2731.400 | 43.41 | -11.26 | 74.0 | -30.59 | Peak | 246.00 | 150 | Horizontal | Pass |
| 2** | 2731.400 | 33.22 | -11.26 | 54.0 | -20.78 | AV | 246.00 | 150 | Horizontal | Pass |
| 3 | 4080.200 | 47.64 | -5.15 | 74.0 | -26.36 | Peak | 146.00 | 150 | Horizontal | Pass |
| 3** | 4080.200 | 38.25 | -5.15 | 54.0 | -15.75 | AV | 146.00 | 150 | Horizontal | Pass |
| 4 | 5579.000 | 109.60 | -3.74 | -- | -- | Peak | 85.00 | 150 | Horizontal | N/A |
| 4** | 5579.000 | 101.94 | -3.74 | -- | -- | AV | 85.00 | 150 | Horizontal | N/A |
| 5 | 7454.250 | 47.86 | -4.45 | 74.0 | -26.14 | Peak | 254.00 | 150 | Horizontal | Pass |
| 5** | 7454.250 | 39.20 | -4.45 | 54.0 | -14.80 | AV | 254.00 | 150 | Horizontal | Pass |
| 6 | 11685.675 | 51.70 | -0.90 | 74.0 | -22.30 | Peak | 272.00 | 150 | Horizontal | Pass |
| 6** | 11685.675 | 42.44 | -0.90 | 54.0 | -11.56 | AV | 272.00 | 150 | Horizontal | Pass |

11ax20-SU, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1168.600 | 44.03 | -18.46 | 74.0 | -29.97 | Peak | 300.00 | 150 | Vertical | Pass |
| 1** | 1168.600 | 34.66 | -18.46 | 54.0 | -19.34 | AV | 300.00 | 150 | Vertical | Pass |
| 2 | 2789.200 | 44.80 | -11.08 | 74.0 | -29.20 | Peak | 229.00 | 150 | Vertical | Pass |
| 2** | 2789.200 | 33.66 | -11.08 | 54.0 | -20.34 | AV | 229.00 | 150 | Vertical | Pass |
| 3 | 4169.600 | 47.23 | -5.41 | 74.0 | -26.77 | Peak | 140.00 | 150 | Vertical | Pass |
| 3** | 4169.600 | 37.54 | -5.41 | 54.0 | -16.46 | AV | 140.00 | 150 | Vertical | Pass |
| 4 | 5578.600 | 101.14 | -3.72 | -- | -- | Peak | 0.00 | 150 | Vertical | N/A |
| 4** | 5578.600 | 92.14 | -3.72 | -- | -- | AV | 0.00 | 150 | Vertical | N/A |
| 5 | 7369.725 | 48.36 | -4.86 | 74.0 | -25.64 | Peak | 312.00 | 150 | Vertical | Pass |
| 5** | 7369.725 | 39.96 | -4.86 | 54.0 | -14.04 | AV | 312.00 | 150 | Vertical | Pass |
| 6 | 11657.213 | 51.41 | -0.43 | 74.0 | -22.59 | Peak | 175.00 | 150 | Vertical | Pass |
| 6** | 11657.213 | 41.68 | -0.43 | 54.0 | -12.32 | AV | 175.00 | 150 | Vertical | Pass |

11ax20-SU, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1196.600 | 41.59 | -18.17 | 74.0 | -32.41 | Peak | 0.00 | 150 | Horizontal | Pass |
| 1** | 1196.600 | 30.56 | -18.17 | 54.0 | -23.44 | AV | 0.00 | 150 | Horizontal | Pass |
| 2 | 2785.100 | 43.34 | -11.24 | 74.0 | -30.66 | Peak | 320.00 | 150 | Horizontal | Pass |
| 2** | 2785.100 | 33.56 | -11.24 | 54.0 | -20.44 | AV | 320.00 | 150 | Horizontal | Pass |
| 3 | 3846.400 | 47.72 | -6.47 | 74.0 | -26.28 | Peak | 262.00 | 150 | Horizontal | Pass |
| 3** | 3846.400 | 36.79 | -6.47 | 54.0 | -17.21 | AV | 262.00 | 150 | Horizontal | Pass |
| 4 | 5697.800 | 108.45 | -4.41 | -- | -- | Peak | 309.00 | 150 | Horizontal | N/A |
| 4** | 5697.800 | 101.52 | -4.41 | -- | -- | AV | 309.00 | 150 | Horizontal | N/A |
| 5 | 7528.138 | 48.62 | -4.27 | 74.0 | -25.38 | Peak | 102.00 | 150 | Horizontal | Pass |
| 5** | 7528.138 | 39.38 | -4.27 | 54.0 | -14.62 | AV | 102.00 | 150 | Horizontal | Pass |
| 6 | 12191.100 | 52.17 | -0.85 | 74.0 | -21.83 | Peak | 189.00 | 150 | Horizontal | Pass |
| 6** | 12191.100 | 41.80 | -0.85 | 54.0 | -12.20 | AV | 189.00 | 150 | Horizontal | Pass |

11ax20-SU, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1147.900 | 42.65 | -18.62 | 74.0 | -31.35 | Peak | 300.00 | 150 | Vertical | Pass |
| 1** | 1147.900 | 29.27 | -18.62 | 54.0 | -24.73 | AV | 300.00 | 150 | Vertical | Pass |
| 2 | 2796.400 | 44.93 | -11.39 | 74.0 | -29.07 | Peak | 308.00 | 150 | Vertical | Pass |
| 2** | 2796.400 | 35.62 | -11.39 | 54.0 | -18.38 | AV | 308.00 | 150 | Vertical | Pass |
| 3 | 4067.400 | 47.21 | -5.48 | 74.0 | -26.79 | Peak | 0.00 | 150 | Vertical | Pass |
| 3** | 4067.400 | 38.40 | -5.48 | 54.0 | -15.60 | AV | 0.00 | 150 | Vertical | Pass |
| 4 | 5706.400 | 100.84 | -4.42 | -- | -- | Peak | 95.00 | 150 | Vertical | N/A |
| 4** | 5706.400 | 92.11 | -4.42 | -- | -- | AV | 95.00 | 150 | Vertical | N/A |
| 5 | 7370.875 | 48.40 | -4.78 | 74.0 | -25.60 | Peak | 329.00 | 150 | Vertical | Pass |
| 5** | 7370.875 | 39.10 | -4.78 | 54.0 | -14.90 | AV | 329.00 | 150 | Vertical | Pass |
| 6 | 12098.525 | 51.68 | -1.05 | 74.0 | -22.32 | Peak | 115.00 | 150 | Vertical | Pass |
| 6** | 12098.525 | 41.73 | -1.05 | 54.0 | -12.27 | AV | 115.00 | 150 | Vertical | Pass |

11ax40-SU, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1154.000 | 40.73 | -18.66 | 74.0 | -33.27 | Peak | 303.00 | 150 | Horizontal | Pass |
| 1** | 1154.000 | 28.87 | -18.66 | 54.0 | -25.13 | AV | 303.00 | 150 | Horizontal | Pass |
| 2 | 2799.000 | 43.07 | -11.41 | 74.0 | -30.93 | Peak | 250.00 | 150 | Horizontal | Pass |
| 2** | 2799.000 | 33.53 | -11.41 | 54.0 | -20.47 | AV | 250.00 | 150 | Horizontal | Pass |
| 3 | 4097.600 | 47.25 | -6.03 | 74.0 | -26.75 | Peak | 304.00 | 150 | Horizontal | Pass |
| 3** | 4097.600 | 37.37 | -6.03 | 54.0 | -16.63 | AV | 304.00 | 150 | Horizontal | Pass |
| 4 | 5518.400 | 108.90 | -3.76 | -- | -- | Peak | 317.00 | 150 | Horizontal | N/A |
| 4** | 5518.400 | 100.21 | -3.76 | -- | -- | AV | 317.00 | 150 | Horizontal | N/A |
| 5 | 7518.650 | 48.09 | -4.13 | 74.0 | -25.91 | Peak | 310.00 | 150 | Horizontal | Pass |
| 5** | 7518.650 | 38.81 | -4.13 | 54.0 | -15.19 | AV | 310.00 | 150 | Horizontal | Pass |
| 6 | 12104.849 | 51.77 | -0.94 | 74.0 | -22.23 | Peak | 346.00 | 150 | Horizontal | Pass |
| 6** | 12104.849 | 42.05 | -0.94 | 54.0 | -11.95 | AV | 346.00 | 150 | Horizontal | Pass |

11ax40-SU, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1164.200 | 43.72 | -18.45 | 74.0 | -30.28 | Peak | 305.00 | 150 | Vertical | Pass |
| 1** | 1164.200 | 32.38 | -18.45 | 54.0 | -21.62 | AV | 305.00 | 150 | Vertical | Pass |
| 2 | 2791.300 | 45.40 | -11.10 | 74.0 | -28.60 | Peak | 234.00 | 150 | Vertical | Pass |
| 2** | 2791.300 | 34.63 | -11.10 | 54.0 | -19.37 | AV | 234.00 | 150 | Vertical | Pass |
| 3 | 4080.400 | 47.35 | -5.14 | 74.0 | -26.65 | Peak | 22.00 | 150 | Vertical | Pass |
| 3** | 4080.400 | 38.28 | -5.14 | 54.0 | -15.72 | AV | 22.00 | 150 | Vertical | Pass |
| 4 | 5508.800 | 97.51 | -3.57 | -- | -- | Peak | 0.00 | 150 | Vertical | N/A |
| 4** | 5508.800 | 89.89 | -3.57 | -- | -- | AV | 0.00 | 150 | Vertical | N/A |
| 5 | 7365.125 | 48.42 | -4.98 | 74.0 | -25.58 | Peak | 0.00 | 150 | Vertical | Pass |
| 5** | 7365.125 | 39.52 | -4.98 | 54.0 | -14.48 | AV | 0.00 | 150 | Vertical | Pass |
| 6 | 12271.025 | 51.15 | 0.07 | 74.0 | -22.85 | Peak | 104.00 | 150 | Vertical | Pass |
| 6** | 12271.025 | 42.83 | 0.07 | 54.0 | -11.17 | AV | 104.00 | 150 | Vertical | Pass |

11ax40-SU, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1230.400 | 42.05 | -18.16 | 74.0 | -31.95 | Peak | 239.00 | 150 | Horizontal | Pass |
| 1** | 1230.400 | 28.61 | -18.16 | 54.0 | -25.39 | AV | 239.00 | 150 | Horizontal | Pass |
| 2 | 2765.400 | 43.00 | -11.57 | 74.0 | -31.00 | Peak | 190.00 | 150 | Horizontal | Pass |
| 2** | 2765.400 | 33.07 | -11.57 | 54.0 | -20.93 | AV | 190.00 | 150 | Horizontal | Pass |
| 3 | 4067.000 | 47.57 | -5.51 | 74.0 | -26.43 | Peak | 317.00 | 150 | Horizontal | Pass |
| 3** | 4067.000 | 38.29 | -5.51 | 54.0 | -15.71 | AV | 317.00 | 150 | Horizontal | Pass |
| 4 | 5598.400 | 108.17 | -3.91 | -- | -- | Peak | 317.00 | 150 | Horizontal | N/A |
| 4** | 5598.400 | 99.73 | -3.91 | -- | -- | AV | 317.00 | 150 | Horizontal | N/A |
| 5 | 7441.025 | 48.73 | -4.29 | 74.0 | -25.27 | Peak | 132.00 | 150 | Horizontal | Pass |
| 5** | 7441.025 | 39.66 | -4.29 | 54.0 | -14.34 | AV | 132.00 | 150 | Horizontal | Pass |
| 6 | 12120.950 | 50.97 | -0.67 | 74.0 | -23.03 | Peak | 8.00 | 150 | Horizontal | Pass |
| 6** | 12120.950 | 41.12 | -0.67 | 54.0 | -12.88 | AV | 8.00 | 150 | Horizontal | Pass |

11ax40-SU, U-NII-2C, 1 GHz to 18 GHz, Middle channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1163.200 | 46.43 | -18.44 | 74.0 | -27.57 | Peak | 300.00 | 150 | Vertical | Pass |
| 1** | 1163.200 | 31.39 | -18.44 | 54.0 | -22.61 | AV | 300.00 | 150 | Vertical | Pass |
| 2 | 2793.200 | 46.89 | -11.13 | 74.0 | -27.11 | Peak | 342.00 | 150 | Vertical | Pass |
| 2** | 2793.200 | 34.25 | -11.13 | 54.0 | -19.75 | AV | 342.00 | 150 | Vertical | Pass |
| 3 | 3993.600 | 48.89 | -6.30 | 74.0 | -25.11 | Peak | 268.00 | 150 | Vertical | Pass |
| 3** | 3993.600 | 37.54 | -6.30 | 54.0 | -16.46 | AV | 268.00 | 150 | Vertical | Pass |
| 4 | 5579.000 | 97.08 | -3.74 | -- | -- | Peak | 360.00 | 150 | Vertical | N/A |
| 4** | 5579.000 | 88.91 | -3.74 | -- | -- | AV | 360.00 | 150 | Vertical | N/A |
| 5 | 7419.463 | 48.51 | -4.06 | 74.0 | -25.49 | Peak | 179.00 | 150 | Vertical | Pass |
| 5** | 7419.463 | 39.88 | -4.06 | 54.0 | -14.12 | AV | 179.00 | 150 | Vertical | Pass |
| 6 | 12075.237 | 50.95 | -1.37 | 74.0 | -23.05 | Peak | 0.00 | 150 | Vertical | Pass |
| 6** | 12075.237 | 41.60 | -1.37 | 54.0 | -12.40 | AV | 0.00 | 150 | Vertical | Pass |

11ax40-SU, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1196.200 | 41.96 | -18.18 | 74.0 | -32.04 | Peak | 226.00 | 150 | Horizontal | Pass |
| 1** | 1196.200 | 29.46 | -18.18 | 54.0 | -24.54 | AV | 226.00 | 150 | Horizontal | Pass |
| 2 | 2775.200 | 43.10 | -11.41 | 74.0 | -30.90 | Peak | 126.00 | 150 | Horizontal | Pass |
| 2** | 2775.200 | 34.65 | -11.41 | 54.0 | -19.35 | AV | 126.00 | 150 | Horizontal | Pass |
| 3 | 4069.000 | 46.97 | -5.53 | 74.0 | -27.03 | Peak | 140.00 | 150 | Horizontal | Pass |
| 3** | 4069.000 | 37.70 | -5.53 | 54.0 | -16.30 | AV | 140.00 | 150 | Horizontal | Pass |
| 4 | 5668.000 | 106.08 | -3.88 | -- | -- | Peak | 313.00 | 150 | Horizontal | N/A |
| 4** | 5668.000 | 98.89 | -3.88 | -- | -- | AV | 313.00 | 150 | Horizontal | N/A |
| 5 | 7426.362 | 48.43 | -4.07 | 74.0 | -25.57 | Peak | 287.00 | 150 | Horizontal | Pass |
| 5** | 7426.362 | 39.53 | -4.07 | 54.0 | -14.47 | AV | 287.00 | 150 | Horizontal | Pass |
| 6 | 12106.287 | 51.15 | -0.91 | 74.0 | -22.85 | Peak | 1.00 | 150 | Horizontal | Pass |
| 6** | 12106.287 | 42.55 | -0.91 | 54.0 | -11.45 | AV | 1.00 | 150 | Horizontal | Pass |

11ax40-SU, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1165.800 | 46.02 | -18.49 | 74.0 | -27.98 | Peak | 286.00 | 150 | Vertical | Pass |
| 1** | 1165.800 | 34.51 | -18.49 | 54.0 | -19.49 | AV | 286.00 | 150 | Vertical | Pass |
| 2 | 2793.700 | 44.63 | -11.15 | 74.0 | -29.37 | Peak | 343.00 | 150 | Vertical | Pass |
| 2** | 2793.700 | 37.00 | -11.15 | 54.0 | -17.00 | AV | 343.00 | 150 | Vertical | Pass |
| 3 | 4078.600 | 47.46 | -5.18 | 74.0 | -26.54 | Peak | 223.00 | 150 | Vertical | Pass |
| 3** | 4078.600 | 38.21 | -5.18 | 54.0 | -15.79 | AV | 223.00 | 150 | Vertical | Pass |
| 4 | 5656.400 | 100.72 | -3.71 | -- | -- | Peak | 109.00 | 150 | Vertical | N/A |
| 4** | 5656.400 | 90.19 | -3.71 | -- | -- | AV | 109.00 | 150 | Vertical | N/A |
| 5 | 7461.725 | 48.47 | -4.61 | 74.0 | -25.53 | Peak | 239.00 | 150 | Vertical | Pass |
| 5** | 7461.725 | 38.44 | -4.61 | 54.0 | -15.56 | AV | 239.00 | 150 | Vertical | Pass |
| 6 | 11651.750 | 51.00 | -0.37 | 74.0 | -23.00 | Peak | 43.00 | 150 | Vertical | Pass |
| 6** | 11651.750 | 41.97 | -0.37 | 54.0 | -12.03 | AV | 43.00 | 150 | Vertical | Pass |

11ax80-SU, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1158.500 | 40.19 | -18.58 | 74.0 | -33.81 | Peak | 360.00 | 150 | Horizontal | Pass |
| 1** | 1158.500 | 27.95 | -18.58 | 54.0 | -26.05 | AV | 360.00 | 150 | Horizontal | Pass |
| 2 | 2809.300 | 43.15 | -11.56 | 74.0 | -30.85 | Peak | 170.00 | 150 | Horizontal | Pass |
| 2** | 2809.300 | 33.12 | -11.56 | 54.0 | -20.88 | AV | 170.00 | 150 | Horizontal | Pass |
| 3 | 4152.400 | 47.47 | -5.88 | 74.0 | -26.53 | Peak | 111.00 | 150 | Horizontal | Pass |
| 3** | 4152.400 | 37.44 | -5.88 | 54.0 | -16.56 | AV | 111.00 | 150 | Horizontal | Pass |
| 4 | 5507.000 | 107.33 | -3.47 | -- | -- | Peak | 315.00 | 150 | Horizontal | N/A |
| 4** | 5507.000 | 97.29 | -3.47 | -- | -- | AV | 315.00 | 150 | Horizontal | N/A |
| 5 | 7439.587 | 48.91 | -4.38 | 74.0 | -25.09 | Peak | 293.00 | 150 | Horizontal | Pass |
| 5** | 7439.587 | 39.62 | -4.38 | 54.0 | -14.38 | AV | 293.00 | 150 | Horizontal | Pass |
| 6 | 12238.825 | 51.45 | -0.32 | 74.0 | -22.55 | Peak | 47.00 | 150 | Horizontal | Pass |
| 6** | 12238.825 | 42.62 | -0.32 | 54.0 | -11.38 | AV | 47.00 | 150 | Horizontal | Pass |

11ax80-SU, U-NII-2C, 1 GHz to 18 GHz, Low channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1177.000 | 44.03 | -18.51 | 74.0 | -29.97 | Peak | 305.00 | 150 | Vertical | Pass |
| 1** | 1177.000 | 31.61 | -18.51 | 54.0 | -22.39 | AV | 305.00 | 150 | Vertical | Pass |
| 2 | 2791.200 | 44.70 | -11.10 | 74.0 | -29.30 | Peak | 271.00 | 150 | Vertical | Pass |
| 2** | 2791.200 | 35.68 | -11.10 | 54.0 | -18.32 | AV | 271.00 | 150 | Vertical | Pass |
| 3 | 4100.400 | 47.29 | -5.95 | 74.0 | -26.71 | Peak | 91.00 | 150 | Vertical | Pass |
| 3** | 4100.400 | 37.91 | -5.95 | 54.0 | -16.09 | AV | 91.00 | 150 | Vertical | Pass |
| 4 | 5549.600 | 95.51 | -3.66 | -- | -- | Peak | 25.00 | 150 | Vertical | N/A |
| 4** | 5549.600 | 86.34 | -3.66 | -- | -- | AV | 25.00 | 150 | Vertical | N/A |
| 5 | 7429.525 | 48.79 | -4.29 | 74.0 | -25.21 | Peak | 164.00 | 150 | Vertical | Pass |
| 5** | 7429.525 | 39.34 | -4.29 | 54.0 | -14.66 | AV | 164.00 | 150 | Vertical | Pass |
| 6 | 12207.200 | 51.75 | -0.58 | 74.0 | -22.25 | Peak | 201.00 | 150 | Vertical | Pass |
| 6** | 12207.200 | 41.53 | -0.58 | 54.0 | -12.47 | AV | 201.00 | 150 | Vertical | Pass |

11ax80-SU, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1161.500 | 40.36 | -18.55 | 74.0 | -33.64 | Peak | 360.00 | 150 | Horizontal | Pass |
| 1** | 1161.500 | 30.51 | -18.55 | 54.0 | -23.49 | AV | 360.00 | 150 | Horizontal | Pass |
| 2 | 2779.600 | 43.22 | -11.37 | 74.0 | -30.78 | Peak | 288.00 | 150 | Horizontal | Pass |
| 2** | 2779.600 | 33.31 | -11.37 | 54.0 | -20.69 | AV | 288.00 | 150 | Horizontal | Pass |
| 3 | 3903.800 | 47.17 | -7.42 | 74.0 | -26.83 | Peak | 36.00 | 150 | Horizontal | Pass |
| 3** | 3903.800 | 37.46 | -7.42 | 54.0 | -16.54 | AV | 36.00 | 150 | Horizontal | Pass |
| 4 | 5588.200 | 106.21 | -3.95 | -- | -- | Peak | 321.00 | 150 | Horizontal | N/A |
| 4** | 5588.200 | 97.23 | -3.95 | -- | -- | AV | 321.00 | 150 | Horizontal | N/A |
| 5 | 7365.987 | 47.97 | -4.94 | 74.0 | -26.03 | Peak | 329.00 | 150 | Horizontal | Pass |
| 5** | 7365.987 | 39.28 | -4.94 | 54.0 | -14.72 | AV | 329.00 | 150 | Horizontal | Pass |
| 6 | 12303.513 | 50.94 | -0.05 | 74.0 | -23.06 | Peak | 55.00 | 150 | Horizontal | Pass |
| 6** | 12303.513 | 41.32 | -0.05 | 54.0 | -12.68 | AV | 55.00 | 150 | Horizontal | Pass |

11ax80-SU, U-NII-2C, 1 GHz to 18 GHz, High channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1163.800 | 45.43 | -18.45 | 74.0 | -28.57 | Peak | 295.00 | 150 | Vertical | Pass |
| 1** | 1163.800 | 28.54 | -18.45 | 54.0 | -25.46 | AV | 295.00 | 150 | Vertical | Pass |
| 2 | 2797.300 | 46.99 | -11.42 | 74.0 | -27.01 | Peak | 258.00 | 150 | Vertical | Pass |
| 2** | 2797.300 | 34.40 | -11.42 | 54.0 | -19.60 | AV | 258.00 | 150 | Vertical | Pass |
| 3 | 4156.000 | 47.59 | -5.78 | 74.0 | -26.41 | Peak | 230.00 | 150 | Vertical | Pass |
| 3** | 4156.000 | 38.10 | -5.78 | 54.0 | -15.90 | AV | 230.00 | 150 | Vertical | Pass |
| 4 | 5606.600 | 95.06 | -3.90 | -- | -- | Peak | 113.00 | 150 | Vertical | N/A |
| 4** | 5606.600 | 85.57 | -3.90 | -- | -- | AV | 113.00 | 150 | Vertical | N/A |
| 5 | 7360.525 | 48.76 | -4.92 | 74.0 | -25.24 | Peak | 285.00 | 150 | Vertical | Pass |
| 5** | 7360.525 | 39.11 | -4.92 | 54.0 | -14.89 | AV | 285.00 | 150 | Vertical | Pass |
| 6 | 12237.100 | 51.74 | -0.32 | 74.0 | -22.26 | Peak | 127.00 | 150 | Vertical | Pass |
| 6** | 12237.100 | 42.42 | -0.32 | 54.0 | -11.58 | AV | 127.00 | 150 | Vertical | Pass |

11a, U-NII-3, 1 GHz to 18 GHz, Low channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1198.800 | 43.89 | -18.33 | 74.0 | -30.11 | Peak | 238.00 | 150 | Horizontal | Pass |
| 1** | 1198.800 | 31.63 | -18.33 | 54.0 | -22.37 | AV | 238.00 | 150 | Horizontal | Pass |
| 2 | 2797.500 | 43.32 | -11.42 | 74.0 | -30.68 | Peak | 43.00 | 150 | Horizontal | Pass |
| 2** | 2797.500 | 33.78 | -11.42 | 54.0 | -20.22 | AV | 43.00 | 150 | Horizontal | Pass |
| 3 | 4197.800 | 47.28 | -5.95 | 74.0 | -26.72 | Peak | 34.00 | 150 | Horizontal | Pass |
| 3** | 4197.800 | 37.06 | -5.95 | 54.0 | -16.94 | AV | 34.00 | 150 | Horizontal | Pass |
| 4 | 5739.000 | 102.77 | -4.18 | -- | -- | Peak | 311.00 | 150 | Horizontal | N/A |
| 4** | 5739.000 | 96.53 | -4.18 | -- | -- | AV | 311.00 | 150 | Horizontal | N/A |
| 5 | 7461.437 | 48.46 | -4.61 | 74.0 | -25.54 | Peak | 255.00 | 150 | Horizontal | Pass |
| 5** | 7461.437 | 38.67 | -4.61 | 54.0 | -15.33 | AV | 255.00 | 150 | Horizontal | Pass |
| 6 | 12269.875 | 52.06 | 0.06 | 74.0 | -21.94 | Peak | 217.00 | 150 | Horizontal | Pass |
| 6** | 12269.875 | 42.63 | 0.06 | 54.0 | -11.37 | AV | 217.00 | 150 | Horizontal | Pass |

11a, U-NII-3, 1 GHz to 18 GHz, Low channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1163.500 | 45.97 | -18.45 | 74.0 | -28.03 | Peak | 309.00 | 150 | Vertical | Pass |
| 1** | 1163.500 | 29.33 | -18.45 | 54.0 | -24.67 | AV | 309.00 | 150 | Vertical | Pass |
| 2 | 2785.000 | 46.64 | -11.24 | 74.0 | -27.36 | Peak | 253.00 | 150 | Vertical | Pass |
| 2** | 2785.000 | 36.64 | -11.24 | 54.0 | -17.36 | AV | 253.00 | 150 | Vertical | Pass |
| 3 | 4664.000 | 51.24 | -4.81 | 74.0 | -22.76 | Peak | 252.00 | 150 | Vertical | Pass |
| 3** | 4664.000 | 38.74 | -4.81 | 54.0 | -15.26 | AV | 252.00 | 150 | Vertical | Pass |
| 4 | 5737.000 | 92.97 | -4.24 | -- | -- | Peak | 92.00 | 150 | Vertical | N/A |
| 4** | 5737.000 | 86.10 | -4.24 | -- | -- | AV | 92.00 | 150 | Vertical | N/A |
| 5 | 7453.388 | 48.33 | -4.46 | 74.0 | -25.67 | Peak | 118.00 | 150 | Vertical | Pass |
| 5** | 7453.388 | 38.98 | -4.46 | 54.0 | -15.02 | AV | 118.00 | 150 | Vertical | Pass |
| 6 | 12018.025 | 50.96 | -1.19 | 74.0 | -23.04 | Peak | 329.00 | 150 | Vertical | Pass |
| 6** | 12018.025 | 40.87 | -1.19 | 54.0 | -13.13 | AV | 329.00 | 150 | Vertical | Pass |

11a, U-NII-3, 1 GHz to 18 GHz, Middle channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1164.100 | 46.47 | -18.45 | 74.0 | -27.53 | Peak | 275.00 | 150 | Horizontal | Pass |
| 1** | 1164.100 | 30.37 | -18.45 | 54.0 | -23.63 | AV | 275.00 | 150 | Horizontal | Pass |
| 2 | 2766.400 | 43.83 | -11.56 | 74.0 | -30.17 | Peak | 190.00 | 150 | Horizontal | Pass |
| 2** | 2766.400 | 33.76 | -11.56 | 54.0 | -20.24 | AV | 190.00 | 150 | Horizontal | Pass |
| 3 | 4012.200 | 47.10 | -6.61 | 74.0 | -26.90 | Peak | 177.00 | 150 | Horizontal | Pass |
| 3** | 4012.200 | 37.74 | -6.61 | 54.0 | -16.26 | AV | 177.00 | 150 | Horizontal | Pass |
| 4 | 5779.200 | 102.73 | -3.28 | -- | -- | Peak | 315.00 | 150 | Horizontal | N/A |
| 4** | 5779.200 | 95.62 | -3.28 | -- | -- | AV | 315.00 | 150 | Horizontal | N/A |
| 5 | 7437.575 | 48.07 | -4.34 | 74.0 | -25.93 | Peak | 49.00 | 150 | Horizontal | Pass |
| 5** | 7437.575 | 39.68 | -4.34 | 54.0 | -14.32 | AV | 49.00 | 150 | Horizontal | Pass |
| 6 | 12269.300 | 51.55 | 0.06 | 74.0 | -22.45 | Peak | 360.00 | 150 | Horizontal | Pass |
| 6** | 12269.300 | 42.39 | 0.06 | 54.0 | -11.61 | AV | 360.00 | 150 | Horizontal | Pass |

11a, U-NII-3, 1 GHz to 18 GHz, Middle channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1176.000 | 44.16 | -18.52 | 74.0 | -29.84 | Peak | 314.00 | 150 | Vertical | Pass |
| 1** | 1176.000 | 30.75 | -18.52 | 54.0 | -23.25 | AV | 314.00 | 150 | Vertical | Pass |
| 2 | 2797.400 | 47.14 | -11.42 | 74.0 | -26.86 | Peak | 231.00 | 150 | Vertical | Pass |
| 2** | 2797.400 | 34.55 | -11.42 | 54.0 | -19.45 | AV | 231.00 | 150 | Vertical | Pass |
| 3 | 4172.600 | 47.23 | -5.46 | 74.0 | -26.77 | Peak | 340.00 | 150 | Vertical | Pass |
| 3** | 4172.600 | 37.92 | -5.46 | 54.0 | -16.08 | AV | 340.00 | 150 | Vertical | Pass |
| 4 | 5770.200 | 95.35 | -3.27 | -- | -- | Peak | 93.00 | 150 | Vertical | N/A |
| 4** | 5770.200 | 86.99 | -3.27 | -- | -- | AV | 93.00 | 150 | Vertical | N/A |
| 5 | 7360.813 | 48.86 | -4.93 | 74.0 | -25.14 | Peak | 205.00 | 150 | Vertical | Pass |
| 5** | 7360.813 | 39.61 | -4.93 | 54.0 | -14.39 | AV | 205.00 | 150 | Vertical | Pass |
| 6 | 11569.812 | 51.16 | 0.07 | 74.0 | -22.84 | Peak | 277.00 | 150 | Vertical | Pass |
| 6** | 11569.812 | 41.08 | 0.07 | 54.0 | -12.92 | AV | 277.00 | 150 | Vertical | Pass |

11a, U-NII-3, 1 GHz to 18 GHz, High channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1163.700 | 45.94 | -18.45 | 74.0 | -28.06 | Peak | 235.00 | 150 | Horizontal | Pass |
| 1** | 1163.700 | 28.36 | -18.45 | 54.0 | -25.64 | AV | 235.00 | 150 | Horizontal | Pass |
| 2 | 2771.200 | 43.22 | -11.49 | 74.0 | -30.78 | Peak | 268.00 | 150 | Horizontal | Pass |
| 2** | 2771.200 | 33.51 | -11.49 | 54.0 | -20.49 | AV | 268.00 | 150 | Horizontal | Pass |
| 3 | 3985.200 | 47.24 | -6.34 | 74.0 | -26.76 | Peak | 84.00 | 150 | Horizontal | Pass |
| 3** | 3985.200 | 38.22 | -6.34 | 54.0 | -15.78 | AV | 84.00 | 150 | Horizontal | Pass |
| 4 | 5814.000 | 101.98 | -2.91 | -- | -- | Peak | 307.00 | 150 | Horizontal | N/A |
| 4** | 5814.000 | 95.83 | -2.91 | -- | -- | AV | 307.00 | 150 | Horizontal | N/A |
| 5 | 7498.525 | 48.55 | -4.39 | 74.0 | -25.45 | Peak | 197.00 | 150 | Horizontal | Pass |
| 5** | 7498.525 | 38.71 | -4.39 | 54.0 | -15.29 | AV | 197.00 | 150 | Horizontal | Pass |
| 6 | 12217.550 | 51.15 | -0.33 | 74.0 | -22.85 | Peak | 276.00 | 150 | Horizontal | Pass |
| 6** | 12217.550 | 40.87 | -0.33 | 54.0 | -13.13 | AV | 276.00 | 150 | Horizontal | Pass |

11a, U-NII-3, 1 GHz to 18 GHz, High channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1199.500 | 46.31 | -18.23 | 74.0 | -27.69 | Peak | 312.00 | 150 | Vertical | Pass |
| 1** | 1199.500 | 37.41 | -18.23 | 54.0 | -16.59 | AV | 312.00 | 150 | Vertical | Pass |
| 2 | 2808.600 | 46.30 | -11.55 | 74.0 | -27.70 | Peak | 253.00 | 150 | Vertical | Pass |
| 2** | 2808.600 | 34.06 | -11.55 | 54.0 | -19.94 | AV | 253.00 | 150 | Vertical | Pass |
| 3 | 4272.400 | 48.25 | -5.10 | 74.0 | -25.75 | Peak | 80.00 | 150 | Vertical | Pass |
| 3** | 4272.400 | 38.14 | -5.10 | 54.0 | -15.86 | AV | 80.00 | 150 | Vertical | Pass |
| 4 | 5813.800 | 96.35 | -2.92 | -- | -- | Peak | 94.00 | 150 | Vertical | N/A |
| 4** | 5813.800 | 87.67 | -2.92 | -- | -- | AV | 94.00 | 150 | Vertical | N/A |
| 5 | 7375.475 | 48.65 | -4.84 | 74.0 | -25.35 | Peak | 280.00 | 150 | Vertical | Pass |
| 5** | 7375.475 | 38.50 | -4.84 | 54.0 | -15.50 | AV | 280.00 | 150 | Vertical | Pass |
| 6 | 12177.588 | 51.51 | -0.97 | 74.0 | -22.49 | Peak | 173.00 | 150 | Vertical | Pass |
| 6** | 12177.588 | 41.51 | -0.97 | 54.0 | -12.49 | AV | 173.00 | 150 | Vertical | Pass |

11n20, U-NII-3, 1 GHz to 18 GHz, Low channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1165.300 | 43.09 | -18.47 | 74.0 | -30.91 | Peak | 245.00 | 150 | Horizontal | Pass |
| 1** | 1165.300 | 28.83 | -18.47 | 54.0 | -25.17 | AV | 245.00 | 150 | Horizontal | Pass |
| 2 | 2789.500 | 43.49 | -11.09 | 74.0 | -30.51 | Peak | 273.00 | 150 | Horizontal | Pass |
| 2** | 2789.500 | 33.51 | -11.09 | 54.0 | -20.49 | AV | 273.00 | 150 | Horizontal | Pass |
| 3 | 4059.200 | 46.69 | -5.54 | 74.0 | -27.31 | Peak | 228.00 | 150 | Horizontal | Pass |
| 3** | 4059.200 | 37.32 | -5.54 | 54.0 | -16.68 | AV | 228.00 | 150 | Horizontal | Pass |
| 4 | 5743.200 | 102.86 | -4.03 | -- | -- | Peak | 315.00 | 150 | Horizontal | N/A |
| 4** | 5743.200 | 96.17 | -4.03 | -- | -- | AV | 315.00 | 150 | Horizontal | N/A |
| 5 | 7427.513 | 48.26 | -4.12 | 74.0 | -25.74 | Peak | 13.00 | 150 | Horizontal | Pass |
| 5** | 7427.513 | 38.88 | -4.12 | 54.0 | -15.12 | AV | 13.00 | 150 | Horizontal | Pass |
| 6 | 11673.026 | 50.77 | -0.79 | 74.0 | -23.23 | Peak | 138.00 | 150 | Horizontal | Pass |
| 6** | 11673.026 | 42.09 | -0.79 | 54.0 | -11.91 | AV | 138.00 | 150 | Horizontal | Pass |

11n20, U-NII-3, 1 GHz to 18 GHz, Low channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1198.800 | 45.59 | -18.33 | 74.0 | -28.41 | Peak | 337.00 | 150 | Vertical | Pass |
| 1** | 1198.800 | 31.17 | -18.33 | 54.0 | -22.83 | AV | 337.00 | 150 | Vertical | Pass |
| 2 | 2792.000 | 47.61 | -11.10 | 74.0 | -26.39 | Peak | 239.00 | 150 | Vertical | Pass |
| 2** | 2792.000 | 39.44 | -11.10 | 54.0 | -14.56 | AV | 239.00 | 150 | Vertical | Pass |
| 3 | 4091.600 | 47.50 | -5.60 | 74.0 | -26.50 | Peak | 270.00 | 150 | Vertical | Pass |
| 3** | 4091.600 | 38.36 | -5.60 | 54.0 | -15.64 | AV | 270.00 | 150 | Vertical | Pass |
| 4 | 5742.200 | 93.96 | -4.08 | -- | -- | Peak | 108.00 | 150 | Vertical | N/A |
| 4** | 5742.200 | 87.34 | -4.08 | -- | -- | AV | 108.00 | 150 | Vertical | N/A |
| 5 | 7374.038 | 48.61 | -4.96 | 74.0 | -25.39 | Peak | 307.00 | 150 | Vertical | Pass |
| 5** | 7374.038 | 38.59 | -4.96 | 54.0 | -15.41 | AV | 307.00 | 150 | Vertical | Pass |
| 6 | 12244.862 | 51.54 | -0.21 | 74.0 | -22.46 | Peak | 307.00 | 150 | Vertical | Pass |
| 6** | 12244.862 | 41.22 | -0.21 | 54.0 | -12.78 | AV | 307.00 | 150 | Vertical | Pass |

11n20, U-NII-3, 1 GHz to 18 GHz, Middle channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1164.600 | 42.84 | -18.46 | 74.0 | -31.16 | Peak | 263.00 | 150 | Horizontal | Pass |
| 1** | 1164.600 | 28.72 | -18.46 | 54.0 | -25.28 | AV | 263.00 | 150 | Horizontal | Pass |
| 2 | 2772.000 | 42.87 | -11.48 | 74.0 | -31.13 | Peak | 303.00 | 150 | Horizontal | Pass |
| 2** | 2772.000 | 34.20 | -11.48 | 54.0 | -19.80 | AV | 303.00 | 150 | Horizontal | Pass |
| 3 | 3989.000 | 46.75 | -6.40 | 74.0 | -27.25 | Peak | 291.00 | 150 | Horizontal | Pass |
| 3** | 3989.000 | 36.98 | -6.40 | 54.0 | -17.02 | AV | 291.00 | 150 | Horizontal | Pass |
| 4 | 5772.200 | 103.28 | -3.24 | -- | -- | Peak | 308.00 | 150 | Horizontal | N/A |
| 4** | 5772.200 | 96.86 | -3.24 | -- | -- | AV | 308.00 | 150 | Horizontal | N/A |
| 5 | 7381.513 | 48.66 | -4.59 | 74.0 | -25.34 | Peak | 200.00 | 150 | Horizontal | Pass |
| 5** | 7381.513 | 39.60 | -4.59 | 54.0 | -14.40 | AV | 200.00 | 150 | Horizontal | Pass |
| 6 | 12266.713 | 51.32 | 0.05 | 74.0 | -22.68 | Peak | 85.00 | 150 | Horizontal | Pass |
| 6** | 12266.713 | 42.46 | 0.05 | 54.0 | -11.54 | AV | 85.00 | 150 | Horizontal | Pass |

11n20, U-NII-3, 1 GHz to 18 GHz, Middle channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1166.100 | 45.72 | -18.50 | 74.0 | -28.28 | Peak | 326.00 | 150 | Vertical | Pass |
| 1** | 1166.100 | 34.00 | -18.50 | 54.0 | -20.00 | AV | 326.00 | 150 | Vertical | Pass |
| 2 | 2793.700 | 45.91 | -11.15 | 74.0 | -28.09 | Peak | 261.00 | 150 | Vertical | Pass |
| 2** | 2793.700 | 37.19 | -11.15 | 54.0 | -16.81 | AV | 261.00 | 150 | Vertical | Pass |
| 3 | 3992.600 | 46.83 | -6.27 | 74.0 | -27.17 | Peak | 4.00 | 150 | Vertical | Pass |
| 3** | 3992.600 | 37.27 | -6.27 | 54.0 | -16.73 | AV | 4.00 | 150 | Vertical | Pass |
| 4 | 5781.000 | 94.30 | -3.24 | -- | -- | Peak | 84.00 | 150 | Vertical | N/A |
| 4** | 5781.000 | 87.60 | -3.24 | -- | -- | AV | 84.00 | 150 | Vertical | N/A |
| 5 | 7531.300 | 48.63 | -4.23 | 74.0 | -25.37 | Peak | 231.00 | 150 | Vertical | Pass |
| 5** | 7531.300 | 39.03 | -4.23 | 54.0 | -14.97 | AV | 231.00 | 150 | Vertical | Pass |
| 6 | 11650.888 | 51.20 | -0.35 | 74.0 | -22.80 | Peak | 154.00 | 150 | Vertical | Pass |
| 6** | 11650.888 | 41.55 | -0.35 | 54.0 | -12.45 | AV | 154.00 | 150 | Vertical | Pass |

11n20, U-NII-3, 1 GHz to 18 GHz, High channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1199.400 | 39.37 | -18.24 | 74.0 | -34.63 | Peak | 241.00 | 150 | Horizontal | Pass |
| 1** | 1199.400 | 32.03 | -18.24 | 54.0 | -21.97 | AV | 241.00 | 150 | Horizontal | Pass |
| 2 | 2798.500 | 43.66 | -11.41 | 74.0 | -30.34 | Peak | 0.00 | 150 | Horizontal | Pass |
| 2** | 2798.500 | 33.94 | -11.41 | 54.0 | -20.06 | AV | 0.00 | 150 | Horizontal | Pass |
| 3 | 4811.000 | 50.14 | -3.73 | 74.0 | -23.86 | Peak | 146.00 | 150 | Horizontal | Pass |
| 3** | 4811.000 | 40.97 | -3.73 | 54.0 | -13.03 | AV | 146.00 | 150 | Horizontal | Pass |
| 4 | 5819.200 | 102.75 | -2.82 | -- | -- | Peak | 321.00 | 150 | Horizontal | N/A |
| 4** | 5819.200 | 95.73 | -2.82 | -- | -- | AV | 321.00 | 150 | Horizontal | N/A |
| 5 | 7424.062 | 49.40 | -4.08 | 74.0 | -24.60 | Peak | 0.00 | 150 | Horizontal | Pass |
| 5** | 7424.062 | 40.17 | -4.08 | 54.0 | -13.83 | AV | 0.00 | 150 | Horizontal | Pass |
| 6 | 12263.262 | 51.59 | 0.05 | 74.0 | -22.41 | Peak | 153.00 | 150 | Horizontal | Pass |
| 6** | 12263.262 | 42.34 | 0.05 | 54.0 | -11.66 | AV | 153.00 | 150 | Horizontal | Pass |

11n20, U-NII-3, 1 GHz to 18 GHz, High channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1145.900 | 44.33 | -18.68 | 74.0 | -29.67 | Peak | 291.00 | 150 | Vertical | Pass |
| 1** | 1145.900 | 28.29 | -18.68 | 54.0 | -25.71 | AV | 291.00 | 150 | Vertical | Pass |
| 2 | 2797.300 | 45.85 | -11.42 | 74.0 | -28.15 | Peak | 338.00 | 150 | Vertical | Pass |
| 2** | 2797.300 | 34.90 | -11.42 | 54.0 | -19.10 | AV | 338.00 | 150 | Vertical | Pass |
| 3 | 4823.400 | 49.79 | -4.09 | 74.0 | -24.21 | Peak | 359.00 | 150 | Vertical | Pass |
| 3** | 4823.400 | 40.80 | -4.09 | 54.0 | -13.20 | AV | 359.00 | 150 | Vertical | Pass |
| 4 | 5811.200 | 96.11 | -3.01 | -- | -- | Peak | 100.00 | 150 | Vertical | N/A |
| 4** | 5811.200 | 88.99 | -3.01 | -- | -- | AV | 100.00 | 150 | Vertical | N/A |
| 5 | 7448.212 | 48.92 | -4.54 | 74.0 | -25.08 | Peak | 186.00 | 150 | Vertical | Pass |
| 5** | 7448.212 | 39.26 | -4.54 | 54.0 | -14.74 | AV | 186.00 | 150 | Vertical | Pass |
| 6 | 12018.600 | 51.94 | -1.18 | 74.0 | -22.06 | Peak | 0.00 | 150 | Vertical | Pass |
| 6** | 12018.600 | 42.19 | -1.18 | 54.0 | -11.81 | AV | 0.00 | 150 | Vertical | Pass |

11n40, U-NII-3, 1 GHz to 18 GHz, Low channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1150.700 | 40.67 | -18.59 | 74.0 | -33.33 | Peak | 237.00 | 150 | Horizontal | Pass |
| 1** | 1150.700 | 27.58 | -18.59 | 54.0 | -26.42 | AV | 237.00 | 150 | Horizontal | Pass |
| 2 | 2828.000 | 43.35 | -11.83 | 74.0 | -30.65 | Peak | 64.00 | 150 | Horizontal | Pass |
| 2** | 2828.000 | 33.15 | -11.83 | 54.0 | -20.85 | AV | 64.00 | 150 | Horizontal | Pass |
| 3 | 4077.000 | 47.42 | -5.25 | 74.0 | -26.58 | Peak | 210.00 | 150 | Horizontal | Pass |
| 3** | 4077.000 | 37.49 | -5.25 | 54.0 | -16.51 | AV | 210.00 | 150 | Horizontal | Pass |
| 4 | 5754.800 | 102.58 | -3.42 | -- | -- | Peak | 326.00 | 150 | Horizontal | N/A |
| 4** | 5754.800 | 96.16 | -3.42 | -- | -- | AV | 326.00 | 150 | Horizontal | N/A |
| 5 | 7358.800 | 49.03 | -4.85 | 74.0 | -24.97 | Peak | 123.00 | 150 | Horizontal | Pass |
| 5** | 7358.800 | 39.53 | -4.85 | 54.0 | -14.47 | AV | 123.00 | 150 | Horizontal | Pass |
| 6 | 12267.862 | 51.80 | 0.06 | 74.0 | -22.20 | Peak | 123.00 | 150 | Horizontal | Pass |
| 6** | 12267.862 | 42.68 | 0.06 | 54.0 | -11.32 | AV | 123.00 | 150 | Horizontal | Pass |

11n40, U-NII-3, 1 GHz to 18 GHz, Low channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1168.800 | 43.44 | -18.46 | 74.0 | -30.56 | Peak | 308.00 | 150 | Vertical | Pass |
| 1** | 1168.800 | 31.10 | -18.46 | 54.0 | -22.90 | AV | 308.00 | 150 | Vertical | Pass |
| 2 | 2790.900 | 45.63 | -11.10 | 74.0 | -28.37 | Peak | 225.00 | 150 | Vertical | Pass |
| 2** | 2790.900 | 33.98 | -11.10 | 54.0 | -20.02 | AV | 225.00 | 150 | Vertical | Pass |
| 3 | 4053.000 | 47.82 | -5.56 | 74.0 | -26.18 | Peak | 254.00 | 150 | Vertical | Pass |
| 3** | 4053.000 | 37.89 | -5.56 | 54.0 | -16.11 | AV | 254.00 | 150 | Vertical | Pass |
| 4 | 5756.400 | 95.20 | -3.43 | -- | -- | Peak | 121.00 | 150 | Vertical | N/A |
| 4** | 5756.400 | 88.11 | -3.43 | -- | -- | AV | 121.00 | 150 | Vertical | N/A |
| 5 | 7415.150 | 48.84 | -4.09 | 74.0 | -25.16 | Peak | 82.00 | 150 | Vertical | Pass |
| 5** | 7415.150 | 39.41 | -4.09 | 54.0 | -14.59 | AV | 82.00 | 150 | Vertical | Pass |
| 6 | 12138.488 | 51.75 | -0.68 | 74.0 | -22.25 | Peak | 187.00 | 150 | Vertical | Pass |
| 6** | 12138.488 | 42.42 | -0.68 | 54.0 | -11.58 | AV | 187.00 | 150 | Vertical | Pass |

11n40, U-NII-3, 1 GHz to 18 GHz, High channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1166.100 | 40.47 | -18.50 | 74.0 | -33.53 | Peak | 179.00 | 150 | Horizontal | Pass |
| 1** | 1166.100 | 29.61 | -18.50 | 54.0 | -24.39 | AV | 179.00 | 150 | Horizontal | Pass |
| 2 | 2836.500 | 43.84 | -11.85 | 74.0 | -30.16 | Peak | 160.00 | 150 | Horizontal | Pass |
| 2** | 2836.500 | 33.82 | -11.85 | 54.0 | -20.18 | AV | 160.00 | 150 | Horizontal | Pass |
| 3 | 4123.600 | 47.66 | -5.80 | 74.0 | -26.34 | Peak | 321.00 | 150 | Horizontal | Pass |
| 3** | 4123.600 | 37.43 | -5.80 | 54.0 | -16.57 | AV | 321.00 | 150 | Horizontal | Pass |
| 4 | 5799.200 | 102.34 | -3.16 | -- | -- | Peak | 321.00 | 150 | Horizontal | N/A |
| 4** | 5799.200 | 94.94 | -3.16 | -- | -- | AV | 321.00 | 150 | Horizontal | N/A |
| 5 | 7359.663 | 48.49 | -4.88 | 74.0 | -25.51 | Peak | 289.00 | 150 | Horizontal | Pass |
| 5** | 7359.663 | 39.27 | -4.88 | 54.0 | -14.73 | AV | 289.00 | 150 | Horizontal | Pass |
| 6 | 11735.987 | 50.70 | -1.12 | 74.0 | -23.30 | Peak | 158.00 | 150 | Horizontal | Pass |
| 6** | 11735.987 | 40.80 | -1.12 | 54.0 | -13.20 | AV | 158.00 | 150 | Horizontal | Pass |

11n40, U-NII-3, 1 GHz to 18 GHz, High channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1162.600 | 43.14 | -18.44 | 74.0 | -30.86 | Peak | 248.00 | 150 | Vertical | Pass |
| 1** | 1162.600 | 29.64 | -18.44 | 54.0 | -24.36 | AV | 248.00 | 150 | Vertical | Pass |
| 2 | 2798.500 | 46.89 | -11.41 | 74.0 | -27.11 | Peak | 221.00 | 150 | Vertical | Pass |
| 2** | 2798.500 | 34.35 | -11.41 | 54.0 | -19.65 | AV | 221.00 | 150 | Vertical | Pass |
| 3 | 4810.600 | 50.18 | -3.74 | 74.0 | -23.82 | Peak | 117.00 | 150 | Vertical | Pass |
| 3** | 4810.600 | 40.39 | -3.74 | 54.0 | -13.61 | AV | 117.00 | 150 | Vertical | Pass |
| 4 | 5797.600 | 95.02 | -3.20 | -- | -- | Peak | 117.00 | 150 | Vertical | N/A |
| 4** | 5797.600 | 87.08 | -3.20 | -- | -- | AV | 117.00 | 150 | Vertical | N/A |
| 5 | 7440.163 | 48.43 | -4.35 | 74.0 | -25.57 | Peak | 0.00 | 150 | Vertical | Pass |
| 5** | 7440.163 | 39.26 | -4.35 | 54.0 | -14.74 | AV | 0.00 | 150 | Vertical | Pass |
| 6 | 11601.724 | 51.33 | -0.15 | 74.0 | -22.67 | Peak | 87.00 | 150 | Vertical | Pass |
| 6** | 11601.724 | 41.47 | -0.15 | 54.0 | -12.53 | AV | 87.00 | 150 | Vertical | Pass |

11ac20, U-NII-3, 1 GHz to 18 GHz, Low channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1200.100 | 43.64 | -18.14 | 74.0 | -30.36 | Peak | 340.00 | 150 | Horizontal | Pass |
| 1** | 1200.100 | 32.45 | -18.14 | 54.0 | -21.55 | AV | 340.00 | 150 | Horizontal | Pass |
| 2 | 2832.100 | 43.26 | -11.85 | 74.0 | -30.74 | Peak | 360.00 | 150 | Horizontal | Pass |
| 2** | 2832.100 | 33.09 | -11.85 | 54.0 | -20.91 | AV | 360.00 | 150 | Horizontal | Pass |
| 3 | 4086.800 | 47.53 | -5.30 | 74.0 | -26.47 | Peak | 196.00 | 150 | Horizontal | Pass |
| 3** | 4086.800 | 38.02 | -5.30 | 54.0 | -15.98 | AV | 196.00 | 150 | Horizontal | Pass |
| 4 | 5742.600 | 103.57 | -4.06 | -- | -- | Peak | 318.00 | 150 | Horizontal | N/A |
| 4** | 5742.600 | 95.83 | -4.06 | -- | -- | AV | 318.00 | 150 | Horizontal | N/A |
| 5 | 7586.788 | 48.65 | -4.66 | 74.0 | -25.35 | Peak | 345.00 | 150 | Horizontal | Pass |
| 5** | 7586.788 | 38.96 | -4.66 | 54.0 | -15.04 | AV | 345.00 | 150 | Horizontal | Pass |
| 6 | 12186.213 | 50.95 | -0.91 | 74.0 | -23.05 | Peak | 345.00 | 150 | Horizontal | Pass |
| 6** | 12186.213 | 42.02 | -0.91 | 54.0 | -11.98 | AV | 345.00 | 150 | Horizontal | Pass |

11ac20, U-NII-3, 1 GHz to 18 GHz, Low channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1144.900 | 45.01 | -18.64 | 74.0 | -28.99 | Peak | 296.00 | 150 | Vertical | Pass |
| 1** | 1144.900 | 28.38 | -18.64 | 54.0 | -25.62 | AV | 296.00 | 150 | Vertical | Pass |
| 2 | 2793.800 | 47.41 | -11.16 | 74.0 | -26.59 | Peak | 272.00 | 150 | Vertical | Pass |
| 2** | 2793.800 | 38.34 | -11.16 | 54.0 | -15.66 | AV | 272.00 | 150 | Vertical | Pass |
| 3 | 4657.400 | 50.12 | -4.77 | 74.0 | -23.88 | Peak | 264.00 | 150 | Vertical | Pass |
| 3** | 4657.400 | 39.24 | -4.77 | 54.0 | -14.76 | AV | 264.00 | 150 | Vertical | Pass |
| 4 | 5742.400 | 94.43 | -4.07 | -- | -- | Peak | 105.00 | 150 | Vertical | N/A |
| 4** | 5742.400 | 87.63 | -4.07 | -- | -- | AV | 105.00 | 150 | Vertical | N/A |
| 5 | 7524.687 | 48.85 | -4.40 | 74.0 | -25.15 | Peak | 289.00 | 150 | Vertical | Pass |
| 5** | 7524.687 | 39.12 | -4.40 | 54.0 | -14.88 | AV | 289.00 | 150 | Vertical | Pass |
| 6 | 12105.713 | 51.06 | -0.92 | 74.0 | -22.94 | Peak | 252.00 | 150 | Vertical | Pass |
| 6** | 12105.713 | 41.92 | -0.92 | 54.0 | -12.08 | AV | 252.00 | 150 | Vertical | Pass |

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1162.400 | 40.86 | -18.46 | 74.0 | -33.14 | Peak | 41.00 | 150 | Horizontal | Pass |
| 1** | 1162.400 | 28.12 | -18.46 | 54.0 | -25.88 | AV | 41.00 | 150 | Horizontal | Pass |
| 2 | 2796.800 | 44.13 | -11.42 | 74.0 | -29.87 | Peak | 154.00 | 150 | Horizontal | Pass |
| 2** | 2796.800 | 33.41 | -11.42 | 54.0 | -20.59 | AV | 154.00 | 150 | Horizontal | Pass |
| 3 | 4883.000 | 50.38 | -4.19 | 74.0 | -23.62 | Peak | 245.00 | 150 | Horizontal | Pass |
| 3** | 4883.000 | 39.58 | -4.19 | 54.0 | -14.42 | AV | 245.00 | 150 | Horizontal | Pass |
| 4 | 5782.800 | 103.85 | -3.14 | -- | -- | Peak | 317.00 | 150 | Horizontal | N/A |
| 4** | 5782.800 | 96.22 | -3.14 | -- | -- | AV | 317.00 | 150 | Horizontal | N/A |
| 5 | 7437.862 | 48.65 | -4.34 | 74.0 | -25.35 | Peak | 202.00 | 150 | Horizontal | Pass |
| 5** | 7437.862 | 40.48 | -4.34 | 54.0 | -13.52 | AV | 202.00 | 150 | Horizontal | Pass |
| 6 | 12331.400 | 51.58 | -0.72 | 74.0 | -22.42 | Peak | 150.00 | 150 | Horizontal | Pass |
| 6** | 12331.400 | 41.92 | -0.72 | 54.0 | -12.08 | AV | 150.00 | 150 | Horizontal | Pass |

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1165.900 | 43.56 | -18.49 | 74.0 | -30.44 | Peak | 258.00 | 150 | Vertical | Pass |
| 1** | 1165.900 | 30.63 | -18.49 | 54.0 | -23.37 | AV | 258.00 | 150 | Vertical | Pass |
| 2 | 2810.200 | 45.97 | -11.59 | 74.0 | -28.03 | Peak | 306.00 | 150 | Vertical | Pass |
| 2** | 2810.200 | 33.68 | -11.59 | 54.0 | -20.32 | AV | 306.00 | 150 | Vertical | Pass |
| 3 | 4077.000 | 47.32 | -5.25 | 74.0 | -26.68 | Peak | 360.00 | 150 | Vertical | Pass |
| 3** | 4077.000 | 37.94 | -5.25 | 54.0 | -16.06 | AV | 360.00 | 150 | Vertical | Pass |
| 4 | 5772.000 | 93.78 | -3.25 | -- | -- | Peak | 280.00 | 150 | Vertical | N/A |
| 4** | 5772.000 | 87.24 | -3.25 | -- | -- | AV | 280.00 | 150 | Vertical | N/A |
| 5 | 7436.137 | 48.37 | -4.35 | 74.0 | -25.63 | Peak | 276.00 | 150 | Vertical | Pass |
| 5** | 7436.137 | 39.23 | -4.35 | 54.0 | -14.77 | AV | 276.00 | 150 | Vertical | Pass |
| 6 | 11666.987 | 51.65 | -0.64 | 74.0 | -22.35 | Peak | 97.00 | 150 | Vertical | Pass |
| 6** | 11666.987 | 41.99 | -0.64 | 54.0 | -12.01 | AV | 97.00 | 150 | Vertical | Pass |

11ac20, U-NII-3, 1 GHz to 18 GHz, High channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1199.300 | 40.62 | -18.25 | 74.0 | -33.38 | Peak | 277.00 | 150 | Horizontal | Pass |
| 1** | 1199.300 | 31.37 | -18.25 | 54.0 | -22.63 | AV | 277.00 | 150 | Horizontal | Pass |
| 2 | 2797.300 | 44.36 | -11.42 | 74.0 | -29.64 | Peak | 268.00 | 150 | Horizontal | Pass |
| 2** | 2797.300 | 33.99 | -11.42 | 54.0 | -20.01 | AV | 268.00 | 150 | Horizontal | Pass |
| 3 | 4078.000 | 47.21 | -5.19 | 74.0 | -26.79 | Peak | 219.00 | 150 | Horizontal | Pass |
| 3** | 4078.000 | 38.48 | -5.19 | 54.0 | -15.52 | AV | 219.00 | 150 | Horizontal | Pass |
| 4 | 5822.800 | 103.13 | -2.86 | -- | -- | Peak | 305.00 | 150 | Horizontal | N/A |
| 4** | 5822.800 | 95.47 | -2.86 | -- | -- | AV | 305.00 | 150 | Horizontal | N/A |
| 5 | 7429.813 | 48.62 | -4.31 | 74.0 | -25.38 | Peak | 29.00 | 150 | Horizontal | Pass |
| 5** | 7429.813 | 40.89 | -4.31 | 54.0 | -13.11 | AV | 29.00 | 150 | Horizontal | Pass |
| 6 | 12290.288 | 51.43 | 0.06 | 74.0 | -22.57 | Peak | 203.00 | 150 | Horizontal | Pass |
| 6** | 12290.288 | 41.67 | 0.06 | 54.0 | -12.33 | AV | 203.00 | 150 | Horizontal | Pass |

11ac20, U-NII-3, 1 GHz to 18 GHz, High channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1156.000 | 42.16 | -18.57 | 74.0 | -31.84 | Peak | 292.00 | 150 | Vertical | Pass |
| 1** | 1156.000 | 29.70 | -18.57 | 54.0 | -24.30 | AV | 292.00 | 150 | Vertical | Pass |
| 2 | 2796.800 | 45.82 | -11.42 | 74.0 | -28.18 | Peak | 235.00 | 150 | Vertical | Pass |
| 2** | 2796.800 | 33.76 | -11.42 | 54.0 | -20.24 | AV | 235.00 | 150 | Vertical | Pass |
| 3 | 4816.000 | 49.78 | -4.02 | 74.0 | -24.22 | Peak | 8.00 | 150 | Vertical | Pass |
| 3** | 4816.000 | 40.53 | -4.02 | 54.0 | -13.47 | AV | 8.00 | 150 | Vertical | Pass |
| 4 | 5822.400 | 96.26 | -2.84 | -- | -- | Peak | 92.00 | 150 | Vertical | N/A |
| 4** | 5822.400 | 87.28 | -2.84 | -- | -- | AV | 92.00 | 150 | Vertical | N/A |
| 5 | 7349.887 | 48.33 | -5.06 | 74.0 | -25.67 | Peak | 0.00 | 150 | Vertical | Pass |
| 5** | 7349.887 | 38.95 | -5.06 | 54.0 | -15.05 | AV | 0.00 | 150 | Vertical | Pass |
| 6 | 12124.687 | 51.15 | -0.67 | 74.0 | -22.85 | Peak | 145.00 | 150 | Vertical | Pass |
| 6** | 12124.687 | 41.48 | -0.67 | 54.0 | -12.52 | AV | 145.00 | 150 | Vertical | Pass |

11ac40, U-NII-3, 1 GHz to 18 GHz, Low channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1162.900 | 40.93 | -18.44 | 74.0 | -33.07 | Peak | 328.00 | 150 | Horizontal | Pass |
| 1** | 1162.900 | 29.42 | -18.44 | 54.0 | -24.58 | AV | 328.00 | 150 | Horizontal | Pass |
| 2 | 2790.300 | 43.04 | -11.10 | 74.0 | -30.96 | Peak | 247.00 | 150 | Horizontal | Pass |
| 2** | 2790.300 | 34.80 | -11.10 | 54.0 | -19.20 | AV | 247.00 | 150 | Horizontal | Pass |
| 3 | 4133.000 | 47.07 | -6.09 | 74.0 | -26.93 | Peak | 261.00 | 150 | Horizontal | Pass |
| 3** | 4133.000 | 36.92 | -6.09 | 54.0 | -17.08 | AV | 261.00 | 150 | Horizontal | Pass |
| 4 | 5753.000 | 103.06 | -3.62 | -- | -- | Peak | 309.00 | 150 | Horizontal | N/A |
| 4** | 5753.000 | 96.66 | -3.62 | -- | -- | AV | 309.00 | 150 | Horizontal | N/A |
| 5 | 7499.675 | 48.49 | -4.40 | 74.0 | -25.51 | Peak | 198.00 | 150 | Horizontal | Pass |
| 5** | 7499.675 | 38.15 | -4.40 | 54.0 | -15.85 | AV | 198.00 | 150 | Horizontal | Pass |
| 6 | 12276.200 | 51.50 | 0.08 | 74.0 | -22.50 | Peak | 159.00 | 150 | Horizontal | Pass |
| 6** | 12276.200 | 42.98 | 0.08 | 54.0 | -11.02 | AV | 159.00 | 150 | Horizontal | Pass |

11ac40, U-NII-3, 1 GHz to 18 GHz, Low channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1169.600 | 44.69 | -18.46 | 74.0 | -29.31 | Peak | 303.00 | 150 | Vertical | Pass |
| 1** | 1169.600 | 33.86 | -18.46 | 54.0 | -20.14 | AV | 303.00 | 150 | Vertical | Pass |
| 2 | 2780.600 | 46.53 | -11.33 | 74.0 | -27.47 | Peak | 249.00 | 150 | Vertical | Pass |
| 2** | 2780.600 | 38.90 | -11.33 | 54.0 | -15.10 | AV | 249.00 | 150 | Vertical | Pass |
| 3 | 4086.800 | 47.41 | -5.30 | 74.0 | -26.59 | Peak | 0.00 | 150 | Vertical | Pass |
| 3** | 4086.800 | 38.09 | -5.30 | 54.0 | -15.91 | AV | 0.00 | 150 | Vertical | Pass |
| 4 | 5752.200 | 95.10 | -3.69 | -- | -- | Peak | 109.00 | 150 | Vertical | N/A |
| 4** | 5752.200 | 87.26 | -3.69 | -- | -- | AV | 109.00 | 150 | Vertical | N/A |
| 5 | 7368.575 | 48.58 | -4.87 | 74.0 | -25.42 | Peak | 11.00 | 150 | Vertical | Pass |
| 5** | 7368.575 | 38.86 | -4.87 | 54.0 | -15.14 | AV | 11.00 | 150 | Vertical | Pass |
| 6 | 12269.875 | 50.96 | 0.06 | 74.0 | -23.04 | Peak | 188.00 | 150 | Vertical | Pass |
| 6** | 12269.875 | 42.78 | 0.06 | 54.0 | -11.22 | AV | 188.00 | 150 | Vertical | Pass |

11ac40, U-NII-3, 1 GHz to 18 GHz, High channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1200.200 | 41.75 | -18.13 | 74.0 | -32.25 | Peak | 342.00 | 150 | Horizontal | Pass |
| 1** | 1200.200 | 31.65 | -18.13 | 54.0 | -22.35 | AV | 342.00 | 150 | Horizontal | Pass |
| 2 | 2844.900 | 43.79 | -11.76 | 74.0 | -30.21 | Peak | 305.00 | 150 | Horizontal | Pass |
| 2** | 2844.900 | 33.37 | -11.76 | 54.0 | -20.63 | AV | 305.00 | 150 | Horizontal | Pass |
| 3 | 4089.200 | 46.94 | -5.46 | 74.0 | -27.06 | Peak | 295.00 | 150 | Horizontal | Pass |
| 3** | 4089.200 | 37.78 | -5.46 | 54.0 | -16.22 | AV | 295.00 | 150 | Horizontal | Pass |
| 4 | 5803.200 | 102.59 | -3.19 | -- | -- | Peak | 319.00 | 150 | Horizontal | N/A |
| 4** | 5803.200 | 95.27 | -3.19 | -- | -- | AV | 319.00 | 150 | Horizontal | N/A |
| 5 | 7360.813 | 48.54 | -4.93 | 74.0 | -25.46 | Peak | 199.00 | 150 | Horizontal | Pass |
| 5** | 7360.813 | 38.91 | -4.93 | 54.0 | -15.09 | AV | 199.00 | 150 | Horizontal | Pass |
| 6 | 12255.213 | 51.93 | -0.02 | 74.0 | -22.07 | Peak | 182.00 | 150 | Horizontal | Pass |
| 6** | 12255.213 | 42.34 | -0.02 | 54.0 | -11.66 | AV | 182.00 | 150 | Horizontal | Pass |

11ac40, U-NII-3, 1 GHz to 18 GHz, High channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1161.300 | 47.18 | -18.58 | 74.0 | -26.82 | Peak | 257.00 | 150 | Vertical | Pass |
| 1** | 1161.300 | 31.65 | -18.58 | 54.0 | -22.35 | AV | 257.00 | 150 | Vertical | Pass |
| 2 | 2798.400 | 46.69 | -11.41 | 74.0 | -27.31 | Peak | 237.00 | 150 | Vertical | Pass |
| 2** | 2798.400 | 37.10 | -11.41 | 54.0 | -16.90 | AV | 237.00 | 150 | Vertical | Pass |
| 3 | 4088.600 | 47.36 | -5.42 | 74.0 | -26.64 | Peak | 132.00 | 150 | Vertical | Pass |
| 3** | 4088.600 | 38.06 | -5.42 | 54.0 | -15.94 | AV | 132.00 | 150 | Vertical | Pass |
| 4 | 5799.600 | 95.93 | -3.16 | -- | -- | Peak | 107.00 | 150 | Vertical | N/A |
| 4** | 5799.600 | 87.83 | -3.16 | -- | -- | AV | 107.00 | 150 | Vertical | N/A |
| 5 | 7326.025 | 48.63 | -4.91 | 74.0 | -25.37 | Peak | 0.00 | 150 | Vertical | Pass |
| 5** | 7326.025 | 38.97 | -4.91 | 54.0 | -15.03 | AV | 0.00 | 150 | Vertical | Pass |
| 6 | 12010.838 | 51.54 | -1.24 | 74.0 | -22.46 | Peak | 292.00 | 150 | Vertical | Pass |
| 6** | 12010.838 | 42.46 | -1.24 | 54.0 | -11.54 | AV | 292.00 | 150 | Vertical | Pass |

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1164.600 | 45.43 | -18.46 | 74.0 | -28.57 | Peak | 331.00 | 150 | Horizontal | Pass |
| 1** | 1164.600 | 28.07 | -18.46 | 54.0 | -25.93 | AV | 331.00 | 150 | Horizontal | Pass |
| 2 | 2823.700 | 42.81 | -11.79 | 74.0 | -31.19 | Peak | 230.00 | 150 | Horizontal | Pass |
| 2** | 2823.700 | 33.68 | -11.79 | 54.0 | -20.32 | AV | 230.00 | 150 | Horizontal | Pass |
| 3 | 4084.800 | 46.84 | -5.14 | 74.0 | -27.16 | Peak | 44.00 | 150 | Horizontal | Pass |
| 3** | 4084.800 | 38.09 | -5.14 | 54.0 | -15.91 | AV | 44.00 | 150 | Horizontal | Pass |
| 4 | 5784.200 | 102.60 | -3.01 | -- | -- | Peak | 317.00 | 150 | Horizontal | N/A |
| 4** | 5784.200 | 95.94 | -3.01 | -- | -- | AV | 317.00 | 150 | Horizontal | N/A |
| 5 | 7427.800 | 48.50 | -4.15 | 74.0 | -25.50 | Peak | 293.00 | 150 | Horizontal | Pass |
| 5** | 7427.800 | 40.48 | -4.15 | 54.0 | -13.52 | AV | 293.00 | 150 | Horizontal | Pass |
| 6 | 12107.725 | 50.95 | -0.89 | 74.0 | -23.05 | Peak | 2.00 | 150 | Horizontal | Pass |
| 6** | 12107.725 | 41.60 | -0.89 | 54.0 | -12.40 | AV | 2.00 | 150 | Horizontal | Pass |

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1163.500 | 43.47 | -18.45 | 74.0 | -30.53 | Peak | 288.00 | 150 | Vertical | Pass |
| 1** | 1163.500 | 32.40 | -18.45 | 54.0 | -21.60 | AV | 288.00 | 150 | Vertical | Pass |
| 2 | 2783.800 | 46.07 | -11.29 | 74.0 | -27.93 | Peak | 95.00 | 150 | Vertical | Pass |
| 2** | 2783.800 | 33.86 | -11.29 | 54.0 | -20.14 | AV | 95.00 | 150 | Vertical | Pass |
| 3 | 4265.400 | 48.49 | -5.36 | 74.0 | -25.51 | Peak | 360.00 | 150 | Vertical | Pass |
| 3** | 4265.400 | 38.24 | -5.36 | 54.0 | -15.76 | AV | 360.00 | 150 | Vertical | Pass |
| 4 | 5784.200 | 94.81 | -3.01 | -- | -- | Peak | 0.00 | 150 | Vertical | N/A |
| 4** | 5784.200 | 86.79 | -3.01 | -- | -- | AV | 0.00 | 150 | Vertical | N/A |
| 5 | 7364.837 | 48.86 | -5.00 | 74.0 | -25.14 | Peak | 0.00 | 150 | Vertical | Pass |
| 5** | 7364.837 | 38.84 | -5.00 | 54.0 | -15.16 | AV | 0.00 | 150 | Vertical | Pass |
| 6 | 12165.800 | 51.82 | -0.91 | 74.0 | -22.18 | Peak | 183.00 | 150 | Vertical | Pass |
| 6** | 12165.800 | 41.92 | -0.91 | 54.0 | -12.08 | AV | 183.00 | 150 | Vertical | Pass |

11ax20-SU, U-NII-3, 1 GHz to 18 GHz, Low channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1195.400 | 46.57 | -18.21 | 74.0 | -27.43 | Peak | 250.00 | 150 | Horizontal | Pass |
| 1** | 1195.400 | 33.96 | -18.21 | 54.0 | -20.04 | AV | 250.00 | 150 | Horizontal | Pass |
| 2 | 2738.800 | 42.83 | -11.62 | 74.0 | -31.17 | Peak | 71.00 | 150 | Horizontal | Pass |
| 2** | 2738.800 | 32.98 | -11.62 | 54.0 | -21.02 | AV | 71.00 | 150 | Horizontal | Pass |
| 3 | 4148.800 | 47.10 | -6.10 | 74.0 | -26.90 | Peak | 259.00 | 150 | Horizontal | Pass |
| 3** | 4148.800 | 37.35 | -6.10 | 54.0 | -16.65 | AV | 259.00 | 150 | Horizontal | Pass |
| 4 | 5743.000 | 104.55 | -4.04 | -- | -- | Peak | 312.00 | 150 | Horizontal | N/A |
| 4** | 5743.000 | 95.35 | -4.04 | -- | -- | AV | 312.00 | 150 | Horizontal | N/A |
| 5 | 7424.350 | 48.63 | -4.08 | 74.0 | -25.37 | Peak | 256.00 | 150 | Horizontal | Pass |
| 5** | 7424.350 | 39.36 | -4.08 | 54.0 | -14.64 | AV | 256.00 | 150 | Horizontal | Pass |
| 6 | 12076.963 | 51.00 | -1.36 | 74.0 | -23.00 | Peak | 0.00 | 150 | Horizontal | Pass |
| 6** | 12076.963 | 43.19 | -1.36 | 54.0 | -10.81 | AV | 0.00 | 150 | Horizontal | Pass |

11ax20-SU, U-NII-3, 1 GHz to 18 GHz, Low channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1196.400 | 46.17 | -18.18 | 74.0 | -27.83 | Peak | 299.00 | 150 | Vertical | Pass |
| 1** | 1196.400 | 34.61 | -18.18 | 54.0 | -19.39 | AV | 299.00 | 150 | Vertical | Pass |
| 2 | 2797.400 | 46.31 | -11.42 | 74.0 | -27.69 | Peak | 235.00 | 150 | Vertical | Pass |
| 2** | 2797.400 | 33.78 | -11.42 | 54.0 | -20.22 | AV | 235.00 | 150 | Vertical | Pass |
| 3 | 4058.000 | 47.08 | -5.58 | 74.0 | -26.92 | Peak | 0.00 | 150 | Vertical | Pass |
| 3** | 4058.000 | 37.37 | -5.58 | 54.0 | -16.63 | AV | 0.00 | 150 | Vertical | Pass |
| 4 | 5747.600 | 96.42 | -3.90 | -- | -- | Peak | 116.00 | 150 | Vertical | N/A |
| 4** | 5747.600 | 86.82 | -3.90 | -- | -- | AV | 116.00 | 150 | Vertical | N/A |
| 5 | 7399.625 | 48.47 | -4.17 | 74.0 | -25.53 | Peak | 273.00 | 150 | Vertical | Pass |
| 5** | 7399.625 | 38.37 | -4.17 | 54.0 | -15.63 | AV | 273.00 | 150 | Vertical | Pass |
| 6 | 12260.388 | 51.49 | 0.04 | 74.0 | -22.51 | Peak | 185.00 | 150 | Vertical | Pass |
| 6** | 12260.388 | 41.66 | 0.04 | 54.0 | -12.34 | AV | 185.00 | 150 | Vertical | Pass |

11ax20-SU, U-NII-3, 1 GHz to 18 GHz, Middle channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1195.400 | 43.95 | -18.21 | 74.0 | -30.05 | Peak | 333.00 | 150 | Horizontal | Pass |
| 1** | 1195.400 | 31.00 | -18.21 | 54.0 | -23.00 | AV | 333.00 | 150 | Horizontal | Pass |
| 2 | 2794.700 | 44.52 | -11.21 | 74.0 | -29.48 | Peak | 241.00 | 150 | Horizontal | Pass |
| 2** | 2794.700 | 34.13 | -11.21 | 54.0 | -19.87 | AV | 241.00 | 150 | Horizontal | Pass |
| 3 | 4218.000 | 47.16 | -6.07 | 74.0 | -26.84 | Peak | 77.00 | 150 | Horizontal | Pass |
| 3** | 4218.000 | 37.20 | -6.07 | 54.0 | -16.80 | AV | 77.00 | 150 | Horizontal | Pass |
| 4 | 5783.200 | 104.25 | -3.11 | -- | -- | Peak | 308.00 | 150 | Horizontal | N/A |
| 4** | 5783.200 | 96.30 | -3.11 | -- | -- | AV | 308.00 | 150 | Horizontal | N/A |
| 5 | 7357.075 | 48.66 | -4.89 | 74.0 | -25.34 | Peak | 285.00 | 150 | Horizontal | Pass |
| 5** | 7357.075 | 39.07 | -4.89 | 54.0 | -14.93 | AV | 285.00 | 150 | Horizontal | Pass |
| 6 | 12018.600 | 51.90 | -1.18 | 74.0 | -22.10 | Peak | 324.00 | 150 | Horizontal | Pass |
| 6** | 12018.600 | 41.55 | -1.18 | 54.0 | -12.45 | AV | 324.00 | 150 | Horizontal | Pass |

11ax20-SU, U-NII-3, 1 GHz to 18 GHz, Middle channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1198.500 | 45.36 | -18.31 | 74.0 | -28.64 | Peak | 305.00 | 150 | Vertical | Pass |
| 1** | 1198.500 | 32.53 | -18.31 | 54.0 | -21.47 | AV | 305.00 | 150 | Vertical | Pass |
| 2 | 2793.200 | 44.93 | -11.13 | 74.0 | -29.07 | Peak | 288.00 | 150 | Vertical | Pass |
| 2** | 2793.200 | 37.41 | -11.13 | 54.0 | -16.59 | AV | 288.00 | 150 | Vertical | Pass |
| 3 | 4037.200 | 47.07 | -5.80 | 74.0 | -26.93 | Peak | 309.00 | 150 | Vertical | Pass |
| 3** | 4037.200 | 37.47 | -5.80 | 54.0 | -16.53 | AV | 309.00 | 150 | Vertical | Pass |
| 4 | 5787.200 | 95.79 | -3.08 | -- | -- | Peak | 43.00 | 150 | Vertical | N/A |
| 4** | 5787.200 | 86.78 | -3.08 | -- | -- | AV | 43.00 | 150 | Vertical | N/A |
| 5 | 7450.225 | 48.41 | -4.34 | 74.0 | -25.59 | Peak | 100.00 | 150 | Vertical | Pass |
| 5** | 7450.225 | 38.48 | -4.34 | 54.0 | -15.52 | AV | 100.00 | 150 | Vertical | Pass |
| 6 | 12270.451 | 50.88 | 0.06 | 74.0 | -23.12 | Peak | 14.00 | 150 | Vertical | Pass |
| 6** | 12270.451 | 41.93 | 0.06 | 54.0 | -12.07 | AV | 14.00 | 150 | Vertical | Pass |

11ax20-SU, U-NII-3, 1 GHz to 18 GHz, High channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1162.600 | 43.23 | -18.44 | 74.0 | -30.77 | Peak | 240.00 | 150 | Horizontal | Pass |
| 1** | 1162.600 | 29.77 | -18.44 | 54.0 | -24.23 | AV | 240.00 | 150 | Horizontal | Pass |
| 2 | 2787.700 | 43.40 | -11.10 | 74.0 | -30.60 | Peak | 191.00 | 150 | Horizontal | Pass |
| 2** | 2787.700 | 34.15 | -11.10 | 54.0 | -19.85 | AV | 191.00 | 150 | Horizontal | Pass |
| 3 | 4023.000 | 47.45 | -6.43 | 74.0 | -26.55 | Peak | 0.00 | 150 | Horizontal | Pass |
| 3** | 4023.000 | 37.66 | -6.43 | 54.0 | -16.34 | AV | 0.00 | 150 | Horizontal | Pass |
| 4 | 5823.000 | 103.43 | -2.87 | -- | -- | Peak | 322.00 | 150 | Horizontal | N/A |
| 4** | 5823.000 | 95.39 | -2.87 | -- | -- | AV | 322.00 | 150 | Horizontal | N/A |
| 5 | 7537.913 | 48.31 | -4.44 | 74.0 | -25.69 | Peak | 264.00 | 150 | Horizontal | Pass |
| 5** | 7537.913 | 38.22 | -4.44 | 54.0 | -15.78 | AV | 264.00 | 150 | Horizontal | Pass |
| 6 | 12076.387 | 51.36 | -1.36 | 74.0 | -22.64 | Peak | 125.00 | 150 | Horizontal | Pass |
| 6** | 12076.387 | 42.00 | -1.36 | 54.0 | -12.00 | AV | 125.00 | 150 | Horizontal | Pass |

11ax20-SU, U-NII-3, 1 GHz to 18 GHz, High channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1166.200 | 43.37 | -18.50 | 74.0 | -30.63 | Peak | 310.00 | 150 | Vertical | Pass |
| 1** | 1166.200 | 32.97 | -18.50 | 54.0 | -21.03 | AV | 310.00 | 150 | Vertical | Pass |
| 2 | 2789.200 | 45.19 | -11.08 | 74.0 | -28.81 | Peak | 223.00 | 150 | Vertical | Pass |
| 2** | 2789.200 | 34.77 | -11.08 | 54.0 | -19.23 | AV | 223.00 | 150 | Vertical | Pass |
| 3 | 4155.000 | 46.91 | -5.73 | 74.0 | -27.09 | Peak | 85.00 | 150 | Vertical | Pass |
| 3** | 4155.000 | 37.85 | -5.73 | 54.0 | -16.15 | AV | 85.00 | 150 | Vertical | Pass |
| 4 | 5821.600 | 97.58 | -2.80 | -- | -- | Peak | 103.00 | 150 | Vertical | N/A |
| 4** | 5821.600 | 88.20 | -2.80 | -- | -- | AV | 103.00 | 150 | Vertical | N/A |
| 5 | 7531.875 | 48.14 | -4.22 | 74.0 | -25.86 | Peak | 244.00 | 150 | Vertical | Pass |
| 5** | 7531.875 | 39.77 | -4.22 | 54.0 | -14.23 | AV | 244.00 | 150 | Vertical | Pass |
| 6 | 11977.775 | 51.17 | -1.82 | 74.0 | -22.83 | Peak | 204.00 | 150 | Vertical | Pass |
| 6** | 11977.775 | 40.36 | -1.82 | 54.0 | -13.64 | AV | 204.00 | 150 | Vertical | Pass |

11ax40-SU, U-NII-3, 1 GHz to 18 GHz, Low channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1199.700 | 42.19 | -18.20 | 74.0 | -31.81 | Peak | 120.00 | 150 | Horizontal | Pass |
| 1** | 1199.700 | 32.04 | -18.20 | 54.0 | -21.96 | AV | 120.00 | 150 | Horizontal | Pass |
| 2 | 2818.100 | 43.50 | -11.68 | 74.0 | -30.50 | Peak | 268.00 | 150 | Horizontal | Pass |
| 2** | 2818.100 | 32.96 | -11.68 | 54.0 | -21.04 | AV | 268.00 | 150 | Horizontal | Pass |
| 3 | 4252.600 | 47.73 | -5.51 | 74.0 | -26.27 | Peak | 337.00 | 150 | Horizontal | Pass |
| 3** | 4252.600 | 38.15 | -5.51 | 54.0 | -15.85 | AV | 337.00 | 150 | Horizontal | Pass |
| 4 | 5745.600 | 101.17 | -4.03 | -- | -- | Peak | 83.00 | 150 | Horizontal | N/A |
| 4** | 5745.600 | 91.07 | -4.03 | -- | -- | AV | 83.00 | 150 | Horizontal | N/A |
| 5 | 7423.775 | 48.75 | -4.08 | 74.0 | -25.25 | Peak | 360.00 | 150 | Horizontal | Pass |
| 5** | 7423.775 | 40.00 | -4.08 | 54.0 | -14.00 | AV | 360.00 | 150 | Horizontal | Pass |
| 6 | 12297.187 | 51.46 | 0.03 | 74.0 | -22.54 | Peak | 78.00 | 150 | Horizontal | Pass |
| 6** | 12297.187 | 41.40 | 0.03 | 54.0 | -12.60 | AV | 78.00 | 150 | Horizontal | Pass |

11ax40-SU, U-NII-3, 1 GHz to 18 GHz, Low channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1198.900 | 44.93 | -18.31 | 74.0 | -29.07 | Peak | 316.00 | 150 | Vertical | Pass |
| 1** | 1198.900 | 32.75 | -18.31 | 54.0 | -21.25 | AV | 316.00 | 150 | Vertical | Pass |
| 2 | 2792.500 | 46.88 | -11.10 | 74.0 | -27.12 | Peak | 297.00 | 150 | Vertical | Pass |
| 2** | 2792.500 | 33.84 | -11.10 | 54.0 | -20.16 | AV | 297.00 | 150 | Vertical | Pass |
| 3 | 4054.000 | 46.67 | -5.55 | 74.0 | -27.33 | Peak | 182.00 | 150 | Vertical | Pass |
| 3** | 4054.000 | 37.81 | -5.55 | 54.0 | -16.19 | AV | 182.00 | 150 | Vertical | Pass |
| 4 | 5752.600 | 93.26 | -3.67 | -- | -- | Peak | 109.00 | 150 | Vertical | N/A |
| 4** | 5752.600 | 83.55 | -3.67 | -- | -- | AV | 109.00 | 150 | Vertical | N/A |
| 5 | 7470.350 | 48.89 | -4.65 | 74.0 | -25.11 | Peak | 103.00 | 150 | Vertical | Pass |
| 5** | 7470.350 | 38.47 | -4.65 | 54.0 | -15.53 | AV | 103.00 | 150 | Vertical | Pass |
| 6 | 11663.250 | 51.38 | -0.55 | 74.0 | -22.62 | Peak | 22.00 | 150 | Vertical | Pass |
| 6** | 11663.250 | 41.96 | -0.55 | 54.0 | -12.04 | AV | 22.00 | 150 | Vertical | Pass |

11ax40-SU, U-NII-3, 1 GHz to 18 GHz, High channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1191.500 | 41.13 | -18.34 | 74.0 | -32.87 | Peak | 260.00 | 150 | Horizontal | Pass |
| 1** | 1191.500 | 29.08 | -18.34 | 54.0 | -24.92 | AV | 260.00 | 150 | Horizontal | Pass |
| 2 | 2775.200 | 42.90 | -11.41 | 74.0 | -31.10 | Peak | 30.00 | 150 | Horizontal | Pass |
| 2** | 2775.200 | 33.46 | -11.41 | 54.0 | -20.54 | AV | 30.00 | 150 | Horizontal | Pass |
| 3 | 4066.800 | 47.19 | -5.52 | 74.0 | -26.81 | Peak | 0.00 | 150 | Horizontal | Pass |
| 3** | 4066.800 | 38.04 | -5.52 | 54.0 | -15.96 | AV | 0.00 | 150 | Horizontal | Pass |
| 4 | 5794.000 | 100.30 | -3.12 | -- | -- | Peak | 325.00 | 150 | Horizontal | N/A |
| 4** | 5794.000 | 92.51 | -3.12 | -- | -- | AV | 325.00 | 150 | Horizontal | N/A |
| 5 | 7369.438 | 49.48 | -4.88 | 74.0 | -24.52 | Peak | 288.00 | 150 | Horizontal | Pass |
| 5** | 7369.438 | 39.19 | -4.88 | 54.0 | -14.81 | AV | 288.00 | 150 | Horizontal | Pass |
| 6 | 12131.299 | 50.75 | -0.67 | 74.0 | -23.25 | Peak | 101.00 | 150 | Horizontal | Pass |
| 6** | 12131.299 | 42.12 | -0.67 | 54.0 | -11.88 | AV | 101.00 | 150 | Horizontal | Pass |

11ax40-SU, U-NII-3, 1 GHz to 18 GHz, High channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1162.500 | 46.29 | -18.45 | 74.0 | -27.71 | Peak | 293.00 | 150 | Vertical | Pass |
| 1** | 1162.500 | 34.95 | -18.45 | 54.0 | -19.05 | AV | 293.00 | 150 | Vertical | Pass |
| 2 | 2799.000 | 45.32 | -11.41 | 74.0 | -28.68 | Peak | 293.00 | 150 | Vertical | Pass |
| 2** | 2799.000 | 34.29 | -11.41 | 54.0 | -19.71 | AV | 293.00 | 150 | Vertical | Pass |
| 3 | 4089.800 | 47.00 | -5.50 | 74.0 | -27.00 | Peak | 360.00 | 150 | Vertical | Pass |
| 3** | 4089.800 | 37.60 | -5.50 | 54.0 | -16.40 | AV | 360.00 | 150 | Vertical | Pass |
| 4 | 5799.600 | 92.96 | -3.16 | -- | -- | Peak | 114.00 | 150 | Vertical | N/A |
| 4** | 5799.600 | 84.98 | -3.16 | -- | -- | AV | 114.00 | 150 | Vertical | N/A |
| 5 | 7331.200 | 48.67 | -4.86 | 74.0 | -25.33 | Peak | 280.00 | 150 | Vertical | Pass |
| 5** | 7331.200 | 40.54 | -4.86 | 54.0 | -13.46 | AV | 280.00 | 150 | Vertical | Pass |
| 6 | 12235.950 | 51.34 | -0.31 | 74.0 | -22.66 | Peak | 149.00 | 150 | Vertical | Pass |
| 6** | 12235.950 | 42.43 | -0.31 | 54.0 | -11.57 | AV | 149.00 | 150 | Vertical | Pass |

11ax80-SU, U-NII-3, 1 GHz to 18 GHz, Middle channel, ANT H

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|------------|---------|
| 1 | 1197.400 | 47.37 | -18.23 | 74.0 | -26.63 | Peak | 252.00 | 150 | Horizontal | Pass |
| 1** | 1197.400 | 37.02 | -18.23 | 54.0 | -16.98 | AV | 252.00 | 150 | Horizontal | Pass |
| 2 | 2796.200 | 43.48 | -11.37 | 74.0 | -30.52 | Peak | 288.00 | 150 | Horizontal | Pass |
| 2** | 2796.200 | 33.65 | -11.37 | 54.0 | -20.35 | AV | 288.00 | 150 | Horizontal | Pass |
| 3 | 4081.800 | 47.31 | -5.07 | 74.0 | -26.69 | Peak | 248.00 | 150 | Horizontal | Pass |
| 3** | 4081.800 | 38.19 | -5.07 | 54.0 | -15.81 | AV | 248.00 | 150 | Horizontal | Pass |
| 4 | 5763.800 | 99.49 | -3.42 | -- | -- | Peak | 328.00 | 150 | Horizontal | N/A |
| 4** | 5763.800 | 89.80 | -3.42 | -- | -- | AV | 328.00 | 150 | Horizontal | N/A |
| 5 | 7421.188 | 49.12 | -4.01 | 74.0 | -24.88 | Peak | 71.00 | 150 | Horizontal | Pass |
| 5** | 7421.188 | 39.29 | -4.01 | 54.0 | -14.71 | AV | 71.00 | 150 | Horizontal | Pass |
| 6 | 11656.350 | 51.18 | -0.42 | 74.0 | -22.82 | Peak | 114.00 | 150 | Horizontal | Pass |
| 6** | 11656.350 | 41.96 | -0.42 | 54.0 | -12.04 | AV | 114.00 | 150 | Horizontal | Pass |

11ax80-SU, U-NII-3, 1 GHz to 18 GHz, Middle channel, ANT V

| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Over Limit (dB) | Detector | Table (Degree) | Height (cm) | Antenna | Verdict |
|-----|-----------------|------------------|-------------|----------------|-----------------|----------|----------------|-------------|----------|---------|
| 1 | 1199.300 | 45.81 | -18.25 | 74.0 | -28.19 | Peak | 318.00 | 150 | Vertical | Pass |
| 1** | 1199.300 | 35.05 | -18.25 | 54.0 | -18.95 | AV | 318.00 | 150 | Vertical | Pass |
| 2 | 2792.900 | 45.73 | -11.11 | 74.0 | -28.27 | Peak | 271.00 | 150 | Vertical | Pass |
| 2** | 2792.900 | 34.44 | -11.11 | 54.0 | -19.56 | AV | 271.00 | 150 | Vertical | Pass |
| 3 | 4083.800 | 47.03 | -5.09 | 74.0 | -26.97 | Peak | 360.00 | 150 | Vertical | Pass |
| 3** | 4083.800 | 38.33 | -5.09 | 54.0 | -15.67 | AV | 360.00 | 150 | Vertical | Pass |
| 4 | 5770.400 | 93.09 | -3.27 | -- | -- | Peak | 99.00 | 150 | Vertical | N/A |
| 4** | 5770.400 | 81.21 | -3.27 | -- | -- | AV | 99.00 | 150 | Vertical | N/A |
| 5 | 7365.987 | 48.41 | -4.94 | 74.0 | -25.59 | Peak | 63.00 | 150 | Vertical | Pass |
| 5** | 7365.987 | 40.01 | -4.94 | 54.0 | -13.99 | AV | 63.00 | 150 | Vertical | Pass |
| 6 | 12268.724 | 51.68 | 0.06 | 74.0 | -22.32 | Peak | 106.00 | 150 | Vertical | Pass |
| 6** | 12268.724 | 42.07 | 0.06 | 54.0 | -11.93 | AV | 106.00 | 150 | Vertical | Pass |

A.6.2 Band Edge (Restricted-band)

| Test Band | Mode | Channel | Verdict |
|--------------------|--------------------|---------|---------|
| U-NII-1 | 802.11a | Low | Pass |
| | | High | Pass |
| | 802.11n (HT20) | Low | Pass |
| | | High | Pass |
| | 802.11n (HT40) | Low | Pass |
| | | High | Pass |
| | 802.11ac (VHT20) | Low | Pass |
| | | High | Pass |
| | 802.11ac (VHT40) | Low | Pass |
| | | High | Pass |
| | 802.11ac (VHT80) | Middle | Pass |
| | 802.11ax (HE20)-SU | Low | Pass |
| High | | Pass | |
| 802.11ax (HE40)-SU | Low | Pass | |
| | High | Pass | |
| 802.11ax (HE80)-SU | Middle | Pass | |
| U-NII-2A | 802.11a | Low | Pass |
| | | High | Pass |
| | 802.11n (HT20) | Low | Pass |
| | | High | Pass |
| | 802.11n (HT40) | Low | Pass |
| | | High | Pass |
| | 802.11ac (VHT20) | Low | Pass |
| | | High | Pass |
| | 802.11ac (VHT40) | Low | Pass |
| | | High | Pass |
| | 802.11ac (VHT80) | Middle | Pass |
| | 802.11ax (HE20)-SU | Low | Pass |
| High | | Pass | |
| 802.11ax (HE40)-SU | Low | Pass | |
| | High | Pass | |
| 802.11ax (HE80)-SU | Middle | Pass | |
| U-NII-2C | 802.11a | Low | Pass |
| | | High | Pass |
| | 802.11n (HT20) | Low | Pass |
| | | High | Pass |
| | 802.11n (HT40) | Low | Pass |
| | | High | Pass |
| | 802.11ac (VHT20) | Low | Pass |
| | | High | Pass |
| | 802.11ac (VHT40) | Low | Pass |
| | | High | Pass |
| 802.11ac (VHT80) | Low | Pass | |
| | High | Pass | |


| | | | |
|--------------------|--------------------|--------|------|
| | 802.11ax (HE20)-SU | Low | Pass |
| | | High | Pass |
| | 802.11ax (HE40)-SU | Low | Pass |
| | | High | Pass |
| | 802.11ax (HE80)-SU | Low | Pass |
| | | High | Pass |
| U-NII-3 | 802.11a | Low | Pass |
| | | High | Pass |
| | 802.11n (HT20) | Low | Pass |
| | | High | Pass |
| | 802.11n (HT40) | Low | Pass |
| | | High | Pass |
| | 802.11ac (VHT20) | Low | Pass |
| | | High | Pass |
| | 802.11ac (VHT40) | Low | Pass |
| | | High | Pass |
| | 802.11ac (VHT80) | Middle | Pass |
| | 802.11ax (HE20)-SU | Low | Pass |
| | | High | Pass |
| | 802.11ax (HE40)-SU | Low | Pass |
| | | High | Pass |
| 802.11ax (HE80)-SU | Middle | Pass | |

Note: All the configurations were pre tested, only the worst configuration has been reported in this report.


Test Plots

Main Antenna

U-NII-1 11a CH36 Peak




U-NII-1 11a CH48 Peak




U-NII-1 11a CH36 AV



U-NII-1 11n20 CH36 Peak



U-NII-1 11n20 CH48 Peak




U-NII-1 11n20 CH36 AV




U-NII-1 11n20 CH36 AV




U-NII-1 11n40 CH38 Peak




U-NII-1 11n40 CH46 Peak




U-NII-1 11n40 CH38 AV



U-NII-1 11ac20 CH36 Peak



U-NII-1 11ac20 CH48 Peak




U-NII-1 11ac20 CH36 AV




U-NII-1 11ac20 CH36 AV



U-NII-1 11ac40 CH38 Peak




U-NII-1 11ac40 CH46 Peak




U-NII-1 11ac40 CH38 AV




U-NII-1 11ac80 CH42 Peak




U-NII-1 11ac80 CH42 Peak



U-NII-2A 11n40 CH54 Peak



U-NII-2A 11n40 CH62 Peak




U-NII-2A 11n40 CH62 AV




U-NII-2A 11n40 CH62 AV



U-NII-2A 11ac20 CH52 Peak




U-NII-2A 11ac20 CH64 Peak




U-NII-2A 11ac20 CH64 AV



U-NII-2A 11ac40 CH54 Peak



U-NII-2A 11ac40 CH62 Peak




U-NII-2A 11ac40 CH62 AV




U-NII-2A 11ac40 CH62 AV




U-NII-2A 11ac80 CH58 Peak




U-NII-2A 11ac80 CH58 Peak




U-NII-2A 11ax20-SU CH52 Peak




U-NII-2A 11ax20-SU CH64 Peak



U-NII-2A 11ax40-SU CH54 Peak



U-NII-2A 11ax40-SU CH62 Peak





U-NII-2A 11ax40-SU CH62 AV

U-NII-2A 11ax40-SU CH62 AV



U-NII-2A 11ax80-SU CH58 Peak

U-NII-2A 11ax80-SU CH58 Peak




U-NII-2A 11ax80-SU CH58 AV


U-NII-2A 11ax80-SU CH58 AV




U-NII-2C 11a CH100 Peak



U-NII-2C 11a CH140 Peak




U-NII-2C 11n20 CH100 Peak




U-NII-2C 11n20 CH140 Peak




U-NII-2C 11n40 CH102 Peak




U-NII-2C 11n40 CH134 Peak




U-NII-2C 11ac20 CH100 Peak




U-NII-2C 11ac20 CH140 Peak




U-NII-2C 11ac40 CH102 Peak




U-NII-2C 11ac40 CH134 Peak




U-NII-2C 11ac80 CH106 Peak




U-NII-2C 11ac80 CH122 Peak




U-NII-2C 11ax20-SU CH100 Peak




U-NII-2C 11ax20-SU CH140 Peak




U-NII-2C 11ax40-SU CH102 Peak




U-NII-2C 11ax40-SU CH134 Peak



U-NII-2C 11ax80-SU CH106 Peak



U-NII-2C 11ax80-SU CH122 Peak




U-NII-2C 11ax80-SU CH106 AV




U-NII-3 11a CH149 Peak



U-NII-3 11a CH165 Peak




U-NII-3 11n20 CH149 Peak




U-NII-3 11n20 CH165 Peak




U-NII-3 11ac80 CH155 Peak




U-NII-3 11ac80 CH155 Peak




U-NII-3 11ax20-SU CH149 Peak



U-NII-3 11ax20-SU CH165 Peak



U-NII-3 11ax40-SU CH151 Peak





U-NII-3 11ax40-SU CH159 Peak




U-NII-3 11ax80-SU CH155 Peak

U-NII-3 11ax80-SU CH155 Peak




Aux. Antenna

U-NII-1 11a CH36 Peak





U-NII-1 11a CH48 Peak




U-NII-1 11a CH36 AV




U-NII-1 11n20 CH36 Peak




U-NII-1 11n20 CH36 AV




U-NII-1 11n20 CH36 AV




U-NII-1 11n40 CH38 Peak




U-NII-1 11n40 CH46 Peak



U-NII-1 11ac20 CH36 Peak




U-NII-1 11ac20 CH48 Peak




U-NII-1 11ac20 CH36 AV




U-NII-1 11ac40 CH38 Peak




U-NII-1 11ac40 CH46 Peak




U-NII-1 11ac80 CH42 Peak




U-NII-1 11ac80 CH42 Peak




U-NII-1 11ac80 CH42 AV




U-NII-1 11ax20-SU CH36 Peak




U-NII-1 11ax20-SU CH48 Peak




U-NII-1 11ax40-SU CH38 Peak




U-NII-1 11ax40-SU CH46 Peak




U-NII-1 11ax80-SU CH42 Peak




U-NII-1 11ax80-SU CH42 Peak




U-NII-2A 11a CH52 Peak




U-NII-2A 11a CH64 Peak



U-NII-2A 11n20 CH52 Peak




U-NII-2A 11n20 CH64 Peak




U-NII-2A 11n20 CH64 AV



U-NII-2A 11n40 CH54 Peak




U-NII-2A 11n40 CH62 Peak




U-NII-2A 11n40 CH62 AV



U-NII-2A 11ac20 CH52 Peak




U-NII-2A 11ac20 CH64 Peak



U-NII-2A 11ac20 CH64 AV



U-NII-2A 11ac40 CH62 Peak



U-NII-2A 11ac40 CH54 Peak

