


Annex A.5 Spurious Emission at Antenna Terminals

GSM

1. GSM_GSM850


1.1. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-54.49	-13	Pass	401
0.15	30	0.01	Peak	0.38	-52.02	-13	Pass	2986
30	500	0.1	Peak	486.9	-44.4	-13	Pass	4701
500	1000	0.1	Peak	824.1	32.95	-13	N/A	5001
1000	10000	1	Peak	6986.731	-22.64	-13	Pass	9001




1.2. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-53.13	-13	Pass	401
0.15	30	0.01	Peak	0.24	-52.4	-13	Pass	2986
30	500	0.1	Peak	474.7	-44.08	-13	Pass	4701
500	1000	0.1	Peak	836.6	33.04	-13	N/A	5001
1000	10000	1	Peak	7690.817	-22.04	-13	Pass	9001



1.3. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-54.4	-13	Pass	401
0.15	30	0.01	Peak	0.15	-52.74	-13	Pass	2986
30	500	0.1	Peak	478.3	-44.22	-13	Pass	4701
500	1000	0.1	Peak	848.8	33.1	-13	N/A	5001
1000	10000	1	Peak	7239.762	-22.47	-13	Pass	9001



2. GSM_PCS


2.1. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-61.82	-13	Pass	401
0.15	30	0.01	Peak	0.2	-59.19	-13	Pass	2986
30	1000	0.1	Peak	833.198	-49.31	-13	Pass	9700
1000	3000	1	Peak	1880	27.19	-13	N/A	2001
3000	20000	1	Peak	19805	-20.7	-13	Pass	17001




2.2. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:810)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-61.16	-13	Pass	401
0.15	30	0.01	Peak	0.17	-60.57	-13	Pass	2986
30	1000	0.1	Peak	818.896	-49.57	-13	Pass	9700
1000	3000	1	Peak	1909	26.58	-13	N/A	2001
3000	20000	1	Peak	19344.995	-20.27	-13	Pass	17001



2.3. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-60.08	-13	Pass	401
0.15	30	0.01	Peak	6.68	-60.18	-13	Pass	2986
30	1000	0.1	Peak	623.872	-48.14	-13	Pass	9700
1000	3000	1	Peak	1850	29.12	-13	N/A	2001
3000	20000	1	Peak	19807	-20.75	-13	Pass	17001




EGPRS

3. EGPRS_GSM850


3.1. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-53.9	-13	Pass	401
0.15	30	0.01	Peak	0.21	-52.67	-13	Pass	2986
30	500	0.1	Peak	477.8	-43.45	-13	Pass	4701
500	1000	0.1	Peak	824.1	28.43	-13	N/A	5001
1000	10000	1	Peak	7105.745	-21.91	-13	Pass	9001




3.2. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-54.63	-13	Pass	401
0.15	30	0.01	Peak	0.18	-52.8	-13	Pass	2986
30	500	0.1	Peak	492.2	-43.65	-13	Pass	4701
500	1000	0.1	Peak	836.6	29.69	-13	N/A	5001
1000	10000	1	Peak	6983.73	-22.23	-13	Pass	9001



3.3. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-55.01	-13	Pass	401
0.15	30	0.01	Peak	0.23	-51.09	-13	Pass	2986
30	500	0.1	Peak	477.9	-44.08	-13	Pass	4701
500	1000	0.1	Peak	848.9	27.92	-13	N/A	5001
1000	10000	1	Peak	7126.748	-22.33	-13	Pass	9001



4. EGPRS_PCS


4.1. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-60.6	-13	Pass	401
0.15	30	0.01	Peak	0.22	-59.36	-13	Pass	2986
30	1000	0.1	Peak	918.846	-49.16	-13	Pass	9700
1000	3000	1	Peak	1851	24.18	-13	N/A	2001
3000	20000	1	Peak	19842	-20.57	-13	Pass	17001




4.2. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-61.14	-13	Pass	401
0.15	30	0.01	Peak	0.17	-59.09	-13	Pass	2986
30	1000	0.1	Peak	881.421	-48.91	-13	Pass	9700
1000	3000	1	Peak	1880	26.37	-13	N/A	2001
3000	20000	1	Peak	19753	-20.78	-13	Pass	17001



4.3. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:810)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-61.83	-13	Pass	401
0.15	30	0.01	Peak	0.21	-59.34	-13	Pass	2986
30	1000	0.1	Peak	345.439	-49.08	-13	Pass	9700
1000	3000	1	Peak	1909	25.26	-13	N/A	2001
3000	20000	1	Peak	19794	-20.72	-13	Pass	17001




WCDMA

5. WCDMA_Band2


5.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-66.19	-13	Pass	401
0.15	30	0.01	Peak	0.15	-63.09	-13	Pass	2985
30	1000	0.1	Peak	646.175	-53.21	-13	Pass	9699
1000	3000	1	Peak	1853.427	22.78	-13	N/A	2000
3000	20000	1	Peak	19788.657	-24.89	-13	Pass	17000




5.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9400)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-64.69	-13	Pass	401
0.15	30	0.01	Peak	0.4	-64.2	-13	Pass	2985
30	1000	0.1	Peak	839.299	-53.44	-13	Pass	9699
1000	3000	1	Peak	1881.441	22.84	-13	N/A	2000
3000	20000	1	Peak	19792.663	-25.11	-13	Pass	17000



5.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-65.46	-13	Pass	401
0.15	30	0.01	Peak	0.16	-64.9	-13	Pass	2985
30	1000	0.1	Peak	836.598	-54.21	-13	Pass	9699
1000	3000	1	Peak	1908.454	22.66	-13	N/A	2000
3000	20000	1	Peak	19607.363	-24.63	-13	Pass	17000



6. WCDMA_Band4


6.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1312)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-65.97	-13	Pass	401
0.15	30	0.01	Peak	0.22	-63.97	-13	Pass	2985
30	1000	0.1	Peak	464.553	-52.94	-13	Pass	9699
1000	3000	1	Peak	1713.357	22.73	-13	N/A	2000
3000	20000	1	Peak	19635.408	-25.43	-13	Pass	17000




6.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1412)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-63.08	-13	Pass	401
0.15	30	0.01	Peak	0.28	-64.02	-13	Pass	2985
30	1000	0.1	Peak	975.267	-53.53	-13	Pass	9699
1000	3000	1	Peak	1733.367	22.77	-13	N/A	2000
3000	20000	1	Peak	19301.99	-25.14	-13	Pass	17000



6.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1513)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.022	-65.23	-13	Pass	401
0.15	30	0.01	Peak	0.15	-62.76	-13	Pass	2985
30	1000	0.1	Peak	374.542	-54.12	-13	Pass	9699
1000	3000	1	Peak	1751.376	22.7	-13	N/A	2000
3000	20000	1	Peak	19764.618	-24.76	-13	Pass	17000



7. WCDMA_Band5


7.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-65.41	-13	Pass	401
0.15	30	0.01	Peak	0.15	-64.01	-13	Pass	2986
30	500	0.1	Peak	352.2	-53.17	-13	Pass	4701
500	1000	0.1	Peak	827	19.44	-13	N/A	5001
1000	10000	1	Peak	7032.736	-32.75	-13	Pass	9001




7.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4182)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.039	-65.18	-13	Pass	401
0.15	30	0.01	Peak	0.15	-62.7	-13	Pass	2986
30	500	0.1	Peak	436.3	-53.85	-13	Pass	4701
500	1000	0.1	Peak	837	19.84	-13	N/A	5001
1000	10000	1	Peak	7145.75	-32.62	-13	Pass	9001



7.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4233)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.039	-66.15	-13	Pass	401
0.15	30	0.01	Peak	0.43	-63.37	-13	Pass	2986
30	500	0.1	Peak	466.3	-53	-13	Pass	4701
500	1000	0.1	Peak	847.8	18.92	-13	N/A	5001
1000	10000	1	Peak	9017.979	-32.48	-13	Pass	9001




LTE

8. LTE_Band2


8.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.46	-13	Pass	2985
30	1000	0.1	RMS	654.276	-62.44	-13	Pass	9699
1000	1840	1	RMS	1840	-49.92	-13	Pass	840
1840	1920	1	RMS	1850.2	22.45	60	Pass	401
1920	3000	1	RMS	2952.956	-49.84	-13	Pass	1080
3000	12000	1	RMS	11017.979	-43.47	-13	Pass	9000
12000	20000	1	RMS	19804.976	-36.63	-13	Pass	8000




**8.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.44	-13	Pass	401
0.15	30	0.01	RMS	9.053	-70.97	-13	Pass	2985
30	1000	0.1	RMS	996.295	-61.5	-13	Pass	9699
1000	1840	1	RMS	1840	-48.91	-13	Pass	840
1840	1920	1	RMS	1850.2	21.62	60	Pass	401
1920	3000	1	RMS	2957.961	-49.81	-13	Pass	1080
3000	12000	1	RMS	11014.978	-43.49	-13	Pass	9000
12000	20000	1	RMS	19801.975	-36.61	-13	Pass	8000




8.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.27	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.4	-13	Pass	2985
30	1000	0.1	RMS	998.298	-63.15	-13	Pass	9699
1000	1840	1	RMS	1822.98	-52.79	-13	Pass	840
1840	1920	1	RMS	1879.4	22.43	60	Pass	401
1920	3000	1	RMS	2959.963	-50.04	-13	Pass	1080
3000	12000	1	RMS	11007.978	-43.61	-13	Pass	9000
12000	20000	1	RMS	19794.974	-36.7	-13	Pass	8000




**8.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.31	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.97	-13	Pass	2985
30	1000	0.1	RMS	856.61	-63.17	-13	Pass	9699
1000	1840	1	RMS	1810.965	-52.84	-13	Pass	840
1840	1920	1	RMS	1879.4	21.59	60	Pass	401
1920	3000	1	RMS	2954.958	-49.95	-13	Pass	1080
3000	12000	1	RMS	11868.838	-43.73	-13	Pass	9000
12000	20000	1	RMS	19795.974	-36.64	-13	Pass	8000




8.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.56	-13	Pass	2985
30	1000	0.1	RMS	886.75	-63.1	-13	Pass	9699
1000	1840	1	RMS	1802.956	-52.85	-13	Pass	840
1840	1920	1	RMS	1908.8	22.26	60	Pass	401
1920	3000	1	RMS	2951.956	-49.96	-13	Pass	1080
3000	12000	1	RMS	11127.992	-43.64	-13	Pass	9000
12000	20000	1	RMS	19799.975	-36.61	-13	Pass	8000




**8.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.73	-13	Pass	401
0.15	30	0.01	RMS	0.84	-72.73	-13	Pass	2985
30	1000	0.1	RMS	478.655	-61.85	-13	Pass	9699
1000	1840	1	RMS	1804.958	-52.71	-13	Pass	840
1840	1920	1	RMS	1908.8	21.41	60	Pass	401
1920	3000	1	RMS	2954.958	-49.87	-13	Pass	1080
3000	12000	1	RMS	11009.978	-43.54	-13	Pass	9000
12000	20000	1	RMS	19802.975	-36.68	-13	Pass	8000




**8.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.74	-13	Pass	401
0.15	30	0.01	RMS	1.4	-72.78	-13	Pass	2985
30	1000	0.1	RMS	895.962	-62.92	-13	Pass	9699
1000	1840	1	RMS	1838.999	-49.05	-13	Pass	840
1840	1920	1	RMS	1850.2	22.52	60	Pass	401
1920	3000	1	RMS	2946.951	-49.93	-13	Pass	1080
3000	12000	1	RMS	11344.188	-43.67	-13	Pass	9000
12000	20000	1	RMS	19799.975	-36.64	-13	Pass	8000




**8.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.73	-13	Pass	401
0.15	30	0.01	RMS	0.36	-72.34	-13	Pass	2985
30	1000	0.1	RMS	982.877	-63.05	-13	Pass	9699
1000	1840	1	RMS	1838.999	-49.91	-13	Pass	840
1840	1920	1	RMS	1850.2	21.77	60	Pass	401
1920	3000	1	RMS	2951.956	-49.91	-13	Pass	1080
3000	12000	1	RMS	11011.978	-43.56	-13	Pass	9000
12000	20000	1	RMS	19796.975	-36.59	-13	Pass	8000




**8.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.14	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.2	-13	Pass	2985
30	1000	0.1	RMS	874.534	-63.06	-13	Pass	9699
1000	1840	1	RMS	1836.996	-52.85	-13	Pass	840
1840	1920	1	RMS	1878.6	22.48	60	Pass	401
1920	3000	1	RMS	2947.952	-50.03	-13	Pass	1080
3000	12000	1	RMS	11012.978	-43.66	-13	Pass	9000
12000	20000	1	RMS	19805.976	-36.68	-13	Pass	8000




**8.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.72	-13	Pass	2985
30	1000	0.1	RMS	864.32	-63.17	-13	Pass	9699
1000	1840	1	RMS	1808.963	-52.88	-13	Pass	840
1840	1920	1	RMS	1878.6	21.6	60	Pass	401
1920	3000	1	RMS	2950.955	-49.97	-13	Pass	1080
3000	12000	1	RMS	11011.978	-43.54	-13	Pass	9000
12000	20000	1	RMS	19796.975	-36.68	-13	Pass	8000




**8.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.91	-13	Pass	401
0.15	30	0.01	RMS	0.56	-72.81	-13	Pass	2985
30	1000	0.1	RMS	855.108	-63.07	-13	Pass	9699
1000	1840	1	RMS	1840	-52.86	-13	Pass	840
1840	1920	1	RMS	1907.2	22.32	60	Pass	401
1920	3000	1	RMS	2848.86	-49.99	-13	Pass	1080
3000	12000	1	RMS	11009.978	-43.63	-13	Pass	9000
12000	20000	1	RMS	19793.974	-36.68	-13	Pass	8000




**8.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.93	-13	Pass	2985
30	1000	0.1	RMS	862.317	-62.98	-13	Pass	9699
1000	1840	1	RMS	1801.955	-52.91	-13	Pass	840
1840	1920	1	RMS	1907.2	21.53	60	Pass	401
1920	3000	1	RMS	2951.956	-49.98	-13	Pass	1080
3000	12000	1	RMS	11009.978	-43.64	-13	Pass	9000
12000	20000	1	RMS	19810.976	-36.69	-13	Pass	8000




**8.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.52	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.3	-13	Pass	2985
30	1000	0.1	RMS	988.885	-63.09	-13	Pass	9699
1000	1840	1	RMS	1840	-48.95	-13	Pass	840
1840	1920	1	RMS	1850.2	22.57	60	Pass	401
1920	3000	1	RMS	2948.953	-49.93	-13	Pass	1080
3000	12000	1	RMS	11008.978	-43.68	-13	Pass	9000
12000	20000	1	RMS	19797.975	-36.65	-13	Pass	8000




**8.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.74	-13	Pass	401
0.15	30	0.01	RMS	0.94	-72.53	-13	Pass	2985
30	1000	0.1	RMS	855.208	-61.33	-13	Pass	9699
1000	1840	1	RMS	1840	-49.19	-13	Pass	840
1840	1920	1	RMS	1850.2	21.74	60	Pass	401
1920	3000	1	RMS	2945.95	-49.84	-13	Pass	1080
3000	12000	1	RMS	11008.978	-43.48	-13	Pass	9000
12000	20000	1	RMS	19794.974	-36.64	-13	Pass	8000




**8.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.21	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.13	-13	Pass	2985
30	1000	0.1	RMS	891.857	-63.15	-13	Pass	9699
1000	1840	1	RMS	1805.959	-52.9	-13	Pass	840
1840	1920	1	RMS	1877.8	22.41	60	Pass	401
1920	3000	1	RMS	2948.953	-49.98	-13	Pass	1080
3000	12000	1	RMS	11021.979	-43.66	-13	Pass	9000
12000	20000	1	RMS	19798.975	-36.69	-13	Pass	8000




**8.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.28	-13	Pass	2985
30	1000	0.1	RMS	873.833	-62.88	-13	Pass	9699
1000	1840	1	RMS	1803.957	-52.94	-13	Pass	840
1840	1920	1	RMS	1877.8	21.69	60	Pass	401
1920	3000	1	RMS	2953.957	-49.96	-13	Pass	1080
3000	12000	1	RMS	11011.978	-43.69	-13	Pass	9000
12000	20000	1	RMS	19797.975	-36.68	-13	Pass	8000




**8.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.27	-13	Pass	2985
30	1000	0.1	RMS	888.252	-63.35	-13	Pass	9699
1000	1840	1	RMS	1798.951	-52.91	-13	Pass	840
1840	1920	1	RMS	1905.2	22.31	60	Pass	401
1920	3000	1	RMS	2946.951	-49.98	-13	Pass	1080
3000	12000	1	RMS	11008.978	-43.77	-13	Pass	9000
12000	20000	1	RMS	19802.975	-36.7	-13	Pass	8000




**8.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.32	-13	Pass	401
0.15	30	0.01	RMS	0.83	-72.49	-13	Pass	2985
30	1000	0.1	RMS	905.775	-63.18	-13	Pass	9699
1000	1840	1	RMS	1805.959	-52.89	-13	Pass	840
1840	1920	1	RMS	1905.2	21.65	60	Pass	401
1920	3000	1	RMS	2950.955	-49.98	-13	Pass	1080
3000	12000	1	RMS	11015.979	-43.52	-13	Pass	9000
12000	20000	1	RMS	19800.975	-36.41	-13	Pass	8000




**8.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.06	-13	Pass	401
0.15	30	0.01	RMS	5.372	-71.59	-13	Pass	2985
30	1000	0.1	RMS	861.516	-61.46	-13	Pass	9699
1000	1840	1	RMS	1840	-49.78	-13	Pass	840
1840	1920	1	RMS	1850.6	22.46	60	Pass	401
1920	3000	1	RMS	2949.954	-49.85	-13	Pass	1080
3000	12000	1	RMS	11017.979	-43.55	-13	Pass	9000
12000	20000	1	RMS	19800.975	-36.6	-13	Pass	8000




**8.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.67	-13	Pass	2985
30	1000	0.1	RMS	477.855	-61.48	-13	Pass	9699
1000	1840	1	RMS	1837.998	-49.71	-13	Pass	840
1840	1920	1	RMS	1850.6	21.78	60	Pass	401
1920	3000	1	RMS	2950.955	-49.85	-13	Pass	1080
3000	12000	1	RMS	11010.978	-43.49	-13	Pass	9000
12000	20000	1	RMS	19804.976	-36.56	-13	Pass	8000




**8.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.7	-13	Pass	401
0.15	30	0.01	RMS	9.693	-71.42	-13	Pass	2985
30	1000	0.1	RMS	471.454	-61.6	-13	Pass	9699
1000	1840	1	RMS	1812.968	-52.72	-13	Pass	840
1840	1920	1	RMS	1875.4	22.51	60	Pass	401
1920	3000	1	RMS	2947.952	-49.82	-13	Pass	1080
3000	12000	1	RMS	11010.978	-43.54	-13	Pass	9000
12000	20000	1	RMS	19806.976	-36.58	-13	Pass	8000




**8.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.12	-13	Pass	401
0.15	30	0.01	RMS	0.41	-72.88	-13	Pass	2985
30	1000	0.1	RMS	981.976	-63.01	-13	Pass	9699
1000	1840	1	RMS	1836.996	-52.84	-13	Pass	840
1840	1920	1	RMS	1875.4	21.62	60	Pass	401
1920	3000	1	RMS	2951.956	-49.95	-13	Pass	1080
3000	12000	1	RMS	11019.979	-43.57	-13	Pass	9000
12000	20000	1	RMS	19801.975	-36.63	-13	Pass	8000




**8.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.64	-13	Pass	401
0.15	30	0.01	RMS	0.56	-72.57	-13	Pass	2985
30	1000	0.1	RMS	994.693	-63.14	-13	Pass	9699
1000	1840	1	RMS	1812.968	-52.88	-13	Pass	840
1840	1920	1	RMS	1900.4	22.35	60	Pass	401
1920	3000	1	RMS	2952.956	-49.95	-13	Pass	1080
3000	12000	1	RMS	11022.979	-43.55	-13	Pass	9000
12000	20000	1	RMS	19794.974	-36.66	-13	Pass	8000




**8.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.3	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.79	-13	Pass	2985
30	1000	0.1	RMS	733.286	-61.58	-13	Pass	9699
1000	1840	1	RMS	1832.992	-52.72	-13	Pass	840
1840	1920	1	RMS	1900.4	21.5	60	Pass	401
1920	3000	1	RMS	2949.954	-49.81	-13	Pass	1080
3000	12000	1	RMS	11013.978	-43.5	-13	Pass	9000
12000	20000	1	RMS	19800.975	-36.54	-13	Pass	8000




**8.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25,
Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.4	-13	Pass	401
0.15	30	0.01	RMS	27.739	-71.31	-13	Pass	2985
30	1000	0.1	RMS	972.864	-61.38	-13	Pass	9699
1000	1840	1	RMS	1837.998	-36.18	-13	Pass	840
1840	1920	1	RMS	1850.8	22.51	60	Pass	401
1920	3000	1	RMS	2952.956	-49.85	-13	Pass	1080
3000	12000	1	RMS	11341.185	-43.51	-13	Pass	9000
12000	20000	1	RMS	19798.975	-36.56	-13	Pass	8000




**8.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.99	-13	Pass	401
0.15	30	0.01	RMS	7.643	-71.21	-13	Pass	2985
30	1000	0.1	RMS	814.496	-61.68	-13	Pass	9699
1000	1840	1	RMS	1837.998	-37.17	-13	Pass	840
1840	1920	1	RMS	1850.8	21.62	60	Pass	401
1920	3000	1	RMS	2949.954	-49.8	-13	Pass	1080
3000	12000	1	RMS	11007.978	-43.48	-13	Pass	9000
12000	20000	1	RMS	19800.975	-36.54	-13	Pass	8000




**8.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,
Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.11	-13	Pass	2985
30	1000	0.1	RMS	985.481	-62.99	-13	Pass	9699
1000	1840	1	RMS	1840	-52.7	-13	Pass	840
1840	1920	1	RMS	1873.2	22.6	60	Pass	401
1920	3000	1	RMS	2949.954	-49.85	-13	Pass	1080
3000	12000	1	RMS	11010.978	-43.57	-13	Pass	9000
12000	20000	1	RMS	19800.975	-36.6	-13	Pass	8000




**8.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,
Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.97	-13	Pass	2985
30	1000	0.1	RMS	869.026	-63.12	-13	Pass	9699
1000	1840	1	RMS	1840	-52.67	-13	Pass	840
1840	1920	1	RMS	1873.2	21.84	60	Pass	401
1920	3000	1	RMS	2951.956	-49.99	-13	Pass	1080
3000	12000	1	RMS	11013.978	-43.64	-13	Pass	9000
12000	20000	1	RMS	19804.976	-36.64	-13	Pass	8000




**8.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29,
Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.95	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.34	-13	Pass	2985
30	1000	0.1	RMS	862.718	-63.01	-13	Pass	9699
1000	1840	1	RMS	1801.955	-52.81	-13	Pass	840
1840	1920	1	RMS	1895.8	22.36	60	Pass	401
1920	3000	1	RMS	2952.956	-49.9	-13	Pass	1080
3000	12000	1	RMS	11016.979	-43.53	-13	Pass	9000
12000	20000	1	RMS	19800.975	-36.5	-13	Pass	8000




**8.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,
Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.69	-13	Pass	401
0.15	30	0.01	RMS	0.46	-72.65	-13	Pass	2985
30	1000	0.1	RMS	878.038	-63.12	-13	Pass	9699
1000	1840	1	RMS	1810.965	-52.92	-13	Pass	840
1840	1920	1	RMS	1895.8	21.75	60	Pass	401
1920	3000	1	RMS	2952.956	-49.94	-13	Pass	1080
3000	12000	1	RMS	11127.992	-43.64	-13	Pass	9000
12000	20000	1	RMS	19801.975	-36.67	-13	Pass	8000




**8.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31,
Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.47	-13	Pass	2985
30	1000	0.1	RMS	853.105	-63.16	-13	Pass	9699
1000	1840	1	RMS	1840	-46.67	-13	Pass	840
1840	1920	1	RMS	1851	22.56	60	Pass	401
1920	3000	1	RMS	2955.959	-50.02	-13	Pass	1080
3000	12000	1	RMS	11125.992	-43.67	-13	Pass	9000
12000	20000	1	RMS	19801.975	-36.59	-13	Pass	8000




**8.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32,
Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.99	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.45	-13	Pass	2985
30	1000	0.1	RMS	882.744	-62.99	-13	Pass	9699
1000	1840	1	RMS	1840	-49.88	-13	Pass	840
1840	1920	1	RMS	1851	21.8	60	Pass	401
1920	3000	1	RMS	2953.957	-50.01	-13	Pass	1080
3000	12000	1	RMS	11010.978	-43.58	-13	Pass	9000
12000	20000	1	RMS	19797.975	-36.72	-13	Pass	8000




**8.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33,
Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.26	-13	Pass	2985
30	1000	0.1	RMS	988.585	-63.15	-13	Pass	9699
1000	1840	1	RMS	1840	-52.76	-13	Pass	840
1840	1920	1	RMS	1871	22.52	60	Pass	401
1920	3000	1	RMS	2947.952	-49.97	-13	Pass	1080
3000	12000	1	RMS	11008.978	-43.65	-13	Pass	9000
12000	20000	1	RMS	19800.975	-36.63	-13	Pass	8000




**8.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34,
Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.38	-13	Pass	401
0.15	30	0.01	RMS	0.93	-72.15	-13	Pass	2985
30	1000	0.1	RMS	904.373	-62.99	-13	Pass	9699
1000	1840	1	RMS	1837.998	-52.78	-13	Pass	840
1840	1920	1	RMS	1871	21.69	60	Pass	401
1920	3000	1	RMS	2949.954	-50.04	-13	Pass	1080
3000	12000	1	RMS	11012.978	-43.64	-13	Pass	9000
12000	20000	1	RMS	19799.975	-36.47	-13	Pass	8000




**8.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35,
Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.78	-13	Pass	401
0.15	30	0.01	RMS	1.32	-72.43	-13	Pass	2985
30	1000	0.1	RMS	997.397	-63.22	-13	Pass	9699
1000	1840	1	RMS	1808.963	-52.75	-13	Pass	840
1840	1920	1	RMS	1891	22.42	60	Pass	401
1920	3000	1	RMS	2949.954	-49.93	-13	Pass	1080
3000	12000	1	RMS	11022.979	-43.61	-13	Pass	9000
12000	20000	1	RMS	19791.974	-36.63	-13	Pass	8000



**8.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36,
Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.08	-13	Pass	2985
30	1000	0.1	RMS	870.829	-63.12	-13	Pass	9699
1000	1840	1	RMS	1817.974	-52.86	-13	Pass	840
1840	1920	1	RMS	1891	21.54	60	Pass	401
1920	3000	1	RMS	2949.954	-49.94	-13	Pass	1080
3000	12000	1	RMS	11128.992	-43.59	-13	Pass	9000
12000	20000	1	RMS	19798.975	-36.59	-13	Pass	8000



9. LTE_Band4


9.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.53	-13	Pass	2985
30	1000	0.1	RMS	888.052	-62.96	-13	Pass	9699
1000	1700	1	RMS	1698.999	-50.69	-13	Pass	700
1700	1765	1	RMS	1710.238	22.3	60	Pass	401
1765	3000	1	RMS	2955.964	-49.97	-13	Pass	1235
3000	12000	1	RMS	11014.978	-43.6	-13	Pass	9000
12000	20000	1	RMS	19802.975	-36.62	-13	Pass	8000




**9.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.55	-13	Pass	401
0.15	30	0.01	RMS	0.91	-72.78	-13	Pass	2985
30	1000	0.1	RMS	891.756	-63.08	-13	Pass	9699
1000	1700	1	RMS	1698.999	-50.78	-13	Pass	700
1700	1765	1	RMS	1710.075	21.45	60	Pass	401
1765	3000	1	RMS	2949.959	-49.91	-13	Pass	1235
3000	12000	1	RMS	11016.979	-43.62	-13	Pass	9000
12000	20000	1	RMS	19806.976	-36.51	-13	Pass	8000




9.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.99	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.4	-13	Pass	2985
30	1000	0.1	RMS	902.671	-63.11	-13	Pass	9699
1000	1700	1	RMS	1697.997	-52.91	-13	Pass	700
1700	1765	1	RMS	1732.013	22.27	60	Pass	401
1765	3000	1	RMS	2944.955	-49.86	-13	Pass	1235
3000	12000	1	RMS	11121.991	-43.45	-13	Pass	9000
12000	20000	1	RMS	19804.976	-36.52	-13	Pass	8000




**9.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.2	-13	Pass	401
0.15	30	0.01	RMS	6.942	-71.55	-13	Pass	2985
30	1000	0.1	RMS	475.554	-61.4	-13	Pass	9699
1000	1700	1	RMS	1698.999	-52.84	-13	Pass	700
1700	1765	1	RMS	1732.013	21.4	60	Pass	401
1765	3000	1	RMS	2948.959	-49.81	-13	Pass	1235
3000	12000	1	RMS	11009.978	-43.6	-13	Pass	9000
12000	20000	1	RMS	19800.975	-36.64	-13	Pass	8000




9.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.2	-13	Pass	2985
30	1000	0.1	RMS	872.13	-63.12	-13	Pass	9699
1000	1700	1	RMS	1695.994	-53.02	-13	Pass	700
1700	1765	1	RMS	1753.788	22.31	60	Pass	401
1765	3000	1	RMS	2945.956	-49.83	-13	Pass	1235
3000	12000	1	RMS	11015.979	-43.49	-13	Pass	9000
12000	20000	1	RMS	19793.974	-36.58	-13	Pass	8000




**9.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.68	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.84	-13	Pass	2985
30	1000	0.1	RMS	871.329	-63.08	-13	Pass	9699
1000	1700	1	RMS	1692.99	-53.06	-13	Pass	700
1700	1765	1	RMS	1753.788	21.54	60	Pass	401
1765	3000	1	RMS	2957.966	-49.94	-13	Pass	1235
3000	12000	1	RMS	11010.978	-43.58	-13	Pass	9000
12000	20000	1	RMS	19808.976	-36.6	-13	Pass	8000




**9.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.86	-13	Pass	2985
30	1000	0.1	RMS	878.839	-63.04	-13	Pass	9699
1000	1700	1	RMS	1700	-50.82	-13	Pass	700
1700	1765	1	RMS	1710.238	22.3	60	Pass	401
1765	3000	1	RMS	2951.961	-49.96	-13	Pass	1235
3000	12000	1	RMS	11126.992	-43.63	-13	Pass	9000
12000	20000	1	RMS	19796.975	-36.53	-13	Pass	8000




**9.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.09	-13	Pass	401
0.15	30	0.01	RMS	0.55	-72.62	-13	Pass	2985
30	1000	0.1	RMS	876.636	-62.96	-13	Pass	9699
1000	1700	1	RMS	1700	-50.78	-13	Pass	700
1700	1765	1	RMS	1710.075	21.52	60	Pass	401
1765	3000	1	RMS	2952.962	-49.94	-13	Pass	1235
3000	12000	1	RMS	11012.978	-43.63	-13	Pass	9000
12000	20000	1	RMS	19792.974	-36.61	-13	Pass	8000




**9.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.86	-13	Pass	2985
30	1000	0.1	RMS	902.27	-62.98	-13	Pass	9699
1000	1700	1	RMS	1700	-52.93	-13	Pass	700
1700	1765	1	RMS	1731.2	22.23	60	Pass	401
1765	3000	1	RMS	2948.959	-49.95	-13	Pass	1235
3000	12000	1	RMS	11129.992	-43.61	-13	Pass	9000
12000	20000	1	RMS	19803.975	-36.63	-13	Pass	8000




**9.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.86	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.43	-13	Pass	2985
30	1000	0.1	RMS	861.817	-62.93	-13	Pass	9699
1000	1700	1	RMS	1697.997	-53.03	-13	Pass	700
1700	1765	1	RMS	1731.2	21.32	60	Pass	401
1765	3000	1	RMS	2942.954	-50.03	-13	Pass	1235
3000	12000	1	RMS	11015.979	-43.71	-13	Pass	9000
12000	20000	1	RMS	19795.974	-36.68	-13	Pass	8000




**9.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.37	-13	Pass	2985
30	1000	0.1	RMS	886.85	-63.05	-13	Pass	9699
1000	1700	1	RMS	1695.994	-53.12	-13	Pass	700
1700	1765	1	RMS	1752.163	22.41	60	Pass	401
1765	3000	1	RMS	2953.963	-49.96	-13	Pass	1235
3000	12000	1	RMS	11011.978	-43.58	-13	Pass	9000
12000	20000	1	RMS	19798.975	-36.63	-13	Pass	8000




**9.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.15	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.27	-13	Pass	2985
30	1000	0.1	RMS	912.684	-63.01	-13	Pass	9699
1000	1700	1	RMS	1695.994	-53.14	-13	Pass	700
1700	1765	1	RMS	1752.163	21.58	60	Pass	401
1765	3000	1	RMS	2952.962	-49.93	-13	Pass	1235
3000	12000	1	RMS	11015.979	-43.64	-13	Pass	9000
12000	20000	1	RMS	19800.975	-36.59	-13	Pass	8000




**9.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.61	-13	Pass	2985
30	1000	0.1	RMS	901.77	-63.09	-13	Pass	9699
1000	1700	1	RMS	1700	-50.83	-13	Pass	700
1700	1765	1	RMS	1710.238	22.3	60	Pass	401
1765	3000	1	RMS	2953.963	-49.94	-13	Pass	1235
3000	12000	1	RMS	11129.992	-43.67	-13	Pass	9000
12000	20000	1	RMS	19799.975	-36.63	-13	Pass	8000




**9.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.63	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.25	-13	Pass	2985
30	1000	0.1	RMS	901.67	-62.98	-13	Pass	9699
1000	1700	1	RMS	1700	-51.02	-13	Pass	700
1700	1765	1	RMS	1710.238	21.7	60	Pass	401
1765	3000	1	RMS	2951.961	-49.91	-13	Pass	1235
3000	12000	1	RMS	11012.978	-43.68	-13	Pass	9000
12000	20000	1	RMS	19799.975	-36.68	-13	Pass	8000




**9.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.23	-13	Pass	2985
30	1000	0.1	RMS	896.162	-63.32	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.06	-13	Pass	700
1700	1765	1	RMS	1730.225	22.27	60	Pass	401
1765	3000	1	RMS	2949.959	-49.95	-13	Pass	1235
3000	12000	1	RMS	11125.992	-43.65	-13	Pass	9000
12000	20000	1	RMS	19800.975	-36.62	-13	Pass	8000




**9.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.21	-13	Pass	2985
30	1000	0.1	RMS	873.132	-62.95	-13	Pass	9699
1000	1700	1	RMS	1700	-53.04	-13	Pass	700
1700	1765	1	RMS	1730.225	21.44	60	Pass	401
1765	3000	1	RMS	2955.964	-49.93	-13	Pass	1235
3000	12000	1	RMS	11009.978	-43.66	-13	Pass	9000
12000	20000	1	RMS	19798.975	-36.63	-13	Pass	8000




**9.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.53	-13	Pass	2985
30	1000	0.1	RMS	892.958	-63.09	-13	Pass	9699
1000	1700	1	RMS	1688.984	-52.93	-13	Pass	700
1700	1765	1	RMS	1750.213	22.44	60	Pass	401
1765	3000	1	RMS	2951.961	-49.92	-13	Pass	1235
3000	12000	1	RMS	11012.978	-43.66	-13	Pass	9000
12000	20000	1	RMS	19803.975	-36.63	-13	Pass	8000




**9.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.93	-13	Pass	2985
30	1000	0.1	RMS	877.638	-63.04	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.21	-13	Pass	700
1700	1765	1	RMS	1750.213	21.62	60	Pass	401
1765	3000	1	RMS	2957.966	-49.98	-13	Pass	1235
3000	12000	1	RMS	11019.979	-43.54	-13	Pass	9000
12000	20000	1	RMS	19800.975	-36.65	-13	Pass	8000




**9.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.04	-13	Pass	401
0.15	30	0.01	RMS	20.117	-71.86	-13	Pass	2985
30	1000	0.1	RMS	863.619	-61.2	-13	Pass	9699
1000	1700	1	RMS	1692.99	-49.3	-13	Pass	700
1700	1765	1	RMS	1710.563	22.39	60	Pass	401
1765	3000	1	RMS	2948.959	-49.83	-13	Pass	1235
3000	12000	1	RMS	11123.992	-43.51	-13	Pass	9000
12000	20000	1	RMS	19804.976	-36.56	-13	Pass	8000




**9.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.42	-13	Pass	401
0.15	30	0.01	RMS	2.951	-71.02	-13	Pass	2985
30	1000	0.1	RMS	841.899	-61.41	-13	Pass	9699
1000	1700	1	RMS	1692.99	-49.71	-13	Pass	700
1700	1765	1	RMS	1710.563	21.5	60	Pass	401
1765	3000	1	RMS	2948.959	-49.89	-13	Pass	1235
3000	12000	1	RMS	11009.978	-43.57	-13	Pass	9000
12000	20000	1	RMS	19785.973	-36.67	-13	Pass	8000




**9.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.23	-13	Pass	401
0.15	30	0.01	RMS	0.47	-72.44	-13	Pass	2985
30	1000	0.1	RMS	987.784	-61.48	-13	Pass	9699
1000	1700	1	RMS	1698.999	-52.79	-13	Pass	700
1700	1765	1	RMS	1727.95	22.31	60	Pass	401
1765	3000	1	RMS	2955.964	-49.91	-13	Pass	1235
3000	12000	1	RMS	11006.977	-43.5	-13	Pass	9000
12000	20000	1	RMS	19795.974	-36.58	-13	Pass	8000




**9.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.63	-13	Pass	401
0.15	30	0.01	RMS	1.64	-70.46	-13	Pass	2985
30	1000	0.1	RMS	983.278	-63.06	-13	Pass	9699
1000	1700	1	RMS	1700	-52.91	-13	Pass	700
1700	1765	1	RMS	1727.95	21.47	60	Pass	401
1765	3000	1	RMS	2951.961	-49.95	-13	Pass	1235
3000	12000	1	RMS	11010.978	-43.56	-13	Pass	9000
12000	20000	1	RMS	19801.975	-36.58	-13	Pass	8000




**9.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.63	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.74	-13	Pass	2985
30	1000	0.1	RMS	868.526	-62.92	-13	Pass	9699
1000	1700	1	RMS	1693.991	-53.1	-13	Pass	700
1700	1765	1	RMS	1745.5	22.45	60	Pass	401
1765	3000	1	RMS	2949.959	-49.91	-13	Pass	1235
3000	12000	1	RMS	11009.978	-43.59	-13	Pass	9000
12000	20000	1	RMS	19804.976	-36.62	-13	Pass	8000




**9.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.23	-13	Pass	2985
30	1000	0.1	RMS	854.707	-62.92	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.11	-13	Pass	700
1700	1765	1	RMS	1745.5	21.44	60	Pass	401
1765	3000	1	RMS	2951.961	-49.95	-13	Pass	1235
3000	12000	1	RMS	11015.979	-43.66	-13	Pass	9000
12000	20000	1	RMS	19800.975	-36.64	-13	Pass	8000




**9.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25,
Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.02	-13	Pass	2985
30	1000	0.1	RMS	998.899	-62.97	-13	Pass	9699
1000	1700	1	RMS	1697.997	-34.5	-13	Pass	700
1700	1765	1	RMS	1710.725	22.44	60	Pass	401
1765	3000	1	RMS	2956.965	-49.95	-13	Pass	1235
3000	12000	1	RMS	11127.992	-43.58	-13	Pass	9000
12000	20000	1	RMS	19802.975	-36.65	-13	Pass	8000




**9.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.1	-13	Pass	2985
30	1000	0.1	RMS	878.839	-62.96	-13	Pass	9699
1000	1700	1	RMS	1697.997	-35.35	-13	Pass	700
1700	1765	1	RMS	1710.725	21.64	60	Pass	401
1765	3000	1	RMS	2949.959	-49.94	-13	Pass	1235
3000	12000	1	RMS	11009.978	-43.62	-13	Pass	9000
12000	20000	1	RMS	19800.975	-36.71	-13	Pass	8000




**9.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,
Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.93	-13	Pass	401
0.15	30	0.01	RMS	0.55	-72.64	-13	Pass	2985
30	1000	0.1	RMS	869.327	-62.99	-13	Pass	9699
1000	1700	1	RMS	1698.999	-48.91	-13	Pass	700
1700	1765	1	RMS	1725.675	22.41	60	Pass	401
1765	3000	1	RMS	2949.959	-49.95	-13	Pass	1235
3000	12000	1	RMS	11013.978	-43.63	-13	Pass	9000
12000	20000	1	RMS	19800.975	-36.66	-13	Pass	8000




**9.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,
Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.19	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.91	-13	Pass	2985
30	1000	0.1	RMS	899.166	-63.09	-13	Pass	9699
1000	1700	1	RMS	1698.999	-49.35	-13	Pass	700
1700	1765	1	RMS	1725.838	21.79	60	Pass	401
1765	3000	1	RMS	2953.963	-49.96	-13	Pass	1235
3000	12000	1	RMS	11011.978	-43.61	-13	Pass	9000
12000	20000	1	RMS	19793.974	-36.69	-13	Pass	8000




**9.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29,
Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.59	-13	Pass	401
0.15	30	0.01	RMS	0.86	-72.82	-13	Pass	2985
30	1000	0.1	RMS	995.895	-63.02	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.1	-13	Pass	700
1700	1765	1	RMS	1740.788	22.42	60	Pass	401
1765	3000	1	RMS	1767.002	-44.88	-13	Pass	1235
3000	12000	1	RMS	11009.978	-43.64	-13	Pass	9000
12000	20000	1	RMS	19802.975	-36.61	-13	Pass	8000




**9.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,
Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.5	-13	Pass	2985
30	1000	0.1	RMS	894.46	-63.05	-13	Pass	9699
1000	1700	1	RMS	1695.994	-53.1	-13	Pass	700
1700	1765	1	RMS	1740.788	21.61	60	Pass	401
1765	3000	1	RMS	1767.002	-45.55	-13	Pass	1235
3000	12000	1	RMS	11127.992	-43.64	-13	Pass	9000
12000	20000	1	RMS	19792.974	-36.66	-13	Pass	8000




**9.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31,
Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.82	-13	Pass	2985
30	1000	0.1	RMS	881.743	-63.02	-13	Pass	9699
1000	1700	1	RMS	1692.99	-34.56	-13	Pass	700
1700	1765	1	RMS	1711.05	22.43	60	Pass	401
1765	3000	1	RMS	2939.951	-49.97	-13	Pass	1235
3000	12000	1	RMS	11011.978	-43.63	-13	Pass	9000
12000	20000	1	RMS	19799.975	-36.61	-13	Pass	8000




**9.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32,
Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.34	-13	Pass	2985
30	1000	0.1	RMS	856.109	-63.19	-13	Pass	9699
1000	1700	1	RMS	1692.99	-35.46	-13	Pass	700
1700	1765	1	RMS	1711.05	21.73	60	Pass	401
1765	3000	1	RMS	2949.959	-49.91	-13	Pass	1235
3000	12000	1	RMS	11009.978	-43.62	-13	Pass	9000
12000	20000	1	RMS	19801.975	-36.64	-13	Pass	8000




**9.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33,
Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.33	-13	Pass	2985
30	1000	0.1	RMS	911.082	-63.01	-13	Pass	9699
1000	1700	1	RMS	1687.983	-51.25	-13	Pass	700
1700	1765	1	RMS	1723.563	22.38	60	Pass	401
1765	3000	1	RMS	2948.959	-49.92	-13	Pass	1235
3000	12000	1	RMS	11011.978	-43.58	-13	Pass	9000
12000	20000	1	RMS	19800.975	-36.63	-13	Pass	8000




**9.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34,
Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.72	-13	Pass	2985
30	1000	0.1	RMS	857.311	-63.09	-13	Pass	9699
1000	1700	1	RMS	1687.983	-51.75	-13	Pass	700
1700	1765	1	RMS	1723.4	21.52	60	Pass	401
1765	3000	1	RMS	2954.964	-49.98	-13	Pass	1235
3000	12000	1	RMS	11013.978	-43.7	-13	Pass	9000
12000	20000	1	RMS	19797.975	-36.64	-13	Pass	8000




**9.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35,
Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.87	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.19	-13	Pass	2985
30	1000	0.1	RMS	866.423	-63.06	-13	Pass	9699
1000	1700	1	RMS	1700	-50.86	-13	Pass	700
1700	1765	1	RMS	1735.913	22.39	60	Pass	401
1765	3000	1	RMS	1772.006	-44.73	-13	Pass	1235
3000	12000	1	RMS	11013.978	-43.59	-13	Pass	9000
12000	20000	1	RMS	19801.975	-36.69	-13	Pass	8000



**9.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36,
Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.71	-13	Pass	2985
30	1000	0.1	RMS	873.532	-62.89	-13	Pass	9699
1000	1700	1	RMS	1700	-51.07	-13	Pass	700
1700	1765	1	RMS	1736.075	21.37	60	Pass	401
1765	3000	1	RMS	1772.006	-45.45	-13	Pass	1235
3000	12000	1	RMS	11130.993	-43.62	-13	Pass	9000
12000	20000	1	RMS	19801.975	-36.63	-13	Pass	8000



10. LTE_Band5


10.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.16	-13	Pass	401
0.15	30	0.01	RMS	0.21	-70.98	-13	Pass	2986
30	814	0.1	RMS	812.2	-63.6	-13	Pass	7841
814	860	0.1	RMS	824.2	20.63	60	Pass	461
860	1000	0.1	RMS	972.3	-63.88	-13	Pass	1401
1000	3000	1	RMS	1648	-46.15	-13	Pass	2001
3000	10000	1	RMS	7101	-44.21	-13	Pass	7001




**10.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.41	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.76	-13	Pass	2986
30	814	0.1	RMS	812.7	-63.81	-13	Pass	7841
814	860	0.1	RMS	824.2	19.74	60	Pass	461
860	1000	0.1	RMS	984.7	-63.77	-13	Pass	1401
1000	3000	1	RMS	1648	-46.96	-13	Pass	2001
3000	10000	1	RMS	7087	-44.28	-13	Pass	7001




10.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.45	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.29	-13	Pass	2986
30	814	0.1	RMS	740	-64.04	-13	Pass	7841
814	860	0.1	RMS	836.1	20.6	60	Pass	461
860	1000	0.1	RMS	989.9	-63.81	-13	Pass	1401
1000	3000	1	RMS	1672	-46.78	-13	Pass	2001
3000	10000	1	RMS	6985	-44.25	-13	Pass	7001




**10.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.9	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.97	-13	Pass	2986
30	814	0.1	RMS	813.7	-64.28	-13	Pass	7841
814	860	0.1	RMS	836.1	19.73	60	Pass	461
860	1000	0.1	RMS	998.2	-64.05	-13	Pass	1401
1000	3000	1	RMS	1672	-47.75	-13	Pass	2001
3000	10000	1	RMS	7096	-44.16	-13	Pass	7001




10.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.45	-13	Pass	2986
30	814	0.1	RMS	742.1	-64.08	-13	Pass	7841
814	860	0.1	RMS	847.9	20.55	60	Pass	461
860	1000	0.1	RMS	992	-63.7	-13	Pass	1401
1000	3000	1	RMS	1695	-45.98	-13	Pass	2001
3000	10000	1	RMS	7098	-44.22	-13	Pass	7001




**10.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.72	-13	Pass	401
0.15	30	0.01	RMS	0.22	-70.9	-13	Pass	2986
30	814	0.1	RMS	747.9	-64.14	-13	Pass	7841
814	860	0.1	RMS	847.9	19.75	60	Pass	461
860	1000	0.1	RMS	994.7	-63.7	-13	Pass	1401
1000	3000	1	RMS	1695	-46.76	-13	Pass	2001
3000	10000	1	RMS	7102	-44.24	-13	Pass	7001




**10.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.68	-13	Pass	401
0.15	30	0.01	RMS	0.21	-71.08	-13	Pass	2986
30	814	0.1	RMS	811.8	-63.94	-13	Pass	7841
814	860	0.1	RMS	824.2	20.99	60	Pass	461
860	1000	0.1	RMS	999.8	-63.98	-13	Pass	1401
1000	3000	1	RMS	1648	-45.94	-13	Pass	2001
3000	10000	1	RMS	7102	-44.24	-13	Pass	7001




**10.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.37	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.41	-13	Pass	2986
30	814	0.1	RMS	811.6	-63.94	-13	Pass	7841
814	860	0.1	RMS	824.2	20.27	60	Pass	461
860	1000	0.1	RMS	995.6	-63.81	-13	Pass	1401
1000	3000	1	RMS	1648	-46.62	-13	Pass	2001
3000	10000	1	RMS	7090	-44.18	-13	Pass	7001




**10.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.58	-13	Pass	2986
30	814	0.1	RMS	814	-64.28	-13	Pass	7841
814	860	0.1	RMS	835.2	21	60	Pass	461
860	1000	0.1	RMS	994.3	-63.8	-13	Pass	1401
1000	3000	1	RMS	1670	-45.75	-13	Pass	2001
3000	10000	1	RMS	7098	-44.3	-13	Pass	7001




**10.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-72.31	-13	Pass	401
0.15	30	0.01	RMS	0.21	-70.17	-13	Pass	2986
30	814	0.1	RMS	742.2	-64.38	-13	Pass	7841
814	860	0.1	RMS	835.2	20.09	60	Pass	461
860	1000	0.1	RMS	999.6	-64.01	-13	Pass	1401
1000	3000	1	RMS	1670	-46.67	-13	Pass	2001
3000	10000	1	RMS	7097	-44.27	-13	Pass	7001




10.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-71.32	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.39	-13	Pass	2986
30	814	0.1	RMS	742.9	-64.42	-13	Pass	7841
814	860	0.1	RMS	846.2	21.03	60	Pass	461
860	1000	0.1	RMS	985.6	-64.08	-13	Pass	1401
1000	3000	1	RMS	1692	-45.66	-13	Pass	2001
3000	10000	1	RMS	7094	-44.29	-13	Pass	7001




**10.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-71.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.21	-13	Pass	2986
30	814	0.1	RMS	812.5	-64.4	-13	Pass	7841
814	860	0.1	RMS	846.2	20.02	60	Pass	461
860	1000	0.1	RMS	901.3	-64	-13	Pass	1401
1000	3000	1	RMS	1692	-46.32	-13	Pass	2001
3000	10000	1	RMS	7105	-44.29	-13	Pass	7001




**10.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.06	-13	Pass	401
0.15	30	0.01	RMS	0.22	-71.2	-13	Pass	2986
30	814	0.1	RMS	813.6	-63.8	-13	Pass	7841
814	860	0.1	RMS	824.3	21.06	60	Pass	461
860	1000	0.1	RMS	871	-63.89	-13	Pass	1401
1000	3000	1	RMS	1648	-46	-13	Pass	2001
3000	10000	1	RMS	7096	-44.25	-13	Pass	7001




10.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.038	-71.41	-13	Pass	401
0.15	30	0.01	RMS	0.19	-70.82	-13	Pass	2986
30	814	0.1	RMS	813.2	-63.71	-13	Pass	7841
814	860	0.1	RMS	824.3	20.11	60	Pass	461
860	1000	0.1	RMS	872	-64.02	-13	Pass	1401
1000	3000	1	RMS	1648	-46.86	-13	Pass	2001
3000	10000	1	RMS	7091	-44.31	-13	Pass	7001




**10.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.94	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.11	-13	Pass	2986
30	814	0.1	RMS	811.1	-64.36	-13	Pass	7841
814	860	0.1	RMS	834.3	21.01	60	Pass	461
860	1000	0.1	RMS	994.8	-63.94	-13	Pass	1401
1000	3000	1	RMS	1668	-45.97	-13	Pass	2001
3000	10000	1	RMS	7069	-44.35	-13	Pass	7001




**10.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.42	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.57	-13	Pass	2986
30	814	0.1	RMS	740.4	-64.13	-13	Pass	7841
814	860	0.1	RMS	834.3	20.25	60	Pass	461
860	1000	0.1	RMS	993.2	-64.09	-13	Pass	1401
1000	3000	1	RMS	1668	-46.43	-13	Pass	2001
3000	10000	1	RMS	7100	-44.25	-13	Pass	7001




**10.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-72.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.52	-13	Pass	2986
30	814	0.1	RMS	729.5	-64.32	-13	Pass	7841
814	860	0.1	RMS	844.3	20.99	60	Pass	461
860	1000	0.1	RMS	998.3	-63.96	-13	Pass	1401
1000	3000	1	RMS	1688	-45.75	-13	Pass	2001
3000	10000	1	RMS	7089	-44.25	-13	Pass	7001




**10.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.93	-13	Pass	401
0.15	30	0.01	RMS	0.19	-70.47	-13	Pass	2986
30	814	0.1	RMS	730.4	-64.23	-13	Pass	7841
814	860	0.1	RMS	844.3	20.17	60	Pass	461
860	1000	0.1	RMS	993.5	-64.04	-13	Pass	1401
1000	3000	1	RMS	1688	-46.56	-13	Pass	2001
3000	10000	1	RMS	7101	-44.28	-13	Pass	7001




**10.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.32	-13	Pass	2986
30	814	0.1	RMS	812.2	-63.81	-13	Pass	7841
814	860	0.1	RMS	824.6	21.4	60	Pass	461
860	1000	0.1	RMS	999.7	-64.06	-13	Pass	1401
1000	3000	1	RMS	1649	-46.72	-13	Pass	2001
3000	10000	1	RMS	7101	-44.3	-13	Pass	7001




**10.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-71.53	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.17	-13	Pass	2986
30	814	0.1	RMS	813.9	-63.43	-13	Pass	7841
814	860	0.1	RMS	824.6	20.73	60	Pass	461
860	1000	0.1	RMS	999.4	-64.1	-13	Pass	1401
1000	3000	1	RMS	1649	-47.35	-13	Pass	2001
3000	10000	1	RMS	7090	-44.28	-13	Pass	7001




**10.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-71.42	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.17	-13	Pass	2986
30	814	0.1	RMS	812.4	-64.31	-13	Pass	7841
814	860	0.1	RMS	832.1	21.44	60	Pass	461
860	1000	0.1	RMS	996.4	-64.08	-13	Pass	1401
1000	3000	1	RMS	1664	-46.59	-13	Pass	2001
3000	10000	1	RMS	7090	-44.24	-13	Pass	7001




**10.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-71.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.23	-13	Pass	2986
30	814	0.1	RMS	813.6	-64.22	-13	Pass	7841
814	860	0.1	RMS	832.1	20.47	60	Pass	461
860	1000	0.1	RMS	993.8	-64.09	-13	Pass	1401
1000	3000	1	RMS	1664	-47.57	-13	Pass	2001
3000	10000	1	RMS	7100	-44.2	-13	Pass	7001




**10.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-71.72	-13	Pass	401
0.15	30	0.01	RMS	0.21	-70.89	-13	Pass	2986
30	814	0.1	RMS	744.9	-64.44	-13	Pass	7841
814	860	0.1	RMS	839.6	21.3	60	Pass	461
860	1000	0.1	RMS	997.5	-64.04	-13	Pass	1401
1000	3000	1	RMS	1679	-46.5	-13	Pass	2001
3000	10000	1	RMS	6989	-44.22	-13	Pass	7001



**10.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.038	-71.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.97	-13	Pass	2986
30	814	0.1	RMS	735.9	-64.29	-13	Pass	7841
814	860	0.1	RMS	839.6	20.55	60	Pass	461
860	1000	0.1	RMS	995	-64.14	-13	Pass	1401
1000	3000	1	RMS	1679	-47.14	-13	Pass	2001
3000	10000	1	RMS	7061	-44.35	-13	Pass	7001



11. LTE_Band7


11.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.14	-25	Pass	401
0.15	30	0.01	RMS	0.7	-71.31	-25	Pass	2985
30	1000	0.1	RMS	912.083	-61.39	-25	Pass	9699
1000	2480	1	RMS	2480	-50.87	-25	Pass	1480
2480	2590	1	RMS	2500.075	21.67	60	Pass	401
2590	3000	1	RMS	2952.885	-49.84	-25	Pass	410
3000	12000	1	RMS	11583.485	-53.17	-25	Pass	9000
12000	26000	1	RMS	25900.983	-40.6	-25	Pass	14000




**11.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.66	-25	Pass	401
0.15	30	0.01	RMS	2.481	-71.19	-25	Pass	2985
30	1000	0.1	RMS	796.294	-62.19	-25	Pass	9699
1000	2480	1	RMS	2477.999	-50.93	-25	Pass	1480
2480	2590	1	RMS	2500.35	20.8	60	Pass	401
2590	3000	1	RMS	2952.885	-49.97	-25	Pass	410
3000	12000	1	RMS	11586.488	-53.36	-25	Pass	9000
12000	26000	1	RMS	25894.982	-40.51	-25	Pass	14000




**11.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.97	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.4	-25	Pass	2985
30	1000	0.1	RMS	881.643	-62.98	-25	Pass	9699
1000	2480	1	RMS	2476.998	-51.09	-25	Pass	1480
2480	2590	1	RMS	2532.8	21.99	60	Pass	401
2590	3000	1	RMS	2949.878	-49.98	-25	Pass	410
3000	12000	1	RMS	11583.485	-53.41	-25	Pass	9000
12000	26000	1	RMS	25901.983	-40.51	-25	Pass	14000




**11.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.48	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.71	-25	Pass	2985
30	1000	0.1	RMS	875.134	-63.03	-25	Pass	9699
1000	2480	1	RMS	2474.997	-51.1	-25	Pass	1480
2480	2590	1	RMS	2532.8	21.24	60	Pass	401
2590	3000	1	RMS	2954.89	-49.97	-25	Pass	410
3000	12000	1	RMS	11583.485	-53.2	-25	Pass	9000
12000	26000	1	RMS	25893.982	-40.61	-25	Pass	14000




**11.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.31	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.91	-25	Pass	2985
30	1000	0.1	RMS	910.381	-61.47	-25	Pass	9699
1000	2480	1	RMS	2480	-50.86	-25	Pass	1480
2480	2590	1	RMS	2565.25	21.67	60	Pass	401
2590	3000	1	RMS	2950.88	-49.92	-25	Pass	410
3000	12000	1	RMS	11581.482	-53.34	-25	Pass	9000
12000	26000	1	RMS	25885.98	-40.63	-25	Pass	14000




**11.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.29	-25	Pass	401
0.15	30	0.01	RMS	0.53	-72.43	-25	Pass	2985
30	1000	0.1	RMS	880.742	-63.23	-25	Pass	9699
1000	2480	1	RMS	2478.999	-51.05	-25	Pass	1480
2480	2590	1	RMS	2565.25	21.15	60	Pass	401
2590	3000	1	RMS	2950.88	-50.05	-25	Pass	410
3000	12000	1	RMS	11577.477	-53.43	-25	Pass	9000
12000	26000	1	RMS	25890.981	-40.65	-25	Pass	14000




**11.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.74	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.17	-25	Pass	2985
30	1000	0.1	RMS	857.912	-63.07	-25	Pass	9699
1000	2480	1	RMS	2477.999	-50.9	-25	Pass	1480
2480	2590	1	RMS	2500.35	21.83	60	Pass	401
2590	3000	1	RMS	2948.875	-49.95	-25	Pass	410
3000	12000	1	RMS	11581.482	-53.21	-25	Pass	9000
12000	26000	1	RMS	25900.983	-40.61	-25	Pass	14000



**11.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.87	-25	Pass	401
0.15	30	0.01	RMS	1.05	-70.92	-25	Pass	2985
30	1000	0.1	RMS	992.09	-61.46	-25	Pass	9699
1000	2480	1	RMS	2480	-50.84	-25	Pass	1480
2480	2590	1	RMS	2500.35	20.92	60	Pass	401
2590	3000	1	RMS	2948.875	-49.93	-25	Pass	410
3000	12000	1	RMS	11579.48	-53.13	-25	Pass	9000
12000	26000	1	RMS	25887.981	-40.62	-25	Pass	14000




**11.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.97	-25	Pass	401
0.15	30	0.01	RMS	1.3	-71.11	-25	Pass	2985
30	1000	0.1	RMS	880.942	-63	-25	Pass	9699
1000	2480	1	RMS	2480	-51.01	-25	Pass	1480
2480	2590	1	RMS	2530.325	21.92	60	Pass	401
2590	3000	1	RMS	2951.883	-50	-25	Pass	410
3000	12000	1	RMS	11577.477	-53.39	-25	Pass	9000
12000	26000	1	RMS	25874.978	-40.64	-25	Pass	14000



**11.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.55	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.51	-25	Pass	2985
30	1000	0.1	RMS	889.053	-62.94	-25	Pass	9699
1000	2480	1	RMS	2475.997	-51.01	-25	Pass	1480
2480	2590	1	RMS	2530.6	21.16	60	Pass	401
2590	3000	1	RMS	2947.873	-50.05	-25	Pass	410
3000	12000	1	RMS	11581.482	-53.39	-25	Pass	9000
12000	26000	1	RMS	25902.983	-40.63	-25	Pass	14000




11.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.25	-25	Pass	401
0.15	30	0.01	RMS	1.26	-72.34	-25	Pass	2985
30	1000	0.1	RMS	848.9	-62.99	-25	Pass	9699
1000	2480	1	RMS	2480	-51.12	-25	Pass	1480
2480	2590	1	RMS	2560.575	21.56	60	Pass	401
2590	3000	1	RMS	2948.875	-50.04	-25	Pass	410
3000	12000	1	RMS	11578.478	-53.4	-25	Pass	9000
12000	26000	1	RMS	25889.981	-40.71	-25	Pass	14000




**11.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.77	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.65	-25	Pass	2985
30	1000	0.1	RMS	987.984	-63.13	-25	Pass	9699
1000	2480	1	RMS	2480	-51.07	-25	Pass	1480
2480	2590	1	RMS	2560.575	20.78	60	Pass	401
2590	3000	1	RMS	2948.875	-50.02	-25	Pass	410
3000	12000	1	RMS	11581.482	-53.28	-25	Pass	9000
12000	26000	1	RMS	25900.983	-40.62	-25	Pass	14000




**11.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.25	-25	Pass	401
0.15	30	0.01	RMS	0.48	-72.5	-25	Pass	2985
30	1000	0.1	RMS	860.916	-63.2	-25	Pass	9699
1000	2480	1	RMS	2478.999	-50.95	-25	Pass	1480
2480	2590	1	RMS	2500.625	21.85	60	Pass	401
2590	3000	1	RMS	2948.875	-49.94	-25	Pass	410
3000	12000	1	RMS	11579.48	-53.2	-25	Pass	9000
12000	26000	1	RMS	25897.982	-40.55	-25	Pass	14000



**11.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.84	-25	Pass	401
0.15	30	0.01	RMS	26.459	-71.27	-25	Pass	2985
30	1000	0.1	RMS	726.685	-61.45	-25	Pass	9699
1000	2480	1	RMS	2475.997	-50.85	-25	Pass	1480
2480	2590	1	RMS	2500.625	21.32	60	Pass	401
2590	3000	1	RMS	2949.878	-49.87	-25	Pass	410
3000	12000	1	RMS	11579.48	-53.23	-25	Pass	9000
12000	26000	1	RMS	25899.983	-40.6	-25	Pass	14000




**11.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.77	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.11	-25	Pass	2985
30	1000	0.1	RMS	879.64	-63.05	-25	Pass	9699
1000	2480	1	RMS	2480	-51.09	-25	Pass	1480
2480	2590	1	RMS	2528.125	22.08	60	Pass	401
2590	3000	1	RMS	2949.878	-50.01	-25	Pass	410
3000	12000	1	RMS	11575.475	-53.34	-25	Pass	9000
12000	26000	1	RMS	25884.98	-40.57	-25	Pass	14000



**11.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.85	-25	Pass	401
0.15	30	0.01	RMS	1.25	-72.5	-25	Pass	2985
30	1000	0.1	RMS	871.429	-63.07	-25	Pass	9699
1000	2480	1	RMS	2477.999	-51.04	-25	Pass	1480
2480	2590	1	RMS	2528.125	21.19	60	Pass	401
2590	3000	1	RMS	2949.878	-49.97	-25	Pass	410
3000	12000	1	RMS	11575.475	-53.39	-25	Pass	9000
12000	26000	1	RMS	25900.983	-40.58	-25	Pass	14000



**11.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.08	-25	Pass	401
0.15	30	0.01	RMS	2.461	-72.84	-25	Pass	2985
30	1000	0.1	RMS	889.053	-63.09	-25	Pass	9699
1000	2480	1	RMS	2480	-51.03	-25	Pass	1480
2480	2590	1	RMS	2555.625	21.65	60	Pass	401
2590	3000	1	RMS	2949.878	-50.03	-25	Pass	410
3000	12000	1	RMS	11583.485	-53.47	-25	Pass	9000
12000	26000	1	RMS	25885.98	-40.6	-25	Pass	14000



**11.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.46	-25	Pass	401
0.15	30	0.01	RMS	0.9	-72.59	-25	Pass	2985
30	1000	0.1	RMS	871.73	-63	-25	Pass	9699
1000	2480	1	RMS	2480	-50.99	-25	Pass	1480
2480	2590	1	RMS	2555.625	21.05	60	Pass	401
2590	3000	1	RMS	2949.878	-49.94	-25	Pass	410
3000	12000	1	RMS	11575.475	-53.44	-25	Pass	9000
12000	26000	1	RMS	25899.983	-40.54	-25	Pass	14000




**11.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.74	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.2	-25	Pass	2985
30	1000	0.1	RMS	887.451	-61.37	-25	Pass	9699
1000	2480	1	RMS	2477.999	-50.83	-25	Pass	1480
2480	2590	1	RMS	2500.9	21.9	60	Pass	401
2590	3000	1	RMS	2949.878	-49.82	-25	Pass	410
3000	12000	1	RMS	11584.486	-53.23	-25	Pass	9000
12000	26000	1	RMS	25902.983	-40.6	-25	Pass	14000




**11.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.46	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.63	-25	Pass	2985
30	1000	0.1	RMS	988.685	-63.12	-25	Pass	9699
1000	2480	1	RMS	2476.998	-51.01	-25	Pass	1480
2480	2590	1	RMS	2500.9	21.05	60	Pass	401
2590	3000	1	RMS	2949.878	-49.97	-25	Pass	410
3000	12000	1	RMS	11580.481	-53.36	-25	Pass	9000
12000	26000	1	RMS	25896.982	-40.57	-25	Pass	14000




11.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.62	-25	Pass	401
0.15	30	0.01	RMS	0.44	-72.72	-25	Pass	2985
30	1000	0.1	RMS	883.145	-63.07	-25	Pass	9699
1000	2480	1	RMS	2476.998	-51.11	-25	Pass	1480
2480	2590	1	RMS	2525.925	22.02	60	Pass	401
2590	3000	1	RMS	2950.88	-50.03	-25	Pass	410
3000	12000	1	RMS	11580.481	-53.4	-25	Pass	9000
12000	26000	1	RMS	25890.981	-40.56	-25	Pass	14000



**11.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.75	-25	Pass	401
0.15	30	0.01	RMS	1.08	-72.62	-25	Pass	2985
30	1000	0.1	RMS	873.532	-62.87	-25	Pass	9699
1000	2480	1	RMS	2478.999	-51.1	-25	Pass	1480
2480	2590	1	RMS	2525.925	21.11	60	Pass	401
2590	3000	1	RMS	2951.883	-50.02	-25	Pass	410
3000	12000	1	RMS	11574.473	-53.39	-25	Pass	9000
12000	26000	1	RMS	25891.981	-40.65	-25	Pass	14000




**11.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.28	-25	Pass	401
0.15	30	0.01	RMS	0.23	-72.64	-25	Pass	2985
30	1000	0.1	RMS	879.54	-63.08	-25	Pass	9699
1000	2480	1	RMS	2478.999	-51.07	-25	Pass	1480
2480	2590	1	RMS	2550.95	21.85	60	Pass	401
2590	3000	1	RMS	2949.878	-50.02	-25	Pass	410
3000	12000	1	RMS	11582.483	-53.45	-25	Pass	9000
12000	26000	1	RMS	25907.984	-40.63	-25	Pass	14000



**11.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.15	-25	Pass	401
0.15	30	0.01	RMS	1.39	-72.52	-25	Pass	2985
30	1000	0.1	RMS	982.577	-63.07	-25	Pass	9699
1000	2480	1	RMS	2478.999	-51.02	-25	Pass	1480
2480	2590	1	RMS	2550.95	20.97	60	Pass	401
2590	3000	1	RMS	2947.873	-50.01	-25	Pass	410
3000	12000	1	RMS	11577.477	-53.3	-25	Pass	9000
12000	26000	1	RMS	25895.982	-40.67	-25	Pass	14000



12. LTE_Band12


12.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.09	-13	Pass	2986
30	689	0.1	RMS	689	-64.82	-13	Pass	6591
689	726	0.1	RMS	699.268	21.3	60	Pass	401
726	1000	0.1	RMS	984.4	-63.9	-13	Pass	2741
1000	3000	1	RMS	1398	-48.01	-13	Pass	2001
3000	10000	1	RMS	6982	-44.36	-13	Pass	7001




**12.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:23017, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-71.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.72	-13	Pass	2986
30	689	0.1	RMS	688.5	-64.79	-13	Pass	6591
689	726	0.1	RMS	699.268	20.3	60	Pass	401
726	1000	0.1	RMS	999.2	-63.95	-13	Pass	2741
1000	3000	1	RMS	1398	-48.73	-13	Pass	2001
3000	10000	1	RMS	7099	-44.38	-13	Pass	7001




12.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:23095, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.16	-13	Pass	2986
30	689	0.1	RMS	495.9	-64.88	-13	Pass	6591
689	726	0.1	RMS	707.038	21.27	60	Pass	401
726	1000	0.1	RMS	886.3	-63.89	-13	Pass	2741
1000	3000	1	RMS	1414	-49.01	-13	Pass	2001
3000	10000	1	RMS	7095	-44.29	-13	Pass	7001




**12.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:23095, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.78	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.53	-13	Pass	2986
30	689	0.1	RMS	654.6	-64.93	-13	Pass	6591
689	726	0.1	RMS	707.038	20.39	60	Pass	401
726	1000	0.1	RMS	997.1	-63.87	-13	Pass	2741
1000	3000	1	RMS	2856	-49.35	-13	Pass	2001
3000	10000	1	RMS	7088	-44.28	-13	Pass	7001




12.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.4	-13	Pass	2986
30	689	0.1	RMS	494.6	-64.89	-13	Pass	6591
689	726	0.1	RMS	714.808	20.77	60	Pass	401
726	1000	0.1	RMS	990.7	-63.8	-13	Pass	2741
1000	3000	1	RMS	1429	-48.57	-13	Pass	2001
3000	10000	1	RMS	7100	-44.27	-13	Pass	7001




**12.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:23173, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.039	-71.33	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.37	-13	Pass	2986
30	689	0.1	RMS	489.5	-64.85	-13	Pass	6591
689	726	0.1	RMS	714.808	19.92	60	Pass	401
726	1000	0.1	RMS	994	-63.81	-13	Pass	2741
1000	3000	1	RMS	1429	-49.25	-13	Pass	2001
3000	10000	1	RMS	7096	-44.27	-13	Pass	7001




**12.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.64	-13	Pass	2986
30	689	0.1	RMS	688.4	-64.52	-13	Pass	6591
689	726	0.1	RMS	699.268	21.24	60	Pass	401
726	1000	0.1	RMS	997	-63.65	-13	Pass	2741
1000	3000	1	RMS	1398	-47.78	-13	Pass	2001
3000	10000	1	RMS	7049	-44.24	-13	Pass	7001




**12.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:23025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.11	-13	Pass	2986
30	689	0.1	RMS	688.2	-64.75	-13	Pass	6591
689	726	0.1	RMS	699.268	20.41	60	Pass	401
726	1000	0.1	RMS	998.6	-63.67	-13	Pass	2741
1000	3000	1	RMS	1398	-48.43	-13	Pass	2001
3000	10000	1	RMS	7105	-44.18	-13	Pass	7001




**12.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:23095, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.27	-13	Pass	2986
30	689	0.1	RMS	489.5	-64.78	-13	Pass	6591
689	726	0.1	RMS	706.205	21.11	60	Pass	401
726	1000	0.1	RMS	991.3	-63.58	-13	Pass	2741
1000	3000	1	RMS	1412	-47.7	-13	Pass	2001
3000	10000	1	RMS	7104	-44.17	-13	Pass	7001




**12.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:23095, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.17	-13	Pass	2986
30	689	0.1	RMS	476	-64.74	-13	Pass	6591
689	726	0.1	RMS	706.205	20.13	60	Pass	401
726	1000	0.1	RMS	995.4	-63.8	-13	Pass	2741
1000	3000	1	RMS	1412	-48.47	-13	Pass	2001
3000	10000	1	RMS	6976	-44.26	-13	Pass	7001




12.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.62	-13	Pass	401
0.15	30	0.01	RMS	0.17	-69.83	-13	Pass	2986
30	689	0.1	RMS	476.2	-64.87	-13	Pass	6591
689	726	0.1	RMS	713.235	21.43	60	Pass	401
726	1000	0.1	RMS	993.7	-63.88	-13	Pass	2741
1000	3000	1	RMS	1426	-48.19	-13	Pass	2001
3000	10000	1	RMS	7109	-44.22	-13	Pass	7001




**12.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:23165, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.039	-70.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.36	-13	Pass	2986
30	689	0.1	RMS	475.9	-64.9	-13	Pass	6591
689	726	0.1	RMS	713.235	20.57	60	Pass	401
726	1000	0.1	RMS	893.4	-63.82	-13	Pass	2741
1000	3000	1	RMS	1426	-48.93	-13	Pass	2001
3000	10000	1	RMS	7098	-44.29	-13	Pass	7001




**12.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.84	-13	Pass	2986
30	689	0.1	RMS	688.6	-64.69	-13	Pass	6591
689	726	0.1	RMS	699.36	21.16	60	Pass	401
726	1000	0.1	RMS	1000	-63.85	-13	Pass	2741
1000	3000	1	RMS	1398	-47.96	-13	Pass	2001
3000	10000	1	RMS	7108	-44.2	-13	Pass	7001




12.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:23035, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-71.95	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.71	-13	Pass	2986
30	689	0.1	RMS	688.7	-64.64	-13	Pass	6591
689	726	0.1	RMS	699.36	20.52	60	Pass	401
726	1000	0.1	RMS	996	-63.69	-13	Pass	2741
1000	3000	1	RMS	1398	-48.62	-13	Pass	2001
3000	10000	1	RMS	7054	-44.29	-13	Pass	7001




**12.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:23095, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-71.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.45	-13	Pass	2986
30	689	0.1	RMS	480	-64.78	-13	Pass	6591
689	726	0.1	RMS	705.373	21.05	60	Pass	401
726	1000	0.1	RMS	993.5	-63.58	-13	Pass	2741
1000	3000	1	RMS	1410	-47.98	-13	Pass	2001
3000	10000	1	RMS	7075	-44.3	-13	Pass	7001




**12.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:23095, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.55	-13	Pass	2986
30	689	0.1	RMS	486.6	-64.95	-13	Pass	6591
689	726	0.1	RMS	705.373	20.28	60	Pass	401
726	1000	0.1	RMS	990.7	-63.98	-13	Pass	2741
1000	3000	1	RMS	1410	-48.65	-13	Pass	2001
3000	10000	1	RMS	7100	-44.29	-13	Pass	7001




**12.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.44	-13	Pass	2986
30	689	0.1	RMS	465	-64.77	-13	Pass	6591
689	726	0.1	RMS	711.293	20.75	60	Pass	401
726	1000	0.1	RMS	999.2	-63.73	-13	Pass	2741
1000	3000	1	RMS	1422	-48.39	-13	Pass	2001
3000	10000	1	RMS	7100	-44.27	-13	Pass	7001




**12.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:23155, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.17	-13	Pass	2986
30	689	0.1	RMS	491.1	-64.92	-13	Pass	6591
689	726	0.1	RMS	711.385	20.09	60	Pass	401
726	1000	0.1	RMS	997.1	-63.83	-13	Pass	2741
1000	3000	1	RMS	1422	-48.91	-13	Pass	2001
3000	10000	1	RMS	7091	-44.28	-13	Pass	7001




**12.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.038	-71.04	-13	Pass	401
0.15	30	0.01	RMS	0.17	-69.51	-13	Pass	2986
30	689	0.1	RMS	688.9	-64.23	-13	Pass	6591
689	726	0.1	RMS	699.545	20.99	60	Pass	401
726	1000	0.1	RMS	893.8	-63.75	-13	Pass	2741
1000	3000	1	RMS	1399	-48.41	-13	Pass	2001
3000	10000	1	RMS	6977	-44.25	-13	Pass	7001




**12.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.86	-13	Pass	2986
30	689	0.1	RMS	689	-64.5	-13	Pass	6591
689	726	0.1	RMS	699.545	20.05	60	Pass	401
726	1000	0.1	RMS	869	-63.83	-13	Pass	2741
1000	3000	1	RMS	1399	-49	-13	Pass	2001
3000	10000	1	RMS	7098	-44.28	-13	Pass	7001




12.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.41	-13	Pass	2986
30	689	0.1	RMS	478.5	-64.88	-13	Pass	6591
689	726	0.1	RMS	703.06	21.09	60	Pass	401
726	1000	0.1	RMS	870.5	-63.69	-13	Pass	2741
1000	3000	1	RMS	1406	-48.34	-13	Pass	2001
3000	10000	1	RMS	7102	-44.26	-13	Pass	7001




**12.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:23095, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.14	-13	Pass	2986
30	689	0.1	RMS	478.5	-64.84	-13	Pass	6591
689	726	0.1	RMS	703.06	20.12	60	Pass	401
726	1000	0.1	RMS	997.2	-63.85	-13	Pass	2741
1000	3000	1	RMS	1406	-49.04	-13	Pass	2001
3000	10000	1	RMS	7109	-44.34	-13	Pass	7001




12.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-71.37	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70	-13	Pass	2986
30	689	0.1	RMS	483.8	-64.81	-13	Pass	6591
689	726	0.1	RMS	706.575	21.29	60	Pass	401
726	1000	0.1	RMS	990.2	-63.88	-13	Pass	2741
1000	3000	1	RMS	1413	-48.41	-13	Pass	2001
3000	10000	1	RMS	7103	-44.28	-13	Pass	7001



**12.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-71.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.32	-13	Pass	2986
30	689	0.1	RMS	478.1	-64.88	-13	Pass	6591
689	726	0.1	RMS	706.575	20.53	60	Pass	401
726	1000	0.1	RMS	883.4	-63.89	-13	Pass	2741
1000	3000	1	RMS	1413	-49.18	-13	Pass	2001
3000	10000	1	RMS	7077	-44.33	-13	Pass	7001



13. LTE_Band17


13.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.039	-71.09	-13	Pass	401
0.15	30	0.01	RMS	0.16	-69.23	-13	Pass	2986
30	694	0.1	RMS	691.2	-61.57	-13	Pass	6641
694	726	0.1	RMS	704.32	21.23	60	Pass	401
726	1000	0.1	RMS	996.9	-63.95	-13	Pass	2741
1000	3000	1	RMS	1408	-47.82	-13	Pass	2001
3000	10000	1	RMS	7103	-44.21	-13	Pass	7001




**13.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:23755, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.41	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.9	-13	Pass	2986
30	694	0.1	RMS	691.2	-61.57	-13	Pass	6641
694	726	0.1	RMS	704.32	20.37	60	Pass	401
726	1000	0.1	RMS	990.6	-63.73	-13	Pass	2741
1000	3000	1	RMS	1408	-48.51	-13	Pass	2001
3000	10000	1	RMS	7093	-44.28	-13	Pass	7001




**13.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:23790, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-71.8	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.41	-13	Pass	2986
30	694	0.1	RMS	691.2	-62.9	-13	Pass	6641
694	726	0.1	RMS	707.84	21.43	60	Pass	401
726	1000	0.1	RMS	998.9	-63.73	-13	Pass	2741
1000	3000	1	RMS	1415	-48.28	-13	Pass	2001
3000	10000	1	RMS	7101	-44.24	-13	Pass	7001




**13.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:23790, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.69	-13	Pass	2986
30	694	0.1	RMS	691.2	-62.97	-13	Pass	6641
694	726	0.1	RMS	707.84	20.72	60	Pass	401
726	1000	0.1	RMS	998.5	-63.71	-13	Pass	2741
1000	3000	1	RMS	1415	-48.88	-13	Pass	2001
3000	10000	1	RMS	7109	-44.28	-13	Pass	7001




**13.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.84	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.19	-13	Pass	2986
30	694	0.1	RMS	691.2	-61.41	-13	Pass	6641
694	726	0.1	RMS	711.36	21.14	60	Pass	401
726	1000	0.1	RMS	988.8	-64	-13	Pass	2741
1000	3000	1	RMS	1422	-48.32	-13	Pass	2001
3000	10000	1	RMS	7084	-44.28	-13	Pass	7001




**13.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:23825, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-71.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.88	-13	Pass	2986
30	694	0.1	RMS	691.2	-61.51	-13	Pass	6641
694	726	0.1	RMS	711.36	20.67	60	Pass	401
726	1000	0.1	RMS	996.6	-63.86	-13	Pass	2741
1000	3000	1	RMS	1422	-48.99	-13	Pass	2001
3000	10000	1	RMS	7113	-44.21	-13	Pass	7001




**13.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-71.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.04	-13	Pass	2986
30	694	0.1	RMS	693.9	-63.24	-13	Pass	6641
694	726	0.1	RMS	704.56	21.17	60	Pass	401
726	1000	0.1	RMS	999.9	-63.74	-13	Pass	2741
1000	3000	1	RMS	1409	-48.21	-13	Pass	2001
3000	10000	1	RMS	7105	-44.28	-13	Pass	7001




**13.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:23780, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.58	-13	Pass	2986
30	694	0.1	RMS	693.4	-63.15	-13	Pass	6641
694	726	0.1	RMS	704.56	20.45	60	Pass	401
726	1000	0.1	RMS	891.1	-63.89	-13	Pass	2741
1000	3000	1	RMS	1409	-48.79	-13	Pass	2001
3000	10000	1	RMS	6982	-44.29	-13	Pass	7001




**13.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:23790, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-71.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.9	-13	Pass	2986
30	694	0.1	RMS	691.2	-63.69	-13	Pass	6641
694	726	0.1	RMS	705.6	21.5	60	Pass	401
726	1000	0.1	RMS	880.4	-63.82	-13	Pass	2741
1000	3000	1	RMS	1411	-48.43	-13	Pass	2001
3000	10000	1	RMS	7108	-44.25	-13	Pass	7001




**13.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:23790, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.87	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.2	-13	Pass	2986
30	694	0.1	RMS	691.2	-63.2	-13	Pass	6641
694	726	0.1	RMS	705.6	20.36	60	Pass	401
726	1000	0.1	RMS	990.6	-63.71	-13	Pass	2741
1000	3000	1	RMS	1411	-49.08	-13	Pass	2001
3000	10000	1	RMS	7068	-44.25	-13	Pass	7001




13.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.67	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.26	-13	Pass	2986
30	694	0.1	RMS	691.2	-61.67	-13	Pass	6641
694	726	0.1	RMS	706.56	21.2	60	Pass	401
726	1000	0.1	RMS	990.2	-63.8	-13	Pass	2741
1000	3000	1	RMS	1413	-48.37	-13	Pass	2001
3000	10000	1	RMS	6982	-44.23	-13	Pass	7001



**13.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:23800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-71.08	-13	Pass	401
0.15	30	0.01	RMS	0.16	-69.73	-13	Pass	2986
30	694	0.1	RMS	691.2	-61.65	-13	Pass	6641
694	726	0.1	RMS	706.56	20.38	60	Pass	401
726	1000	0.1	RMS	869	-63.58	-13	Pass	2741
1000	3000	1	RMS	1413	-49.16	-13	Pass	2001
3000	10000	1	RMS	6985	-44.28	-13	Pass	7001



14. LTE_Band26(part22)


14.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-71.04	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.78	-13	Pass	2986
30	814	0.1	RMS	813.9	-63.9	-13	Pass	7841
814	860	0.1	RMS	824.2	20.56	60	Pass	461
860	1000	0.1	RMS	878.6	-64.05	-13	Pass	1401
1000	3000	1	RMS	1648	-46.2	-13	Pass	2001
3000	10000	1	RMS	6978	-44.24	-13	Pass	7001




**14.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.44	-13	Pass	401
0.15	30	0.01	RMS	0.16	-69.65	-13	Pass	2986
30	814	0.1	RMS	813.6	-64.09	-13	Pass	7841
814	860	0.1	RMS	824.2	19.66	60	Pass	461
860	1000	0.1	RMS	997.8	-64.04	-13	Pass	1401
1000	3000	1	RMS	1648	-46.97	-13	Pass	2001
3000	10000	1	RMS	7108	-44.19	-13	Pass	7001




14.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:26915, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-71.81	-13	Pass	401
0.15	30	0.01	RMS	0.24	-70.99	-13	Pass	2986
30	814	0.1	RMS	734.8	-64.35	-13	Pass	7841
814	860	0.1	RMS	836.1	20.57	60	Pass	461
860	1000	0.1	RMS	999.6	-63.91	-13	Pass	1401
1000	3000	1	RMS	1672	-46.82	-13	Pass	2001
3000	10000	1	RMS	7106	-44.2	-13	Pass	7001




**14.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:26915, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.12	-13	Pass	401
0.15	30	0.01	RMS	0.18	-70.67	-13	Pass	2986
30	814	0.1	RMS	742.9	-64.45	-13	Pass	7841
814	860	0.1	RMS	836	19.74	60	Pass	461
860	1000	0.1	RMS	998.7	-63.96	-13	Pass	1401
1000	3000	1	RMS	1672	-47.6	-13	Pass	2001
3000	10000	1	RMS	7105	-44.2	-13	Pass	7001




14.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-71.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.77	-13	Pass	2986
30	814	0.1	RMS	731.2	-64.35	-13	Pass	7841
814	860	0.1	RMS	847.8	20.56	60	Pass	461
860	1000	0.1	RMS	993.3	-64	-13	Pass	1401
1000	3000	1	RMS	1695	-45.94	-13	Pass	2001
3000	10000	1	RMS	7097	-44.23	-13	Pass	7001




**14.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.46	-13	Pass	401
0.15	30	0.01	RMS	0.19	-70.85	-13	Pass	2986
30	814	0.1	RMS	737.5	-64.33	-13	Pass	7841
814	860	0.1	RMS	847.9	19.66	60	Pass	461
860	1000	0.1	RMS	906.6	-64.09	-13	Pass	1401
1000	3000	1	RMS	1695	-46.8	-13	Pass	2001
3000	10000	1	RMS	7093	-44.18	-13	Pass	7001




**14.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.87	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.27	-13	Pass	2986
30	814	0.1	RMS	813.4	-64.09	-13	Pass	7841
814	860	0.1	RMS	824.2	20.96	60	Pass	461
860	1000	0.1	RMS	989.5	-64.03	-13	Pass	1401
1000	3000	1	RMS	1648	-46.07	-13	Pass	2001
3000	10000	1	RMS	7102	-44.21	-13	Pass	7001




**14.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.77	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.2	-13	Pass	2986
30	814	0.1	RMS	813.5	-63.81	-13	Pass	7841
814	860	0.1	RMS	824.2	20.13	60	Pass	461
860	1000	0.1	RMS	998	-64.04	-13	Pass	1401
1000	3000	1	RMS	1648	-46.71	-13	Pass	2001
3000	10000	1	RMS	7047	-44.24	-13	Pass	7001




**14.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:26915, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-71.91	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.83	-13	Pass	2986
30	814	0.1	RMS	726.7	-64.46	-13	Pass	7841
814	860	0.1	RMS	835.2	20.99	60	Pass	461
860	1000	0.1	RMS	995.5	-63.94	-13	Pass	1401
1000	3000	1	RMS	1670	-45.7	-13	Pass	2001
3000	10000	1	RMS	7107	-44.17	-13	Pass	7001




14.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:26915, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.87	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.9	-13	Pass	2986
30	814	0.1	RMS	813	-64.36	-13	Pass	7841
814	860	0.1	RMS	835.2	19.97	60	Pass	461
860	1000	0.1	RMS	872.6	-63.98	-13	Pass	1401
1000	3000	1	RMS	1670	-46.8	-13	Pass	2001
3000	10000	1	RMS	7106	-44.3	-13	Pass	7001




**14.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.97	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.38	-13	Pass	2986
30	814	0.1	RMS	735.7	-64.39	-13	Pass	7841
814	860	0.1	RMS	846.2	20.98	60	Pass	461
860	1000	0.1	RMS	999.9	-63.93	-13	Pass	1401
1000	3000	1	RMS	1692	-45.61	-13	Pass	2001
3000	10000	1	RMS	7110	-44.23	-13	Pass	7001




**14.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-71.56	-13	Pass	401
0.15	30	0.01	RMS	0.24	-71.18	-13	Pass	2986
30	814	0.1	RMS	726	-64.24	-13	Pass	7841
814	860	0.1	RMS	846.2	19.96	60	Pass	461
860	1000	0.1	RMS	986.4	-64	-13	Pass	1401
1000	3000	1	RMS	1692	-46.49	-13	Pass	2001
3000	10000	1	RMS	7056	-44.16	-13	Pass	7001




**14.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.21	-13	Pass	401
0.15	30	0.01	RMS	0.21	-71.15	-13	Pass	2986
30	814	0.1	RMS	812.7	-63.89	-13	Pass	7841
814	860	0.1	RMS	824.3	20.89	60	Pass	461
860	1000	0.1	RMS	912.5	-63.8	-13	Pass	1401
1000	3000	1	RMS	1648	-46.27	-13	Pass	2001
3000	10000	1	RMS	7095	-44.24	-13	Pass	7001




**14.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-71.01	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.07	-13	Pass	2986
30	814	0.1	RMS	812.6	-63.95	-13	Pass	7841
814	860	0.1	RMS	824.3	19.99	60	Pass	461
860	1000	0.1	RMS	993.2	-63.96	-13	Pass	1401
1000	3000	1	RMS	1648	-46.99	-13	Pass	2001
3000	10000	1	RMS	7098	-44.23	-13	Pass	7001




**14.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:26915, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.11	-13	Pass	2986
30	814	0.1	RMS	813.9	-64.4	-13	Pass	7841
814	860	0.1	RMS	834.3	20.95	60	Pass	461
860	1000	0.1	RMS	992.9	-64.08	-13	Pass	1401
1000	3000	1	RMS	1668	-46.15	-13	Pass	2001
3000	10000	1	RMS	7108	-44.25	-13	Pass	7001




**14.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:26915, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.74	-13	Pass	2986
30	814	0.1	RMS	736.4	-64.25	-13	Pass	7841
814	860	0.1	RMS	834.3	20.17	60	Pass	461
860	1000	0.1	RMS	999.7	-63.95	-13	Pass	1401
1000	3000	1	RMS	1668	-46.78	-13	Pass	2001
3000	10000	1	RMS	7060	-44.31	-13	Pass	7001




**14.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.11	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.05	-13	Pass	2986
30	814	0.1	RMS	736.2	-64.33	-13	Pass	7841
814	860	0.1	RMS	844.3	21.06	60	Pass	461
860	1000	0.1	RMS	984.7	-64.1	-13	Pass	1401
1000	3000	1	RMS	1688	-45.75	-13	Pass	2001
3000	10000	1	RMS	6962	-44.28	-13	Pass	7001




**14.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-71.87	-13	Pass	401
0.15	30	0.01	RMS	0.21	-71.37	-13	Pass	2986
30	814	0.1	RMS	739.6	-64.22	-13	Pass	7841
814	860	0.1	RMS	844.3	20.28	60	Pass	461
860	1000	0.1	RMS	992.1	-64.08	-13	Pass	1401
1000	3000	1	RMS	1688	-46.61	-13	Pass	2001
3000	10000	1	RMS	7106	-44.24	-13	Pass	7001




**14.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.21	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.45	-13	Pass	2986
30	814	0.1	RMS	811.8	-63.5	-13	Pass	7841
814	860	0.1	RMS	824.6	21.36	60	Pass	461
860	1000	0.1	RMS	994.3	-63.72	-13	Pass	1401
1000	3000	1	RMS	1649	-46.74	-13	Pass	2001
3000	10000	1	RMS	6979	-44.28	-13	Pass	7001




**14.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-71.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.12	-13	Pass	2986
30	814	0.1	RMS	812	-64.05	-13	Pass	7841
814	860	0.1	RMS	824.6	20.5	60	Pass	461
860	1000	0.1	RMS	996.4	-63.88	-13	Pass	1401
1000	3000	1	RMS	1649	-47.34	-13	Pass	2001
3000	10000	1	RMS	7081	-44.32	-13	Pass	7001




**14.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:26915, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.54	-13	Pass	401
0.15	30	0.01	RMS	0.2	-70.92	-13	Pass	2986
30	814	0.1	RMS	811.5	-64.1	-13	Pass	7841
814	860	0.1	RMS	832.1	21.34	60	Pass	461
860	1000	0.1	RMS	884.6	-63.79	-13	Pass	1401
1000	3000	1	RMS	1664	-46.85	-13	Pass	2001
3000	10000	1	RMS	7105	-44.26	-13	Pass	7001




**14.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:26915, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.37	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.11	-13	Pass	2986
30	814	0.1	RMS	735.7	-64.03	-13	Pass	7841
814	860	0.1	RMS	832.1	20.12	60	Pass	461
860	1000	0.1	RMS	995.1	-63.88	-13	Pass	1401
1000	3000	1	RMS	1664	-47.53	-13	Pass	2001
3000	10000	1	RMS	7098	-44.25	-13	Pass	7001




**14.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-71.35	-13	Pass	401
0.15	30	0.01	RMS	0.22	-70.53	-13	Pass	2986
30	814	0.1	RMS	746	-64.33	-13	Pass	7841
814	860	0.1	RMS	839.6	21.39	60	Pass	461
860	1000	0.1	RMS	988	-63.9	-13	Pass	1401
1000	3000	1	RMS	1679	-46.25	-13	Pass	2001
3000	10000	1	RMS	7110	-44.26	-13	Pass	7001




**14.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-71.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.64	-13	Pass	2986
30	814	0.1	RMS	810.2	-64.28	-13	Pass	7841
814	860	0.1	RMS	839.6	20.56	60	Pass	461
860	1000	0.1	RMS	996.6	-63.97	-13	Pass	1401
1000	3000	1	RMS	1679	-47.2	-13	Pass	2001
3000	10000	1	RMS	7106	-44.23	-13	Pass	7001




**14.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25,
Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.27	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.04	-13	Pass	2986
30	814	0.1	RMS	813.7	-62.7	-13	Pass	7841
814	860	0.1	RMS	824.8	20.75	60	Pass	461
860	1000	0.1	RMS	999.2	-63.96	-13	Pass	1401
1000	3000	1	RMS	1649	-46.52	-13	Pass	2001
3000	10000	1	RMS	6985	-44.28	-13	Pass	7001




**14.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.22	-13	Pass	2986
30	814	0.1	RMS	813.5	-63.19	-13	Pass	7841
814	860	0.1	RMS	824.8	20.09	60	Pass	461
860	1000	0.1	RMS	999.9	-63.96	-13	Pass	1401
1000	3000	1	RMS	1649	-47.12	-13	Pass	2001
3000	10000	1	RMS	7094	-44.31	-13	Pass	7001




**14.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,
Channel:26915, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.06	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.38	-13	Pass	2986
30	814	0.1	RMS	813.5	-64.03	-13	Pass	7841
814	860	0.1	RMS	829.8	20.77	60	Pass	461
860	1000	0.1	RMS	999.2	-64.1	-13	Pass	1401
1000	3000	1	RMS	1659	-46.5	-13	Pass	2001
3000	10000	1	RMS	7102	-44.19	-13	Pass	7001




**14.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,
Channel:26915, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.86	-13	Pass	401
0.15	30	0.01	RMS	0.19	-70.88	-13	Pass	2986
30	814	0.1	RMS	812.2	-63.93	-13	Pass	7841
814	860	0.1	RMS	829.8	19.81	60	Pass	461
860	1000	0.1	RMS	882.6	-63.91	-13	Pass	1401
1000	3000	1	RMS	1659	-47.39	-13	Pass	2001
3000	10000	1	RMS	6986	-44.29	-13	Pass	7001




**14.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29,
Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-71.38	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.91	-13	Pass	2986
30	814	0.1	RMS	811.9	-64.16	-13	Pass	7841
814	860	0.1	RMS	834.8	20.62	60	Pass	461
860	1000	0.1	RMS	884.8	-64.04	-13	Pass	1401
1000	3000	1	RMS	1669	-46.23	-13	Pass	2001
3000	10000	1	RMS	7096	-44.22	-13	Pass	7001



**14.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,
Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-71.97	-13	Pass	401
0.15	30	0.01	RMS	0.24	-71.18	-13	Pass	2986
30	814	0.1	RMS	811.5	-64.27	-13	Pass	7841
814	860	0.1	RMS	834.8	19.84	60	Pass	461
860	1000	0.1	RMS	993.1	-64.05	-13	Pass	1401
1000	3000	1	RMS	1669	-46.83	-13	Pass	2001
3000	10000	1	RMS	6981	-44.21	-13	Pass	7001



15. LTE_Band26(part90)


15.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-64.88	-13	Pass	401
0.15	30	0.01	Peak	0.15	-62.07	-13	Pass	2986
30	809	0.1	Peak	808.9	-49.86	-13	Pass	7791
809	829	0.1	Peak	814.2	25.72	60	Pass	401
829	1000	0.1	Peak	830.4	-50.01	-13	Pass	1711
1000	3000	1	Peak	1628	-37.38	-13	Pass	2001
3000	10000	1	Peak	6882	-32.76	-13	Pass	7001




**15.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-66.03	-13	Pass	401
0.15	30	0.01	Peak	0.18	-62.58	-13	Pass	2986
30	809	0.1	Peak	806.8	-48.12	-13	Pass	7791
809	829	0.1	Peak	814.3	26.38	60	Pass	401
829	1000	0.1	Peak	866.9	-53	-13	Pass	1711
1000	3000	1	Peak	1628	-37.49	-13	Pass	2001
3000	10000	1	Peak	7292	-32.6	-13	Pass	7001




15.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:26740, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-63.63	-13	Pass	401
0.15	30	0.01	Peak	0.25	-63.55	-13	Pass	2986
30	809	0.1	Peak	806.5	-52.34	-13	Pass	7791
809	829	0.1	Peak	818.6	26.01	60	Pass	401
829	1000	0.1	Peak	832.2	-50.86	-13	Pass	1711
1000	3000	1	Peak	1637	-36.96	-13	Pass	2001
3000	10000	1	Peak	6745	-32.72	-13	Pass	7001




**15.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:26740, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-64.11	-13	Pass	401
0.15	30	0.01	Peak	0.3	-63.86	-13	Pass	2986
30	809	0.1	Peak	807.8	-52.73	-13	Pass	7791
809	829	0.1	Peak	818.55	26.62	60	Pass	401
829	1000	0.1	Peak	830.3	-51.46	-13	Pass	1711
1000	3000	1	Peak	1637	-36.39	-13	Pass	2001
3000	10000	1	Peak	6791	-32.68	-13	Pass	7001




15.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-65.29	-13	Pass	401
0.15	30	0.01	Peak	0.37	-62.34	-13	Pass	2986
30	809	0.1	Peak	808.8	-51.49	-13	Pass	7791
809	829	0.1	Peak	822.9	25.99	60	Pass	401
829	1000	0.1	Peak	829.8	-43.38	-13	Pass	1711
1000	3000	1	Peak	1645	-37.05	-13	Pass	2001
3000	10000	1	Peak	7112	-32.78	-13	Pass	7001




**15.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-65.18	-13	Pass	401
0.15	30	0.01	Peak	0.31	-63.56	-13	Pass	2986
30	809	0.1	Peak	730.1	-53.55	-13	Pass	7791
809	829	0.1	Peak	822.85	26.58	60	Pass	401
829	1000	0.1	Peak	830	-45.95	-13	Pass	1711
1000	3000	1	Peak	1646	-35.93	-13	Pass	2001
3000	10000	1	Peak	7125	-32.96	-13	Pass	7001




**15.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-64.67	-13	Pass	401
0.15	30	0.01	Peak	0.35	-62.46	-13	Pass	2986
30	809	0.1	Peak	808.6	-46.24	-13	Pass	7791
809	829	0.1	Peak	814.3	25.85	60	Pass	401
829	1000	0.1	Peak	834.3	-51	-13	Pass	1711
1000	3000	1	Peak	1628	-37.48	-13	Pass	2001
3000	10000	1	Peak	9201	-32.74	-13	Pass	7001




**15.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-65.27	-13	Pass	401
0.15	30	0.01	Peak	0.23	-62.52	-13	Pass	2986
30	809	0.1	Peak	808.3	-50.13	-13	Pass	7791
809	829	0.1	Peak	814.2	26.45	60	Pass	401
829	1000	0.1	Peak	829.3	-49.49	-13	Pass	1711
1000	3000	1	Peak	1628	-36.76	-13	Pass	2001
3000	10000	1	Peak	6967	-32.99	-13	Pass	7001




**15.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:26740, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-65.34	-13	Pass	401
0.15	30	0.01	Peak	0.22	-63.69	-13	Pass	2986
30	809	0.1	Peak	806.6	-52.46	-13	Pass	7791
809	829	0.1	Peak	817.7	26.14	60	Pass	401
829	1000	0.1	Peak	830.5	-49.36	-13	Pass	1711
1000	3000	1	Peak	1636	-36.91	-13	Pass	2001
3000	10000	1	Peak	9092	-33.03	-13	Pass	7001




**15.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:26740, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-64.85	-13	Pass	401
0.15	30	0.01	Peak	0.28	-63.06	-13	Pass	2986
30	809	0.1	Peak	809	-49.15	-13	Pass	7791
809	829	0.1	Peak	817.75	26.66	60	Pass	401
829	1000	0.1	Peak	838.8	-51.77	-13	Pass	1711
1000	3000	1	Peak	1636	-36.2	-13	Pass	2001
3000	10000	1	Peak	6755	-31.94	-13	Pass	7001




**15.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-65.74	-13	Pass	401
0.15	30	0.01	Peak	0.57	-63.19	-13	Pass	2986
30	809	0.1	Peak	747.9	-53.04	-13	Pass	7791
809	829	0.1	Peak	821.25	26.15	60	Pass	401
829	1000	0.1	Peak	832.8	-46.5	-13	Pass	1711
1000	3000	1	Peak	1643	-36.5	-13	Pass	2001
3000	10000	1	Peak	7069	-33.04	-13	Pass	7001




**15.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-65.04	-13	Pass	401
0.15	30	0.01	Peak	0.16	-63.03	-13	Pass	2986
30	809	0.1	Peak	686.9	-53.48	-13	Pass	7791
809	829	0.1	Peak	821.2	26.71	60	Pass	401
829	1000	0.1	Peak	830.8	-46.26	-13	Pass	1711
1000	3000	1	Peak	1642	-35.18	-13	Pass	2001
3000	10000	1	Peak	7111	-32.3	-13	Pass	7001




**15.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-65.69	-13	Pass	401
0.15	30	0.01	Peak	0.15	-62.56	-13	Pass	2986
30	809	0.1	Peak	807.1	-45.95	-13	Pass	7791
809	829	0.1	Peak	814.3	26.12	60	Pass	401
829	1000	0.1	Peak	891.5	-52.95	-13	Pass	1711
1000	3000	1	Peak	1629	-37.19	-13	Pass	2001
3000	10000	1	Peak	6683	-32.61	-13	Pass	7001




**15.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-65.65	-13	Pass	401
0.15	30	0.01	Peak	0.16	-63.48	-13	Pass	2986
30	809	0.1	Peak	807.2	-51.39	-13	Pass	7791
809	829	0.1	Peak	814.3	26.7	60	Pass	401
829	1000	0.1	Peak	833.3	-51.84	-13	Pass	1711
1000	3000	1	Peak	1629	-37.28	-13	Pass	2001
3000	10000	1	Peak	6998	-33.01	-13	Pass	7001




**15.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:26740, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-65.14	-13	Pass	401
0.15	30	0.01	Peak	0.32	-61.93	-13	Pass	2986
30	809	0.1	Peak	808.1	-49.97	-13	Pass	7791
809	829	0.1	Peak	816.85	26.34	60	Pass	401
829	1000	0.1	Peak	831	-45.9	-13	Pass	1711
1000	3000	1	Peak	1634	-37.76	-13	Pass	2001
3000	10000	1	Peak	7036	-32.27	-13	Pass	7001




**15.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:26740, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-65.36	-13	Pass	401
0.15	30	0.01	Peak	0.18	-62.04	-13	Pass	2986
30	809	0.1	Peak	807.2	-53.23	-13	Pass	7791
809	829	0.1	Peak	816.8	26.76	60	Pass	401
829	1000	0.1	Peak	829.6	-48.69	-13	Pass	1711
1000	3000	1	Peak	1634	-36.32	-13	Pass	2001
3000	10000	1	Peak	7248	-32.37	-13	Pass	7001




**15.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-64.81	-13	Pass	401
0.15	30	0.01	Peak	0.17	-60.96	-13	Pass	2986
30	809	0.1	Peak	807.5	-52.23	-13	Pass	7791
809	829	0.1	Peak	819.3	25.97	60	Pass	401
829	1000	0.1	Peak	829.6	-46.23	-13	Pass	1711
1000	3000	1	Peak	1639	-36.99	-13	Pass	2001
3000	10000	1	Peak	7296	-32.47	-13	Pass	7001




**15.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-65.28	-13	Pass	401
0.15	30	0.01	Peak	0.18	-62.26	-13	Pass	2986
30	809	0.1	Peak	809	-48.82	-13	Pass	7791
809	829	0.1	Peak	819.35	26.56	60	Pass	401
829	1000	0.1	Peak	829.2	-44.82	-13	Pass	1711
1000	3000	1	Peak	1639	-36.65	-13	Pass	2001
3000	10000	1	Peak	7077	-32.59	-13	Pass	7001




**15.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-64.89	-13	Pass	401
0.15	30	0.01	Peak	0.16	-63.42	-13	Pass	2986
30	809	0.1	Peak	808.2	-45.52	-13	Pass	7791
809	829	0.1	Peak	814.6	26.16	60	Pass	401
829	1000	0.1	Peak	893	-53.1	-13	Pass	1711
1000	3000	1	Peak	1629	-37.48	-13	Pass	2001
3000	10000	1	Peak	6793	-32.25	-13	Pass	7001




**15.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-63.42	-13	Pass	401
0.15	30	0.01	Peak	0.16	-62.65	-13	Pass	2986
30	809	0.1	Peak	808.4	-36.35	-13	Pass	7791
809	829	0.1	Peak	814.55	26.77	60	Pass	401
829	1000	0.1	Peak	830.1	-47.73	-13	Pass	1711
1000	3000	1	Peak	1629	-36.76	-13	Pass	2001
3000	10000	1	Peak	7212	-32.95	-13	Pass	7001




**15.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25,
Channel:26765, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.017	-65.52	-13	Pass	401
0.15	30	0.01	Peak	0.21	-61.7	-13	Pass	2986
30	809	0.1	Peak	806.7	-43.83	-13	Pass	7791
809	829	0.1	Peak	814.85	26.05	60	Pass	401
829	1000	0.1	Peak	829.1	-37.44	-13	Pass	1711
1000	3000	1	Peak	1629	-37.73	-13	Pass	2001
3000	10000	1	Peak	7644	-32.36	-13	Pass	7001



**15.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:26765, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-65.92	-13	Pass	401
0.15	30	0.01	Peak	0.44	-63.52	-13	Pass	2986
30	809	0.1	Peak	806.4	-39.36	-13	Pass	7791
809	829	0.1	Peak	814.8	26.89	60	Pass	401
829	1000	0.1	Peak	829	-41.91	-13	Pass	1711
1000	3000	1	Peak	1630	-36.83	-13	Pass	2001
3000	10000	1	Peak	6987	-32.89	-13	Pass	7001



16. LTE_Band38


16.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.01	-25	Pass	401
0.15	30	0.01	RMS	0.18	-72.26	-25	Pass	2985
30	1000	0.1	RMS	862.217	-63.69	-25	Pass	9699
1000	2550	1	RMS	2550	-50.45	-25	Pass	1550
2550	2640	1	RMS	2570.25	18.46	60	Pass	401
2640	3000	1	RMS	2952.3	-50.07	-25	Pass	401
3000	12000	1	RMS	11577.477	-53.52	-25	Pass	9000
12000	26500	1	RMS	25903.906	-40.58	-25	Pass	14500



**16.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.46	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.48	-25	Pass	2985
30	1000	0.1	RMS	847.3	-63.83	-25	Pass	9699
1000	2550	1	RMS	2546.998	-50.53	-25	Pass	1550
2550	2640	1	RMS	2570.25	18.35	60	Pass	401
2640	3000	1	RMS	2949.6	-50.14	-25	Pass	401
3000	12000	1	RMS	11576.476	-53.57	-25	Pass	9000
12000	26500	1	RMS	25900.905	-40.55	-25	Pass	14500



**16.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:38000, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.58	-25	Pass	401
0.15	30	0.01	RMS	0.18	-72.86	-25	Pass	2985
30	1000	0.1	RMS	866.323	-63.52	-25	Pass	9699
1000	2550	1	RMS	2508.974	-50.54	-25	Pass	1550
2550	2640	1	RMS	2592.75	18.53	60	Pass	401
2640	3000	1	RMS	2947.8	-50.13	-25	Pass	401
3000	12000	1	RMS	11583.485	-53.43	-25	Pass	9000
12000	26500	1	RMS	25901.905	-40.56	-25	Pass	14500




**16.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:38000, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.35	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.1	-25	Pass	2985
30	1000	0.1	RMS	880.842	-63.57	-25	Pass	9699
1000	2550	1	RMS	2510.975	-50.65	-25	Pass	1550
2550	2640	1	RMS	2592.75	18.33	60	Pass	401
2640	3000	1	RMS	2949.6	-50.14	-25	Pass	401
3000	12000	1	RMS	11576.476	-53.67	-25	Pass	9000
12000	26500	1	RMS	25897.905	-40.57	-25	Pass	14500




**16.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.04	-25	Pass	401
0.15	30	0.01	RMS	0.31	-72.63	-25	Pass	2985
30	1000	0.1	RMS	845.5	-63.57	-25	Pass	9699
1000	2550	1	RMS	2508.974	-50.66	-25	Pass	1550
2550	2640	1	RMS	2615.025	18.75	60	Pass	401
2640	3000	1	RMS	2954.1	-50.12	-25	Pass	401
3000	12000	1	RMS	11577.477	-53.67	-25	Pass	9000
12000	26500	1	RMS	25897.905	-40.56	-25	Pass	14500




**16.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.41	-25	Pass	401
0.15	30	0.01	RMS	0.39	-72.29	-25	Pass	2985
30	1000	0.1	RMS	998.097	-63.51	-25	Pass	9699
1000	2550	1	RMS	2511.975	-50.67	-25	Pass	1550
2550	2640	1	RMS	2615.025	17.99	60	Pass	401
2640	3000	1	RMS	2952.3	-50.04	-25	Pass	401
3000	12000	1	RMS	11579.48	-53.63	-25	Pass	9000
12000	26500	1	RMS	25893.904	-40.55	-25	Pass	14500




16.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.21	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.86	-25	Pass	2985
30	1000	0.1	RMS	864.02	-63.94	-25	Pass	9699
1000	2550	1	RMS	2550	-50.19	-25	Pass	1550
2550	2640	1	RMS	2570.25	18.28	60	Pass	401
2640	3000	1	RMS	2951.4	-50.21	-25	Pass	401
3000	12000	1	RMS	11582.483	-53.63	-25	Pass	9000
12000	26500	1	RMS	25899.905	-40.53	-25	Pass	14500



**16.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.06	-25	Pass	401
0.15	30	0.01	RMS	0.32	-72.9	-25	Pass	2985
30	1000	0.1	RMS	853.005	-64.06	-25	Pass	9699
1000	2550	1	RMS	2548.999	-50.27	-25	Pass	1550
2550	2640	1	RMS	2570.475	17.88	60	Pass	401
2640	3000	1	RMS	2952.3	-50.18	-25	Pass	401
3000	12000	1	RMS	11580.481	-53.56	-25	Pass	9000
12000	26500	1	RMS	25877.901	-40.55	-25	Pass	14500




**16.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.16	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.66	-25	Pass	2985
30	1000	0.1	RMS	874.333	-63.9	-25	Pass	9699
1000	2550	1	RMS	2547.999	-50.68	-25	Pass	1550
2550	2640	1	RMS	2590.275	18.6	60	Pass	401
2640	3000	1	RMS	2949.6	-50.11	-25	Pass	401
3000	12000	1	RMS	11583.485	-53.65	-25	Pass	9000
12000	26500	1	RMS	25903.906	-40.59	-25	Pass	14500




**16.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:38000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.91	-25	Pass	401
0.15	30	0.01	RMS	0.19	-72.38	-25	Pass	2985
30	1000	0.1	RMS	862.918	-63.79	-25	Pass	9699
1000	2550	1	RMS	2521.982	-50.66	-25	Pass	1550
2550	2640	1	RMS	2590.5	17.51	60	Pass	401
2640	3000	1	RMS	2947.8	-50.13	-25	Pass	401
3000	12000	1	RMS	11579.48	-53.48	-25	Pass	9000
12000	26500	1	RMS	25905.906	-40.56	-25	Pass	14500




16.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.01	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.82	-25	Pass	2985
30	1000	0.1	RMS	845.9	-63.98	-25	Pass	9699
1000	2550	1	RMS	2516.979	-50.72	-25	Pass	1550
2550	2640	1	RMS	2610.3	18.39	60	Pass	401
2640	3000	1	RMS	2955	-50.15	-25	Pass	401
3000	12000	1	RMS	11581.482	-53.62	-25	Pass	9000
12000	26500	1	RMS	25896.904	-40.64	-25	Pass	14500




**16.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.05	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.2	-25	Pass	2985
30	1000	0.1	RMS	883.946	-63.7	-25	Pass	9699
1000	2550	1	RMS	2515.978	-50.65	-25	Pass	1550
2550	2640	1	RMS	2610.3	17.77	60	Pass	401
2640	3000	1	RMS	2950.5	-50.16	-25	Pass	401
3000	12000	1	RMS	11578.478	-53.61	-25	Pass	9000
12000	26500	1	RMS	25895.904	-40.53	-25	Pass	14500




**16.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.66	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.4	-25	Pass	2985
30	1000	0.1	RMS	899.967	-64.01	-25	Pass	9699
1000	2550	1	RMS	2550	-49.85	-25	Pass	1550
2550	2640	1	RMS	2570.925	17.98	60	Pass	401
2640	3000	1	RMS	2950.5	-50.14	-25	Pass	401
3000	12000	1	RMS	11584.486	-53.64	-25	Pass	9000
12000	26500	1	RMS	25899.905	-40.5	-25	Pass	14500




**16.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.79	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.68	-25	Pass	2985
30	1000	0.1	RMS	888.953	-63.79	-25	Pass	9699
1000	2550	1	RMS	2548.999	-50.03	-25	Pass	1550
2550	2640	1	RMS	2570.7	17.59	60	Pass	401
2640	3000	1	RMS	2951.4	-50.17	-25	Pass	401
3000	12000	1	RMS	11593.497	-53.58	-25	Pass	9000
12000	26500	1	RMS	25904.906	-40.56	-25	Pass	14500




16.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:38000, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.32	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.15	-25	Pass	2985
30	1000	0.1	RMS	861.316	-65.32	-25	Pass	9699
1000	2550	1	RMS	2547.999	-50.96	-25	Pass	1550
2550	2640	1	RMS	2588.25	18.7	60	Pass	401
2640	3000	1	RMS	2948.7	-50.42	-25	Pass	401
3000	12000	1	RMS	11581.482	-53.87	-25	Pass	9000
12000	26500	1	RMS	25900.905	-40.47	-25	Pass	14500




**16.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:38000, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.37	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.23	-25	Pass	2985
30	1000	0.1	RMS	864.721	-65.19	-25	Pass	9699
1000	2550	1	RMS	2513.977	-50.99	-25	Pass	1550
2550	2640	1	RMS	2588.025	17.39	60	Pass	401
2640	3000	1	RMS	2946.9	-50.45	-25	Pass	401
3000	12000	1	RMS	11580.481	-53.9	-25	Pass	9000
12000	26500	1	RMS	25898.905	-40.29	-25	Pass	14500




**16.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.69	-25	Pass	401
0.15	30	0.01	RMS	0.29	-72.84	-25	Pass	2985
30	1000	0.1	RMS	477.155	-65.37	-25	Pass	9699
1000	2550	1	RMS	2510.975	-51.03	-25	Pass	1550
2550	2640	1	RMS	2605.575	18.94	60	Pass	401
2640	3000	1	RMS	2955	-50.41	-25	Pass	401
3000	12000	1	RMS	11576.476	-53.99	-25	Pass	9000
12000	26500	1	RMS	25900.905	-40.49	-25	Pass	14500




**16.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.88	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.29	-25	Pass	2985
30	1000	0.1	RMS	888.152	-65.32	-25	Pass	9699
1000	2550	1	RMS	2510.975	-50.96	-25	Pass	1550
2550	2640	1	RMS	2605.575	18.01	60	Pass	401
2640	3000	1	RMS	2949.6	-50.38	-25	Pass	401
3000	12000	1	RMS	7181.51	-53.15	-25	Pass	9000
12000	26500	1	RMS	25889.903	-40.53	-25	Pass	14500




**16.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.54	-25	Pass	401
0.15	30	0.01	RMS	0.26	-71.84	-25	Pass	2985
30	1000	0.1	RMS	904.173	-65.39	-25	Pass	9699
1000	2550	1	RMS	2550	-50.46	-25	Pass	1550
2550	2640	1	RMS	2570.925	18.69	60	Pass	401
2640	3000	1	RMS	2945.1	-50.42	-25	Pass	401
3000	12000	1	RMS	11581.482	-53.96	-25	Pass	9000
12000	26500	1	RMS	25901.905	-40.52	-25	Pass	14500




**16.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.04	-25	Pass	401
0.15	30	0.01	RMS	0.22	-72.42	-25	Pass	2985
30	1000	0.1	RMS	977.771	-65.34	-25	Pass	9699
1000	2550	1	RMS	2550	-50.28	-25	Pass	1550
2550	2640	1	RMS	2571.15	17.44	60	Pass	401
2640	3000	1	RMS	2956.8	-50.41	-25	Pass	401
3000	12000	1	RMS	11575.475	-53.9	-25	Pass	9000
12000	26500	1	RMS	25893.904	-40.48	-25	Pass	14500




**16.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.87	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.52	-25	Pass	2985
30	1000	0.1	RMS	900.969	-65.32	-25	Pass	9699
1000	2550	1	RMS	2548.999	-50.89	-25	Pass	1550
2550	2640	1	RMS	2585.775	18.44	60	Pass	401
2640	3000	1	RMS	2950.5	-50.4	-25	Pass	401
3000	12000	1	RMS	11581.482	-53.82	-25	Pass	9000
12000	26500	1	RMS	25899.905	-40.52	-25	Pass	14500




**16.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.23	-25	Pass	401
0.15	30	0.01	RMS	0.19	-72.69	-25	Pass	2985
30	1000	0.1	RMS	853.205	-65.26	-25	Pass	9699
1000	2550	1	RMS	2547.999	-50.95	-25	Pass	1550
2550	2640	1	RMS	2585.775	17.21	60	Pass	401
2640	3000	1	RMS	2950.5	-50.42	-25	Pass	401
3000	12000	1	RMS	11399.257	-54.01	-25	Pass	9000
12000	26500	1	RMS	25895.904	-40.55	-25	Pass	14500




**16.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.5	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.61	-25	Pass	2985
30	1000	0.1	RMS	866.323	-65.14	-25	Pass	9699
1000	2550	1	RMS	2507.973	-50.99	-25	Pass	1550
2550	2640	1	RMS	2601.075	18.96	60	Pass	401
2640	3000	1	RMS	2950.5	-50.44	-25	Pass	401
3000	12000	1	RMS	7187.511	-52.96	-25	Pass	9000
12000	26500	1	RMS	25893.904	-40.45	-25	Pass	14500



**16.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.28	-25	Pass	401
0.15	30	0.01	RMS	0.25	-72.5	-25	Pass	2985
30	1000	0.1	RMS	991.188	-65.13	-25	Pass	9699
1000	2550	1	RMS	2548.999	-51	-25	Pass	1550
2550	2640	1	RMS	2601.075	18.24	60	Pass	401
2640	3000	1	RMS	2950.5	-50.4	-25	Pass	401
3000	12000	1	RMS	11581.482	-53.96	-25	Pass	9000
12000	26500	1	RMS	25889.903	-40.53	-25	Pass	14500



17. LTE_Band41 full


17.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.71	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.24	-25	Pass	2985
30	1000	0.1	RMS	878.138	-64.51	-25	Pass	9699
1000	2476	1	RMS	2476	-51.44	-25	Pass	1476
2476	2710	1	RMS	2495.89	18.63	60	Pass	401
2710	3000	1	RMS	2953.6	-50.4	-25	Pass	401
3000	12000	1	RMS	7193.512	-53.6	-25	Pass	9000
12000	27000	1	RMS	25899.838	-40.51	-25	Pass	15000




**17.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.55	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.46	-25	Pass	2985
30	1000	0.1	RMS	878.939	-64.58	-25	Pass	9699
1000	2476	1	RMS	2476	-51.24	-25	Pass	1476
2476	2710	1	RMS	2495.89	16.97	60	Pass	401
2710	3000	1	RMS	2949.975	-50.33	-25	Pass	401
3000	12000	1	RMS	11582.483	-53.71	-25	Pass	9000
12000	27000	1	RMS	25886.836	-40.57	-25	Pass	15000




**17.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:40620, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.06	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.73	-25	Pass	2985
30	1000	0.1	RMS	864.32	-64.56	-25	Pass	9699
1000	2476	1	RMS	2469.996	-51.53	-25	Pass	1476
2476	2710	1	RMS	2590.66	17.72	60	Pass	401
2710	3000	1	RMS	2949.975	-50.24	-25	Pass	401
3000	12000	1	RMS	11579.48	-53.75	-25	Pass	9000
12000	27000	1	RMS	25902.839	-40.52	-25	Pass	15000




**17.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:40620, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.37	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.95	-25	Pass	2985
30	1000	0.1	RMS	889.053	-64.45	-25	Pass	9699
1000	2476	1	RMS	2476	-51.47	-25	Pass	1476
2476	2710	1	RMS	2590.66	17.6	60	Pass	401
2710	3000	1	RMS	2949.975	-50.31	-25	Pass	401
3000	12000	1	RMS	11579.48	-53.68	-25	Pass	9000
12000	27000	1	RMS	25894.838	-40.53	-25	Pass	15000




**17.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.54	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.55	-25	Pass	2985
30	1000	0.1	RMS	868.025	-64.75	-25	Pass	9699
1000	2476	1	RMS	2474.999	-51.54	-25	Pass	1476
2476	2710	1	RMS	2684.845	18.32	60	Pass	401
2710	3000	1	RMS	2955.05	-50.38	-25	Pass	401
3000	12000	1	RMS	7206.513	-53.46	-25	Pass	9000
12000	27000	1	RMS	25888.837	-40.47	-25	Pass	15000




**17.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.11	-25	Pass	401
0.15	30	0.01	RMS	0.19	-72.54	-25	Pass	2985
30	1000	0.1	RMS	888.052	-64.71	-25	Pass	9699
1000	2476	1	RMS	2474.999	-51.45	-25	Pass	1476
2476	2710	1	RMS	2684.845	16.85	60	Pass	401
2710	3000	1	RMS	2950.7	-50.33	-25	Pass	401
3000	12000	1	RMS	11582.483	-53.8	-25	Pass	9000
12000	27000	1	RMS	25893.838	-40.53	-25	Pass	15000




**17.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.98	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.89	-25	Pass	2985
30	1000	0.1	RMS	887.351	-64.12	-25	Pass	9699
1000	2476	1	RMS	2476	-51.23	-25	Pass	1476
2476	2710	1	RMS	2495.89	17.37	60	Pass	401
2710	3000	1	RMS	2956.5	-50.26	-25	Pass	401
3000	12000	1	RMS	7204.513	-53.67	-25	Pass	9000
12000	27000	1	RMS	25893.838	-40.51	-25	Pass	15000




**17.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.78	-25	Pass	401
0.15	30	0.01	RMS	0.2	-71.82	-25	Pass	2985
30	1000	0.1	RMS	860.114	-64.44	-25	Pass	9699
1000	2476	1	RMS	2476	-51.31	-25	Pass	1476
2476	2710	1	RMS	2496.475	16.68	60	Pass	401
2710	3000	1	RMS	2948.525	-50.32	-25	Pass	401
3000	12000	1	RMS	11575.475	-53.78	-25	Pass	9000
12000	27000	1	RMS	25905.839	-40.5	-25	Pass	15000




**17.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:40620, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.43	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.36	-25	Pass	2985
30	1000	0.1	RMS	890.054	-64.76	-25	Pass	9699
1000	2476	1	RMS	2473.999	-51.5	-25	Pass	1476
2476	2710	1	RMS	2588.32	17.75	60	Pass	401
2710	3000	1	RMS	2949.25	-50.31	-25	Pass	401
3000	12000	1	RMS	11581.482	-53.78	-25	Pass	9000
12000	27000	1	RMS	25886.836	-40.51	-25	Pass	15000




**17.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:40620, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.78	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.85	-25	Pass	2985
30	1000	0.1	RMS	857.511	-64.85	-25	Pass	9699
1000	2476	1	RMS	2472.998	-51.67	-25	Pass	1476
2476	2710	1	RMS	2588.32	17	60	Pass	401
2710	3000	1	RMS	2949.25	-50.39	-25	Pass	401
3000	12000	1	RMS	7214.514	-53.5	-25	Pass	9000
12000	27000	1	RMS	25898.838	-40.48	-25	Pass	15000




**17.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.13	-25	Pass	401
0.15	30	0.01	RMS	0.18	-71.88	-25	Pass	2985
30	1000	0.1	RMS	880.742	-64.68	-25	Pass	9699
1000	2476	1	RMS	2474.999	-51.57	-25	Pass	1476
2476	2710	1	RMS	2680.165	18.42	60	Pass	401
2710	3000	1	RMS	2952.875	-50.34	-25	Pass	401
3000	12000	1	RMS	11581.482	-53.85	-25	Pass	9000
12000	27000	1	RMS	25904.839	-40.5	-25	Pass	15000




**17.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.6	-25	Pass	401
0.15	30	0.01	RMS	0.22	-72.08	-25	Pass	2985
30	1000	0.1	RMS	985.08	-64.3	-25	Pass	9699
1000	2476	1	RMS	2473.999	-51.46	-25	Pass	1476
2476	2710	1	RMS	2680.165	16.27	60	Pass	401
2710	3000	1	RMS	2952.15	-50.37	-25	Pass	401
3000	12000	1	RMS	11580.481	-53.72	-25	Pass	9000
12000	27000	1	RMS	25894.838	-40.53	-25	Pass	15000




**17.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.85	-25	Pass	401
0.15	30	0.01	RMS	0.25	-72.9	-25	Pass	2985
30	1000	0.1	RMS	873.332	-64.51	-25	Pass	9699
1000	2476	1	RMS	2476	-51.3	-25	Pass	1476
2476	2710	1	RMS	2496.475	17.28	60	Pass	401
2710	3000	1	RMS	2954.325	-50.36	-25	Pass	401
3000	12000	1	RMS	11789.74	-52.76	-25	Pass	9000
12000	27000	1	RMS	25890.837	-40.58	-25	Pass	15000




**17.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:39725, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.25	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.19	-25	Pass	2985
30	1000	0.1	RMS	873.532	-64.62	-25	Pass	9699
1000	2476	1	RMS	2474.999	-51.33	-25	Pass	1476
2476	2710	1	RMS	2496.475	17.73	60	Pass	401
2710	3000	1	RMS	2948.525	-50.36	-25	Pass	401
3000	12000	1	RMS	11582.483	-53.83	-25	Pass	9000
12000	27000	1	RMS	25898.838	-40.41	-25	Pass	15000




**17.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:40620, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.39	-25	Pass	401
0.15	30	0.01	RMS	0.2	-72.32	-25	Pass	2985
30	1000	0.1	RMS	973.665	-64.6	-25	Pass	9699
1000	2476	1	RMS	2474.999	-51.62	-25	Pass	1476
2476	2710	1	RMS	2585.98	18.64	60	Pass	401
2710	3000	1	RMS	2956.5	-50.34	-25	Pass	401
3000	12000	1	RMS	11573.472	-53.7	-25	Pass	9000
12000	27000	1	RMS	25885.836	-40.47	-25	Pass	15000




**17.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:40620, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.03	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.43	-25	Pass	2985
30	1000	0.1	RMS	867.825	-64.71	-25	Pass	9699
1000	2476	1	RMS	2476	-51.48	-25	Pass	1476
2476	2710	1	RMS	2585.98	17.69	60	Pass	401
2710	3000	1	RMS	2951.425	-50.39	-25	Pass	401
3000	12000	1	RMS	11581.482	-53.89	-25	Pass	9000
12000	27000	1	RMS	25899.838	-40.48	-25	Pass	15000




17.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17, Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.24	-25	Pass	401
0.15	30	0.01	RMS	0.19	-72.18	-25	Pass	2985
30	1000	0.1	RMS	870.128	-64.49	-25	Pass	9699
1000	2476	1	RMS	2474.999	-51.58	-25	Pass	1476
2476	2710	1	RMS	2675.485	17.65	60	Pass	401
2710	3000	1	RMS	2950.7	-50.32	-25	Pass	401
3000	12000	1	RMS	7215.515	-53.85	-25	Pass	9000
12000	27000	1	RMS	25878.835	-40.61	-25	Pass	15000




**17.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.66	-25	Pass	401
0.15	30	0.01	RMS	0.23	-71.94	-25	Pass	2985
30	1000	0.1	RMS	904.473	-64.88	-25	Pass	9699
1000	2476	1	RMS	2476	-51.44	-25	Pass	1476
2476	2710	1	RMS	2675.485	16.45	60	Pass	401
2710	3000	1	RMS	2955.775	-50.37	-25	Pass	401
3000	12000	1	RMS	11584.486	-53.77	-25	Pass	9000
12000	27000	1	RMS	25894.838	-40.53	-25	Pass	15000




**17.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.85	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.13	-25	Pass	2985
30	1000	0.1	RMS	899.467	-64.65	-25	Pass	9699
1000	2476	1	RMS	2476	-51.33	-25	Pass	1476
2476	2710	1	RMS	2496.475	17.42	60	Pass	401
2710	3000	1	RMS	2953.6	-50.31	-25	Pass	401
3000	12000	1	RMS	11580.481	-53.85	-25	Pass	9000
12000	27000	1	RMS	25897.838	-40.55	-25	Pass	15000




**17.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.78	-25	Pass	401
0.15	30	0.01	RMS	0.2	-72.4	-25	Pass	2985
30	1000	0.1	RMS	862.718	-64.67	-25	Pass	9699
1000	2476	1	RMS	2476	-51.22	-25	Pass	1476
2476	2710	1	RMS	2497.06	16.71	60	Pass	401
2710	3000	1	RMS	2951.425	-50.34	-25	Pass	401
3000	12000	1	RMS	11579.48	-53.79	-25	Pass	9000
12000	27000	1	RMS	25895.838	-40.58	-25	Pass	15000




**17.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:40620, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.42	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.61	-25	Pass	2985
30	1000	0.1	RMS	881.443	-64.84	-25	Pass	9699
1000	2476	1	RMS	2473.999	-51.56	-25	Pass	1476
2476	2710	1	RMS	2583.64	18.6	60	Pass	401
2710	3000	1	RMS	2955.05	-50.39	-25	Pass	401
3000	12000	1	RMS	7218.515	-53.7	-25	Pass	9000
12000	27000	1	RMS	25902.839	-40.49	-25	Pass	15000




**17.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:40620, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.01	-25	Pass	401
0.15	30	0.01	RMS	0.18	-71.37	-25	Pass	2985
30	1000	0.1	RMS	985.681	-65	-25	Pass	9699
1000	2476	1	RMS	2472.998	-51.49	-25	Pass	1476
2476	2710	1	RMS	2583.64	16.2	60	Pass	401
2710	3000	1	RMS	2949.975	-50.36	-25	Pass	401
3000	12000	1	RMS	11582.483	-53.88	-25	Pass	9000
12000	27000	1	RMS	25900.839	-40.55	-25	Pass	15000




**17.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.89	-25	Pass	401
0.15	30	0.01	RMS	0.19	-72.36	-25	Pass	2985
30	1000	0.1	RMS	877.237	-64.78	-25	Pass	9699
1000	2476	1	RMS	2472.998	-51.51	-25	Pass	1476
2476	2710	1	RMS	2670.805	17.68	60	Pass	401
2710	3000	1	RMS	2956.5	-50.34	-25	Pass	401
3000	12000	1	RMS	11597.502	-53.91	-25	Pass	9000
12000	27000	1	RMS	25887.837	-40.54	-25	Pass	15000



**17.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.14	-25	Pass	401
0.15	30	0.01	RMS	0.18	-72.13	-25	Pass	2985
30	1000	0.1	RMS	973.565	-64.69	-25	Pass	9699
1000	2476	1	RMS	2474.999	-51.49	-25	Pass	1476
2476	2710	1	RMS	2670.805	16.51	60	Pass	401
2710	3000	1	RMS	2948.525	-50.33	-25	Pass	401
3000	12000	1	RMS	11588.491	-53.74	-25	Pass	9000
12000	27000	1	RMS	25901.839	-40.49	-25	Pass	15000



18. LTE_Band66


18.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.81	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.17	-13	Pass	2985
30	1000	0.1	RMS	836.598	-63.03	-13	Pass	9699
1000	1700	1	RMS	1698.999	-50.78	-13	Pass	700
1700	1790	1	RMS	1710.125	22.29	60	Pass	401
1790	3000	1	RMS	2953.962	-49.95	-13	Pass	1210
3000	12000	1	RMS	11126.992	-43.67	-13	Pass	9000
12000	20000	1	RMS	19804.976	-36.56	-13	Pass	8000




18.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.52	-13	Pass	401
0.15	30	0.01	RMS	1.38	-72.58	-13	Pass	2985
30	1000	0.1	RMS	855.709	-63.12	-13	Pass	9699
1000	1700	1	RMS	1700	-51.02	-13	Pass	700
1700	1790	1	RMS	1710.125	21.28	60	Pass	401
1790	3000	1	RMS	2949.959	-49.95	-13	Pass	1210
3000	12000	1	RMS	11009.978	-43.67	-13	Pass	9000
12000	20000	1	RMS	19800.975	-36.7	-13	Pass	8000




18.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.08	-13	Pass	2985
30	1000	0.1	RMS	855.308	-62.92	-13	Pass	9699
1000	1700	1	RMS	1696.996	-53.05	-13	Pass	700
1700	1790	1	RMS	1744.325	22.23	60	Pass	401
1790	3000	1	RMS	2953.962	-49.94	-13	Pass	1210
3000	12000	1	RMS	11016.979	-43.65	-13	Pass	9000
12000	20000	1	RMS	19801.975	-36.66	-13	Pass	8000




18.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:132322, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.22	-13	Pass	401
0.15	30	0.01	RMS	0.74	-72.6	-13	Pass	2985
30	1000	0.1	RMS	890.154	-63.01	-13	Pass	9699
1000	1700	1	RMS	1693.991	-53.15	-13	Pass	700
1700	1790	1	RMS	1744.325	21.35	60	Pass	401
1790	3000	1	RMS	2951.96	-49.96	-13	Pass	1210
3000	12000	1	RMS	11117.991	-43.75	-13	Pass	9000
12000	20000	1	RMS	19797.975	-36.66	-13	Pass	8000




18.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.95	-13	Pass	2985
30	1000	0.1	RMS	860.815	-65.54	-13	Pass	9699
1000	1700	1	RMS	1691.989	-53.78	-13	Pass	700
1700	1790	1	RMS	1778.75	22.39	60	Pass	401
1790	3000	1	RMS	2946.956	-50.35	-13	Pass	1210
3000	12000	1	RMS	7170.509	-43.08	-13	Pass	9000
12000	20000	1	RMS	19684.961	-36.52	-13	Pass	8000




**18.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.24	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.23	-13	Pass	2985
30	1000	0.1	RMS	867.224	-65.48	-13	Pass	9699
1000	1700	1	RMS	1696.996	-53.78	-13	Pass	700
1700	1790	1	RMS	1778.75	21.54	60	Pass	401
1790	3000	1	RMS	2946.956	-50.36	-13	Pass	1210
3000	12000	1	RMS	11875.846	-44.28	-13	Pass	9000
12000	20000	1	RMS	19798.975	-36.79	-13	Pass	8000




**18.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.54	-13	Pass	401
0.15	30	0.01	RMS	0.21	-72.02	-13	Pass	2985
30	1000	0.1	RMS	894.56	-65.44	-13	Pass	9699
1000	1700	1	RMS	1700	-50.34	-13	Pass	700
1700	1790	1	RMS	1710.125	22.44	60	Pass	401
1790	3000	1	RMS	2958.966	-50.39	-13	Pass	1210
3000	12000	1	RMS	11011.978	-44.18	-13	Pass	9000
12000	20000	1	RMS	19800.975	-36.73	-13	Pass	8000




**18.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.91	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.7	-13	Pass	2985
30	1000	0.1	RMS	864.02	-65.31	-13	Pass	9699
1000	1700	1	RMS	1700	-51.17	-13	Pass	700
1700	1790	1	RMS	1710.125	21.66	60	Pass	401
1790	3000	1	RMS	2955.964	-50.36	-13	Pass	1210
3000	12000	1	RMS	11010.978	-44.29	-13	Pass	9000
12000	20000	1	RMS	19797.975	-36.65	-13	Pass	8000




18.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.26	-13	Pass	2985
30	1000	0.1	RMS	910.081	-65.55	-13	Pass	9699
1000	1700	1	RMS	1697.997	-53.72	-13	Pass	700
1700	1790	1	RMS	1743.65	22.52	60	Pass	401
1790	3000	1	RMS	2951.96	-50.37	-13	Pass	1210
3000	12000	1	RMS	11859.827	-44.26	-13	Pass	9000
12000	20000	1	RMS	19800.975	-36.77	-13	Pass	8000




**18.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:132322, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.4	-13	Pass	401
0.15	30	0.01	RMS	0.22	-72.01	-13	Pass	2985
30	1000	0.1	RMS	870.829	-65.48	-13	Pass	9699
1000	1700	1	RMS	1693.991	-53.8	-13	Pass	700
1700	1790	1	RMS	1743.65	21.63	60	Pass	401
1790	3000	1	RMS	2947.957	-50.39	-13	Pass	1210
3000	12000	1	RMS	7161.508	-43.31	-13	Pass	9000
12000	20000	1	RMS	19673.959	-36.45	-13	Pass	8000




18.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.7	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.18	-13	Pass	2985
30	1000	0.1	RMS	864.32	-65.33	-13	Pass	9699
1000	1700	1	RMS	1695.994	-53.76	-13	Pass	700
1700	1790	1	RMS	1777.175	22.49	60	Pass	401
1790	3000	1	RMS	2949.959	-50.29	-13	Pass	1210
3000	12000	1	RMS	11016.979	-44.19	-13	Pass	9000
12000	20000	1	RMS	19806.976	-36.73	-13	Pass	8000




**18.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.56	-13	Pass	401
0.15	30	0.01	RMS	0.23	-72.31	-13	Pass	2985
30	1000	0.1	RMS	898.465	-59.83	-13	Pass	9699
1000	1700	1	RMS	1692.99	-53.81	-13	Pass	700
1700	1790	1	RMS	1777.175	21.65	60	Pass	401
1790	3000	1	RMS	2943.954	-50.38	-13	Pass	1210
3000	12000	1	RMS	11011.978	-44.19	-13	Pass	9000
12000	20000	1	RMS	19801.975	-36.71	-13	Pass	8000




**18.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.46	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.93	-13	Pass	2985
30	1000	0.1	RMS	881.142	-65.39	-13	Pass	9699
1000	1700	1	RMS	1700	-50.8	-13	Pass	700
1700	1790	1	RMS	1710.125	22.34	60	Pass	401
1790	3000	1	RMS	2947.957	-50.38	-13	Pass	1210
3000	12000	1	RMS	11010.978	-44.22	-13	Pass	9000
12000	20000	1	RMS	19808.976	-36.74	-13	Pass	8000




**18.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.97	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.12	-13	Pass	2985
30	1000	0.1	RMS	860.415	-65.36	-13	Pass	9699
1000	1700	1	RMS	1700	-51.2	-13	Pass	700
1700	1790	1	RMS	1710.125	21.55	60	Pass	401
1790	3000	1	RMS	2953.962	-50.37	-13	Pass	1210
3000	12000	1	RMS	11005.977	-44.21	-13	Pass	9000
12000	20000	1	RMS	19801.975	-36.74	-13	Pass	8000




**18.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:132322, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.99	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.89	-13	Pass	2985
30	1000	0.1	RMS	865.321	-65.43	-13	Pass	9699
1000	1700	1	RMS	1690.987	-53.75	-13	Pass	700
1700	1790	1	RMS	1742.75	22.46	60	Pass	401
1790	3000	1	RMS	2949.959	-50.38	-13	Pass	1210
3000	12000	1	RMS	7156.507	-43.53	-13	Pass	9000
12000	20000	1	RMS	19684.961	-36.37	-13	Pass	8000




**18.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:132322, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.52	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.82	-13	Pass	2985
30	1000	0.1	RMS	848.3	-65.42	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.82	-13	Pass	700
1700	1790	1	RMS	1742.75	21.65	60	Pass	401
1790	3000	1	RMS	2955.964	-50.34	-13	Pass	1210
3000	12000	1	RMS	11341.185	-44.24	-13	Pass	9000
12000	20000	1	RMS	19797.975	-36.74	-13	Pass	8000




**18.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.33	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.33	-13	Pass	2985
30	1000	0.1	RMS	886.349	-65.42	-13	Pass	9699
1000	1700	1	RMS	1700	-53.79	-13	Pass	700
1700	1790	1	RMS	1775.15	22.41	60	Pass	401
1790	3000	1	RMS	2949.959	-50.39	-13	Pass	1210
3000	12000	1	RMS	11009.978	-44.24	-13	Pass	9000
12000	20000	1	RMS	19799.975	-36.77	-13	Pass	8000




**18.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.31	-13	Pass	2985
30	1000	0.1	RMS	880.341	-65.4	-13	Pass	9699
1000	1700	1	RMS	1696.996	-53.77	-13	Pass	700
1700	1790	1	RMS	1775.15	21.76	60	Pass	401
1790	3000	1	RMS	2948.958	-50.29	-13	Pass	1210
3000	12000	1	RMS	11009.978	-44.2	-13	Pass	9000
12000	20000	1	RMS	19806.976	-36.82	-13	Pass	8000




**18.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.74	-13	Pass	2985
30	1000	0.1	RMS	866.924	-65.58	-13	Pass	9699
1000	1700	1	RMS	1692.99	-49.46	-13	Pass	700
1700	1790	1	RMS	1710.575	22.53	60	Pass	401
1790	3000	1	RMS	2952.961	-50.35	-13	Pass	1210
3000	12000	1	RMS	11013.978	-44.2	-13	Pass	9000
12000	20000	1	RMS	19801.975	-36.66	-13	Pass	8000




**18.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72	-13	Pass	2985
30	1000	0.1	RMS	893.258	-65.45	-13	Pass	9699
1000	1700	1	RMS	1692.99	-49.92	-13	Pass	700
1700	1790	1	RMS	1710.575	21.82	60	Pass	401
1790	3000	1	RMS	2948.958	-50.38	-13	Pass	1210
3000	12000	1	RMS	7173.509	-43.37	-13	Pass	9000
12000	20000	1	RMS	19688.961	-36.55	-13	Pass	8000




18.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.69	-13	Pass	401
0.15	30	0.01	RMS	0.25	-72.22	-13	Pass	2985
30	1000	0.1	RMS	892.357	-65.36	-13	Pass	9699
1000	1700	1	RMS	1700	-53.75	-13	Pass	700
1700	1790	1	RMS	1740.5	22.45	60	Pass	401
1790	3000	1	RMS	2947.957	-50.41	-13	Pass	1210
3000	12000	1	RMS	11010.978	-44.22	-13	Pass	9000
12000	20000	1	RMS	19796.975	-36.77	-13	Pass	8000




**18.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:132322, Bandwidth:10, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.06	-13	Pass	401
0.15	30	0.01	RMS	0.21	-72.27	-13	Pass	2985
30	1000	0.1	RMS	738.987	-65.38	-13	Pass	9699
1000	1700	1	RMS	1700	-53.66	-13	Pass	700
1700	1790	1	RMS	1740.5	21.53	60	Pass	401
1790	3000	1	RMS	2949.959	-50.35	-13	Pass	1210
3000	12000	1	RMS	11127.992	-44.29	-13	Pass	9000
12000	20000	1	RMS	19799.975	-36.75	-13	Pass	8000




18.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.33	-13	Pass	2985
30	1000	0.1	RMS	871.229	-65.24	-13	Pass	9699
1000	1700	1	RMS	1695.994	-53.72	-13	Pass	700
1700	1790	1	RMS	1770.425	22.69	60	Pass	401
1790	3000	1	RMS	2951.96	-50.32	-13	Pass	1210
3000	12000	1	RMS	11009.978	-44.24	-13	Pass	9000
12000	20000	1	RMS	19802.975	-36.77	-13	Pass	8000




**18.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.28	-13	Pass	401
0.15	30	0.01	RMS	0.21	-72.69	-13	Pass	2985
30	1000	0.1	RMS	999.7	-65.12	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.7	-13	Pass	700
1700	1790	1	RMS	1770.425	21.64	60	Pass	401
1790	3000	1	RMS	2955.964	-50.35	-13	Pass	1210
3000	12000	1	RMS	11869.839	-44.16	-13	Pass	9000
12000	20000	1	RMS	19797.975	-36.73	-13	Pass	8000




18.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.41	-13	Pass	2985
30	1000	0.1	RMS	900.668	-65.25	-13	Pass	9699
1000	1700	1	RMS	1697.997	-34.87	-13	Pass	700
1700	1790	1	RMS	1710.8	22.39	60	Pass	401
1790	3000	1	RMS	2945.955	-50.39	-13	Pass	1210
3000	12000	1	RMS	7166.509	-43.72	-13	Pass	9000
12000	20000	1	RMS	19684.961	-36.51	-13	Pass	8000




**18.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.18	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.99	-13	Pass	2985
30	1000	0.1	RMS	992.49	-65.12	-13	Pass	9699
1000	1700	1	RMS	1697.997	-35.69	-13	Pass	700
1700	1790	1	RMS	1710.8	21.61	60	Pass	401
1790	3000	1	RMS	2949.959	-50.36	-13	Pass	1210
3000	12000	1	RMS	11008.978	-44.18	-13	Pass	9000
12000	20000	1	RMS	19803.975	-36.78	-13	Pass	8000




18.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27, Channel:132322, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.91	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.11	-13	Pass	2985
30	1000	0.1	RMS	880.241	-65.09	-13	Pass	9699
1000	1700	1	RMS	1692.99	-53.67	-13	Pass	700
1700	1790	1	RMS	1738.25	22.56	60	Pass	401
1790	3000	1	RMS	2949.959	-50.37	-13	Pass	1210
3000	12000	1	RMS	11016.979	-44.13	-13	Pass	9000
12000	20000	1	RMS	19794.974	-36.74	-13	Pass	8000




**18.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,
Channel:132322, Bandwidth:15, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.55	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.52	-13	Pass	2985
30	1000	0.1	RMS	994.493	-65.35	-13	Pass	9699
1000	1700	1	RMS	1694.993	-53.73	-13	Pass	700
1700	1790	1	RMS	1738.25	21.65	60	Pass	401
1790	3000	1	RMS	2948.958	-50.34	-13	Pass	1210
3000	12000	1	RMS	11128.992	-44.18	-13	Pass	9000
12000	20000	1	RMS	19805.976	-36.76	-13	Pass	8000




18.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.9	-13	Pass	401
0.15	30	0.01	RMS	0.21	-72.37	-13	Pass	2985
30	1000	0.1	RMS	875.335	-65.34	-13	Pass	9699
1000	1700	1	RMS	1697.997	-53.79	-13	Pass	700
1700	1790	1	RMS	1765.7	22.61	60	Pass	401
1790	3000	1	RMS	2947.957	-50.38	-13	Pass	1210
3000	12000	1	RMS	11016.979	-44.23	-13	Pass	9000
12000	20000	1	RMS	19795.974	-36.74	-13	Pass	8000




**18.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,
Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.68	-13	Pass	2985
30	1000	0.1	RMS	857.811	-65.4	-13	Pass	9699
1000	1700	1	RMS	1690.987	-53.83	-13	Pass	700
1700	1790	1	RMS	1765.7	21.77	60	Pass	401
1790	3000	1	RMS	2950.959	-50.39	-13	Pass	1210
3000	12000	1	RMS	7182.511	-43.61	-13	Pass	9000
12000	20000	1	RMS	19797.975	-36.73	-13	Pass	8000




18.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.93	-13	Pass	2985
30	1000	0.1	RMS	999.199	-65.38	-13	Pass	9699
1000	1700	1	RMS	1692.99	-34.47	-13	Pass	700
1700	1790	1	RMS	1711.025	22.5	60	Pass	401
1790	3000	1	RMS	2955.964	-50.35	-13	Pass	1210
3000	12000	1	RMS	11127.992	-44.19	-13	Pass	9000
12000	20000	1	RMS	19794.974	-36.7	-13	Pass	8000




18.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.43	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.35	-13	Pass	2985
30	1000	0.1	RMS	841.499	-65.5	-13	Pass	9699
1000	1700	1	RMS	1692.99	-35.41	-13	Pass	700
1700	1790	1	RMS	1711.025	21.76	60	Pass	401
1790	3000	1	RMS	2952.961	-50.39	-13	Pass	1210
3000	12000	1	RMS	11127.992	-44.19	-13	Pass	9000
12000	20000	1	RMS	19800.975	-36.79	-13	Pass	8000




18.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.5	-13	Pass	2985
30	1000	0.1	RMS	987.183	-65.45	-13	Pass	9699
1000	1700	1	RMS	1700	-50.38	-13	Pass	700
1700	1790	1	RMS	1736	22.56	60	Pass	401
1790	3000	1	RMS	2961.969	-50.38	-13	Pass	1210
3000	12000	1	RMS	11128.992	-44.28	-13	Pass	9000
12000	20000	1	RMS	19799.975	-36.71	-13	Pass	8000




**18.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34,
Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.84	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.46	-13	Pass	2985
30	1000	0.1	RMS	865.121	-65.42	-13	Pass	9699
1000	1700	1	RMS	1700	-51.17	-13	Pass	700
1700	1790	1	RMS	1736	21.63	60	Pass	401
1790	3000	1	RMS	2949.959	-50.34	-13	Pass	1210
3000	12000	1	RMS	11874.845	-44.21	-13	Pass	9000
12000	20000	1	RMS	19797.975	-36.75	-13	Pass	8000




18.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.01	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.82	-13	Pass	2985
30	1000	0.1	RMS	998.999	-65.44	-13	Pass	9699
1000	1700	1	RMS	1697.997	-53.8	-13	Pass	700
1700	1790	1	RMS	1760.975	22.59	60	Pass	401
1790	3000	1	RMS	2950.959	-50.32	-13	Pass	1210
3000	12000	1	RMS	7182.511	-43.75	-13	Pass	9000
12000	20000	1	RMS	19799.975	-36.76	-13	Pass	8000



**18.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36,
Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.56	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.37	-13	Pass	2985
30	1000	0.1	RMS	883.045	-65.47	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.78	-13	Pass	700
1700	1790	1	RMS	1760.975	21.98	60	Pass	401
1790	3000	1	RMS	2947.957	-50.35	-13	Pass	1210
3000	12000	1	RMS	11011.978	-44.23	-13	Pass	9000
12000	20000	1	RMS	19805.976	-36.78	-13	Pass	8000




CA

19. CA_7C


19.1. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:20850+20994, Bandwidth:20+10, Modulation:QPSK, RB Number:1+2, RB Position:High+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.83	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.98	-25	Pass	2985
30	1000	0.1	RMS	978.972	-65.14	-25	Pass	9699
1000	2490	1	RMS	2487.999	-51.22	-25	Pass	1490
2490	2580	1	RMS	2518.8	21.83	60	Pass	401
2580	3000	1	RMS	2956.897	-50.36	-25	Pass	420
3000	12000	1	RMS	7211.514	-53.35	-25	Pass	9000
12000	26000	1	RMS	25900.983	-40.51	-25	Pass	14000




**19.2. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:20850+20994, Bandwidth:20+10, Modulation:16QAM, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.63	-25	Pass	401
0.15	30	0.01	RMS	0.24	-72.7	-25	Pass	2985
30	1000	0.1	RMS	874.934	-64.72	-25	Pass	9699
1000	2490	1	RMS	2487.999	-51.16	-25	Pass	1490
2490	2580	1	RMS	2518.8	20.79	60	Pass	401
2580	3000	1	RMS	2946.874	-50.41	-25	Pass	420
3000	12000	1	RMS	11572.471	-53.92	-25	Pass	9000
12000	26000	1	RMS	25903.983	-40.5	-25	Pass	14000




**19.3. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:21051+21195, Bandwidth:20+10, Modulation:QPSK, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.38	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.7	-25	Pass	2985
30	1000	0.1	RMS	831.298	-65.11	-25	Pass	9699
1000	2490	1	RMS	2490	-51.28	-25	Pass	1490
2490	2580	1	RMS	2538.825	21.83	60	Pass	401
2580	3000	1	RMS	2952.888	-50.32	-25	Pass	420
3000	12000	1	RMS	11588.491	-53.9	-25	Pass	9000
12000	26000	1	RMS	25892.982	-40.54	-25	Pass	14000




**19.4. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:21051+21195, Bandwidth:20+10, Modulation:16QAM, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.93	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.4	-25	Pass	2985
30	1000	0.1	RMS	881.643	-65	-25	Pass	9699
1000	2490	1	RMS	2488.999	-51.32	-25	Pass	1490
2490	2580	1	RMS	2538.825	20.79	60	Pass	401
2580	3000	1	RMS	2952.888	-50.39	-25	Pass	420
3000	12000	1	RMS	11588.491	-53.86	-25	Pass	9000
12000	26000	1	RMS	25894.982	-40.54	-25	Pass	14000




**19.5. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:21251+21395, Bandwidth:20+10, Modulation:QPSK, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.66	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.78	-25	Pass	2985
30	1000	0.1	RMS	983.078	-64.98	-25	Pass	9699
1000	2490	1	RMS	2490	-51.41	-25	Pass	1490
2490	2580	1	RMS	2558.85	21.65	60	Pass	401
2580	3000	1	RMS	2950.883	-50.41	-25	Pass	420
3000	12000	1	RMS	11580.481	-53.88	-25	Pass	9000
12000	26000	1	RMS	25900.983	-40.55	-25	Pass	14000




**19.6. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:21251+21395, Bandwidth:20+10, Modulation:16QAM, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.91	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.41	-25	Pass	2985
30	1000	0.1	RMS	873.132	-64.98	-25	Pass	9699
1000	2490	1	RMS	2488.999	-51.32	-25	Pass	1490
2490	2580	1	RMS	2558.85	21.06	60	Pass	401
2580	3000	1	RMS	2946.874	-50.34	-25	Pass	420
3000	12000	1	RMS	7196.512	-53.75	-25	Pass	9000
12000	26000	1	RMS	25898.983	-40.53	-25	Pass	14000




**19.7. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:20850+21048, Bandwidth:20+20, Modulation:QPSK, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.84	-25	Pass	401
0.15	30	0.01	RMS	0.21	-71.92	-25	Pass	2985
30	1000	0.1	RMS	870.128	-64.99	-25	Pass	9699
1000	2490	1	RMS	2490	-51.2	-25	Pass	1490
2490	2580	1	RMS	2518.8	21.77	60	Pass	401
2580	3000	1	RMS	2956.897	-50.38	-25	Pass	420
3000	12000	1	RMS	11582.483	-53.97	-25	Pass	9000
12000	26000	1	RMS	25899.983	-40.42	-25	Pass	14000




**19.8. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:20850+21048, Bandwidth:20+20, Modulation:16QAM, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.54	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.56	-25	Pass	2985
30	1000	0.1	RMS	884.547	-65.22	-25	Pass	9699
1000	2490	1	RMS	2488.999	-51.31	-25	Pass	1490
2490	2580	1	RMS	2518.8	20.84	60	Pass	401
2580	3000	1	RMS	2952.888	-50.41	-25	Pass	420
3000	12000	1	RMS	11579.48	-53.91	-25	Pass	9000
12000	26000	1	RMS	25894.982	-40.53	-25	Pass	14000




**19.9. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:21001+21199, Bandwidth:20+20, Modulation:QPSK, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.91	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.3	-25	Pass	2985
30	1000	0.1	RMS	857.11	-65.02	-25	Pass	9699
1000	2490	1	RMS	2487.999	-51.35	-25	Pass	1490
2490	2580	1	RMS	2533.875	21.94	60	Pass	401
2580	3000	1	RMS	2949.881	-50.4	-25	Pass	420
3000	12000	1	RMS	11584.486	-53.95	-25	Pass	9000
12000	26000	1	RMS	25893.982	-40.42	-25	Pass	14000




**19.10. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:21001+21199, Bandwidth:20+20, Modulation:16QAM, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.05	-25	Pass	2985
30	1000	0.1	RMS	995.394	-64.97	-25	Pass	9699
1000	2490	1	RMS	2490	-51.33	-25	Pass	1490
2490	2580	1	RMS	2533.875	20.78	60	Pass	401
2580	3000	1	RMS	2956.897	-50.41	-25	Pass	420
3000	12000	1	RMS	11577.477	-53.87	-25	Pass	9000
12000	26000	1	RMS	25899.983	-40.57	-25	Pass	14000




**19.11. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:21152+21350, Bandwidth:20+20, Modulation:QPSK, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.49	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.04	-25	Pass	2985
30	1000	0.1	RMS	867.324	-65.08	-25	Pass	9699
1000	2490	1	RMS	2486.998	-51.41	-25	Pass	1490
2490	2580	1	RMS	2548.95	21.72	60	Pass	401
2580	3000	1	RMS	2949.881	-50.37	-25	Pass	420
3000	12000	1	RMS	7194.512	-53.35	-25	Pass	9000
12000	26000	1	RMS	25883.98	-40.49	-25	Pass	14000



**19.12. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:21152+21350, Bandwidth:20+20, Modulation:16QAM, RB Number:1+2, RB
Position:High+Low)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.73	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.91	-25	Pass	2985
30	1000	0.1	RMS	862.317	-65.15	-25	Pass	9699
1000	2490	1	RMS	2490	-51.32	-25	Pass	1490
2490	2580	1	RMS	2548.95	20.81	60	Pass	401
2580	3000	1	RMS	2951.885	-50.36	-25	Pass	420
3000	12000	1	RMS	11578.478	-53.78	-25	Pass	9000
12000	26000	1	RMS	25900.983	-40.52	-25	Pass	14000



20. CA_38C


20.1. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:37825+37975, Bandwidth:15+15, Modulation:QPSK, RB Number:1+2, RB Position:High+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.34	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.53	-25	Pass	2985
30	1000	0.1	RMS	985.08	-64.93	-25	Pass	9699
1000	2560	1	RMS	2558.999	-50.57	-25	Pass	1560
2560	2630	1	RMS	2584.15	16.18	60	Pass	401
2630	3000	1	RMS	2949.125	-50.32	-25	Pass	401
3000	12000	1	RMS	11577.477	-53.87	-25	Pass	9000
12000	26500	1	RMS	25902.905	-40.56	-25	Pass	14500




**20.2. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:37825+37975, Bandwidth:15+15, Modulation:16QAM, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.8	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.28	-25	Pass	2985
30	1000	0.1	RMS	990.187	-64.94	-25	Pass	9699
1000	2560	1	RMS	2560	-50.72	-25	Pass	1560
2560	2630	1	RMS	2584.15	17.19	60	Pass	401
2630	3000	1	RMS	2950.975	-50.32	-25	Pass	401
3000	12000	1	RMS	11575.475	-53.86	-25	Pass	9000
12000	26500	1	RMS	25888.903	-40.6	-25	Pass	14500




**20.3. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:37925+38075, Bandwidth:15+15, Modulation:QPSK, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.7	-25	Pass	401
0.15	30	0.01	RMS	0.2	-72.25	-25	Pass	2985
30	1000	0.1	RMS	888.352	-64.62	-25	Pass	9699
1000	2560	1	RMS	2514.971	-50.89	-25	Pass	1560
2560	2630	1	RMS	2594.125	18.34	60	Pass	401
2630	3000	1	RMS	2948.2	-50.36	-25	Pass	401
3000	12000	1	RMS	11588.491	-53.81	-25	Pass	9000
12000	26500	1	RMS	25890.903	-40.65	-25	Pass	14500




**20.4. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:37925+38075, Bandwidth:15+15, Modulation:16QAM, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.38	-25	Pass	401
0.15	30	0.01	RMS	0.21	-72.16	-25	Pass	2985
30	1000	0.1	RMS	902.17	-64.89	-25	Pass	9699
1000	2560	1	RMS	2512.97	-50.95	-25	Pass	1560
2560	2630	1	RMS	2594.125	17.99	60	Pass	401
2630	3000	1	RMS	2950.05	-50.37	-25	Pass	401
3000	12000	1	RMS	11590.493	-53.85	-25	Pass	9000
12000	26500	1	RMS	25899.905	-40.43	-25	Pass	14500




**20.5. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:38025+38175, Bandwidth:15+15, Modulation:QPSK, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.59	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.24	-25	Pass	2985
30	1000	0.1	RMS	796.094	-65.09	-25	Pass	9699
1000	2560	1	RMS	2523.977	-50.95	-25	Pass	1560
2560	2630	1	RMS	2604.1	18.4	60	Pass	401
2630	3000	1	RMS	2949.125	-50.36	-25	Pass	401
3000	12000	1	RMS	11582.483	-53.9	-25	Pass	9000
12000	26500	1	RMS	25892.904	-40.52	-25	Pass	14500




**20.6. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:38025+38175, Bandwidth:15+15, Modulation:16QAM, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.37	-25	Pass	401
0.15	30	0.01	RMS	0.18	-72.2	-25	Pass	2985
30	1000	0.1	RMS	888.953	-64.78	-25	Pass	9699
1000	2560	1	RMS	2507.967	-50.96	-25	Pass	1560
2560	2630	1	RMS	2603.925	17.68	60	Pass	401
2630	3000	1	RMS	2950.975	-50.38	-25	Pass	401
3000	12000	1	RMS	11577.477	-53.79	-25	Pass	9000
12000	26500	1	RMS	25883.902	-40.56	-25	Pass	14500




**20.7. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:37850+38048, Bandwidth:20+20, Modulation:QPSK, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.22	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.86	-25	Pass	2985
30	1000	0.1	RMS	853.806	-63.33	-25	Pass	9699
1000	2560	1	RMS	2560	-50.42	-25	Pass	1560
2560	2630	1	RMS	2590.8	16.34	60	Pass	401
2630	3000	1	RMS	2950.975	-50.17	-25	Pass	401
3000	12000	1	RMS	11582.483	-53.56	-25	Pass	9000
12000	26500	1	RMS	25894.904	-40.61	-25	Pass	14500




**20.8. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:37850+38048, Bandwidth:20+20, Modulation:16QAM, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.52	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.84	-25	Pass	2985
30	1000	0.1	RMS	989.786	-63.52	-25	Pass	9699
1000	2560	1	RMS	2557.999	-50.55	-25	Pass	1560
2560	2630	1	RMS	2588.7	18.13	60	Pass	401
2630	3000	1	RMS	2950.05	-50.1	-25	Pass	401
3000	12000	1	RMS	11585.487	-53.44	-25	Pass	9000
12000	26500	1	RMS	25901.905	-40.58	-25	Pass	14500




**20.9. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:37901+38099, Bandwidth:20+20, Modulation:QPSK, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.64	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.51	-25	Pass	2985
30	1000	0.1	RMS	877.638	-63.41	-25	Pass	9699
1000	2560	1	RMS	2509.968	-50.6	-25	Pass	1560
2560	2630	1	RMS	2593.95	18.73	60	Pass	401
2630	3000	1	RMS	2950.05	-50.03	-25	Pass	401
3000	12000	1	RMS	11573.472	-53.5	-25	Pass	9000
12000	26500	1	RMS	25894.904	-40.61	-25	Pass	14500




**20.10. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:37901+38099, Bandwidth:20+20, Modulation:16QAM, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.21	-25	Pass	401
0.15	30	0.01	RMS	0.69	-72.59	-25	Pass	2985
30	1000	0.1	RMS	876.336	-63.44	-25	Pass	9699
1000	2560	1	RMS	2534.984	-50.52	-25	Pass	1560
2560	2630	1	RMS	2593.775	17.53	60	Pass	401
2630	3000	1	RMS	2950.975	-50.07	-25	Pass	401
3000	12000	1	RMS	11579.48	-53.5	-25	Pass	9000
12000	26500	1	RMS	25897.905	-40.55	-25	Pass	14500




**20.11. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:37952+38150, Bandwidth:20+20, Modulation:QPSK, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.86	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.88	-25	Pass	2985
30	1000	0.1	RMS	852.204	-63.46	-25	Pass	9699
1000	2560	1	RMS	2511.969	-50.63	-25	Pass	1560
2560	2630	1	RMS	2598.85	18.83	60	Pass	401
2630	3000	1	RMS	2951.9	-50.11	-25	Pass	401
3000	12000	1	RMS	11578.478	-53.56	-25	Pass	9000
12000	26500	1	RMS	25898.905	-40.53	-25	Pass	14500



**20.12. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:37952+38150, Bandwidth:20+20, Modulation:16QAM, RB Number:1+2, RB
Position:High+Low)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.85	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.31	-25	Pass	2985
30	1000	0.1	RMS	882.044	-63.48	-25	Pass	9699
1000	2560	1	RMS	2511.969	-50.54	-25	Pass	1560
2560	2630	1	RMS	2598.85	17.53	60	Pass	401
2630	3000	1	RMS	2949.125	-50.12	-25	Pass	401
3000	12000	1	RMS	11579.48	-53.56	-25	Pass	9000
12000	26500	1	RMS	25894.904	-40.61	-25	Pass	14500



21. CA_41C_full


21.1. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:39750+39867, Bandwidth:20+5, Modulation:QPSK, RB Number:1+2, RB Position:High+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.14	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.77	-25	Pass	2985
30	1000	0.1	RMS	875.635	-64.71	-25	Pass	9699
1000	2486	1	RMS	2484.999	-51.18	-25	Pass	1486
2486	2700	1	RMS	2514.355	18.01	60	Pass	401
2700	3000	1	RMS	2955.75	-50.3	-25	Pass	401
3000	12000	1	RMS	11583.485	-53.89	-25	Pass	9000
12000	27000	1	RMS	25904.839	-40.53	-25	Pass	15000




**21.2. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:39750+39867, Bandwidth:20+5, Modulation:16QAM, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.7	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.67	-25	Pass	2985
30	1000	0.1	RMS	838.399	-64.85	-25	Pass	9699
1000	2486	1	RMS	2482.998	-51.21	-25	Pass	1486
2486	2700	1	RMS	2514.355	16.42	60	Pass	401
2700	3000	1	RMS	2949.75	-50.38	-25	Pass	401
3000	12000	1	RMS	7199.513	-53.05	-25	Pass	9000
12000	27000	1	RMS	25884.836	-40.53	-25	Pass	15000




**21.3. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:40595+40712, Bandwidth:20+5, Modulation:QPSK, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.33	-25	Pass	401
0.15	30	0.01	RMS	0.24	-72.08	-25	Pass	2985
30	1000	0.1	RMS	823.497	-64.72	-25	Pass	9699
1000	2486	1	RMS	2482.998	-51.48	-25	Pass	1486
2486	2700	1	RMS	2598.885	18.03	60	Pass	401
2700	3000	1	RMS	2952.75	-50.41	-25	Pass	401
3000	12000	1	RMS	11579.48	-53.72	-25	Pass	9000
12000	27000	1	RMS	25887.837	-40.47	-25	Pass	15000




**21.4. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:40595+40712, Bandwidth:20+5, Modulation:16QAM, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.7	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.47	-25	Pass	2985
30	1000	0.1	RMS	869.427	-64.84	-25	Pass	9699
1000	2486	1	RMS	2482.998	-51.48	-25	Pass	1486
2486	2700	1	RMS	2599.42	16.9	60	Pass	401
2700	3000	1	RMS	2947.5	-50.38	-25	Pass	401
3000	12000	1	RMS	11580.481	-53.87	-25	Pass	9000
12000	27000	1	RMS	25898.838	-40.46	-25	Pass	15000




**21.5. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:41440+41557, Bandwidth:20+5, Modulation:QPSK, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.46	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.96	-25	Pass	2985
30	1000	0.1	RMS	898.365	-64.94	-25	Pass	9699
1000	2486	1	RMS	2484.999	-51.45	-25	Pass	1486
2486	2700	1	RMS	2683.415	17.4	60	Pass	401
2700	3000	1	RMS	2700	-50.27	-25	Pass	401
3000	12000	1	RMS	11586.488	-53.86	-25	Pass	9000
12000	27000	1	RMS	25889.837	-40.51	-25	Pass	15000




**21.6. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:41440+41557, Bandwidth:20+5, Modulation:16QAM, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.02	-25	Pass	401
0.15	30	0.01	RMS	0.18	-71.52	-25	Pass	2985
30	1000	0.1	RMS	874.233	-64.99	-25	Pass	9699
1000	2486	1	RMS	2486	-51.44	-25	Pass	1486
2486	2700	1	RMS	2683.415	17.25	60	Pass	401
2700	3000	1	RMS	2952	-50.37	-25	Pass	401
3000	12000	1	RMS	7201.513	-53.2	-25	Pass	9000
12000	27000	1	RMS	25891.837	-40.49	-25	Pass	15000




**21.7. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:39750+39948, Bandwidth:20+20, Modulation:QPSK, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.41	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.01	-25	Pass	2985
30	1000	0.1	RMS	999.8	-64.68	-25	Pass	9699
1000	2486	1	RMS	2486	-51.16	-25	Pass	1486
2486	2700	1	RMS	2514.355	18.1	60	Pass	401
2700	3000	1	RMS	2948.25	-50.32	-25	Pass	401
3000	12000	1	RMS	11579.48	-53.75	-25	Pass	9000
12000	27000	1	RMS	25889.837	-40.44	-25	Pass	15000




**21.8. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:39750+39948, Bandwidth:20+20, Modulation:16QAM, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.03	-25	Pass	401
0.15	30	0.01	RMS	0.2	-72.37	-25	Pass	2985
30	1000	0.1	RMS	974.566	-64.87	-25	Pass	9699
1000	2486	1	RMS	2483.999	-51.32	-25	Pass	1486
2486	2700	1	RMS	2514.355	16.81	60	Pass	401
2700	3000	1	RMS	2955	-50.3	-25	Pass	401
3000	12000	1	RMS	11579.48	-53.76	-25	Pass	9000
12000	27000	1	RMS	25899.838	-40.58	-25	Pass	15000




**21.9. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:40521+40719, Bandwidth:20+20, Modulation:QPSK, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.53	-25	Pass	401
0.15	30	0.01	RMS	0.23	-72.15	-25	Pass	2985
30	1000	0.1	RMS	995.494	-64.85	-25	Pass	9699
1000	2486	1	RMS	2486	-51.36	-25	Pass	1486
2486	2700	1	RMS	2591.395	17.34	60	Pass	401
2700	3000	1	RMS	2951.25	-50.32	-25	Pass	401
3000	12000	1	RMS	11581.482	-53.78	-25	Pass	9000
12000	27000	1	RMS	25866.834	-40.55	-25	Pass	15000




**21.10. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:40521+40719, Bandwidth:20+20, Modulation:16QAM, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.9	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.81	-25	Pass	2985
30	1000	0.1	RMS	891.056	-64.54	-25	Pass	9699
1000	2486	1	RMS	2484.999	-51.28	-25	Pass	1486
2486	2700	1	RMS	2591.395	16.43	60	Pass	401
2700	3000	1	RMS	2947.5	-50.33	-25	Pass	401
3000	12000	1	RMS	7202.513	-53.24	-25	Pass	9000
12000	27000	1	RMS	25897.838	-40.52	-25	Pass	15000




**21.11. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:41292+41490, Bandwidth:20+20, Modulation:QPSK, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.49	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.65	-25	Pass	2985
30	1000	0.1	RMS	902.17	-64.24	-25	Pass	9699
1000	2486	1	RMS	2486	-51.26	-25	Pass	1486
2486	2700	1	RMS	2668.97	17.4	60	Pass	401
2700	3000	1	RMS	2951.25	-50.29	-25	Pass	401
3000	12000	1	RMS	11582.483	-53.75	-25	Pass	9000
12000	27000	1	RMS	25898.838	-40.51	-25	Pass	15000



**21.12. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:41292+41490, Bandwidth:20+20, Modulation:16QAM, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.34	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.06	-25	Pass	2985
30	1000	0.1	RMS	874.233	-64.48	-25	Pass	9699
1000	2486	1	RMS	2486	-51.35	-25	Pass	1486
2486	2700	1	RMS	2668.97	16.17	60	Pass	401
2700	3000	1	RMS	2949.75	-50.28	-25	Pass	401
3000	12000	1	RMS	11580.481	-53.82	-25	Pass	9000
12000	27000	1	RMS	25897.838	-40.42	-25	Pass	15000




NR

22. n7 15kHz


22.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:500500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-61.76	-25	Pass	401
0.15	30	0.01	RMS	0.32	-61.41	-25	Pass	2985
30	1000	0.1	RMS	859.614	-52.37	-25	Pass	9699
1000	2490	1	RMS	2490	-40.42	-25	Pass	1490
2490	2580	1	RMS	2502.6	20.34	60	Pass	401
2580	3000	1	RMS	2877.709	-38.68	-25	Pass	420
3000	6500	1	RMS	6142.898	-59.2	-25	Pass	3500
6500	26000	1	RMS	25486.835	-46.37	-25	Pass	19500




22.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:500500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-62.67	-25	Pass	401
0.15	30	0.01	RMS	0.15	-61.07	-25	Pass	2985
30	1000	0.1	RMS	906.376	-52.02	-25	Pass	9699
1000	2490	1	RMS	2490	-40.49	-25	Pass	1490
2490	2580	1	RMS	2502.375	19.25	60	Pass	401
2580	3000	1	RMS	2873.699	-38.64	-25	Pass	420
3000	6500	1	RMS	6061.875	-59.34	-25	Pass	3500
6500	26000	1	RMS	25212.747	-46.55	-25	Pass	19500




22.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:507000, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-62.04	-25	Pass	401
0.15	30	0.01	RMS	0.22	-60.57	-25	Pass	2985
30	1000	0.1	RMS	677.779	-52.42	-25	Pass	9699
1000	2490	1	RMS	2487.999	-40.69	-25	Pass	1490
2490	2580	1	RMS	2535	20.41	60	Pass	401
2580	3000	1	RMS	2871.695	-38.6	-25	Pass	420
3000	6500	1	RMS	6059.874	-59.29	-25	Pass	3500
6500	26000	1	RMS	25506.842	-46.64	-25	Pass	19500




22.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:507000, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-62.87	-25	Pass	401
0.15	30	0.01	RMS	0.23	-60.98	-25	Pass	2985
30	1000	0.1	RMS	891.256	-52.35	-25	Pass	9699
1000	2490	1	RMS	2484.997	-40.61	-25	Pass	1490
2490	2580	1	RMS	2534.775	19.31	60	Pass	401
2580	3000	1	RMS	2872.697	-38.67	-25	Pass	420
3000	6500	1	RMS	6054.873	-59.31	-25	Pass	3500
6500	26000	1	RMS	25206.745	-46.73	-25	Pass	19500




22.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5, Channel:513500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-62.46	-25	Pass	401
0.15	30	0.01	RMS	0.15	-60.77	-25	Pass	2985
30	1000	0.1	RMS	906.376	-52.52	-25	Pass	9699
1000	2490	1	RMS	2490	-40.69	-25	Pass	1490
2490	2580	1	RMS	2567.4	20.27	60	Pass	401
2580	3000	1	RMS	2870.692	-38.65	-25	Pass	420
3000	6500	1	RMS	6055.873	-59.31	-25	Pass	3500
6500	26000	1	RMS	25200.743	-46.35	-25	Pass	19500




**22.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:513500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM,
RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-62.15	-25	Pass	401
0.15	30	0.01	RMS	0.16	-59.7	-25	Pass	2985
30	1000	0.1	RMS	904.173	-51.81	-25	Pass	9699
1000	2490	1	RMS	2487.999	-40.71	-25	Pass	1490
2490	2580	1	RMS	2567.4	19.06	60	Pass	401
2580	3000	1	RMS	2873.699	-38.61	-25	Pass	420
3000	6500	1	RMS	6170.906	-59.33	-25	Pass	3500
6500	26000	1	RMS	25204.745	-46.51	-25	Pass	19500




22.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:7, Channel:501500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-63.18	-25	Pass	401
0.15	30	0.01	RMS	0.16	-60.22	-25	Pass	2985
30	1000	0.1	RMS	886.55	-52.53	-25	Pass	9699
1000	2490	1	RMS	2490	-39.47	-25	Pass	1490
2490	2580	1	RMS	2508.9	15.82	60	Pass	401
2580	3000	1	RMS	2876.706	-38.66	-25	Pass	420
3000	6500	1	RMS	6058.874	-59.28	-25	Pass	3500
6500	26000	1	RMS	25205.745	-46.41	-25	Pass	19500




22.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:8, Channel:501500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-62.57	-25	Pass	401
0.15	30	0.01	RMS	0.16	-59.72	-25	Pass	2985
30	1000	0.1	RMS	720.184	-52.31	-25	Pass	9699
1000	2490	1	RMS	2490	-39.37	-25	Pass	1490
2490	2580	1	RMS	2507.325	14.86	60	Pass	401
2580	3000	1	RMS	2870.692	-38.62	-25	Pass	420
3000	6500	1	RMS	6055.873	-59.27	-25	Pass	3500
6500	26000	1	RMS	25195.742	-46.52	-25	Pass	19500




22.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:9, Channel:507000, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-63.03	-25	Pass	401
0.15	30	0.01	RMS	0.19	-61.2	-25	Pass	2985
30	1000	0.1	RMS	885.849	-52.05	-25	Pass	9699
1000	2490	1	RMS	2490	-40.66	-25	Pass	1490
2490	2580	1	RMS	2535.9	15.83	60	Pass	401
2580	3000	1	RMS	2869.69	-38.65	-25	Pass	420
3000	6500	1	RMS	6060.875	-59.26	-25	Pass	3500
6500	26000	1	RMS	25502.84	-46.51	-25	Pass	19500




22.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:10, Channel:507000, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-62.48	-25	Pass	401
0.15	30	0.01	RMS	0.22	-59.94	-25	Pass	2985
30	1000	0.1	RMS	880.241	-52.35	-25	Pass	9699
1000	2490	1	RMS	2485.997	-40.61	-25	Pass	1490
2490	2580	1	RMS	2535	14.97	60	Pass	401
2580	3000	1	RMS	2869.69	-38.66	-25	Pass	420
3000	6500	1	RMS	6059.874	-59.37	-25	Pass	3500
6500	26000	1	RMS	25179.737	-46.61	-25	Pass	19500




22.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:11, Channel:512500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-62.43	-25	Pass	401
0.15	30	0.01	RMS	0.2	-60.32	-25	Pass	2985
30	1000	0.1	RMS	873.532	-52.1	-25	Pass	9699
1000	2490	1	RMS	2479.993	-40.73	-25	Pass	1490
2490	2580	1	RMS	2563.125	15.69	60	Pass	401
2580	3000	1	RMS	2580	-37.48	-25	Pass	420
3000	6500	1	RMS	6059.874	-59.29	-25	Pass	3500
6500	26000	1	RMS	25453.825	-46.57	-25	Pass	19500




22.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:12, Channel:512500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-61.85	-25	Pass	401
0.15	30	0.01	RMS	0.15	-60.2	-25	Pass	2985
30	1000	0.1	RMS	726.185	-52.39	-25	Pass	9699
1000	2490	1	RMS	2488.999	-40.56	-25	Pass	1490
2490	2580	1	RMS	2562.45	14.77	60	Pass	401
2580	3000	1	RMS	2580	-38.18	-25	Pass	420
3000	6500	1	RMS	6044.87	-59.34	-25	Pass	3500
6500	26000	1	RMS	25511.843	-46.74	-25	Pass	19500




22.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:13, Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-62.61	-25	Pass	401
0.15	30	0.01	RMS	0.15	-59.84	-25	Pass	2985
30	1000	0.1	RMS	892.658	-52.02	-25	Pass	9699
1000	2490	1	RMS	2490	-38.82	-25	Pass	1490
2490	2580	1	RMS	2511.6	14.56	60	Pass	401
2580	3000	1	RMS	2869.69	-38.64	-25	Pass	420
3000	6500	1	RMS	6062.875	-59.31	-25	Pass	3500
6500	26000	1	RMS	25887.964	-46.63	-25	Pass	19500




22.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:14, Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-61.08	-25	Pass	401
0.15	30	0.01	RMS	0.28	-60.04	-25	Pass	2985
30	1000	0.1	RMS	916.389	-52.17	-25	Pass	9699
1000	2490	1	RMS	2490	-39.33	-25	Pass	1490
2490	2580	1	RMS	2510.25	13.52	60	Pass	401
2580	3000	1	RMS	2871.695	-38.58	-25	Pass	420
3000	6500	1	RMS	6058.874	-59.12	-25	Pass	3500
6500	26000	1	RMS	25502.84	-46.6	-25	Pass	19500




22.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:15, Channel:507000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-54.31	-25	Pass	401
0.15	30	0.01	RMS	0.16	-60.4	-25	Pass	2985
30	1000	0.1	RMS	906.876	-52.07	-25	Pass	9699
1000	2490	1	RMS	2488.999	-40.6	-25	Pass	1490
2490	2580	1	RMS	2534.325	14.46	60	Pass	401
2580	3000	1	RMS	2875.704	-38.6	-25	Pass	420
3000	6500	1	RMS	6059.874	-59.25	-25	Pass	3500
6500	26000	1	RMS	25868.958	-46.69	-25	Pass	19500




22.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:16, Channel:507000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.27	-25	Pass	401
0.15	30	0.01	RMS	0.18	-59.54	-25	Pass	2985
30	1000	0.1	RMS	911.583	-52.49	-25	Pass	9699
1000	2490	1	RMS	2483.996	-40.59	-25	Pass	1490
2490	2580	1	RMS	2535.45	13.42	60	Pass	401
2580	3000	1	RMS	2872.697	-38.65	-25	Pass	420
3000	6500	1	RMS	6059.874	-59.38	-25	Pass	3500
6500	26000	1	RMS	25192.741	-46.63	-25	Pass	19500




22.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:17, Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-62.88	-25	Pass	401
0.15	30	0.01	RMS	0.32	-60.43	-25	Pass	2985
30	1000	0.1	RMS	876.737	-52.34	-25	Pass	9699
1000	2490	1	RMS	2490	-40.61	-25	Pass	1490
2490	2580	1	RMS	2559.3	14.34	60	Pass	401
2580	3000	1	RMS	2580	-35.79	-25	Pass	420
3000	6500	1	RMS	6052.872	-59.31	-25	Pass	3500
6500	26000	1	RMS	25910.971	-46.68	-25	Pass	19500



22.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:18, Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:25)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-63.74	-25	Pass	401
0.15	30	0.01	RMS	0.29	-59.45	-25	Pass	2985
30	1000	0.1	RMS	754.288	-52.6	-25	Pass	9699
1000	2490	1	RMS	2490	-40.64	-25	Pass	1490
2490	2580	1	RMS	2559.975	13.27	60	Pass	401
2580	3000	1	RMS	2580	-37.35	-25	Pass	420
3000	6500	1	RMS	6140.897	-59.32	-25	Pass	3500
6500	26000	1	RMS	25496.839	-46.28	-25	Pass	19500



23. n41 30kHz


23.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-62.92	-25	Pass	401
0.15	30	0.01	RMS	0.18	-60.55	-25	Pass	2985
30	1000	0.1	RMS	904.674	-52.45	-25	Pass	9699
1000	2486	1	RMS	2486	-38.88	-25	Pass	1486
2486	2700	1	RMS	2509.005	14.67	60	Pass	401
2700	3000	1	RMS	2868	-38.64	-25	Pass	401
3000	6500	1	RMS	6071.878	-59.35	-25	Pass	3500
6500	27000	1	RMS	25493.634	-46.42	-25	Pass	20500




23.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-63.95	-25	Pass	401
0.15	30	0.01	RMS	0.15	-59.79	-25	Pass	2985
30	1000	0.1	RMS	738.687	-52.11	-25	Pass	9699
1000	2486	1	RMS	2486	-39.51	-25	Pass	1486
2486	2700	1	RMS	2505.795	13.66	60	Pass	401
2700	3000	1	RMS	2878.5	-38.65	-25	Pass	401
3000	6500	1	RMS	6056.873	-59.07	-25	Pass	3500
6500	27000	1	RMS	25504.637	-46.25	-25	Pass	20500




23.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:518598, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-62.21	-25	Pass	401
0.15	30	0.01	RMS	0.26	-60.98	-25	Pass	2985
30	1000	0.1	RMS	725.385	-51.23	-25	Pass	9699
1000	2486	1	RMS	2484.999	-40.71	-25	Pass	1486
2486	2700	1	RMS	2589.79	14.48	60	Pass	401
2700	3000	1	RMS	2872.5	-38.57	-25	Pass	401
3000	6500	1	RMS	6048.871	-59.21	-25	Pass	3500
6500	27000	1	RMS	25186.559	-46.5	-25	Pass	20500




23.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:518598, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-63.66	-25	Pass	401
0.15	30	0.01	RMS	0.2	-59.57	-25	Pass	2985
30	1000	0.1	RMS	873.933	-52.15	-25	Pass	9699
1000	2486	1	RMS	2483.999	-40.66	-25	Pass	1486
2486	2700	1	RMS	2593	13.51	60	Pass	401
2700	3000	1	RMS	2882.25	-38.62	-25	Pass	401
3000	6500	1	RMS	6140.897	-59.29	-25	Pass	3500
6500	27000	1	RMS	25502.636	-46.46	-25	Pass	20500




23.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5, Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-62.17	-25	Pass	401
0.15	30	0.01	RMS	0.19	-59.99	-25	Pass	2985
30	1000	0.1	RMS	757.689	-51.66	-25	Pass	9699
1000	2486	1	RMS	2486	-40.69	-25	Pass	1486
2486	2700	1	RMS	2682.88	14.26	60	Pass	401
2700	3000	1	RMS	2879.25	-38.64	-25	Pass	401
3000	6500	1	RMS	6053.873	-59.36	-25	Pass	3500
6500	27000	1	RMS	25199.563	-46.5	-25	Pass	20500




23.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-62.8	-25	Pass	401
0.15	30	0.01	RMS	0.16	-59.31	-25	Pass	2985
30	1000	0.1	RMS	997.997	-52.48	-25	Pass	9699
1000	2486	1	RMS	2474.993	-40.69	-25	Pass	1486
2486	2700	1	RMS	2680.205	13.24	60	Pass	401
2700	3000	1	RMS	2865	-38.62	-25	Pass	401
3000	6500	1	RMS	6186.911	-59.27	-25	Pass	3500
6500	27000	1	RMS	25208.565	-46.52	-25	Pass	20500




23.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:7, Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:81, RB Position:40)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-62.71	-25	Pass	401
0.15	30	0.01	RMS	0.22	-60.49	-25	Pass	2985
30	1000	0.1	RMS	728.685	-52.36	-25	Pass	9699
1000	2486	1	RMS	2486	-34.27	-25	Pass	1486
2486	2700	1	RMS	2520.775	9.61	60	Pass	401
2700	3000	1	RMS	2874	-38.64	-25	Pass	401
3000	6500	1	RMS	6139.897	-59.27	-25	Pass	3500
6500	27000	1	RMS	25476.63	-46.49	-25	Pass	20500




23.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:8, Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:81, RB Position:40)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-61.36	-25	Pass	401
0.15	30	0.01	RMS	0.42	-60.19	-25	Pass	2985
30	1000	0.1	RMS	725.085	-52.32	-25	Pass	9699
1000	2486	1	RMS	2486	-36.41	-25	Pass	1486
2486	2700	1	RMS	2519.17	8.68	60	Pass	401
2700	3000	1	RMS	2876.25	-38.66	-25	Pass	401
3000	6500	1	RMS	6062.875	-59.35	-25	Pass	3500
6500	27000	1	RMS	25811.711	-46.52	-25	Pass	20500




23.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:9, Channel:518598, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:81, RB Position:40)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-62.64	-25	Pass	401
0.15	30	0.01	RMS	0.16	-60.17	-25	Pass	2985
30	1000	0.1	RMS	911.082	-52.18	-25	Pass	9699
1000	2486	1	RMS	2482.998	-40.6	-25	Pass	1486
2486	2700	1	RMS	2599.42	9.41	60	Pass	401
2700	3000	1	RMS	2871.75	-38.63	-25	Pass	401
3000	6500	1	RMS	6058.874	-59.35	-25	Pass	3500
6500	27000	1	RMS	25829.716	-46.46	-25	Pass	20500




23.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:10, Channel:518598, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:81, RB Position:40)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-63.06	-25	Pass	401
0.15	30	0.01	RMS	0.21	-60.7	-25	Pass	2985
30	1000	0.1	RMS	785.292	-52.49	-25	Pass	9699
1000	2486	1	RMS	2466.987	-40.74	-25	Pass	1486
2486	2700	1	RMS	2586.045	8.51	60	Pass	401
2700	3000	1	RMS	2879.25	-38.66	-25	Pass	401
3000	6500	1	RMS	6058.874	-59.3	-25	Pass	3500
6500	27000	1	RMS	25506.637	-46.33	-25	Pass	20500




23.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:11, Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:81, RB Position:40)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-62.59	-25	Pass	401
0.15	30	0.01	RMS	0.4	-60.74	-25	Pass	2985
30	1000	0.1	RMS	993.291	-52.15	-25	Pass	9699
1000	2486	1	RMS	2479.996	-40.68	-25	Pass	1486
2486	2700	1	RMS	2649.175	9.73	60	Pass	401
2700	3000	1	RMS	2700	-32.69	-25	Pass	401
3000	6500	1	RMS	6055.873	-59.32	-25	Pass	3500
6500	27000	1	RMS	25918.737	-46.7	-25	Pass	20500




23.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:12, Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:81, RB Position:40)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-62.49	-25	Pass	401
0.15	30	0.01	RMS	0.18	-59.88	-25	Pass	2985
30	1000	0.1	RMS	881.943	-52.39	-25	Pass	9699
1000	2486	1	RMS	2486	-40.79	-25	Pass	1486
2486	2700	1	RMS	2647.035	8.89	60	Pass	401
2700	3000	1	RMS	2700	-35.21	-25	Pass	401
3000	6500	1	RMS	6061.875	-59.15	-25	Pass	3500
6500	27000	1	RMS	25530.643	-46.53	-25	Pass	20500




23.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:13, Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:135, RB Position:67)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-63.28	-25	Pass	401
0.15	30	0.01	RMS	0.15	-60.1	-25	Pass	2985
30	1000	0.1	RMS	935.715	-51.97	-25	Pass	9699
1000	2486	1	RMS	2484.999	-35.19	-25	Pass	1486
2486	2700	1	RMS	2532.01	7.36	60	Pass	401
2700	3000	1	RMS	2874	-38.64	-25	Pass	401
3000	6500	1	RMS	6055.873	-59.32	-25	Pass	3500
6500	27000	1	RMS	25873.726	-46.41	-25	Pass	20500




**23.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:14,
Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM,
Modulation:16QAM, RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-61.96	-25	Pass	401
0.15	30	0.01	RMS	0.23	-60.5	-25	Pass	2985
30	1000	0.1	RMS	841.999	-52.31	-25	Pass	9699
1000	2486	1	RMS	2486	-37.04	-25	Pass	1486
2486	2700	1	RMS	2525.055	6.37	60	Pass	401
2700	3000	1	RMS	2870.25	-38.61	-25	Pass	401
3000	6500	1	RMS	6068.877	-59.41	-25	Pass	3500
6500	27000	1	RMS	25503.636	-46.54	-25	Pass	20500




23.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:15, Channel:518598, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:135, RB Position:67)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-62.35	-25	Pass	401
0.15	30	0.01	RMS	0.26	-60.93	-25	Pass	2985
30	1000	0.1	RMS	903.772	-52.27	-25	Pass	9699
1000	2486	1	RMS	2486	-40.4	-25	Pass	1486
2486	2700	1	RMS	2579.09	7.53	60	Pass	401
2700	3000	1	RMS	2868	-38.61	-25	Pass	401
3000	6500	1	RMS	6065.876	-59.29	-25	Pass	3500
6500	27000	1	RMS	25196.562	-46.31	-25	Pass	20500




**23.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:16,
Channel:518598, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM,
Modulation:16QAM, RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-62.85	-25	Pass	401
0.15	30	0.01	RMS	0.17	-60.62	-25	Pass	2985
30	1000	0.1	RMS	987.383	-52.22	-25	Pass	9699
1000	2486	1	RMS	2477.995	-40.49	-25	Pass	1486
2486	2700	1	RMS	2581.23	6.5	60	Pass	401
2700	3000	1	RMS	2881.5	-38.65	-25	Pass	401
3000	6500	1	RMS	6056.873	-59.26	-25	Pass	3500
6500	27000	1	RMS	25481.631	-46.49	-25	Pass	20500




23.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:17, Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:135, RB Position:67)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-63.01	-25	Pass	401
0.15	30	0.01	RMS	0.15	-60.73	-25	Pass	2985
30	1000	0.1	RMS	767.39	-52.14	-25	Pass	9699
1000	2486	1	RMS	2483.999	-40.71	-25	Pass	1486
2486	2700	1	RMS	2635.265	7.6	60	Pass	401
2700	3000	1	RMS	2700	-33.71	-25	Pass	401
3000	6500	1	RMS	6136.896	-59.39	-25	Pass	3500
6500	27000	1	RMS	25199.563	-46.44	-25	Pass	20500



**23.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:18,
Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM,
Modulation:16QAM, RB Number:135, RB Position:67)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-61.92	-25	Pass	401
0.15	30	0.01	RMS	0.23	-59.59	-25	Pass	2985
30	1000	0.1	RMS	889.053	-52.16	-25	Pass	9699
1000	2486	1	RMS	2486	-40.67	-25	Pass	1486
2486	2700	1	RMS	2641.685	6.57	60	Pass	401
2700	3000	1	RMS	2700	-35.63	-25	Pass	401
3000	6500	1	RMS	6060.875	-59.2	-25	Pass	3500
6500	27000	1	RMS	25447.623	-46.53	-25	Pass	20500



24. DC_5A_n7A_SCS15_5M_L_Inner Full(QPSK)

24.1. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-80.85	-25	Pass	401
0.15	30	0.01	RMS	0.15	-83.79	-25	Pass	2985
30	1000	0.1	RMS	877.938	-79.47	-25	Pass	9699
1000	2450	1	RMS	2445.997	-67.18	-25	Pass	1450
2450	2490	1	RMS	2489.7	-47.69	-25	Pass	401
2490	2580	1	RMS	2502.375	20.3	60	Pass	401
2580	2700	1	RMS	2697.9	-50.22	-25	Pass	401
2700	3000	1	RMS	2872.5	-65.02	-25	Pass	401
3000	6500	1	RMS	6059.874	-60.07	-25	Pass	3500
6500	27000	1	RMS	25208.565	-47.21	-25	Pass	20500



24. DC_5A_n7A_SCS15_5M_L_Inner Full(16QAM)

24.2. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-80.39	-25	Pass	401
0.15	30	0.01	RMS	1.05	-84.3	-25	Pass	2985
30	1000	0.1	RMS	917.491	-79.08	-25	Pass	9699
1000	2450	1	RMS	2439.993	-67.2	-25	Pass	1450
2450	2490	1	RMS	2490	-47.5	-25	Pass	401
2490	2580	1	RMS	2502.375	19.34	60	Pass	401
2580	2700	1	RMS	2693.4	-50.16	-25	Pass	401
2700	3000	1	RMS	2868.75	-65.04	-25	Pass	401
3000	6500	1	RMS	6051.872	-60.08	-25	Pass	3500
6500	27000	1	RMS	25833.717	-46.67	-25	Pass	20500



24. DC_5A_n7A_SCS15_5M_M_Inner Full(QPSK)

24.3. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-80.03	-25	Pass	401
0.15	30	0.01	RMS	0.15	-83.55	-25	Pass	2985
30	1000	0.1	RMS	978.672	-79.11	-25	Pass	9699
1000	2450	1	RMS	2450	-67.05	-25	Pass	1450
2450	2490	1	RMS	2458.8	-50.18	-25	Pass	401
2490	2580	1	RMS	2534.775	20.28	60	Pass	401
2580	2700	1	RMS	2697.3	-50.23	-25	Pass	401
2700	3000	1	RMS	2874.75	-65.1	-25	Pass	401
3000	6500	1	RMS	6059.874	-59.82	-25	Pass	3500
6500	27000	1	RMS	25561.651	-47.21	-25	Pass	20500



24. DC_5A_n7A_SCS15_5M_M_Inner Full(16QAM)

24.4. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-81.02	-25	Pass	401
0.15	30	0.01	RMS	0.15	-82.21	-25	Pass	2985
30	1000	0.1	RMS	671.078	-79.45	-25	Pass	9699
1000	2450	1	RMS	2426.984	-67.27	-25	Pass	1450
2450	2490	1	RMS	2470.3	-50.15	-25	Pass	401
2490	2580	1	RMS	2534.775	19.31	60	Pass	401
2580	2700	1	RMS	2689.8	-50.22	-25	Pass	401
2700	3000	1	RMS	2866.5	-65.03	-25	Pass	401
3000	6500	1	RMS	6182.909	-60.06	-25	Pass	3500
6500	27000	1	RMS	25214.566	-47.23	-25	Pass	20500



24. DC_5A_n7A_SCS15_5M_H_Inner Full(QPSK)

24.5. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-78.5	-25	Pass	401
0.15	30	0.01	RMS	0.15	-84.46	-25	Pass	2985
30	1000	0.1	RMS	987.483	-79.22	-25	Pass	9699
1000	2450	1	RMS	2400.966	-67.23	-25	Pass	1450
2450	2490	1	RMS	2489.5	-50.63	-25	Pass	401
2490	2580	1	RMS	2567.4	20.12	60	Pass	401
2580	2700	1	RMS	2580	-48.06	-25	Pass	401
2700	3000	1	RMS	2864.25	-65.07	-25	Pass	401
3000	6500	1	RMS	6171.906	-60.08	-25	Pass	3500
6500	27000	1	RMS	25540.645	-47.18	-25	Pass	20500



24. DC_5A_n7A_SCS15_5M_H_Inner Full(16QAM)

24.6. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-79.98	-25	Pass	401
0.15	30	0.01	RMS	0.15	-83.39	-25	Pass	2985
30	1000	0.1	RMS	906.075	-79.21	-25	Pass	9699
1000	2450	1	RMS	2444.997	-67.19	-25	Pass	1450
2450	2490	1	RMS	2485.8	-50.64	-25	Pass	401
2490	2580	1	RMS	2567.4	19.18	60	Pass	401
2580	2700	1	RMS	2580.6	-48.48	-25	Pass	401
2700	3000	1	RMS	2868.75	-65.04	-25	Pass	401
3000	6500	1	RMS	6066.876	-60.15	-25	Pass	3500
6500	27000	1	RMS	25855.722	-47.23	-25	Pass	20500



24. DC_5A_n7A_SCS15_15M_L_Inner Full(QPSK)

24.7. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.038	-80.89	-25	Pass	401
0.15	30	0.01	RMS	0.15	-86.38	-25	Pass	2985
30	1000	0.1	RMS	857.711	-78.82	-25	Pass	9699
1000	2450	1	RMS	2440.994	-67.18	-25	Pass	1450
2450	2490	1	RMS	2489.9	-45.15	-25	Pass	401
2490	2580	1	RMS	2508.45	15.72	60	Pass	401
2580	2700	1	RMS	2687.7	-50.22	-25	Pass	401
2700	3000	1	RMS	2879.25	-65.02	-25	Pass	401
3000	6500	1	RMS	6154.901	-59.98	-25	Pass	3500
6500	27000	1	RMS	25188.56	-46.99	-25	Pass	20500



24. DC_5A_n7A_SCS15_15M_L_Inner Full(16QAM)

24.8. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-81.28	-25	Pass	401
0.15	30	0.01	RMS	0.15	-82.6	-25	Pass	2985
30	1000	0.1	RMS	869.327	-78.24	-25	Pass	9699
1000	2450	1	RMS	2439.993	-67.27	-25	Pass	1450
2450	2490	1	RMS	2490	-45.22	-25	Pass	401
2490	2580	1	RMS	2504.625	14.88	60	Pass	401
2580	2700	1	RMS	2692.2	-50.21	-25	Pass	401
2700	3000	1	RMS	2873.25	-64.99	-25	Pass	401
3000	6500	1	RMS	6052.872	-60.06	-25	Pass	3500
6500	27000	1	RMS	25504.637	-47.16	-25	Pass	20500



24. DC_5A_n7A_SCS15_15M_M_Inner Full(QPSK)

24.9. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-81.53	-25	Pass	401
0.15	30	0.01	RMS	0.16	-85.19	-25	Pass	2985
30	1000	0.1	RMS	969.96	-78.97	-25	Pass	9699
1000	2450	1	RMS	2444.997	-67.09	-25	Pass	1450
2450	2490	1	RMS	2484.3	-50.63	-25	Pass	401
2490	2580	1	RMS	2536.35	15.83	60	Pass	401
2580	2700	1	RMS	2688.9	-50.21	-25	Pass	401
2700	3000	1	RMS	2868	-64.91	-25	Pass	401
3000	6500	1	RMS	6053.873	-60.09	-25	Pass	3500
6500	27000	1	RMS	25518.64	-47.1	-25	Pass	20500



24. DC_5A_n7A_SCS15_15M_M_Inner Full(16QAM)

24.10. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.023	-80.61	-25	Pass	401
0.15	30	0.01	RMS	0.15	-85.55	-25	Pass	2985
30	1000	0.1	RMS	954.84	-78.85	-25	Pass	9699
1000	2450	1	RMS	2441.994	-67.19	-25	Pass	1450
2450	2490	1	RMS	2489.2	-50.63	-25	Pass	401
2490	2580	1	RMS	2532.075	15.05	60	Pass	401
2580	2700	1	RMS	2700	-50.21	-25	Pass	401
2700	3000	1	RMS	2868.75	-65.05	-25	Pass	401
3000	6500	1	RMS	6063.875	-60.03	-25	Pass	3500
6500	27000	1	RMS	25200.563	-47.31	-25	Pass	20500



24. DC_5A_n7A_SCS15_15M_H_Inner Full(QPSK)

24.11. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-80.18	-25	Pass	401
0.15	30	0.01	RMS	0.15	-83.12	-25	Pass	2985
30	1000	0.1	RMS	874.333	-79.18	-25	Pass	9699
1000	2450	1	RMS	2437.992	-67.11	-25	Pass	1450
2450	2490	1	RMS	2486.3	-50.62	-25	Pass	401
2490	2580	1	RMS	2563.8	15.71	60	Pass	401
2580	2700	1	RMS	2580	-44.91	-25	Pass	401
2700	3000	1	RMS	2871.75	-65.06	-25	Pass	401
3000	6500	1	RMS	6133.895	-60.14	-25	Pass	3500
6500	27000	1	RMS	25527.642	-47.16	-25	Pass	20500



24. DC_5A_n7A_SCS15_15M_H_Inner Full(16QAM)

24.12. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-79.97	-25	Pass	401
0.15	30	0.01	RMS	0.15	-83.2	-25	Pass	2985
30	1000	0.1	RMS	932.611	-79.32	-25	Pass	9699
1000	2450	1	RMS	2448.999	-67.16	-25	Pass	1450
2450	2490	1	RMS	2486	-50.61	-25	Pass	401
2490	2580	1	RMS	2559.75	14.89	60	Pass	401
2580	2700	1	RMS	2580	-45.7	-25	Pass	401
2700	3000	1	RMS	2868	-65.07	-25	Pass	401
3000	6500	1	RMS	6183.91	-60.11	-25	Pass	3500
6500	27000	1	RMS	25416.615	-46.97	-25	Pass	20500



24. DC_5A_n7A_SCS15_20M_L_Inner Full(QPSK)

24.13. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-80.16	-25	Pass	401
0.15	30	0.01	RMS	0.15	-84.27	-25	Pass	2985
30	1000	0.1	RMS	899.567	-79.04	-25	Pass	9699
1000	2450	1	RMS	2439.993	-67.08	-25	Pass	1450
2450	2490	1	RMS	2490	-42.93	-25	Pass	401
2490	2580	1	RMS	2511.15	14.44	60	Pass	401
2580	2700	1	RMS	2692.8	-50.25	-25	Pass	401
2700	3000	1	RMS	2867.25	-64.97	-25	Pass	401
3000	6500	1	RMS	6149.9	-60.15	-25	Pass	3500
6500	27000	1	RMS	25468.628	-47.13	-25	Pass	20500



24. DC_5A_n7A_SCS15_20M_L_Inner Full(16AQM)

24.14. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-80.3	-25	Pass	401
0.15	30	0.01	RMS	0.15	-85.29	-25	Pass	2985
30	1000	0.1	RMS	982.877	-79.2	-25	Pass	9699
1000	2450	1	RMS	2439.993	-67.32	-25	Pass	1450
2450	2490	1	RMS	2490	-44.47	-25	Pass	401
2490	2580	1	RMS	2510.25	13.36	60	Pass	401
2580	2700	1	RMS	2689.5	-50.27	-25	Pass	401
2700	3000	1	RMS	2871	-64.96	-25	Pass	401
3000	6500	1	RMS	6070.877	-60.16	-25	Pass	3500
6500	27000	1	RMS	25915.737	-46.98	-25	Pass	20500



24. DC_5A_n7A_SCS15_20M_M_Inner Full(QPSK)

24.15. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-80.74	-25	Pass	401
0.15	30	0.01	RMS	0.15	-83.22	-25	Pass	2985
30	1000	0.1	RMS	981.976	-78.22	-25	Pass	9699
1000	2450	1	RMS	2439.993	-67.16	-25	Pass	1450
2450	2490	1	RMS	2489.8	-50.6	-25	Pass	401
2490	2580	1	RMS	2534.325	14.44	60	Pass	401
2580	2700	1	RMS	2698.2	-50.2	-25	Pass	401
2700	3000	1	RMS	2871.75	-65.04	-25	Pass	401
3000	6500	1	RMS	6180.909	-60.27	-25	Pass	3500
6500	27000	1	RMS	25201.563	-46.58	-25	Pass	20500



24. DC_5A_n7A_SCS15_20M_M_Inner Full(16AQM)

24.16. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-80.13	-25	Pass	401
0.15	30	0.01	RMS	0.15	-83.86	-25	Pass	2985
30	1000	0.1	RMS	979.773	-78.7	-25	Pass	9699
1000	2450	1	RMS	2444.997	-67.24	-25	Pass	1450
2450	2490	1	RMS	2460.2	-50.58	-25	Pass	401
2490	2580	1	RMS	2531.4	13.43	60	Pass	401
2580	2700	1	RMS	2696.4	-50.21	-25	Pass	401
2700	3000	1	RMS	2867.25	-64.98	-25	Pass	401
3000	6500	1	RMS	6054.873	-60.2	-25	Pass	3500
6500	27000	1	RMS	25212.566	-47.2	-25	Pass	20500



24. DC_5A_n7A_SCS15_20M_H_Inner Full(QPSK)

24.17. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-79.53	-25	Pass	401
0.15	30	0.01	RMS	0.15	-86.06	-25	Pass	2985
30	1000	0.1	RMS	973.865	-78.65	-25	Pass	9699
1000	2450	1	RMS	2448.999	-67.27	-25	Pass	1450
2450	2490	1	RMS	2467.2	-50.49	-25	Pass	401
2490	2580	1	RMS	2559.3	14.28	60	Pass	401
2580	2700	1	RMS	2580	-41.79	-25	Pass	401
2700	3000	1	RMS	2874	-65.04	-25	Pass	401
3000	6500	1	RMS	6052.872	-59.95	-25	Pass	3500
6500	27000	1	RMS	25489.633	-47.01	-25	Pass	20500



24. DC_5A_n7A_SCS15_20M_H_Inner Full(16AQM)

24.18. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-80.6	-25	Pass	401
0.15	30	0.01	RMS	0.16	-83.91	-25	Pass	2985
30	1000	0.1	RMS	914.487	-78.8	-25	Pass	9699
1000	2450	1	RMS	2447.999	-67.12	-25	Pass	1450
2450	2490	1	RMS	2489.6	-50.63	-25	Pass	401
2490	2580	1	RMS	2560.2	13.25	60	Pass	401
2580	2700	1	RMS	2580	-43.53	-25	Pass	401
2700	3000	1	RMS	2869.5	-64.96	-25	Pass	401
3000	6500	1	RMS	6062.875	-60.04	-25	Pass	3500
6500	27000	1	RMS	25204.564	-47.15	-25	Pass	20500



25. DC_7A_n5A_SCS15_5M_L_Inner Full(QPSK)

25.1. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-76.23	-13	Pass	401
0.15	30	0.01	RMS	1.05	-56.59	-13	Pass	2985
30	814	0.1	RMS	814	-63.24	-13	Pass	7840
814	859	0.1	RMS	826.327	11.47	60	Pass	450
859	1000	0.1	RMS	931.051	-78.79	-13	Pass	1410
1000	3000	1	RMS	2478.739	-19.02	-13	Pass	2000
3000	10000	1	RMS	8428.776	-52.48	-13	Pass	7000



25. DC_7A_n5A_SCS15_5M_L_Inner Full(16QAM)

25.2. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-76.54	-13	Pass	401
0.15	30	0.01	RMS	1.05	-58.78	-13	Pass	2985
30	814	0.1	RMS	813.2	-64.41	-13	Pass	7840
814	859	0.1	RMS	825.526	10.56	60	Pass	450
859	1000	0.1	RMS	931.451	-80.2	-13	Pass	1410
1000	3000	1	RMS	2478.739	-21.31	-13	Pass	2000
3000	10000	1	RMS	8432.776	-52.58	-13	Pass	7000



25. DC_7A_n5A_SCS15_5M_M_Inner Full(QPSK)

25.3. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-76.41	-13	Pass	401
0.15	30	0.01	RMS	1.05	-57.99	-13	Pass	2985
30	814	0.1	RMS	813.7	-72.41	-13	Pass	7840
814	859	0.1	RMS	837.252	11.45	60	Pass	450
859	1000	0.1	RMS	967.277	-79.73	-13	Pass	1410
1000	3000	1	RMS	2508.754	-19.79	-13	Pass	2000
3000	10000	1	RMS	8422.775	-52.61	-13	Pass	7000



25. DC_7A_n5A_SCS15_5M_M_Inner Full(16QAM)

25.4. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-76.47	-13	Pass	401
0.15	30	0.01	RMS	1.05	-59.9	-13	Pass	2985
30	814	0.1	RMS	813.7	-75.01	-13	Pass	7840
814	859	0.1	RMS	837.352	10.2	60	Pass	450
859	1000	0.1	RMS	966.576	-81.15	-13	Pass	1410
1000	3000	1	RMS	2509.755	-22.22	-13	Pass	2000
3000	10000	1	RMS	8422.775	-52.52	-13	Pass	7000



25. DC_7A_n5A_SCS15_5M_H_Inner Full(QPSK)

25.5. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-76.19	-13	Pass	401
0.15	30	0.01	RMS	1.05	-59.81	-13	Pass	2985
30	814	0.1	RMS	813.1	-75.2	-13	Pass	7840
814	859	0.1	RMS	845.871	10.98	60	Pass	450
859	1000	0.1	RMS	863.703	-80.57	-13	Pass	1410
1000	3000	1	RMS	2538.769	-20.36	-13	Pass	2000
3000	10000	1	RMS	8415.774	-52.24	-13	Pass	7000



25. DC_7A_n5A_SCS15_5M_H_Inner Full(16QAM)

25.6. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-75.22	-13	Pass	401
0.15	30	0.01	RMS	1.05	-61.42	-13	Pass	2985
30	814	0.1	RMS	814	-75.59	-13	Pass	7840
814	859	0.1	RMS	845.47	10.12	60	Pass	450
859	1000	0.1	RMS	860.101	-80.92	-13	Pass	1410
1000	3000	1	RMS	2538.769	-22.32	-13	Pass	2000
3000	10000	1	RMS	8427.775	-52.74	-13	Pass	7000



25. DC_7A_n5A_SCS15_15M_L_Inner Full(QPSK)

25.7. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-75.98	-13	Pass	401
0.15	30	0.01	RMS	5.432	-64.28	-13	Pass	2985
30	814	0.1	RMS	812.4	-43.95	-13	Pass	7840
814	859	0.1	RMS	828.031	6.43	60	Pass	450
859	1000	0.1	RMS	981.387	-78.94	-13	Pass	1410
1000	3000	1	RMS	2491.746	-25.35	-13	Pass	2000
3000	10000	1	RMS	8425.775	-52.4	-13	Pass	7000



25. DC_7A_n5A_SCS15_15M_L_Inner Full(16QAM)

25.8. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-77.04	-13	Pass	401
0.15	30	0.01	RMS	1.801	-65.48	-13	Pass	2985
30	814	0.1	RMS	813.9	-45.5	-13	Pass	7840
814	859	0.1	RMS	828.131	6.16	60	Pass	450
859	1000	0.1	RMS	981.287	-79.06	-13	Pass	1410
1000	3000	1	RMS	2492.746	-25.57	-13	Pass	2000
3000	10000	1	RMS	8434.776	-52.59	-13	Pass	7000



25. DC_7A_n5A_SCS15_15M_M_Inner Full(QPSK)

25.9. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-76.02	-13	Pass	401
0.15	30	0.01	RMS	5.432	-64.99	-13	Pass	2985
30	814	0.1	RMS	813.7	-52.49	-13	Pass	7840
814	859	0.1	RMS	837.853	7.25	60	Pass	450
859	1000	0.1	RMS	859	-76.64	-13	Pass	1410
1000	3000	1	RMS	2507.754	-23.65	-13	Pass	2000
3000	10000	1	RMS	8421.775	-52.54	-13	Pass	7000



25. DC_7A_n5A_SCS15_15M_M_Inner Full(16QAM)

25.10. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-75.9	-13	Pass	401
0.15	30	0.01	RMS	1.801	-67.03	-13	Pass	2985
30	814	0.1	RMS	813.7	-52.14	-13	Pass	7840
814	859	0.1	RMS	838.955	6.16	60	Pass	450
859	1000	0.1	RMS	859.4	-78.51	-13	Pass	1410
1000	3000	1	RMS	2508.754	-25.66	-13	Pass	2000
3000	10000	1	RMS	8422.775	-52.28	-13	Pass	7000



25. DC_7A_n5A_SCS15_15M_H_Inner Full(QPSK)

25.11. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-76.39	-13	Pass	401
0.15	30	0.01	RMS	1.801	-66.04	-13	Pass	2985
30	814	0.1	RMS	813.9	-59.66	-13	Pass	7840
814	859	0.1	RMS	842.864	7.01	60	Pass	450
859	1000	0.1	RMS	859.4	-71.14	-13	Pass	1410
1000	3000	1	RMS	2521.761	-23.06	-13	Pass	2000
3000	10000	1	RMS	8372.768	-52.58	-13	Pass	7000



25. DC_7A_n5A_SCS15_15M_H_Inner Full(16QAM)

25.12. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-76.97	-13	Pass	401
0.15	30	0.01	RMS	0.89	-67.6	-13	Pass	2985
30	814	0.1	RMS	814	-60.83	-13	Pass	7840
814	859	0.1	RMS	841.261	6.09	60	Pass	450
859	1000	0.1	RMS	859	-73.64	-13	Pass	1410
1000	3000	1	RMS	2522.761	-24.7	-13	Pass	2000
3000	10000	1	RMS	8387.77	-52.55	-13	Pass	7000



25. DC_7A_n5A_SCS15_20M_L_Inner Full(QPSK)

25.13. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-75.62	-13	Pass	401
0.15	30	0.01	RMS	6.842	-61.41	-13	Pass	2985
30	814	0.1	RMS	812.7	-43.9	-13	Pass	7840
814	859	0.1	RMS	837.653	5.5	60	Pass	450
859	1000	0.1	RMS	859.5	-73.55	-13	Pass	1410
1000	3000	1	RMS	2501.751	-25.27	-13	Pass	2000
3000	10000	1	RMS	8425.775	-52.4	-13	Pass	7000



25. DC_7A_n5A_SCS15_20M_L_Inner Full(16AQM)

25.14. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-75.29	-13	Pass	401
0.15	30	0.01	RMS	6.842	-63.4	-13	Pass	2985
30	814	0.1	RMS	813.7	-43.21	-13	Pass	7840
814	859	0.1	RMS	837.753	4.92	60	Pass	450
859	1000	0.1	RMS	860.201	-75.24	-13	Pass	1410
1000	3000	1	RMS	2501.751	-26.41	-13	Pass	2000
3000	10000	1	RMS	8429.776	-52.55	-13	Pass	7000



25. DC_7A_n5A_SCS15_20M_M_Inner Full(QPSK)

25.15. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-76.23	-13	Pass	401
0.15	30	0.01	RMS	6.842	-62.45	-13	Pass	2985
30	814	0.1	RMS	811.6	-48.94	-13	Pass	7840
814	859	0.1	RMS	839.256	5.78	60	Pass	450
859	1000	0.1	RMS	859.3	-72.61	-13	Pass	1410
1000	3000	1	RMS	2509.755	-25.33	-13	Pass	2000
3000	10000	1	RMS	8416.774	-52.61	-13	Pass	7000



25. DC_7A_n5A_SCS15_20M_M_Inner Full(16AQM)

25.16. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-75.74	-13	Pass	401
0.15	30	0.01	RMS	6.842	-64.45	-13	Pass	2985
30	814	0.1	RMS	811.6	-47.47	-13	Pass	7840
814	859	0.1	RMS	840.258	4.98	60	Pass	450
859	1000	0.1	RMS	859.1	-74.06	-13	Pass	1410
1000	3000	1	RMS	2509.755	-26.6	-13	Pass	2000
3000	10000	1	RMS	8432.776	-52.45	-13	Pass	7000



25. DC_7A_n5A_SCS15_20M_H_Inner Full(QPSK)

25.17. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-75.68	-13	Pass	401
0.15	30	0.01	RMS	6.842	-63.07	-13	Pass	2985
30	814	0.1	RMS	811.6	-49.83	-13	Pass	7840
814	859	0.1	RMS	841.762	5.8	60	Pass	450
859	1000	0.1	RMS	859	-71.74	-13	Pass	1410
1000	3000	1	RMS	2517.759	-25.47	-13	Pass	2000
3000	10000	1	RMS	8424.775	-52.59	-13	Pass	7000



25. DC_7A_n5A_SCS15_20M_H_Inner Full(16AQM)

25.18. FCC-NR Spurious Emission at Antenna Terminals(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-76.61	-13	Pass	401
0.15	30	0.01	RMS	1.941	-65.16	-13	Pass	2985
30	814	0.1	RMS	812.5	-51.6	-13	Pass	7840
814	859	0.1	RMS	841.762	4.76	60	Pass	450
859	1000	0.1	RMS	859.5	-72.82	-13	Pass	1410
1000	3000	1	RMS	2518.759	-26.46	-13	Pass	2000
3000	10000	1	RMS	8407.773	-52.38	-13	Pass	7000



END