



**18.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.22	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.23	-13	Pass	2985
30	1000	0.1	RMS	843.399	-64.75	-13	Pass	9699
1000	1700	1	RMS	1697.997	-44.79	-13	Pass	700
1700	1790	1	RMS	1710.8	22.2	60	Pass	401
1790	3000	1	RMS	2949.959	-50.1	-13	Pass	1210
3000	12000	1	RMS	11998.999	-44.03	-13	Pass	9000
12000	20000	1	RMS	19650.956	-36.41	-13	Pass	8000




**18.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,
Channel:132322, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.07	-13	Pass	2985
30	1000	0.1	RMS	854.607	-64.57	-13	Pass	9699
1000	1700	1	RMS	1697.997	-53.95	-13	Pass	700
1700	1790	1	RMS	1738.25	23.06	60	Pass	401
1790	3000	1	RMS	2948.958	-50.06	-13	Pass	1210
3000	12000	1	RMS	12000	-43.95	-13	Pass	9000
12000	20000	1	RMS	19649.956	-36.33	-13	Pass	8000




**18.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,
Channel:132322, Bandwidth:15, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.18	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.61	-13	Pass	2985
30	1000	0.1	RMS	840.399	-64.62	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.99	-13	Pass	700
1700	1790	1	RMS	1738.25	22.16	60	Pass	401
1790	3000	1	RMS	2946.956	-50.06	-13	Pass	1210
3000	12000	1	RMS	11998.999	-44	-13	Pass	9000
12000	20000	1	RMS	19646.956	-36.39	-13	Pass	8000




**18.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29,
Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.24	-13	Pass	2985
30	1000	0.1	RMS	842.499	-64.65	-13	Pass	9699
1000	1700	1	RMS	1700	-53.96	-13	Pass	700
1700	1790	1	RMS	1765.7	23.13	60	Pass	401
1790	3000	1	RMS	1792.002	-44.14	-13	Pass	1210
3000	12000	1	RMS	11995.995	-44.05	-13	Pass	9000
12000	20000	1	RMS	14699.337	-36.4	-13	Pass	8000




**18.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,
Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.66	-13	Pass	2985
30	1000	0.1	RMS	856.71	-64.72	-13	Pass	9699
1000	1700	1	RMS	1700	-53.98	-13	Pass	700
1700	1790	1	RMS	1765.7	22.29	60	Pass	401
1790	3000	1	RMS	1792.002	-45.07	-13	Pass	1210
3000	12000	1	RMS	11996.996	-43.98	-13	Pass	9000
12000	20000	1	RMS	19647.956	-36.35	-13	Pass	8000




**18.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31,
Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.93	-13	Pass	2985
30	1000	0.1	RMS	833.298	-64.71	-13	Pass	9699
1000	1700	1	RMS	1695.994	-48.49	-13	Pass	700
1700	1790	1	RMS	1711.025	23.06	60	Pass	401
1790	3000	1	RMS	2948.958	-50.11	-13	Pass	1210
3000	12000	1	RMS	11996.996	-44	-13	Pass	9000
12000	20000	1	RMS	19650.956	-36.3	-13	Pass	8000




**18.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32,
Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.5	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.79	-13	Pass	2985
30	1000	0.1	RMS	840.799	-64.76	-13	Pass	9699
1000	1700	1	RMS	1695.994	-49.36	-13	Pass	700
1700	1790	1	RMS	1711.025	22.18	60	Pass	401
1790	3000	1	RMS	2947.957	-50.07	-13	Pass	1210
3000	12000	1	RMS	11995.995	-44.06	-13	Pass	9000
12000	20000	1	RMS	19655.957	-36.34	-13	Pass	8000




**18.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33,
Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.77	-13	Pass	2985
30	1000	0.1	RMS	837.699	-64.68	-13	Pass	9699
1000	1700	1	RMS	1700	-50.7	-13	Pass	700
1700	1790	1	RMS	1736	23	60	Pass	401
1790	3000	1	RMS	2957.965	-50.06	-13	Pass	1210
3000	12000	1	RMS	11998.999	-43.91	-13	Pass	9000
12000	20000	1	RMS	19648.956	-36.34	-13	Pass	8000




**18.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34,
Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.37	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.1	-13	Pass	2985
30	1000	0.1	RMS	814.296	-64.75	-13	Pass	9699
1000	1700	1	RMS	1700	-51.7	-13	Pass	700
1700	1790	1	RMS	1736	22.07	60	Pass	401
1790	3000	1	RMS	2945.955	-50.07	-13	Pass	1210
3000	12000	1	RMS	11994.994	-44.02	-13	Pass	9000
12000	20000	1	RMS	19648.956	-36.4	-13	Pass	8000




**18.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35,
Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.4	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.79	-13	Pass	2985
30	1000	0.1	RMS	839.799	-64.55	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.88	-13	Pass	700
1700	1790	1	RMS	1760.975	23.13	60	Pass	401
1790	3000	1	RMS	1797.006	-46.54	-13	Pass	1210
3000	12000	1	RMS	11996.996	-44.02	-13	Pass	9000
12000	20000	1	RMS	19649.956	-36.39	-13	Pass	8000



**18.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36,
Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.2	-13	Pass	2985
30	1000	0.1	RMS	843.699	-64.56	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.66	-13	Pass	700
1700	1790	1	RMS	1760.975	22.25	60	Pass	401
1790	3000	1	RMS	1797.006	-47.76	-13	Pass	1210
3000	12000	1	RMS	11993.993	-44.02	-13	Pass	9000
12000	20000	1	RMS	19647.956	-36.39	-13	Pass	8000




CA

19. CA_7C


19.1. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:20850+20994, Bandwidth:20+10, Modulation:QPSK, RB Number:1+1, RB Position:High+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.31	-25	Pass	401
0.15	30	0.01	RMS	0.19	-72.67	-25	Pass	2985
30	1000	0.1	RMS	875.335	-65.07	-25	Pass	9699
1000	2490	1	RMS	2486.998	-49.32	-25	Pass	1490
2490	2580	1	RMS	2518.8	21.88	60	Pass	401
2580	3000	1	RMS	2951.885	-50.66	-25	Pass	420
3000	12000	1	RMS	11577.477	-54.14	-25	Pass	9000
12000	26000	1	RMS	25886.981	-41.08	-25	Pass	14000




**19.2. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:20850+20994, Bandwidth:20+10, Modulation:16QAM, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.02	-25	Pass	401
0.15	30	0.01	RMS	0.19	-72.62	-25	Pass	2985
30	1000	0.1	RMS	865.522	-65.1	-25	Pass	9699
1000	2490	1	RMS	2486.998	-49.66	-25	Pass	1490
2490	2580	1	RMS	2518.8	20.87	60	Pass	401
2580	3000	1	RMS	2950.883	-50.69	-25	Pass	420
3000	12000	1	RMS	11582.483	-54.21	-25	Pass	9000
12000	26000	1	RMS	25884.98	-41.09	-25	Pass	14000




**19.3. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:21051+21195, Bandwidth:20+10, Modulation:QPSK, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.27	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.64	-25	Pass	2985
30	1000	0.1	RMS	889.654	-65.03	-25	Pass	9699
1000	2490	1	RMS	2490	-50.82	-25	Pass	1490
2490	2580	1	RMS	2538.825	21.97	60	Pass	401
2580	3000	1	RMS	2949.881	-50.66	-25	Pass	420
3000	12000	1	RMS	11585.487	-54.13	-25	Pass	9000
12000	26000	1	RMS	25895.982	-40.88	-25	Pass	14000




**19.4. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:21051+21195, Bandwidth:20+10, Modulation:16QAM, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.99	-25	Pass	401
0.15	30	0.01	RMS	0.18	-72.32	-25	Pass	2985
30	1000	0.1	RMS	982.076	-65	-25	Pass	9699
1000	2490	1	RMS	2490	-50.79	-25	Pass	1490
2490	2580	1	RMS	2538.825	21.01	60	Pass	401
2580	3000	1	RMS	2580	-50.68	-25	Pass	420
3000	12000	1	RMS	11585.487	-54.18	-25	Pass	9000
12000	26000	1	RMS	25900.983	-41.02	-25	Pass	14000




**19.5. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:21251+21395, Bandwidth:20+10, Modulation:QPSK, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.42	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.18	-25	Pass	2985
30	1000	0.1	RMS	886.349	-64.99	-25	Pass	9699
1000	2490	1	RMS	2488.999	-51.57	-25	Pass	1490
2490	2580	1	RMS	2558.85	21.84	60	Pass	401
2580	3000	1	RMS	2580	-49.91	-25	Pass	420
3000	12000	1	RMS	11581.482	-54.2	-25	Pass	9000
12000	26000	1	RMS	25899.983	-40.99	-25	Pass	14000




**19.6. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:21251+21395, Bandwidth:20+10, Modulation:16QAM, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.97	-25	Pass	401
0.15	30	0.01	RMS	0.2	-72.64	-25	Pass	2985
30	1000	0.1	RMS	869.727	-65.07	-25	Pass	9699
1000	2490	1	RMS	2487.999	-51.51	-25	Pass	1490
2490	2580	1	RMS	2558.85	20.9	60	Pass	401
2580	3000	1	RMS	2580	-50.14	-25	Pass	420
3000	12000	1	RMS	11578.478	-54.06	-25	Pass	9000
12000	26000	1	RMS	25901.983	-41.06	-25	Pass	14000




**19.7. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:20850+21048, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.82	-25	Pass	401
0.15	30	0.01	RMS	0.15	-73.01	-25	Pass	2985
30	1000	0.1	RMS	721.684	-65.03	-25	Pass	9699
1000	2490	1	RMS	2490	-50.5	-25	Pass	1490
2490	2580	1	RMS	2518.8	22.05	60	Pass	401
2580	3000	1	RMS	2951.885	-50.68	-25	Pass	420
3000	12000	1	RMS	11581.482	-54.09	-25	Pass	9000
12000	26000	1	RMS	25893.982	-41.01	-25	Pass	14000




**19.8. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:20850+21048, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.83	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.54	-25	Pass	2985
30	1000	0.1	RMS	850.201	-64.96	-25	Pass	9699
1000	2490	1	RMS	2490	-50.66	-25	Pass	1490
2490	2580	1	RMS	2518.8	20.87	60	Pass	401
2580	3000	1	RMS	2949.881	-50.66	-25	Pass	420
3000	12000	1	RMS	11583.485	-54.22	-25	Pass	9000
12000	26000	1	RMS	25900.983	-40.98	-25	Pass	14000




**19.9. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:21001+21199, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.58	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.35	-25	Pass	2985
30	1000	0.1	RMS	976.068	-65.08	-25	Pass	9699
1000	2490	1	RMS	2488.999	-51.21	-25	Pass	1490
2490	2580	1	RMS	2533.875	22.07	60	Pass	401
2580	3000	1	RMS	2951.885	-50.66	-25	Pass	420
3000	12000	1	RMS	11579.48	-54.18	-25	Pass	9000
12000	26000	1	RMS	25901.983	-40.96	-25	Pass	14000




**19.10. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:21001+21199, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.31	-25	Pass	401
0.15	30	0.01	RMS	0.2	-72.85	-25	Pass	2985
30	1000	0.1	RMS	862.718	-65	-25	Pass	9699
1000	2490	1	RMS	2490	-51.16	-25	Pass	1490
2490	2580	1	RMS	2533.875	21.13	60	Pass	401
2580	3000	1	RMS	2950.883	-50.65	-25	Pass	420
3000	12000	1	RMS	11581.482	-54.22	-25	Pass	9000
12000	26000	1	RMS	25884.98	-41.04	-25	Pass	14000




**19.11. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:21152+21350, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.46	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.13	-25	Pass	2985
30	1000	0.1	RMS	982.377	-65.02	-25	Pass	9699
1000	2490	1	RMS	2490	-51.34	-25	Pass	1490
2490	2580	1	RMS	2548.95	21.95	60	Pass	401
2580	3000	1	RMS	2588.019	-48.75	-25	Pass	420
3000	12000	1	RMS	11579.48	-54.07	-25	Pass	9000
12000	26000	1	RMS	25907.984	-40.97	-25	Pass	14000



**19.12. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:21152+21350, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB
Position:High+Low)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.47	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.22	-25	Pass	2985
30	1000	0.1	RMS	860.515	-64.94	-25	Pass	9699
1000	2490	1	RMS	2487.999	-51.45	-25	Pass	1490
2490	2580	1	RMS	2548.95	21.01	60	Pass	401
2580	3000	1	RMS	2588.019	-48.94	-25	Pass	420
3000	12000	1	RMS	11581.482	-54.19	-25	Pass	9000
12000	26000	1	RMS	25892.982	-41.02	-25	Pass	14000



20. CA_38C


20.1. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:37825+37975, Bandwidth:15+15, Modulation:QPSK, RB Number:1+1, RB
Position:High+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.19	-25	Pass	401
0.15	30	0.01	RMS	0.18	-72.44	-25	Pass	2985
30	1000	0.1	RMS	857.912	-65.01	-25	Pass	9699
1000	2560	1	RMS	2555.997	-47.52	-25	Pass	1560
2560	2630	1	RMS	2585.725	15.48	60	Pass	401
2630	3000	1	RMS	2632.775	-50.23	-25	Pass	401
3000	12000	1	RMS	7134.505	-52.4	-25	Pass	9000
12000	26500	1	RMS	25900.905	-40.7	-25	Pass	14500




**20.2. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:37825+37975, Bandwidth:15+15, Modulation:16QAM, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.89	-25	Pass	401
0.15	30	0.01	RMS	17.466	-71.33	-25	Pass	2985
30	1000	0.1	RMS	887.05	-64.83	-25	Pass	9699
1000	2560	1	RMS	2560	-48.03	-25	Pass	1560
2560	2630	1	RMS	2584.15	17.67	60	Pass	401
2630	3000	1	RMS	2631.85	-50.47	-25	Pass	401
3000	12000	1	RMS	11582.483	-53.98	-25	Pass	9000
12000	26500	1	RMS	25895.904	-40.8	-25	Pass	14500




**20.3. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:37925+38075, Bandwidth:15+15, Modulation:QPSK, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.22	-25	Pass	401
0.15	30	0.01	RMS	0.26	-72.62	-25	Pass	2985
30	1000	0.1	RMS	876.536	-64.98	-25	Pass	9699
1000	2560	1	RMS	2558.999	-49.69	-25	Pass	1560
2560	2630	1	RMS	2594.125	19.35	60	Pass	401
2630	3000	1	RMS	2630	-50.39	-25	Pass	401
3000	12000	1	RMS	11590.493	-53.98	-25	Pass	9000
12000	26500	1	RMS	25893.904	-40.8	-25	Pass	14500




**20.4. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:37925+38075, Bandwidth:15+15, Modulation:16QAM, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.65	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.49	-25	Pass	2985
30	1000	0.1	RMS	860.615	-64.96	-25	Pass	9699
1000	2560	1	RMS	2551.995	-49.39	-25	Pass	1560
2560	2630	1	RMS	2594.125	18.34	60	Pass	401
2630	3000	1	RMS	2632.775	-50.29	-25	Pass	401
3000	12000	1	RMS	11580.481	-53.77	-25	Pass	9000
12000	26500	1	RMS	25894.904	-40.72	-25	Pass	14500




**20.5. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:38025+38175, Bandwidth:15+15, Modulation:QPSK, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.14	-25	Pass	401
0.15	30	0.01	RMS	3.571	-72.12	-25	Pass	2985
30	1000	0.1	RMS	895.461	-64.94	-25	Pass	9699
1000	2560	1	RMS	2557.999	-50.06	-25	Pass	1560
2560	2630	1	RMS	2603.925	19.12	60	Pass	401
2630	3000	1	RMS	2633.7	-47.07	-25	Pass	401
3000	12000	1	RMS	11582.483	-53.97	-25	Pass	9000
12000	26500	1	RMS	25883.902	-40.92	-25	Pass	14500




**20.6. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:38025+38175, Bandwidth:15+15, Modulation:16QAM, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.16	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.71	-25	Pass	2985
30	1000	0.1	RMS	862.117	-64.96	-25	Pass	9699
1000	2560	1	RMS	2557.999	-50.62	-25	Pass	1560
2560	2630	1	RMS	2603.925	17.74	60	Pass	401
2630	3000	1	RMS	2633.7	-47	-25	Pass	401
3000	12000	1	RMS	7142.506	-52.92	-25	Pass	9000
12000	26500	1	RMS	25890.903	-40.84	-25	Pass	14500




**20.7. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:37850+38048, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.57	-25	Pass	401
0.15	30	0.01	RMS	0.18	-72.7	-25	Pass	2985
30	1000	0.1	RMS	873.132	-65.01	-25	Pass	9699
1000	2560	1	RMS	2550.994	-47.94	-25	Pass	1560
2560	2630	1	RMS	2588.875	15.49	60	Pass	401
2630	3000	1	RMS	2630	-49.86	-25	Pass	401
3000	12000	1	RMS	11579.48	-54.04	-25	Pass	9000
12000	26500	1	RMS	25876.901	-40.87	-25	Pass	14500




**20.8. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:37850+38048, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.02	-25	Pass	401
0.15	30	0.01	RMS	0.2	-72.38	-25	Pass	2985
30	1000	0.1	RMS	894.961	-64.92	-25	Pass	9699
1000	2560	1	RMS	2557.999	-49.39	-25	Pass	1560
2560	2630	1	RMS	2588.875	17.34	60	Pass	401
2630	3000	1	RMS	2630.925	-50.47	-25	Pass	401
3000	12000	1	RMS	11577.477	-54.07	-25	Pass	9000
12000	26500	1	RMS	25897.905	-40.84	-25	Pass	14500




**20.9. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:37901+38099, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.14	-25	Pass	401
0.15	30	0.01	RMS	0.24	-72.64	-25	Pass	2985
30	1000	0.1	RMS	888.352	-64.95	-25	Pass	9699
1000	2560	1	RMS	2553.996	-49.55	-25	Pass	1560
2560	2630	1	RMS	2593.775	18.81	60	Pass	401
2630	3000	1	RMS	2632.775	-47.43	-25	Pass	401
3000	12000	1	RMS	11585.487	-54.02	-25	Pass	9000
12000	26500	1	RMS	25899.905	-40.88	-25	Pass	14500




**20.10. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:37901+38099, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.37	-25	Pass	401
0.15	30	0.01	RMS	0.18	-71.67	-25	Pass	2985
30	1000	0.1	RMS	900.368	-64.96	-25	Pass	9699
1000	2560	1	RMS	2554.997	-49.4	-25	Pass	1560
2560	2630	1	RMS	2593.775	17.42	60	Pass	401
2630	3000	1	RMS	2632.775	-47.8	-25	Pass	401
3000	12000	1	RMS	11583.485	-54.05	-25	Pass	9000
12000	26500	1	RMS	25888.903	-40.87	-25	Pass	14500




**20.11. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:37952+38150, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.42	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.09	-25	Pass	2985
30	1000	0.1	RMS	892.658	-64.88	-25	Pass	9699
1000	2560	1	RMS	2560	-49.91	-25	Pass	1560
2560	2630	1	RMS	2598.85	18.51	60	Pass	401
2630	3000	1	RMS	2638.325	-47.57	-25	Pass	401
3000	12000	1	RMS	7103.501	-51.96	-25	Pass	9000
12000	26500	1	RMS	25886.903	-40.95	-25	Pass	14500



**20.12. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:37952+38150, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB
Position:High+Low)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.27	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.75	-25	Pass	2985
30	1000	0.1	RMS	987.684	-64.94	-25	Pass	9699
1000	2560	1	RMS	2556.998	-49.8	-25	Pass	1560
2560	2630	1	RMS	2599.025	17.23	60	Pass	401
2630	3000	1	RMS	2638.325	-47.34	-25	Pass	401
3000	12000	1	RMS	11578.478	-54.03	-25	Pass	9000
12000	26500	1	RMS	25900.905	-40.83	-25	Pass	14500



21. CA_41C_full


21.1. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:39750+39867, Bandwidth:20+5, Modulation:QPSK, RB Number:1+1, RB
Position:High+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.12	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.53	-25	Pass	2985
30	1000	0.1	RMS	869.327	-64.99	-25	Pass	9699
1000	2486	1	RMS	2484.999	-50.18	-25	Pass	1486
2486	2700	1	RMS	2514.355	17.77	60	Pass	401
2700	3000	1	RMS	2949.75	-50.72	-25	Pass	401
3000	12000	1	RMS	7238.517	-53.85	-25	Pass	9000
12000	27000	1	RMS	25885.836	-40.88	-25	Pass	15000




**21.2. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:39750+39867, Bandwidth:20+5, Modulation:16QAM, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.17	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.4	-25	Pass	2985
30	1000	0.1	RMS	900.368	-65.06	-25	Pass	9699
1000	2486	1	RMS	2486	-50.32	-25	Pass	1486
2486	2700	1	RMS	2514.89	16.57	60	Pass	401
2700	3000	1	RMS	2949.75	-50.75	-25	Pass	401
3000	12000	1	RMS	7192.512	-53.09	-25	Pass	9000
12000	27000	1	RMS	25900.839	-40.81	-25	Pass	15000




**21.3. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:40595+40712, Bandwidth:20+5, Modulation:QPSK, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.37	-25	Pass	401
0.15	30	0.01	RMS	0.2	-73.01	-25	Pass	2985
30	1000	0.1	RMS	638.674	-65.08	-25	Pass	9699
1000	2486	1	RMS	2483.999	-51.72	-25	Pass	1486
2486	2700	1	RMS	2598.885	17.8	60	Pass	401
2700	3000	1	RMS	2951.25	-50.8	-25	Pass	401
3000	12000	1	RMS	11582.483	-54.2	-25	Pass	9000
12000	27000	1	RMS	25887.837	-40.84	-25	Pass	15000




**21.4. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:40595+40712, Bandwidth:20+5, Modulation:16QAM, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-73.1	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.02	-25	Pass	2985
30	1000	0.1	RMS	868.225	-65.09	-25	Pass	9699
1000	2486	1	RMS	2486	-51.74	-25	Pass	1486
2486	2700	1	RMS	2599.42	16.76	60	Pass	401
2700	3000	1	RMS	2952	-50.7	-25	Pass	401
3000	12000	1	RMS	11579.48	-54.17	-25	Pass	9000
12000	27000	1	RMS	25902.839	-40.9	-25	Pass	15000




**21.5. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:41440+41557, Bandwidth:20+5, Modulation:QPSK, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.39	-25	Pass	401
0.15	30	0.01	RMS	0.19	-72.42	-25	Pass	2985
30	1000	0.1	RMS	880.842	-65	-25	Pass	9699
1000	2486	1	RMS	2486	-51.76	-25	Pass	1486
2486	2700	1	RMS	2683.415	18	60	Pass	401
2700	3000	1	RMS	2700.75	-48.02	-25	Pass	401
3000	12000	1	RMS	11581.482	-54.03	-25	Pass	9000
12000	27000	1	RMS	25883.836	-40.92	-25	Pass	15000




**21.6. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:41440+41557, Bandwidth:20+5, Modulation:16QAM, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.27	-25	Pass	401
0.15	30	0.01	RMS	0.21	-73.14	-25	Pass	2985
30	1000	0.1	RMS	992.29	-65.01	-25	Pass	9699
1000	2486	1	RMS	2484.999	-51.71	-25	Pass	1486
2486	2700	1	RMS	2683.95	16.18	60	Pass	401
2700	3000	1	RMS	2700.75	-48.15	-25	Pass	401
3000	12000	1	RMS	7199.513	-53.61	-25	Pass	9000
12000	27000	1	RMS	25894.838	-40.91	-25	Pass	15000




**21.7. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:39750+39948, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.03	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.67	-25	Pass	2985
30	1000	0.1	RMS	878.739	-64.86	-25	Pass	9699
1000	2486	1	RMS	2486	-50.3	-25	Pass	1486
2486	2700	1	RMS	2514.89	17.92	60	Pass	401
2700	3000	1	RMS	2953.5	-50.78	-25	Pass	401
3000	12000	1	RMS	11579.48	-54.23	-25	Pass	9000
12000	27000	1	RMS	25900.839	-40.81	-25	Pass	15000




**21.8. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:39750+39948, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.78	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.79	-25	Pass	2985
30	1000	0.1	RMS	893.559	-65.09	-25	Pass	9699
1000	2486	1	RMS	2486	-50.57	-25	Pass	1486
2486	2700	1	RMS	2514.89	16.77	60	Pass	401
2700	3000	1	RMS	2951.25	-50.76	-25	Pass	401
3000	12000	1	RMS	11580.481	-54.2	-25	Pass	9000
12000	27000	1	RMS	25869.834	-40.99	-25	Pass	15000




**21.9. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:40521+40719, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.37	-25	Pass	401
0.15	30	0.01	RMS	0.18	-72.49	-25	Pass	2985
30	1000	0.1	RMS	887.551	-65.09	-25	Pass	9699
1000	2486	1	RMS	2480.997	-51.75	-25	Pass	1486
2486	2700	1	RMS	2591.93	17.76	60	Pass	401
2700	3000	1	RMS	2949.75	-50.74	-25	Pass	401
3000	12000	1	RMS	11582.483	-54.18	-25	Pass	9000
12000	27000	1	RMS	25895.838	-40.83	-25	Pass	15000




**21.10. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:40521+40719, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.62	-25	Pass	401
0.15	30	0.01	RMS	0.22	-73.06	-25	Pass	2985
30	1000	0.1	RMS	864.42	-65.03	-25	Pass	9699
1000	2486	1	RMS	2486	-51.66	-25	Pass	1486
2486	2700	1	RMS	2591.395	16.53	60	Pass	401
2700	3000	1	RMS	2948.25	-50.72	-25	Pass	401
3000	12000	1	RMS	7199.513	-53.48	-25	Pass	9000
12000	27000	1	RMS	25905.839	-40.9	-25	Pass	15000




**21.11. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:41292+41490, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.01	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.6	-25	Pass	2985
30	1000	0.1	RMS	865.121	-64.92	-25	Pass	9699
1000	2486	1	RMS	2486	-51.74	-25	Pass	1486
2486	2700	1	RMS	2668.97	18.15	60	Pass	401
2700	3000	1	RMS	2708.25	-47.97	-25	Pass	401
3000	12000	1	RMS	11576.476	-54.21	-25	Pass	9000
12000	27000	1	RMS	25903.839	-40.88	-25	Pass	15000



**21.12. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:41292+41490, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.81	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.84	-25	Pass	2985
30	1000	0.1	RMS	905.074	-64.91	-25	Pass	9699
1000	2486	1	RMS	2486	-51.68	-25	Pass	1486
2486	2700	1	RMS	2668.97	17.08	60	Pass	401
2700	3000	1	RMS	2708.25	-48.48	-25	Pass	401
3000	12000	1	RMS	11580.481	-54.15	-25	Pass	9000
12000	27000	1	RMS	25892.837	-40.89	-25	Pass	15000




NR

22. n5 15kHz


22.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:165300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.092	-77.02	-13	Pass	401
0.15	30	0.01	RMS	1.05	-57.6	-13	Pass	2985
30	814	0.1	RMS	813.5	-69.21	-13	Pass	7840
814	859	0.1	RMS	826.227	10.69	60	Pass	450
859	1000	0.1	RMS	994.196	-81.56	-13	Pass	1410
1000	3000	1	RMS	2478.739	-25.94	-13	Pass	2000
3000	10000	1	RMS	8424.775	-54.21	-13	Pass	7000




**22.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:165300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:12, RB Position:6)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.091	-77.11	-13	Pass	401
0.15	30	0.01	RMS	1.08	-57.66	-13	Pass	2985
30	814	0.1	RMS	813.4	-69.95	-13	Pass	7840
814	859	0.1	RMS	826.728	11.01	60	Pass	450
859	1000	0.1	RMS	931.852	-80.75	-13	Pass	1410
1000	3000	1	RMS	2478.739	-22.43	-13	Pass	2000
3000	10000	1	RMS	8431.776	-54.29	-13	Pass	7000




**22.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:167300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-
BPSK, RB Number:12, RB Position:6)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.118	-78.91	-13	Pass	401
0.15	30	0.01	RMS	1.05	-58.57	-13	Pass	2985
30	814	0.1	RMS	811.3	-71.97	-13	Pass	7840
814	859	0.1	RMS	836.249	10.76	60	Pass	450
859	1000	0.1	RMS	880.315	-81.49	-13	Pass	1410
1000	3000	1	RMS	2509.755	-25.77	-13	Pass	2000
3000	10000	1	RMS	8428.776	-54.21	-13	Pass	7000




**22.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:167300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:12, RB Position:6)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.037	-78.87	-13	Pass	401
0.15	30	0.01	RMS	1.08	-58.4	-13	Pass	2985
30	814	0.1	RMS	811.6	-72.08	-13	Pass	7840
814	859	0.1	RMS	836.751	10.89	60	Pass	450
859	1000	0.1	RMS	967.077	-80.96	-13	Pass	1410
1000	3000	1	RMS	2509.755	-22.31	-13	Pass	2000
3000	10000	1	RMS	8430.776	-54.19	-13	Pass	7000




**22.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:169300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-
BPSK, RB Number:12, RB Position:6)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-74.73	-13	Pass	401
0.15	30	0.01	RMS	1.05	-58.91	-13	Pass	2985
30	814	0.1	RMS	812.8	-73.21	-13	Pass	7840
814	859	0.1	RMS	845.47	10.9	60	Pass	450
859	1000	0.1	RMS	875.812	-81.04	-13	Pass	1410
1000	3000	1	RMS	2538.769	-24.74	-13	Pass	2000
3000	10000	1	RMS	8366.767	-54.41	-13	Pass	7000




**22.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:169300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:12, RB Position:6)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.038	-78.54	-13	Pass	401
0.15	30	0.01	RMS	1.08	-59.37	-13	Pass	2985
30	814	0.1	RMS	812.9	-73.32	-13	Pass	7840
814	859	0.1	RMS	846.673	10.96	60	Pass	450
859	1000	0.1	RMS	859.801	-80.88	-13	Pass	1410
1000	3000	1	RMS	2538.769	-21.18	-13	Pass	2000
3000	10000	1	RMS	8432.776	-54.34	-13	Pass	7000




**22.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:7,
Channel:166300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-
BPSK, RB Number:36, RB Position:18)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.042	-79.53	-13	Pass	401
0.15	30	0.01	RMS	5.432	-63.8	-13	Pass	2985
30	814	0.1	RMS	814	-55.69	-13	Pass	7840
814	859	0.1	RMS	833.844	6.39	60	Pass	450
859	1000	0.1	RMS	883.317	-81.61	-13	Pass	1410
1000	3000	1	RMS	2486.743	-29.07	-13	Pass	2000
3000	10000	1	RMS	8417.774	-54.31	-13	Pass	7000




**22.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:8,
Channel:166300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:36, RB Position:18)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.019	-78.21	-13	Pass	401
0.15	30	0.01	RMS	1.801	-63.54	-13	Pass	2985
30	814	0.1	RMS	813.7	-50.91	-13	Pass	7840
814	859	0.1	RMS	833.042	6.75	60	Pass	450
859	1000	0.1	RMS	870.208	-81.46	-13	Pass	1410
1000	3000	1	RMS	2492.746	-26.09	-13	Pass	2000
3000	10000	1	RMS	8428.776	-54.28	-13	Pass	7000




**22.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:9,
Channel:167300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-
BPSK, RB Number:36, RB Position:18)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.036	-79.71	-13	Pass	401
0.15	30	0.01	RMS	5.432	-64.4	-13	Pass	2985
30	814	0.1	RMS	813.8	-60.46	-13	Pass	7840
814	859	0.1	RMS	838.855	6.22	60	Pass	450
859	1000	0.1	RMS	859.901	-80.94	-13	Pass	1410
1000	3000	1	RMS	2501.751	-29.04	-13	Pass	2000
3000	10000	1	RMS	8429.776	-54.32	-13	Pass	7000




**22.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:10,
Channel:167300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.037	-79.82	-13	Pass	401
0.15	30	0.01	RMS	1.801	-64.13	-13	Pass	2985
30	814	0.1	RMS	814	-59.03	-13	Pass	7840
814	859	0.1	RMS	833.944	6.44	60	Pass	450
859	1000	0.1	RMS	859.3	-80.08	-13	Pass	1410
1000	3000	1	RMS	2507.754	-26.03	-13	Pass	2000
3000	10000	1	RMS	8429.776	-54.34	-13	Pass	7000




**22.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:11,
Channel:168300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-
BPSK, RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.038	-80.09	-13	Pass	401
0.15	30	0.01	RMS	5.432	-65.01	-13	Pass	2985
30	814	0.1	RMS	813.3	-65.83	-13	Pass	7840
814	859	0.1	RMS	837.753	6.46	60	Pass	450
859	1000	0.1	RMS	859.5	-77.89	-13	Pass	1410
1000	3000	1	RMS	2516.758	-27.77	-13	Pass	2000
3000	10000	1	RMS	8433.776	-54.28	-13	Pass	7000




**22.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:12,
Channel:168300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:36, RB Position:18)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.037	-78.96	-13	Pass	401
0.15	30	0.01	RMS	1.801	-64.74	-13	Pass	2985
30	814	0.1	RMS	814	-65.12	-13	Pass	7840
814	859	0.1	RMS	838.655	6.61	60	Pass	450
859	1000	0.1	RMS	859.5	-76.86	-13	Pass	1410
1000	3000	1	RMS	2522.761	-25.58	-13	Pass	2000
3000	10000	1	RMS	8420.774	-54.1	-13	Pass	7000




**22.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:13,
Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-
BPSK, RB Number:50, RB Position:25)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.035	-78.76	-13	Pass	401
0.15	30	0.01	RMS	6.842	-61.62	-13	Pass	2985
30	814	0.1	RMS	813.9	-51.78	-13	Pass	7840
814	859	0.1	RMS	835.247	5.14	60	Pass	450
859	1000	0.1	RMS	859	-80.15	-13	Pass	1410
1000	3000	1	RMS	2508.754	-29.7	-13	Pass	2000
3000	10000	1	RMS	8428.776	-54.18	-13	Pass	7000




**22.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:14,
Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:50, RB Position:25)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.037	-79.53	-13	Pass	401
0.15	30	0.01	RMS	6.842	-61.21	-13	Pass	2985
30	814	0.1	RMS	813.8	-50.59	-13	Pass	7840
814	859	0.1	RMS	834.947	5.06	60	Pass	450
859	1000	0.1	RMS	859.2	-78.4	-13	Pass	1410
1000	3000	1	RMS	2500.75	-27.51	-13	Pass	2000
3000	10000	1	RMS	8430.776	-54.16	-13	Pass	7000




**22.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:15,
Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-
BPSK, RB Number:50, RB Position:25)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.035	-80.24	-13	Pass	401
0.15	30	0.01	RMS	6.842	-61.78	-13	Pass	2985
30	814	0.1	RMS	812.9	-55.64	-13	Pass	7840
814	859	0.1	RMS	837.753	5.22	60	Pass	450
859	1000	0.1	RMS	860.001	-79.03	-13	Pass	1410
1000	3000	1	RMS	2515.758	-29.51	-13	Pass	2000
3000	10000	1	RMS	8409.773	-54.29	-13	Pass	7000




**22.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:16,
Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.036	-79.96	-13	Pass	401
0.15	30	0.01	RMS	6.842	-61.42	-13	Pass	2985
30	814	0.1	RMS	813.1	-53.36	-13	Pass	7840
814	859	0.1	RMS	832.341	5.37	60	Pass	450
859	1000	0.1	RMS	860.001	-77.44	-13	Pass	1410
1000	3000	1	RMS	2506.753	-27.36	-13	Pass	2000
3000	10000	1	RMS	8432.776	-54.13	-13	Pass	7000




**22.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:17,
Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-
BPSK, RB Number:50, RB Position:25)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.037	-80.02	-13	Pass	401
0.15	30	0.01	RMS	1.951	-61.72	-13	Pass	2985
30	814	0.1	RMS	813.9	-57.47	-13	Pass	7840
814	859	0.1	RMS	840.258	5.16	60	Pass	450
859	1000	0.1	RMS	859.6	-77.27	-13	Pass	1410
1000	3000	1	RMS	2507.754	-29.63	-13	Pass	2000
3000	10000	1	RMS	8423.775	-54.28	-13	Pass	7000



**22.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:18,
Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:50, RB Position:25)**


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.037	-79.4	-13	Pass	401
0.15	30	0.01	RMS	1.951	-61.97	-13	Pass	2985
30	814	0.1	RMS	813.3	-53.88	-13	Pass	7840
814	859	0.1	RMS	836.35	5.31	60	Pass	450
859	1000	0.1	RMS	859.2	-76.07	-13	Pass	1410
1000	3000	1	RMS	2514.757	-27.02	-13	Pass	2000
3000	10000	1	RMS	8422.775	-54.21	-13	Pass	7000



23. n7 15kHz

23.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:500500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-62.65	-25	Pass	401
0.15	30	0.01	RMS	0.16	-59.64	-25	Pass	2985
30	1000	0.1	RMS	950.534	-52.34	-25	Pass	9699
1000	2490	1	RMS	2487.999	-41.1	-25	Pass	1490
2490	2580	1	RMS	2502.375	19.97	60	Pass	401
2580	3000	1	RMS	2883.723	-39.18	-25	Pass	420
3000	6500	1	RMS	6058.874	-60.61	-25	Pass	3500
6500	26000	1	RMS	25483.834	-47.94	-25	Pass	19500




**23.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:500500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:12, RB Position:6)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-62.35	-25	Pass	401
0.15	30	0.01	RMS	0.59	-60.35	-25	Pass	2985
30	1000	0.1	RMS	963.151	-52.29	-25	Pass	9699
1000	2490	1	RMS	2487.999	-41.06	-25	Pass	1490
2490	2580	1	RMS	2502.375	20.06	60	Pass	401
2580	3000	1	RMS	2873.699	-39.2	-25	Pass	420
3000	6500	1	RMS	6055.873	-60.8	-25	Pass	3500
6500	26000	1	RMS	25501.84	-47.94	-25	Pass	19500




**23.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:507000, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-
BPSK, RB Number:12, RB Position:6)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-63.06	-25	Pass	401
0.15	30	0.01	RMS	0.28	-60.54	-25	Pass	2985
30	1000	0.1	RMS	750.988	-52.11	-25	Pass	9699
1000	2490	1	RMS	2487.999	-41.09	-25	Pass	1490
2490	2580	1	RMS	2534.775	19.84	60	Pass	401
2580	3000	1	RMS	2867.685	-39.16	-25	Pass	420
3000	6500	1	RMS	6050.872	-60.81	-25	Pass	3500
6500	26000	1	RMS	25199.74 3	-47.81	-25	Pass	19500




**23.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:507000, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:12, RB Position:6)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-63.37	-25	Pass	401
0.15	30	0.01	RMS	0.2	-60.76	-25	Pass	2985
30	1000	0.1	RMS	879.741	-52.12	-25	Pass	9699
1000	2490	1	RMS	2481.995	-41.12	-25	Pass	1490
2490	2580	1	RMS	2535	19.92	60	Pass	401
2580	3000	1	RMS	2867.685	-39.2	-25	Pass	420
3000	6500	1	RMS	6057.874	-60.66	-25	Pass	3500
6500	26000	1	RMS	25193.74 1	-48.17	-25	Pass	19500




23.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5, Channel:513500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-61.87	-25	Pass	401
0.15	30	0.01	RMS	0.23	-60.07	-25	Pass	2985
30	1000	0.1	RMS	901.97	-52.39	-25	Pass	9699
1000	2490	1	RMS	2488.999	-40.96	-25	Pass	1490
2490	2580	1	RMS	2567.175	19.47	60	Pass	401
2580	3000	1	RMS	2869.69	-39.21	-25	Pass	420
3000	6500	1	RMS	6059.874	-60.62	-25	Pass	3500
6500	26000	1	RMS	25209.746	-48.2	-25	Pass	19500




**23.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:513500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:12, RB Position:6)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-61.8	-25	Pass	401
0.15	30	0.01	RMS	0.27	-60.22	-25	Pass	2985
30	1000	0.1	RMS	999.399	-52.22	-25	Pass	9699
1000	2490	1	RMS	2471.988	-41.02	-25	Pass	1490
2490	2580	1	RMS	2567.4	19.55	60	Pass	401
2580	3000	1	RMS	2871.695	-39.15	-25	Pass	420
3000	6500	1	RMS	6148.9	-60.73	-25	Pass	3500
6500	26000	1	RMS	25518.84 6	-48.2	-25	Pass	19500




**23.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:7,
Channel:501500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-
BPSK, RB Number:36, RB Position:18)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-62.9	-25	Pass	401
0.15	30	0.01	RMS	0.17	-60.8	-25	Pass	2985
30	1000	0.1	RMS	739.287	-52.55	-25	Pass	9699
1000	2490	1	RMS	2490	-40.46	-25	Pass	1490
2490	2580	1	RMS	2506.875	15.22	60	Pass	401
2580	3000	1	RMS	2867.685	-39.15	-25	Pass	420
3000	6500	1	RMS	6055.873	-60.71	-25	Pass	3500
6500	26000	1	RMS	25489.83 6	-47.76	-25	Pass	19500




**23.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:8,
Channel:501500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:36, RB Position:18)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-61.65	-25	Pass	401
0.15	30	0.01	RMS	0.17	-59.7	-25	Pass	2985
30	1000	0.1	RMS	914.086	-52.08	-25	Pass	9699
1000	2490	1	RMS	2490	-39.83	-25	Pass	1490
2490	2580	1	RMS	2509.125	15.29	60	Pass	401
2580	3000	1	RMS	2873.699	-39.13	-25	Pass	420
3000	6500	1	RMS	6068.877	-60.76	-25	Pass	3500
6500	26000	1	RMS	25507.84 2	-48.05	-25	Pass	19500




**23.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:9,
Channel:507000, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-
BPSK, RB Number:36, RB Position:18)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-61.24	-25	Pass	401
0.15	30	0.01	RMS	0.22	-59.33	-25	Pass	2985
30	1000	0.1	RMS	935.214	-52.47	-25	Pass	9699
1000	2490	1	RMS	2482.995	-41.02	-25	Pass	1490
2490	2580	1	RMS	2534.325	15.27	60	Pass	401
2580	3000	1	RMS	2868.687	-39.15	-25	Pass	420
3000	6500	1	RMS	6060.875	-60.77	-25	Pass	3500
6500	26000	1	RMS	25516.84 5	-47.77	-25	Pass	19500




**23.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:10,
Channel:507000, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:36, RB Position:18)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-62.29	-25	Pass	401
0.15	30	0.01	RMS	0.18	-60.25	-25	Pass	2985
30	1000	0.1	RMS	983.078	-52.41	-25	Pass	9699
1000	2490	1	RMS	2486.998	-41.02	-25	Pass	1490
2490	2580	1	RMS	2532.525	15.42	60	Pass	401
2580	3000	1	RMS	2871.695	-39.15	-25	Pass	420
3000	6500	1	RMS	6059.874	-60.52	-25	Pass	3500
6500	26000	1	RMS	25188.74	-47.83	-25	Pass	19500




**23.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:11,
Channel:512500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-
BPSK, RB Number:36, RB Position:18)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-62.86	-25	Pass	401
0.15	30	0.01	RMS	0.19	-59.9	-25	Pass	2985
30	1000	0.1	RMS	913.285	-52.39	-25	Pass	9699
1000	2490	1	RMS	2490	-40.95	-25	Pass	1490
2490	2580	1	RMS	2560.2	15.2	60	Pass	401
2580	3000	1	RMS	2870.692	-39.17	-25	Pass	420
3000	6500	1	RMS	6055.873	-60.72	-25	Pass	3500
6500	26000	1	RMS	25885.96 3	-48	-25	Pass	19500




**23.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:12,
Channel:512500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:36, RB Position:18)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-62.46	-25	Pass	401
0.15	30	0.01	RMS	0.27	-60.69	-25	Pass	2985
30	1000	0.1	RMS	729.785	-52.02	-25	Pass	9699
1000	2490	1	RMS	2490	-41.09	-25	Pass	1490
2490	2580	1	RMS	2559.975	15.3	60	Pass	401
2580	3000	1	RMS	2877.709	-39.19	-25	Pass	420
3000	6500	1	RMS	6059.874	-60.62	-25	Pass	3500
6500	26000	1	RMS	25201.74 4	-47.88	-25	Pass	19500




**23.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:13,
Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-
BPSK, RB Number:50, RB Position:25)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-62.76	-25	Pass	401
0.15	30	0.01	RMS	0.15	-59.74	-25	Pass	2985
30	1000	0.1	RMS	765.49	-51.99	-25	Pass	9699
1000	2490	1	RMS	2490	-39.9	-25	Pass	1490
2490	2580	1	RMS	2511.6	14.36	60	Pass	401
2580	3000	1	RMS	2869.69	-39.2	-25	Pass	420
3000	6500	1	RMS	6150.9	-60.81	-25	Pass	3500
6500	26000	1	RMS	25187.73 9	-48.01	-25	Pass	19500




**23.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:14,
Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:50, RB Position:25)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-62.42	-25	Pass	401
0.15	30	0.01	RMS	0.25	-60.31	-25	Pass	2985
30	1000	0.1	RMS	896.963	-52.41	-25	Pass	9699
1000	2490	1	RMS	2490	-38.7	-25	Pass	1490
2490	2580	1	RMS	2507.325	14.14	60	Pass	401
2580	3000	1	RMS	2870.692	-39.12	-25	Pass	420
3000	6500	1	RMS	6060.875	-60.75	-25	Pass	3500
6500	26000	1	RMS	25193.74 1	-47.99	-25	Pass	19500




**23.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:15,
Channel:507000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-
BPSK, RB Number:50, RB Position:25)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-63.12	-25	Pass	401
0.15	30	0.01	RMS	0.18	-60.2	-25	Pass	2985
30	1000	0.1	RMS	993.692	-52.32	-25	Pass	9699
1000	2490	1	RMS	2488.999	-41.03	-25	Pass	1490
2490	2580	1	RMS	2537.25	14.17	60	Pass	401
2580	3000	1	RMS	2874.702	-39.23	-25	Pass	420
3000	6500	1	RMS	6056.873	-60.74	-25	Pass	3500
6500	26000	1	RMS	25207.74 6	-47.98	-25	Pass	19500




**23.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:16,
Channel:507000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:50, RB Position:25)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-62.55	-25	Pass	401
0.15	30	0.01	RMS	0.15	-58.24	-25	Pass	2985
30	1000	0.1	RMS	897.564	-52.5	-25	Pass	9699
1000	2490	1	RMS	2486.998	-41.01	-25	Pass	1490
2490	2580	1	RMS	2532.3	14.12	60	Pass	401
2580	3000	1	RMS	2866.683	-39.19	-25	Pass	420
3000	6500	1	RMS	6051.872	-60.7	-25	Pass	3500
6500	26000	1	RMS	25502.84	-48.02	-25	Pass	19500




**23.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:17,
Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-
BPSK, RB Number:50, RB Position:25)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-62.08	-25	Pass	401
0.15	30	0.01	RMS	0.18	-60.74	-25	Pass	2985
30	1000	0.1	RMS	893.959	-52.42	-25	Pass	9699
1000	2490	1	RMS	2482.995	-41.01	-25	Pass	1490
2490	2580	1	RMS	2562.225	14.06	60	Pass	401
2580	3000	1	RMS	2868.687	-39.2	-25	Pass	420
3000	6500	1	RMS	5114.604	-60.73	-25	Pass	3500
6500	26000	1	RMS	25529.84 9	-47.75	-25	Pass	19500



**23.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:18,
Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:50, RB Position:25)**


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-62.77	-25	Pass	401
0.15	30	0.01	RMS	0.27	-59.55	-25	Pass	2985
30	1000	0.1	RMS	973.164	-52.36	-25	Pass	9699
1000	2490	1	RMS	2488.999	-40.96	-25	Pass	1490
2490	2580	1	RMS	2557.5	14.09	60	Pass	401
2580	3000	1	RMS	2580	-38.69	-25	Pass	420
3000	6500	1	RMS	6059.874	-60.7	-25	Pass	3500
6500	26000	1	RMS	25204.74 5	-47.87	-25	Pass	19500



24. n38 30kHz


24.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:515000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-63.09	-25	Pass	401
0.15	30	0.01	RMS	0.18	-60.77	-25	Pass	2985
30	1000	0.1	RMS	987.283	-52.47	-25	Pass	9699
1000	2560	1	RMS	2560	-40.47	-25	Pass	1560
2560	2630	1	RMS	2575.925	16.71	60	Pass	401
2630	3000	1	RMS	2872.35	-39.18	-25	Pass	401
3000	6500	1	RMS	5147.614	-60.6	-25	Pass	3500
6500	27000	1	RMS	25203.564	-47.9	-25	Pass	20500




**24.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:515000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-62.3	-25	Pass	401
0.15	30	0.01	RMS	0.2	-60.54	-25	Pass	2985
30	1000	0.1	RMS	727.085	-52.13	-25	Pass	9699
1000	2560	1	RMS	2560	-40.12	-25	Pass	1560
2560	2630	1	RMS	2574	16.69	60	Pass	401
2630	3000	1	RMS	2871.425	-39.2	-25	Pass	401
3000	6500	1	RMS	5150.614	-60.36	-25	Pass	3500
6500	27000	1	RMS	25149.55	-48.07	-25	Pass	20500




**24.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:519000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-
BPSK, RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-63.16	-25	Pass	401
0.15	30	0.01	RMS	0.17	-60.91	-25	Pass	2985
30	1000	0.1	RMS	989.386	-52.69	-25	Pass	9699
1000	2560	1	RMS	2512.97	-40.8	-25	Pass	1560
2560	2630	1	RMS	2594.475	17.17	60	Pass	401
2630	3000	1	RMS	2872.35	-39.16	-25	Pass	401
3000	6500	1	RMS	5187.625	-60.11	-25	Pass	3500
6500	27000	1	RMS	25507.637	-47.62	-25	Pass	20500




**24.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:519000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-62.12	-25	Pass	401
0.15	30	0.01	RMS	0.16	-58.59	-25	Pass	2985
30	1000	0.1	RMS	908.679	-52.41	-25	Pass	9699
1000	2560	1	RMS	2520.975	-40.72	-25	Pass	1560
2560	2630	1	RMS	2594.125	17.11	60	Pass	401
2630	3000	1	RMS	2873.275	-39.18	-25	Pass	401
3000	6500	1	RMS	5189.626	-60.14	-25	Pass	3500
6500	27000	1	RMS	25198.562	-48.11	-25	Pass	20500




**24.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:523000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-
BPSK, RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-61.69	-25	Pass	401
0.15	30	0.01	RMS	0.22	-60.77	-25	Pass	2985
30	1000	0.1	RMS	989.987	-52.6	-25	Pass	9699
1000	2560	1	RMS	2518.974	-40.69	-25	Pass	1560
2560	2630	1	RMS	2615.3	16.82	60	Pass	401
2630	3000	1	RMS	2630	-39.13	-25	Pass	401
3000	6500	1	RMS	5227.636	-60.67	-25	Pass	3500
6500	27000	1	RMS	25487.633	-47.63	-25	Pass	20500




**24.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:523000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-62.97	-25	Pass	401
0.15	30	0.01	RMS	0.16	-59.33	-25	Pass	2985
30	1000	0.1	RMS	992.29	-52.08	-25	Pass	9699
1000	2560	1	RMS	2518.974	-40.74	-25	Pass	1560
2560	2630	1	RMS	2616	16.9	60	Pass	401
2630	3000	1	RMS	2868.65	-39.18	-25	Pass	401
3000	6500	1	RMS	6174.907	-60.73	-25	Pass	3500
6500	27000	1	RMS	25494.634	-48	-25	Pass	20500




**24.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:7,
Channel:515500, Bandwidth:15, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-
BPSK, RB Number:18, RB Position:9)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-63.15	-25	Pass	401
0.15	30	0.01	RMS	0.17	-60.01	-25	Pass	2985
30	1000	0.1	RMS	942.223	-52.28	-25	Pass	9699
1000	2560	1	RMS	2560	-39.85	-25	Pass	1560
2560	2630	1	RMS	2575.4	15.06	60	Pass	401
2630	3000	1	RMS	2873.275	-39.17	-25	Pass	401
3000	6500	1	RMS	6057.874	-60.57	-25	Pass	3500
6500	27000	1	RMS	25195.562	-47.5	-25	Pass	20500




**24.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:8,
Channel:515500, Bandwidth:15, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:18, RB Position:9)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-62.88	-25	Pass	401
0.15	30	0.01	RMS	0.15	-60.54	-25	Pass	2985
30	1000	0.1	RMS	984.78	-52.37	-25	Pass	9699
1000	2560	1	RMS	2560	-39.1	-25	Pass	1560
2560	2630	1	RMS	2579.25	15.09	60	Pass	401
2630	3000	1	RMS	2868.65	-39.16	-25	Pass	401
3000	6500	1	RMS	6176.908	-60.69	-25	Pass	3500
6500	27000	1	RMS	25778.703	-47.98	-25	Pass	20500




**24.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:9,
Channel:519000, Bandwidth:15, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-
BPSK, RB Number:18, RB Position:9)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-63.34	-25	Pass	401
0.15	30	0.01	RMS	0.19	-60.42	-25	Pass	2985
30	1000	0.1	RMS	897.865	-51.86	-25	Pass	9699
1000	2560	1	RMS	2504.965	-40.79	-25	Pass	1560
2560	2630	1	RMS	2593.25	15.45	60	Pass	401
2630	3000	1	RMS	2874.2	-39.16	-25	Pass	401
3000	6500	1	RMS	5192.626	-60.22	-25	Pass	3500
6500	27000	1	RMS	25489.633	-48	-25	Pass	20500




**24.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:10,
Channel:519000, Bandwidth:15, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:18, RB Position:9)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-62.86	-25	Pass	401
0.15	30	0.01	RMS	0.27	-60.85	-25	Pass	2985
30	1000	0.1	RMS	736.886	-52.34	-25	Pass	9699
1000	2560	1	RMS	2519.974	-40.73	-25	Pass	1560
2560	2630	1	RMS	2596.75	15.43	60	Pass	401
2630	3000	1	RMS	2875.125	-39.2	-25	Pass	401
3000	6500	1	RMS	5188.625	-60.6	-25	Pass	3500
6500	27000	1	RMS	25206.564	-48.08	-25	Pass	20500




**24.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:11,
Channel:522500, Bandwidth:15, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-
BPSK, RB Number:18, RB Position:9)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-61.41	-25	Pass	401
0.15	30	0.01	RMS	0.16	-60.04	-25	Pass	2985
30	1000	0.1	RMS	861.616	-52.41	-25	Pass	9699
1000	2560	1	RMS	2518.974	-40.59	-25	Pass	1560
2560	2630	1	RMS	2610.575	15.37	60	Pass	401
2630	3000	1	RMS	2630	-38.56	-25	Pass	401
3000	6500	1	RMS	6054.873	-60.58	-25	Pass	3500
6500	27000	1	RMS	25862.724	-47.94	-25	Pass	20500




**24.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:12,
Channel:522500, Bandwidth:15, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:18, RB Position:9)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-62.29	-25	Pass	401
0.15	30	0.01	RMS	0.21	-61.08	-25	Pass	2985
30	1000	0.1	RMS	987.684	-52.07	-25	Pass	9699
1000	2560	1	RMS	2522.976	-40.7	-25	Pass	1560
2560	2630	1	RMS	2614.25	15.26	60	Pass	401
2630	3000	1	RMS	2630	-38.32	-25	Pass	401
3000	6500	1	RMS	6057.874	-60.72	-25	Pass	3500
6500	27000	1	RMS	25495.635	-47.82	-25	Pass	20500




**24.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:13,
Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-
BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-61.44	-25	Pass	401
0.15	30	0.01	RMS	0.16	-60.15	-25	Pass	2985
30	1000	0.1	RMS	901.87	-52.03	-25	Pass	9699
1000	2560	1	RMS	2560	-39.58	-25	Pass	1560
2560	2630	1	RMS	2577.325	13.8	60	Pass	401
2630	3000	1	RMS	2875.125	-39.2	-25	Pass	401
3000	6500	1	RMS	6058.874	-60.64	-25	Pass	3500
6500	27000	1	RMS	25499.635	-47.92	-25	Pass	20500




**24.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:14,
Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-63.1	-25	Pass	401
0.15	30	0.01	RMS	0.2	-59.96	-25	Pass	2985
30	1000	0.1	RMS	886.65	-51.84	-25	Pass	9699
1000	2560	1	RMS	2560	-37.98	-25	Pass	1560
2560	2630	1	RMS	2578.55	13.73	60	Pass	401
2630	3000	1	RMS	2876.975	-39.18	-25	Pass	401
3000	6500	1	RMS	6060.875	-60.63	-25	Pass	3500
6500	27000	1	RMS	25471.629	-47.96	-25	Pass	20500




**24.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:15,
Channel:519000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-
BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-62.45	-25	Pass	401
0.15	30	0.01	RMS	0.21	-60.01	-25	Pass	2985
30	1000	0.1	RMS	996.195	-52.47	-25	Pass	9699
1000	2560	1	RMS	2517.973	-40.75	-25	Pass	1560
2560	2630	1	RMS	2591.85	14.03	60	Pass	401
2630	3000	1	RMS	2878.825	-39.07	-25	Pass	401
3000	6500	1	RMS	5184.624	-60.29	-25	Pass	3500
6500	27000	1	RMS	25521.641	-47.93	-25	Pass	20500




**24.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:16,
Channel:519000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-63.53	-25	Pass	401
0.15	30	0.01	RMS	0.17	-59.24	-25	Pass	2985
30	1000	0.1	RMS	860.916	-51.78	-25	Pass	9699
1000	2560	1	RMS	2517.973	-40.73	-25	Pass	1560
2560	2630	1	RMS	2591.85	14.02	60	Pass	401
2630	3000	1	RMS	2873.275	-39.15	-25	Pass	401
3000	6500	1	RMS	6059.874	-60.56	-25	Pass	3500
6500	27000	1	RMS	25492.634	-47.85	-25	Pass	20500




**24.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:17,
Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-
BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-62.67	-25	Pass	401
0.15	30	0.01	RMS	0.15	-60.95	-25	Pass	2985
30	1000	0.1	RMS	888.352	-52.09	-25	Pass	9699
1000	2560	1	RMS	2528.98	-40.7	-25	Pass	1560
2560	2630	1	RMS	2607.25	13.88	60	Pass	401
2630	3000	1	RMS	2630	-38.72	-25	Pass	401
3000	6500	1	RMS	6056.873	-60.67	-25	Pass	3500
6500	27000	1	RMS	25503.636	-48.08	-25	Pass	20500



**24.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:18,
Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-62.71	-25	Pass	401
0.15	30	0.01	RMS	0.15	-60.97	-25	Pass	2985
30	1000	0.1	RMS	927.504	-52.37	-25	Pass	9699
1000	2560	1	RMS	2520.975	-40.76	-25	Pass	1560
2560	2630	1	RMS	2612.675	13.83	60	Pass	401
2630	3000	1	RMS	2630	-36.64	-25	Pass	401
3000	6500	1	RMS	6055.873	-60.64	-25	Pass	3500
6500	27000	1	RMS	25193.561	-47.81	-25	Pass	20500



25. n41 30kHz


25.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:500202, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-62.77	-25	Pass	401
0.15	30	0.01	RMS	0.38	-61.04	-25	Pass	2985
30	1000	0.1	RMS	861.016	-52.48	-25	Pass	9699
1000	2486	1	RMS	2486	-40.73	-25	Pass	1486
2486	2700	1	RMS	2500.445	16.9	60	Pass	401
2700	3000	1	RMS	2867.25	-39.16	-25	Pass	401
3000	6500	1	RMS	4999.571	-59.07	-25	Pass	3500
6500	27000	1	RMS	25481.631	-48.04	-25	Pass	20500




**25.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:500202, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:12, RB Position:6)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-62.27	-25	Pass	401
0.15	30	0.01	RMS	0.15	-60.4	-25	Pass	2985
30	1000	0.1	RMS	744.087	-52.51	-25	Pass	9699
1000	2486	1	RMS	2486	-40.2	-25	Pass	1486
2486	2700	1	RMS	2502.05	16.93	60	Pass	401
2700	3000	1	RMS	2868	-39.16	-25	Pass	401
3000	6500	1	RMS	5001.572	-59.31	-25	Pass	3500
6500	27000	1	RMS	25870.72 6	-47.85	-25	Pass	20500




**25.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:518598, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-
BPSK, RB Number:12, RB Position:6)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-62.95	-25	Pass	401
0.15	30	0.01	RMS	0.16	-60.33	-25	Pass	2985
30	1000	0.1	RMS	901.67	-52.33	-25	Pass	9699
1000	2486	1	RMS	2480.997	-41.07	-25	Pass	1486
2486	2700	1	RMS	2591.93	16.94	60	Pass	401
2700	3000	1	RMS	2875.5	-39.14	-25	Pass	401
3000	6500	1	RMS	5183.624	-60.3	-25	Pass	3500
6500	27000	1	RMS	25500.63 6	-47.98	-25	Pass	20500




**25.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:518598, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:12, RB Position:6)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-63.22	-25	Pass	401
0.15	30	0.01	RMS	0.21	-60.4	-25	Pass	2985
30	1000	0.1	RMS	871.53	-52.62	-25	Pass	9699
1000	2486	1	RMS	2484.999	-41.03	-25	Pass	1486
2486	2700	1	RMS	2593	16.96	60	Pass	401
2700	3000	1	RMS	2868	-39.17	-25	Pass	401
3000	6500	1	RMS	5187.625	-60.32	-25	Pass	3500
6500	27000	1	RMS	25848.72	-47.92	-25	Pass	20500




**25.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:537000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-
BPSK, RB Number:12, RB Position:6)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-63.06	-25	Pass	401
0.15	30	0.01	RMS	0.2	-60.19	-25	Pass	2985
30	1000	0.1	RMS	726.185	-52.31	-25	Pass	9699
1000	2486	1	RMS	2480.997	-41.05	-25	Pass	1486
2486	2700	1	RMS	2684.485	16.82	60	Pass	401
2700	3000	1	RMS	2871	-39.15	-25	Pass	401
3000	6500	1	RMS	6060.875	-60.55	-25	Pass	3500
6500	27000	1	RMS	25200.56 3	-48.02	-25	Pass	20500




**25.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:537000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:12, RB Position:6)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-61.73	-25	Pass	401
0.15	30	0.01	RMS	0.17	-59.99	-25	Pass	2985
30	1000	0.1	RMS	896.363	-52.29	-25	Pass	9699
1000	2486	1	RMS	2482.998	-41.03	-25	Pass	1486
2486	2700	1	RMS	2685.555	17.03	60	Pass	401
2700	3000	1	RMS	2868.75	-39.15	-25	Pass	401
3000	6500	1	RMS	6063.875	-60.74	-25	Pass	3500
6500	27000	1	RMS	25199.56 3	-47.87	-25	Pass	20500




**25.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:7,
Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-
BPSK, RB Number:81, RB Position:40)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-63.25	-25	Pass	401
0.15	30	0.01	RMS	0.21	-59.77	-25	Pass	2985
30	1000	0.1	RMS	830.798	-52.46	-25	Pass	9699
1000	2486	1	RMS	2486	-40.04	-25	Pass	1486
2486	2700	1	RMS	2530.405	8.89	60	Pass	401
2700	3000	1	RMS	2874	-39.18	-25	Pass	401
3000	6500	1	RMS	6056.873	-60.66	-25	Pass	3500
6500	27000	1	RMS	25161.55 3	-48.04	-25	Pass	20500




**25.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:8,
Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:81, RB Position:40)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-63.26	-25	Pass	401
0.15	30	0.01	RMS	0.35	-60.13	-25	Pass	2985
30	1000	0.1	RMS	901.67	-52.27	-25	Pass	9699
1000	2486	1	RMS	2486	-38.64	-25	Pass	1486
2486	2700	1	RMS	2530.405	8.86	60	Pass	401
2700	3000	1	RMS	2868	-39.15	-25	Pass	401
3000	6500	1	RMS	6151.901	-60.68	-25	Pass	3500
6500	27000	1	RMS	25485.63 2	-48.07	-25	Pass	20500




**25.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:9,
Channel:518598, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-
BPSK, RB Number:81, RB Position:40)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-63.24	-25	Pass	401
0.15	30	0.01	RMS	0.23	-60.05	-25	Pass	2985
30	1000	0.1	RMS	890.655	-52.1	-25	Pass	9699
1000	2486	1	RMS	2484.999	-40.99	-25	Pass	1486
2486	2700	1	RMS	2603.165	9.01	60	Pass	401
2700	3000	1	RMS	2868	-39.13	-25	Pass	401
3000	6500	1	RMS	6069.877	-60.67	-25	Pass	3500
6500	27000	1	RMS	25529.64 3	-47.89	-25	Pass	20500




**25.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:10,
Channel:518598, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:81, RB Position:40)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-62.38	-25	Pass	401
0.15	30	0.01	RMS	0.24	-61.28	-25	Pass	2985
30	1000	0.1	RMS	903.071	-52.28	-25	Pass	9699
1000	2486	1	RMS	2483.999	-40.95	-25	Pass	1486
2486	2700	1	RMS	2606.375	8.98	60	Pass	401
2700	3000	1	RMS	2871.75	-39.18	-25	Pass	401
3000	6500	1	RMS	6052.872	-60.8	-25	Pass	3500
6500	27000	1	RMS	25486.63 2	-48.16	-25	Pass	20500




**25.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:11,
Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-
BPSK, RB Number:81, RB Position:40)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-63.77	-25	Pass	401
0.15	30	0.01	RMS	0.15	-60.03	-25	Pass	2985
30	1000	0.1	RMS	870.428	-52.19	-25	Pass	9699
1000	2486	1	RMS	2478.995	-41.09	-25	Pass	1486
2486	2700	1	RMS	2662.55	8.84	60	Pass	401
2700	3000	1	RMS	2700	-38.99	-25	Pass	401
3000	6500	1	RMS	6058.874	-60.69	-25	Pass	3500
6500	27000	1	RMS	25901.73 3	-48.07	-25	Pass	20500




**25.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:12,
Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:81, RB Position:40)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-62.96	-25	Pass	401
0.15	30	0.01	RMS	0.18	-58.91	-25	Pass	2985
30	1000	0.1	RMS	992.69	-51.9	-25	Pass	9699
1000	2486	1	RMS	2477.995	-41.11	-25	Pass	1486
2486	2700	1	RMS	2664.69	8.88	60	Pass	401
2700	3000	1	RMS	2700	-37.04	-25	Pass	401
3000	6500	1	RMS	6069.877	-60.64	-25	Pass	3500
6500	27000	1	RMS	25496.63 5	-47.28	-25	Pass	20500




**25.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:13,
Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-
BPSK, RB Number:135, RB Position:67)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-61.78	-25	Pass	401
0.15	30	0.01	RMS	0.15	-60.34	-25	Pass	2985
30	1000	0.1	RMS	932.611	-51.96	-25	Pass	9699
1000	2486	1	RMS	2483.999	-39.34	-25	Pass	1486
2486	2700	1	RMS	2565.715	6.47	60	Pass	401
2700	3000	1	RMS	2869.5	-39.19	-25	Pass	401
3000	6500	1	RMS	6050.872	-60.72	-25	Pass	3500
6500	27000	1	RMS	25518.64	-48.05	-25	Pass	20500




**25.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:14,
Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:135, RB Position:67)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-61.59	-25	Pass	401
0.15	30	0.01	RMS	0.29	-60.22	-25	Pass	2985
30	1000	0.1	RMS	988.985	-52.49	-25	Pass	9699
1000	2486	1	RMS	2484.999	-37.75	-25	Pass	1486
2486	2700	1	RMS	2568.39	6.54	60	Pass	401
2700	3000	1	RMS	2868.75	-39.21	-25	Pass	401
3000	6500	1	RMS	6059.874	-60.57	-25	Pass	3500
6500	27000	1	RMS	25199.56 3	-47.61	-25	Pass	20500




**25.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:15,
Channel:518598, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-
BPSK, RB Number:135, RB Position:67)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.019	-63.45	-25	Pass	401
0.15	30	0.01	RMS	0.18	-60.47	-25	Pass	2985
30	1000	0.1	RMS	768.19	-52.45	-25	Pass	9699
1000	2486	1	RMS	2486	-41.05	-25	Pass	1486
2486	2700	1	RMS	2614.935	6.93	60	Pass	401
2700	3000	1	RMS	2872.5	-39.18	-25	Pass	401
3000	6500	1	RMS	6182.909	-60.72	-25	Pass	3500
6500	27000	1	RMS	25503.63 6	-47.87	-25	Pass	20500




**25.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:16,
Channel:518598, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:135, RB Position:67)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-61.15	-25	Pass	401
0.15	30	0.01	RMS	0.31	-60.62	-25	Pass	2985
30	1000	0.1	RMS	736.986	-52.06	-25	Pass	9699
1000	2486	1	RMS	2484.999	-40.86	-25	Pass	1486
2486	2700	1	RMS	2615.47	6.96	60	Pass	401
2700	3000	1	RMS	2869.5	-39.21	-25	Pass	401
3000	6500	1	RMS	6058.874	-60.71	-25	Pass	3500
6500	27000	1	RMS	25796.70 8	-48.17	-25	Pass	20500




**25.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:17,
Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-
BPSK, RB Number:135, RB Position:67)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-61.57	-25	Pass	401
0.15	30	0.01	RMS	0.26	-59.7	-25	Pass	2985
30	1000	0.1	RMS	894.36	-52.36	-25	Pass	9699
1000	2486	1	RMS	2483.999	-41.13	-25	Pass	1486
2486	2700	1	RMS	2646.5	6.84	60	Pass	401
2700	3000	1	RMS	2707.5	-37.48	-25	Pass	401
3000	6500	1	RMS	6184.91	-60.7	-25	Pass	3500
6500	27000	1	RMS	25520.64 1	-47.73	-25	Pass	20500



**25.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:18,
Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:135, RB Position:67)**


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-62.59	-25	Pass	401
0.15	30	0.01	RMS	0.26	-60.32	-25	Pass	2985
30	1000	0.1	RMS	904.273	-52.55	-25	Pass	9699
1000	2486	1	RMS	2477.995	-41.08	-25	Pass	1486
2486	2700	1	RMS	2637.405	6.79	60	Pass	401
2700	3000	1	RMS	2707.5	-36.18	-25	Pass	401
3000	6500	1	RMS	6059.874	-60.68	-25	Pass	3500
6500	27000	1	RMS	25198.56 2	-48.05	-25	Pass	20500



26. n66 15kHz


26.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:342500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-62.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.93	-13	Pass	2985
30	1000	0.1	RMS	955.942	-52.21	-13	Pass	9699
1000	1700	1	RMS	1670.959	-42.91	-13	Pass	700
1700	1790	1	RMS	1712.15	19.49	60	Pass	401
1790	3000	1	RMS	2873.896	-39.18	-13	Pass	1210
3000	6500	1	RMS	6193.913	-60.63	-13	Pass	3500
6500	20000	1	RMS	19998	-51.63	-13	Pass	13500




**26.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:342500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-63.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.47	-13	Pass	2985
30	1000	0.1	RMS	738.286	-52.45	-13	Pass	9699
1000	1700	1	RMS	1689.986	-42.95	-13	Pass	700
1700	1790	1	RMS	1712.375	19.45	60	Pass	401
1790	3000	1	RMS	2875.897	-39.15	-13	Pass	1210
3000	6500	1	RMS	6144.899	-60.67	-13	Pass	3500
6500	20000	1	RMS	19927.986	-51.75	-13	Pass	13500




**26.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:349000, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-
BPSK, RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-63.59	-13	Pass	401
0.15	30	0.01	RMS	0.42	-61.16	-13	Pass	2985
30	1000	0.1	RMS	904.473	-52.17	-13	Pass	9699
1000	1700	1	RMS	1666.953	-42.97	-13	Pass	700
1700	1790	1	RMS	1744.55	19.73	60	Pass	401
1790	3000	1	RMS	2868.892	-39.25	-13	Pass	1210
3000	6500	1	RMS	6054.873	-60.57	-13	Pass	3500
6500	20000	1	RMS	19911.983	-51.68	-13	Pass	13500




**26.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:349000, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-61.27	-13	Pass	401
0.15	30	0.01	RMS	0.2	-60.83	-13	Pass	2985
30	1000	0.1	RMS	994.393	-52.1	-13	Pass	9699
1000	1700	1	RMS	1687.983	-42.97	-13	Pass	700
1700	1790	1	RMS	1744.775	19.7	60	Pass	401
1790	3000	1	RMS	2866.89	-39.19	-13	Pass	1210
3000	6500	1	RMS	6190.912	-60.73	-13	Pass	3500
6500	20000	1	RMS	19995.999	-51.75	-13	Pass	13500




**26.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:355500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-
BPSK, RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-62.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.81	-13	Pass	2985
30	1000	0.1	RMS	984.479	-52.52	-13	Pass	9699
1000	1700	1	RMS	1689.986	-42.98	-13	Pass	700
1700	1790	1	RMS	1777.175	19.74	60	Pass	401
1790	3000	1	RMS	2870.893	-39.14	-13	Pass	1210
3000	6500	1	RMS	6053.873	-60.64	-13	Pass	3500
6500	20000	1	RMS	19992.999	-51.85	-13	Pass	13500




**26.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:355500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-63.85	-13	Pass	401
0.15	30	0.01	RMS	0.19	-60.99	-13	Pass	2985
30	1000	0.1	RMS	947.03	-52.51	-13	Pass	9699
1000	1700	1	RMS	1691.989	-42.9	-13	Pass	700
1700	1790	1	RMS	1777.4	19.7	60	Pass	401
1790	3000	1	RMS	2880.902	-39.23	-13	Pass	1210
3000	6500	1	RMS	6058.874	-60.63	-13	Pass	3500
6500	20000	1	RMS	19999	-51.76	-13	Pass	13500




**26.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:7,
Channel:343500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-
BPSK, RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-62.07	-13	Pass	401
0.15	30	0.01	RMS	0.23	-60.71	-13	Pass	2985
30	1000	0.1	RMS	981.175	-52.65	-13	Pass	9699
1000	1700	1	RMS	1700	-41.65	-13	Pass	700
1700	1790	1	RMS	1718.675	14.95	60	Pass	401
1790	3000	1	RMS	2872.895	-39.18	-13	Pass	1210
3000	6500	1	RMS	6186.911	-60.82	-13	Pass	3500
6500	20000	1	RMS	19931.987	-51.69	-13	Pass	13500




**26.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:8,
Channel:343500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-62.52	-13	Pass	401
0.15	30	0.01	RMS	0.18	-59.82	-13	Pass	2985
30	1000	0.1	RMS	893.359	-52.42	-13	Pass	9699
1000	1700	1	RMS	1700	-40.43	-13	Pass	700
1700	1790	1	RMS	1718.9	15.04	60	Pass	401
1790	3000	1	RMS	2879.901	-39.18	-13	Pass	1210
3000	6500	1	RMS	6185.91	-60.71	-13	Pass	3500
6500	20000	1	RMS	19928.987	-51.66	-13	Pass	13500




**26.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:9,
Channel:349000, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-
BPSK, RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-63.23	-13	Pass	401
0.15	30	0.01	RMS	0.22	-60.61	-13	Pass	2985
30	1000	0.1	RMS	898.666	-52.31	-13	Pass	9699
1000	1700	1	RMS	1700	-42.95	-13	Pass	700
1700	1790	1	RMS	1742.525	15.02	60	Pass	401
1790	3000	1	RMS	2869.892	-39.17	-13	Pass	1210
3000	6500	1	RMS	6059.874	-60.72	-13	Pass	3500
6500	20000	1	RMS	19993.999	-51.56	-13	Pass	13500




**26.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:10,
Channel:349000, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-62.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.12	-13	Pass	2985
30	1000	0.1	RMS	909.88	-52.27	-13	Pass	9699
1000	1700	1	RMS	1688.984	-42.95	-13	Pass	700
1700	1790	1	RMS	1742.3	15.09	60	Pass	401
1790	3000	1	RMS	2876.898	-39.18	-13	Pass	1210
3000	6500	1	RMS	6061.875	-60.74	-13	Pass	3500
6500	20000	1	RMS	19994.999	-51.94	-13	Pass	13500




**26.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:11,
Channel:354500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-
BPSK, RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-62.68	-13	Pass	401
0.15	30	0.01	RMS	0.18	-60.47	-13	Pass	2985
30	1000	0.1	RMS	994.393	-52.73	-13	Pass	9699
1000	1700	1	RMS	1667.954	-42.98	-13	Pass	700
1700	1790	1	RMS	1769.75	15.18	60	Pass	401
1790	3000	1	RMS	2881.902	-39.19	-13	Pass	1210
3000	6500	1	RMS	6056.873	-60.72	-13	Pass	3500
6500	20000	1	RMS	19996.999	-51.87	-13	Pass	13500




**26.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:12,
Channel:354500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-62.63	-13	Pass	401
0.15	30	0.01	RMS	0.26	-61.44	-13	Pass	2985
30	1000	0.1	RMS	842.999	-52.23	-13	Pass	9699
1000	1700	1	RMS	1671.96	-42.93	-13	Pass	700
1700	1790	1	RMS	1769.75	15.25	60	Pass	401
1790	3000	1	RMS	2869.892	-39.03	-13	Pass	1210
3000	6500	1	RMS	6067.877	-60.7	-13	Pass	3500
6500	20000	1	RMS	20000	-51.75	-13	Pass	13500




**26.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:13,
Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-
BPSK, RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-62.46	-13	Pass	401
0.15	30	0.01	RMS	0.16	-60.24	-13	Pass	2985
30	1000	0.1	RMS	635.474	-52.35	-13	Pass	9699
1000	1700	1	RMS	1700	-41.12	-13	Pass	700
1700	1790	1	RMS	1721.6	13.84	60	Pass	401
1790	3000	1	RMS	2877.899	-39.16	-13	Pass	1210
3000	6500	1	RMS	6055.873	-60.81	-13	Pass	3500
6500	20000	1	RMS	19995.999	-51.83	-13	Pass	13500




**26.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:14,
Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-63	-13	Pass	401
0.15	30	0.01	RMS	0.17	-60.36	-13	Pass	2985
30	1000	0.1	RMS	503.058	-52.27	-13	Pass	9699
1000	1700	1	RMS	1700	-38.86	-13	Pass	700
1700	1790	1	RMS	1721.375	13.84	60	Pass	401
1790	3000	1	RMS	2871.894	-39.15	-13	Pass	1210
3000	6500	1	RMS	6060.875	-60.71	-13	Pass	3500
6500	20000	1	RMS	20000	-51.62	-13	Pass	13500




**26.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:15,
Channel:349000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-
BPSK, RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-44.06	-13	Pass	401
0.15	30	0.01	RMS	0.26	-59.1	-13	Pass	2985
30	1000	0.1	RMS	855.508	-52.17	-13	Pass	9699
1000	1700	1	RMS	1700	-42.94	-13	Pass	700
1700	1790	1	RMS	1741.175	13.75	60	Pass	401
1790	3000	1	RMS	2869.892	-39.07	-13	Pass	1210
3000	6500	1	RMS	6058.874	-60.68	-13	Pass	3500
6500	20000	1	RMS	19992.999	-51.71	-13	Pass	13500




**26.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:16,
Channel:349000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-54.02	-13	Pass	401
0.15	30	0.01	RMS	0.6	-59.97	-13	Pass	2985
30	1000	0.1	RMS	896.663	-52.34	-13	Pass	9699
1000	1700	1	RMS	1698.999	-42.91	-13	Pass	700
1700	1790	1	RMS	1741.175	13.81	60	Pass	401
1790	3000	1	RMS	2868.892	-39.12	-13	Pass	1210
3000	6500	1	RMS	6057.874	-60.72	-13	Pass	3500
6500	20000	1	RMS	19927.986	-51.87	-13	Pass	13500




**26.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:17,
Channel:354000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-
BPSK, RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.027	-49.95	-13	Pass	401
0.15	30	0.01	RMS	0.51	-61.41	-13	Pass	2985
30	1000	0.1	RMS	787.092	-52.47	-13	Pass	9699
1000	1700	1	RMS	1700	-42.95	-13	Pass	700
1700	1790	1	RMS	1765.925	14.18	60	Pass	401
1790	3000	1	RMS	2882.903	-39.19	-13	Pass	1210
3000	6500	1	RMS	6057.874	-60.64	-13	Pass	3500
6500	20000	1	RMS	20000	-51.81	-13	Pass	13500



**26.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:18,
Channel:354000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:50, RB Position:25)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-62.51	-13	Pass	401
0.15	30	0.01	RMS	0.16	-61.12	-13	Pass	2985
30	1000	0.1	RMS	997.697	-52.25	-13	Pass	9699
1000	1700	1	RMS	1692.99	-42.92	-13	Pass	700
1700	1790	1	RMS	1766.15	14.25	60	Pass	401
1790	3000	1	RMS	2873.896	-39.21	-13	Pass	1210
3000	6500	1	RMS	6062.875	-60.7	-13	Pass	3500
6500	20000	1	RMS	19999	-51.71	-13	Pass	13500



27. DC_5A_n66A_SCS15_5M_L_Inner Full(QPSK)

27.1. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-66.54	-13	Pass	401
0.15	30	0.01	RMS	0.22	-64.01	-13	Pass	2985
30	1000	0.1	RMS	829.498	-16.68	-13	N/A	9699
1000	1700	1	RMS	1700	-46.49	-13	Pass	700
1700	1790	1	RMS	1712.375	19.82	60	Pass	401
1790	3000	1	RMS	2874.897	-42.7	-13	Pass	1210
3000	6500	1	RMS	6039.869	-54.42	-13	Pass	3500
6500	20000	1	RMS	19999	-45.27	-13	Pass	13500



27. DC_5A_n66A_SCS15_5M_L_Inner Full(PI2 BPSK)

27.2. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-64.28	-13	Pass	401
0.15	30	0.01	RMS	0.23	-63.37	-13	Pass	2985
30	1000	0.1	RMS	829.498	-16.68	-13	N/A	9699
1000	1700	1	RMS	1683.977	-46.67	-13	Pass	700
1700	1790	1	RMS	1712.375	19.78	60	Pass	401
1790	3000	1	RMS	2876.898	-42.71	-13	Pass	1210
3000	6500	1	RMS	6144.899	-54.4	-13	Pass	3500
6500	20000	1	RMS	19988.998	-45.12	-13	Pass	13500



27. DC_5A_n66A_SCS15_5M_M_Inner Full(QPSK)

27.3. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.24	-13	Pass	401
0.15	30	0.01	RMS	0.17	-63.36	-13	Pass	2985
30	1000	0.1	RMS	838.299	-15.31	-13	N/A	9699
1000	1700	1	RMS	1663.948	-46.67	-13	Pass	700
1700	1790	1	RMS	1745	19.75	60	Pass	401
1790	3000	1	RMS	2868.892	-42.87	-13	Pass	1210
3000	6500	1	RMS	6146.899	-54.45	-13	Pass	3500
6500	20000	1	RMS	19992.999	-44.92	-13	Pass	13500



27. DC_5A_n66A_SCS15_5M_M_Inner Full(PI2 BPSK)

27.4. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.82	-13	Pass	401
0.15	30	0.01	RMS	0.38	-63.26	-13	Pass	2985
30	1000	0.1	RMS	838.299	-15.27	-13	N/A	9699
1000	1700	1	RMS	1672.961	-46.56	-13	Pass	700
1700	1790	1	RMS	1745	19.76	60	Pass	401
1790	3000	1	RMS	2880.902	-42.8	-13	Pass	1210
3000	6500	1	RMS	6063.875	-54.33	-13	Pass	3500
6500	20000	1	RMS	19988.998	-45.27	-13	Pass	13500



27. DC_5A_n66A_SCS15_5M_H_Inner Full(QPSK)

27.5. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-66.97	-13	Pass	401
0.15	30	0.01	RMS	0.17	-62.38	-13	Pass	2985
30	1000	0.1	RMS	841.599	-16.46	-13	N/A	9699
1000	1700	1	RMS	1681.974	-46.63	-13	Pass	700
1700	1790	1	RMS	1777.4	19.81	60	Pass	401
1790	3000	1	RMS	2871.894	-42.76	-13	Pass	1210
3000	6500	1	RMS	6132.895	-54.32	-13	Pass	3500
6500	20000	1	RMS	19913.984	-44.84	-13	Pass	13500



27. DC_5A_n66A_SCS15_5M_H_Inner Full(PI2 BPSK)

27.6. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.59	-13	Pass	401
0.15	30	0.01	RMS	0.35	-64.17	-13	Pass	2985
30	1000	0.1	RMS	841.599	-16.35	-13	N/A	9699
1000	1700	1	RMS	1665.951	-46.62	-13	Pass	700
1700	1790	1	RMS	1777.4	19.82	60	Pass	401
1790	3000	1	RMS	2876.898	-42.7	-13	Pass	1210
3000	6500	1	RMS	6055.873	-54.25	-13	Pass	3500
6500	20000	1	RMS	19994.999	-45.37	-13	Pass	13500



27. DC_5A_n66A_SCS15_15M_L_Inner Full(QPSK)

27.7. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-66.72	-13	Pass	401
0.15	30	0.01	RMS	0.41	-64.29	-13	Pass	2985
30	1000	0.1	RMS	824.797	-16.11	-13	N/A	9699
1000	1700	1	RMS	1700	-41.89	-13	Pass	700
1700	1790	1	RMS	1718.675	15.58	60	Pass	401
1790	3000	1	RMS	2875.897	-42.87	-13	Pass	1210
3000	6500	1	RMS	6181.909	-54.34	-13	Pass	3500
6500	20000	1	RMS	19988.998	-45.58	-13	Pass	13500



27. DC_5A_n66A_SCS15_15M_L_Inner Full(PI2 BPSK)

27.8. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-66.22	-13	Pass	401
0.15	30	0.01	RMS	0.19	-63.47	-13	Pass	2985
30	1000	0.1	RMS	829.498	-16.75	-13	N/A	9699
1000	1700	1	RMS	1700	-43.68	-13	Pass	700
1700	1790	1	RMS	1718.9	15.41	60	Pass	401
1790	3000	1	RMS	2882.903	-42.72	-13	Pass	1210
3000	6500	1	RMS	6140.897	-54.35	-13	Pass	3500
6500	20000	1	RMS	20000	-45.15	-13	Pass	13500



27. DC_5A_n66A_SCS15_15M_M_Inner Full(QPSK)

27.9. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-65.48	-13	Pass	401
0.15	30	0.01	RMS	0.22	-63.19	-13	Pass	2985
30	1000	0.1	RMS	838.299	-15.17	-13	N/A	9699
1000	1700	1	RMS	1700	-46.65	-13	Pass	700
1700	1790	1	RMS	1746.125	15.21	60	Pass	401
1790	3000	1	RMS	2877.899	-42.86	-13	Pass	1210
3000	6500	1	RMS	6136.896	-54.41	-13	Pass	3500
6500	20000	1	RMS	19910.983	-45.32	-13	Pass	13500



27. DC_5A_n66A_SCS15_15M_M_Inner Full(PI2 BPSK)

27.10. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.81	-13	Pass	401
0.15	30	0.01	RMS	0.15	-62.35	-13	Pass	2985
30	1000	0.1	RMS	834.398	-16.31	-13	N/A	9699
1000	1700	1	RMS	1662.947	-46.6	-13	Pass	700
1700	1790	1	RMS	1742.075	15.19	60	Pass	401
1790	3000	1	RMS	2869.892	-42.73	-13	Pass	1210
3000	6500	1	RMS	6136.896	-54.39	-13	Pass	3500
6500	20000	1	RMS	19983.997	-45.12	-13	Pass	13500



27. DC_5A_n66A_SCS15_15M_H_Inner Full(QPSK)

27.11. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-64.53	-13	Pass	401
0.15	30	0.01	RMS	0.37	-63.35	-13	Pass	2985
30	1000	0.1	RMS	841.599	-16.45	-13	N/A	9699
1000	1700	1	RMS	1697.997	-46.63	-13	Pass	700
1700	1790	1	RMS	1770.2	15.29	60	Pass	401
1790	3000	1	RMS	1790	-42.14	-13	Pass	1210
3000	6500	1	RMS	6057.874	-54.41	-13	Pass	3500
6500	20000	1	RMS	19985.997	-45.13	-13	Pass	13500



27. DC_5A_n66A_SCS15_15M_H_Inner Full(PI2 BPSK)

27.12. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.55	-13	Pass	401
0.15	30	0.01	RMS	0.23	-61.67	-13	Pass	2985
30	1000	0.1	RMS	841.899	-16.17	-13	N/A	9699
1000	1700	1	RMS	1693.991	-46.71	-13	Pass	700
1700	1790	1	RMS	1769.975	15.4	60	Pass	401
1790	3000	1	RMS	2869.892	-42.84	-13	Pass	1210
3000	6500	1	RMS	6181.909	-54.42	-13	Pass	3500
6500	20000	1	RMS	19999	-44.97	-13	Pass	13500



27. DC_5A_n66A_SCS15_20M_L_Inner Full(QPSK)

27.13. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.22	-13	Pass	401
0.15	30	0.01	RMS	0.18	-63.8	-13	Pass	2985
30	1000	0.1	RMS	829.498	-16.74	-13	N/A	9699
1000	1700	1	RMS	1700	-39.78	-13	Pass	700
1700	1790	1	RMS	1722.725	14.25	60	Pass	401
1790	3000	1	RMS	2869.892	-42.83	-13	Pass	1210
3000	6500	1	RMS	6054.873	-54.32	-13	Pass	3500
6500	20000	1	RMS	19882.978	-45.2	-13	Pass	13500



27. DC_5A_n66A_SCS15_20M_L_Inner Full(PI2 BPSK)

27.14. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-65.43	-13	Pass	401
0.15	30	0.01	RMS	0.19	-61.71	-13	Pass	2985
30	1000	0.1	RMS	829.498	-16.7	-13	N/A	9699
1000	1700	1	RMS	1700	-42.9	-13	Pass	700
1700	1790	1	RMS	1722.725	14.23	60	Pass	401
1790	3000	1	RMS	2877.899	-42.74	-13	Pass	1210
3000	6500	1	RMS	6135.896	-54.4	-13	Pass	3500
6500	20000	1	RMS	19912.984	-45.17	-13	Pass	13500



27. DC_5A_n66A_SCS15_20M_M_Inner Full(QPSK)

27.15. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-65.24	-13	Pass	401
0.15	30	0.01	RMS	0.77	-63.42	-13	Pass	2985
30	1000	0.1	RMS	838.299	-15.28	-13	N/A	9699
1000	1700	1	RMS	1659.943	-46.69	-13	Pass	700
1700	1790	1	RMS	1742.3	13.78	60	Pass	401
1790	3000	1	RMS	2867.891	-42.74	-13	Pass	1210
3000	6500	1	RMS	6059.874	-54.2	-13	Pass	3500
6500	20000	1	RMS	19993.999	-45.09	-13	Pass	13500



27. DC_5A_n66A_SCS15_20M_M_Inner Full(PI2 BPSK)

27.16. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-65.36	-13	Pass	401
0.15	30	0.01	RMS	0.29	-62.93	-13	Pass	2985
30	1000	0.1	RMS	838.299	-15.27	-13	N/A	9699
1000	1700	1	RMS	1684.979	-46.63	-13	Pass	700
1700	1790	1	RMS	1742.075	13.85	60	Pass	401
1790	3000	1	RMS	2876.898	-42.88	-13	Pass	1210
3000	6500	1	RMS	6045.87	-54.37	-13	Pass	3500
6500	20000	1	RMS	19988.998	-45.18	-13	Pass	13500



27. DC_5A_n66A_SCS15_20M_H_Inner Full(QPSK)

27.17. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.022	-66	-13	Pass	401
0.15	30	0.01	RMS	0.18	-63.26	-13	Pass	2985
30	1000	0.1	RMS	841.599	-16.5	-13	N/A	9699
1000	1700	1	RMS	1652.933	-46.66	-13	Pass	700
1700	1790	1	RMS	1765.925	14.26	60	Pass	401
1790	3000	1	RMS	1790	-40.76	-13	Pass	1210
3000	6500	1	RMS	6060.875	-54.3	-13	Pass	3500
6500	20000	1	RMS	19992.999	-45.1	-13	Pass	13500



27. DC_5A_n66A_SCS15_20M_H_Inner Full(PI2 BPSK)

27.18. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-65.45	-13	Pass	401
0.15	30	0.01	RMS	0.28	-63.37	-13	Pass	2985
30	1000	0.1	RMS	841.599	-16.41	-13	N/A	9699
1000	1700	1	RMS	1700	-46.7	-13	Pass	700
1700	1790	1	RMS	1766.825	14.19	60	Pass	401
1790	3000	1	RMS	2865.889	-42.84	-13	Pass	1210
3000	6500	1	RMS	6135.896	-54.38	-13	Pass	3500
6500	20000	1	RMS	19852.972	-45.35	-13	Pass	13500



28. DC_7A_n66A_SCS15_5M_L_Inner Full(QPSK)

28.1. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.88	-13	Pass	401
0.15	30	0.01	RMS	0.23	-69.53	-13	Pass	2985
30	1000	0.1	RMS	739.187	-61.36	-13	Pass	9699
1000	1700	1	RMS	1700	-52.36	-13	Pass	700
1700	1790	1	RMS	1712.375	19.55	60	Pass	401
1790	3000	1	RMS	2870.893	-49	-13	Pass	1210
3000	6500	1	RMS	3425.121	-58.57	-13	Pass	3500
6500	20000	1	RMS	19984.997	-51.44	-13	Pass	13500



28. DC_7A_n66A_SCS15_5M_L_Inner Full(PI2 BPSK)

28.2. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.74	-13	Pass	401
0.15	30	0.01	RMS	0.16	-69.15	-13	Pass	2985
30	1000	0.1	RMS	951.335	-61.34	-13	Pass	9699
1000	1700	1	RMS	1700	-52.59	-13	Pass	700
1700	1790	1	RMS	1712.375	19.61	60	Pass	401
1790	3000	1	RMS	2885.906	-49.03	-13	Pass	1210
3000	6500	1	RMS	3426.122	-59.01	-13	Pass	3500
6500	20000	1	RMS	19999	-51.24	-13	Pass	13500



28. DC_7A_n66A_SCS15_5M_M_Inner Full(QPSK)

28.3. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.95	-13	Pass	401
0.15	30	0.01	RMS	0.23	-69.43	-13	Pass	2985
30	1000	0.1	RMS	982.577	-61.26	-13	Pass	9699
1000	1700	1	RMS	1686.981	-52.81	-13	Pass	700
1700	1790	1	RMS	1745	19.71	60	Pass	401
1790	3000	1	RMS	2870.893	-48.97	-13	Pass	1210
3000	6500	1	RMS	3490.14	-56.93	-13	Pass	3500
6500	20000	1	RMS	19917.985	-51.7	-13	Pass	13500



28. DC_7A_n66A_SCS15_5M_M_Inner Full(PI2 BPSK)

28.4. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.17	-13	Pass	401
0.15	30	0.01	RMS	0.18	-67.04	-13	Pass	2985
30	1000	0.1	RMS	923.599	-61.76	-13	Pass	9699
1000	1700	1	RMS	1667.954	-52.76	-13	Pass	700
1700	1790	1	RMS	1745	19.72	60	Pass	401
1790	3000	1	RMS	2870.893	-48.91	-13	Pass	1210
3000	6500	1	RMS	3491.14	-56.91	-13	Pass	3500
6500	20000	1	RMS	19989.998	-51.21	-13	Pass	13500



28. DC_7A_n66A_SCS15_5M_H_Inner Full(QPSK)

28.5. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.2	-13	Pass	401
0.15	30	0.01	RMS	0.35	-70.61	-13	Pass	2985
30	1000	0.1	RMS	452.452	-61.31	-13	Pass	9699
1000	1700	1	RMS	1671.96	-52.85	-13	Pass	700
1700	1790	1	RMS	1777.4	19.76	60	Pass	401
1790	3000	1	RMS	2878.9	-49.01	-13	Pass	1210
3000	6500	1	RMS	3555.159	-58.38	-13	Pass	3500
6500	20000	1	RMS	19999	-51.26	-13	Pass	13500



28. DC_7A_n66A_SCS15_5M_H_Inner Full(PI2 BPSK)

28.6. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-67.29	-13	Pass	2985
30	1000	0.1	RMS	946.93	-61.18	-13	Pass	9699
1000	1700	1	RMS	1672.961	-52.8	-13	Pass	700
1700	1790	1	RMS	1777.4	19.79	60	Pass	401
1790	3000	1	RMS	2870.893	-49.03	-13	Pass	1210
3000	6500	1	RMS	3554.158	-58.78	-13	Pass	3500
6500	20000	1	RMS	19995.999	-51.44	-13	Pass	13500



28. DC_7A_n66A_SCS15_15M_L_Inner Full(QPSK)

28.7. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.94	-13	Pass	401
0.15	30	0.01	RMS	0.25	-68.48	-13	Pass	2985
30	1000	0.1	RMS	900.869	-61.58	-13	Pass	9699
1000	1700	1	RMS	1700	-43.48	-13	Pass	700
1700	1790	1	RMS	1718.675	15.21	60	Pass	401
1790	3000	1	RMS	2878.9	-48.9	-13	Pass	1210
3000	6500	1	RMS	6051.872	-60.67	-13	Pass	3500
6500	20000	1	RMS	19996.999	-51.34	-13	Pass	13500



28. DC_7A_n66A_SCS15_15M_L_Inner Full(PI2 BPSK)

28.8. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.23	-13	Pass	401
0.15	30	0.01	RMS	0.24	-70.2	-13	Pass	2985
30	1000	0.1	RMS	966.255	-61.02	-13	Pass	9699
1000	1700	1	RMS	1700	-46.51	-13	Pass	700
1700	1790	1	RMS	1719.125	15.17	60	Pass	401
1790	3000	1	RMS	2870.893	-48.99	-13	Pass	1210
3000	6500	1	RMS	3437.125	-59.83	-13	Pass	3500
6500	20000	1	RMS	19996.999	-51.1	-13	Pass	13500



28. DC_7A_n66A_SCS15_15M_M_Inner Full(QPSK)

28.9. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.72	-13	Pass	401
0.15	30	0.01	RMS	0.22	-69.77	-13	Pass	2985
30	1000	0.1	RMS	967.257	-60.81	-13	Pass	9699
1000	1700	1	RMS	1690.987	-52.8	-13	Pass	700
1700	1790	1	RMS	1742.075	15.15	60	Pass	401
1790	3000	1	RMS	2882.903	-49.02	-13	Pass	1210
3000	6500	1	RMS	3489.14	-59.64	-13	Pass	3500
6500	20000	1	RMS	19998	-51.05	-13	Pass	13500



28. DC_7A_n66A_SCS15_15M_M_Inner Full(PI2 BPSK)

28.10. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.03	-13	Pass	401
0.15	30	0.01	RMS	0.36	-70.11	-13	Pass	2985
30	1000	0.1	RMS	708.683	-61.48	-13	Pass	9699
1000	1700	1	RMS	1700	-52.76	-13	Pass	700
1700	1790	1	RMS	1746.35	14.97	60	Pass	401
1790	3000	1	RMS	2872.895	-49.09	-13	Pass	1210
3000	6500	1	RMS	3492.141	-58.06	-13	Pass	3500
6500	20000	1	RMS	19996.999	-51.38	-13	Pass	13500



28. DC_7A_n66A_SCS15_15M_H_Inner Full(QPSK)

28.11. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.81	-13	Pass	401
0.15	30	0.01	RMS	0.18	-67.94	-13	Pass	2985
30	1000	0.1	RMS	883.946	-61.34	-13	Pass	9699
1000	1700	1	RMS	1658.941	-52.74	-13	Pass	700
1700	1790	1	RMS	1769.525	15.26	60	Pass	401
1790	3000	1	RMS	1790	-44.1	-13	Pass	1210
3000	6500	1	RMS	3543.155	-60.13	-13	Pass	3500
6500	20000	1	RMS	20000	-51.25	-13	Pass	13500



28. DC_7A_n66A_SCS15_15M_H_Inner Full(PI2 BPSK)

28.12. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.98	-13	Pass	2985
30	1000	0.1	RMS	891.456	-61.31	-13	Pass	9699
1000	1700	1	RMS	1693.991	-52.76	-13	Pass	700
1700	1790	1	RMS	1769.525	15.06	60	Pass	401
1790	3000	1	RMS	1790	-47.21	-13	Pass	1210
3000	6500	1	RMS	3540.154	-58.7	-13	Pass	3500
6500	20000	1	RMS	19995.999	-50.86	-13	Pass	13500



28. DC_7A_n66A_SCS15_20M_L_Inner Full(QPSK)

28.13. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.7	-13	Pass	401
0.15	30	0.01	RMS	0.17	-69.02	-13	Pass	2985
30	1000	0.1	RMS	933.412	-61.38	-13	Pass	9699
1000	1700	1	RMS	1700	-40.78	-13	Pass	700
1700	1790	1	RMS	1721.15	13.88	60	Pass	401
1790	3000	1	RMS	2874.897	-49.03	-13	Pass	1210
3000	6500	1	RMS	6074.879	-60.62	-13	Pass	3500
6500	20000	1	RMS	19918.985	-51.39	-13	Pass	13500



28. DC_7A_n66A_SCS15_20M_L_Inner Full(PI2 BPSK)

28.14. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-67.72	-13	Pass	2985
30	1000	0.1	RMS	826.497	-61.73	-13	Pass	9699
1000	1700	1	RMS	1700	-44.72	-13	Pass	700
1700	1790	1	RMS	1722.5	13.83	60	Pass	401
1790	3000	1	RMS	2872.895	-48.93	-13	Pass	1210
3000	6500	1	RMS	3434.124	-60.29	-13	Pass	3500
6500	20000	1	RMS	19998	-51.02	-13	Pass	13500



28. DC_7A_n66A_SCS15_20M_M_Inner Full(QPSK)

28.15. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.08	-13	Pass	401
0.15	30	0.01	RMS	0.23	-70.03	-13	Pass	2985
30	1000	0.1	RMS	490.356	-61.37	-13	Pass	9699
1000	1700	1	RMS	1700	-52.39	-13	Pass	700
1700	1790	1	RMS	1740.95	13.69	60	Pass	401
1790	3000	1	RMS	2868.892	-48.9	-13	Pass	1210
3000	6500	1	RMS	3490.14	-59.87	-13	Pass	3500
6500	20000	1	RMS	19995.999	-51.41	-13	Pass	13500



28. DC_7A_n66A_SCS15_20M_M_Inner Full(PI2 BPSK)

28.16. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-73.07	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.4	-13	Pass	2985
30	1000	0.1	RMS	909.981	-61	-13	Pass	9699
1000	1700	1	RMS	1657.94	-52.71	-13	Pass	700
1700	1790	1	RMS	1741.175	13.85	60	Pass	401
1790	3000	1	RMS	2884.905	-48.94	-13	Pass	1210
3000	6500	1	RMS	3493.141	-57.34	-13	Pass	3500
6500	20000	1	RMS	19998	-51.62	-13	Pass	13500



28. DC_7A_n66A_SCS15_20M_H_Inner Full(QPSK)

28.17. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.7	-13	Pass	401
0.15	30	0.01	RMS	0.41	-69.75	-13	Pass	2985
30	1000	0.1	RMS	940.221	-61.07	-13	Pass	9699
1000	1700	1	RMS	1690.987	-52.81	-13	Pass	700
1700	1790	1	RMS	1765.925	14.17	60	Pass	401
1790	3000	1	RMS	1790	-42.59	-13	Pass	1210
3000	6500	1	RMS	6058.874	-60.37	-13	Pass	3500
6500	20000	1	RMS	19993.999	-51.46	-13	Pass	13500



28. DC_7A_n66A_SCS15_20M_H_Inner Full(PI2 BPSK)

28.18. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.19	-13	Pass	2985
30	1000	0.1	RMS	893.559	-61.68	-13	Pass	9699
1000	1700	1	RMS	1691.989	-52.78	-13	Pass	700
1700	1790	1	RMS	1765.925	14.34	60	Pass	401
1790	3000	1	RMS	1790	-45.99	-13	Pass	1210
3000	6500	1	RMS	3543.155	-59.39	-13	Pass	3500
6500	20000	1	RMS	19916.984	-51.47	-13	Pass	13500



29. DC_12A_n66A_SCS15_5M_L_Inner Full(QPSK)

29.1. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-65.86	-13	Pass	401
0.15	30	0.01	RMS	0.24	-62.75	-13	Pass	2985
30	1000	0.1	RMS	702.182	-14.6	-13	N/A	9699
1000	1700	1	RMS	1691.989	-46.69	-13	Pass	700
1700	1790	1	RMS	1712.6	19.81	60	Pass	401
1790	3000	1	RMS	2879.901	-42.85	-13	Pass	1210
3000	6500	1	RMS	6062.875	-54.31	-13	Pass	3500
6500	20000	1	RMS	19891.98	-45.43	-13	Pass	13500



29. DC_12A_n66A_SCS15_5M_L_Inner Full(PI2 BPSK)

29.2. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-63.91	-13	Pass	401
0.15	30	0.01	RMS	0.33	-62.73	-13	Pass	2985
30	1000	0.1	RMS	702.182	-14.54	-13	N/A	9699
1000	1700	1	RMS	1697.997	-46.66	-13	Pass	700
1700	1790	1	RMS	1712.375	19.8	60	Pass	401
1790	3000	1	RMS	2870.893	-42.77	-13	Pass	1210
3000	6500	1	RMS	6060.875	-54.33	-13	Pass	3500
6500	20000	1	RMS	19998	-45.33	-13	Pass	13500



29. DC_12A_n66A_SCS15_5M_M_Inner Full(QPSK)

29.3. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-66.21	-13	Pass	401
0.15	30	0.01	RMS	0.22	-63.28	-13	Pass	2985
30	1000	0.1	RMS	703.682	-15.96	-13	N/A	9699
1000	1700	1	RMS	1676.967	-46.73	-13	Pass	700
1700	1790	1	RMS	1745	19.84	60	Pass	401
1790	3000	1	RMS	2877.899	-42.91	-13	Pass	1210
3000	6500	1	RMS	6051.872	-54.44	-13	Pass	3500
6500	20000	1	RMS	19996.999	-45.43	-13	Pass	13500



29. DC_12A_n66A_SCS15_5M_M_Inner Full(PI2 BPSK)

29.4. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.32	-13	Pass	401
0.15	30	0.01	RMS	0.19	-62.75	-13	Pass	2985
30	1000	0.1	RMS	705.082	-15.93	-13	N/A	9699
1000	1700	1	RMS	1687.983	-46.7	-13	Pass	700
1700	1790	1	RMS	1745	19.81	60	Pass	401
1790	3000	1	RMS	2873.896	-42.67	-13	Pass	1210
3000	6500	1	RMS	6149.9	-54.31	-13	Pass	3500
6500	20000	1	RMS	19990.998	-44.97	-13	Pass	13500



29. DC_12A_n66A_SCS15_5M_H_Inner Full(QPSK)

29.5. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-65.87	-13	Pass	401
0.15	30	0.01	RMS	0.19	-62.61	-13	Pass	2985
30	1000	0.1	RMS	712.283	-15.64	-13	N/A	9699
1000	1700	1	RMS	1676.967	-46.7	-13	Pass	700
1700	1790	1	RMS	1777.4	19.84	60	Pass	401
1790	3000	1	RMS	2869.892	-42.89	-13	Pass	1210
3000	6500	1	RMS	6187.911	-54.48	-13	Pass	3500
6500	20000	1	RMS	19999	-45.3	-13	Pass	13500



29. DC_12A_n66A_SCS15_5M_H_Inner Full(PI2 BPSK)

29.6. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-66.38	-13	Pass	401
0.15	30	0.01	RMS	0.22	-62.86	-13	Pass	2985
30	1000	0.1	RMS	712.283	-15.58	-13	N/A	9699
1000	1700	1	RMS	1689.986	-46.74	-13	Pass	700
1700	1790	1	RMS	1777.4	19.81	60	Pass	401
1790	3000	1	RMS	2871.894	-42.88	-13	Pass	1210
3000	6500	1	RMS	6059.874	-54.5	-13	Pass	3500
6500	20000	1	RMS	19999	-45.34	-13	Pass	13500



29. DC_12A_n66A_SCS15_15M_L_Inner Full(QPSK)

29.7. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-65.22	-13	Pass	401
0.15	30	0.01	RMS	0.22	-64.84	-13	Pass	2985
30	1000	0.1	RMS	702.182	-14.67	-13	N/A	9699
1000	1700	1	RMS	1700	-41.8	-13	Pass	700
1700	1790	1	RMS	1718.675	15.54	60	Pass	401
1790	3000	1	RMS	2874.897	-42.91	-13	Pass	1210
3000	6500	1	RMS	6060.875	-54.34	-13	Pass	3500
6500	20000	1	RMS	19961.993	-45.41	-13	Pass	13500



29. DC_12A_n66A_SCS15_15M_L_Inner Full(PI2 BPSK)

29.8. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-65.04	-13	Pass	401
0.15	30	0.01	RMS	0.21	-62.04	-13	Pass	2985
30	1000	0.1	RMS	702.182	-14.64	-13	N/A	9699
1000	1700	1	RMS	1700	-43.89	-13	Pass	700
1700	1790	1	RMS	1718.9	15.39	60	Pass	401
1790	3000	1	RMS	2867.891	-42.82	-13	Pass	1210
3000	6500	1	RMS	6190.912	-54.52	-13	Pass	3500
6500	20000	1	RMS	19993.999	-44.95	-13	Pass	13500



29. DC_12A_n66A_SCS15_15M_M_Inner Full(QPSK)

29.9. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-65.87	-13	Pass	401
0.15	30	0.01	RMS	0.16	-64.09	-13	Pass	2985
30	1000	0.1	RMS	704.782	-16	-13	N/A	9699
1000	1700	1	RMS	1694.993	-46.7	-13	Pass	700
1700	1790	1	RMS	1746.125	15.2	60	Pass	401
1790	3000	1	RMS	2875.897	-42.65	-13	Pass	1210
3000	6500	1	RMS	6050.872	-54.33	-13	Pass	3500
6500	20000	1	RMS	19994.999	-45.17	-13	Pass	13500



29. DC_12A_n66A_SCS15_15M_M_Inner Full(PI2 BPSK)

29.10. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-66.37	-13	Pass	401
0.15	30	0.01	RMS	0.17	-63.79	-13	Pass	2985
30	1000	0.1	RMS	703.282	-14.1	-13	N/A	9699
1000	1700	1	RMS	1700	-46.73	-13	Pass	700
1700	1790	1	RMS	1742.3	15.23	60	Pass	401
1790	3000	1	RMS	2877.899	-42.9	-13	Pass	1210
3000	6500	1	RMS	6058.874	-54.44	-13	Pass	3500
6500	20000	1	RMS	19933.988	-45.19	-13	Pass	13500



29. DC_12A_n66A_SCS15_15M_H_Inner Full(QPSK)

29.11. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-65.71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-62.87	-13	Pass	2985
30	1000	0.1	RMS	706.783	-15.35	-13	N/A	9699
1000	1700	1	RMS	1658.941	-46.68	-13	Pass	700
1700	1790	1	RMS	1769.75	15.31	60	Pass	401
1790	3000	1	RMS	1790	-41.45	-13	Pass	1210
3000	6500	1	RMS	6098.885	-54.48	-13	Pass	3500
6500	20000	1	RMS	19919.985	-45.25	-13	Pass	13500



29. DC_12A_n66A_SCS15_15M_H_Inner Full(PI2 BPSK)

29.12. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.23	-13	Pass	401
0.15	30	0.01	RMS	0.2	-62.56	-13	Pass	2985
30	1000	0.1	RMS	712.283	-15.5	-13	N/A	9699
1000	1700	1	RMS	1669.957	-46.71	-13	Pass	700
1700	1790	1	RMS	1769.75	15.42	60	Pass	401
1790	3000	1	RMS	2871.894	-42.9	-13	Pass	1210
3000	6500	1	RMS	6062.875	-54.24	-13	Pass	3500
6500	20000	1	RMS	19906.982	-45.53	-13	Pass	13500



29. DC_12A_n66A_SCS15_20M_L_Inner Full(QPSK)

29.13. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-65.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-62.49	-13	Pass	2985
30	1000	0.1	RMS	702.182	-14.57	-13	N/A	9699
1000	1700	1	RMS	1700	-39.75	-13	Pass	700
1700	1790	1	RMS	1722.95	14.23	60	Pass	401
1790	3000	1	RMS	2868.892	-42.88	-13	Pass	1210
3000	6500	1	RMS	6062.875	-54.26	-13	Pass	3500
6500	20000	1	RMS	19992.999	-45.43	-13	Pass	13500



29. DC_12A_n66A_SCS15_20M_L_Inner Full(PI2 BPSK)

29.14. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-65.39	-13	Pass	401
0.15	30	0.01	RMS	0.2	-63.85	-13	Pass	2985
30	1000	0.1	RMS	702.182	-14.62	-13	N/A	9699
1000	1700	1	RMS	1700	-42.74	-13	Pass	700
1700	1790	1	RMS	1722.725	14.27	60	Pass	401
1790	3000	1	RMS	2877.899	-42.88	-13	Pass	1210
3000	6500	1	RMS	6085.882	-54.52	-13	Pass	3500
6500	20000	1	RMS	20000	-45.22	-13	Pass	13500



29. DC_12A_n66A_SCS15_20M_M_Inner Full(QPSK)

29.15. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-65.45	-13	Pass	401
0.15	30	0.01	RMS	0.45	-64.04	-13	Pass	2985
30	1000	0.1	RMS	705.082	-15.94	-13	N/A	9699
1000	1700	1	RMS	1696.996	-46.7	-13	Pass	700
1700	1790	1	RMS	1742.3	13.79	60	Pass	401
1790	3000	1	RMS	2880.902	-42.92	-13	Pass	1210
3000	6500	1	RMS	6168.905	-54.38	-13	Pass	3500
6500	20000	1	RMS	19901.982	-45.26	-13	Pass	13500



29. DC_12A_n66A_SCS15_20M_M_Inner Full(PI2 BPSK)

29.16. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-66.39	-13	Pass	401
0.15	30	0.01	RMS	0.15	-63.26	-13	Pass	2985
30	1000	0.1	RMS	705.082	-15.89	-13	N/A	9699
1000	1700	1	RMS	1657.94	-46.66	-13	Pass	700
1700	1790	1	RMS	1742.075	13.89	60	Pass	401
1790	3000	1	RMS	2874.897	-42.84	-13	Pass	1210
3000	6500	1	RMS	6061.875	-54.42	-13	Pass	3500
6500	20000	1	RMS	19981.997	-45.41	-13	Pass	13500



29. DC_12A_n66A_SCS15_20M_H_Inner Full(QPSK)

29.17. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-67.12	-13	Pass	401
0.15	30	0.01	RMS	0.2	-63.25	-13	Pass	2985
30	1000	0.1	RMS	712.283	-15.47	-13	N/A	9699
1000	1700	1	RMS	1700	-46.73	-13	Pass	700
1700	1790	1	RMS	1765.925	14.25	60	Pass	401
1790	3000	1	RMS	1790	-40.88	-13	Pass	1210
3000	6500	1	RMS	6060.875	-54.46	-13	Pass	3500
6500	20000	1	RMS	19994.999	-45.19	-13	Pass	13500



29. DC_12A_n66A_SCS15_20M_H_Inner Full(PI2 BPSK)

29.18. FCC-NR Spurious Emission at Antenna Terminals(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-67.24	-13	Pass	401
0.15	30	0.01	RMS	0.27	-63.48	-13	Pass	2985
30	1000	0.1	RMS	712.283	-15.48	-13	N/A	9699
1000	1700	1	RMS	1700	-46.74	-13	Pass	700
1700	1790	1	RMS	1766.825	14.18	60	Pass	401
1790	3000	1	RMS	2871.894	-42.86	-13	Pass	1210
3000	6500	1	RMS	6061.875	-54.39	-13	Pass	3500
6500	20000	1	RMS	19990.998	-45.2	-13	Pass	13500



END