



17.15. LTE Band Edge(NTNV)(Subtest:15, Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2610	2620	0.1	RMS	2619.425	19.97	30	Pass	401
2620	2621	0.2	RMS	2620	-18.1	-10	Pass	401
2621	2625	1	RMS	2621	-30.34	-10	Pass	5
2625	2630	1	RMS	2625.013	-39.82	-13	Pass	401
2630	2645	1	RMS	2630.038	-44.97	-25	Pass	401




17.16. LTE Band Edge(NTNV)(Subtest:16, Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2610	2620	0.1	RMS	2618.75	2.33	30	Pass	401
2620	2621	0.2	RMS	2620.018	-30.62	-10	Pass	401
2621	2625	1	RMS	2621	-28.41	-10	Pass	5
2625	2630	1	RMS	2625.075	-32.82	-13	Pass	401
2630	2645	1	RMS	2630.038	-37.54	-25	Pass	401




17.17. LTE Band Edge(NTNV)(Subtest:17, Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2555	1	RMS	2554.95	-43.86	-25	Pass	401
2555	2565	1	RMS	2564.225	-35.03	-13	Pass	401
2565	2569	1	RMS	2569	-29.51	-10	Pass	5
2569	2570	0.3	RMS	2569.998	-19.68	-10	Pass	401
2570	2585	0.1	RMS	2570.825	19.9	30	Pass	401




17.18. LTE Band Edge(NTNV)(Subtest:18, Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2555	1	RMS	2553.6	-39.28	-25	Pass	401
2555	2565	1	RMS	2564.975	-33.86	-13	Pass	401
2565	2569	1	RMS	2568	-31.1	-10	Pass	5
2569	2570	0.3	RMS	2569.998	-32.67	-10	Pass	401
2570	2585	0.1	RMS	2572.813	1.18	30	Pass	401




17.19. LTE Band Edge(NTNV)(Subtest:19, Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2555	1	RMS	2554.9	-43.15	-25	Pass	401
2555	2565	1	RMS	2564.3	-35.05	-13	Pass	401
2565	2569	1	RMS	2569	-29.54	-10	Pass	5
2569	2570	0.3	RMS	2569.998	-19.95	-10	Pass	401
2570	2585	0.1	RMS	2570.863	19.18	30	Pass	401




17.20. LTE Band Edge(NTNV)(Subtest:20, Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2555	1	RMS	2554.25	-40.53	-25	Pass	401
2555	2565	1	RMS	2564.975	-33.79	-13	Pass	401
2565	2569	1	RMS	2569	-30.13	-10	Pass	5
2569	2570	0.3	RMS	2570	-31.48	-10	Pass	401
2570	2585	0.1	RMS	2583.275	-0.24	30	Pass	401




17.21. LTE Band Edge(NTNV)(Subtest:21, Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2605	2620	0.1	RMS	2619.175	20.81	30	Pass	401
2620	2621	0.3	RMS	2620.003	-19.09	-10	Pass	401
2621	2625	1	RMS	2621	-30.27	-10	Pass	5
2625	2635	1	RMS	2625.725	-34.23	-13	Pass	401
2635	2645	1	RMS	2635.15	-44.73	-25	Pass	401




17.22. LTE Band Edge(NTNV)(Subtest:22, Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2605	2620	0.1	RMS	2618.725	2.03	30	Pass	401
2620	2621	0.3	RMS	2620.008	-30.73	-10	Pass	401
2621	2625	1	RMS	2621	-29.03	-10	Pass	5
2625	2635	1	RMS	2625.075	-32.07	-13	Pass	401
2635	2645	1	RMS	2635.85	-38.14	-25	Pass	401




17.23. LTE Band Edge(NTNV)(Subtest:23, Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2605	2620	0.1	RMS	2619.138	19.19	30	Pass	401
2620	2621	0.3	RMS	2620.005	-20.21	-10	Pass	401
2621	2625	1	RMS	2621	-32.25	-10	Pass	5
2625	2635	1	RMS	2625.525	-36.73	-13	Pass	401
2635	2645	1	RMS	2635.6	-45.83	-25	Pass	401




17.24. LTE Band Edge(NTNV)(Subtest:24, Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2605	2620	0.1	RMS	2610.4	0.73	30	Pass	401
2620	2621	0.3	RMS	2620.01	-31.14	-10	Pass	401
2621	2625	1	RMS	2621	-29.63	-10	Pass	5
2625	2635	1	RMS	2625.2	-33.01	-13	Pass	401
2635	2645	1	RMS	2635.325	-38.85	-25	Pass	401




17.25. LTE Band Edge(NTNV)(Subtest:25, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2550	1	RMS	2549.888	-44.88	-25	Pass	401
2550	2565	1	RMS	2562.225	-34.86	-13	Pass	401
2565	2569	1	RMS	2569	-29.9	-10	Pass	5
2569	2570	0.51	RMS	2569.995	-19.34	-10	Pass	401
2570	2590	0.1	RMS	2571.1	19.67	30	Pass	401




17.26. LTE Band Edge(NTNV)(Subtest:26, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2550	1	RMS	2549.95	-41.51	-25	Pass	401
2550	2565	1	RMS	2564.85	-34.65	-13	Pass	401
2565	2569	1	RMS	2569	-31.66	-10	Pass	5
2569	2570	0.51	RMS	2569.998	-31.26	-10	Pass	401
2570	2590	0.1	RMS	2584.95	0.06	30	Pass	401




17.27. LTE Band Edge(NTNV)(Subtest:27, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2550	1	RMS	2550	-44.25	-25	Pass	401
2550	2565	1	RMS	2564.888	-35.16	-13	Pass	401
2565	2569	1	RMS	2569	-29.41	-10	Pass	5
2569	2570	0.51	RMS	2570	-18.37	-10	Pass	401
2570	2590	0.1	RMS	2571.1	19.4	30	Pass	401




17.28. LTE Band Edge(NTNV)(Subtest:28, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2550	1	RMS	2549.938	-41.59	-25	Pass	401
2550	2565	1	RMS	2564.888	-34.31	-13	Pass	401
2565	2569	1	RMS	2569	-31.79	-10	Pass	5
2569	2570	0.51	RMS	2569.973	-31.49	-10	Pass	401
2570	2590	0.1	RMS	2585.9	-0.86	30	Pass	401




17.29. LTE Band Edge(NTNV)(Subtest:29, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2600	2620	0.1	RMS	2618.95	20.42	30	Pass	401
2620	2621	0.51	RMS	2620.008	-19.05	-10	Pass	401
2621	2625	1	RMS	2621	-31.64	-10	Pass	5
2625	2640	1	RMS	2627.813	-35.87	-13	Pass	401
2640	2645	1	RMS	2640.038	-46.34	-25	Pass	401




17.30. LTE Band Edge(NTNV)(Subtest:30, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2600	2620	0.1	RMS	2614.7	0.14	30	Pass	401
2620	2621	0.51	RMS	2620	-30.77	-10	Pass	401
2621	2625	1	RMS	2621	-31.7	-10	Pass	5
2625	2640	1	RMS	2625.038	-33.44	-13	Pass	401
2640	2645	1	RMS	2640.113	-40.2	-25	Pass	401




17.31. LTE Band Edge(NTNV)(Subtest:31, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2600	2620	0.1	RMS	2618.95	19.16	30	Pass	401
2620	2621	0.51	RMS	2620	-19.48	-10	Pass	401
2621	2625	1	RMS	2621	-31.16	-10	Pass	5
2625	2640	1	RMS	2627.775	-37.16	-13	Pass	401
2640	2645	1	RMS	2640.013	-46.17	-25	Pass	401



17.32. LTE Band Edge(NTNV)(Subtest:32, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2600	2620	0.1	RMS	2612.9	-0.44	30	Pass	401
2620	2621	0.51	RMS	2620.003	-31.5	-10	Pass	401
2621	2625	1	RMS	2621	-31.84	-10	Pass	5
2625	2640	1	RMS	2625.45	-33.51	-13	Pass	401
2640	2645	1	RMS	2640.075	-39.94	-25	Pass	401



18. LTE_Band41 full


18.1. LTE Band Edge(NTNV)(Subtest:1, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2471	2490	1	RMS	2489.858	-44.06	-25	Pass	401
2490	2491	1	RMS	2490.943	-40.05	-13	Pass	401
2491	2495	1	RMS	2495	-28.24	-10	Pass	5
2495	2496	0.1	RMS	2495.993	-15.55	-10	Pass	401
2496	2501	0.1	RMS	2496.35	20.38	30	Pass	401




18.2. LTE Band Edge(NTNV)(Subtest:2, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2471	2490	1	RMS	2489.715	-37.88	-25	Pass	401
2490	2491	1	RMS	2490.908	-34.38	-13	Pass	401
2491	2495	1	RMS	2495	-29.72	-10	Pass	5
2495	2496	0.1	RMS	2495.995	-27.83	-10	Pass	401
2496	2501	0.1	RMS	2497.688	6.07	30	Pass	401




18.3. LTE Band Edge(NTNV)(Subtest:3, Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2471	2490	1	RMS	2490	-44.85	-25	Pass	401
2490	2491	1	RMS	2491	-40.49	-13	Pass	401
2491	2495	1	RMS	2495	-28.82	-10	Pass	5
2495	2496	0.1	RMS	2496	-16.29	-10	Pass	401
2496	2501	0.1	RMS	2496.338	19.38	30	Pass	401




18.4. LTE Band Edge(NTNV)(Subtest:4, Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2471	2490	1	RMS	2489.905	-38.04	-25	Pass	401
2490	2491	1	RMS	2490.775	-33.67	-13	Pass	401
2491	2495	1	RMS	2495	-30.55	-10	Pass	5
2495	2496	0.1	RMS	2495.993	-29.23	-10	Pass	401
2496	2501	0.1	RMS	2499.313	4.44	30	Pass	401



18.5. LTE Band Edge(NTNV)(Subtest:5, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2685	2690	0.1	RMS	2689.675	19.96	30	Pass	401
2690	2691	0.1	RMS	2690	-14.46	-10	Pass	401
2691	2695	1	RMS	2691	-26.7	-10	Pass	5
2695	2696	1	RMS	2695.01	-38.6	-13	Pass	401
2696	2715	1	RMS	2696.048	-43.22	-25	Pass	401




18.6. LTE Band Edge(NTNV)(Subtest:6, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2685	2690	0.1	RMS	2687.55	5.8	30	Pass	401
2690	2691	0.1	RMS	2690.003	-27.98	-10	Pass	401
2691	2695	1	RMS	2691	-28.55	-10	Pass	5
2695	2696	1	RMS	2695.14	-32.52	-13	Pass	401
2696	2715	1	RMS	2696.048	-34.75	-25	Pass	401



18.7. LTE Band Edge(NTNV)(Subtest:7, Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2685	2690	0.1	RMS	2689.65	19.61	30	Pass	401
2690	2691	0.1	RMS	2690	-14.09	-10	Pass	401
2691	2695	1	RMS	2691	-27.69	-10	Pass	5
2695	2696	1	RMS	2695.003	-39.33	-13	Pass	401
2696	2715	1	RMS	2696	-43.14	-25	Pass	401




18.8. LTE Band Edge(NTNV)(Subtest:8, Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2685	2690	0.1	RMS	2688.988	5.12	30	Pass	401
2690	2691	0.1	RMS	2690	-29.24	-10	Pass	401
2691	2695	1	RMS	2691	-30.21	-10	Pass	5
2695	2696	1	RMS	2695.253	-32.82	-13	Pass	401
2696	2715	1	RMS	2696.238	-35.52	-25	Pass	401




18.9. LTE Band Edge(NTNV)(Subtest:9, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2471	2486	1	RMS	2485.963	-42.64	-25	Pass	401
2486	2491	1	RMS	2490.813	-37.79	-13	Pass	401
2491	2495	1	RMS	2495	-28.45	-10	Pass	5
2495	2496	0.2	RMS	2495.993	-18.74	-10	Pass	401
2496	2506	0.1	RMS	2496.6	20.23	30	Pass	401




18.10. LTE Band Edge(NTNV)(Subtest:10, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2471	2486	1	RMS	2485.963	-40.05	-25	Pass	401
2486	2491	1	RMS	2490.825	-32.26	-13	Pass	401
2491	2495	1	RMS	2495	-32.27	-10	Pass	5
2495	2496	0.2	RMS	2495.998	-31.98	-10	Pass	401
2496	2506	0.1	RMS	2499.35	2.63	30	Pass	401




18.11. LTE Band Edge(NTNV)(Subtest:11, Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2471	2486	1	RMS	2485.888	-42.01	-25	Pass	401
2486	2491	1	RMS	2491	-36.96	-13	Pass	401
2491	2495	1	RMS	2495	-28.51	-10	Pass	5
2495	2496	0.2	RMS	2496	-18.97	-10	Pass	401
2496	2506	0.1	RMS	2496.6	19.73	30	Pass	401




18.12. LTE Band Edge(NTNV)(Subtest:12, Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2471	2486	1	RMS	2485.963	-39.69	-25	Pass	401
2486	2491	1	RMS	2490.638	-31.72	-13	Pass	401
2491	2495	1	RMS	2495	-32.63	-10	Pass	5
2495	2496	0.2	RMS	2495.978	-32.97	-10	Pass	401
2496	2506	0.1	RMS	2499.35	2.08	30	Pass	401




18.13. LTE Band Edge(NTNV)(Subtest:13, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2680	2690	0.1	RMS	2689.4	19.74	30	Pass	401
2690	2691	0.2	RMS	2690.003	-16.86	-10	Pass	401
2691	2695	1	RMS	2691	-29.59	-10	Pass	5
2695	2700	1	RMS	2695.038	-40.81	-13	Pass	401
2700	2715	1	RMS	2700.038	-46.19	-25	Pass	401




18.14. LTE Band Edge(NTNV)(Subtest:14, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2680	2690	0.1	RMS	2683.825	2.54	30	Pass	401
2690	2691	0.2	RMS	2690.01	-31.49	-10	Pass	401
2691	2695	1	RMS	2691	-32.3	-10	Pass	5
2695	2700	1	RMS	2695.363	-32.15	-13	Pass	401
2700	2715	1	RMS	2700.413	-36.61	-25	Pass	401




18.15. LTE Band Edge(NTNV)(Subtest:15, Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2680	2690	0.1	RMS	2689.4	19.3	30	Pass	401
2690	2691	0.2	RMS	2690	-19.24	-10	Pass	401
2691	2695	1	RMS	2691	-31.46	-10	Pass	5
2695	2700	1	RMS	2695.038	-41.54	-13	Pass	401
2700	2715	1	RMS	2700.113	-47.15	-25	Pass	401




18.16. LTE Band Edge(NTNV)(Subtest:16, Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2680	2690	0.1	RMS	2683.225	2	30	Pass	401
2690	2691	0.2	RMS	2690.038	-32.63	-10	Pass	401
2691	2695	1	RMS	2691	-33.33	-10	Pass	5
2695	2700	1	RMS	2695.1	-31.32	-13	Pass	401
2700	2715	1	RMS	2700.525	-37.54	-25	Pass	401




18.17. LTE Band Edge(NTNV)(Subtest:17, Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2471	2481	1	RMS	2480.875	-44.58	-25	Pass	401
2481	2491	1	RMS	2490.475	-35.71	-13	Pass	401
2491	2495	1	RMS	2495	-29.85	-10	Pass	5
2495	2496	0.3	RMS	2495.995	-19.12	-10	Pass	401
2496	2511	0.1	RMS	2496.825	20.28	30	Pass	401




18.18. LTE Band Edge(NTNV)(Subtest:18, Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2471	2481	1	RMS	2480.85	-41.75	-25	Pass	401
2481	2491	1	RMS	2490.275	-35.35	-13	Pass	401
2491	2495	1	RMS	2495	-34.88	-10	Pass	5
2495	2496	0.3	RMS	2495.973	-33.95	-10	Pass	401
2496	2511	0.1	RMS	2498.775	1	30	Pass	401




18.19. LTE Band Edge(NTNV)(Subtest:19, Channel:39725, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2471	2481	1	RMS	2480.6	-43.92	-25	Pass	401
2481	2491	1	RMS	2490.95	-35.42	-13	Pass	401
2491	2495	1	RMS	2495	-29.94	-10	Pass	5
2495	2496	0.3	RMS	2495.998	-19.64	-10	Pass	401
2496	2511	0.1	RMS	2496.825	19.41	30	Pass	401




18.20. LTE Band Edge(NTNV)(Subtest:20, Channel:39725, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2471	2481	1	RMS	2480.8	-42.42	-25	Pass	401
2481	2491	1	RMS	2489.925	-34.73	-13	Pass	401
2491	2495	1	RMS	2495	-34.04	-10	Pass	5
2495	2496	0.3	RMS	2495.995	-33.46	-10	Pass	401
2496	2511	0.1	RMS	2509.238	0.53	30	Pass	401




18.21. LTE Band Edge(NTNV)(Subtest:21, Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2675	2690	0.1	RMS	2689.138	20.09	30	Pass	401
2690	2691	0.3	RMS	2690	-19.69	-10	Pass	401
2691	2695	1	RMS	2691	-30.31	-10	Pass	5
2695	2705	1	RMS	2695.3	-37.96	-13	Pass	401
2705	2715	1	RMS	2705.05	-46.58	-25	Pass	401




18.22. LTE Band Edge(NTNV)(Subtest:22, Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2675	2690	0.1	RMS	2678.15	1.25	30	Pass	401
2690	2691	0.3	RMS	2690.003	-32.26	-10	Pass	401
2691	2695	1	RMS	2691	-33.51	-10	Pass	5
2695	2705	1	RMS	2695.925	-32.81	-13	Pass	401
2705	2715	1	RMS	2705.575	-37.8	-25	Pass	401




18.23. LTE Band Edge(NTNV)(Subtest:23, Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2675	2690	0.1	RMS	2689.138	19.17	30	Pass	401
2690	2691	0.3	RMS	2690.008	-20.6	-10	Pass	401
2691	2695	1	RMS	2691	-32.42	-10	Pass	5
2695	2705	1	RMS	2695.375	-39.72	-13	Pass	401
2705	2715	1	RMS	2705.125	-47.25	-25	Pass	401




18.24. LTE Band Edge(NTNV)(Subtest:24, Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2675	2690	0.1	RMS	2680.4	0.09	30	Pass	401
2690	2691	0.3	RMS	2690.005	-32.96	-10	Pass	401
2691	2695	1	RMS	2691	-33.11	-10	Pass	5
2695	2705	1	RMS	2697.425	-33.09	-13	Pass	401
2705	2715	1	RMS	2706.075	-38.19	-25	Pass	401




18.25. LTE Band Edge(NTNV)(Subtest:25, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2471	2476	1	RMS	2475.963	-48.51	-25	Pass	401
2476	2491	1	RMS	2488.15	-39.7	-13	Pass	401
2491	2495	1	RMS	2495	-30.9	-10	Pass	5
2495	2496	0.51	RMS	2495.993	-19	-10	Pass	401
2496	2516	0.1	RMS	2497.1	20.49	30	Pass	401




18.26. LTE Band Edge(NTNV)(Subtest:26, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2471	2476	1	RMS	2475.888	-47.63	-25	Pass	401
2476	2491	1	RMS	2489.313	-35.41	-13	Pass	401
2491	2495	1	RMS	2495	-34.79	-10	Pass	5
2495	2496	0.51	RMS	2496	-32.77	-10	Pass	401
2496	2516	0.1	RMS	2501.8	-0.39	30	Pass	401




18.27. LTE Band Edge(NTNV)(Subtest:27, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2471	2476	1	RMS	2475.975	-48.41	-25	Pass	401
2476	2491	1	RMS	2490.925	-39.5	-13	Pass	401
2491	2495	1	RMS	2495	-30.42	-10	Pass	5
2495	2496	0.51	RMS	2495.998	-18.81	-10	Pass	401
2496	2516	0.1	RMS	2497.1	18.98	30	Pass	401




18.28. LTE Band Edge(NTNV)(Subtest:28, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2471	2476	1	RMS	2475.988	-47.52	-25	Pass	401
2476	2491	1	RMS	2490.213	-35.43	-13	Pass	401
2491	2495	1	RMS	2495	-34.77	-10	Pass	5
2495	2496	0.51	RMS	2495.963	-33.37	-10	Pass	401
2496	2516	0.1	RMS	2505.3	-1.31	30	Pass	401




18.29. LTE Band Edge(NTNV)(Subtest:29, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2670	2690	0.1	RMS	2688.9	19.9	30	Pass	401
2690	2691	0.51	RMS	2690.008	-19.64	-10	Pass	401
2691	2695	1	RMS	2691	-32.19	-10	Pass	5
2695	2710	1	RMS	2695.113	-38.35	-13	Pass	401
2710	2715	1	RMS	2710.038	-47.05	-25	Pass	401




18.30. LTE Band Edge(NTNV)(Subtest:30, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2670	2690	0.1	RMS	2676.25	-0.21	30	Pass	401
2690	2691	0.51	RMS	2690.028	-31.57	-10	Pass	401
2691	2695	1	RMS	2691	-34.69	-10	Pass	5
2695	2710	1	RMS	2695.75	-33.41	-13	Pass	401
2710	2715	1	RMS	2710.05	-40.63	-25	Pass	401




18.31. LTE Band Edge(NTNV)(Subtest:31, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2670	2690	0.1	RMS	2688.9	18.82	30	Pass	401
2690	2691	0.51	RMS	2690	-20.19	-10	Pass	401
2691	2695	1	RMS	2691	-31.72	-10	Pass	5
2695	2710	1	RMS	2695.713	-38.96	-13	Pass	401
2710	2715	1	RMS	2710.063	-46.8	-25	Pass	401



18.32. LTE Band Edge(NTNV)(Subtest:32, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2670	2690	0.1	RMS	2675.95	-1.01	30	Pass	401
2690	2691	0.51	RMS	2690.043	-32	-10	Pass	401
2691	2695	1	RMS	2691	-34.78	-10	Pass	5
2695	2710	1	RMS	2698.188	-33.43	-13	Pass	401
2710	2715	1	RMS	2710.625	-40.67	-25	Pass	401



19. LTE_Band66


19.1. LTE Band Edge(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-41.24	-13	Pass	401
1708	1709	1	RMS	1709	-36.02	-13	Pass	2
1709	1710	0.02	RMS	1710	-18.63	-13	Pass	401
1710	1712	0.1	RMS	1710.25	20.71	30	Pass	401




19.2. LTE Band Edge(NTNV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-27.76	-13	Pass	401
1708	1709	1	RMS	1709	-20.71	-13	Pass	2
1709	1710	0.02	RMS	1710	-27.46	-13	Pass	401
1710	1712	0.1	RMS	1710.275	12.28	30	Pass	401




19.3. LTE Band Edge(NTNV)(Subtest:3, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-41.28	-13	Pass	401
1708	1709	1	RMS	1709	-36.98	-13	Pass	2
1709	1710	0.02	RMS	1709.998	-20.02	-13	Pass	401
1710	1712	0.1	RMS	1710.25	19.64	30	Pass	401



19.4. LTE Band Edge(NTNV)(Subtest:4, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-31.84	-13	Pass	401
1708	1709	1	RMS	1709	-23.92	-13	Pass	2
1709	1710	0.02	RMS	1710	-27.58	-13	Pass	401
1710	1712	0.1	RMS	1711.11	11.35	30	Pass	401



19.5. LTE Band Edge(NTNV)(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1778	1780	0.1	RMS	1779.755	20.72	30	Pass	401
1780	1781	0.02	RMS	1780	-19.51	-13	Pass	401
1781	1782	1	RMS	1781	-36.37	-13	Pass	2
1782	1790	1	RMS	1782	-42.28	-13	Pass	401




19.6. LTE Band Edge(NTNV)(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1778	1780	0.1	RMS	1778.91	12.29	30	Pass	401
1780	1781	0.02	RMS	1780	-28.23	-13	Pass	401
1781	1782	1	RMS	1781	-24.34	-13	Pass	2
1782	1790	1	RMS	1782	-31.35	-13	Pass	401



19.7. LTE Band Edge(NTNV)(Subtest:7, Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1778	1780	0.1	RMS	1779.75	19.72	30	Pass	401
1780	1781	0.02	RMS	1780	-21.04	-13	Pass	401
1781	1782	1	RMS	1781	-37.21	-13	Pass	2
1782	1790	1	RMS	1782	-42.27	-13	Pass	401




19.8. LTE Band Edge(NTNV)(Subtest:8, Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1778	1780	0.1	RMS	1778.975	11.33	30	Pass	401
1780	1781	0.02	RMS	1780	-30.06	-13	Pass	401
1781	1782	1	RMS	1781	-26.03	-13	Pass	2
1782	1790	1	RMS	1782	-32.3	-13	Pass	401




19.9. LTE Band Edge(NTNV)(Subtest:9, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-39.95	-13	Pass	401
1708	1709	1	RMS	1709	-37.05	-13	Pass	2
1709	1710	0.03	RMS	1710	-16.58	-13	Pass	401
1710	1713	0.1	RMS	1710.24	20.85	30	Pass	401




19.10. LTE Band Edge(NTNV)(Subtest:10, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-23.75	-13	Pass	401
1708	1709	1	RMS	1709	-21.43	-13	Pass	2
1709	1710	0.03	RMS	1710	-29.31	-13	Pass	401
1710	1713	0.1	RMS	1712.693	8.52	30	Pass	401




19.11. LTE Band Edge(NTNV)(Subtest:11, Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.92	-40.9	-13	Pass	401
1708	1709	1	RMS	1709	-38.22	-13	Pass	2
1709	1710	0.03	RMS	1710	-17.52	-13	Pass	401
1710	1713	0.1	RMS	1710.24	19.9	30	Pass	401




19.12. LTE Band Edge(NTNV)(Subtest:12, Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.96	-25.93	-13	Pass	401
1708	1709	1	RMS	1709	-23.22	-13	Pass	2
1709	1710	0.03	RMS	1710	-31.24	-13	Pass	401
1710	1713	0.1	RMS	1712.415	7.52	30	Pass	401



19.13. LTE Band Edge(NTNV)(Subtest:13, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1777	1780	0.1	RMS	1779.753	20.72	30	Pass	401
1780	1781	0.03	RMS	1780.003	-17.97	-13	Pass	401
1781	1782	1	RMS	1781	-37.71	-13	Pass	2
1782	1790	1	RMS	1782.14	-40.52	-13	Pass	401




19.14. LTE Band Edge(NTNV)(Subtest:14, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1777	1780	0.1	RMS	1777.278	8.63	30	Pass	401
1780	1781	0.03	RMS	1780.003	-31.31	-13	Pass	401
1781	1782	1	RMS	1781	-24.55	-13	Pass	2
1782	1790	1	RMS	1782.08	-27.21	-13	Pass	401



19.15. LTE Band Edge(NTNV)(Subtest:15, Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1777	1780	0.1	RMS	1779.753	19.74	30	Pass	401
1780	1781	0.03	RMS	1780	-19.24	-13	Pass	401
1781	1782	1	RMS	1781	-38.75	-13	Pass	2
1782	1790	1	RMS	1782.04	-41.38	-13	Pass	401




19.16. LTE Band Edge(NTNV)(Subtest:16, Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1777	1780	0.1	RMS	1777.465	7.6	30	Pass	401
1780	1781	0.03	RMS	1780	-31.98	-13	Pass	401
1781	1782	1	RMS	1781	-26.54	-13	Pass	2
1782	1790	1	RMS	1782	-28.92	-13	Pass	401




19.17. LTE Band Edge(NTNV)(Subtest:17, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-40.17	-13	Pass	401
1708	1709	1	RMS	1709	-37.1	-13	Pass	2
1709	1710	0.051	RMS	1710	-16.94	-13	Pass	401
1710	1715	0.1	RMS	1710.338	20.74	30	Pass	401




19.18. LTE Band Edge(NTNV)(Subtest:18, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.08	-23.45	-13	Pass	401
1708	1709	1	RMS	1709	-23.3	-13	Pass	2
1709	1710	0.051	RMS	1710	-29.43	-13	Pass	401
1710	1715	0.1	RMS	1711.688	6.25	30	Pass	401




19.19. LTE Band Edge(NTNV)(Subtest:19, Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-41.19	-13	Pass	401
1708	1709	1	RMS	1709	-38.64	-13	Pass	2
1709	1710	0.051	RMS	1710	-17.78	-13	Pass	401
1710	1715	0.1	RMS	1710.35	19.79	30	Pass	401




19.20. LTE Band Edge(NTNV)(Subtest:20, Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.84	-26.1	-13	Pass	401
1708	1709	1	RMS	1709	-25.33	-13	Pass	2
1709	1710	0.051	RMS	1710	-30.87	-13	Pass	401
1710	1715	0.1	RMS	1712.9	5.27	30	Pass	401




19.21. LTE Band Edge(NTNV)(Subtest:21, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1775	1780	0.1	RMS	1779.663	20.7	30	Pass	401
1780	1781	0.051	RMS	1780	-17.75	-13	Pass	401
1781	1782	1	RMS	1781	-38.44	-13	Pass	2
1782	1790	1	RMS	1782	-40.85	-13	Pass	401




19.22. LTE Band Edge(NTNV)(Subtest:22, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1775	1780	0.1	RMS	1776.863	6.22	30	Pass	401
1780	1781	0.051	RMS	1780	-30.88	-13	Pass	401
1781	1782	1	RMS	1781	-26.41	-13	Pass	2
1782	1790	1	RMS	1782.12	-27.26	-13	Pass	401




19.23. LTE Band Edge(NTNV)(Subtest:23, Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1775	1780	0.1	RMS	1779.663	19.77	30	Pass	401
1780	1781	0.051	RMS	1780	-17.6	-13	Pass	401
1781	1782	1	RMS	1781	-38.67	-13	Pass	2
1782	1790	1	RMS	1782	-41.4	-13	Pass	401




19.24. LTE Band Edge(NTNV)(Subtest:24, Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1775	1780	0.1	RMS	1777.513	5.23	30	Pass	401
1780	1781	0.051	RMS	1780.003	-31.57	-13	Pass	401
1781	1782	1	RMS	1781	-27.89	-13	Pass	2
1782	1790	1	RMS	1782.12	-28.92	-13	Pass	401




19.25. LTE Band Edge(NTNV)(Subtest:25, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1701.74	-41.58	-13	Pass	401
1708	1709	1	RMS	1709	-38.39	-13	Pass	2
1709	1710	0.1	RMS	1710	-21.44	-13	Pass	401
1710	1720	0.1	RMS	1710.575	20.77	30	Pass	401




19.26. LTE Band Edge(NTNV)(Subtest:26, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.28	-27.42	-13	Pass	401
1708	1709	1	RMS	1709	-27.16	-13	Pass	2
1709	1710	0.1	RMS	1709.995	-32.11	-13	Pass	401
1710	1720	0.1	RMS	1711.925	3.39	30	Pass	401




19.27. LTE Band Edge(NTNV)(Subtest:27, Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1701.8	-43	-13	Pass	401
1708	1709	1	RMS	1709	-39.34	-13	Pass	2
1709	1710	0.1	RMS	1710	-22.44	-13	Pass	401
1710	1720	0.1	RMS	1710.6	19.85	30	Pass	401




19.28. LTE Band Edge(NTNV)(Subtest:28, Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.94	-28.63	-13	Pass	401
1708	1709	1	RMS	1709	-29.39	-13	Pass	2
1709	1710	0.1	RMS	1710	-35.29	-13	Pass	401
1710	1720	0.1	RMS	1712.1	2.18	30	Pass	401




19.29. LTE Band Edge(NTNV)(Subtest:29, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1770	1780	0.1	RMS	1779.4	20.61	30	Pass	401
1780	1781	0.1	RMS	1780.003	-21.03	-13	Pass	401
1781	1782	1	RMS	1781	-37.5	-13	Pass	2
1782	1790	1	RMS	1782.04	-39.34	-13	Pass	401




19.30. LTE Band Edge(NTNV)(Subtest:30, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1770	1780	0.1	RMS	1772.025	3.22	30	Pass	401
1780	1781	0.1	RMS	1780.01	-34.52	-13	Pass	401
1781	1782	1	RMS	1781	-29.32	-13	Pass	2
1782	1790	1	RMS	1782	-29.11	-13	Pass	401




19.31. LTE Band Edge(NTNV)(Subtest:31, Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1770	1780	0.1	RMS	1779.4	19.6	30	Pass	401
1780	1781	0.1	RMS	1780	-22.3	-13	Pass	401
1781	1782	1	RMS	1781	-40.5	-13	Pass	2
1782	1790	1	RMS	1783.52	-41.6	-13	Pass	401




19.32. LTE Band Edge(NTNV)(Subtest:32, Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1770	1780	0.1	RMS	1771.725	2.24	30	Pass	401
1780	1781	0.1	RMS	1780.003	-36.52	-13	Pass	401
1781	1782	1	RMS	1781	-31.03	-13	Pass	2
1782	1790	1	RMS	1782.42	-30.63	-13	Pass	401




19.33. LTE Band Edge(NTNV)(Subtest:33, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1704.32	-41.23	-13	Pass	401
1708	1709	1	RMS	1709	-37.09	-13	Pass	2
1709	1710	0.15	RMS	1709.998	-22.41	-13	Pass	401
1710	1725	0.1	RMS	1710.825	20.66	30	Pass	401




19.34. LTE Band Edge(NTNV)(Subtest:34, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.26	-27.62	-13	Pass	401
1708	1709	1	RMS	1709	-27.69	-13	Pass	2
1709	1710	0.15	RMS	1709.218	-33.3	-13	Pass	401
1710	1725	0.1	RMS	1714.575	1.44	30	Pass	401




19.35. LTE Band Edge(NTNV)(Subtest:35, Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1704.42	-42.25	-13	Pass	401
1708	1709	1	RMS	1709	-37.33	-13	Pass	2
1709	1710	0.15	RMS	1709.995	-22.89	-13	Pass	401
1710	1725	0.1	RMS	1710.825	19.74	30	Pass	401




19.36. LTE Band Edge(NTNV)(Subtest:36, Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.68	-30.77	-13	Pass	401
1708	1709	1	RMS	1709	-30.78	-13	Pass	2
1709	1710	0.15	RMS	1709.965	-35.93	-13	Pass	401
1710	1725	0.1	RMS	1717.2	0.41	30	Pass	401




19.37. LTE Band Edge(NTNV)(Subtest:37, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1765	1780	0.1	RMS	1779.175	20.56	30	Pass	401
1780	1781	0.15	RMS	1780.005	-23.18	-13	Pass	401
1781	1782	1	RMS	1781	-38.77	-13	Pass	2
1782	1790	1	RMS	1785.7	-41.1	-13	Pass	401




19.38. LTE Band Edge(NTNV)(Subtest:38, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1765	1780	0.1	RMS	1771.225	1.49	30	Pass	401
1780	1781	0.15	RMS	1780	-34.5	-13	Pass	401
1781	1782	1	RMS	1781	-30.05	-13	Pass	2
1782	1790	1	RMS	1782.52	-28.91	-13	Pass	401




19.39. LTE Band Edge(NTNV)(Subtest:39, Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1765	1780	0.1	RMS	1779.175	19.57	30	Pass	401
1780	1781	0.15	RMS	1780.008	-23.65	-13	Pass	401
1781	1782	1	RMS	1781	-39.15	-13	Pass	2
1782	1790	1	RMS	1785.8	-42.15	-13	Pass	401




19.40. LTE Band Edge(NTNV)(Subtest:40, Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1765	1780	0.1	RMS	1771.113	0.41	30	Pass	401
1780	1781	0.15	RMS	1780.018	-36.75	-13	Pass	401
1781	1782	1	RMS	1781	-32.48	-13	Pass	2
1782	1790	1	RMS	1782.26	-30.86	-13	Pass	401




19.41. LTE Band Edge(NTNV)(Subtest:41, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-43.17	-13	Pass	401
1708	1709	1	RMS	1709	-38.38	-13	Pass	2
1709	1710	0.2	RMS	1709.993	-25.59	-13	Pass	401
1710	1730	0.1	RMS	1711.1	20.59	30	Pass	401




19.42. LTE Band Edge(NTNV)(Subtest:42, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.86	-30.49	-13	Pass	401
1708	1709	1	RMS	1709	-31.85	-13	Pass	2
1709	1710	0.2	RMS	1709.945	-35.08	-13	Pass	401
1710	1730	0.1	RMS	1716	0.25	30	Pass	401




19.43. LTE Band Edge(NTNV)(Subtest:43, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-43.59	-13	Pass	401
1708	1709	1	RMS	1709	-38.37	-13	Pass	2
1709	1710	0.2	RMS	1709.998	-25.57	-13	Pass	401
1710	1730	0.1	RMS	1711.1	19.75	30	Pass	401




19.44. LTE Band Edge(NTNV)(Subtest:44, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1705.9	-32.41	-13	Pass	401
1708	1709	1	RMS	1709	-33.66	-13	Pass	2
1709	1710	0.2	RMS	1709.818	-38.07	-13	Pass	401
1710	1730	0.1	RMS	1717.65	-0.78	30	Pass	401



19.45. LTE Band Edge(NTNV)(Subtest:45, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	0.1	RMS	1778.9	20.42	30	Pass	401
1780	1781	0.2	RMS	1780	-25.63	-13	Pass	401
1781	1782	1	RMS	1781	-39.31	-13	Pass	2
1782	1790	1	RMS	1787.9	-42.13	-13	Pass	401




19.46. LTE Band Edge(NTNV)(Subtest:46, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	0.1	RMS	1762.1	0.31	30	Pass	401
1780	1781	0.2	RMS	1780.168	-34.33	-13	Pass	401
1781	1782	1	RMS	1781	-32.22	-13	Pass	2
1782	1790	1	RMS	1783.16	-29.58	-13	Pass	401




19.47. LTE Band Edge(NTNV)(Subtest:47, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	0.1	RMS	1778.9	19.43	30	Pass	401
1780	1781	0.2	RMS	1780	-25.92	-13	Pass	401
1781	1782	1	RMS	1781	-39.64	-13	Pass	2
1782	1790	1	RMS	1787.84	-42.86	-13	Pass	401



19.48. LTE Band Edge(NTNV)(Subtest:48, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	0.1	RMS	1766	-0.75	30	Pass	401
1780	1781	0.2	RMS	1780.003	-37	-13	Pass	401
1781	1782	1	RMS	1781	-33.42	-13	Pass	2
1782	1790	1	RMS	1782.8	-32.17	-13	Pass	401




CA

20. CA_7C


20.1. CA Band Edge(NTNV)(Subtest:1, Channel:20850+20994, Bandwidth:20+10, Modulation:QPSK, RB Number:1+1, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2487.338	-50.49	-25	Pass	401
2490	2496	1	RMS	2495.94	-50.29	-13	Pass	401
2496	2499	1	RMS	2499	-41.79	-10	Pass	401
2499	2500	1	RMS	2500	-25.09	-10	Pass	2
2500	2530	0.1	RMS	2501.125	10.3	30	Pass	401




20.2. CA Band Edge(NTNV)(Subtest:2, Channel:20850+20994, Bandwidth:20+10, Modulation:QPSK, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2487.225	-50.37	-25	Pass	401
2490	2496	1	RMS	2495.97	-50.36	-13	Pass	401
2496	2499	1	RMS	2499	-41.74	-10	Pass	401
2499	2500	1	RMS	2500	-25.05	-10	Pass	2
2500	2530	0.1	RMS	2501.125	10.39	30	Pass	401




20.3. CA Band Edge(NTNV)(Subtest:3, Channel:20850+20994, Bandwidth:20+10, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-39.33	-25	Pass	401
2490	2496	1	RMS	2495.985	-35.02	-13	Pass	401
2496	2499	1	RMS	2499	-32.86	-10	Pass	401
2499	2500	1	RMS	2500	-30.95	-10	Pass	2
2500	2530	0.1	RMS	2514.325	-2.59	30	Pass	401




20.4. CA Band Edge(NTNV)(Subtest:4, Channel:20850+20994, Bandwidth:20+10, Modulation:16QAM, RB Number:1+1, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2487.188	-50.14	-25	Pass	401
2490	2496	1	RMS	2495.91	-50.22	-13	Pass	401
2496	2499	1	RMS	2499	-41.37	-10	Pass	401
2499	2500	1	RMS	2500	-24.44	-10	Pass	2
2500	2530	0.1	RMS	2501.125	10.4	30	Pass	401




20.5. CA Band Edge(NTNV)(Subtest:5, Channel:20850+20994, Bandwidth:20+10, Modulation:16QAM, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2487.263	-50.12	-25	Pass	401
2490	2496	1	RMS	2495.97	-50.28	-13	Pass	401
2496	2499	1	RMS	2499	-40.81	-10	Pass	401
2499	2500	1	RMS	2500	-24.4	-10	Pass	2
2500	2530	0.1	RMS	2501.125	10.42	30	Pass	401




20.6. CA Band Edge(NTNV)(Subtest:6, Channel:20850+20994, Bandwidth:20+10, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-39.96	-25	Pass	401
2490	2496	1	RMS	2496	-35.28	-13	Pass	401
2496	2499	1	RMS	2498.985	-33.31	-10	Pass	401
2499	2500	1	RMS	2500	-31.86	-10	Pass	2
2500	2530	0.1	RMS	2512.975	-3.82	30	Pass	401




20.7. CA Band Edge(NTNV)(Subtest:7, Channel:21251+21395, Bandwidth:20+10, Modulation:QPSK, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2540	2570	0.1	RMS	2541.2	10.42	30	Pass	401
2570	2571	1	RMS	2570	-47.02	-10	Pass	2
2571	2575	1	RMS	2571.15	-50.32	-10	Pass	401
2575	2600	1	RMS	2576.125	-50.95	-13	Pass	401
2600	2615	1	RMS	2600.3	-51.54	-25	Pass	401




20.8. CA Band Edge(NTNV)(Subtest:8, Channel:21251+21395, Bandwidth:20+10, Modulation:QPSK, RB Number:1+1, RB Position:High+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2540	2570	0.1	RMS	2558.975	10.22	30	Pass	401
2570	2571	1	RMS	2570	-47.01	-10	Pass	2
2571	2575	1	RMS	2572.82	-49.93	-10	Pass	401
2575	2600	1	RMS	2578.813	-48.15	-13	Pass	401
2600	2615	1	RMS	2601.013	-51.46	-25	Pass	401




20.9. CA Band Edge(NTNV)(Subtest:9, Channel:21251+21395, Bandwidth:20+10, Modulation:QPSK, RB Number:Full+Full, RB Position:High+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2540	2570	0.1	RMS	2549.75	-2.84	30	Pass	401
2570	2571	1	RMS	2570	-34.56	-10	Pass	2
2571	2575	1	RMS	2571.17	-34.49	-10	Pass	401
2575	2600	1	RMS	2575	-35.12	-13	Pass	401
2600	2615	1	RMS	2600.413	-51.45	-25	Pass	401




20.10. CA Band Edge(NTNV)(Subtest:10, Channel:21251+21395, Bandwidth:20+10, Modulation:16QAM, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2540	2570	0.1	RMS	2541.2	10.32	30	Pass	401
2570	2571	1	RMS	2570	-46.79	-10	Pass	2
2571	2575	1	RMS	2571	-50	-10	Pass	401
2575	2600	1	RMS	2575	-50.7	-13	Pass	401
2600	2615	1	RMS	2603.038	-51.43	-25	Pass	401




20.11. CA Band Edge(NTNV)(Subtest:11, Channel:21251+21395, Bandwidth:20+10, Modulation:16QAM, RB Number:1+1, RB Position:High+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2540	2570	0.1	RMS	2559.05	10.1	30	Pass	401
2570	2571	1	RMS	2570	-46.68	-10	Pass	2
2571	2575	1	RMS	2574.86	-49.5	-10	Pass	401
2575	2600	1	RMS	2578.75	-47.5	-13	Pass	401
2600	2615	1	RMS	2603.525	-51.47	-25	Pass	401




20.12. CA Band Edge(NTNV)(Subtest:12, Channel:21251+21395, Bandwidth:20+10, Modulation:16QAM, RB Number:Full+Full, RB Position:High+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2540	2570	0.1	RMS	2551.175	-4.13	30	Pass	401
2570	2571	1	RMS	2570	-34.11	-10	Pass	2
2571	2575	1	RMS	2571.06	-34.35	-10	Pass	401
2575	2600	1	RMS	2575	-35.55	-13	Pass	401
2600	2615	1	RMS	2600.038	-51.47	-25	Pass	401




20.13. CA Band Edge(NTNV)(Subtest:13, Channel:20850+21048, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2490	2496	1	RMS	2495.835	-50.8	-13	Pass	401
2496	2499	1	RMS	2499	-45.38	-10	Pass	401
2499	2500	1	RMS	2500	-29.39	-10	Pass	2
2500	2540	0.1	RMS	2520.9	7.97	30	Pass	401




20.14. CA Band Edge(NTNV)(Subtest:14, Channel:20850+21048, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.925	-51.56	-25	Pass	401
2490	2496	1	RMS	2495.955	-50.83	-13	Pass	401
2496	2499	1	RMS	2499	-45.05	-10	Pass	401
2499	2500	1	RMS	2500	-29.33	-10	Pass	2
2500	2540	0.1	RMS	2538.7	7.99	30	Pass	401




20.15. CA Band Edge(NTNV)(Subtest:15, Channel:20850+21048, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-39.24	-25	Pass	401
2490	2496	1	RMS	2495.955	-35.66	-13	Pass	401
2496	2499	1	RMS	2498.993	-34.54	-10	Pass	401
2499	2500	1	RMS	2500	-33.06	-10	Pass	2
2500	2540	0.1	RMS	2514.8	-3.69	30	Pass	401




20.16. CA Band Edge(NTNV)(Subtest:16, Channel:20850+21048, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.85	-51.45	-25	Pass	401
2490	2496	1	RMS	2495.94	-50.42	-13	Pass	401
2496	2499	1	RMS	2499	-41.96	-10	Pass	401
2499	2500	1	RMS	2500	-25.24	-10	Pass	2
2500	2540	0.1	RMS	2501.1	10.11	30	Pass	401




20.17. CA Band Edge(NTNV)(Subtest:17, Channel:20850+21048, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.588	-51.5	-25	Pass	401
2490	2496	1	RMS	2495.91	-50.41	-13	Pass	401
2496	2499	1	RMS	2499	-41.8	-10	Pass	401
2499	2500	1	RMS	2500	-25.09	-10	Pass	2
2500	2540	0.1	RMS	2501.1	10.28	30	Pass	401




20.18. CA Band Edge(NTNV)(Subtest:18, Channel:20850+21048, Bandwidth:20+20, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.963	-40.09	-25	Pass	401
2490	2496	1	RMS	2495.925	-36.25	-13	Pass	401
2496	2499	1	RMS	2498.985	-34.86	-10	Pass	401
2499	2500	1	RMS	2500	-33.55	-10	Pass	2
2500	2540	0.1	RMS	2517.7	-5.23	30	Pass	401




20.19. CA Band Edge(NTNV)(Subtest:19, Channel:21152+21350, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2530	2570	0.1	RMS	2531.3	8.46	30	Pass	401
2570	2571	1	RMS	2570	-27.31	-10	Pass	2
2571	2575	1	RMS	2571	-43.59	-10	Pass	401
2575	2610	1	RMS	2587.688	-48.85	-13	Pass	401
2610	2615	1	RMS	2613.488	-51.34	-25	Pass	401




20.20. CA Band Edge(NTNV)(Subtest:20, Channel:21152+21350, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB Position:High+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2530	2570	0.1	RMS	2549.1	10.49	30	Pass	401
2570	2571	1	RMS	2570	-41.51	-10	Pass	2
2571	2575	1	RMS	2571	-50.22	-10	Pass	401
2575	2610	1	RMS	2588.65	-49.51	-13	Pass	401
2610	2615	1	RMS	2612.275	-51.61	-25	Pass	401




20.21. CA Band Edge(NTNV)(Subtest:21, Channel:21152+21350, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full, RB Position:High+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2530	2570	0.1	RMS	2538.9	-3.8	30	Pass	401
2570	2571	1	RMS	2570	-34.29	-10	Pass	2
2571	2575	1	RMS	2571.21	-35.28	-10	Pass	401
2575	2610	1	RMS	2575	-35.98	-13	Pass	401
2610	2615	1	RMS	2613.188	-51.62	-25	Pass	401




20.22. CA Band Edge(NTNV)(Subtest:22, Channel:21152+21350, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2530	2570	0.1	RMS	2531.3	10.02	30	Pass	401
2570	2571	1	RMS	2570	-41.03	-10	Pass	2
2571	2575	1	RMS	2571	-48.82	-10	Pass	401
2575	2610	1	RMS	2575	-50.87	-13	Pass	401
2610	2615	1	RMS	2613.2	-51.63	-25	Pass	401




20.23. CA Band Edge(NTNV)(Subtest:23, Channel:21152+21350, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB Position:High+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2530	2570	0.1	RMS	2549.1	10.37	30	Pass	401
2570	2571	1	RMS	2570	-41.04	-10	Pass	2
2571	2575	1	RMS	2571	-49.92	-10	Pass	401
2575	2610	1	RMS	2588.65	-49.04	-13	Pass	401
2610	2615	1	RMS	2610.2	-51.61	-25	Pass	401



20.24. CA Band Edge(NTNV)(Subtest:24, Channel:21152+21350, Bandwidth:20+20, Modulation:16QAM, RB Number:Full+Full, RB Position:High+High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2530	2570	0.1	RMS	2540.2	-5.12	30	Pass	401
2570	2571	1	RMS	2570	-34.4	-10	Pass	2
2571	2575	1	RMS	2571.14	-35.48	-10	Pass	401
2575	2610	1	RMS	2575	-36.51	-13	Pass	401
2610	2615	1	RMS	2614.75	-51.62	-25	Pass	401



21. CA_38C


21.1. CA Band Edge(NTNV)(Subtest:1, Channel:37825+37975, Bandwidth:15+15, Modulation:QPSK, RB Number:1+1, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2540	1	RMS	2540	-41.76	-25	Pass	401
2540	2565	1	RMS	2555.813	-32.52	-13	Pass	401
2565	2569	1	RMS	2568.99	-37.27	-10	Pass	401
2569	2570	1	RMS	2570	-23.1	-10	Pass	2
2570	2600	0.1	RMS	2585.825	6.93	30	Pass	401




21.2. CA Band Edge(NTNV)(Subtest:2, Channel:37825+37975, Bandwidth:15+15, Modulation:QPSK, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2540	1	RMS	2539.888	-48.03	-25	Pass	401
2540	2565	1	RMS	2542.5	-36.66	-13	Pass	401
2565	2569	1	RMS	2568.99	-34.6	-10	Pass	401
2569	2570	1	RMS	2570	-20.09	-10	Pass	2
2570	2600	0.1	RMS	2570.825	9.59	30	Pass	401




21.3. CA Band Edge(NTNV)(Subtest:3, Channel:37825+37975, Bandwidth:15+15, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2540	1	RMS	2539.925	-42.4	-25	Pass	401
2540	2565	1	RMS	2564.875	-33.97	-13	Pass	401
2565	2569	1	RMS	2569	-32.67	-10	Pass	401
2569	2570	1	RMS	2570	-28.7	-10	Pass	2
2570	2600	0.1	RMS	2583.725	-2.69	30	Pass	401




21.4. CA Band Edge(NTNV)(Subtest:4, Channel:37825+37975, Bandwidth:15+15, Modulation:16QAM, RB Number:1+1, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2540	1	RMS	2539.963	-47.89	-25	Pass	401
2540	2565	1	RMS	2555.875	-37.12	-13	Pass	401
2565	2569	1	RMS	2569	-35.34	-10	Pass	401
2569	2570	1	RMS	2570	-21.07	-10	Pass	2
2570	2600	0.1	RMS	2570.825	8.83	30	Pass	401




21.5. CA Band Edge(NTNV)(Subtest:5, Channel:37825+37975, Bandwidth:15+15, Modulation:16QAM, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2540	1	RMS	2538.538	-48.12	-25	Pass	401
2540	2565	1	RMS	2542.5	-37.42	-13	Pass	401
2565	2569	1	RMS	2569	-35.41	-10	Pass	401
2569	2570	1	RMS	2570	-20.99	-10	Pass	2
2570	2600	0.1	RMS	2570.825	9.77	30	Pass	401




21.6. CA Band Edge(NTNV)(Subtest:6, Channel:37825+37975, Bandwidth:15+15, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2540	1	RMS	2539.813	-42.8	-25	Pass	401
2540	2565	1	RMS	2564.438	-33.71	-13	Pass	401
2565	2569	1	RMS	2568.99	-32.36	-10	Pass	401
2569	2570	1	RMS	2570	-29.52	-10	Pass	2
2570	2600	0.1	RMS	2575.4	-3.89	30	Pass	401




21.7. CA Band Edge(NTNV)(Subtest:7, Channel:38025+38175, Bandwidth:15+15, Modulation:QPSK, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2620	0.1	RMS	2590.825	9.69	30	Pass	401
2620	2621	1	RMS	2620	-36.11	-10	Pass	2
2621	2625	1	RMS	2621.01	-45.3	-10	Pass	401
2625	2650	1	RMS	2647.438	-46.76	-13	Pass	401
2650	2665	1	RMS	2654.725	-48.35	-25	Pass	401




21.8. CA Band Edge(NTNV)(Subtest:8, Channel:38025+38175, Bandwidth:15+15, Modulation:QPSK, RB Number:1+1, RB Position:High+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2620	0.1	RMS	2604.175	9.88	30	Pass	401
2620	2621	1	RMS	2620	-35.98	-10	Pass	2
2621	2625	1	RMS	2621	-45.77	-10	Pass	401
2625	2650	1	RMS	2634.063	-45.99	-13	Pass	401
2650	2665	1	RMS	2652.85	-48.49	-25	Pass	401




21.9. CA Band Edge(NTNV)(Subtest:9, Channel:38025+38175, Bandwidth:15+15, Modulation:QPSK, RB Number:Full+Full, RB Position:High+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2620	0.1	RMS	2600.35	-1.74	30	Pass	401
2620	2621	1	RMS	2620	-30.99	-10	Pass	2
2621	2625	1	RMS	2621	-32.39	-10	Pass	401
2625	2650	1	RMS	2625	-33.45	-13	Pass	401
2650	2665	1	RMS	2650.113	-42.99	-25	Pass	401




21.10. CA Band Edge(NTNV)(Subtest:10, Channel:38025+38175, Bandwidth:15+15, Modulation:16QAM, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2620	0.1	RMS	2590.825	10.11	30	Pass	401
2620	2621	1	RMS	2620	-36.19	-10	Pass	2
2621	2625	1	RMS	2621	-45.75	-10	Pass	401
2625	2650	1	RMS	2647.563	-45.79	-13	Pass	401
2650	2665	1	RMS	2654.988	-48.23	-25	Pass	401




21.11. CA Band Edge(NTNV)(Subtest:11, Channel:38025+38175, Bandwidth:15+15, Modulation:16QAM, RB Number:1+1, RB Position:High+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2620	0.1	RMS	2604.175	10.5	30	Pass	401
2620	2621	1	RMS	2620	-36.14	-10	Pass	2
2621	2625	1	RMS	2621.01	-45.8	-10	Pass	401
2625	2650	1	RMS	2634.188	-45.15	-13	Pass	401
2650	2665	1	RMS	2650.338	-48.15	-25	Pass	401




21.12. CA Band Edge(NTNV)(Subtest:12, Channel:38025+38175, Bandwidth:15+15, Modulation:16QAM, RB Number:Full+Full, RB Position:High+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2620	0.1	RMS	2599.75	-3.71	30	Pass	401
2620	2621	1	RMS	2620	-30.54	-10	Pass	2
2621	2625	1	RMS	2621.01	-33.04	-10	Pass	401
2625	2650	1	RMS	2625.063	-34.24	-13	Pass	401
2650	2665	1	RMS	2650.15	-43.11	-25	Pass	401




21.13. CA Band Edge(NTNV)(Subtest:13, Channel:37850+38048, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2530	1	RMS	2529.963	-47.82	-25	Pass	401
2530	2565	1	RMS	2551.263	-31.9	-13	Pass	401
2565	2569	1	RMS	2568.99	-40.46	-10	Pass	401
2569	2570	1	RMS	2570	-28.19	-10	Pass	2
2570	2610	0.1	RMS	2590.9	7.04	30	Pass	401




21.14. CA Band Edge(NTNV)(Subtest:14, Channel:37850+38048, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2530	1	RMS	2525.188	-48.17	-25	Pass	401
2530	2565	1	RMS	2533.413	-36.4	-13	Pass	401
2565	2569	1	RMS	2568.99	-38.34	-10	Pass	401
2569	2570	1	RMS	2570	-25.34	-10	Pass	2
2570	2610	0.1	RMS	2571.1	8.83	30	Pass	401




21.15. CA Band Edge(NTNV)(Subtest:15, Channel:37850+38048, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2530	1	RMS	2529.988	-43.68	-25	Pass	401
2530	2565	1	RMS	2563.688	-35.01	-13	Pass	401
2565	2569	1	RMS	2568.99	-34.65	-10	Pass	401
2569	2570	1	RMS	2570	-32.98	-10	Pass	2
2570	2610	0.1	RMS	2581.7	-4.21	30	Pass	401




21.16. CA Band Edge(NTNV)(Subtest:16, Channel:37850+38048, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2530	1	RMS	2526.163	-48.24	-25	Pass	401
2530	2565	1	RMS	2551.263	-36.69	-13	Pass	401
2565	2569	1	RMS	2568.97	-37.48	-10	Pass	401
2569	2570	1	RMS	2570	-25.12	-10	Pass	2
2570	2610	0.1	RMS	2571.1	9.01	30	Pass	401




21.17. CA Band Edge(NTNV)(Subtest:17, Channel:37850+38048, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2530	1	RMS	2528.213	-48.24	-25	Pass	401
2530	2565	1	RMS	2533.413	-37.78	-13	Pass	401
2565	2569	1	RMS	2568.99	-37.34	-10	Pass	401
2569	2570	1	RMS	2570	-25.19	-10	Pass	2
2570	2610	0.1	RMS	2571.1	9.33	30	Pass	401




21.18. CA Band Edge(NTNV)(Subtest:18, Channel:37850+38048, Bandwidth:20+20, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2530	1	RMS	2529.963	-44.14	-25	Pass	401
2530	2565	1	RMS	2563.338	-34.95	-13	Pass	401
2565	2569	1	RMS	2568.88	-34.39	-10	Pass	401
2569	2570	1	RMS	2570	-33.24	-10	Pass	2
2570	2610	0.1	RMS	2579.2	-5.69	30	Pass	401




21.19. CA Band Edge(NTNV)(Subtest:19, Channel:37952+38150, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	0.1	RMS	2581.3	9.03	30	Pass	401
2620	2621	1	RMS	2620	-41.28	-10	Pass	2
2621	2625	1	RMS	2621.07	-46.52	-10	Pass	401
2625	2660	1	RMS	2656.413	-46.9	-13	Pass	401
2660	2665	1	RMS	2660.188	-48.56	-25	Pass	401




21.20. CA Band Edge(NTNV)(Subtest:20, Channel:37952+38150, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB Position:High+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	0.1	RMS	2599.1	10.66	30	Pass	401
2620	2621	1	RMS	2620	-41.05	-10	Pass	2
2621	2625	1	RMS	2621.22	-47.1	-10	Pass	401
2625	2660	1	RMS	2638.738	-45.9	-13	Pass	401
2660	2665	1	RMS	2661.013	-48.49	-25	Pass	401




21.21. CA Band Edge(NTNV)(Subtest:21, Channel:37952+38150, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full, RB Position:High+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	0.1	RMS	2594.9	-4.15	30	Pass	401
2620	2621	1	RMS	2620	-33.21	-10	Pass	2
2621	2625	1	RMS	2621.59	-33.71	-10	Pass	401
2625	2660	1	RMS	2625.525	-34.57	-13	Pass	401
2660	2665	1	RMS	2660.075	-43.33	-25	Pass	401




21.22. CA Band Edge(NTNV)(Subtest:22, Channel:37952+38150, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	0.1	RMS	2581.3	8.6	30	Pass	401
2620	2621	1	RMS	2620	-41.03	-10	Pass	2
2621	2625	1	RMS	2621.01	-46.47	-10	Pass	401
2625	2660	1	RMS	2656.413	-46.27	-13	Pass	401
2660	2665	1	RMS	2660.288	-48.51	-25	Pass	401




21.23. CA Band Edge(NTNV)(Subtest:23, Channel:37952+38150, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB Position:High+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	0.1	RMS	2599.1	9.36	30	Pass	401
2620	2621	1	RMS	2620	-40.77	-10	Pass	2
2621	2625	1	RMS	2621	-46.83	-10	Pass	401
2625	2660	1	RMS	2638.563	-45.6	-13	Pass	401
2660	2665	1	RMS	2660.988	-48.49	-25	Pass	401



21.24. CA Band Edge(NTNV)(Subtest:24, Channel:37952+38150, Bandwidth:20+20, Modulation:16QAM, RB Number:Full+Full, RB Position:High+High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	0.1	RMS	2593.1	-5.71	30	Pass	401
2620	2621	1	RMS	2620	-33.64	-10	Pass	2
2621	2625	1	RMS	2621.03	-34.05	-10	Pass	401
2625	2660	1	RMS	2625.175	-35.57	-13	Pass	401
2660	2665	1	RMS	2660.275	-44.15	-25	Pass	401



22. CA_41C_full


22.1. CA Band Edge(NTNV)(Subtest:1, Channel:39750+39867, Bandwidth:20+5, Modulation:QPSK, RB Number:1+1, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2478.75	-44.8	-25	Pass	401
2490	2495	1	RMS	2495	-40.48	-13	Pass	6
2495	2496	0.3	RMS	2495.998	-34.15	-13	Pass	401
2496	2521	0.1	RMS	2497.063	9.72	30	Pass	401




22.2. CA Band Edge(NTNV)(Subtest:2, Channel:39750+39867, Bandwidth:20+5, Modulation:QPSK, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2485.688	-45.82	-25	Pass	401
2490	2495	1	RMS	2495	-40.39	-13	Pass	6
2495	2496	0.3	RMS	2496	-33.98	-13	Pass	401
2496	2521	0.1	RMS	2497.063	9.62	30	Pass	401




22.3. CA Band Edge(NTNV)(Subtest:3, Channel:39750+39867, Bandwidth:20+5, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.925	-39.38	-25	Pass	401
2490	2495	1	RMS	2495	-37.65	-13	Pass	6
2495	2496	0.3	RMS	2495.99	-38.33	-13	Pass	401
2496	2521	0.1	RMS	2506.313	-1.93	30	Pass	401




22.4. CA Band Edge(NTNV)(Subtest:4, Channel:39750+39867, Bandwidth:20+5, Modulation:16QAM, RB Number:1+1, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2478.638	-44.5	-25	Pass	401
2490	2495	1	RMS	2495	-40.04	-13	Pass	6
2495	2496	0.3	RMS	2495.995	-33.5	-13	Pass	401
2496	2521	0.1	RMS	2497.063	9.24	30	Pass	401




22.5. CA Band Edge(NTNV)(Subtest:5, Channel:39750+39867, Bandwidth:20+5, Modulation:16QAM, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2485.763	-45.36	-25	Pass	401
2490	2495	1	RMS	2495	-40	-13	Pass	6
2495	2496	0.3	RMS	2495.993	-33.7	-13	Pass	401
2496	2521	0.1	RMS	2497.063	9.67	30	Pass	401




22.6. CA Band Edge(NTNV)(Subtest:6, Channel:39750+39867, Bandwidth:20+5, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.438	-38.95	-25	Pass	401
2490	2495	1	RMS	2495	-38.96	-13	Pass	6
2495	2496	0.3	RMS	2495.988	-39.9	-13	Pass	401
2496	2521	0.1	RMS	2504.5	-3.21	30	Pass	401




22.7. CA Band Edge(NTNV)(Subtest:7, Channel:41440+41557, Bandwidth:20+5, Modulation:QPSK, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2665	2690	0.1	RMS	2666.125	10.2	30	Pass	401
2690	2691	0.51	RMS	2690.015	-49.21	-10	Pass	401
2691	2695	1	RMS	2691	-48.45	-10	Pass	5
2695	2715	3	RMS	2711.55	-42.98	-13	Pass	401
2715	2735	1	RMS	2734.3	-48.12	-25	Pass	401




22.8. CA Band Edge(NTNV)(Subtest:8, Channel:41440+41557, Bandwidth:20+5, Modulation:QPSK, RB Number:1+1, RB Position:High+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2665	2690	0.1	RMS	2683.938	10.48	30	Pass	401
2690	2691	0.51	RMS	2690.343	-44.21	-10	Pass	401
2691	2695	1	RMS	2694	-46.05	-10	Pass	5
2695	2715	3	RMS	2695	-41.88	-13	Pass	401
2715	2735	1	RMS	2733.5	-48.4	-25	Pass	401




22.9. CA Band Edge(NTNV)(Subtest:9, Channel:41440+41557, Bandwidth:20+5, Modulation:QPSK, RB Number:Full+Full, RB Position:High+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2665	2690	0.1	RMS	2674	-2.39	30	Pass	401
2690	2691	0.51	RMS	2690.103	-38.55	-10	Pass	401
2691	2695	1	RMS	2691	-37.95	-10	Pass	5
2695	2715	3	RMS	2696.2	-32.54	-13	Pass	401
2715	2735	1	RMS	2715.55	-42.36	-25	Pass	401




22.10. CA Band Edge(NTNV)(Subtest:10, Channel:41440+41557, Bandwidth:20+5, Modulation:16QAM, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2665	2690	0.1	RMS	2666.063	9.9	30	Pass	401
2690	2691	0.51	RMS	2690.023	-49.35	-10	Pass	401
2691	2695	1	RMS	2691	-48.49	-10	Pass	5
2695	2715	3	RMS	2711.7	-42.82	-13	Pass	401
2715	2735	1	RMS	2734.75	-48.33	-25	Pass	401




22.11. CA Band Edge(NTNV)(Subtest:11, Channel:41440+41557, Bandwidth:20+5, Modulation:16QAM, RB Number:1+1, RB Position:High+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2665	2690	0.1	RMS	2683.938	9.1	30	Pass	401
2690	2691	0.51	RMS	2690.003	-39.88	-10	Pass	401
2691	2695	1	RMS	2694	-28.95	-10	Pass	5
2695	2715	3	RMS	2695.05	-29.91	-13	Pass	401
2715	2735	1	RMS	2715.1	-47.79	-25	Pass	401




22.12. CA Band Edge(NTNV)(Subtest:12, Channel:41440+41557, Bandwidth:20+5, Modulation:16QAM, RB Number:Full+Full, RB Position:High+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2665	2690	0.1	RMS	2674.25	-3.14	30	Pass	401
2690	2691	0.51	RMS	2690.028	-39.16	-10	Pass	401
2691	2695	1	RMS	2691	-38.1	-10	Pass	5
2695	2715	3	RMS	2696	-33.29	-13	Pass	401
2715	2735	1	RMS	2716.1	-42.73	-25	Pass	401




22.13. CA Band Edge(NTNV)(Subtest:13, Channel:39750+39948, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2477.325	-47.46	-25	Pass	401
2490	2495	1	RMS	2495	-41.3	-13	Pass	6
2495	2496	0.51	RMS	2495.993	-29.42	-13	Pass	401
2496	2536	0.1	RMS	2497.1	9.47	30	Pass	401




22.14. CA Band Edge(NTNV)(Subtest:14, Channel:39750+39948, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-47.53	-25	Pass	401
2490	2495	1	RMS	2495	-41.28	-13	Pass	6
2495	2496	0.51	RMS	2495.998	-29.42	-13	Pass	401
2496	2536	0.1	RMS	2497.1	9.82	30	Pass	401




22.15. CA Band Edge(NTNV)(Subtest:15, Channel:39750+39948, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2486.4	-36.4	-25	Pass	401
2490	2495	1	RMS	2495	-37.52	-13	Pass	6
2495	2496	0.51	RMS	2495.95	-36.98	-13	Pass	401
2496	2536	0.1	RMS	2510.7	-3.61	30	Pass	401




22.16. CA Band Edge(NTNV)(Subtest:16, Channel:39750+39948, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2477.363	-47.1	-25	Pass	401
2490	2495	1	RMS	2495	-40.37	-13	Pass	6
2495	2496	0.51	RMS	2496	-29.12	-13	Pass	401
2496	2536	0.1	RMS	2497.1	8.81	30	Pass	401




22.17. CA Band Edge(NTNV)(Subtest:17, Channel:39750+39948, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.85	-47.29	-25	Pass	401
2490	2495	1	RMS	2495	-40.3	-13	Pass	6
2495	2496	0.51	RMS	2495.993	-29.04	-13	Pass	401
2496	2536	0.1	RMS	2497.1	8.88	30	Pass	401




22.18. CA Band Edge(NTNV)(Subtest:18, Channel:39750+39948, Bandwidth:20+20, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2485.2	-35.95	-25	Pass	401
2490	2495	1	RMS	2495	-37.36	-13	Pass	6
2495	2496	0.51	RMS	2495.803	-36.48	-13	Pass	401
2496	2536	0.1	RMS	2508.9	-5.47	30	Pass	401




22.19. CA Band Edge(NTNV)(Subtest:19, Channel:41292+41490, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2650	2690	0.1	RMS	2651.3	10.16	30	Pass	401
2690	2691	1	RMS	2690	-41.1	-10	Pass	2
2691	2695	1	RMS	2691	-47.99	-10	Pass	5
2695	2730	3	RMS	2725.888	-43.43	-13	Pass	401
2730	2735	1	RMS	2734.625	-48.52	-25	Pass	401




22.20. CA Band Edge(NTNV)(Subtest:20, Channel:41292+41490, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB Position:High+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2650	2690	0.1	RMS	2669.1	9.11	30	Pass	401
2690	2691	1	RMS	2690	-41.21	-10	Pass	2
2691	2695	1	RMS	2691	-48.72	-10	Pass	5
2695	2730	3	RMS	2708.475	-43.08	-13	Pass	401
2730	2735	1	RMS	2734.363	-48.5	-25	Pass	401




22.21. CA Band Edge(NTNV)(Subtest:21, Channel:41292+41490, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full, RB Position:High+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2650	2690	0.1	RMS	2661.1	-4	30	Pass	401
2690	2691	1	RMS	2690	-19.27	-10	Pass	401
2691	2695	1	RMS	2691	-38	-10	Pass	5
2695	2730	3	RMS	2696.488	-32.94	-13	Pass	401
2730	2735	1	RMS	2730.038	-44.54	-25	Pass	401




22.22. CA Band Edge(NTNV)(Subtest:22, Channel:41292+41490, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2650	2690	0.1	RMS	2651.3	8.79	30	Pass	401
2690	2691	1	RMS	2690	-41.06	-10	Pass	2
2691	2695	1	RMS	2691	-47.95	-10	Pass	5
2695	2730	3	RMS	2726.675	-43.25	-13	Pass	401
2730	2735	1	RMS	2734.725	-48.51	-25	Pass	401




22.23. CA Band Edge(NTNV)(Subtest:23, Channel:41292+41490, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB Position:High+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2650	2690	0.1	RMS	2669.1	10.06	30	Pass	401
2690	2691	1	RMS	2690	-41.21	-10	Pass	2
2691	2695	1	RMS	2691	-48.63	-10	Pass	5
2695	2730	3	RMS	2708.65	-42.98	-13	Pass	401
2730	2735	1	RMS	2733.775	-48.47	-25	Pass	401



22.24. CA Band Edge(NTNV)(Subtest:24, Channel:41292+41490, Bandwidth:20+20, Modulation:16QAM, RB Number:Full+Full, RB Position:High+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2650	2690	0.1	RMS	2663.6	-5.35	30	Pass	401
2690	2691	1	RMS	2690.003	-20.1	-10	Pass	401
2691	2695	1	RMS	2691	-39.05	-10	Pass	5
2695	2730	3	RMS	2695.875	-33.27	-13	Pass	401
2730	2735	1	RMS	2730.588	-44.73	-25	Pass	401




NR

23. n5 15kHz


23.1. Band Edge for SA(NTNV)(Subtest:1, Channel:165300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.88	-47.71	-13	Pass	401
823	824	0.051	RMS	824	-17.83	-13	Pass	401
824	844	0.1	RMS	824.3	20.44	30	Pass	401




23.2. Band Edge for SA(NTNV)(Subtest:2, Channel:165300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.04	-36.59	-13	Pass	401
823	824	0.051	RMS	823.99	-31.4	-13	Pass	401
824	844	0.1	RMS	827.15	7.7	30	Pass	401




23.3. Band Edge for SA(NTNV)(Subtest:3, Channel:165300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	823	-48.22	-13	Pass	401
823	824	0.051	RMS	823.995	-18.75	-13	Pass	401
824	844	0.1	RMS	824.3	20.1	30	Pass	401




23.4. Band Edge for SA(NTNV)(Subtest:4, Channel:165300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.94	-32.75	-13	Pass	401
823	824	0.051	RMS	823.998	-30.42	-13	Pass	401
824	844	0.1	RMS	826.05	7.15	30	Pass	401




23.5. Band Edge for SA(NTNV)(Subtest:5, Channel:169300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.65	20.66	30	Pass	401
849	850	0.051	RMS	849	-19.92	-13	Pass	401
850	874	0.1	RMS	850.12	-46.67	-13	Pass	401




23.6. Band Edge for SA(NTNV)(Subtest:6, Channel:169300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	845.3	7.77	30	Pass	401
849	850	0.051	RMS	849	-33.12	-13	Pass	401
850	874	0.1	RMS	850.84	-41.1	-13	Pass	401




23.7. Band Edge for SA(NTNV)(Subtest:7, Channel:169300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.65	20.09	30	Pass	401
849	850	0.051	RMS	849	-19.83	-13	Pass	401
850	874	0.1	RMS	850	-48.37	-13	Pass	401




23.8. Band Edge for SA(NTNV)(Subtest:8, Channel:169300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	844.5	7.67	30	Pass	401
849	850	0.051	RMS	849	-29.34	-13	Pass	401
850	874	0.1	RMS	850.12	-36.37	-13	Pass	401




23.9. Band Edge for SA(NTNV)(Subtest:9, Channel:166300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.7	-46.11	-13	Pass	401
823	824	0.15	RMS	824	-17.31	-13	Pass	401
824	844	0.1	RMS	824.45	20.42	30	Pass	401




23.10. Band Edge for SA(NTNV)(Subtest:10, Channel:166300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	823	-38.26	-13	Pass	401
823	824	0.15	RMS	824	-31.59	-13	Pass	401
824	844	0.1	RMS	836.8	3.34	30	Pass	401




23.11. Band Edge for SA(NTNV)(Subtest:11, Channel:166300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	818.56	-47.49	-13	Pass	401
823	824	0.15	RMS	824	-18.19	-13	Pass	401
824	844	0.1	RMS	824.45	19.88	30	Pass	401




23.12. Band Edge for SA(NTNV)(Subtest:12, Channel:166300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.34	-35.86	-13	Pass	401
823	824	0.15	RMS	823.993	-31.84	-13	Pass	401
824	844	0.1	RMS	834.55	2.6	30	Pass	401




23.13. Band Edge for SA(NTNV)(Subtest:13, Channel:168300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.5	20.63	30	Pass	401
849	850	0.15	RMS	849	-19.44	-13	Pass	401
850	874	0.1	RMS	850	-50.08	-13	Pass	401




23.14. Band Edge for SA(NTNV)(Subtest:14, Channel:168300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	837.1	3.55	30	Pass	401
849	850	0.15	RMS	849.005	-41.17	-13	Pass	401
850	874	0.1	RMS	850.24	-47.33	-13	Pass	401




23.15. Band Edge for SA(NTNV)(Subtest:15, Channel:168300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.5	20.21	30	Pass	401
849	850	0.15	RMS	849	-19.33	-13	Pass	401
850	874	0.1	RMS	850	-42.41	-13	Pass	401




23.16. Band Edge for SA(NTNV)(Subtest:16, Channel:168300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	836.3	2.9	30	Pass	401
849	850	0.15	RMS	849.02	-37.99	-13	Pass	401
850	874	0.1	RMS	850	-41.51	-13	Pass	401




23.17. Band Edge for SA(NTNV)(Subtest:17, Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	823	-47.22	-13	Pass	401
823	824	0.1	RMS	824	-18.55	-13	Pass	11
824	844	0.1	RMS	824.55	20.34	30	Pass	401




23.18. Band Edge for SA(NTNV)(Subtest:18, Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	815.68	-37.25	-13	Pass	401
823	824	0.2	RMS	823.998	-30.15	-13	Pass	401
824	844	0.1	RMS	832.95	1.8	30	Pass	401




23.19. Band Edge for SA(NTNV)(Subtest:19, Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	823	-46.78	-13	Pass	401
823	824	0.2	RMS	824	-16.39	-13	Pass	6
824	844	0.1	RMS	824.5	19.86	30	Pass	401




23.20. Band Edge for SA(NTNV)(Subtest:20, Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	823	-36.25	-13	Pass	401
823	824	0.2	RMS	823.995	-30.77	-13	Pass	401
824	844	0.1	RMS	838	1.37	30	Pass	401



23.21. Band Edge for SA(NTNV)(Subtest:21, Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.45	20.61	30	Pass	401
849	850	0.2	RMS	849	-16.45	-13	Pass	6
850	874	0.1	RMS	850.3	-48.54	-13	Pass	401




23.22. Band Edge for SA(NTNV)(Subtest:22, Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	836.05	1.96	30	Pass	401
849	850	0.2	RMS	849.105	-42.33	-13	Pass	401
850	874	0.1	RMS	850.12	-47.24	-13	Pass	401



23.23. Band Edge for SA(NTNV)(Subtest:23, Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.4	19.89	30	Pass	401
849	850	0.2	RMS	849	-16.4	-13	Pass	6
850	874	0.1	RMS	850	-48.68	-13	Pass	401



23.24. Band Edge for SA(NTNV)(Subtest:24, Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	833.4	1.75	30	Pass	401
849	850	0.2	RMS	849.038	-39.36	-13	Pass	401
850	874	0.1	RMS	850.18	-44.35	-13	Pass	401



24. n7 15kHz


24.1. Band Edge for SA(NTNV)(Subtest:1, Channel:500500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2493.953	-48.21	-25	Pass	401
2494	2496	1	RMS	2495.985	-43.07	-13	Pass	401
2496	2499	1	RMS	2499	-37.36	-10	Pass	4
2499	2500	0.051	RMS	2499.998	-19.41	-10	Pass	401
2500	2520	1	RMS	2500.35	22.24	30	Pass	401




24.2. Band Edge for SA(NTNV)(Subtest:2, Channel:500500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2494	-41.58	-25	Pass	401
2494	2496	1	RMS	2495.99	-36.97	-13	Pass	401
2496	2499	1	RMS	2498	-29.43	-10	Pass	4
2499	2500	0.1	RMS	2500	-27.87	-10	Pass	401
2500	2520	1	RMS	2503.4	16.19	30	Pass	401




24.3. Band Edge for SA(NTNV)(Subtest:3, Channel:500500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2494	-47.9	-25	Pass	401
2494	2496	1	RMS	2495.92	-42.78	-13	Pass	401
2496	2499	1	RMS	2499	-37.16	-10	Pass	4
2499	2500	0.051	RMS	2500	-19.63	-10	Pass	401
2500	2520	1	RMS	2500.3	21.79	30	Pass	401




24.4. Band Edge for SA(NTNV)(Subtest:4, Channel:500500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2493.953	-38.22	-25	Pass	401
2494	2496	1	RMS	2495.985	-32.68	-13	Pass	401
2496	2499	1	RMS	2499	-27.47	-10	Pass	4
2499	2500	0.1	RMS	2499.998	-28.5	-10	Pass	401
2500	2520	1	RMS	2501.65	15.82	30	Pass	401




24.5. Band Edge for SA(NTNV)(Subtest:5, Channel:513500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.6	21.89	30	Pass	401
2570	2571	0.051	RMS	2570.015	-21.11	-10	Pass	401
2571	2575	1	RMS	2571	-37.51	-10	Pass	5
2575	2576	1	RMS	2575.003	-45.51	-13	Pass	401
2576	2595	1	RMS	2576	-48.63	-25	Pass	401




24.6. Band Edge for SA(NTNV)(Subtest:6, Channel:513500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2566.35	15.92	30	Pass	401
2570	2571	0.1	RMS	2570.005	-28.62	-10	Pass	401
2571	2575	1	RMS	2571	-35.37	-10	Pass	5
2575	2576	1	RMS	2575.043	-40.84	-13	Pass	401
2576	2595	1	RMS	2576	-42.48	-25	Pass	401




24.7. Band Edge for SA(NTNV)(Subtest:7, Channel:513500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.65	21.58	30	Pass	401
2570	2571	0.051	RMS	2570	-20.33	-10	Pass	401
2571	2575	1	RMS	2571	-37.41	-10	Pass	5
2575	2576	1	RMS	2575.005	-45.54	-13	Pass	401
2576	2595	1	RMS	2576	-48.54	-25	Pass	401




24.8. Band Edge for SA(NTNV)(Subtest:8, Channel:513500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2566.6	15.64	30	Pass	401
2570	2571	0.1	RMS	2570	-28.23	-10	Pass	401
2571	2575	1	RMS	2571	-33.78	-10	Pass	5
2575	2576	1	RMS	2575.033	-38.61	-13	Pass	401
2576	2595	1	RMS	2576.048	-39.57	-25	Pass	401




24.9. Band Edge for SA(NTNV)(Subtest:9, Channel:501500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2485	1	RMS	2484.9	-50.79	-25	Pass	401
2485	2496	1	RMS	2493.47	-40.29	-13	Pass	401
2496	2499	1	RMS	2499	-34.99	-10	Pass	4
2499	2500	0.051	RMS	2500	-24.46	-10	Pass	401
2500	2520	1	RMS	2500.45	22.5	30	Pass	401




24.10. Band Edge for SA(NTNV)(Subtest:10, Channel:501500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2485	1	RMS	2485	-50.17	-25	Pass	401
2485	2496	1	RMS	2494.24	-36.75	-13	Pass	401
2496	2499	1	RMS	2499	-32.89	-10	Pass	4
2499	2500	0.3	RMS	2500	-23.49	-10	Pass	401
2500	2520	1	RMS	2511.75	11.86	30	Pass	401




24.11. Band Edge for SA(NTNV)(Subtest:11, Channel:501500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2485	1	RMS	2485	-50.79	-25	Pass	401
2485	2496	1	RMS	2493.525	-40.49	-13	Pass	401
2496	2499	1	RMS	2499	-35.28	-10	Pass	4
2499	2500	0.051	RMS	2499.995	-24.97	-10	Pass	401
2500	2520	1	RMS	2500.45	21.94	30	Pass	401




24.12. Band Edge for SA(NTNV)(Subtest:12, Channel:501500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2485	1	RMS	2485	-49.14	-25	Pass	401
2485	2496	1	RMS	2495.973	-34.08	-13	Pass	401
2496	2499	1	RMS	2499	-31.25	-10	Pass	4
2499	2500	0.3	RMS	2500	-22.98	-10	Pass	401
2500	2520	1	RMS	2512.35	11.53	30	Pass	401




24.13. Band Edge for SA(NTNV)(Subtest:13, Channel:512500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.5	22	30	Pass	401
2570	2571	0.051	RMS	2570.015	-25.69	-10	Pass	401
2571	2575	1	RMS	2571	-36.39	-10	Pass	5
2575	2585	1	RMS	2576.425	-40.76	-13	Pass	401
2585	2595	1	RMS	2585.1	-49.51	-25	Pass	401




24.14. Band Edge for SA(NTNV)(Subtest:14, Channel:512500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2556.7	11.55	30	Pass	401
2570	2571	0.3	RMS	2570	-39.02	-10	Pass	401
2571	2575	1	RMS	2575	-38.37	-10	Pass	5
2575	2585	1	RMS	2575.075	-38.5	-13	Pass	401
2585	2595	1	RMS	2585.1	-46.55	-25	Pass	401




24.15. Band Edge for SA(NTNV)(Subtest:15, Channel:512500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.5	21.48	30	Pass	401
2570	2571	0.051	RMS	2570	-25.65	-10	Pass	401
2571	2575	1	RMS	2571	-36.63	-10	Pass	5
2575	2585	1	RMS	2576.475	-41.24	-13	Pass	401
2585	2595	1	RMS	2585.325	-49.22	-25	Pass	401




24.16. Band Edge for SA(NTNV)(Subtest:16, Channel:512500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2557.7	11.06	30	Pass	401
2570	2571	0.3	RMS	2570.005	-38.07	-10	Pass	401
2571	2575	1	RMS	2571	-36.84	-10	Pass	5
2575	2585	1	RMS	2577.475	-38.75	-13	Pass	401
2585	2595	1	RMS	2585.05	-44.15	-25	Pass	401




24.17. Band Edge for SA(NTNV)(Subtest:17, Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2480	1	RMS	2475.4	-50.86	-25	Pass	401
2480	2496	1	RMS	2495.4	-50.8	-13	Pass	401
2496	2499	1	RMS	2499	-32.05	-10	Pass	4
2499	2500	0.051	RMS	2499.998	-21.52	-10	Pass	401
2500	2520	1	RMS	2500.55	22.38	30	Pass	401




24.18. Band Edge for SA(NTNV)(Subtest:18, Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2480	1	RMS	2479.05	-50.83	-25	Pass	401
2480	2496	1	RMS	2492	-38.38	-13	Pass	401
2496	2499	1	RMS	2499	-33.09	-10	Pass	4
2499	2500	0.5	RMS	2500	-28.17	-10	Pass	3
2500	2520	1	RMS	2515.35	10.88	30	Pass	401




24.19. Band Edge for SA(NTNV)(Subtest:19, Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2480	1	RMS	2478.063	-50.81	-25	Pass	401
2480	2496	1	RMS	2491.2	-41.63	-13	Pass	401
2496	2499	1	RMS	2499	-32.46	-10	Pass	4
2499	2500	0.051	RMS	2499.995	-22.05	-10	Pass	401
2500	2520	1	RMS	2500.55	21.81	30	Pass	401




24.20. Band Edge for SA(NTNV)(Subtest:20, Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2480	1	RMS	2478.238	-50.89	-25	Pass	401
2480	2496	1	RMS	2495.92	-34.95	-13	Pass	401
2496	2499	1	RMS	2499	-32.15	-10	Pass	4
2499	2500	0.5	RMS	2500	-27.12	-10	Pass	3
2500	2520	1	RMS	2517.3	10.42	30	Pass	401




24.21. Band Edge for SA(NTNV)(Subtest:21, Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.45	22.15	30	Pass	401
2570	2571	0.051	RMS	2570.013	-22.9	-10	Pass	401
2571	2575	1	RMS	2571	-33.35	-10	Pass	5
2575	2590	1	RMS	2578.788	-41.78	-13	Pass	401
2590	2595	1	RMS	2590.138	-50.42	-25	Pass	401




24.22. Band Edge for SA(NTNV)(Subtest:22, Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2560.35	10.5	30	Pass	401
2570	2571	0.51	RMS	2570.018	-40.72	-10	Pass	401
2571	2575	1	RMS	2571	-39.94	-10	Pass	5
2575	2590	1	RMS	2576.763	-39.66	-13	Pass	401
2590	2595	1	RMS	2590.175	-49.09	-25	Pass	401




24.23. Band Edge for SA(NTNV)(Subtest:23, Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.4	21.69	30	Pass	401
2570	2571	0.051	RMS	2570.01	-22.35	-10	Pass	401
2571	2575	1	RMS	2571	-33.04	-10	Pass	5
2575	2590	1	RMS	2578.825	-41.99	-13	Pass	401
2590	2595	1	RMS	2590.013	-50.54	-25	Pass	401



24.24. Band Edge for SA(NTNV)(Subtest:24, Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2558.55	9.99	30	Pass	401
2570	2571	0.51	RMS	2570.01	-39.49	-10	Pass	401
2571	2575	1	RMS	2571	-38.16	-10	Pass	5
2575	2590	1	RMS	2575.525	-39.34	-13	Pass	401
2590	2595	1	RMS	2590.063	-47.63	-25	Pass	401



25. n38 30kHz


25.1. Band Edge for SA(NTNV)(Subtest:1, Channel:515000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2560	1	RMS	2554.038	-43.96	-25	Pass	401
2560	2565	1	RMS	2561.5	-37.39	-13	Pass	401
2565	2569	1	RMS	2569	-23.98	-10	Pass	401
2569	2570	0.1	RMS	2569.998	-22.18	-10	Pass	401
2570	2590	1	RMS	2570.8	22.12	30	Pass	401




25.2. Band Edge for SA(NTNV)(Subtest:2, Channel:515000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2560	1	RMS	2559.963	-43.19	-25	Pass	401
2560	2565	1	RMS	2564.9	-35.67	-13	Pass	401
2565	2569	1	RMS	2568.02	-32.71	-10	Pass	401
2569	2570	0.1	RMS	2569.998	-34.78	-10	Pass	401
2570	2590	1	RMS	2575.05	13.4	30	Pass	401




25.3. Band Edge for SA(NTNV)(Subtest:3, Channel:515000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2560	1	RMS	2560	-48.43	-25	Pass	401
2560	2565	1	RMS	2565	-44.4	-13	Pass	401
2565	2569	1	RMS	2569	-24.75	-10	Pass	401
2569	2570	0.1	RMS	2569.998	-24.04	-10	Pass	401
2570	2590	1	RMS	2570.85	21.64	30	Pass	401




25.4. Band Edge for SA(NTNV)(Subtest:4, Channel:515000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2560	1	RMS	2559.925	-40.81	-25	Pass	401
2560	2565	1	RMS	2564.888	-34.57	-13	Pass	401
2565	2569	1	RMS	2569	-29.86	-10	Pass	401
2569	2570	0.1	RMS	2569.983	-33.92	-10	Pass	401
2570	2590	1	RMS	2573.25	12.97	30	Pass	401




25.5. Band Edge for SA(NTNV)(Subtest:5, Channel:523000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2600	2620	1	RMS	2619.1	22.48	30	Pass	401
2620	2621	0.1	RMS	2620.5	-61.26	-10	Pass	11
2621	2625	1	RMS	2621	-26.01	-10	Pass	401
2625	2630	1	RMS	2627.425	-44.33	-13	Pass	401
2630	2645	1	RMS	2630.075	-48.41	-25	Pass	401




25.6. Band Edge for SA(NTNV)(Subtest:6, Channel:523000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2600	2620	1	RMS	2616.9	13.6	30	Pass	401
2620	2621	0.1	RMS	2620.1	-61.31	-10	Pass	11
2621	2625	1	RMS	2621.01	-33.35	-10	Pass	401
2625	2630	1	RMS	2625.975	-37.79	-13	Pass	401
2630	2645	1	RMS	2630	-41.02	-25	Pass	401




25.7. Band Edge for SA(NTNV)(Subtest:7, Channel:523000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2600	2620	1	RMS	2619.15	21.91	30	Pass	401
2620	2621	0.1	RMS	2620.5	-61.4	-10	Pass	11
2621	2625	1	RMS	2621	-25.64	-10	Pass	401
2625	2630	1	RMS	2625.713	-37.85	-13	Pass	401
2630	2645	1	RMS	2633.225	-43.61	-25	Pass	401




25.8. Band Edge for SA(NTNV)(Subtest:8, Channel:523000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2600	2620	1	RMS	2613.15	13.18	30	Pass	401
2620	2621	0.1	RMS	2620.9	-61.19	-10	Pass	11
2621	2625	1	RMS	2621.03	-28.67	-10	Pass	401
2625	2630	1	RMS	2625.05	-33.29	-13	Pass	401
2630	2645	1	RMS	2632.213	-36.08	-25	Pass	401




25.9. Band Edge for SA(NTNV)(Subtest:9, Channel:515500, Bandwidth:15, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2555	1	RMS	2554.65	-48.98	-25	Pass	401
2555	2565	1	RMS	2564.15	-36.98	-13	Pass	401
2565	2569	1	RMS	2569	-22.21	-10	Pass	401
2569	2570	0.15	RMS	2570	-20.03	-10	Pass	401
2570	2590	1	RMS	2570.8	22.2	30	Pass	401




25.10. Band Edge for SA(NTNV)(Subtest:10, Channel:515500, Bandwidth:15, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:36, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2555	1	RMS	2553.5	-43.61	-25	Pass	401
2555	2565	1	RMS	2564.65	-36.82	-13	Pass	401
2565	2569	1	RMS	2568.89	-31.1	-10	Pass	401
2569	2570	0.15	RMS	2569.99	-31.81	-10	Pass	401
2570	2590	1	RMS	2581.45	11.83	30	Pass	401




25.11. Band Edge for SA(NTNV)(Subtest:11, Channel:515500, Bandwidth:15, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2555	1	RMS	2554.825	-48.67	-25	Pass	401
2555	2565	1	RMS	2564.275	-39.63	-13	Pass	401
2565	2569	1	RMS	2569	-22.81	-10	Pass	401
2569	2570	0.15	RMS	2570	-20.05	-10	Pass	401
2570	2590	1	RMS	2570.85	21.61	30	Pass	401




25.12. Band Edge for SA(NTNV)(Subtest:12, Channel:515500, Bandwidth:15, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:36, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2555	1	RMS	2554.95	-42.6	-25	Pass	401
2555	2565	1	RMS	2564.9	-35.43	-13	Pass	401
2565	2569	1	RMS	2569	-31.37	-10	Pass	401
2569	2570	0.15	RMS	2569.995	-33.94	-10	Pass	401
2570	2590	1	RMS	2581.2	11.32	30	Pass	401




25.13. Band Edge for SA(NTNV)(Subtest:13, Channel:522500, Bandwidth:15, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:37)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2600	2620	1	RMS	2619.1	22.44	30	Pass	401
2620	2621	0.15	RMS	2620.429	-59.5	-10	Pass	8
2621	2625	1	RMS	2621	-23.93	-10	Pass	401
2625	2635	1	RMS	2625.7	-36.97	-13	Pass	401
2635	2645	1	RMS	2635.025	-48.65	-25	Pass	401




25.14. Band Edge for SA(NTNV)(Subtest:14, Channel:522500, Bandwidth:15, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:36, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2600	2620	1	RMS	2608.85	11.95	30	Pass	401
2620	2621	0.15	RMS	2620	-59.56	-10	Pass	8
2621	2625	1	RMS	2621.01	-37.21	-10	Pass	401
2625	2635	1	RMS	2625.125	-38.95	-13	Pass	401
2635	2645	1	RMS	2636.375	-43.33	-25	Pass	401




25.15. Band Edge for SA(NTNV)(Subtest:15, Channel:522500, Bandwidth:15, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:37)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2600	2620	1	RMS	2619.1	21.93	30	Pass	401
2620	2621	0.15	RMS	2620.286	-59.51	-10	Pass	8
2621	2625	1	RMS	2621	-24.12	-10	Pass	401
2625	2635	1	RMS	2625.675	-37.33	-13	Pass	401
2635	2645	1	RMS	2635.125	-48.48	-25	Pass	401




25.16. Band Edge for SA(NTNV)(Subtest:16, Channel:522500, Bandwidth:15, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:36, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2600	2620	1	RMS	2616.2	11.45	30	Pass	401
2620	2621	0.15	RMS	2620.143	-59.38	-10	Pass	8
2621	2625	1	RMS	2621.43	-31.93	-10	Pass	401
2625	2635	1	RMS	2625.1	-34.66	-13	Pass	401
2635	2645	1	RMS	2635.725	-39.55	-25	Pass	401




25.17. Band Edge for SA(NTNV)(Subtest:17, Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2550	1	RMS	2549.963	-50.2	-25	Pass	401
2550	2565	1	RMS	2561.925	-40.26	-13	Pass	401
2565	2569	1	RMS	2569	-26.55	-10	Pass	401
2569	2570	0.2	RMS	2569.988	-19.74	-10	Pass	401
2570	2590	1	RMS	2571	22.07	30	Pass	401




25.18. Band Edge for SA(NTNV)(Subtest:18, Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2550	1	RMS	2549.938	-46.35	-25	Pass	401
2550	2565	1	RMS	2562.338	-38.7	-13	Pass	401
2565	2569	1	RMS	2569	-35.23	-10	Pass	401
2569	2570	0.2	RMS	2569.995	-34.23	-10	Pass	401
2570	2590	1	RMS	2587.6	10.45	30	Pass	401




25.19. Band Edge for SA(NTNV)(Subtest:19, Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2550	1	RMS	2549.95	-50.12	-25	Pass	401
2550	2565	1	RMS	2562.075	-40.41	-13	Pass	401
2565	2569	1	RMS	2569	-27.8	-10	Pass	401
2569	2570	0.2	RMS	2569.998	-21.31	-10	Pass	401
2570	2590	1	RMS	2570.95	21.53	30	Pass	401




25.20. Band Edge for SA(NTNV)(Subtest:20, Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2550	1	RMS	2549.95	-43.86	-25	Pass	401
2550	2565	1	RMS	2564.925	-36.03	-13	Pass	401
2565	2569	1	RMS	2568.97	-33.62	-10	Pass	401
2569	2570	0.2	RMS	2569.988	-34.71	-10	Pass	401
2570	2590	1	RMS	2580.95	10	30	Pass	401




25.21. Band Edge for SA(NTNV)(Subtest:21, Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2600	2620	1	RMS	2619	22.45	30	Pass	401
2620	2621	0.2	RMS	2620	-55.03	-10	Pass	6
2621	2625	1	RMS	2621	-28.78	-10	Pass	401
2625	2640	1	RMS	2627.925	-37.42	-13	Pass	401
2640	2645	1	RMS	2640.138	-50.07	-25	Pass	401




25.22. Band Edge for SA(NTNV)(Subtest:22, Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2600	2620	1	RMS	2614.2	10.62	30	Pass	401
2620	2621	0.2	RMS	2620	-57.91	-10	Pass	6
2621	2625	1	RMS	2621.02	-37.51	-10	Pass	401
2625	2640	1	RMS	2628.938	-40.18	-13	Pass	401
2640	2645	1	RMS	2641.075	-43.43	-25	Pass	401



25.23. Band Edge for SA(NTNV)(Subtest:23, Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2600	2620	1	RMS	2618.95	21.87	30	Pass	401
2620	2621	0.2	RMS	2620	-56.79	-10	Pass	6
2621	2625	1	RMS	2621.12	-25.86	-10	Pass	401
2625	2640	1	RMS	2625.413	-35.91	-13	Pass	401
2640	2645	1	RMS	2640.075	-45.81	-25	Pass	401



END

25.24. Band Edge for SA(NTNV)(Subtest:24, Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2600	2620	1	RMS	2610.95	10.13	30	Pass	401
2620	2621	0.2	RMS	2620.6	-58.03	-10	Pass	6
2621	2625	1	RMS	2622.2	-36.11	-10	Pass	401
2625	2640	1	RMS	2625.113	-37.7	-13	Pass	401
2640	2645	1	RMS	2641.038	-41.45	-25	Pass	401



26. n41 30kHz


26.1. Band Edge for SA(NTNV)(Subtest:1, Channel:500202, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-45.47	-25	Pass	401
2490	2495	1	RMS	2495	-23.82	-13	Pass	401
2495	2496	0.051	RMS	2495.998	-26.3	-10	Pass	401
2496	2596	1	RMS	2496.75	22.53	30	Pass	401




26.2. Band Edge for SA(NTNV)(Subtest:2, Channel:500202, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-38.18	-25	Pass	401
2490	2495	1	RMS	2494.988	-32.92	-13	Pass	401
2495	2496	1	RMS	2496	-20.75	-10	Pass	2
2496	2596	1	RMS	2503	13.9	30	Pass	401




26.3. Band Edge for SA(NTNV)(Subtest:3, Channel:500202, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2489.505	-45.43	-25	Pass	401
2490	2495	1	RMS	2495	-23.78	-13	Pass	401
2495	2496	0.051	RMS	2496	-26.17	-10	Pass	401
2496	2596	1	RMS	2496.75	21.99	30	Pass	401




26.4. Band Edge for SA(NTNV)(Subtest:4, Channel:500202, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-35.24	-25	Pass	401
2490	2495	1	RMS	2495	-29.58	-13	Pass	401
2495	2496	1	RMS	2496	-20.98	-10	Pass	2
2496	2596	1	RMS	2504.25	13.4	30	Pass	401




26.5. Band Edge for SA(NTNV)(Subtest:5, Channel:537000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	22.28	30	Pass	401
2690	2691	0.1	RMS	2690.015	-20.88	-10	Pass	401
2691	2695	1	RMS	2691.02	-21.64	-10	Pass	401
2695	2700	1	RMS	2695.463	-33.85	-13	Pass	401
2700	2795	1	RMS	2707.838	-43.85	-25	Pass	401




26.6. Band Edge for SA(NTNV)(Subtest:6, Channel:537000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2682.25	13.61	30	Pass	401
2690	2691	1	RMS	2690	-19.29	-10	Pass	2
2691	2695	1	RMS	2691.25	-30.11	-10	Pass	401
2695	2700	1	RMS	2696.15	-34.7	-13	Pass	401
2700	2705	1	RMS	2701.725	-38.15	-25	Pass	401
2705	2795	1	RMS	2705	-45.04	-25	Pass	401




26.7. Band Edge for SA(NTNV)(Subtest:7, Channel:537000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	21.88	30	Pass	401
2690	2691	0.1	RMS	2690.005	-24.46	-10	Pass	401
2691	2695	1	RMS	2691	-26.06	-10	Pass	401
2695	2700	1	RMS	2695.25	-44.02	-13	Pass	401
2700	2795	1	RMS	2700	-48.22	-25	Pass	401




26.8. Band Edge for SA(NTNV)(Subtest:8, Channel:537000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2685	13.18	30	Pass	401
2690	2691	1	RMS	2690	-19.64	-10	Pass	2
2691	2695	1	RMS	2691	-32.24	-10	Pass	401
2695	2700	1	RMS	2695.238	-33.73	-13	Pass	401
2700	2705	1	RMS	2700.1	-38.6	-25	Pass	401
2705	2795	1	RMS	2705	-40.89	-25	Pass	401




26.9. Band Edge for SA(NTNV)(Subtest:9, Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-46.68	-25	Pass	401
2490	2495	1	RMS	2495	-25.62	-13	Pass	401
2495	2496	0.051	RMS	2495.998	-25.31	-10	Pass	401
2496	2596	1	RMS	2497	22.32	30	Pass	401




26.10. Band Edge for SA(NTNV)(Subtest:10, Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2489.258	-42.55	-25	Pass	401
2490	2495	1	RMS	2494.863	-35.95	-13	Pass	401
2495	2496	1	RMS	2496	-30.22	-10	Pass	2
2496	2596	1	RMS	2525	5.66	30	Pass	401




26.11. Band Edge for SA(NTNV)(Subtest:11, Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-46.31	-25	Pass	401
2490	2495	1	RMS	2495	-25.95	-13	Pass	401
2495	2496	0.051	RMS	2495.995	-26.03	-10	Pass	401
2496	2596	1	RMS	2497	21.82	30	Pass	401




26.12. Band Edge for SA(NTNV)(Subtest:12, Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-40.2	-25	Pass	401
2490	2495	1	RMS	2494.963	-36.91	-13	Pass	401
2495	2496	1	RMS	2496	-30.55	-10	Pass	2
2496	2596	1	RMS	2525.25	5.17	30	Pass	401



26.13. Band Edge for SA(NTNV)(Subtest:13, Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	22	30	Pass	401
2690	2691	0.1	RMS	2690	-24.67	-10	Pass	401
2691	2695	1	RMS	2691	-28.25	-10	Pass	401
2695	2750	1	RMS	2717.825	-42.13	-13	Pass	401
2750	2795	1	RMS	2750.225	-49.38	-25	Pass	401




26.14. Band Edge for SA(NTNV)(Subtest:14, Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2664.75	5.58	30	Pass	401
2690	2691	1	RMS	2690	-30.94	-10	Pass	2
2691	2695	1	RMS	2691.08	-38.55	-10	Pass	401
2695	2750	1	RMS	2695	-42.31	-13	Pass	401
2750	2795	1	RMS	2752.025	-47.58	-25	Pass	401




26.15. Band Edge for SA(NTNV)(Subtest:15, Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	21.54	30	Pass	401
2690	2691	0.1	RMS	2690	-23.8	-10	Pass	401
2691	2695	1	RMS	2691.01	-27.5	-10	Pass	401
2695	2750	1	RMS	2717.963	-42.84	-13	Pass	401
2750	2795	1	RMS	2750	-49.5	-25	Pass	401




26.16. Band Edge for SA(NTNV)(Subtest:16, Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2659	5.14	30	Pass	401
2690	2691	1	RMS	2690	-31.43	-10	Pass	2
2691	2695	1	RMS	2691.01	-38.6	-10	Pass	401
2695	2750	1	RMS	2695	-41.23	-13	Pass	401
2750	2795	1	RMS	2751.125	-46.33	-25	Pass	401




26.17. Band Edge for SA(NTNV)(Subtest:17, Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-44.88	-25	Pass	401
2490	2495	1	RMS	2495	-25.6	-13	Pass	401
2495	2496	0.051	RMS	2495.995	-26.17	-10	Pass	401
2496	2596	1	RMS	2497	21.87	30	Pass	401




26.18. Band Edge for SA(NTNV)(Subtest:18, Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-41.53	-25	Pass	401
2490	2495	1	RMS	2494.988	-39.53	-13	Pass	401
2495	2496	1	RMS	2496	-34.33	-13	Pass	2
2496	2596	1	RMS	2582.25	3.71	30	Pass	401




26.19. Band Edge for SA(NTNV)(Subtest:19, Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-45.38	-25	Pass	401
2490	2495	1	RMS	2495	-26.14	-13	Pass	401
2495	2496	0.051	RMS	2496	-27.12	-10	Pass	401
2496	2596	1	RMS	2497	21.54	30	Pass	401




26.20. Band Edge for SA(NTNV)(Subtest:20, Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2489.753	-41.1	-25	Pass	401
2490	2495	1	RMS	2494.975	-39.2	-13	Pass	401
2495	2496	1	RMS	2496	-35.18	-13	Pass	2
2496	2596	1	RMS	2580.5	3.09	30	Pass	401




26.21. Band Edge for SA(NTNV)(Subtest:21, Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	21.69	30	Pass	401
2690	2691	0.1	RMS	2690.025	-25.01	-10	Pass	401
2691	2695	1	RMS	2691	-27.47	-10	Pass	401
2695	2790	1	RMS	2737.75	-40.93	-13	Pass	401
2790	2795	1	RMS	2790.025	-50	-25	Pass	401




26.22. Band Edge for SA(NTNV)(Subtest:22, Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2651.25	3.35	30	Pass	401
2690	2691	1	RMS	2690	-41.81	-10	Pass	2
2691	2695	1	RMS	2695	-41.09	-10	Pass	401
2695	2790	1	RMS	2741.788	-41.01	-13	Pass	401
2790	2795	1	RMS	2791.988	-50.02	-25	Pass	401



26.23. Band Edge for SA(NTNV)(Subtest:23, Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	21.15	30	Pass	401
2690	2691	0.1	RMS	2690.003	-23.95	-10	Pass	401
2691	2695	1	RMS	2691.01	-26.5	-10	Pass	401
2695	2790	1	RMS	2710.438	-42.34	-13	Pass	401
2790	2795	1	RMS	2792.938	-50.03	-25	Pass	401



26.24. Band Edge for SA(NTNV)(Subtest:24, Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2641	2.9	30	Pass	401
2690	2691	1	RMS	2690	-39.54	-10	Pass	2
2691	2695	1	RMS	2691.11	-37.22	-10	Pass	401
2695	2790	1	RMS	2695	-40.45	-13	Pass	401
2790	2795	1	RMS	2792.138	-50.08	-25	Pass	401



27. n66 15kHz


27.1. Band Edge for SA(NTNV)(Subtest:1, Channel:342500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1685	1708	1	RMS	1707.943	-38.75	-13	Pass	401
1708	1709	1	RMS	1709	-37.72	-13	Pass	2
1709	1710	0.051	RMS	1710	-18.22	-13	Pass	401
1710	1730	1	RMS	1710.3	22.28	30	Pass	401




27.2. Band Edge for SA(NTNV)(Subtest:2, Channel:342500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1685	1708	1	RMS	1708	-27.8	-13	Pass	401
1708	1709	1	RMS	1708	-27.78	-13	Pass	2
1709	1710	0.051	RMS	1709.988	-31.94	-13	Pass	401
1710	1730	1	RMS	1713.15	16.2	30	Pass	401




27.3. Band Edge for SA(NTNV)(Subtest:3, Channel:342500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1685	1708	1	RMS	1708	-38.79	-13	Pass	401
1708	1709	1	RMS	1709	-37.85	-13	Pass	2
1709	1710	0.051	RMS	1710	-19.23	-13	Pass	401
1710	1730	1	RMS	1710.35	21.7	30	Pass	401




27.4. Band Edge for SA(NTNV)(Subtest:4, Channel:342500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1685	1708	1	RMS	1708	-27.55	-13	Pass	401
1708	1709	1	RMS	1709	-26.97	-13	Pass	2
1709	1710	0.051	RMS	1709.998	-30.87	-13	Pass	401
1710	1730	1	RMS	1712.7	15.68	30	Pass	401




27.5. Band Edge for SA(NTNV)(Subtest:5, Channel:355500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1779.65	22.5	30	Pass	401
1780	1781	0.051	RMS	1780.003	-20	-13	Pass	401
1781	1782	1	RMS	1781	-37.56	-13	Pass	2
1782	1805	1	RMS	1782	-38.69	-13	Pass	401




27.6. Band Edge for SA(NTNV)(Subtest:6, Channel:355500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1778	16.47	30	Pass	401
1780	1781	0.051	RMS	1780	-29.48	-13	Pass	401
1781	1782	1	RMS	1782	-31.98	-13	Pass	2
1782	1805	1	RMS	1782	-31.99	-13	Pass	401




27.7. Band Edge for SA(NTNV)(Subtest:7, Channel:355500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1779.65	21.96	30	Pass	401
1780	1781	0.051	RMS	1780.003	-18.07	-13	Pass	401
1781	1782	1	RMS	1781	-37.57	-13	Pass	2
1782	1805	1	RMS	1782	-39.07	-13	Pass	401




27.8. Band Edge for SA(NTNV)(Subtest:8, Channel:355500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1777.45	15.9	30	Pass	401
1780	1781	0.051	RMS	1780.003	-30.56	-13	Pass	401
1781	1782	1	RMS	1781	-30.95	-13	Pass	2
1782	1805	1	RMS	1782.058	-30.82	-13	Pass	401




27.9. Band Edge for SA(NTNV)(Subtest:9, Channel:343500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1685	1708	1	RMS	1703.458	-40.69	-13	Pass	401
1708	1709	1	RMS	1709	-34.89	-13	Pass	2
1709	1710	0.15	RMS	1709.998	-18.06	-13	Pass	401
1710	1730	1	RMS	1710.45	22.24	30	Pass	401




27.10. Band Edge for SA(NTNV)(Subtest:10, Channel:343500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1685	1708	1	RMS	1707.943	-35.39	-13	Pass	401
1708	1709	1	RMS	1709	-32.49	-13	Pass	2
1709	1710	0.15	RMS	1710	-33.32	-13	Pass	401
1710	1730	1	RMS	1722.65	11.79	30	Pass	401




27.11. Band Edge for SA(NTNV)(Subtest:11, Channel:343500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1685	1708	1	RMS	1703.458	-40.95	-13	Pass	401
1708	1709	1	RMS	1709	-35.24	-13	Pass	2
1709	1710	0.15	RMS	1709.995	-19.86	-13	Pass	401
1710	1730	1	RMS	1710.45	21.71	30	Pass	401




27.12. Band Edge for SA(NTNV)(Subtest:12, Channel:343500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1685	1708	1	RMS	1707.943	-31.45	-13	Pass	401
1708	1709	1	RMS	1709	-30.61	-13	Pass	2
1709	1710	0.15	RMS	1709.993	-33.04	-13	Pass	401
1710	1730	1	RMS	1721.5	11.45	30	Pass	401




27.13. Band Edge for SA(NTNV)(Subtest:13, Channel:354500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1779.5	22.55	30	Pass	401
1780	1781	0.15	RMS	1780	-19.46	-13	Pass	401
1781	1782	1	RMS	1781	-35.41	-13	Pass	2
1782	1805	1	RMS	1786.543	-38.87	-13	Pass	401




27.14. Band Edge for SA(NTNV)(Subtest:14, Channel:354500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1766.3	12.49	30	Pass	401
1780	1781	0.15	RMS	1780.038	-39.71	-13	Pass	401
1781	1782	1	RMS	1781	-35.95	-13	Pass	2
1782	1805	1	RMS	1785.048	-33.22	-13	Pass	401



27.15. Band Edge for SA(NTNV)(Subtest:15, Channel:354500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1779.45	21.89	30	Pass	401
1780	1781	0.15	RMS	1780	-17.21	-13	Pass	401
1781	1782	1	RMS	1781	-35.33	-13	Pass	2
1782	1805	1	RMS	1786.428	-39.42	-13	Pass	401




27.16. Band Edge for SA(NTNV)(Subtest:16, Channel:354500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1766.15	11.6	30	Pass	401
1780	1781	0.15	RMS	1780.03	-38.89	-13	Pass	401
1781	1782	1	RMS	1781	-33	-13	Pass	2
1782	1805	1	RMS	1782	-33.26	-13	Pass	401




27.17. Band Edge for SA(NTNV)(Subtest:17, Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1685	1708	1	RMS	1701.158	-42.3	-13	Pass	401
1708	1709	1	RMS	1709	-31.72	-13	Pass	2
1709	1710	0.1	RMS	1710	-18.78	-13	Pass	11
1710	1730	1	RMS	1710.55	22.27	30	Pass	401




27.18. Band Edge for SA(NTNV)(Subtest:18, Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1685	1708	1	RMS	1708	-35.04	-13	Pass	401
1708	1709	1	RMS	1709	-32.05	-13	Pass	2
1709	1710	0.2	RMS	1709.998	-32.63	-13	Pass	401
1710	1730	1	RMS	1726.9	10.75	30	Pass	401




27.19. Band Edge for SA(NTNV)(Subtest:19, Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1685	1708	1	RMS	1708	-42.52	-13	Pass	401
1708	1709	1	RMS	1709	-32.08	-13	Pass	2
1709	1710	0.2	RMS	1709.995	-16.23	-13	Pass	401
1710	1730	1	RMS	1710.55	21.58	30	Pass	401




27.20. Band Edge for SA(NTNV)(Subtest:20, Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1685	1708	1	RMS	1707.943	-32.71	-13	Pass	401
1708	1709	1	RMS	1709	-31.17	-13	Pass	2
1709	1710	0.2	RMS	1709.995	-31.66	-13	Pass	401
1710	1730	1	RMS	1725.75	10.32	30	Pass	401




27.21. Band Edge for SA(NTNV)(Subtest:21, Channel:354000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1779.45	22.5	30	Pass	401
1780	1781	0.2	RMS	1780	-16.8	-13	Pass	6
1781	1782	1	RMS	1781	-32.52	-13	Pass	2
1782	1805	1	RMS	1788.785	-39.51	-13	Pass	401




27.22. Band Edge for SA(NTNV)(Subtest:22, Channel:354000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1761.75	11.36	30	Pass	401
1780	1781	0.2	RMS	1780.14	-40.23	-13	Pass	401
1781	1782	1	RMS	1781	-35.9	-13	Pass	2
1782	1805	1	RMS	1786.485	-33.49	-13	Pass	401




27.23. Band Edge for SA(NTNV)(Subtest:23, Channel:354000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1779.45	21.97	30	Pass	401
1780	1781	0.1	RMS	1780	-18.75	-13	Pass	11
1781	1782	1	RMS	1781	-31.53	-13	Pass	2
1782	1805	1	RMS	1788.9	-41.55	-13	Pass	401



27.24. Band Edge for SA(NTNV)(Subtest:24, Channel:354000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1761.55	11	30	Pass	401
1780	1781	0.2	RMS	1780.27	-40	-13	Pass	401
1781	1782	1	RMS	1781	-33.91	-13	Pass	2
1782	1805	1	RMS	1782.173	-34.17	-13	Pass	401



28. DC_5A_n66A_SCS15_5M_L_Edge_1RB_Left(QPSK)

28.1. NR Band Edge for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1708	-38.25	-13	Pass	401
1708	1709	1	RMS	1709	-36.68	-13	Pass	2
1709	1710	0.051	RMS	1709.998	-17.31	-13	Pass	401
1710	1750	1	RMS	1710.3	21.99	30	Pass	401



28. DC_5A_n66A_SCS15_5M_L_Outer Full(QPSK)

28.2. NR Band Edge for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1708	-26.83	-13	Pass	401
1708	1709	1	RMS	1709	-26.53	-13	Pass	2
1709	1710	0.051	RMS	1709.998	-32.64	-13	Pass	401
1710	1750	1	RMS	1712.9	16	30	Pass	401



28. DC_5A_n66A_SCS15_5M_L_Edge_1RB_Left(PI2 BPSK)

28.3. NR Band Edge for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1708	-38.14	-13	Pass	401
1708	1709	1	RMS	1709	-37.2	-13	Pass	2
1709	1710	0.051	RMS	1710	-17.96	-13	Pass	401
1710	1750	1	RMS	1710.3	22.49	30	Pass	401



28. DC_5A_n66A_SCS15_5M_L_Outer Full(PI2 BPSK)

28.4. NR Band Edge for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1708	-27.14	-13	Pass	401
1708	1709	1	RMS	1708	-27.06	-13	Pass	2
1709	1710	0.051	RMS	1709.998	-31.53	-13	Pass	401
1710	1750	1	RMS	1712.5	16.32	30	Pass	401



28. DC_5A_n66A_SCS15_5M_H_Edge_1RB_Right(QPSK)

28.5. NR Band Edge for Upper(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1740	1780	1	RMS	1779.7	21.98	30	Pass	401
1780	1781	0.051	RMS	1780	-19.95	-13	Pass	401
1781	1782	1	RMS	1781	-36.63	-13	Pass	2
1782	1825	1	RMS	1782	-38.55	-13	Pass	401



28. DC_5A_n66A_SCS15_5M_H_Outer Full(QPSK)

28.6. NR Band Edge for Upper(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1740	1780	1	RMS	1777.9	16.01	30	Pass	401
1780	1781	0.051	RMS	1780	-30.34	-13	Pass	401
1781	1782	1	RMS	1781	-30.8	-13	Pass	2
1782	1825	1	RMS	1782	-30.87	-13	Pass	401



28. DC_5A_n66A_SCS15_5M_H_Edge_1RB_Right(PI2 BPSK)

28.7. NR Band Edge for Upper(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1740	1780	1	RMS	1779.7	22.49	30	Pass	401
1780	1781	0.051	RMS	1780.003	-19.98	-13	Pass	401
1781	1782	1	RMS	1781	-37.06	-13	Pass	2
1782	1825	1	RMS	1782	-38.22	-13	Pass	401



28. DC_5A_n66A_SCS15_5M_H_Outer Full(PI2 BPSK)

28.8. NR Band Edge for Upper(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1740	1780	1	RMS	1777.9	16.34	30	Pass	401
1780	1781	0.051	RMS	1780	-29	-13	Pass	401
1781	1782	1	RMS	1782	-31.09	-13	Pass	2
1782	1825	1	RMS	1782	-31.23	-13	Pass	401



28. DC_5A_n66A_SCS15_15M_L_Edge_1RB_Left(QPSK)

28.9. NR Band Edge for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1703.378	-40.12	-13	Pass	401
1708	1709	1	RMS	1709	-33.54	-13	Pass	2
1709	1710	0.2	RMS	1710	-16.18	-13	Pass	6
1710	1750	1	RMS	1710.5	21.95	30	Pass	401



28. DC_5A_n66A_SCS15_15M_L_Outer Full(QPSK)

28.10. NR Band Edge for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1707.893	-31.16	-13	Pass	401
1708	1709	1	RMS	1709	-30.24	-13	Pass	2
1709	1710	0.2	RMS	1710	-30.85	-13	Pass	401
1710	1750	1	RMS	1722.7	11.8	30	Pass	401



28. DC_5A_n66A_SCS15_15M_L_Edge_1RB_Left(PI2 BPSK)

28.11. NR Band Edge for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1703.485	-39.87	-13	Pass	401
1708	1709	1	RMS	1709	-34.61	-13	Pass	2
1709	1710	0.2	RMS	1710	-17.1	-13	Pass	6
1710	1750	1	RMS	1710.5	22.42	30	Pass	401



28. DC_5A_n66A_SCS15_15M_L_Outer Full(PI2 BPSK)

28.12. NR Band Edge for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1708	-34.18	-13	Pass	401
1708	1709	1	RMS	1709	-31.59	-13	Pass	2
1709	1710	0.2	RMS	1710	-30.75	-13	Pass	401
1710	1750	1	RMS	1723	12.45	30	Pass	401



28. DC_5A_n66A_SCS15_15M_H_Edge_1RB_Right(QPSK)

28.13. NR Band Edge for Upper(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1740	1780	1	RMS	1779.5	22.02	30	Pass	401
1780	1781	0.2	RMS	1780.003	-17.12	-13	Pass	401
1781	1782	1	RMS	1781	-34.77	-13	Pass	2
1782	1825	1	RMS	1786.408	-39.11	-13	Pass	401



28. DC_5A_n66A_SCS15_15M_H_Outer Full(QPSK)

28.14. NR Band Edge for Upper(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1740	1780	1	RMS	1766.5	11.77	30	Pass	401
1780	1781	0.2	RMS	1780	-37.52	-13	Pass	401
1781	1782	1	RMS	1781	-32.56	-13	Pass	2
1782	1825	1	RMS	1782.215	-33.24	-13	Pass	401



28. DC_5A_n66A_SCS15_15M_H_Edge_1RB_Right(PI2 BPSK)

28.15. NR Band Edge for Upper(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1740	1780	1	RMS	1779.5	22.5	30	Pass	401
1780	1781	0.2	RMS	1780.003	-17.33	-13	Pass	401
1781	1782	1	RMS	1781	-35.07	-13	Pass	2
1782	1825	1	RMS	1786.515	-38.65	-13	Pass	401



28. DC_5A_n66A_SCS15_15M_H_Outer Full(PI2 BPSK)

28.16. NR Band Edge for Upper(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1740	1780	1	RMS	1766.5	12.21	30	Pass	401
1780	1781	0.2	RMS	1780.003	-37.15	-13	Pass	401
1781	1782	1	RMS	1781	-35.4	-13	Pass	2
1782	1825	1	RMS	1784.903	-33.4	-13	Pass	401



28. DC_5A_n66A_SCS15_20M_L_Edge_1RB_Left(QPSK)

28.17. NR Band Edge for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1701.12	-41.03	-13	Pass	401
1708	1709	1	RMS	1709	-30.65	-13	Pass	2
1709	1710	0.05	RMS	1710	-21.38	-13	Pass	21
1710	1750	1	RMS	1710.5	21.93	30	Pass	401



28. DC_5A_n66A_SCS15_20M_L_Outer Full(QPSK)

28.18. NR Band Edge for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1708	-32.24	-13	Pass	401
1708	1709	1	RMS	1709	-30.33	-13	Pass	2
1709	1710	0.2	RMS	1709.983	-30.55	-13	Pass	401
1710	1750	1	RMS	1725.4	10.77	30	Pass	401



28. DC_5A_n66A_SCS15_20M_L_Edge_1RB_Left(PI2 BPSK)

28.19. NR Band Edge for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1701.013	-40.76	-13	Pass	401
1708	1709	1	RMS	1709	-31.2	-13	Pass	2
1709	1710	0.05	RMS	1710	-21.46	-13	Pass	21
1710	1750	1	RMS	1710.5	22.32	30	Pass	401



28. DC_5A_n66A_SCS15_20M_L_Outer Full(PI2 BPSK)

28.20. NR Band Edge for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1708	-34.33	-13	Pass	401
1708	1709	1	RMS	1709	-31.58	-13	Pass	2
1709	1710	0.2	RMS	1709.995	-30.82	-13	Pass	401
1710	1750	1	RMS	1724.1	11.02	30	Pass	401



28. DC_5A_n66A_SCS15_20M_H_Edge_1RB_Right(QPSK)

28.21. NR Band Edge for Upper(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1740	1780	1	RMS	1779.4	21.96	30	Pass	401
1780	1781	0.2	RMS	1780	-16.63	-13	Pass	6
1781	1782	1	RMS	1781	-31.87	-13	Pass	2
1782	1825	1	RMS	1788.88	-39.62	-13	Pass	401



28. DC_5A_n66A_SCS15_20M_H_Outer Full(QPSK)

28.22. NR Band Edge for Upper(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1740	1780	1	RMS	1761.3	10.88	30	Pass	401
1780	1781	0.2	RMS	1780.578	-39.89	-13	Pass	401
1781	1782	1	RMS	1781	-33.56	-13	Pass	2
1782	1825	1	RMS	1782	-34	-13	Pass	401



28. DC_5A_n66A_SCS15_20M_H_Edge_1RB_Right(PI2 BPSK)

28.23. NR Band Edge for Upper(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1740	1780	1	RMS	1779.4	22.44	30	Pass	401
1780	1781	0.2	RMS	1780	-16.73	-13	Pass	6
1781	1782	1	RMS	1781	-32.36	-13	Pass	2
1782	1825	1	RMS	1788.773	-39.22	-13	Pass	401



28. DC_5A_n66A_SCS15_20M_H_Outer Full(PI2 BPSK)

28.24. NR Band Edge for Upper(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1740	1780	1	RMS	1762.3	11.48	30	Pass	401
1780	1781	0.2	RMS	1780.14	-40.02	-13	Pass	401
1781	1782	1	RMS	1781	-35.75	-13	Pass	2
1782	1825	1	RMS	1786.838	-33.36	-13	Pass	401



29. DC_7A_n66A_SCS15_5M_L_Edge_1RB_Left(QPSK)

29.1. NR Band Edge for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1708	-38.68	-13	Pass	401
1708	1709	1	RMS	1709	-37.73	-13	Pass	2
1709	1710	0.051	RMS	1710	-20.38	-13	Pass	401
1710	1750	1	RMS	1710.3	21.92	30	Pass	401



29. DC_7A_n66A_SCS15_5M_L_Outer Full(QPSK)

29.2. NR Band Edge for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1708	-27.47	-13	Pass	401
1708	1709	1	RMS	1709	-26.87	-13	Pass	2
1709	1710	0.051	RMS	1710	-31.53	-13	Pass	401
1710	1750	1	RMS	1712.1	15.77	30	Pass	401



29. DC_7A_n66A_SCS15_5M_L_Edge_1RB_Left(PI2 BPSK)

29.3. NR Band Edge for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1708	-38.43	-13	Pass	401
1708	1709	1	RMS	1709	-37.44	-13	Pass	2
1709	1710	0.051	RMS	1710	-18.27	-13	Pass	401
1710	1750	1	RMS	1710.3	22.37	30	Pass	401



29. DC_7A_n66A_SCS15_5M_L_Outer Full(PI2 BPSK)

29.4. NR Band Edge for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1708	-27.67	-13	Pass	401
1708	1709	1	RMS	1708	-27.72	-13	Pass	2
1709	1710	0.051	RMS	1709.998	-28.83	-13	Pass	401
1710	1750	1	RMS	1712.5	16.28	30	Pass	401



29. DC_7A_n66A_SCS15_5M_H_Edge_1RB_Right(QPSK)

29.5. NR Band Edge for Upper(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1740	1780	1	RMS	1779.6	22.14	30	Pass	401
1780	1781	0.051	RMS	1780	-18.24	-13	Pass	401
1781	1782	1	RMS	1781	-37.52	-13	Pass	2
1782	1825	1	RMS	1782	-38.89	-13	Pass	401



29. DC_7A_n66A_SCS15_5M_H_Outer Full(QPSK)

29.6. NR Band Edge for Upper(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1740	1780	1	RMS	1777	15.93	30	Pass	401
1780	1781	0.051	RMS	1780.005	-31.31	-13	Pass	401
1781	1782	1	RMS	1781	-30.56	-13	Pass	2
1782	1825	1	RMS	1782.108	-31.03	-13	Pass	401



29. DC_7A_n66A_SCS15_5M_H_Edge_1RB_Right(PI2 BPSK)

29.7. NR Band Edge for Upper(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1740	1780	1	RMS	1779.6	22.56	30	Pass	401
1780	1781	0.051	RMS	1780.003	-18.89	-13	Pass	401
1781	1782	1	RMS	1781	-37.35	-13	Pass	2
1782	1825	1	RMS	1782	-38.9	-13	Pass	401



29. DC_7A_n66A_SCS15_5M_H_Outer Full(PI2 BPSK)

29.8. NR Band Edge for Upper(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1740	1780	1	RMS	1777.5	16.48	30	Pass	401
1780	1781	0.051	RMS	1780	-29.88	-13	Pass	401
1781	1782	1	RMS	1782	-31.78	-13	Pass	2
1782	1825	1	RMS	1782	-31.8	-13	Pass	401



29. DC_7A_n66A_SCS15_15M_L_Edge_1RB_Left(QPSK)

29.9. NR Band Edge for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1703.485	-41.18	-13	Pass	401
1708	1709	1	RMS	1709	-36.97	-13	Pass	2
1709	1710	0.2	RMS	1709.995	-17.29	-13	Pass	401
1710	1750	1	RMS	1710.5	21.79	30	Pass	401



29. DC_7A_n66A_SCS15_15M_L_Outer Full(QPSK)

29.10. NR Band Edge for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1708	-31.66	-13	Pass	401
1708	1709	1	RMS	1709	-30.49	-13	Pass	2
1709	1710	0.2	RMS	1710	-30.94	-13	Pass	401
1710	1750	1	RMS	1722.7	11.55	30	Pass	401



29. DC_7A_n66A_SCS15_15M_L_Edge_1RB_Left(PI2 BPSK)

29.11. NR Band Edge for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1703.378	-40.58	-13	Pass	401
1708	1709	1	RMS	1709	-34.92	-13	Pass	2
1709	1710	0.2	RMS	1710	-17.25	-13	Pass	6
1710	1750	1	RMS	1710.5	22.27	30	Pass	401



29. DC_7A_n66A_SCS15_15M_L_Outer Full(PI2 BPSK)

29.12. NR Band Edge for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1708	-35.07	-13	Pass	401
1708	1709	1	RMS	1709	-32.49	-13	Pass	2
1709	1710	0.2	RMS	1710	-33.26	-13	Pass	6
1710	1750	1	RMS	1722.9	12.01	30	Pass	401



29. DC_7A_n66A_SCS15_15M_H_Edge_1RB_Right(QPSK)

29.13. NR Band Edge for Upper(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1740	1780	1	RMS	1779.5	22.09	30	Pass	401
1780	1781	0.2	RMS	1780	-17.81	-13	Pass	6
1781	1782	1	RMS	1781	-34.97	-13	Pass	2
1782	1825	1	RMS	1786.515	-40.36	-13	Pass	401



29. DC_7A_n66A_SCS15_15M_H_Outer Full(QPSK)

29.14. NR Band Edge for Upper(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1740	1780	1	RMS	1766.4	11.54	30	Pass	401
1780	1781	0.2	RMS	1780.015	-38.14	-13	Pass	401
1781	1782	1	RMS	1781	-33.19	-13	Pass	2
1782	1825	1	RMS	1782.538	-33.72	-13	Pass	401



29. DC_7A_n66A_SCS15_15M_H_Edge_1RB_Right(PI2 BPSK)

29.15. NR Band Edge for Upper(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1740	1780	1	RMS	1779.5	22.53	30	Pass	401
1780	1781	0.2	RMS	1780	-19.38	-13	Pass	6
1781	1782	1	RMS	1781	-35.27	-13	Pass	2
1782	1825	1	RMS	1786.3	-38.89	-13	Pass	401



29. DC_7A_n66A_SCS15_15M_H_Outer Full(PI2 BPSK)

29.16. NR Band Edge for Upper(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1740	1780	1	RMS	1766.3	12.22	30	Pass	401
1780	1781	0.2	RMS	1780.003	-39.06	-13	Pass	401
1781	1782	1	RMS	1781	-35.79	-13	Pass	2
1782	1825	1	RMS	1785.118	-33.92	-13	Pass	401



29. DC_7A_n66A_SCS15_20M_L_Edge_1RB_Left(QPSK)

29.17. NR Band Edge for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1701.12	-42.49	-13	Pass	401
1708	1709	1	RMS	1709	-34.49	-13	Pass	2
1709	1710	0.2	RMS	1709.995	-16.45	-13	Pass	401
1710	1750	1	RMS	1710.5	21.81	30	Pass	401



29. DC_7A_n66A_SCS15_20M_L_Outer Full(QPSK)

29.18. NR Band Edge for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1708	-32.5	-13	Pass	401
1708	1709	1	RMS	1709	-30.95	-13	Pass	2
1709	1710	0.2	RMS	1710	-30.36	-13	Pass	401
1710	1750	1	RMS	1725.9	10.37	30	Pass	401



29. DC_7A_n66A_SCS15_20M_L_Edge_1RB_Left(PI2 BPSK)

29.19. NR Band Edge for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1701.12	-42.46	-13	Pass	401
1708	1709	1	RMS	1709	-31.5	-13	Pass	2
1709	1710	0.05	RMS	1710	-21.84	-13	Pass	21
1710	1750	1	RMS	1710.5	21.98	30	Pass	401



29. DC_7A_n66A_SCS15_20M_L_Outer Full(PI2 BPSK)

29.20. NR Band Edge for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1708	-34.98	-13	Pass	401
1708	1709	1	RMS	1709	-32.39	-13	Pass	2
1709	1710	0.2	RMS	1709.993	-33.67	-13	Pass	401
1710	1750	1	RMS	1725.9	10.82	30	Pass	401



29. DC_7A_n66A_SCS15_20M_H_Edge_1RB_Right(QPSK)

29.21. NR Band Edge for Upper(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1740	1780	1	RMS	1779.4	21.71	30	Pass	401
1780	1781	0.05	RMS	1780	-23.04	-13	Pass	21
1781	1782	1	RMS	1781	-32.59	-13	Pass	2
1782	1825	1	RMS	1788.773	-41.51	-13	Pass	401



29. DC_7A_n66A_SCS15_20M_H_Outer Full(QPSK)

29.22. NR Band Edge for Upper(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1740	1780	1	RMS	1761.5	11.08	30	Pass	401
1780	1781	0.2	RMS	1780.22	-39.95	-13	Pass	401
1781	1782	1	RMS	1781	-33.51	-13	Pass	2
1782	1825	1	RMS	1782	-34.25	-13	Pass	401



29. DC_7A_n66A_SCS15_20M_H_Edge_1RB_Right(PI2 BPSK)

29.23. NR Band Edge for Upper(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1740	1780	1	RMS	1779.4	22.47	30	Pass	401
1780	1781	0.2	RMS	1780	-16.65	-13	Pass	6
1781	1782	1	RMS	1781	-32.47	-13	Pass	2
1782	1825	1	RMS	1788.88	-39.45	-13	Pass	401



29. DC_7A_n66A_SCS15_20M_H_Outer Full(PI2 BPSK)

29.24. NR Band Edge for Upper(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1740	1780	1	RMS	1761.8	11.61	30	Pass	401
1780	1781	0.2	RMS	1780.183	-39.75	-13	Pass	401
1781	1782	1	RMS	1781	-35.84	-13	Pass	2
1782	1825	1	RMS	1786.838	-33.95	-13	Pass	401



30. DC_12A_n66A_SCS15_5M_L_Edge_1RB_Left(QPSK)

30.1. NR Band Edge for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1708	-38.24	-13	Pass	401
1708	1709	1	RMS	1709	-36.7	-13	Pass	2
1709	1710	0.051	RMS	1710	-17.21	-13	Pass	401
1710	1750	1	RMS	1710.3	22.03	30	Pass	401



30. DC_12A_n66A_SCS15_5M_L_Outer Full(QPSK)

30.2. NR Band Edge for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1708	-26.92	-13	Pass	401
1708	1709	1	RMS	1709	-26.6	-13	Pass	2
1709	1710	0.051	RMS	1709.998	-32.63	-13	Pass	401
1710	1750	1	RMS	1713	15.99	30	Pass	401



30. DC_12A_n66A_SCS15_5M_L_Edge_1RB_Left(PI2 BPSK)

30.3. NR Band Edge for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1708	-37.96	-13	Pass	401
1708	1709	1	RMS	1709	-37.06	-13	Pass	2
1709	1710	0.051	RMS	1709.998	-17.91	-13	Pass	401
1710	1750	1	RMS	1710.3	22.5	30	Pass	401



30. DC_12A_n66A_SCS15_5M_L_Outer Full(PI2 BPSK)

30.4. NR Band Edge for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1708	-27.25	-13	Pass	401
1708	1709	1	RMS	1708	-27.21	-13	Pass	2
1709	1710	0.051	RMS	1709.993	-31.65	-13	Pass	401
1710	1750	1	RMS	1712.7	16.32	30	Pass	401



30. DC_12A_n66A_SCS15_5M_H_Edge_1RB_Right(QPSK)

30.5. NR Band Edge for Upper(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1740	1780	1	RMS	1779.6	22.07	30	Pass	401
1780	1781	0.051	RMS	1780	-19.53	-13	Pass	401
1781	1782	1	RMS	1781	-36.7	-13	Pass	2
1782	1825	1	RMS	1782.108	-38.63	-13	Pass	401



30. DC_12A_n66A_SCS15_5M_H_Outer Full(QPSK)

30.6. NR Band Edge for Upper(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1740	1780	1	RMS	1777.9	16.04	30	Pass	401
1780	1781	0.051	RMS	1780	-30.38	-13	Pass	401
1781	1782	1	RMS	1781	-30.79	-13	Pass	2
1782	1825	1	RMS	1782	-30.65	-13	Pass	401



30. DC_12A_n66A_SCS15_5M_H_Edge_1RB_Right(PI2 BPSK)

30.7. NR Band Edge for Upper(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1740	1780	1	RMS	1779.6	22.5	30	Pass	401
1780	1781	0.051	RMS	1780	-19.83	-13	Pass	401
1781	1782	1	RMS	1781	-37.06	-13	Pass	2
1782	1825	1	RMS	1782	-38.38	-13	Pass	401



30. DC_12A_n66A_SCS15_5M_H_Outer Full(PI2 BPSK)

30.8. NR Band Edge for Upper(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1740	1780	1	RMS	1777.9	16.39	30	Pass	401
1780	1781	0.051	RMS	1780.003	-29.16	-13	Pass	401
1781	1782	1	RMS	1782	-31.01	-13	Pass	2
1782	1825	1	RMS	1782	-31.14	-13	Pass	401



30. DC_12A_n66A_SCS15_15M_L_Edge_1RB_Left(QPSK)

30.9. NR Band Edge for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1703.485	-40.08	-13	Pass	401
1708	1709	1	RMS	1709	-33.57	-13	Pass	2
1709	1710	0.2	RMS	1710	-16.16	-13	Pass	6
1710	1750	1	RMS	1710.5	21.99	30	Pass	401



30. DC_12A_n66A_SCS15_15M_L_Outer Full(QPSK)

30.10. NR Band Edge for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1707.893	-31.19	-13	Pass	401
1708	1709	1	RMS	1709	-30.23	-13	Pass	2
1709	1710	0.2	RMS	1710	-30.93	-13	Pass	401
1710	1750	1	RMS	1722.7	11.87	30	Pass	401



30. DC_12A_n66A_SCS15_15M_L_Edge_1RB_Left(PI2 BPSK)

30.11. NR Band Edge for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1703.485	-39.73	-13	Pass	401
1708	1709	1	RMS	1709	-34.32	-13	Pass	2
1709	1710	0.2	RMS	1710	-16.96	-13	Pass	6
1710	1750	1	RMS	1710.5	22.46	30	Pass	401



30. DC_12A_n66A_SCS15_15M_L_Outer Full(PI2 BPSK)

30.12. NR Band Edge for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1708	-34.24	-13	Pass	401
1708	1709	1	RMS	1709	-31.75	-13	Pass	2
1709	1710	0.2	RMS	1710	-30.75	-13	Pass	401
1710	1750	1	RMS	1723	12.39	30	Pass	401



30. DC_12A_n66A_SCS15_15M_H_Edge_1RB_Right(QPSK)

30.13. NR Band Edge for Upper(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1740	1780	1	RMS	1779.5	21.99	30	Pass	401
1780	1781	0.2	RMS	1780	-17.08	-13	Pass	401
1781	1782	1	RMS	1781	-34.7	-13	Pass	2
1782	1825	1	RMS	1786.623	-39	-13	Pass	401



30. DC_12A_n66A_SCS15_15M_H_Outer Full(QPSK)

30.14. NR Band Edge for Upper(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1740	1780	1	RMS	1766.5	11.78	30	Pass	401
1780	1781	0.2	RMS	1780	-37.62	-13	Pass	401
1781	1782	1	RMS	1781	-32.53	-13	Pass	2
1782	1825	1	RMS	1782.108	-33.21	-13	Pass	401



30. DC_12A_n66A_SCS15_15M_H_Edge_1RB_Right(PI2 BPSK)

30.15. NR Band Edge for Upper(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1740	1780	1	RMS	1779.5	22.51	30	Pass	401
1780	1781	0.2	RMS	1780.003	-17.31	-13	Pass	401
1781	1782	1	RMS	1781	-35.04	-13	Pass	2
1782	1825	1	RMS	1786.408	-38.51	-13	Pass	401



30. DC_12A_n66A_SCS15_15M_H_Outer Full(PI2 BPSK)

30.16. NR Band Edge for Upper(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1740	1780	1	RMS	1766.5	12.25	30	Pass	401
1780	1781	0.2	RMS	1780	-37.01	-13	Pass	401
1781	1782	1	RMS	1781	-35.39	-13	Pass	2
1782	1825	1	RMS	1784.903	-33.3	-13	Pass	401



30. DC_12A_n66A_SCS15_20M_L_Edge_1RB_Left(QPSK)

30.17. NR Band Edge for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1701.013	-41.14	-13	Pass	401
1708	1709	1	RMS	1709	-30.62	-13	Pass	2
1709	1710	0.05	RMS	1710	-20.71	-13	Pass	21
1710	1750	1	RMS	1710.5	21.94	30	Pass	401



30. DC_12A_n66A_SCS15_20M_L_Outer Full(QPSK)

30.18. NR Band Edge for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1708	-32.38	-13	Pass	401
1708	1709	1	RMS	1709	-30.42	-13	Pass	2
1709	1710	0.2	RMS	1709.983	-30.59	-13	Pass	401
1710	1750	1	RMS	1725.5	10.77	30	Pass	401



30. DC_12A_n66A_SCS15_20M_L_Edge_1RB_Left(PI2 BPSK)

30.19. NR Band Edge for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1701.013	-40.77	-13	Pass	401
1708	1709	1	RMS	1709	-31.03	-13	Pass	2
1709	1710	0.05	RMS	1710	-21.3	-13	Pass	21
1710	1750	1	RMS	1710.5	22.45	30	Pass	401



30. DC_12A_n66A_SCS15_20M_L_Outer Full(PI2 BPSK)

30.20. NR Band Edge for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1708	-34.34	-13	Pass	401
1708	1709	1	RMS	1709	-31.58	-13	Pass	2
1709	1710	0.2	RMS	1709.995	-30.74	-13	Pass	401
1710	1750	1	RMS	1724.3	11.15	30	Pass	401



30. DC_12A_n66A_SCS15_20M_H_Edge_1RB_Right(QPSK)

30.21. NR Band Edge for Upper(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1740	1780	1	RMS	1779.4	21.97	30	Pass	401
1780	1781	0.2	RMS	1780	-16.64	-13	Pass	6
1781	1782	1	RMS	1781	-31.84	-13	Pass	2
1782	1825	1	RMS	1788.88	-39.54	-13	Pass	401



30. DC_12A_n66A_SCS15_20M_H_Outer Full(QPSK)

30.22. NR Band Edge for Upper(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1740	1780	1	RMS	1761.3	10.9	30	Pass	401
1780	1781	0.2	RMS	1780.253	-39.93	-13	Pass	401
1781	1782	1	RMS	1781	-33.48	-13	Pass	2
1782	1825	1	RMS	1782.108	-33.98	-13	Pass	401



30. DC_12A_n66A_SCS15_20M_H_Edge_1RB_Right(PI2 BPSK)

30.23. NR Band Edge for Upper(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1740	1780	1	RMS	1779.4	22.44	30	Pass	401
1780	1781	0.2	RMS	1780	-16.71	-13	Pass	6
1781	1782	1	RMS	1781	-32.34	-13	Pass	2
1782	1825	1	RMS	1788.773	-39.21	-13	Pass	401



30. DC_12A_n66A_SCS15_20M_H_Outer Full(PI2 BPSK)

30.24. NR Band Edge for Upper(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1740	1780	1	RMS	1762.3	11.47	30	Pass	401
1780	1781	0.2	RMS	1780.138	-39.89	-13	Pass	401
1781	1782	1	RMS	1781	-35.71	-13	Pass	2
1782	1825	1	RMS	1786.838	-33.3	-13	Pass	401



END