



RSE-V&V n66 BW15 CH429000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
836.070	-54.18	40.53	-25.0	-29.18	248.00	Vertical	Vertical	Pass
1746.400	8.31	43.27	-25.0	33.31	79.00	Vertical	Vertical	N/A
2305.300	-42.60	46.73	-25.0	-17.60	97.00	Vertical	Vertical	Pass
3837.200	-57.05	5.65	-25.0	-32.05	361.00	Vertical	Vertical	Pass
6974.600	-48.48	13.71	-25.0	-23.48	140.00	Vertical	Vertical	Pass
17594.962	-40.19	22.03	-25.0	-15.19	42.00	Vertical	Vertical	Pass


RSE-V&H n66 BW15 CH429000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
842.424	-53.52	40.68	-25.0	-28.52	78.00	Vertical	Horizontal	Pass
1746.100	6.97	43.27	-25.0	31.97	36.00	Vertical	Horizontal	N/A
2428.600	-42.52	46.51	-25.0	-17.52	111.00	Vertical	Horizontal	Pass
3686.400	-57.75	4.88	-25.0	-32.75	362.00	Vertical	Horizontal	Pass
6785.400	-49.02	12.16	-25.0	-24.02	110.00	Vertical	Horizontal	Pass
17586.563	-39.81	22.12	-25.0	-14.81	231.00	Vertical	Horizontal	Pass


57.6 n66 BW20, QPSK, Middle Channel

RSE-H&H n66 BW20 CH429000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
826.031	-54.42	40.16	-25.0	-29.42	184.00	Horizontal	Horizontal	Pass
1746.100	5.62	43.27	-25.0	30.62	284.00	Horizontal	Horizontal	N/A
2146.200	-41.58	46.08	-25.0	-16.58	214.00	Horizontal	Horizontal	N/A
3844.800	-57.78	5.06	-25.0	-32.78	363.00	Horizontal	Horizontal	Pass
6998.600	-48.58	13.64	-25.0	-23.58	226.00	Horizontal	Horizontal	Pass
17415.938	-40.44	22.67	-25.0	-15.44	335.00	Horizontal	Horizontal	Pass

RSE-H&V n66 BW20 CH429000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
861.193	-53.68	40.18	-25.0	-28.68	221.00	Horizontal	Vertical	Pass
1742.800	6.71	43.10	-25.0	31.71	0.00	Horizontal	Vertical	N/A
2143.700	-41.08	46.05	-25.0	-16.08	225.00	Horizontal	Vertical	N/A
3697.800	-57.11	5.16	-25.0	-32.11	363.00	Horizontal	Vertical	Pass
6974.800	-48.98	13.71	-25.0	-23.98	253.00	Horizontal	Vertical	Pass
17596.801	-40.34	22.01	-25.0	-15.34	361.00	Horizontal	Vertical	Pass

RSE-V&V n66 BW20 CH429000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
848.146	-52.69	40.39	-25.0	-27.69	276.00	Vertical	Vertical	Pass
1745.900	2.17	43.28	-25.0	27.17	-3.00	Vertical	Vertical	N/A
2421.700	-42.11	46.47	-25.0	-17.11	212.00	Vertical	Vertical	Pass
3642.000	-57.87	4.24	-25.0	-32.87	267.00	Vertical	Vertical	Pass
6998.800	-48.55	13.64	-25.0	-23.55	363.00	Vertical	Vertical	Pass
17879.251	-40.27	22.63	-25.0	-15.27	115.00	Vertical	Vertical	Pass

RSE-V&H n66 BW20 CH429000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
909.547	-52.76	41.13	-25.0	-27.76	138.00	Vertical	Horizontal	Pass
1743.600	8.34	43.17	-25.0	33.34	31.00	Vertical	Horizontal	N/A
2415.300	-42.53	46.50	-25.0	-17.53	244.00	Vertical	Horizontal	Pass
3648.000	-57.78	4.48	-25.0	-32.78	244.00	Vertical	Horizontal	Pass
6970.400	-48.73	13.45	-25.0	-23.73	361.00	Vertical	Horizontal	Pass
17593.387	-40.50	22.04	-25.0	-15.50	363.00	Vertical	Horizontal	Pass

Antenna 01

58 DC_5A_n66A


58.1 DC_5A_n66A, PI/2 BPSK, 10MHz(LTE)+5MHz(NR)

RSE-H&H DC_5A_n66A 10MHz(LTE)+5MHz(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.142	15.05	40.37	-25.0	40.05	256.00	Horizontal	Horizontal	N/A
880.060	-33.47	40.22	-25.0	-8.47	268.00	Horizontal	Horizontal	N/A
1744.200	2.87	43.23	-25.0	27.87	137.00	Horizontal	Horizontal	N/A
2144.900	-39.20	46.11	-25.0	-14.20	235.00	Horizontal	Horizontal	N/A
6733.800	-49.39	11.85	-25.0	-24.39	220.00	Horizontal	Horizontal	Pass
17593.651	-39.89	22.04	-25.0	-14.89	278.00	Horizontal	Horizontal	Pass

RSE-H&V DC_5A_n66A 10MHz(LTE)+5MHz(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.093	6.16	40.37	-25.0	31.16	223.00	Horizontal	Vertical	N/A
884.910	-33.63	40.54	-25.0	-8.63	41.00	Horizontal	Vertical	N/A
1747.000	7.52	43.26	-25.0	32.52	293.00	Horizontal	Vertical	N/A
2145.400	-40.77	46.10	-25.0	-15.77	181.00	Horizontal	Vertical	N/A
6976.400	-48.64	13.75	-25.0	-23.64	363.00	Horizontal	Vertical	Pass
17385.751	-40.40	22.37	-25.0	-15.40	162.00	Horizontal	Vertical	Pass

RSE-V&V DC_5A_n66A 10MHz(LTE)+5MHz(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.142	9.81	40.37	-25.0	34.81	361.00	Vertical	Vertical	N/A
880.108	-33.29	40.23	-25.0	-8.29	82.00	Vertical	Vertical	N/A
1745.600	3.63	43.28	-25.0	28.63	-3.00	Vertical	Vertical	N/A
2144.000	-41.72	46.08	-25.0	-16.72	170.00	Vertical	Vertical	N/A
6604.400	-49.62	12.05	-25.0	-24.62	124.00	Vertical	Vertical	Pass
17594.175	-40.46	22.03	-25.0	-15.46	361.00	Vertical	Vertical	Pass


RSE-V&H DC_5A_n66A 10MHz(LTE)+5MHz(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.142	12.91	40.37	-25.0	37.91	80.00	Vertical	Horizontal	N/A
878.750	-37.39	40.29	-25.0	-12.39	261.00	Vertical	Horizontal	N/A
1745.500	1.61	43.28	-25.0	26.61	16.00	Vertical	Horizontal	N/A
6979.600	-48.94	13.87	-25.0	-23.94	363.00	Vertical	Horizontal	Pass
12497.287	-46.03	18.95	-25.0	-21.03	234.00	Vertical	Horizontal	Pass
17394.676	-39.84	22.59	-25.0	-14.84	0.00	Vertical	Horizontal	Pass


58.2 DC_5A_n66A, PI/2 BPSK, 10MHz(LTE)+15MHz(NR)

RSE-H&H DC_5A_n66A 10MHz(LTE)+15MHz(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.142	13.17	40.37	-25.0	38.17	220.00	Horizontal	Horizontal	N/A
885.637	-32.55	40.48	-25.0	-7.55	76.00	Horizontal	Horizontal	N/A
1747.300	2.88	43.21	-25.0	27.88	47.00	Horizontal	Horizontal	N/A
2143.400	-38.97	46.01	-25.0	-13.97	147.00	Horizontal	Horizontal	N/A
6756.200	-49.38	11.62	-25.0	-24.38	140.00	Horizontal	Horizontal	Pass
17590.761	-40.22	22.07	-25.0	-15.22	214.00	Horizontal	Horizontal	Pass

RSE-H&V DC_5A_n66A 10MHz(LTE)+15MHz(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.142	12.55	40.37	-25.0	37.55	-3.00	Horizontal	Vertical	N/A
883.697	-36.66	40.52	-25.0	-11.66	-3.00	Horizontal	Vertical	N/A
1742.100	3.65	43.06	-25.0	28.65	363.00	Horizontal	Vertical	N/A
6684.200	-49.63	11.96	-25.0	-24.63	87.00	Horizontal	Vertical	Pass
11595.400	-46.96	17.92	-25.0	-21.96	0.00	Horizontal	Vertical	Pass
17877.676	-40.13	22.58	-25.0	-15.13	268.00	Horizontal	Vertical	Pass

RSE-V&V DC_5A_n66A 10MHz(LTE)+15MHz(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.142	11.74	40.37	-25.0	36.74	140.00	Vertical	Vertical	N/A
881.369	-33.61	40.28	-25.0	-8.61	299.00	Vertical	Vertical	N/A
1738.400	2.58	43.02	-25.0	27.58	363.00	Vertical	Vertical	N/A
2147.000	-42.43	46.08	-25.0	-17.43	186.00	Vertical	Vertical	N/A
6685.600	-49.20	12.04	-25.0	-24.20	145.00	Vertical	Vertical	Pass
17412.000	-40.09	22.68	-25.0	-15.09	163.00	Vertical	Vertical	Pass


RSE-V&H DC_5A_n66A 10MHz(LTE)+15MHz(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.142	7.67	40.37	-25.0	32.67	50.00	Vertical	Horizontal	N/A
884.231	-34.84	40.60	-25.0	-9.84	203.00	Vertical	Horizontal	N/A
1742.800	-3.61	43.10	-25.0	21.39	21.00	Vertical	Horizontal	N/A
6614.400	-49.39	12.34	-25.0	-24.39	98.00	Vertical	Horizontal	Pass
10993.087	-47.46	17.39	-25.0	-22.46	339.00	Vertical	Horizontal	Pass
17613.863	-39.52	21.85	-25.0	-14.52	316.00	Vertical	Horizontal	Pass


58.3 DC_5A_n66A, PI/2 BPSK, 10MHz(LTE)+20MHz(NR)

RSE-H&H DC_5A_n66A 10MHz(LTE)+20MHz(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.190	10.71	40.37	-25.0	35.71	285.00	Horizontal	Horizontal	N/A
880.496	-30.72	40.24	-25.0	-5.72	253.00	Horizontal	Horizontal	N/A
1739.800	10.28	42.99	-25.0	35.28	76.00	Horizontal	Horizontal	N/A
2149.200	-36.81	46.12	-25.0	-11.81	239.00	Horizontal	Horizontal	N/A
5148.600	-54.08	7.48	-25.0	-29.08	0.00	Horizontal	Horizontal	Pass
17585.250	-39.85	22.13	-25.0	-14.85	316.00	Horizontal	Horizontal	Pass

RSE-H&V DC_5A_n66A 10MHz(LTE)+20MHz(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.190	9.93	40.37	-25.0	34.93	27.00	Horizontal	Vertical	N/A
884.521	-31.52	40.58	-25.0	-6.52	267.00	Horizontal	Vertical	N/A
1739.700	12.07	42.99	-25.0	37.07	362.00	Horizontal	Vertical	N/A
2152.200	-37.73	46.20	-25.0	-12.73	125.00	Horizontal	Vertical	N/A
5109.800	-54.05	7.69	-25.0	-29.05	351.00	Horizontal	Vertical	Pass
17595.488	-39.68	22.02	-25.0	-14.68	352.00	Horizontal	Vertical	Pass

RSE-V&V DC_5A_n66A 10MHz(LTE)+20MHz(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.190	13.28	40.37	-25.0	38.28	21.00	Vertical	Vertical	N/A
883.600	-35.70	40.51	-25.0	-10.70	53.00	Vertical	Vertical	N/A
1739.700	9.00	42.99	-25.0	34.00	361.00	Vertical	Vertical	N/A
5121.600	-54.00	7.84	-25.0	-29.00	205.00	Vertical	Vertical	Pass
10991.362	-46.92	17.36	-25.0	-21.92	327.00	Vertical	Vertical	Pass
17421.713	-40.32	22.61	-25.0	-15.32	319.00	Vertical	Vertical	Pass


RSE-V&H DC_5A_n66A 10MHz(LTE)+20MHz(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.142	6.70	40.37	-25.0	31.70	32.00	Vertical	Horizontal	N/A
884.231	-36.01	40.60	-25.0	-11.01	32.00	Vertical	Horizontal	N/A
1735.500	6.51	43.39	-25.0	31.51	79.00	Vertical	Horizontal	N/A
5125.000	-53.55	7.95	-25.0	-28.55	134.00	Vertical	Horizontal	Pass
10987.338	-47.66	17.30	-25.0	-22.66	80.00	Vertical	Horizontal	Pass
17364.488	-40.46	21.68	-25.0	-15.46	-1.00	Vertical	Horizontal	Pass


58.4 DC_5A_n66A, QPSK, 10MHz(LTE)+5MHz(NR)

RSE-H&H DC_5A_n66A 10MHz(LTE)+5MHz(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.093	16.13	40.37	-25.0	41.13	259.00	Horizontal	Horizontal	N/A
884.425	-32.96	40.59	-25.0	-7.96	281.00	Horizontal	Horizontal	N/A
1743.000	7.89	43.12	-25.0	32.89	28.00	Horizontal	Horizontal	N/A
2145.300	-35.71	46.11	-25.0	-10.71	215.00	Horizontal	Horizontal	N/A
6688.400	-49.30	11.91	-25.0	-24.30	291.00	Horizontal	Horizontal	Pass
17439.302	-40.05	22.17	-25.0	-15.05	131.00	Horizontal	Horizontal	Pass

RSE-H&V DC_5A_n66A 10MHz(LTE)+5MHz(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.190	10.01	40.37	-25.0	35.01	363.00	Horizontal	Vertical	N/A
884.716	-35.49	40.56	-25.0	-10.49	32.00	Horizontal	Vertical	N/A
1743.100	8.24	43.13	-25.0	33.24	163.00	Horizontal	Vertical	N/A
6782.800	-49.07	12.12	-25.0	-24.07	363.00	Horizontal	Vertical	Pass
12114.912	-45.90	18.15	-25.0	-20.90	56.00	Horizontal	Vertical	Pass
17596.537	-40.17	22.01	-25.0	-15.17	288.00	Horizontal	Vertical	Pass

RSE-V&V DC_5A_n66A 10MHz(LTE)+5MHz(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.093	13.74	40.37	-25.0	38.74	149.00	Vertical	Vertical	N/A
883.649	-32.50	40.52	-25.0	-7.50	320.00	Vertical	Vertical	N/A
1743.000	4.84	43.12	-25.0	29.84	269.00	Vertical	Vertical	N/A
2144.400	-41.81	46.13	-25.0	-16.81	337.00	Vertical	Vertical	N/A
6777.400	-49.08	11.87	-25.0	-24.08	5.00	Vertical	Vertical	Pass
17381.812	-40.16	22.27	-25.0	-15.16	306.00	Vertical	Vertical	Pass


RSE-V&H DC_5A_n66A 10MHz(LTE)+5MHz(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.093	11.46	40.37	-25.0	36.46	82.00	Vertical	Horizontal	N/A
882.339	-35.17	40.35	-25.0	-10.17	82.00	Vertical	Horizontal	N/A
1747.100	0.04	43.24	-25.0	25.04	-1.00	Vertical	Horizontal	N/A
6667.000	-49.12	11.56	-25.0	-24.12	196.00	Vertical	Horizontal	Pass
14773.088	-42.30	18.93	-25.0	-17.30	171.00	Vertical	Horizontal	Pass
17863.500	-39.91	22.16	-25.0	-14.91	224.00	Vertical	Horizontal	Pass


58.5 DC_5A_n66A, QPSK, 10MHz(LTE)+15MHz(NR)

RSE-H&H DC_5A_n66A 10MHz(LTE)+15MHz(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.142	10.69	40.37	-25.0	35.69	236.00	Horizontal	Horizontal	N/A
883.794	-27.88	40.54	-25.0	-2.88	236.00	Horizontal	Horizontal	N/A
1738.000	11.89	43.08	-25.0	36.89	361.00	Horizontal	Horizontal	N/A
2144.400	-38.02	46.13	-25.0	-13.02	227.00	Horizontal	Horizontal	N/A
4857.800	-54.44	7.07	-25.0	-29.44	360.00	Horizontal	Horizontal	Pass
17594.175	-39.66	22.03	-25.0	-14.66	285.00	Horizontal	Horizontal	Pass

RSE-H&V DC_5A_n66A 10MHz(LTE)+15MHz(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.093	7.10	40.37	-25.0	32.10	194.00	Horizontal	Vertical	N/A
885.831	-30.84	40.47	-25.0	-5.84	109.00	Horizontal	Vertical	N/A
1744.000	5.40	43.21	-25.0	30.40	195.00	Horizontal	Vertical	N/A
2147.800	-35.66	46.08	-25.0	-10.66	280.00	Horizontal	Vertical	N/A
4915.600	-54.57	7.86	-25.0	-29.57	75.00	Horizontal	Vertical	Pass
17013.000	-40.14	20.79	-25.0	-15.14	359.00	Horizontal	Vertical	Pass

RSE-V&V DC_5A_n66A 10MHz(LTE)+15MHz(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.190	14.75	40.37	-25.0	39.75	68.00	Vertical	Vertical	N/A
882.969	-34.79	40.43	-25.0	-9.79	360.00	Vertical	Vertical	N/A
1742.300	8.11	43.07	-25.0	33.11	360.00	Vertical	Vertical	N/A
2150.800	-42.02	46.19	-25.0	-17.02	24.00	Vertical	Vertical	N/A
5120.200	-54.09	7.83	-25.0	-29.09	307.00	Vertical	Vertical	Pass
17304.375	-39.90	21.13	-25.0	-14.90	247.00	Vertical	Vertical	Pass


RSE-V&H DC_5A_n66A 10MHz(LTE)+15MHz(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.142	10.65	40.37	-25.0	35.65	58.00	Vertical	Horizontal	N/A
885.249	-35.09	40.52	-25.0	-10.09	33.00	Vertical	Horizontal	N/A
1742.200	5.07	43.06	-25.0	30.07	360.00	Vertical	Horizontal	N/A
4993.000	-54.16	7.24	-25.0	-29.16	241.00	Vertical	Horizontal	Pass
10864.000	-47.14	17.44	-25.0	-22.14	76.00	Vertical	Horizontal	Pass
17428.275	-39.37	22.45	-25.0	-14.37	213.00	Vertical	Horizontal	Pass


58.6 DC_5A_n66A, QPSK, 10MHz(LTE)+20MHz(NR)

RSE-H&H DC_5A_n66A 10MHz(LTE)+20MHz(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.142	10.14	40.37	-25.0	35.14	298.00	Horizontal	Horizontal	N/A
885.297	-28.46	40.51	-25.0	-3.46	270.00	Horizontal	Horizontal	N/A
1743.600	7.65	43.17	-25.0	32.65	98.00	Horizontal	Horizontal	N/A
2142.300	-37.25	45.87	-25.0	-12.25	225.00	Horizontal	Horizontal	N/A
5152.800	-53.64	7.38	-25.0	-28.64	359.00	Horizontal	Horizontal	Pass
17460.300	-39.97	21.75	-25.0	-14.97	0.00	Horizontal	Horizontal	Pass

RSE-H&V DC_5A_n66A 10MHz(LTE)+20MHz(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.044	11.20	40.37	-25.0	36.20	0.00	Horizontal	Vertical	N/A
881.757	-30.75	40.30	-25.0	-5.75	64.00	Horizontal	Vertical	N/A
1735.700	9.63	43.38	-25.0	34.63	361.00	Horizontal	Vertical	N/A
2144.800	-37.87	46.12	-25.0	-12.87	233.00	Horizontal	Vertical	N/A
4993.000	-53.69	7.24	-25.0	-28.69	194.00	Horizontal	Vertical	Pass
17425.650	-40.00	22.51	-25.0	-15.00	255.00	Horizontal	Vertical	Pass

RSE-V&V DC_5A_n66A 10MHz(LTE)+20MHz(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.093	13.20	40.37	-25.0	38.20	1.00	Vertical	Vertical	N/A
881.612	-37.41	40.29	-25.0	-12.41	357.00	Vertical	Vertical	N/A
1739.900	9.96	42.98	-25.0	34.96	329.00	Vertical	Vertical	N/A
4879.000	-54.43	6.97	-25.0	-29.43	-3.00	Vertical	Vertical	Pass
10860.262	-46.89	17.51	-25.0	-21.89	36.00	Vertical	Vertical	Pass
17467.386	-39.94	21.73	-25.0	-14.94	88.00	Vertical	Vertical	Pass

RSE-V&H DC_5A_n66A 10MHz(LTE)+20MHz(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.093	6.83	40.37	-25.0	31.83	24.00	Vertical	Horizontal	N/A
883.697	-34.34	40.52	-25.0	-9.34	24.00	Vertical	Horizontal	N/A
1739.700	10.72	42.99	-25.0	35.72	34.00	Vertical	Horizontal	N/A
5112.200	-53.88	7.74	-25.0	-28.88	164.00	Vertical	Horizontal	Pass
11495.925	-47.16	17.78	-25.0	-22.16	136.00	Vertical	Horizontal	Pass
17428.275	-40.21	22.45	-25.0	-15.21	-3.00	Vertical	Horizontal	Pass

59 DC_7A_n66A


59.1 DC_7A_n66A, PI/2 BPSK, 20MHz(LTE)+5MHz(NR)

RSE-H&H DC_7A_n66A 20MHz(LTE)+5MHz(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
1745.900	11.36	43.28	-25.0	36.36	174.00	Horizontal	Horizontal	N/A
2144.500	-37.35	46.12	-25.0	-12.35	259.00	Horizontal	Horizontal	N/A
2526.200	4.96	46.11	-25.0	29.96	342.00	Horizontal	Horizontal	N/A
2650.100	-35.89	46.30	-25.0	-10.89	217.00	Horizontal	Horizontal	N/A
4886.800	-54.20	7.03	-25.0	-29.20	0.00	Horizontal	Horizontal	Pass
17591.550	-40.19	22.06	-25.0	-15.19	0.00	Horizontal	Horizontal	Pass

RSE-H&V DC_7A_n66A 20MHz(LTE)+5MHz(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
1742.800	10.40	43.10	-25.0	35.40	339.00	Horizontal	Vertical	N/A
2145.700	-37.12	46.10	-25.0	-12.12	256.00	Horizontal	Vertical	N/A
2526.200	-1.64	46.11	-25.0	23.36	12.00	Horizontal	Vertical	N/A
2661.300	-37.29	46.20	-25.0	-12.29	214.00	Horizontal	Vertical	N/A
5157.400	-54.33	7.29	-25.0	-29.33	265.00	Horizontal	Vertical	Pass
17426.698	-39.97	22.49	-25.0	-14.97	350.00	Horizontal	Vertical	Pass

RSE-V&V DC_7A_n66A 20MHz(LTE)+5MHz(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
845.625	-52.99	40.47	-25.0	-27.99	188.00	Vertical	Vertical	Pass
1747.100	9.60	43.24	-25.0	34.60	361.00	Vertical	Vertical	N/A
2526.300	3.37	46.12	-25.0	28.37	215.00	Vertical	Vertical	N/A
5122.200	-53.73	7.88	-25.0	-28.73	-3.00	Vertical	Vertical	Pass
11595.975	-47.00	17.93	-25.0	-22.00	218.00	Vertical	Vertical	Pass
16974.151	-40.42	21.00	-25.0	-15.42	-1.00	Vertical	Vertical	Pass


RSE-V&H DC_7A_n66A 20MHz(LTE)+5MHz(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
923.225	-52.65	41.36	-25.0	-27.65	269.00	Vertical	Horizontal	Pass
1747.100	5.44	43.24	-25.0	30.44	292.00	Vertical	Horizontal	N/A
2526.200	0.63	46.11	-25.0	25.63	50.00	Vertical	Horizontal	N/A
5127.000	-54.06	7.91	-25.0	-29.06	0.00	Vertical	Horizontal	Pass
10895.337	-47.41	17.58	-25.0	-22.41	360.00	Vertical	Horizontal	Pass
17421.976	-39.79	22.60	-25.0	-14.79	152.00	Vertical	Horizontal	Pass


59.2 DC_7A_n66A, PI/2 BPSK, 20MHz(LTE)+15MHz(NR)

RSE-H&H DC_7A_n66A 20MHz(LTE)+15MHz(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
1738.100	12.98	43.07	-25.0	37.98	323.00	Horizontal	Horizontal	N/A
2150.600	-36.07	46.18	-25.0	-11.07	271.00	Horizontal	Horizontal	N/A
2526.300	14.69	46.12	-25.0	39.69	363.00	Horizontal	Horizontal	N/A
2659.800	-36.97	46.26	-25.0	-11.97	221.00	Horizontal	Horizontal	N/A
5119.600	-53.86	7.83	-25.0	-28.86	339.00	Horizontal	Horizontal	Pass
17294.662	-40.45	21.13	-25.0	-15.45	-3.00	Horizontal	Horizontal	Pass

RSE-H&V DC_7A_n66A 20MHz(LTE)+15MHz(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
1738.300	13.65	43.03	-25.0	38.65	173.00	Horizontal	Vertical	N/A
2151.000	-37.07	46.19	-25.0	-12.07	225.00	Horizontal	Vertical	N/A
2526.100	11.00	46.11	-25.0	36.00	21.00	Horizontal	Vertical	N/A
2659.400	-37.60	46.27	-25.0	-12.60	225.00	Horizontal	Vertical	N/A
5118.000	-53.71	7.82	-25.0	-28.71	-1.00	Horizontal	Vertical	Pass
17467.386	-39.90	21.73	-25.0	-14.90	-1.00	Horizontal	Vertical	Pass

RSE-V&V DC_7A_n66A 20MHz(LTE)+15MHz(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
831.996	-53.51	40.37	-25.0	-28.51	338.00	Vertical	Vertical	Pass
1742.000	5.51	43.05	-25.0	30.51	174.00	Vertical	Vertical	N/A
2526.200	8.23	46.11	-25.0	33.23	73.00	Vertical	Vertical	N/A
2648.100	-40.93	46.12	-25.0	-15.93	278.00	Vertical	Vertical	N/A
5127.000	-54.34	7.91	-25.0	-29.34	282.00	Vertical	Vertical	Pass
17473.425	-40.26	21.71	-25.0	-15.26	-3.00	Vertical	Vertical	Pass


RSE-V&H DC_7A_n66A 20MHz(LTE)+15MHz(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
912.506	-53.73	41.24	-25.0	-28.73	319.00	Vertical	Horizontal	Pass
1742.100	10.55	43.06	-25.0	35.55	70.00	Vertical	Horizontal	N/A
2526.000	9.36	46.10	-25.0	34.36	70.00	Vertical	Horizontal	N/A
2661.900	-41.29	46.16	-25.0	-16.29	325.00	Vertical	Horizontal	N/A
5135.600	-54.08	7.63	-25.0	-29.08	-1.00	Vertical	Horizontal	Pass
17418.824	-40.48	22.66	-25.0	-15.48	-1.00	Vertical	Horizontal	Pass


59.3 DC_7A_n66A, PI/2 BPSK, 20MHz(LTE)+20MHz(NR)

RSE-H&H DC_7A_n66A 20MHz(LTE)+20MHz(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
1739.900	6.66	42.98	-25.0	31.66	25.00	Horizontal	Horizontal	N/A
2150.500	-33.94	46.18	-25.0	-8.94	272.00	Horizontal	Horizontal	N/A
2526.700	-5.38	46.14	-25.0	19.62	320.00	Horizontal	Horizontal	N/A
2660.400	-35.03	46.25	-25.0	-10.03	238.00	Horizontal	Horizontal	N/A
6998.800	-48.13	13.64	-25.0	-23.13	134.00	Horizontal	Horizontal	Pass
17425.650	-39.82	22.51	-25.0	-14.82	88.00	Horizontal	Horizontal	Pass

RSE-H&V DC_7A_n66A 20MHz(LTE)+20MHz(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
917.599	-53.27	41.29	-25.0	-28.27	260.00	Horizontal	Vertical	Pass
1740.000	4.67	42.98	-25.0	29.67	31.00	Horizontal	Vertical	N/A
2527.500	-12.59	46.13	-25.0	12.41	13.00	Horizontal	Vertical	N/A
6999.800	-48.48	13.65	-25.0	-23.48	207.00	Horizontal	Vertical	Pass
11513.175	-46.89	17.60	-25.0	-21.89	67.00	Horizontal	Vertical	Pass
17812.050	-40.34	21.41	-25.0	-15.34	347.00	Horizontal	Vertical	Pass

RSE-V&V DC_7A_n66A 20MHz(LTE)+20MHz(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
1735.700	3.81	43.38	-25.0	28.81	11.00	Vertical	Vertical	N/A
2138.500	-32.11	45.87	-25.0	-7.11	171.00	Vertical	Vertical	N/A
2543.800	-6.40	45.92	-25.0	18.60	226.00	Vertical	Vertical	N/A
2649.300	-41.19	46.23	-25.0	-16.19	135.00	Vertical	Vertical	N/A
6976.800	-48.38	13.78	-25.0	-23.38	258.00	Vertical	Vertical	Pass
16970.474	-39.57	20.95	-25.0	-14.57	168.00	Vertical	Vertical	Pass


RSE-V&H DC_7A_n66A 20MHz(LTE)+20MHz(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
890.050	-53.73	40.68	-25.0	-28.73	-1.00	Vertical	Horizontal	Pass
1739.900	5.01	42.98	-25.0	30.01	10.00	Vertical	Horizontal	N/A
2537.800	-10.14	46.03	-25.0	14.86	43.00	Vertical	Horizontal	N/A
6685.600	-49.01	12.04	-25.0	-24.01	-3.00	Vertical	Horizontal	Pass
10905.113	-46.96	17.68	-25.0	-21.96	100.00	Vertical	Horizontal	Pass
17623.312	-40.56	21.72	-25.0	-15.56	-1.00	Vertical	Horizontal	Pass


59.4 DC_7A_n66A, QPSK, 20MHz(LTE)+5MHz(NR)

RSE-H&H DC_7A_n66A 20MHz(LTE)+5MHz(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
1745.800	11.87	43.28	-25.0	36.87	100.00	Horizontal	Horizontal	N/A
2144.500	-37.82	46.12	-25.0	-12.82	233.00	Horizontal	Horizontal	N/A
2526.200	5.36	46.11	-25.0	30.36	362.00	Horizontal	Horizontal	N/A
2661.700	-36.36	46.17	-25.0	-11.36	233.00	Horizontal	Horizontal	N/A
5016.000	-54.08	7.05	-25.0	-29.08	216.00	Horizontal	Horizontal	Pass
17424.863	-40.03	22.53	-25.0	-15.03	348.00	Horizontal	Horizontal	Pass

RSE-H&V DC_7A_n66A 20MHz(LTE)+5MHz(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
1747.100	9.49	43.24	-25.0	34.49	206.00	Horizontal	Vertical	N/A
2144.600	-36.41	46.12	-25.0	-11.41	95.00	Horizontal	Vertical	N/A
2526.100	-2.60	46.11	-25.0	22.40	30.00	Horizontal	Vertical	N/A
2659.600	-36.26	46.27	-25.0	-11.26	206.00	Horizontal	Vertical	N/A
5111.400	-53.42	7.77	-25.0	-28.42	-3.00	Horizontal	Vertical	Pass
17418.562	-40.19	22.66	-25.0	-15.19	212.00	Horizontal	Vertical	Pass

RSE-V&V DC_7A_n66A 20MHz(LTE)+5MHz(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
812.450	-52.96	40.11	-25.0	-27.96	303.00	Vertical	Vertical	Pass
1744.100	4.19	43.22	-25.0	29.19	191.00	Vertical	Vertical	N/A
2526.200	3.35	46.11	-25.0	28.35	234.00	Vertical	Vertical	N/A
2661.700	-40.78	46.17	-25.0	-15.78	323.00	Vertical	Vertical	N/A
4915.400	-53.43	7.84	-25.0	-28.43	302.00	Vertical	Vertical	Pass
17347.162	-40.27	21.22	-25.0	-15.27	255.00	Vertical	Vertical	Pass


RSE-V&H DC_7A_n66A 20MHz(LTE)+5MHz(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
906.929	-53.07	41.13	-25.0	-28.07	260.00	Vertical	Horizontal	Pass
1744.300	7.61	43.24	-25.0	32.61	57.00	Vertical	Horizontal	N/A
2526.300	0.53	46.12	-25.0	25.53	57.00	Vertical	Horizontal	N/A
2651.000	-41.38	46.16	-25.0	-16.38	143.00	Vertical	Horizontal	N/A
5146.600	-54.11	7.49	-25.0	-29.11	78.00	Vertical	Horizontal	Pass
17630.663	-39.35	21.57	-25.0	-14.35	213.00	Vertical	Horizontal	Pass


59.5 DC_7A_n66A, QPSK, 20MHz(LTE)+15MHz(NR)

RSE-H&H DC_7A_n66A 20MHz(LTE)+15MHz(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
1741.900	10.61	43.05	-25.0	35.61	111.00	Horizontal	Horizontal	N/A
2149.300	-37.69	46.12	-25.0	-12.69	252.00	Horizontal	Horizontal	N/A
2526.200	14.58	46.11	-25.0	39.58	346.00	Horizontal	Horizontal	N/A
2648.800	-35.73	46.18	-25.0	-10.73	203.00	Horizontal	Horizontal	N/A
5157.200	-54.62	7.28	-25.0	-29.62	10.00	Horizontal	Horizontal	Pass
17329.838	-39.52	21.08	-25.0	-14.52	-3.00	Horizontal	Horizontal	Pass

RSE-H&V DC_7A_n66A 20MHz(LTE)+15MHz(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
1738.300	9.90	43.03	-25.0	34.90	353.00	Horizontal	Vertical	N/A
2145.300	-35.40	46.11	-25.0	-10.40	256.00	Horizontal	Vertical	N/A
2526.200	11.86	46.11	-25.0	36.86	19.00	Horizontal	Vertical	N/A
2648.900	-35.26	46.19	-25.0	-10.26	256.00	Horizontal	Vertical	N/A
5150.200	-54.15	7.36	-25.0	-29.15	0.00	Horizontal	Vertical	Pass
17457.676	-39.73	21.79	-25.0	-14.73	341.00	Horizontal	Vertical	Pass

RSE-V&V DC_7A_n66A 20MHz(LTE)+15MHz(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
920.994	-52.81	41.38	-25.0	-27.81	107.00	Vertical	Vertical	Pass
1742.200	10.37	43.06	-25.0	35.37	360.00	Vertical	Vertical	N/A
2526.200	7.78	46.11	-25.0	32.78	113.00	Vertical	Vertical	N/A
5118.000	-54.40	7.82	-25.0	-29.40	3.00	Vertical	Vertical	Pass
11566.937	-46.70	17.35	-25.0	-21.70	16.00	Vertical	Vertical	Pass
17882.925	-39.58	22.68	-25.0	-14.58	342.00	Vertical	Vertical	Pass


RSE-V&H DC_7A_n66A 20MHz(LTE)+15MHz(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
909.984	-53.25	41.13	-25.0	-28.25	0.00	Vertical	Horizontal	Pass
1742.100	8.66	43.06	-25.0	33.66	17.00	Vertical	Horizontal	N/A
2526.300	10.54	46.12	-25.0	35.54	64.00	Vertical	Horizontal	N/A
5172.600	-53.85	7.36	-25.0	-28.85	297.00	Vertical	Horizontal	Pass
11144.025	-46.84	16.75	-25.0	-21.84	258.00	Vertical	Horizontal	Pass
17433.526	-40.24	22.32	-25.0	-15.24	-3.00	Vertical	Horizontal	Pass


59.6 DC_7A_n66A, QPSK, 20MHz(LTE)+20MHz(NR)

RSE-H&H DC_7A_n66A 20MHz(LTE)+20MHz(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
1741.500	0.57	43.02	-25.0	25.57	35.00	Horizontal	Horizontal	N/A
2144.800	-33.40	46.12	-25.0	-8.40	268.00	Horizontal	Horizontal	N/A
2527.300	4.45	46.13	-25.0	29.45	336.00	Horizontal	Horizontal	N/A
2650.800	-36.01	46.19	-25.0	-11.01	234.00	Horizontal	Horizontal	N/A
6978.400	-48.54	13.94	-25.0	-23.54	168.00	Horizontal	Horizontal	Pass
17465.025	-39.91	21.73	-25.0	-14.91	272.00	Horizontal	Horizontal	Pass

RSE-H&V DC_7A_n66A 20MHz(LTE)+20MHz(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
903.582	-53.52	40.98	-25.0	-28.52	149.00	Horizontal	Vertical	Pass
1740.900	-0.08	42.99	-25.0	24.92	334.00	Horizontal	Vertical	N/A
2529.400	1.75	46.05	-25.0	26.75	4.00	Horizontal	Vertical	N/A
6979.400	-48.48	13.89	-25.0	-23.48	216.00	Horizontal	Vertical	Pass
10901.950	-46.87	17.71	-25.0	-21.87	326.00	Horizontal	Vertical	Pass
17476.313	-39.99	21.71	-25.0	-14.99	343.00	Horizontal	Vertical	Pass

RSE-V&V DC_7A_n66A 20MHz(LTE)+20MHz(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
1735.600	5.43	43.39	-25.0	30.43	118.00	Vertical	Vertical	N/A
2148.500	-32.80	46.08	-25.0	-7.80	118.00	Vertical	Vertical	N/A
2543.100	-3.32	45.95	-25.0	21.68	185.00	Vertical	Vertical	N/A
2659.100	-35.69	46.28	-25.0	-10.69	108.00	Vertical	Vertical	N/A
6788.000	-48.91	12.32	-25.0	-23.91	25.00	Vertical	Vertical	Pass
17459.511	-40.62	21.76	-25.0	-15.62	235.00	Vertical	Vertical	Pass

RSE-V&H DC_7A_n66A 20MHz(LTE)+20MHz(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
857.458	-53.33	40.26	-25.0	-28.33	315.00	Vertical	Horizontal	Pass
1735.600	3.88	43.39	-25.0	28.88	0.00	Vertical	Horizontal	N/A
2543.200	1.24	45.95	-25.0	26.24	35.00	Vertical	Horizontal	N/A
6673.400	-49.79	11.61	-25.0	-24.79	156.00	Vertical	Horizontal	Pass
12098.237	-46.01	18.15	-25.0	-21.01	28.00	Vertical	Horizontal	Pass
17477.886	-40.19	21.70	-25.0	-15.19	109.00	Vertical	Horizontal	Pass

60 DC_12A_n66A


60.1 DC_12A_n66A, PI/2 BPSK, 10MHz(LTE)+5MHz(NR)

RSE-H&H DC_12A_n66A 10MHz(LTE)+5MHz(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
710.455	-1.01	38.10	-25.0	23.99	-3.00	Horizontal	Horizontal	N/A
738.100	-33.25	38.70	-25.0	-8.25	92.00	Horizontal	Horizontal	N/A
1745.800	7.77	43.28	-25.0	32.77	107.00	Horizontal	Horizontal	N/A
2143.700	-28.00	46.05	-25.0	-3.00	273.00	Horizontal	Horizontal	N/A
6610.600	-48.75	12.33	-25.0	-23.75	164.00	Horizontal	Horizontal	Pass
18126.225	-40.22	22.01	-25.0	-15.22	111.00	Horizontal	Horizontal	Pass

RSE-H&V DC_12A_n66A 10MHz(LTE)+5MHz(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
710.261	-2.93	38.10	-25.0	22.07	251.00	Horizontal	Vertical	N/A
733.250	-41.16	38.66	-25.0	-16.16	280.00	Horizontal	Vertical	N/A
1747.200	4.52	43.22	-25.0	29.52	308.00	Horizontal	Vertical	N/A
2144.000	-40.68	46.08	-25.0	-15.68	54.00	Horizontal	Vertical	N/A
6981.400	-48.05	13.83	-25.0	-23.05	184.00	Horizontal	Vertical	Pass
17381.550	-39.90	22.26	-25.0	-14.90	299.00	Horizontal	Vertical	Pass

RSE-V&V DC_12A_n66A 10MHz(LTE)+5MHz(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
710.310	1.26	38.10	-25.0	26.26	23.00	Vertical	Vertical	N/A
734.802	-41.55	38.67	-25.0	-16.55	23.00	Vertical	Vertical	N/A
1743.000	5.58	43.12	-25.0	30.58	289.00	Vertical	Vertical	N/A
2144.200	-25.34	46.11	-25.0	-0.34	169.00	Vertical	Vertical	N/A
6781.600	-49.13	11.98	-25.0	-24.13	239.00	Vertical	Vertical	Pass
18781.999	-40.17	24.91	-25.0	-15.17	363.00	Vertical	Vertical	Pass


RSE-V&H DC_12A_n66A 10MHz(LTE)+5MHz(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
704.247	-8.87	37.93	-25.0	16.13	-3.00	Vertical	Horizontal	N/A
740.089	-36.29	38.79	-25.0	-11.29	82.00	Vertical	Horizontal	N/A
1742.900	7.27	43.11	-25.0	32.27	50.00	Vertical	Horizontal	N/A
2143.700	-40.72	46.05	-25.0	-15.72	185.00	Vertical	Horizontal	N/A
6969.000	-48.31	13.41	-25.0	-23.31	-3.00	Vertical	Horizontal	Pass
17582.887	-40.21	22.16	-25.0	-15.21	191.00	Vertical	Horizontal	Pass


60.2 DC_12A_n66A, PI/2 BPSK, 10MHz(LTE)+15MHz(NR)

RSE-H&H DC_12A_n66A 10MHz(LTE)+15MHz(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
709.679	-1.65	38.10	-25.0	23.35	155.00	Horizontal	Horizontal	N/A
737.663	-34.85	38.68	-25.0	-9.85	41.00	Horizontal	Horizontal	N/A
1744.000	3.38	43.21	-25.0	28.38	180.00	Horizontal	Horizontal	N/A
2146.800	-33.74	46.08	-25.0	-8.74	290.00	Horizontal	Horizontal	N/A
6973.000	-48.41	13.67	-25.0	-23.41	132.00	Horizontal	Horizontal	Pass
17872.163	-40.14	22.42	-25.0	-15.14	51.00	Horizontal	Horizontal	Pass

RSE-H&V DC_12A_n66A 10MHz(LTE)+15MHz(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
711.328	1.13	38.10	-25.0	26.13	28.00	Horizontal	Vertical	N/A
739.119	-38.29	38.75	-25.0	-13.29	0.00	Horizontal	Vertical	N/A
1742.400	2.23	43.07	-25.0	27.23	34.00	Horizontal	Vertical	N/A
6679.400	-49.42	11.77	-25.0	-24.42	-3.00	Horizontal	Vertical	Pass
14928.224	-42.44	19.67	-25.0	-17.44	43.00	Horizontal	Vertical	Pass
17472.901	-40.21	21.72	-25.0	-15.21	218.00	Horizontal	Vertical	Pass

RSE-V&V DC_12A_n66A 10MHz(LTE)+15MHz(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
711.862	5.21	38.10	-25.0	30.21	5.00	Vertical	Vertical	N/A
741.786	-35.27	38.82	-25.0	-10.27	329.00	Vertical	Vertical	N/A
1738.000	6.22	43.08	-25.0	31.22	361.00	Vertical	Vertical	N/A
2143.300	-29.82	46.00	-25.0	-4.82	170.00	Vertical	Vertical	N/A
6981.800	-48.72	13.85	-25.0	-23.72	355.00	Vertical	Vertical	Pass
17590.239	-39.56	22.08	-25.0	-14.56	226.00	Vertical	Vertical	Pass


RSE-V&H DC_12A_n66A 10MHz(LTE)+15MHz(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
707.885	-6.68	38.13	-25.0	18.32	230.00	Vertical	Horizontal	N/A
740.282	-36.84	38.79	-25.0	-11.84	225.00	Vertical	Horizontal	N/A
1742.400	9.50	43.07	-25.0	34.50	360.00	Vertical	Horizontal	N/A
2971.200	-40.95	47.94	-25.0	-15.95	360.00	Vertical	Horizontal	Pass
6689.600	-48.93	11.86	-25.0	-23.93	53.00	Vertical	Horizontal	Pass
17479.199	-40.43	21.70	-25.0	-15.43	63.00	Vertical	Horizontal	Pass


60.3 DC_12A_n66A, PI/2 BPSK, 10MHz(LTE)+20MHz(NR)

RSE-H&H DC_12A_n66A 10MHz(LTE)+20MHz(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
711.425	-0.10	38.10	-25.0	24.90	363.00	Horizontal	Horizontal	N/A
741.156	-40.40	38.81	-25.0	-15.40	262.00	Horizontal	Horizontal	N/A
1745.000	2.79	43.29	-25.0	27.79	152.00	Horizontal	Horizontal	N/A
2140.900	-39.41	45.92	-25.0	-14.41	63.00	Horizontal	Horizontal	N/A
4813.200	-54.39	7.06	-25.0	-29.39	172.00	Horizontal	Horizontal	Pass
17438.251	-40.29	22.20	-25.0	-15.29	169.00	Horizontal	Horizontal	Pass

RSE-H&V DC_12A_n66A 10MHz(LTE)+20MHz(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
711.619	-5.73	38.10	-25.0	19.27	114.00	Horizontal	Vertical	N/A
737.178	-39.65	38.68	-25.0	-14.65	92.00	Horizontal	Vertical	N/A
1742.200	-0.27	43.06	-25.0	24.73	363.00	Horizontal	Vertical	N/A
2140.000	-37.09	45.95	-25.0	-12.09	202.00	Horizontal	Vertical	N/A
4450.400	-54.76	6.61	-25.0	-29.76	83.00	Horizontal	Vertical	Pass
17337.975	-40.36	21.08	-25.0	-15.36	-1.00	Horizontal	Vertical	Pass

RSE-V&V DC_12A_n66A 10MHz(LTE)+20MHz(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
708.563	3.66	38.12	-25.0	28.66	8.00	Vertical	Vertical	N/A
738.779	-38.08	38.73	-25.0	-13.08	165.00	Vertical	Vertical	N/A
1742.400	0.30	43.07	-25.0	25.30	77.00	Vertical	Vertical	N/A
5068.000	-54.51	7.27	-25.0	-29.51	92.00	Vertical	Vertical	Pass
11493.913	-46.73	17.76	-25.0	-21.73	363.00	Vertical	Vertical	Pass
17381.026	-39.98	22.25	-25.0	-14.98	223.00	Vertical	Vertical	Pass


RSE-V&H DC_12A_n66A 10MHz(LTE)+20MHz(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
711.182	-4.87	38.10	-25.0	20.13	44.00	Vertical	Horizontal	N/A
741.689	-39.91	38.82	-25.0	-14.91	314.00	Vertical	Horizontal	N/A
1748.600	-3.53	43.01	-25.0	21.47	361.00	Vertical	Horizontal	N/A
5061.600	-54.52	7.36	-25.0	-29.52	69.00	Vertical	Horizontal	Pass
11510.587	-46.97	17.64	-25.0	-21.97	354.00	Vertical	Horizontal	Pass
17302.800	-40.17	21.13	-25.0	-15.17	143.00	Vertical	Horizontal	Pass


60.4 DC_12A_n66A, QPSK, 10MHz(LTE)+5MHz(NR)

RSE-H&H DC_12A_n66A 10MHz(LTE)+5MHz(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
710.649	-0.12	38.10	-25.0	24.88	-1.00	Horizontal	Horizontal	N/A
739.409	-33.14	38.76	-25.0	-8.14	-1.00	Horizontal	Horizontal	N/A
1744.700	5.76	43.28	-25.0	30.76	204.00	Horizontal	Horizontal	N/A
2146.200	-27.47	46.08	-25.0	-2.47	276.00	Horizontal	Horizontal	N/A
6606.400	-49.20	12.22	-25.0	-24.20	216.00	Horizontal	Horizontal	Pass
17597.587	-40.18	22.00	-25.0	-15.18	183.00	Horizontal	Horizontal	Pass

RSE-H&V DC_12A_n66A 10MHz(LTE)+5MHz(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
710.115	0.24	38.10	-25.0	25.24	241.00	Horizontal	Vertical	N/A
739.700	-35.66	38.77	-25.0	-10.66	17.00	Horizontal	Vertical	N/A
1747.300	7.27	43.21	-25.0	32.27	141.00	Horizontal	Vertical	N/A
2144.100	-41.93	46.10	-25.0	-16.93	190.00	Horizontal	Vertical	N/A
6999.200	-48.77	13.65	-25.0	-23.77	243.00	Horizontal	Vertical	Pass
17468.436	-40.18	21.73	-25.0	-15.18	-3.00	Horizontal	Vertical	Pass

RSE-V&V DC_12A_n66A 10MHz(LTE)+5MHz(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
704.732	2.50	37.97	-25.0	27.50	180.00	Vertical	Vertical	N/A
733.250	-37.55	38.66	-25.0	-12.55	-3.00	Vertical	Vertical	N/A
1743.000	8.44	43.12	-25.0	33.44	62.00	Vertical	Vertical	N/A
2144.300	-25.52	46.12	-25.0	-0.52	159.00	Vertical	Vertical	N/A
6975.400	-48.80	13.72	-25.0	-23.80	58.00	Vertical	Vertical	Pass
17724.901	-40.40	21.41	-25.0	-15.40	216.00	Vertical	Vertical	Pass


RSE-V&H DC_12A_n66A 10MHz(LTE)+5MHz(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
710.940	-6.10	38.10	-25.0	18.90	140.00	Vertical	Horizontal	N/A
739.652	-37.27	38.77	-25.0	-12.27	162.00	Vertical	Horizontal	N/A
1747.100	8.79	43.24	-25.0	33.79	0.00	Vertical	Horizontal	N/A
2142.900	-42.77	45.95	-25.0	-17.77	181.00	Vertical	Horizontal	N/A
6984.600	-48.74	13.74	-25.0	-23.74	0.00	Vertical	Horizontal	Pass
17479.725	-40.05	21.70	-25.0	-15.05	0.00	Vertical	Horizontal	Pass


60.5 DC_12A_n66A, QPSK, 10MHz(LTE)+15MHz(NR)

RSE-H&H DC_12A_n66A 10MHz(LTE)+15MHz(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
709.679	-0.67	38.10	-25.0	24.33	223.00	Horizontal	Horizontal	N/A
741.932	-34.28	38.82	-25.0	-9.28	102.00	Horizontal	Horizontal	N/A
1737.900	5.39	43.10	-25.0	30.39	31.00	Horizontal	Horizontal	N/A
2141.500	-32.36	45.90	-25.0	-7.36	253.00	Horizontal	Horizontal	N/A
6686.800	-48.69	11.97	-25.0	-23.69	144.00	Horizontal	Horizontal	Pass
17425.388	-40.25	22.52	-25.0	-15.25	279.00	Horizontal	Horizontal	Pass

RSE-H&V DC_12A_n66A 10MHz(LTE)+15MHz(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
710.649	-0.40	38.10	-25.0	24.60	21.00	Horizontal	Vertical	N/A
740.767	-38.56	38.80	-25.0	-13.56	361.00	Horizontal	Vertical	N/A
1746.500	0.03	43.27	-25.0	25.03	43.00	Horizontal	Vertical	N/A
6684.200	-48.79	11.96	-25.0	-23.79	348.00	Horizontal	Vertical	Pass
10979.287	-46.83	17.17	-25.0	-21.83	55.00	Horizontal	Vertical	Pass
17601.262	-40.24	21.96	-25.0	-15.24	10.00	Horizontal	Vertical	Pass

RSE-V&V DC_12A_n66A 10MHz(LTE)+15MHz(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
709.825	3.60	38.10	-25.0	28.60	49.00	Vertical	Vertical	N/A
738.828	-33.90	38.73	-25.0	-8.90	245.00	Vertical	Vertical	N/A
1742.300	4.43	43.07	-25.0	29.43	360.00	Vertical	Vertical	N/A
2148.900	-31.24	46.10	-25.0	-6.24	159.00	Vertical	Vertical	N/A
6998.200	-47.89	13.63	-25.0	-22.89	259.00	Vertical	Vertical	Pass
17841.449	-40.15	21.91	-25.0	-15.15	277.00	Vertical	Vertical	Pass


RSE-V&H DC_12A_n66A 10MHz(LTE)+15MHz(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
707.982	-5.65	38.13	-25.0	19.35	206.00	Vertical	Horizontal	N/A
733.105	-40.69	38.65	-25.0	-15.69	157.00	Vertical	Horizontal	N/A
1742.200	7.31	43.06	-25.0	32.31	18.00	Vertical	Horizontal	N/A
6682.000	-49.69	11.83	-25.0	-24.69	32.00	Vertical	Horizontal	Pass
11522.950	-46.60	17.43	-25.0	-21.60	188.00	Vertical	Horizontal	Pass
17474.214	-39.88	21.71	-25.0	-14.88	76.00	Vertical	Horizontal	Pass


60.6 DC_12A_n66A, QPSK, 10MHz(LTE)+20MHz(NR)

RSE-H&H DC_12A_n66A 10MHz(LTE)+20MHz(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
708.466	-0.64	38.12	-25.0	24.36	-3.00	Horizontal	Horizontal	N/A
737.227	-41.93	38.68	-25.0	-16.93	-1.00	Horizontal	Horizontal	N/A
1742.300	1.86	43.07	-25.0	26.86	185.00	Horizontal	Horizontal	N/A
2140.900	-40.72	45.92	-25.0	-15.72	77.00	Horizontal	Horizontal	N/A
4916.600	-54.43	7.92	-25.0	-29.43	142.00	Horizontal	Horizontal	Pass
17422.238	-39.78	22.60	-25.0	-14.78	121.00	Horizontal	Horizontal	Pass

RSE-H&V DC_12A_n66A 10MHz(LTE)+20MHz(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
710.794	0.62	38.10	-25.0	25.62	360.00	Horizontal	Vertical	N/A
736.791	-39.79	38.68	-25.0	-14.79	58.00	Horizontal	Vertical	N/A
1740.800	-1.59	42.98	-25.0	23.41	335.00	Horizontal	Vertical	N/A
2138.900	-39.59	45.89	-25.0	-14.59	238.00	Horizontal	Vertical	N/A
5111.200	-53.75	7.78	-25.0	-28.75	-1.00	Horizontal	Vertical	Pass
17878.725	-39.22	22.61	-25.0	-14.22	252.00	Horizontal	Vertical	Pass

RSE-V&V DC_12A_n66A 10MHz(LTE)+20MHz(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
711.425	6.08	38.10	-25.0	31.08	31.00	Vertical	Vertical	N/A
736.209	-37.97	38.68	-25.0	-12.97	5.00	Vertical	Vertical	N/A
1741.200	-3.22	43.01	-25.0	21.78	225.00	Vertical	Vertical	N/A
5061.400	-54.15	7.36	-25.0	-29.15	120.00	Vertical	Vertical	Pass
10908.849	-47.09	17.65	-25.0	-22.09	361.00	Vertical	Vertical	Pass
17426.176	-38.84	22.50	-25.0	-13.84	-1.00	Vertical	Vertical	Pass

RSE-V&H DC_12A_n66A 10MHz(LTE)+20MHz(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
711.279	-3.69	38.10	-25.0	21.31	133.00	Vertical	Horizontal	N/A
740.913	-39.66	38.80	-25.0	-14.66	314.00	Vertical	Horizontal	N/A
1742.200	-2.49	43.06	-25.0	22.51	20.00	Vertical	Horizontal	N/A
5192.600	-53.73	7.30	-25.0	-28.73	329.00	Vertical	Horizontal	Pass
11526.974	-46.77	17.36	-25.0	-21.77	104.00	Vertical	Horizontal	Pass
17468.963	-39.90	21.72	-25.0	-14.90	265.00	Vertical	Horizontal	Pass

Antenna 10

61 DC_5A_n66A


61.1 DC_5A_n66A, PI/2 BPSK, 10MHz(LTE)+5MHz(NR)

RSE-H&H DC_5A_n66A 10MHz(LTE)+5MHz(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.142	15.07	40.37	-25.0	40.07	254.00	Horizontal	Horizontal	N/A
882.873	-33.50	40.42	-25.0	-8.50	87.00	Horizontal	Horizontal	N/A
1747.200	9.05	43.22	-25.0	34.05	104.00	Horizontal	Horizontal	N/A
2144.900	-36.89	46.11	-25.0	-11.89	201.00	Horizontal	Horizontal	N/A
6679.200	-48.92	11.77	-25.0	-23.92	363.00	Horizontal	Horizontal	Pass
17597.323	-39.93	22.00	-25.0	-14.93	363.00	Horizontal	Horizontal	Pass

RSE-H&V DC_5A_n66A 10MHz(LTE)+5MHz(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.142	3.61	40.37	-25.0	28.61	224.00	Horizontal	Vertical	N/A
881.030	-34.98	40.27	-25.0	-9.98	33.00	Horizontal	Vertical	N/A
1747.000	6.00	43.26	-25.0	31.00	134.00	Horizontal	Vertical	N/A
2467.000	-39.29	46.09	-25.0	-14.29	312.00	Horizontal	Vertical	Pass
6686.000	-49.35	12.02	-25.0	-24.35	177.00	Horizontal	Vertical	Pass
17596.801	-39.90	22.01	-25.0	-14.90	363.00	Horizontal	Vertical	Pass

RSE-V&V DC_5A_n66A 10MHz(LTE)+5MHz(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.142	8.38	40.37	-25.0	33.38	360.00	Vertical	Vertical	N/A
878.944	-31.74	40.28	-25.0	-6.74	96.00	Vertical	Vertical	N/A
1747.100	3.53	43.24	-25.0	28.53	198.00	Vertical	Vertical	N/A
6682.600	-49.34	11.86	-25.0	-24.34	105.00	Vertical	Vertical	Pass
11594.825	-46.41	17.90	-25.0	-21.41	312.00	Vertical	Vertical	Pass
17424.337	-40.16	22.54	-25.0	-15.16	267.00	Vertical	Vertical	Pass


RSE-V&H DC_5A_n66A 10MHz(LTE)+5MHz(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.142	12.66	40.37	-25.0	37.66	81.00	Vertical	Horizontal	N/A
884.619	-36.93	40.57	-25.0	-11.93	140.00	Vertical	Horizontal	N/A
1744.300	2.01	43.24	-25.0	27.01	28.00	Vertical	Horizontal	N/A
6689.200	-49.15	11.88	-25.0	-24.15	157.00	Vertical	Horizontal	Pass
12105.713	-46.27	18.17	-25.0	-21.27	235.00	Vertical	Horizontal	Pass
17423.286	-39.78	22.57	-25.0	-14.78	331.00	Vertical	Horizontal	Pass


61.2 DC_5A_n66A, PI/2 BPSK, 10MHz(LTE)+15MHz(NR)

RSE-H&H DC_5A_n66A 10MHz(LTE)+15MHz(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.044	14.66	40.37	-25.0	39.66	254.00	Horizontal	Horizontal	N/A
883.358	-30.82	40.48	-25.0	-5.82	95.00	Horizontal	Horizontal	N/A
1742.200	8.64	43.06	-25.0	33.64	363.00	Horizontal	Horizontal	N/A
2143.300	-37.76	46.00	-25.0	-12.76	221.00	Horizontal	Horizontal	N/A
6999.000	-48.22	13.64	-25.0	-23.22	46.00	Horizontal	Horizontal	Pass
17465.551	-40.38	21.73	-25.0	-15.38	35.00	Horizontal	Horizontal	Pass

RSE-H&V DC_5A_n66A 10MHz(LTE)+15MHz(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.142	10.29	40.37	-25.0	35.29	206.00	Horizontal	Vertical	N/A
879.962	-29.48	40.22	-25.0	-4.48	273.00	Horizontal	Vertical	N/A
1742.300	6.33	43.07	-25.0	31.33	19.00	Horizontal	Vertical	N/A
2139.900	-34.99	45.95	-25.0	-9.99	115.00	Horizontal	Vertical	N/A
6981.600	-48.84	13.84	-25.0	-23.84	317.00	Horizontal	Vertical	Pass
17471.324	-40.19	21.72	-25.0	-15.19	264.00	Horizontal	Vertical	Pass

RSE-V&V DC_5A_n66A 10MHz(LTE)+15MHz(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.190	14.99	40.37	-25.0	39.99	34.00	Vertical	Vertical	N/A
885.734	-35.68	40.47	-25.0	-10.68	34.00	Vertical	Vertical	N/A
1738.300	0.10	43.03	-25.0	25.10	360.00	Vertical	Vertical	N/A
6681.400	-49.61	11.80	-25.0	-24.61	268.00	Vertical	Vertical	Pass
14907.750	-41.98	20.21	-25.0	-16.98	292.00	Vertical	Vertical	Pass
17430.114	-40.11	22.40	-25.0	-15.11	171.00	Vertical	Vertical	Pass


RSE-V&H DC_5A_n66A 10MHz(LTE)+15MHz(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.093	9.09	40.37	-25.0	34.09	50.00	Vertical	Horizontal	N/A
883.649	-35.46	40.52	-25.0	-10.46	128.00	Vertical	Horizontal	N/A
1742.000	3.17	43.05	-25.0	28.17	107.00	Vertical	Horizontal	N/A
6977.200	-48.59	13.82	-25.0	-23.59	341.00	Vertical	Horizontal	Pass
11638.237	-46.67	17.19	-25.0	-21.67	20.00	Vertical	Horizontal	Pass
17474.738	-40.36	21.71	-25.0	-15.36	342.00	Vertical	Horizontal	Pass


61.3 DC_5A_n66A, PI/2 BPSK, 10MHz(LTE)+20MHz(NR)

RSE-H&H DC_5A_n66A 10MHz(LTE)+20MHz(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.190	9.54	40.37	-25.0	34.54	241.00	Horizontal	Horizontal	N/A
882.145	-29.83	40.32	-25.0	-4.83	241.00	Horizontal	Horizontal	N/A
1742.300	2.76	43.07	-25.0	27.76	120.00	Horizontal	Horizontal	N/A
2153.400	-35.26	46.23	-25.0	-10.26	232.00	Horizontal	Horizontal	N/A
5175.000	-53.57	7.31	-25.0	-28.57	118.00	Horizontal	Horizontal	Pass
17428.802	-39.42	22.43	-25.0	-14.42	193.00	Horizontal	Horizontal	Pass

RSE-H&V DC_5A_n66A 10MHz(LTE)+20MHz(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.093	6.64	40.37	-25.0	31.64	38.00	Horizontal	Vertical	N/A
885.588	-34.97	40.49	-25.0	-9.97	274.00	Horizontal	Vertical	N/A
1739.700	5.15	42.99	-25.0	30.15	363.00	Horizontal	Vertical	N/A
2152.400	-37.92	46.21	-25.0	-12.92	124.00	Horizontal	Vertical	N/A
4992.800	-52.52	7.24	-25.0	-27.52	196.00	Horizontal	Vertical	Pass
17475.262	-39.94	21.71	-25.0	-14.94	-1.00	Horizontal	Vertical	Pass