



**16.6. CA Peak to Average Ratio(NTNV)(Subtest:7, Channel:40526+40670, Bandwidth:10+20, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2593.3	0.1	10.45	13	Pass




**16.7. CA Peak to Average Ratio(NTNV)(Subtest:8, Channel:40571+40715, Bandwidth:20+10, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2592.8	0.1	9.84	13	Pass




**16.8. CA Peak to Average Ratio(NTNV)(Subtest:9, Channel:40571+40715, Bandwidth:20+10, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2592.8	0.1	10.41	13	Pass




**16.9. CA Peak to Average Ratio(NTNV)(Subtest:10, Channel:40545+40695, Bandwidth:15+15, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2593	0.1	10.03	13	Pass




**16.10. CA Peak to Average Ratio(NTNV)(Subtest:11, Channel:40545+40695, Bandwidth:15+15, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2593	0.1	10.64	13	Pass



**16.11. CA Peak to Average Ratio(NTNV)(Subtest:12, Channel:40523+40694, Bandwidth:15+20, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)**



**16.12. CA Peak to Average Ratio(NTNV)(Subtest:13, Channel:40523+40694, Bandwidth:15+20, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)**


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2593.1	0.1	10.22	13	Pass

General Purpose RF Measurement 1 - V3.5.110 - Base V 3.5.120
GPRF

Power Spectrum FFT Spectrum IQ Recorder IQ vs. Slot EPS

Frequency: 2593.10000 Ref. Level: 30.00 Connector:RF4COM

x: Off y: ---
x: Off y: ---
x: Off y: ---




Statistic Count	1 / 1
Sample Count	1024300
Sample Time	20.496 ms
Avg Power	16.601 dBm
Max Power	28.216 dBm
PAR	11.615 dB

Probability	
10,000%	5.531 dB
1,0000%	8.859 dB
0,1000%	10.219 dB
0,0100%	10.875 dB
0,0010%	11.344 dB
0,0001%	11.484 dB

Repetition...
List Mode  
Off On
Statistic Count...
Measurement Length...
Step Length...
Filter...
Param. Set  
Global List
Config...


**16.13. CA Peak to Average Ratio(NTNV)(Subtest:14, Channel:40546+40717, Bandwidth:20+15, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)**






**16.14. CA Peak to Average Ratio(NTNV)(Subtest:15, Channel:40546+40717, Bandwidth:20+15, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)**


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2592.9	0.1	9.14	13	Pass



**16.15. CA Peak to Average Ratio(NTNV)(Subtest:16, Channel:40521+40719, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)**



**16.16. CA Peak to Average Ratio(NTNV)(Subtest:17, Channel:40521+40719, Bandwidth:20+20, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)**




# NR

## 17. NR\_n5\_SCS15\_20M\_L\_Edge\_1RB\_Left(QPSK)

### 17.1. NR Peak to Average Ratio(NTNV)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
834	0.1	5.54	13	Pass



## 17. NR\_n5\_SCS15\_20M\_L\_Outer Full(QPSK)

### 17.2. NR Peak to Average Ratio(NTNV)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
834	0.1	5.43	13	Pass



## 17. NR\_n5\_SCS15\_20M\_L\_Edge\_1RB\_Left(16QAM)

### 17.3. NR Peak to Average Ratio(NTNV)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
834	0.1	6.3	13	Pass



## 17. NR\_n5\_SCS15\_20M\_L\_Outer Full(16QAM)

### 17.4. NR Peak to Average Ratio(NTNV)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
834	0.1	6.3	13	Pass



## 17. NR\_n5\_SCS15\_20M\_M\_Edge\_1RB\_Left(QPSK)

### 17.5. NR Peak to Average Ratio(NTNV)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
836.5	0.1	5.46	13	Pass






## 17. NR\_n5\_SCS15\_20M\_M\_Outer Full(QPSK)

### 17.6. NR Peak to Average Ratio(NTNV)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
836.5	0.1	5.47	13	Pass



## 17. NR\_n5\_SCS15\_20M\_M\_Edge\_1RB\_Left(16QAM)

### 17.7. NR Peak to Average Ratio(NTNV)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
836.5	0.1	6.01	13	Pass



## 17. NR\_n5\_SCS15\_20M\_M\_Outer Full(16QAM)

### 17.8. NR Peak to Average Ratio(NTNV)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
836.5	0.1	6.32	13	Pass



## 17. NR\_n5\_SCS15\_20M\_H\_Edge\_1RB\_Left(QPSK)

### 17.9. NR Peak to Average Ratio(NTNV)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
839	0.1	5.65	13	Pass



## 17. NR\_n5\_SCS15\_20M\_H\_Outer Full(QPSK)

### 17.10. NR Peak to Average Ratio(NTNV)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
839	0.1	5.37	13	Pass



## 17. NR\_n5\_SCS15\_20M\_H\_Edge\_1RB\_Left(16QAM)

### 17.11. NR Peak to Average Ratio(NTNV)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
839	0.1	6.09	13	Pass



## 17. NR\_n5\_SCS15\_20M\_H\_Outer Full(16QAM)

### 17.12. NR Peak to Average Ratio(NTNV)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
839	0.1	6.21	13	Pass



## 18. NR\_n7\_SCS15\_20M\_L\_Edge\_1RB\_Left(QPSK)

### 18.1. NR Peak to Average Ratio(NTNV)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
2510	0.1	5.21	13	Pass






## 18. NR\_n7\_SCS15\_20M\_L\_Outer Full(QPSK)

### 18.2. NR Peak to Average Ratio(NTNV)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
2510	0.1	5.49	13	Pass



## 18. NR\_n7\_SCS15\_20M\_L\_Edge\_1RB\_Left(16QAM)

### 18.3. NR Peak to Average Ratio(NTNV)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
2510	0.1	5.81	13	Pass



## 18. NR\_n7\_SCS15\_20M\_L\_Outer Full(16QAM)

### 18.4. NR Peak to Average Ratio(NTNV)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
2510	0.1	6.14	13	Pass



## 18. NR\_n7\_SCS15\_20M\_M\_Edge\_1RB\_Left(QPSK)

### 18.5. NR Peak to Average Ratio(NTNV)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
2535	0.1	5.48	13	Pass



## 18. NR\_n7\_SCS15\_20M\_M\_Outer Full(QPSK)

### 18.6. NR Peak to Average Ratio(NTNV)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
2535	0.1	5.28	13	Pass



## 18. NR\_n7\_SCS15\_20M\_M\_Edge\_1RB\_Left(16QAM)

### 18.7. NR Peak to Average Ratio(NTNV)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
2535	0.1	5.93	13	Pass



## 18. NR\_n7\_SCS15\_20M\_M\_Outer Full(16QAM)

### 18.8. NR Peak to Average Ratio(NTNV)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
2535	0.1	6.21	13	Pass



## 18. NR\_n7\_SCS15\_20M\_H\_Edge\_1RB\_Left(QPSK)

### 18.9. NR Peak to Average Ratio(NTNV)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
2560	0.1	5.79	13	Pass






## 18. NR\_n7\_SCS15\_20M\_H\_Outer Full(QPSK)

### 18.10. NR Peak to Average Ratio(NTNV)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
2560	0.1	5.44	13	Pass



## 18. NR\_n7\_SCS15\_20M\_H\_Edge\_1RB\_Left(16QAM)

### 18.11. NR Peak to Average Ratio(NTNV)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
2560	0.1	6.08	13	Pass



## 18. NR\_n7\_SCS15\_20M\_H\_Outer Full(16QAM)


### 18.12. NR Peak to Average Ratio(NTNV)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
2560	0.1	6.34	13	Pass




## 19. NR\_n38\_SCS30\_20M\_L\_Edge\_1RB\_Left(16QAM)

### 19.1. NR Peak to Average Ratio(NTNV)




## 19. NR\_n38\_SCS30\_20M\_L\_Outer Full(16QAM)

### 19.2. NR Peak to Average Ratio(NTNV)




## 19. NR\_n38\_SCS30\_20M\_L\_Edge\_1RB\_Left(QPSK)

### 19.3. NR Peak to Average Ratio(NTNV)




## 19. NR\_n38\_SCS30\_20M\_L\_Outer Full(QPSK)

### 19.4. NR Peak to Average Ratio(NTNV)



## 19. NR\_n38\_SCS30\_20M\_M\_Edge\_1RB\_Left(16QAM)


### 19.5. NR Peak to Average Ratio(NTNV)






## 19. NR\_n38\_SCS30\_20M\_M\_Outer Full(16QAM)

### 19.6. NR Peak to Average Ratio(NTNV)




## 19. NR\_n38\_SCS30\_20M\_M\_Edge\_1RB\_Left(QPSK)

### 19.7. NR Peak to Average Ratio(NTNV)




## 19. NR\_n38\_SCS30\_20M\_M\_Outer Full(QPSK)

### 19.8. NR Peak to Average Ratio(NTNV)




## 19. NR\_n38\_SCS30\_20M\_H\_Edge\_1RB\_Left(16QAM)

### 19.9. NR Peak to Average Ratio(NTNV)




## 19. NR\_n38\_SCS30\_20M\_H\_Outer Full(16QAM)

### 19.10. NR Peak to Average Ratio(NTNV)




## 19. NR\_n38\_SCS30\_20M\_H\_Edge\_1RB\_Left(QPSK)

### 19.11. NR Peak to Average Ratio(NTNV)




## 19. NR\_n38\_SCS30\_20M\_H\_Outer Full(QPSK)

### 19.12. NR Peak to Average Ratio(NTNV)



## 20. NR\_n41\_SCS30\_100M\_L\_Edge\_1RB\_Left(16QAM)


### 20.1. NR Peak to Average Ratio(NTNV)






## 20. NR\_n41\_SCS30\_100M\_L\_Outer Full(16QAM)

### 20.2. NR Peak to Average Ratio(NTNV)




## 20. NR\_n41\_SCS30\_100M\_L\_Edge\_1RB\_Left(QPSK)

### 20.3. NR Peak to Average Ratio(NTNV)




## 20. NR\_n41\_SCS30\_100M\_L\_Outer Full(QPSK)

### 20.4. NR Peak to Average Ratio(NTNV)




## 20. NR\_n41\_SCS30\_100M\_M\_Edge\_1RB\_Left(16QAM)

### 20.5. NR Peak to Average Ratio(NTNV)




## 20. NR\_n41\_SCS30\_100M\_M\_Outer Full(16QAM)

### 20.6. NR Peak to Average Ratio(NTNV)




## 20. NR\_n41\_SCS30\_100M\_M\_Edge\_1RB\_Left(QPSK)

### 20.7. NR Peak to Average Ratio(NTNV)




## 20. NR\_n41\_SCS30\_100M\_M\_Outer Full(QPSK)

### 20.8. NR Peak to Average Ratio(NTNV)



## 20. NR\_n41\_SCS30\_100M\_H\_Edge\_1RB\_Left(16QAM)


### 20.9. NR Peak to Average Ratio(NTNV)






## 20. NR\_n41\_SCS30\_100M\_H\_Outer Full(16QAM)

### 20.10. NR Peak to Average Ratio(NTNV)




## 20. NR\_n41\_SCS30\_100M\_H\_Edge\_1RB\_Left(QPSK)

### 20.11. NR Peak to Average Ratio(NTNV)




## 20. NR\_n41\_SCS30\_100M\_H\_Outer Full(QPSK)

### 20.12. NR Peak to Average Ratio(NTNV)




## 21. DC\_2A\_n66A\_SCS15\_20M\_L\_Edge\_1RB\_Left(QPSK)

### 21.1. NR Peak to Average Ratio(NTNV)




## 21. DC\_2A\_n66A\_SCS15\_20M\_L\_Outer Full(QPSK)

### 21.2. NR Peak to Average Ratio(NTNV)




## 21. DC\_2A\_n66A\_SCS15\_20M\_L\_Edge\_1RB\_Left(16QAM)

### 21.3. NR Peak to Average Ratio(NTNV)




## 21. DC\_2A\_n66A\_SCS15\_20M\_L\_Outer Full(16QAM)

### 21.4. NR Peak to Average Ratio(NTNV)



## 21. DC\_2A\_n66A\_SCS15\_20M\_M\_Edge\_1RB\_Left(QPSK)


### 21.5. NR Peak to Average Ratio(NTNV)





## 21. DC\_2A\_n66A\_SCS15\_20M\_M\_Outer Full(QPSK)


### 21.6. NR Peak to Average Ratio(NTNV)



## 21. DC\_2A\_n66A\_SCS15\_20M\_M\_Edge\_1RB\_Left(16QAM)


### 21.7. NR Peak to Average Ratio(NTNV)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
1745	0.1	6.62	13	Pass



## 21. DC\_2A\_n66A\_SCS15\_20M\_M\_Outer Full(16QAM)


### 21.8. NR Peak to Average Ratio(NTNV)



## 21. DC\_2A\_n66A\_SCS15\_20M\_H\_Edge\_1RB\_Left(QPSK)

### 21.9. NR Peak to Average Ratio(NTNV)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
1770	0.1	5.53	13	Pass



## 21. DC\_2A\_n66A\_SCS15\_20M\_H\_Outer Full(QPSK)


### 21.10. NR Peak to Average Ratio(NTNV)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
1770	0.1	5.21	13	Pass



## 21. DC\_2A\_n66A\_SCS15\_20M\_H\_Edge\_1RB\_Left(16QAM)


### 21.11. NR Peak to Average Ratio(NTNV)



## 21. DC\_2A\_n66A\_SCS15\_20M\_H\_Outer Full(16QAM)

### 21.12. NR Peak to Average Ratio(NTNV)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
1770	0.1	5.98	13	Pass



## 22. DC\_5A\_n7A\_SCS15\_20M\_L\_Edge\_1RB\_Left(QPSK)

### 22.1. NR Peak to Average Ratio(NTNV)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
2510	0.1	5.6	13	Pass






## 22. DC\_5A\_n7A\_SCS15\_20M\_L\_Outer Full(QPSK)

### 22.2. NR Peak to Average Ratio(NTNV)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
2510	0.1	5.44	13	Pass



## 22. DC\_5A\_n7A\_SCS15\_20M\_L\_Edge\_1RB\_Left(16AQM)


### 22.3. NR Peak to Average Ratio(NTNV)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
2510	0.1	6.94	13	Pass



## 22. DC\_5A\_n7A\_SCS15\_20M\_L\_Outer Full(16AQM)


### 22.4. NR Peak to Average Ratio(NTNV)



## 22. DC\_5A\_n7A\_SCS15\_20M\_M\_Edge\_1RB\_Left(QPSK)

### 22.5. NR Peak to Average Ratio(NTNV)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
2535	0.1	5.69	13	Pass



## 22. DC\_5A\_n7A\_SCS15\_20M\_M\_Outer Full(QPSK)

### 22.6. NR Peak to Average Ratio(NTNV)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
2535	0.1	5.45	13	Pass



## 22. DC\_5A\_n7A\_SCS15\_20M\_M\_Edge\_1RB\_Left(16AQM)

### 22.7. NR Peak to Average Ratio(NTNV)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
2535	0.1	6.81	13	Pass



## 22. DC\_5A\_n7A\_SCS15\_20M\_M\_Outer Full(16AQM)

### 22.8. NR Peak to Average Ratio(NTNV)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
2535	0.1	6.28	13	Pass



## 22. DC\_5A\_n7A\_SCS15\_20M\_H\_Edge\_1RB\_Left(QPSK)

### 22.9. NR Peak to Average Ratio(NTNV)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
2560	0.1	5.51	13	Pass





## 22. DC\_5A\_n7A\_SCS15\_20M\_H\_Outer Full(QPSK)


### 22.10. NR Peak to Average Ratio(NTNV)



## 22. DC\_5A\_n7A\_SCS15\_20M\_H\_Edge\_1RB\_Left(16AQM)

### 22.11. NR Peak to Average Ratio(NTNV)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
2560	0.1	7.05	13	Pass



## 22. DC\_5A\_n7A\_SCS15\_20M\_H\_Outer Full(16AQM)

### 22.12. NR Peak to Average Ratio(NTNV)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
2560	0.1	6.28	13	Pass



## 23. DC\_5A\_n66A\_SCS15\_20M\_L\_Edge\_1RB\_Left(QPSK)

### 23.1. NR Peak to Average Ratio(NTNV)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
1720	0.1	5.57	13	Pass



## 23. DC\_5A\_n66A\_SCS15\_20M\_L\_Outer Full(QPSK)


### 23.2. NR Peak to Average Ratio(NTNV)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
1720	0.1	6.54	13	Pass




## 23. DC\_5A\_n66A\_SCS15\_20M\_L\_Edge\_1RB\_Left(16QAM)

### 23.3. NR Peak to Average Ratio(NTNV)




## 23. DC\_5A\_n66A\_SCS15\_20M\_L\_Outer Full(16QAM)

### 23.4. NR Peak to Average Ratio(NTNV)



## 23. DC\_5A\_n66A\_SCS15\_20M\_M\_Edge\_1RB\_Left(QPSK)

### 23.5. NR Peak to Average Ratio(NTNV)






## 23. DC\_5A\_n66A\_SCS15\_20M\_M\_Outer Full(QPSK)

### 23.6. NR Peak to Average Ratio(NTNV)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
1745	0.1	5.12	13	Pass



## 23. DC\_5A\_n66A\_SCS15\_20M\_M\_Edge\_1RB\_Left(16QAM)

### 23.7. NR Peak to Average Ratio(NTNV)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
1745	0.1	6.88	13	Pass



## 23. DC\_5A\_n66A\_SCS15\_20M\_M\_Outer Full(16QAM)


### 23.8. NR Peak to Average Ratio(NTNV)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
1745	0.1	6.27	13	Pass



## 23. DC\_5A\_n66A\_SCS15\_20M\_H\_Edge\_1RB\_Left(QPSK)


### 23.9. NR Peak to Average Ratio(NTNV)



## 23. DC\_5A\_n66A\_SCS15\_20M\_H\_Outer Full(QPSK)


### 23.10. NR Peak to Average Ratio(NTNV)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
1770	0.1	5.18	13	Pass




## 23. DC\_5A\_n66A\_SCS15\_20M\_H\_Edge\_1RB\_Left(16QAM)

### 23.11. NR Peak to Average Ratio(NTNV)




## 23. DC\_5A\_n66A\_SCS15\_20M\_H\_Outer Full(16QAM)

### 23.12. NR Peak to Average Ratio(NTNV)



## 24. DC\_7A\_n5A\_SCS15\_20M\_L\_Edge\_1RB\_Left(QPSK)

### 24.1. NR Peak to Average Ratio(NTNV)






## 24. DC\_7A\_n5A\_SCS15\_20M\_L\_Outer Full(QPSK)

### 24.2. NR Peak to Average Ratio(NTNV)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
834	0.1	5.67	13	Pass



## 24. DC\_7A\_n5A\_SCS15\_20M\_L\_Edge\_1RB\_Left(16AQM)

### 24.3. NR Peak to Average Ratio(NTNV)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
834	0.1	6.39	13	Pass



## 24. DC\_7A\_n5A\_SCS15\_20M\_L\_Outer Full(16AQM)

### 24.4. NR Peak to Average Ratio(NTNV)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
834	0.1	6.24	13	Pass



## 24. DC\_7A\_n5A\_SCS15\_20M\_M\_Edge\_1RB\_Left(QPSK)

### 24.5. NR Peak to Average Ratio(NTNV)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
836.5	0.1	5.63	13	Pass



## 24. DC\_7A\_n5A\_SCS15\_20M\_M\_Outer Full(QPSK)

### 24.6. NR Peak to Average Ratio(NTNV)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
836.5	0.1	5.45	13	Pass



## 24. DC\_7A\_n5A\_SCS15\_20M\_M\_Edge\_1RB\_Left(16AQM)

### 24.7. NR Peak to Average Ratio(NTNV)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
836.5	0.1	6.33	13	Pass



## 24. DC\_7A\_n5A\_SCS15\_20M\_M\_Outer Full(16AQM)

### 24.8. NR Peak to Average Ratio(NTNV)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
836.5	0.1	6.29	13	Pass



## 24. DC\_7A\_n5A\_SCS15\_20M\_H\_Edge\_1RB\_Left(QPSK)

### 24.9. NR Peak to Average Ratio(NTNV)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
839	0.1	5.57	13	Pass





## 24. DC\_7A\_n5A\_SCS15\_20M\_H\_Outer Full(QPSK)


### 24.10. NR Peak to Average Ratio(NTNV)



## 24. DC\_7A\_n5A\_SCS15\_20M\_H\_Edge\_1RB\_Left(16AQM)


### 24.11. NR Peak to Average Ratio(NTNV)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
839	0.1	6.33	13	Pass




## 24. DC\_7A\_n5A\_SCS15\_20M\_H\_Outer Full(16AQM)

### 24.12. NR Peak to Average Ratio(NTNV)




## 25. DC\_7A\_n66A\_SCS15\_20M\_L\_Edge\_1RB\_Left(QPSK)

### 25.1. NR Peak to Average Ratio(NTNV)




## 25. DC\_7A\_n66A\_SCS15\_20M\_L\_Outer Full(QPSK)

### 25.2. NR Peak to Average Ratio(NTNV)



## 25. DC\_7A\_n66A\_SCS15\_20M\_L\_Edge\_1RB\_Left(16QAM)


### 25.3. NR Peak to Average Ratio(NTNV)



## 25. DC\_7A\_n66A\_SCS15\_20M\_L\_Outer Full(16QAM)


### 25.4. NR Peak to Average Ratio(NTNV)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
1720	0.1	6.18	13	Pass



## 25. DC\_7A\_n66A\_SCS15\_20M\_M\_Edge\_1RB\_Left(QPSK)


### 25.5. NR Peak to Average Ratio(NTNV)






## 25. DC\_7A\_n66A\_SCS15\_20M\_M\_Outer Full(QPSK)

### 25.6. NR Peak to Average Ratio(NTNV)



## 25. DC\_7A\_n66A\_SCS15\_20M\_M\_Edge\_1RB\_Left(16QAM)


### 25.7. NR Peak to Average Ratio(NTNV)



## 25. DC\_7A\_n66A\_SCS15\_20M\_M\_Outer Full(16QAM)


### 25.8. NR Peak to Average Ratio(NTNV)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
1745	0.1	6.09	13	Pass



## 25. DC\_7A\_n66A\_SCS15\_20M\_H\_Edge\_1RB\_Left(QPSK)


### 25.9. NR Peak to Average Ratio(NTNV)



## 25. DC\_7A\_n66A\_SCS15\_20M\_H\_Outer Full(QPSK)


### 25.10. NR Peak to Average Ratio(NTNV)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
1770	0.1	5.17	13	Pass




## 25. DC\_7A\_n66A\_SCS15\_20M\_H\_Edge\_1RB\_Left(16QAM)

### 25.11. NR Peak to Average Ratio(NTNV)




## 25. DC\_7A\_n66A\_SCS15\_20M\_H\_Outer Full(16QAM)

### 25.12. NR Peak to Average Ratio(NTNV)



## 26. CA\_7C


**26.1. CA Peak to Average Ratio(NTNV)(Subtest:1, Channel:21006+21150, Bandwidth:10+20, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)**






**26.2. CA Peak to Average Ratio(NTNV)(Subtest:2, Channel:21006+21150, Bandwidth:10+20, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535.3	0.1	7.08	13	Pass




**26.3. CA Peak to Average Ratio(NTNV)(Subtest:3, Channel:21051+21195, Bandwidth:20+10, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2534.8	0.1	6.42	13	Pass




**26.4. CA Peak to Average Ratio(NTNV)(Subtest:4, Channel:21051+21195, Bandwidth:20+10, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2534.8	0.1	6.98	13	Pass




**26.5. CA Peak to Average Ratio(NTNV)(Subtest:5, Channel:21025+21175, Bandwidth:15+15, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	6.37	13	Pass




**26.6. CA Peak to Average Ratio(NTNV)(Subtest:6, Channel:21025+21175, Bandwidth:15+15, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	7.27	13	Pass




**26.7. CA Peak to Average Ratio(NTNV)(Subtest:7, Channel:21003+21174, Bandwidth:15+20, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535.1	0.1	6.19	13	Pass




**26.8. CA Peak to Average Ratio(NTNV)(Subtest:8, Channel:21003+21174, Bandwidth:15+20, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535.1	0.1	6.89	13	Pass



**26.9. CA Peak to Average Ratio(NTNV)(Subtest:9, Channel:21026+21197, Bandwidth:20+15, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)**


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2534.9	0.1	5.91	13	Pass






**26.10. CA Peak to Average Ratio(NTNV)(Subtest:10, Channel:21026+21197, Bandwidth:20+15, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2534.9	0.1	6.37	13	Pass



**26.11. CA Peak to Average Ratio(NTNV)(Subtest:11, Channel:21001+21199, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	6.28	13	Pass



**26.12. CA Peak to Average Ratio(NTNV)(Subtest:12, Channel:21001+21199, Bandwidth:20+20, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)**


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	7.22	13	Pass

General Purpose RF Measurement 1 - V3.5.110 - Base V 3.5.120
GPRF

Power Spectrum FFT Spectrum IQ Recorder IQ vs. Slot EPS

Frequency: 2535.00000 Ref. Level: 30.00 Connector:RF3COM

x: Off y: ---
x: Off y: ---
x: Off y: ---



Statistic Count	1 / 1
Sample Count	1023880
Sample Time	20.488 ms
Avg Power	20.141 dBm
Max Power	29.174 dBm
PAR	9.032 dB

Probability	
10,000%	3.469 dB
1,0000%	5.813 dB
0,1000%	7.219 dB
0,0100%	8.109 dB
0,0010%	8.672 dB
0,0001%	8.953 dB

Repetition...
List Mode  
Off On
Statistic Count...
Measurement Length...
Step Length...
Filter...
Param. Set  
Global List
Config...

---

END