


Annex A.5 Spurious Emission at Antenna Terminals

GSM

1. GSM_GSM850


1.2. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-34.15	-13	Pass	601
0.15	30	0.01	Peak	0.16	-33.83	-13	Pass	2985
30	500	0.1	Peak	403.88	-42.96	-13	Pass	4700
500	1000	0.1	Peak	824.265	32.58	-13	N/A	5000
1000	10000	1	Peak	9413.935	-22.09	-13	Pass	9000




1.3. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-32.98	-13	Pass	601
0.15	30	0.01	Peak	0.16	-34.78	-13	Pass	2985
30	500	0.1	Peak	470.494	-42.44	-13	Pass	4700
500	1000	0.1	Peak	836.567	32.61	-13	N/A	5000
1000	10000	1	Peak	7284.698	-22.5	-13	Pass	9000



1.4. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-32.7	-13	Pass	601
0.15	30	0.01	Peak	0.15	-34.3	-13	Pass	2985
30	500	0.1	Peak	467.393	-42.11	-13	Pass	4700
500	1000	0.1	Peak	848.87	32.85	-13	N/A	5000
1000	10000	1	Peak	8892.877	-22.27	-13	Pass	9000



2. GSM_PCS


2.1. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-38.92	-13	Pass	601
0.15	30	0.01	Peak	0.15	-38.65	-13	Pass	2985
30	1000	0.1	Peak	995.6	-46.54	-13	Pass	9700
1000	3000	1	Peak	1850.425	29.87	-13	N/A	2000
3000	20000	1	Peak	19518.972	-45.31	-13	Pass	17000




2.2. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-38.89	-13	Pass	601
0.15	30	0.01	Peak	0.15	-39.64	-13	Pass	2985
30	1000	0.1	Peak	976.898	-46.64	-13	Pass	9700
1000	3000	1	Peak	1879.44	29.4	-13	N/A	2000
3000	20000	1	Peak	19133.949	-45.29	-13	Pass	17000



2.3. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:810)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-36.81	-13	Pass	601
0.15	30	0.01	Peak	0.15	-39.95	-13	Pass	2985
30	1000	0.1	Peak	890.389	-46.44	-13	Pass	9700
1000	3000	1	Peak	1909.455	29.26	-13	N/A	2000
3000	20000	1	Peak	19611.977	-45.36	-13	Pass	17000




EGPRS

3. EGPRS_GSM850


3.1. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-33.45	-13	Pass	601
0.15	30	0.01	Peak	0.15	-34.78	-13	Pass	2985
30	500	0.1	Peak	182.232	-42.61	-13	Pass	4700
500	1000	0.1	Peak	824.165	29.52	-13	N/A	5000
1000	10000	1	Peak	9439.938	-22.19	-13	Pass	9000




3.2. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-33.06	-13	Pass	601
0.15	30	0.01	Peak	0.15	-34	-13	Pass	2985
30	500	0.1	Peak	388.776	-42.68	-13	Pass	4700
500	1000	0.1	Peak	836.567	29.23	-13	N/A	5000
1000	10000	1	Peak	6366.596	-22.06	-13	Pass	9000



3.3. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-33.88	-13	Pass	601
0.15	30	0.01	Peak	0.17	-33.06	-13	Pass	2985
30	500	0.1	Peak	477.195	-41.96	-13	Pass	4700
500	1000	0.1	Peak	848.87	28.82	-13	N/A	5000
1000	10000	1	Peak	9212.913	-21.38	-13	Pass	9000



4. EGPRS_PCS


4.1. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-40.34	-13	Pass	601
0.15	30	0.01	Peak	0.15	-40.05	-13	Pass	2985
30	1000	0.1	Peak	948.895	-46.37	-13	Pass	9700
1000	3000	1	Peak	1850.425	28.27	-13	N/A	2000
3000	20000	1	Peak	19558.974	-45.58	-13	Pass	17000




4.2. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-36.81	-13	Pass	601
0.15	30	0.01	Peak	0.15	-38.5	-13	Pass	2985
30	1000	0.1	Peak	917.592	-46.45	-13	Pass	9700
1000	3000	1	Peak	1880.44	28.71	-13	N/A	2000
3000	20000	1	Peak	17066.827	-45.33	-13	Pass	17000



4.3. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:810)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-39.71	-13	Pass	601
0.15	30	0.01	Peak	0.15	-40.03	-13	Pass	2985
30	1000	0.1	Peak	866.586	-46.23	-13	Pass	9700
1000	3000	1	Peak	1909.455	28.85	-13	N/A	2000
3000	20000	1	Peak	19594.976	-45.92	-13	Pass	17000




WCDMA

5. WCDMA_Band2


5.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.032	-53.9	-13	Pass	401
0.15	30	0.01	Peak	0.19	-63.42	-13	Pass	2985
30	1000	0.1	Peak	749.988	-52.99	-13	Pass	9699
1000	3000	1	Peak	1853.427	23.53	-13	N/A	2000
3000	20000	1	Peak	19828.722	-20.18	-13	Pass	17000




5.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9400)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.032	-54.15	-13	Pass	401
0.15	30	0.01	Peak	0.15	-62.65	-13	Pass	2985
30	1000	0.1	Peak	896.863	-52.18	-13	Pass	9699
1000	3000	1	Peak	1881.441	23.64	-13	N/A	2000
3000	20000	1	Peak	19775.636	-19.67	-13	Pass	17000



5.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.033	-53.45	-13	Pass	401
0.15	30	0.01	Peak	0.16	-63.37	-13	Pass	2985
30	1000	0.1	Peak	895.061	-52.74	-13	Pass	9699
1000	3000	1	Peak	1906.453	23.51	-13	N/A	2000
3000	20000	1	Peak	19777.639	-20.68	-13	Pass	17000



6. WCDMA_Band4


6.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1312)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.032	-54.2	-13	Pass	401
0.15	30	0.01	Peak	0.37	-63.89	-13	Pass	2985
30	1000	0.1	Peak	866.423	-51.83	-13	Pass	9699
1000	3000	1	Peak	1713.357	23.2	-13	N/A	2000
3000	20000	1	Peak	19853.763	-20.35	-13	Pass	17000




6.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1412)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.031	-54.16	-13	Pass	401
0.15	30	0.01	Peak	0.23	-62.49	-13	Pass	2985
30	1000	0.1	Peak	804.595	-52.86	-13	Pass	9699
1000	3000	1	Peak	1731.366	23.16	-13	N/A	2000
3000	20000	1	Peak	19862.777	-20.45	-13	Pass	17000



6.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1513)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.032	-54	-13	Pass	401
0.15	30	0.01	Peak	2.031	-63.81	-13	Pass	2985
30	1000	0.1	Peak	955.741	-52.2	-13	Pass	9699
1000	3000	1	Peak	1751.376	23.15	-13	N/A	2000
3000	20000	1	Peak	19300.99	-20.28	-13	Pass	17000



7. WCDMA_Band5


7.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-67.06	-13	Pass	401
0.15	30	0.01	Peak	0.2	-64.39	-13	Pass	2985
30	500	0.1	Peak	459.791	-53.49	-13	Pass	4700
500	1000	0.1	Peak	825.565	17.97	-13	N/A	5000
1000	10000	1	Peak	7889.841	-29.66	-13	Pass	9000




7.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4182)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-66.24	-13	Pass	401
0.15	30	0.01	Peak	0.15	-64.55	-13	Pass	2985
30	500	0.1	Peak	494.899	-53.51	-13	Pass	4700
500	1000	0.1	Peak	836.967	19.86	-13	N/A	5000
1000	10000	1	Peak	9842.805	-30.44	-13	Pass	9000



7.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4233)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-67.52	-13	Pass	401
0.15	30	0.01	Peak	0.3	-64.5	-13	Pass	2985
30	500	0.1	Peak	224.141	-54.01	-13	Pass	4700
500	1000	0.1	Peak	847.169	18.87	-13	N/A	5000
1000	10000	1	Peak	9346.191	-30.43	-13	Pass	9000




LTE

8. LTE_Band2


8.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-40.47	-13	Pass	401
0.15	30	0.01	RMS	2.071	-52.64	-13	Pass	2985
30	1000	0.1	RMS	729.285	-65.03	-13	Pass	9699
1000	1840	1	RMS	1838.999	-49.68	-13	Pass	840
1840	1920	1	RMS	1850.2	22.16	60	Pass	401
1920	3000	1	RMS	2940.945	-49.3	-13	Pass	1080
3000	12000	1	RMS	11956.947	-41.18	-13	Pass	9000
12000	20000	1	RMS	19796.975	-32.17	-13	Pass	8000




**8.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-40.89	-13	Pass	401
0.15	30	0.01	RMS	2.051	-52.71	-13	Pass	2985
30	1000	0.1	RMS	894.36	-64.98	-13	Pass	9699
1000	1840	1	RMS	1840	-50.15	-13	Pass	840
1840	1920	1	RMS	1850.2	21.21	60	Pass	401
1920	3000	1	RMS	2961.965	-49.32	-13	Pass	1080
3000	12000	1	RMS	11891.866	-41.22	-13	Pass	9000
12000	20000	1	RMS	19796.975	-32.21	-13	Pass	8000




8.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-39.68	-13	Pass	401
0.15	30	0.01	RMS	2.021	-51.99	-13	Pass	2985
30	1000	0.1	RMS	893.359	-64.89	-13	Pass	9699
1000	1840	1	RMS	1836.996	-52.47	-13	Pass	840
1840	1920	1	RMS	1879.4	22.17	60	Pass	401
1920	3000	1	RMS	2969.972	-49.24	-13	Pass	1080
3000	12000	1	RMS	11925.908	-41.14	-13	Pass	9000
12000	20000	1	RMS	19797.975	-32.12	-13	Pass	8000




**8.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-40.55	-13	Pass	401
0.15	30	0.01	RMS	2.081	-54.36	-13	Pass	2985
30	1000	0.1	RMS	867.825	-64.98	-13	Pass	9699
1000	1840	1	RMS	1837.998	-52.46	-13	Pass	840
1840	1920	1	RMS	1879.4	21.24	60	Pass	401
1920	3000	1	RMS	2942.947	-49.32	-13	Pass	1080
3000	12000	1	RMS	11972.967	-41.13	-13	Pass	9000
12000	20000	1	RMS	19800.975	-32.05	-13	Pass	8000




8.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-39.96	-13	Pass	401
0.15	30	0.01	RMS	2.061	-53.93	-13	Pass	2985
30	1000	0.1	RMS	999.199	-65.01	-13	Pass	9699
1000	1840	1	RMS	1806.961	-52.52	-13	Pass	840
1840	1920	1	RMS	1908.8	21.84	60	Pass	401
1920	3000	1	RMS	2940.945	-49.29	-13	Pass	1080
3000	12000	1	RMS	12000	-41.2	-13	Pass	9000
12000	20000	1	RMS	19800.975	-32.09	-13	Pass	8000




**8.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-40.71	-13	Pass	401
0.15	30	0.01	RMS	2.071	-51.85	-13	Pass	2985
30	1000	0.1	RMS	855.308	-64.93	-13	Pass	9699
1000	1840	1	RMS	1813.969	-52.56	-13	Pass	840
1840	1920	1	RMS	1908.8	21.07	60	Pass	401
1920	3000	1	RMS	2971.974	-49.33	-13	Pass	1080
3000	12000	1	RMS	11992.991	-41.09	-13	Pass	9000
12000	20000	1	RMS	19800.975	-32.14	-13	Pass	8000




**8.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-39.96	-13	Pass	401
0.15	30	0.01	RMS	2.031	-52.84	-13	Pass	2985
30	1000	0.1	RMS	893.058	-64.97	-13	Pass	9699
1000	1840	1	RMS	1840	-48.88	-13	Pass	840
1840	1920	1	RMS	1850.2	22.17	60	Pass	401
1920	3000	1	RMS	2965.968	-49.29	-13	Pass	1080
3000	12000	1	RMS	11936.922	-41.19	-13	Pass	9000
12000	20000	1	RMS	19805.976	-32.12	-13	Pass	8000




**8.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-40.54	-13	Pass	401
0.15	30	0.01	RMS	2.061	-53.68	-13	Pass	2985
30	1000	0.1	RMS	888.252	-65.01	-13	Pass	9699
1000	1840	1	RMS	1838.999	-49.85	-13	Pass	840
1840	1920	1	RMS	1850.2	21.45	60	Pass	401
1920	3000	1	RMS	2945.95	-49.27	-13	Pass	1080
3000	12000	1	RMS	11921.903	-41.17	-13	Pass	9000
12000	20000	1	RMS	19800.975	-32.15	-13	Pass	8000




**8.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-40.06	-13	Pass	401
0.15	30	0.01	RMS	2.051	-54.52	-13	Pass	2985
30	1000	0.1	RMS	847	-65.12	-13	Pass	9699
1000	1840	1	RMS	1840	-52.42	-13	Pass	840
1840	1920	1	RMS	1878.6	22.11	60	Pass	401
1920	3000	1	RMS	2941.946	-49.29	-13	Pass	1080
3000	12000	1	RMS	11946.934	-41.17	-13	Pass	9000
12000	20000	1	RMS	19804.976	-32.18	-13	Pass	8000




**8.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-40.25	-13	Pass	401
0.15	30	0.01	RMS	2.051	-53.99	-13	Pass	2985
30	1000	0.1	RMS	981.776	-64.93	-13	Pass	9699
1000	1840	1	RMS	1838.999	-52.49	-13	Pass	840
1840	1920	1	RMS	1878.6	21.23	60	Pass	401
1920	3000	1	RMS	2938.943	-49.31	-13	Pass	1080
3000	12000	1	RMS	11969.963	-41.19	-13	Pass	9000
12000	20000	1	RMS	19785.973	-32.06	-13	Pass	8000




8.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-40	-13	Pass	401
0.15	30	0.01	RMS	2.061	-53.52	-13	Pass	2985
30	1000	0.1	RMS	998.999	-64.93	-13	Pass	9699
1000	1840	1	RMS	1838.999	-52.51	-13	Pass	840
1840	1920	1	RMS	1907.2	22	60	Pass	401
1920	3000	1	RMS	2939.944	-49.33	-13	Pass	1080
3000	12000	1	RMS	11925.908	-41.09	-13	Pass	9000
12000	20000	1	RMS	19798.975	-32.1	-13	Pass	8000




**8.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-40.57	-13	Pass	401
0.15	30	0.01	RMS	2.071	-53.49	-13	Pass	2985
30	1000	0.1	RMS	974.066	-65.02	-13	Pass	9699
1000	1840	1	RMS	1840	-52.52	-13	Pass	840
1840	1920	1	RMS	1907.2	21.11	60	Pass	401
1920	3000	1	RMS	2944.949	-49.27	-13	Pass	1080
3000	12000	1	RMS	11903.881	-41.13	-13	Pass	9000
12000	20000	1	RMS	19798.975	-32.07	-13	Pass	8000




**8.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-39.38	-13	Pass	401
0.15	30	0.01	RMS	2.071	-52.71	-13	Pass	2985
30	1000	0.1	RMS	877.638	-64.94	-13	Pass	9699
1000	1840	1	RMS	1840	-48.58	-13	Pass	840
1840	1920	1	RMS	1850.2	22.19	60	Pass	401
1920	3000	1	RMS	2973.976	-49.28	-13	Pass	1080
3000	12000	1	RMS	11895.871	-41.09	-13	Pass	9000
12000	20000	1	RMS	19799.975	-32.15	-13	Pass	8000




**8.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-39.69	-13	Pass	401
0.15	30	0.01	RMS	2.071	-53.77	-13	Pass	2985
30	1000	0.1	RMS	896.563	-65	-13	Pass	9699
1000	1840	1	RMS	1840	-49.8	-13	Pass	840
1840	1920	1	RMS	1850.2	21.33	60	Pass	401
1920	3000	1	RMS	2967.97	-49.24	-13	Pass	1080
3000	12000	1	RMS	11953.943	-41.13	-13	Pass	9000
12000	20000	1	RMS	19803.975	-32.15	-13	Pass	8000




**8.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-40.34	-13	Pass	401
0.15	30	0.01	RMS	2.091	-54.33	-13	Pass	2985
30	1000	0.1	RMS	886.55	-65.08	-13	Pass	9699
1000	1840	1	RMS	1840	-52.43	-13	Pass	840
1840	1920	1	RMS	1877.8	22.16	60	Pass	401
1920	3000	1	RMS	2939.944	-49.25	-13	Pass	1080
3000	12000	1	RMS	11988.986	-41.17	-13	Pass	9000
12000	20000	1	RMS	19800.975	-32.15	-13	Pass	8000




**8.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-39.83	-13	Pass	401
0.15	30	0.01	RMS	2.051	-53.66	-13	Pass	2985
30	1000	0.1	RMS	978.872	-64.78	-13	Pass	9699
1000	1840	1	RMS	1837.998	-52.48	-13	Pass	840
1840	1920	1	RMS	1877.8	21.36	60	Pass	401
1920	3000	1	RMS	2943.948	-49.32	-13	Pass	1080
3000	12000	1	RMS	11984.981	-41.11	-13	Pass	9000
12000	20000	1	RMS	19796.975	-32.1	-13	Pass	8000




**8.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-40.52	-13	Pass	401
0.15	30	0.01	RMS	2.031	-54.29	-13	Pass	2985
30	1000	0.1	RMS	868.726	-64.97	-13	Pass	9699
1000	1840	1	RMS	1838.999	-52.46	-13	Pass	840
1840	1920	1	RMS	1905.2	21.99	60	Pass	401
1920	3000	1	RMS	2942.947	-49.28	-13	Pass	1080
3000	12000	1	RMS	11988.986	-41.12	-13	Pass	9000
12000	20000	1	RMS	19801.975	-32.05	-13	Pass	8000




**8.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-40.98	-13	Pass	401
0.15	30	0.01	RMS	2.041	-54.87	-13	Pass	2985
30	1000	0.1	RMS	854.307	-64.84	-13	Pass	9699
1000	1840	1	RMS	1834.994	-52.51	-13	Pass	840
1840	1920	1	RMS	1905.2	21.31	60	Pass	401
1920	3000	1	RMS	2968.971	-49.23	-13	Pass	1080
3000	12000	1	RMS	11889.864	-41.16	-13	Pass	9000
12000	20000	1	RMS	19800.975	-32.15	-13	Pass	8000




8.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-39.53	-13	Pass	401
0.15	30	0.01	RMS	2.021	-51.92	-13	Pass	2985
30	1000	0.1	RMS	988.284	-64.94	-13	Pass	9699
1000	1840	1	RMS	1838.999	-49.26	-13	Pass	840
1840	1920	1	RMS	1850.4	22.18	60	Pass	401
1920	3000	1	RMS	2939.944	-49.29	-13	Pass	1080
3000	12000	1	RMS	11940.927	-41.12	-13	Pass	9000
12000	20000	1	RMS	19798.975	-32.1	-13	Pass	8000




**8.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-40.12	-13	Pass	401
0.15	30	0.01	RMS	2.061	-52.66	-13	Pass	2985
30	1000	0.1	RMS	972.864	-65.03	-13	Pass	9699
1000	1840	1	RMS	1840	-49.62	-13	Pass	840
1840	1920	1	RMS	1850.4	21.37	60	Pass	401
1920	3000	1	RMS	2937.943	-49.21	-13	Pass	1080
3000	12000	1	RMS	11958.949	-41.19	-13	Pass	9000
12000	20000	1	RMS	19796.975	-32.02	-13	Pass	8000




8.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-39.98	-13	Pass	401
0.15	30	0.01	RMS	2.031	-52.2	-13	Pass	2985
30	1000	0.1	RMS	974.066	-65.1	-13	Pass	9699
1000	1840	1	RMS	1840	-52.31	-13	Pass	840
1840	1920	1	RMS	1875.4	22.09	60	Pass	401
1920	3000	1	RMS	2967.97	-49.34	-13	Pass	1080
3000	12000	1	RMS	11983.98	-41.21	-13	Pass	9000
12000	20000	1	RMS	19791.974	-32.17	-13	Pass	8000




**8.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-40.81	-13	Pass	401
0.15	30	0.01	RMS	2.041	-52.87	-13	Pass	2985
30	1000	0.1	RMS	982.377	-64.9	-13	Pass	9699
1000	1840	1	RMS	1837.998	-52.47	-13	Pass	840
1840	1920	1	RMS	1875.4	21.51	60	Pass	401
1920	3000	1	RMS	2971.974	-49.39	-13	Pass	1080
3000	12000	1	RMS	11942.929	-41.15	-13	Pass	9000
12000	20000	1	RMS	19794.974	-32.17	-13	Pass	8000




8.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-39.64	-13	Pass	401
0.15	30	0.01	RMS	2.031	-54.41	-13	Pass	2985
30	1000	0.1	RMS	986.782	-65.07	-13	Pass	9699
1000	1840	1	RMS	1833.993	-52.42	-13	Pass	840
1840	1920	1	RMS	1900.4	21.99	60	Pass	401
1920	3000	1	RMS	2937.943	-49.3	-13	Pass	1080
3000	12000	1	RMS	11926.91	-41.18	-13	Pass	9000
12000	20000	1	RMS	19799.975	-32.19	-13	Pass	8000




**8.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-40.34	-13	Pass	401
0.15	30	0.01	RMS	2.011	-54.22	-13	Pass	2985
30	1000	0.1	RMS	979.973	-64.91	-13	Pass	9699
1000	1840	1	RMS	1840	-52.51	-13	Pass	840
1840	1920	1	RMS	1900.4	21.2	60	Pass	401
1920	3000	1	RMS	2968.971	-49.3	-13	Pass	1080
3000	12000	1	RMS	11930.914	-41.15	-13	Pass	9000
12000	20000	1	RMS	19808.976	-32.17	-13	Pass	8000




8.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-40.57	-13	Pass	401
0.15	30	0.01	RMS	2.041	-53.77	-13	Pass	2985
30	1000	0.1	RMS	871.83	-64.98	-13	Pass	9699
1000	1840	1	RMS	1837.998	-28.94	-13	Pass	840
1840	1920	1	RMS	1850.8	22.15	60	Pass	401
1920	3000	1	RMS	2942.947	-49.26	-13	Pass	1080
3000	12000	1	RMS	11984.981	-41.16	-13	Pass	9000
12000	20000	1	RMS	19803.975	-32.08	-13	Pass	8000




**8.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-39.86	-13	Pass	401
0.15	30	0.01	RMS	2.051	-54.19	-13	Pass	2985
30	1000	0.1	RMS	992.29	-65	-13	Pass	9699
1000	1840	1	RMS	1837.998	-30.13	-13	Pass	840
1840	1920	1	RMS	1850.8	21.36	60	Pass	401
1920	3000	1	RMS	2968.971	-49.31	-13	Pass	1080
3000	12000	1	RMS	11954.944	-41.15	-13	Pass	9000
12000	20000	1	RMS	19804.976	-32.09	-13	Pass	8000




**8.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,
Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-39.76	-13	Pass	401
0.15	30	0.01	RMS	2.031	-54.33	-13	Pass	2985
30	1000	0.1	RMS	862.618	-65.03	-13	Pass	9699
1000	1840	1	RMS	1840	-52.22	-13	Pass	840
1840	1920	1	RMS	1873.2	22.23	60	Pass	401
1920	3000	1	RMS	2941.946	-49.28	-13	Pass	1080
3000	12000	1	RMS	11930.914	-41.05	-13	Pass	9000
12000	20000	1	RMS	19796.975	-32.07	-13	Pass	8000




**8.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,
Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-40.63	-13	Pass	401
0.15	30	0.01	RMS	2.071	-54.09	-13	Pass	2985
30	1000	0.1	RMS	889.854	-65.04	-13	Pass	9699
1000	1840	1	RMS	1837.998	-52.39	-13	Pass	840
1840	1920	1	RMS	1873.2	21.27	60	Pass	401
1920	3000	1	RMS	2970.973	-49.26	-13	Pass	1080
3000	12000	1	RMS	11915.896	-41.15	-13	Pass	9000
12000	20000	1	RMS	19794.974	-32.07	-13	Pass	8000




8.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-40.11	-13	Pass	401
0.15	30	0.01	RMS	2.031	-53.38	-13	Pass	2985
30	1000	0.1	RMS	876.737	-64.81	-13	Pass	9699
1000	1840	1	RMS	1834.994	-52.46	-13	Pass	840
1840	1920	1	RMS	1895.8	22.03	60	Pass	401
1920	3000	1	RMS	2967.97	-49.28	-13	Pass	1080
3000	12000	1	RMS	11990.989	-41.22	-13	Pass	9000
12000	20000	1	RMS	19802.975	-32.04	-13	Pass	8000




**8.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,
Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-39.84	-13	Pass	401
0.15	30	0.01	RMS	2.021	-53.51	-13	Pass	2985
30	1000	0.1	RMS	856.81	-65	-13	Pass	9699
1000	1840	1	RMS	1832.992	-52.51	-13	Pass	840
1840	1920	1	RMS	1895.8	21.4	60	Pass	401
1920	3000	1	RMS	2936.942	-49.31	-13	Pass	1080
3000	12000	1	RMS	11988.986	-41.08	-13	Pass	9000
12000	20000	1	RMS	19787.973	-32.15	-13	Pass	8000




8.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-40.1	-13	Pass	401
0.15	30	0.01	RMS	2.031	-52.46	-13	Pass	2985
30	1000	0.1	RMS	845.8	-64.85	-13	Pass	9699
1000	1840	1	RMS	1840	-45.82	-13	Pass	840
1840	1920	1	RMS	1851	22.35	60	Pass	401
1920	3000	1	RMS	2969.972	-49.3	-13	Pass	1080
3000	12000	1	RMS	11979.975	-41.17	-13	Pass	9000
12000	20000	1	RMS	19792.974	-32.06	-13	Pass	8000




8.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-40.19	-13	Pass	401
0.15	30	0.01	RMS	2.031	-53.74	-13	Pass	2985
30	1000	0.1	RMS	882.644	-65.09	-13	Pass	9699
1000	1840	1	RMS	1840	-47.45	-13	Pass	840
1840	1920	1	RMS	1851	21.67	60	Pass	401
1920	3000	1	RMS	2940.945	-49.27	-13	Pass	1080
3000	12000	1	RMS	11933.918	-41.14	-13	Pass	9000
12000	20000	1	RMS	19811.976	-32.17	-13	Pass	8000




8.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-39.42	-13	Pass	401
0.15	30	0.01	RMS	2.041	-52.04	-13	Pass	2985
30	1000	0.1	RMS	991.088	-64.89	-13	Pass	9699
1000	1840	1	RMS	1840	-52.17	-13	Pass	840
1840	1920	1	RMS	1871	22.13	60	Pass	401
1920	3000	1	RMS	2971.974	-49.24	-13	Pass	1080
3000	12000	1	RMS	11906.885	-41.14	-13	Pass	9000
12000	20000	1	RMS	19800.975	-32.05	-13	Pass	8000




8.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-40.82	-13	Pass	401
0.15	30	0.01	RMS	2.071	-54.4	-13	Pass	2985
30	1000	0.1	RMS	988.885	-64.86	-13	Pass	9699
1000	1840	1	RMS	1840	-52.18	-13	Pass	840
1840	1920	1	RMS	1871	21.3	60	Pass	401
1920	3000	1	RMS	2968.971	-49.22	-13	Pass	1080
3000	12000	1	RMS	11897.874	-41.06	-13	Pass	9000
12000	20000	1	RMS	19796.975	-32.15	-13	Pass	8000




8.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-40	-13	Pass	401
0.15	30	0.01	RMS	2.021	-53.32	-13	Pass	2985
30	1000	0.1	RMS	876.436	-65.09	-13	Pass	9699
1000	1840	1	RMS	1837.998	-52.4	-13	Pass	840
1840	1920	1	RMS	1891	22.15	60	Pass	401
1920	3000	1	RMS	2938.943	-49.28	-13	Pass	1080
3000	12000	1	RMS	11975.97	-41.16	-13	Pass	9000
12000	20000	1	RMS	19802.975	-32.07	-13	Pass	8000



**8.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36,
Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-39.5	-13	Pass	401
0.15	30	0.01	RMS	2.031	-52.42	-13	Pass	2985
30	1000	0.1	RMS	981.876	-64.7	-13	Pass	9699
1000	1840	1	RMS	1837.998	-52.44	-13	Pass	840
1840	1920	1	RMS	1891	21.35	60	Pass	401
1920	3000	1	RMS	2967.97	-49.29	-13	Pass	1080
3000	12000	1	RMS	11990.989	-41.11	-13	Pass	9000
12000	20000	1	RMS	19800.975	-32.03	-13	Pass	8000



9. LTE_Band4


9.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-39.87	-13	Pass	401
0.15	30	0.01	RMS	2.041	-54.15	-13	Pass	2985
30	1000	0.1	RMS	991.489	-64.99	-13	Pass	9699
1000	1700	1	RMS	1700	-50.62	-13	Pass	700
1700	1765	1	RMS	1710.238	22.09	60	Pass	401
1765	3000	1	RMS	2939.951	-49.25	-13	Pass	1235
3000	12000	1	RMS	11962.954	-41.12	-13	Pass	9000
12000	20000	1	RMS	19796.975	-32.08	-13	Pass	8000




**9.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-39.44	-13	Pass	401
0.15	30	0.01	RMS	2.061	-54.09	-13	Pass	2985
30	1000	0.1	RMS	866.823	-64.89	-13	Pass	9699
1000	1700	1	RMS	1698.999	-50.81	-13	Pass	700
1700	1765	1	RMS	1710.238	21.2	60	Pass	401
1765	3000	1	RMS	2939.951	-49.31	-13	Pass	1235
3000	12000	1	RMS	11925.908	-41.11	-13	Pass	9000
12000	20000	1	RMS	19798.975	-32.1	-13	Pass	8000




9.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-39.63	-13	Pass	401
0.15	30	0.01	RMS	2.041	-51.93	-13	Pass	2985
30	1000	0.1	RMS	894.059	-65.1	-13	Pass	9699
1000	1700	1	RMS	1698.999	-52.55	-13	Pass	700
1700	1765	1	RMS	1732.013	22.27	60	Pass	401
1765	3000	1	RMS	2970.976	-49.31	-13	Pass	1235
3000	12000	1	RMS	11894.87	-41.19	-13	Pass	9000
12000	20000	1	RMS	19801.975	-32.13	-13	Pass	8000




**9.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-40.49	-13	Pass	401
0.15	30	0.01	RMS	2.101	-52.77	-13	Pass	2985
30	1000	0.1	RMS	856.81	-65.1	-13	Pass	9699
1000	1700	1	RMS	1700	-52.57	-13	Pass	700
1700	1765	1	RMS	1732.013	21.36	60	Pass	401
1765	3000	1	RMS	2962.97	-49.26	-13	Pass	1235
3000	12000	1	RMS	11924.907	-41.15	-13	Pass	9000
12000	20000	1	RMS	19801.975	-32.09	-13	Pass	8000




9.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-40.84	-13	Pass	401
0.15	30	0.01	RMS	2.051	-53.62	-13	Pass	2985
30	1000	0.1	RMS	858.612	-65.01	-13	Pass	9699
1000	1700	1	RMS	1695.994	-52.63	-13	Pass	700
1700	1765	1	RMS	1753.788	22.13	60	Pass	401
1765	3000	1	RMS	2970.976	-49.24	-13	Pass	1235
3000	12000	1	RMS	11941.928	-41.1	-13	Pass	9000
12000	20000	1	RMS	19804.976	-32.12	-13	Pass	8000




**9.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-40.35	-13	Pass	401
0.15	30	0.01	RMS	2.031	-54.11	-13	Pass	2985
30	1000	0.1	RMS	992.49	-64.98	-13	Pass	9699
1000	1700	1	RMS	1697.997	-52.6	-13	Pass	700
1700	1765	1	RMS	1753.788	21.31	60	Pass	401
1765	3000	1	RMS	2998.999	-49.33	-13	Pass	1235
3000	12000	1	RMS	11954.944	-41.15	-13	Pass	9000
12000	20000	1	RMS	19793.974	-32.09	-13	Pass	8000




**9.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-39.9	-13	Pass	401
0.15	30	0.01	RMS	2.061	-52.45	-13	Pass	2985
30	1000	0.1	RMS	873.132	-65.04	-13	Pass	9699
1000	1700	1	RMS	1700	-50.66	-13	Pass	700
1700	1765	1	RMS	1710.238	22.12	60	Pass	401
1765	3000	1	RMS	2967.974	-49.28	-13	Pass	1235
3000	12000	1	RMS	11924.907	-41.17	-13	Pass	9000
12000	20000	1	RMS	19797.975	-32.13	-13	Pass	8000




**9.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-40.15	-13	Pass	401
0.15	30	0.01	RMS	2.031	-53.86	-13	Pass	2985
30	1000	0.1	RMS	855.108	-65	-13	Pass	9699
1000	1700	1	RMS	1698.999	-50.91	-13	Pass	700
1700	1765	1	RMS	1710.238	21.41	60	Pass	401
1765	3000	1	RMS	2968.975	-49.35	-13	Pass	1235
3000	12000	1	RMS	11982.979	-41.16	-13	Pass	9000
12000	20000	1	RMS	19800.975	-32.13	-13	Pass	8000




**9.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-40.29	-13	Pass	401
0.15	30	0.01	RMS	2.001	-53.71	-13	Pass	2985
30	1000	0.1	RMS	991.689	-64.97	-13	Pass	9699
1000	1700	1	RMS	1698.999	-52.56	-13	Pass	700
1700	1765	1	RMS	1731.2	22.27	60	Pass	401
1765	3000	1	RMS	2965.972	-49.24	-13	Pass	1235
3000	12000	1	RMS	11910.89	-41.14	-13	Pass	9000
12000	20000	1	RMS	19797.975	-32.11	-13	Pass	8000




**9.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-40.08	-13	Pass	401
0.15	30	0.01	RMS	2.071	-52.57	-13	Pass	2985
30	1000	0.1	RMS	991.288	-64.9	-13	Pass	9699
1000	1700	1	RMS	1698.999	-52.57	-13	Pass	700
1700	1765	1	RMS	1731.2	21.36	60	Pass	401
1765	3000	1	RMS	2939.951	-49.29	-13	Pass	1235
3000	12000	1	RMS	11933.918	-41.13	-13	Pass	9000
12000	20000	1	RMS	19792.974	-32.07	-13	Pass	8000




**9.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-39.83	-13	Pass	401
0.15	30	0.01	RMS	2.051	-53	-13	Pass	2985
30	1000	0.1	RMS	993.291	-65	-13	Pass	9699
1000	1700	1	RMS	1696.996	-52.65	-13	Pass	700
1700	1765	1	RMS	1752.163	22.27	60	Pass	401
1765	3000	1	RMS	2940.952	-49.27	-13	Pass	1235
3000	12000	1	RMS	11936.922	-41.17	-13	Pass	9000
12000	20000	1	RMS	19803.975	-32.15	-13	Pass	8000




**9.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-39.83	-13	Pass	401
0.15	30	0.01	RMS	2.051	-54.31	-13	Pass	2985
30	1000	0.1	RMS	876.937	-65.01	-13	Pass	9699
1000	1700	1	RMS	1693.991	-52.64	-13	Pass	700
1700	1765	1	RMS	1752.163	21.32	60	Pass	401
1765	3000	1	RMS	2966.973	-49.28	-13	Pass	1235
3000	12000	1	RMS	11900.877	-41.15	-13	Pass	9000
12000	20000	1	RMS	19797.975	-32.09	-13	Pass	8000




**9.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-40.48	-13	Pass	401
0.15	30	0.01	RMS	2.041	-51.95	-13	Pass	2985
30	1000	0.1	RMS	989.887	-65.08	-13	Pass	9699
1000	1700	1	RMS	1700	-50.49	-13	Pass	700
1700	1765	1	RMS	1710.238	22.11	60	Pass	401
1765	3000	1	RMS	2968.975	-49.23	-13	Pass	1235
3000	12000	1	RMS	11958.949	-41.13	-13	Pass	9000
12000	20000	1	RMS	19802.975	-32.08	-13	Pass	8000




**9.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-39.59	-13	Pass	401
0.15	30	0.01	RMS	2.061	-52.32	-13	Pass	2985
30	1000	0.1	RMS	997.797	-65.05	-13	Pass	9699
1000	1700	1	RMS	1697.997	-50.54	-13	Pass	700
1700	1765	1	RMS	1710.238	21.31	60	Pass	401
1765	3000	1	RMS	2928.942	-49.26	-13	Pass	1235
3000	12000	1	RMS	11976.971	-41.1	-13	Pass	9000
12000	20000	1	RMS	19800.975	-32.01	-13	Pass	8000




**9.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-40.65	-13	Pass	401
0.15	30	0.01	RMS	2.071	-53.2	-13	Pass	2985
30	1000	0.1	RMS	979.973	-64.99	-13	Pass	9699
1000	1700	1	RMS	1697.997	-52.53	-13	Pass	700
1700	1765	1	RMS	1730.225	22.26	60	Pass	401
1765	3000	1	RMS	2963.971	-49.31	-13	Pass	1235
3000	12000	1	RMS	11925.908	-41.06	-13	Pass	9000
12000	20000	1	RMS	19797.975	-32.1	-13	Pass	8000




**9.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-39.97	-13	Pass	401
0.15	30	0.01	RMS	2.071	-52.31	-13	Pass	2985
30	1000	0.1	RMS	860.615	-64.93	-13	Pass	9699
1000	1700	1	RMS	1700	-52.57	-13	Pass	700
1700	1765	1	RMS	1730.225	21.49	60	Pass	401
1765	3000	1	RMS	2970.976	-49.23	-13	Pass	1235
3000	12000	1	RMS	11897.874	-41.17	-13	Pass	9000
12000	20000	1	RMS	19800.975	-32.04	-13	Pass	8000




**9.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-40.44	-13	Pass	401
0.15	30	0.01	RMS	2.061	-52.67	-13	Pass	2985
30	1000	0.1	RMS	991.989	-65.06	-13	Pass	9699
1000	1700	1	RMS	1697.997	-52.65	-13	Pass	700
1700	1765	1	RMS	1750.213	22.16	60	Pass	401
1765	3000	1	RMS	2970.976	-49.26	-13	Pass	1235
3000	12000	1	RMS	11914.895	-41.18	-13	Pass	9000
12000	20000	1	RMS	19801.975	-32.13	-13	Pass	8000




**9.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-40.44	-13	Pass	401
0.15	30	0.01	RMS	2.081	-52.81	-13	Pass	2985
30	1000	0.1	RMS	893.559	-65.05	-13	Pass	9699
1000	1700	1	RMS	1698.999	-52.65	-13	Pass	700
1700	1765	1	RMS	1750.213	21.48	60	Pass	401
1765	3000	1	RMS	2939.951	-49.3	-13	Pass	1235
3000	12000	1	RMS	11920.902	-41.14	-13	Pass	9000
12000	20000	1	RMS	19800.975	-32.14	-13	Pass	8000




9.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-40.5	-13	Pass	401
0.15	30	0.01	RMS	2.031	-51.91	-13	Pass	2985
30	1000	0.1	RMS	893.359	-65.17	-13	Pass	9699
1000	1700	1	RMS	1700	-49.71	-13	Pass	700
1700	1765	1	RMS	1710.563	22.18	60	Pass	401
1765	3000	1	RMS	2969.976	-49.26	-13	Pass	1235
3000	12000	1	RMS	11893.869	-41.15	-13	Pass	9000
12000	20000	1	RMS	19802.975	-32.13	-13	Pass	8000




**9.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-40.49	-13	Pass	401
0.15	30	0.01	RMS	2.061	-52.54	-13	Pass	2985
30	1000	0.1	RMS	847.3	-65	-13	Pass	9699
1000	1700	1	RMS	1700	-50.3	-13	Pass	700
1700	1765	1	RMS	1710.4	21.35	60	Pass	401
1765	3000	1	RMS	2965.972	-49.26	-13	Pass	1235
3000	12000	1	RMS	11925.908	-41.03	-13	Pass	9000
12000	20000	1	RMS	19799.975	-32.08	-13	Pass	8000




9.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-39.92	-13	Pass	401
0.15	30	0.01	RMS	2.041	-54.09	-13	Pass	2985
30	1000	0.1	RMS	878.339	-65	-13	Pass	9699
1000	1700	1	RMS	1700	-52.46	-13	Pass	700
1700	1765	1	RMS	1727.95	22.36	60	Pass	401
1765	3000	1	RMS	2942.954	-49.29	-13	Pass	1235
3000	12000	1	RMS	11900.877	-41.16	-13	Pass	9000
12000	20000	1	RMS	19805.976	-32.14	-13	Pass	8000




**9.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-40.1	-13	Pass	401
0.15	30	0.01	RMS	2.031	-54.52	-13	Pass	2985
30	1000	0.1	RMS	874.133	-64.98	-13	Pass	9699
1000	1700	1	RMS	1691.989	-52.45	-13	Pass	700
1700	1765	1	RMS	1728.113	21.36	60	Pass	401
1765	3000	1	RMS	2936.949	-49.31	-13	Pass	1235
3000	12000	1	RMS	11897.874	-41.17	-13	Pass	9000
12000	20000	1	RMS	19797.975	-32.18	-13	Pass	8000




9.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-41.18	-13	Pass	401
0.15	30	0.01	RMS	2.041	-54.28	-13	Pass	2985
30	1000	0.1	RMS	866.323	-64.96	-13	Pass	9699
1000	1700	1	RMS	1696.996	-52.66	-13	Pass	700
1700	1765	1	RMS	1745.5	22.37	60	Pass	401
1765	3000	1	RMS	2938.951	-49.33	-13	Pass	1235
3000	12000	1	RMS	11997.998	-41.13	-13	Pass	9000
12000	20000	1	RMS	19795.974	-32.11	-13	Pass	8000




**9.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-40.1	-13	Pass	401
0.15	30	0.01	RMS	2.061	-52.02	-13	Pass	2985
30	1000	0.1	RMS	884.046	-65.05	-13	Pass	9699
1000	1700	1	RMS	1696.996	-52.69	-13	Pass	700
1700	1765	1	RMS	1745.5	21.46	60	Pass	401
1765	3000	1	RMS	2969.976	-49.28	-13	Pass	1235
3000	12000	1	RMS	11898.875	-41.17	-13	Pass	9000
12000	20000	1	RMS	19811.976	-32.13	-13	Pass	8000




9.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-40.62	-13	Pass	401
0.15	30	0.01	RMS	2.021	-52.7	-13	Pass	2985
30	1000	0.1	RMS	990.988	-65.12	-13	Pass	9699
1000	1700	1	RMS	1697.997	-28.96	-13	Pass	700
1700	1765	1	RMS	1710.725	22.28	60	Pass	401
1765	3000	1	RMS	2965.972	-49.34	-13	Pass	1235
3000	12000	1	RMS	11929.913	-41.13	-13	Pass	9000
12000	20000	1	RMS	19815.977	-32.15	-13	Pass	8000




**9.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-40.23	-13	Pass	401
0.15	30	0.01	RMS	2.031	-53.54	-13	Pass	2985
30	1000	0.1	RMS	874.333	-65.05	-13	Pass	9699
1000	1700	1	RMS	1697.997	-30.02	-13	Pass	700
1700	1765	1	RMS	1710.725	21.53	60	Pass	401
1765	3000	1	RMS	2968.975	-49.26	-13	Pass	1235
3000	12000	1	RMS	11995.995	-41.21	-13	Pass	9000
12000	20000	1	RMS	19804.976	-32.12	-13	Pass	8000




9.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-39.72	-13	Pass	401
0.15	30	0.01	RMS	2.041	-52.46	-13	Pass	2985
30	1000	0.1	RMS	854.908	-65.14	-13	Pass	9699
1000	1700	1	RMS	1698.999	-50.31	-13	Pass	700
1700	1765	1	RMS	1725.838	22.34	60	Pass	401
1765	3000	1	RMS	2942.954	-49.27	-13	Pass	1235
3000	12000	1	RMS	11945.933	-41.19	-13	Pass	9000
12000	20000	1	RMS	19800.975	-32.12	-13	Pass	8000




**9.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,
Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-40.12	-13	Pass	401
0.15	30	0.01	RMS	2.061	-52.03	-13	Pass	2985
30	1000	0.1	RMS	851.203	-64.81	-13	Pass	9699
1000	1700	1	RMS	1698.999	-50.77	-13	Pass	700
1700	1765	1	RMS	1725.838	21.54	60	Pass	401
1765	3000	1	RMS	2938.951	-49.29	-13	Pass	1235
3000	12000	1	RMS	11956.947	-41.16	-13	Pass	9000
12000	20000	1	RMS	19807.976	-32.14	-13	Pass	8000




9.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-40.29	-13	Pass	401
0.15	30	0.01	RMS	2.021	-52.62	-13	Pass	2985
30	1000	0.1	RMS	998.498	-65.04	-13	Pass	9699
1000	1700	1	RMS	1695.994	-52.62	-13	Pass	700
1700	1765	1	RMS	1740.788	22.4	60	Pass	401
1765	3000	1	RMS	1767.002	-45.68	-13	Pass	1235
3000	12000	1	RMS	11960.952	-41.22	-13	Pass	9000
12000	20000	1	RMS	19800.975	-32.17	-13	Pass	8000




**9.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,
Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-40.39	-13	Pass	401
0.15	30	0.01	RMS	2.001	-53.05	-13	Pass	2985
30	1000	0.1	RMS	850.602	-64.96	-13	Pass	9699
1000	1700	1	RMS	1689.986	-52.69	-13	Pass	700
1700	1765	1	RMS	1740.788	21.65	60	Pass	401
1765	3000	1	RMS	1767.002	-46.58	-13	Pass	1235
3000	12000	1	RMS	11962.954	-41.15	-13	Pass	9000
12000	20000	1	RMS	19798.975	-32.13	-13	Pass	8000




9.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-39.41	-13	Pass	401
0.15	30	0.01	RMS	2.081	-55.69	-13	Pass	2985
30	1000	0.1	RMS	847.1	-64.96	-13	Pass	9699
1000	1700	1	RMS	1692.99	-28.39	-13	Pass	700
1700	1765	1	RMS	1711.05	22.21	60	Pass	401
1765	3000	1	RMS	2937.95	-49.25	-13	Pass	1235
3000	12000	1	RMS	11965.958	-41.13	-13	Pass	9000
12000	20000	1	RMS	19794.974	-32.17	-13	Pass	8000




9.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-40.01	-13	Pass	401
0.15	30	0.01	RMS	2.061	-52.37	-13	Pass	2985
30	1000	0.1	RMS	882.444	-65.06	-13	Pass	9699
1000	1700	1	RMS	1692.99	-29.23	-13	Pass	700
1700	1765	1	RMS	1711.05	21.44	60	Pass	401
1765	3000	1	RMS	2944.955	-49.32	-13	Pass	1235
3000	12000	1	RMS	11989.988	-41.16	-13	Pass	9000
12000	20000	1	RMS	19798.975	-32.06	-13	Pass	8000




9.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-40.72	-13	Pass	401
0.15	30	0.01	RMS	2.031	-52.48	-13	Pass	2985
30	1000	0.1	RMS	976.969	-65	-13	Pass	9699
1000	1700	1	RMS	1687.983	-52.15	-13	Pass	700
1700	1765	1	RMS	1723.563	22.31	60	Pass	401
1765	3000	1	RMS	2969.976	-49.24	-13	Pass	1235
3000	12000	1	RMS	11904.882	-41.12	-13	Pass	9000
12000	20000	1	RMS	19794.974	-32.15	-13	Pass	8000




9.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34, Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-40.05	-13	Pass	401
0.15	30	0.01	RMS	2.061	-52.23	-13	Pass	2985
30	1000	0.1	RMS	982.777	-64.94	-13	Pass	9699
1000	1700	1	RMS	1700	-52.25	-13	Pass	700
1700	1765	1	RMS	1723.563	21.46	60	Pass	401
1765	3000	1	RMS	2944.955	-49.3	-13	Pass	1235
3000	12000	1	RMS	11910.89	-41.09	-13	Pass	9000
12000	20000	1	RMS	19799.975	-32.12	-13	Pass	8000




9.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-40.35	-13	Pass	401
0.15	30	0.01	RMS	2.041	-52.96	-13	Pass	2985
30	1000	0.1	RMS	871.83	-65.02	-13	Pass	9699
1000	1700	1	RMS	1700	-51.02	-13	Pass	700
1700	1765	1	RMS	1736.075	22.44	60	Pass	401
1765	3000	1	RMS	1772.006	-45.68	-13	Pass	1235
3000	12000	1	RMS	11939.926	-41.2	-13	Pass	9000
12000	20000	1	RMS	19815.977	-32.16	-13	Pass	8000



**9.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36,
Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-39.74	-13	Pass	401
0.15	30	0.01	RMS	2.061	-53.06	-13	Pass	2985
30	1000	0.1	RMS	991.889	-65.03	-13	Pass	9699
1000	1700	1	RMS	1700	-51.5	-13	Pass	700
1700	1765	1	RMS	1736.075	21.6	60	Pass	401
1765	3000	1	RMS	1772.006	-46.62	-13	Pass	1235
3000	12000	1	RMS	11967.96	-41.11	-13	Pass	9000
12000	20000	1	RMS	19800.975	-32.11	-13	Pass	8000



10. LTE_Band5


10.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.41	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.08	-13	Pass	2985
30	814	0.1	RMS	813.6	-64.66	-13	Pass	7840
814	860	0.1	RMS	824.222	20.28	60	Pass	460
860	1000	0.1	RMS	984.589	-65.02	-13	Pass	1400
1000	3000	1	RMS	1648.324	-46.79	-13	Pass	2000
3000	10000	1	RMS	7269.61	-42.39	-13	Pass	7000




**10.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.13	-13	Pass	2985
30	814	0.1	RMS	813.5	-64.92	-13	Pass	7840
814	860	0.1	RMS	824.222	19.21	60	Pass	460
860	1000	0.1	RMS	867.806	-65.1	-13	Pass	1400
1000	3000	1	RMS	1648.324	-47.71	-13	Pass	2000
3000	10000	1	RMS	9999	-42.86	-13	Pass	7000




10.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.36	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.07	-13	Pass	2985
30	814	0.1	RMS	753.692	-65.45	-13	Pass	7840
814	860	0.1	RMS	836.048	20.42	60	Pass	460
860	1000	0.1	RMS	874.31	-65.05	-13	Pass	1400
1000	3000	1	RMS	1671.336	-46.96	-13	Pass	2000
3000	10000	1	RMS	9998	-42.82	-13	Pass	7000




**10.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.44	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.24	-13	Pass	2985
30	814	0.1	RMS	728.089	-65.43	-13	Pass	7840
814	860	0.1	RMS	836.048	19.49	60	Pass	460
860	1000	0.1	RMS	865.604	-65.01	-13	Pass	1400
1000	3000	1	RMS	1671.336	-47.93	-13	Pass	2000
3000	10000	1	RMS	9997	-42.81	-13	Pass	7000




10.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-74.06	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.11	-13	Pass	2985
30	814	0.1	RMS	734.59	-65.42	-13	Pass	7840
814	860	0.1	RMS	847.874	20.19	60	Pass	460
860	1000	0.1	RMS	882.516	-64.99	-13	Pass	1400
1000	3000	1	RMS	1695.348	-47.52	-13	Pass	2000
3000	10000	1	RMS	9997	-42.9	-13	Pass	7000




**10.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.33	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.11	-13	Pass	2985
30	814	0.1	RMS	735.59	-65.48	-13	Pass	7840
814	860	0.1	RMS	847.874	19.28	60	Pass	460
860	1000	0.1	RMS	869.607	-65.11	-13	Pass	1400
1000	3000	1	RMS	1695.348	-48.33	-13	Pass	2000
3000	10000	1	RMS	10000	-42.9	-13	Pass	7000




**10.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-73.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.12	-13	Pass	2985
30	814	0.1	RMS	813.6	-64.33	-13	Pass	7840
814	860	0.1	RMS	824.222	20.49	60	Pass	460
860	1000	0.1	RMS	983.588	-65.04	-13	Pass	1400
1000	3000	1	RMS	1648.324	-46.81	-13	Pass	2000
3000	10000	1	RMS	7265.609	-42.5	-13	Pass	7000




**10.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.55	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.09	-13	Pass	2985
30	814	0.1	RMS	813.6	-64.71	-13	Pass	7840
814	860	0.1	RMS	824.222	19.75	60	Pass	460
860	1000	0.1	RMS	986.09	-65.08	-13	Pass	1400
1000	3000	1	RMS	1648.324	-47.51	-13	Pass	2000
3000	10000	1	RMS	10000	-42.97	-13	Pass	7000




**10.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.87	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.42	-13	Pass	2985
30	814	0.1	RMS	785.796	-65.25	-13	Pass	7840
814	860	0.1	RMS	835.246	20.51	60	Pass	460
860	1000	0.1	RMS	988.892	-65.03	-13	Pass	1400
1000	3000	1	RMS	1670.335	-47.21	-13	Pass	2000
3000	10000	1	RMS	9995.999	-42.83	-13	Pass	7000




**10.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-74.07	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.42	-13	Pass	2985
30	814	0.1	RMS	735.19	-65.36	-13	Pass	7840
814	860	0.1	RMS	835.246	19.6	60	Pass	460
860	1000	0.1	RMS	987.391	-65.01	-13	Pass	1400
1000	3000	1	RMS	1670.335	-48.07	-13	Pass	2000
3000	10000	1	RMS	9994.999	-42.9	-13	Pass	7000




10.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.96	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.16	-13	Pass	2985
30	814	0.1	RMS	730.689	-65.37	-13	Pass	7840
814	860	0.1	RMS	846.27	20.28	60	Pass	460
860	1000	0.1	RMS	874.31	-65.12	-13	Pass	1400
1000	3000	1	RMS	1692.346	-47.93	-13	Pass	2000
3000	10000	1	RMS	9998	-42.77	-13	Pass	7000




**10.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.44	-13	Pass	2985
30	814	0.1	RMS	733.29	-65.37	-13	Pass	7840
814	860	0.1	RMS	846.27	19.34	60	Pass	460
860	1000	0.1	RMS	998.299	-65.19	-13	Pass	1400
1000	3000	1	RMS	1692.346	-48.55	-13	Pass	2000
3000	10000	1	RMS	10000	-42.78	-13	Pass	7000




**10.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.23	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.77	-13	Pass	2985
30	814	0.1	RMS	813.6	-64.14	-13	Pass	7840
814	860	0.1	RMS	824.322	20.35	60	Pass	460
860	1000	0.1	RMS	880.815	-65.14	-13	Pass	1400
1000	3000	1	RMS	1648.324	-46.39	-13	Pass	2000
3000	10000	1	RMS	7267.61	-42.47	-13	Pass	7000




**10.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.99	-13	Pass	2985
30	814	0.1	RMS	813.6	-64.2	-13	Pass	7840
814	860	0.1	RMS	824.322	19.55	60	Pass	460
860	1000	0.1	RMS	879.314	-65.2	-13	Pass	1400
1000	3000	1	RMS	1648.324	-47.28	-13	Pass	2000
3000	10000	1	RMS	10000	-42.88	-13	Pass	7000




**10.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-74.13	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.33	-13	Pass	2985
30	814	0.1	RMS	723.788	-65.31	-13	Pass	7840
814	860	0.1	RMS	834.344	20.46	60	Pass	460
860	1000	0.1	RMS	996.998	-65.18	-13	Pass	1400
1000	3000	1	RMS	1668.334	-46.55	-13	Pass	2000
3000	10000	1	RMS	9995.999	-42.7	-13	Pass	7000




**10.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.28	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.73	-13	Pass	2985
30	814	0.1	RMS	721.788	-65.28	-13	Pass	7840
814	860	0.1	RMS	834.344	19.79	60	Pass	460
860	1000	0.1	RMS	976.283	-65.07	-13	Pass	1400
1000	3000	1	RMS	1668.334	-47.31	-13	Pass	2000
3000	10000	1	RMS	10000	-42.84	-13	Pass	7000




**10.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-74.43	-13	Pass	401
0.15	30	0.01	RMS	0.22	-72.45	-13	Pass	2985
30	814	0.1	RMS	732.09	-65.35	-13	Pass	7840
814	860	0.1	RMS	844.366	20.07	60	Pass	460
860	1000	0.1	RMS	877.312	-65.05	-13	Pass	1400
1000	3000	1	RMS	1688.344	-47.01	-13	Pass	2000
3000	10000	1	RMS	9999	-42.83	-13	Pass	7000




**10.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.87	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.6	-13	Pass	2985
30	814	0.1	RMS	729.189	-65.46	-13	Pass	7840
814	860	0.1	RMS	844.366	19.59	60	Pass	460
860	1000	0.1	RMS	903.631	-65.1	-13	Pass	1400
1000	3000	1	RMS	1688.344	-47.88	-13	Pass	2000
3000	10000	1	RMS	10000	-42.8	-13	Pass	7000




10.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.14	-13	Pass	401
0.15	30	0.01	RMS	0.21	-71.74	-13	Pass	2985
30	814	0.1	RMS	813.9	-64.29	-13	Pass	7840
814	860	0.1	RMS	824.623	20.13	60	Pass	460
860	1000	0.1	RMS	985.59	-65.11	-13	Pass	1400
1000	3000	1	RMS	1648.324	-47.2	-13	Pass	2000
3000	10000	1	RMS	7271.61	-42.59	-13	Pass	7000




**10.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.53	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.41	-13	Pass	2985
30	814	0.1	RMS	813.9	-64.55	-13	Pass	7840
814	860	0.1	RMS	824.623	19.46	60	Pass	460
860	1000	0.1	RMS	991.894	-65.07	-13	Pass	1400
1000	3000	1	RMS	1648.324	-47.79	-13	Pass	2000
3000	10000	1	RMS	9968.996	-42.89	-13	Pass	7000




10.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.83	-13	Pass	401
0.15	30	0.01	RMS	0.21	-72.21	-13	Pass	2985
30	814	0.1	RMS	812.3	-65.4	-13	Pass	7840
814	860	0.1	RMS	832.139	19.66	60	Pass	460
860	1000	0.1	RMS	977.584	-65.17	-13	Pass	1400
1000	3000	1	RMS	1663.332	-47.3	-13	Pass	2000
3000	10000	1	RMS	9999	-42.91	-13	Pass	7000




**10.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.38	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.36	-13	Pass	2985
30	814	0.1	RMS	813.5	-65.36	-13	Pass	7840
814	860	0.1	RMS	832.139	18.96	60	Pass	460
860	1000	0.1	RMS	879.814	-65.16	-13	Pass	1400
1000	3000	1	RMS	1663.332	-48.27	-13	Pass	2000
3000	10000	1	RMS	9999	-42.82	-13	Pass	7000




**10.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.4	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.66	-13	Pass	2985
30	814	0.1	RMS	756.093	-65.33	-13	Pass	7840
814	860	0.1	RMS	839.556	20.06	60	Pass	460
860	1000	0.1	RMS	987.091	-64.98	-13	Pass	1400
1000	3000	1	RMS	1678.339	-47.41	-13	Pass	2000
3000	10000	1	RMS	9999	-42.78	-13	Pass	7000



**10.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.6	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.19	-13	Pass	2985
30	814	0.1	RMS	732.89	-65.42	-13	Pass	7840
814	860	0.1	RMS	839.556	19.32	60	Pass	460
860	1000	0.1	RMS	900.129	-65.15	-13	Pass	1400
1000	3000	1	RMS	1678.339	-48.24	-13	Pass	2000
3000	10000	1	RMS	10000	-42.83	-13	Pass	7000



11. LTE_Band7


11.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-40.73	-25	Pass	401
0.15	30	0.01	RMS	2.051	-53.44	-25	Pass	2985
30	1000	0.1	RMS	997.096	-65.08	-25	Pass	9699
1000	2480	1	RMS	2459.986	-51.08	-25	Pass	1480
2480	2590	1	RMS	2500.075	22.04	60	Pass	401
2590	3000	1	RMS	2967.922	-49.35	-25	Pass	410
3000	12000	1	RMS	11998.999	-50.98	-25	Pass	9000
12000	26000	1	RMS	25898.983	-35.22	-25	Pass	14000




**11.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-40.04	-25	Pass	401
0.15	30	0.01	RMS	2.061	-52.16	-25	Pass	2985
30	1000	0.1	RMS	882.244	-64.96	-25	Pass	9699
1000	2480	1	RMS	2466.991	-51.09	-25	Pass	1480
2480	2590	1	RMS	2500.075	21.21	60	Pass	401
2590	3000	1	RMS	2970.929	-49.32	-25	Pass	410
3000	12000	1	RMS	11991.99	-50.98	-25	Pass	9000
12000	26000	1	RMS	25897.982	-35.2	-25	Pass	14000




**11.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-40.54	-25	Pass	401
0.15	30	0.01	RMS	2.061	-54.29	-25	Pass	2985
30	1000	0.1	RMS	888.953	-65.1	-25	Pass	9699
1000	2480	1	RMS	2475.997	-51.1	-25	Pass	1480
2480	2590	1	RMS	2532.8	22.39	60	Pass	401
2590	3000	1	RMS	2969.927	-49.27	-25	Pass	410
3000	12000	1	RMS	11995.995	-50.98	-25	Pass	9000
12000	26000	1	RMS	25899.983	-35.14	-25	Pass	14000




**11.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-40.33	-25	Pass	401
0.15	30	0.01	RMS	0.16	-52.82	-25	Pass	2985
30	1000	0.1	RMS	989.586	-65	-25	Pass	9699
1000	2480	1	RMS	2473.996	-51.09	-25	Pass	1480
2480	2590	1	RMS	2532.8	21.68	60	Pass	401
2590	3000	1	RMS	2941.858	-49.28	-25	Pass	410
3000	12000	1	RMS	11882.855	-50.99	-25	Pass	9000
12000	26000	1	RMS	25903.983	-35.2	-25	Pass	14000




**11.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-40.47	-25	Pass	401
0.15	30	0.01	RMS	0.16	-53.28	-25	Pass	2985
30	1000	0.1	RMS	876.636	-65.02	-25	Pass	9699
1000	2480	1	RMS	2474.997	-51.07	-25	Pass	1480
2480	2590	1	RMS	2565.25	22.09	60	Pass	401
2590	3000	1	RMS	2941.858	-49.34	-25	Pass	410
3000	12000	1	RMS	11899.876	-51	-25	Pass	9000
12000	26000	1	RMS	25884.98	-35.12	-25	Pass	14000




**11.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-39.85	-25	Pass	401
0.15	30	0.01	RMS	0.16	-53.48	-25	Pass	2985
30	1000	0.1	RMS	896.963	-65.14	-25	Pass	9699
1000	2480	1	RMS	2478.999	-51.06	-25	Pass	1480
2480	2590	1	RMS	2565.25	21.46	60	Pass	401
2590	3000	1	RMS	2969.927	-49.31	-25	Pass	410
3000	12000	1	RMS	11887.861	-50.98	-25	Pass	9000
12000	26000	1	RMS	25886.981	-35.14	-25	Pass	14000




11.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-40.75	-25	Pass	401
0.15	30	0.01	RMS	0.17	-52.12	-25	Pass	2985
30	1000	0.1	RMS	847.8	-65.06	-25	Pass	9699
1000	2480	1	RMS	2474.997	-51.04	-25	Pass	1480
2480	2590	1	RMS	2500.35	22.11	60	Pass	401
2590	3000	1	RMS	2934.841	-49.36	-25	Pass	410
3000	12000	1	RMS	11998.999	-50.94	-25	Pass	9000
12000	26000	1	RMS	25901.983	-35.19	-25	Pass	14000




**11.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-40.82	-25	Pass	401
0.15	30	0.01	RMS	0.16	-53.07	-25	Pass	2985
30	1000	0.1	RMS	992.39	-65.08	-25	Pass	9699
1000	2480	1	RMS	2465.991	-51.06	-25	Pass	1480
2480	2590	1	RMS	2500.35	21.36	60	Pass	401
2590	3000	1	RMS	2970.929	-49.34	-25	Pass	410
3000	12000	1	RMS	11882.855	-50.92	-25	Pass	9000
12000	26000	1	RMS	25897.982	-35.21	-25	Pass	14000




11.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-40.58	-25	Pass	401
0.15	30	0.01	RMS	0.16	-52.06	-25	Pass	2985
30	1000	0.1	RMS	983.278	-65.13	-25	Pass	9699
1000	2480	1	RMS	2480	-51.18	-25	Pass	1480
2480	2590	1	RMS	2530.325	22.3	60	Pass	401
2590	3000	1	RMS	2969.927	-49.35	-25	Pass	410
3000	12000	1	RMS	11992.991	-51.05	-25	Pass	9000
12000	26000	1	RMS	25897.982	-35.18	-25	Pass	14000




**11.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-40.37	-25	Pass	401
0.15	30	0.01	RMS	2.071	-52.31	-25	Pass	2985
30	1000	0.1	RMS	903.672	-65.03	-25	Pass	9699
1000	2480	1	RMS	2476.998	-51.16	-25	Pass	1480
2480	2590	1	RMS	2530.6	21.43	60	Pass	401
2590	3000	1	RMS	2968.924	-49.34	-25	Pass	410
3000	12000	1	RMS	11993.993	-51.03	-25	Pass	9000
12000	26000	1	RMS	25900.983	-35.21	-25	Pass	14000




11.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-40.39	-25	Pass	401
0.15	30	0.01	RMS	0.16	-51.83	-25	Pass	2985
30	1000	0.1	RMS	910.481	-65.1	-25	Pass	9699
1000	2480	1	RMS	2475.997	-51.09	-25	Pass	1480
2480	2590	1	RMS	2560.575	22.06	60	Pass	401
2590	3000	1	RMS	2939.853	-49.34	-25	Pass	410
3000	12000	1	RMS	11874.845	-51.01	-25	Pass	9000
12000	26000	1	RMS	25901.983	-35.19	-25	Pass	14000




**11.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-39.48	-25	Pass	401
0.15	30	0.01	RMS	0.17	-52.24	-25	Pass	2985
30	1000	0.1	RMS	980.374	-65.14	-25	Pass	9699
1000	2480	1	RMS	2478.999	-51.1	-25	Pass	1480
2480	2590	1	RMS	2560.575	21.19	60	Pass	401
2590	3000	1	RMS	2967.922	-49.34	-25	Pass	410
3000	12000	1	RMS	11995.995	-51.04	-25	Pass	9000
12000	26000	1	RMS	25900.983	-35.07	-25	Pass	14000




11.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-40.64	-25	Pass	401
0.15	30	0.01	RMS	0.16	-50.75	-25	Pass	2985
30	1000	0.1	RMS	865.922	-65.03	-25	Pass	9699
1000	2480	1	RMS	2480	-51.03	-25	Pass	1480
2480	2590	1	RMS	2500.625	22.25	60	Pass	401
2590	3000	1	RMS	2938.851	-49.33	-25	Pass	410
3000	12000	1	RMS	11992.991	-51.03	-25	Pass	9000
12000	26000	1	RMS	25878.979	-35.16	-25	Pass	14000




**11.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-40.33	-25	Pass	401
0.15	30	0.01	RMS	0.16	-52.54	-25	Pass	2985
30	1000	0.1	RMS	869.427	-65.04	-25	Pass	9699
1000	2480	1	RMS	2475.997	-51.08	-25	Pass	1480
2480	2590	1	RMS	2500.625	21.39	60	Pass	401
2590	3000	1	RMS	2969.927	-49.36	-25	Pass	410
3000	12000	1	RMS	11880.853	-50.99	-25	Pass	9000
12000	26000	1	RMS	25901.983	-35.07	-25	Pass	14000




**11.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-39.4	-25	Pass	401
0.15	30	0.01	RMS	0.16	-51.84	-25	Pass	2985
30	1000	0.1	RMS	995.494	-65.09	-25	Pass	9699
1000	2480	1	RMS	2474.997	-51.07	-25	Pass	1480
2480	2590	1	RMS	2528.125	22.45	60	Pass	401
2590	3000	1	RMS	2969.927	-49.28	-25	Pass	410
3000	12000	1	RMS	11995.995	-51.03	-25	Pass	9000
12000	26000	1	RMS	25900.983	-35.1	-25	Pass	14000




**11.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-40.37	-25	Pass	401
0.15	30	0.01	RMS	0.16	-53.23	-25	Pass	2985
30	1000	0.1	RMS	851.503	-65.04	-25	Pass	9699
1000	2480	1	RMS	2478.999	-51.14	-25	Pass	1480
2480	2590	1	RMS	2528.125	21.58	60	Pass	401
2590	3000	1	RMS	2969.927	-49.31	-25	Pass	410
3000	12000	1	RMS	11993.993	-51.01	-25	Pass	9000
12000	26000	1	RMS	25893.982	-35.2	-25	Pass	14000




**11.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-39.89	-25	Pass	401
0.15	30	0.01	RMS	0.16	-51.01	-25	Pass	2985
30	1000	0.1	RMS	871.73	-65.09	-25	Pass	9699
1000	2480	1	RMS	2468.993	-51.05	-25	Pass	1480
2480	2590	1	RMS	2555.625	22.04	60	Pass	401
2590	3000	1	RMS	2967.922	-49.29	-25	Pass	410
3000	12000	1	RMS	11881.854	-51.05	-25	Pass	9000
12000	26000	1	RMS	25898.983	-35.19	-25	Pass	14000




**11.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-40.68	-25	Pass	401
0.15	30	0.01	RMS	0.16	-51.24	-25	Pass	2985
30	1000	0.1	RMS	983.879	-65.08	-25	Pass	9699
1000	2480	1	RMS	2473.996	-51.16	-25	Pass	1480
2480	2590	1	RMS	2555.625	21.4	60	Pass	401
2590	3000	1	RMS	2969.927	-49.29	-25	Pass	410
3000	12000	1	RMS	11931.916	-51.02	-25	Pass	9000
12000	26000	1	RMS	25896.982	-35.19	-25	Pass	14000




**11.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-40.45	-25	Pass	401
0.15	30	0.01	RMS	0.16	-51.27	-25	Pass	2985
30	1000	0.1	RMS	991.389	-65	-25	Pass	9699
1000	2480	1	RMS	2471.995	-51.07	-25	Pass	1480
2480	2590	1	RMS	2500.9	22.18	60	Pass	401
2590	3000	1	RMS	2937.848	-49.34	-25	Pass	410
3000	12000	1	RMS	11879.851	-50.98	-25	Pass	9000
12000	26000	1	RMS	25887.981	-35.16	-25	Pass	14000




**11.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-40.21	-25	Pass	401
0.15	30	0.01	RMS	0.16	-50.48	-25	Pass	2985
30	1000	0.1	RMS	866.223	-65.07	-25	Pass	9699
1000	2480	1	RMS	2478.999	-51	-25	Pass	1480
2480	2590	1	RMS	2500.9	21.46	60	Pass	401
2590	3000	1	RMS	2944.866	-49.33	-25	Pass	410
3000	12000	1	RMS	11886.86	-50.96	-25	Pass	9000
12000	26000	1	RMS	25896.982	-35.16	-25	Pass	14000




11.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-40.46	-25	Pass	401
0.15	30	0.01	RMS	0.16	-50.13	-25	Pass	2985
30	1000	0.1	RMS	868.125	-64.81	-25	Pass	9699
1000	2480	1	RMS	2473.996	-51.06	-25	Pass	1480
2480	2590	1	RMS	2525.925	22.45	60	Pass	401
2590	3000	1	RMS	2940.856	-49.33	-25	Pass	410
3000	12000	1	RMS	11900.877	-51.01	-25	Pass	9000
12000	26000	1	RMS	25885.98	-35.14	-25	Pass	14000




**11.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-41.17	-25	Pass	401
0.15	30	0.01	RMS	0.16	-50.55	-25	Pass	2985
30	1000	0.1	RMS	898.565	-64.98	-25	Pass	9699
1000	2480	1	RMS	2475.997	-51.1	-25	Pass	1480
2480	2590	1	RMS	2525.925	21.69	60	Pass	401
2590	3000	1	RMS	2966.919	-49.33	-25	Pass	410
3000	12000	1	RMS	11993.993	-51.03	-25	Pass	9000
12000	26000	1	RMS	25895.982	-35.15	-25	Pass	14000




11.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-40.16	-25	Pass	401
0.15	30	0.01	RMS	0.16	-50.41	-25	Pass	2985
30	1000	0.1	RMS	874.233	-65.04	-25	Pass	9699
1000	2480	1	RMS	2477.999	-51.13	-25	Pass	1480
2480	2590	1	RMS	2550.95	22.26	60	Pass	401
2590	3000	1	RMS	2969.927	-49.34	-25	Pass	410
3000	12000	1	RMS	11880.853	-51.03	-25	Pass	9000
12000	26000	1	RMS	25896.982	-35.22	-25	Pass	14000



**11.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-39.62	-25	Pass	401
0.15	30	0.01	RMS	0.16	-51.45	-25	Pass	2985
30	1000	0.1	RMS	869.427	-65.02	-25	Pass	9699
1000	2480	1	RMS	2475.997	-51.13	-25	Pass	1480
2480	2590	1	RMS	2550.95	21.49	60	Pass	401
2590	3000	1	RMS	2941.858	-49.35	-25	Pass	410
3000	12000	1	RMS	11897.874	-50.99	-25	Pass	9000
12000	26000	1	RMS	25905.984	-35.15	-25	Pass	14000



12. LTE_Band12


12.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.68	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.43	-13	Pass	2985
30	689	0.1	RMS	688.5	-64.76	-13	Pass	6590
689	726	0.1	RMS	699.268	20.48	60	Pass	401
726	1000	0.1	RMS	852.046	-64.78	-13	Pass	2740
1000	3000	1	RMS	2970.985	-49.32	-13	Pass	2000
3000	10000	1	RMS	7293.613	-42.69	-13	Pass	7000




**12.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:23017, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.1	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.83	-13	Pass	2985
30	689	0.1	RMS	688.6	-65.14	-13	Pass	6590
689	726	0.1	RMS	699.268	19.59	60	Pass	401
726	1000	0.1	RMS	998.399	-64.82	-13	Pass	2740
1000	3000	1	RMS	2969.985	-49.34	-13	Pass	2000
3000	10000	1	RMS	9999	-42.84	-13	Pass	7000




12.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:23095, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.23	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.97	-13	Pass	2985
30	689	0.1	RMS	475.568	-65.71	-13	Pass	6590
689	726	0.1	RMS	707.038	20.66	60	Pass	401
726	1000	0.1	RMS	997.099	-64.86	-13	Pass	2740
1000	3000	1	RMS	2942.971	-49.27	-13	Pass	2000
3000	10000	1	RMS	9999	-42.92	-13	Pass	7000




**12.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:23095, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.22	-13	Pass	401
0.15	30	0.01	RMS	0.23	-72.45	-13	Pass	2985
30	689	0.1	RMS	478.768	-65.73	-13	Pass	6590
689	726	0.1	RMS	707.038	19.68	60	Pass	401
726	1000	0.1	RMS	907.366	-64.67	-13	Pass	2740
1000	3000	1	RMS	2968.984	-49.32	-13	Pass	2000
3000	10000	1	RMS	10000	-42.89	-13	Pass	7000




12.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.98	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.04	-13	Pass	2985
30	689	0.1	RMS	484.169	-65.62	-13	Pass	6590
689	726	0.1	RMS	714.808	20.23	60	Pass	401
726	1000	0.1	RMS	900.464	-64.89	-13	Pass	2740
1000	3000	1	RMS	2970.985	-49.3	-13	Pass	2000
3000	10000	1	RMS	9998	-42.88	-13	Pass	7000




**12.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:23173, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.23	-13	Pass	401
0.15	30	0.01	RMS	0.21	-71.95	-13	Pass	2985
30	689	0.1	RMS	484.569	-65.63	-13	Pass	6590
689	726	0.1	RMS	714.808	19.37	60	Pass	401
726	1000	0.1	RMS	887.159	-64.58	-13	Pass	2740
1000	3000	1	RMS	2968.984	-49.31	-13	Pass	2000
3000	10000	1	RMS	9999	-42.87	-13	Pass	7000




**12.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.57	-13	Pass	401
0.15	30	0.01	RMS	0.23	-72.5	-13	Pass	2985
30	689	0.1	RMS	688.6	-64.99	-13	Pass	6590
689	726	0.1	RMS	699.268	20.51	60	Pass	401
726	1000	0.1	RMS	858.949	-64.86	-13	Pass	2740
1000	3000	1	RMS	2968.984	-49.33	-13	Pass	2000
3000	10000	1	RMS	7286.612	-42.53	-13	Pass	7000




**12.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:23025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.39	-13	Pass	2985
30	689	0.1	RMS	688.6	-65.01	-13	Pass	6590
689	726	0.1	RMS	699.268	19.76	60	Pass	401
726	1000	0.1	RMS	851.346	-64.79	-13	Pass	2740
1000	3000	1	RMS	2966.983	-49.27	-13	Pass	2000
3000	10000	1	RMS	10000	-42.84	-13	Pass	7000




**12.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:23095, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.75	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.23	-13	Pass	2985
30	689	0.1	RMS	475.568	-65.65	-13	Pass	6590
689	726	0.1	RMS	706.205	20.41	60	Pass	401
726	1000	0.1	RMS	853.146	-64.77	-13	Pass	2740
1000	3000	1	RMS	2939.97	-49.33	-13	Pass	2000
3000	10000	1	RMS	9999	-42.87	-13	Pass	7000




**12.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:23095, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.51	-13	Pass	401
0.15	30	0.01	RMS	0.22	-71.72	-13	Pass	2985
30	689	0.1	RMS	469.367	-65.73	-13	Pass	6590
689	726	0.1	RMS	706.205	19.59	60	Pass	401
726	1000	0.1	RMS	981.893	-64.82	-13	Pass	2740
1000	3000	1	RMS	2939.97	-49.3	-13	Pass	2000
3000	10000	1	RMS	10000	-42.87	-13	Pass	7000




12.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.03	-13	Pass	2985
30	689	0.1	RMS	479.968	-65.63	-13	Pass	6590
689	726	0.1	RMS	713.235	20.87	60	Pass	401
726	1000	0.1	RMS	870.153	-64.89	-13	Pass	2740
1000	3000	1	RMS	2936.968	-49.32	-13	Pass	2000
3000	10000	1	RMS	10000	-42.93	-13	Pass	7000




**12.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:23165, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.6	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.69	-13	Pass	2985
30	689	0.1	RMS	480.668	-65.73	-13	Pass	6590
689	726	0.1	RMS	713.235	19.96	60	Pass	401
726	1000	0.1	RMS	997.599	-64.89	-13	Pass	2740
1000	3000	1	RMS	2971.986	-49.36	-13	Pass	2000
3000	10000	1	RMS	9999	-42.89	-13	Pass	7000




**12.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.89	-13	Pass	401
0.15	30	0.01	RMS	0.22	-72.05	-13	Pass	2985
30	689	0.1	RMS	688.6	-64.92	-13	Pass	6590
689	726	0.1	RMS	699.36	20.43	60	Pass	401
726	1000	0.1	RMS	905.265	-64.92	-13	Pass	2740
1000	3000	1	RMS	2965.983	-49.35	-13	Pass	2000
3000	10000	1	RMS	7284.612	-42.51	-13	Pass	7000




**12.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:23035, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.32	-13	Pass	401
0.15	30	0.01	RMS	0.24	-72.13	-13	Pass	2985
30	689	0.1	RMS	688.6	-65.16	-13	Pass	6590
689	726	0.1	RMS	699.36	19.73	60	Pass	401
726	1000	0.1	RMS	886.058	-64.82	-13	Pass	2740
1000	3000	1	RMS	2970.985	-49.31	-13	Pass	2000
3000	10000	1	RMS	9995.999	-42.9	-13	Pass	7000




**12.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:23095, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.57	-13	Pass	2985
30	689	0.1	RMS	614.489	-65.68	-13	Pass	6590
689	726	0.1	RMS	705.373	20.38	60	Pass	401
726	1000	0.1	RMS	856.147	-64.96	-13	Pass	2740
1000	3000	1	RMS	2939.97	-49.32	-13	Pass	2000
3000	10000	1	RMS	10000	-42.93	-13	Pass	7000




**12.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:23095, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-74.13	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.43	-13	Pass	2985
30	689	0.1	RMS	479.668	-65.7	-13	Pass	6590
689	726	0.1	RMS	705.373	19.65	60	Pass	401
726	1000	0.1	RMS	992.797	-64.59	-13	Pass	2740
1000	3000	1	RMS	2935.968	-49.33	-13	Pass	2000
3000	10000	1	RMS	10000	-42.93	-13	Pass	7000




**12.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.85	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.42	-13	Pass	2985
30	689	0.1	RMS	470.367	-65.6	-13	Pass	6590
689	726	0.1	RMS	711.293	20.18	60	Pass	401
726	1000	0.1	RMS	843.643	-64.91	-13	Pass	2740
1000	3000	1	RMS	2969.985	-49.34	-13	Pass	2000
3000	10000	1	RMS	9997	-42.97	-13	Pass	7000




**12.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:23155, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.05	-13	Pass	2985
30	689	0.1	RMS	464.266	-65.75	-13	Pass	6590
689	726	0.1	RMS	711.293	19.49	60	Pass	401
726	1000	0.1	RMS	866.251	-64.84	-13	Pass	2740
1000	3000	1	RMS	2966.983	-49.35	-13	Pass	2000
3000	10000	1	RMS	10000	-42.9	-13	Pass	7000




**12.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.74	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.15	-13	Pass	2985
30	689	0.1	RMS	688.9	-64.77	-13	Pass	6590
689	726	0.1	RMS	699.545	20.02	60	Pass	401
726	1000	0.1	RMS	887.659	-64.76	-13	Pass	2740
1000	3000	1	RMS	2939.97	-49.35	-13	Pass	2000
3000	10000	1	RMS	7253.608	-42.8	-13	Pass	7000




**12.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.88	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72	-13	Pass	2985
30	689	0.1	RMS	688.9	-64.98	-13	Pass	6590
689	726	0.1	RMS	699.545	19.35	60	Pass	401
726	1000	0.1	RMS	989.096	-64.81	-13	Pass	2740
1000	3000	1	RMS	2943.972	-49.35	-13	Pass	2000
3000	10000	1	RMS	9999	-42.91	-13	Pass	7000




**12.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.58	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.27	-13	Pass	2985
30	689	0.1	RMS	476.468	-65.65	-13	Pass	6590
689	726	0.1	RMS	703.06	20.36	60	Pass	401
726	1000	0.1	RMS	850.145	-64.8	-13	Pass	2740
1000	3000	1	RMS	2970.985	-49.35	-13	Pass	2000
3000	10000	1	RMS	10000	-42.78	-13	Pass	7000




**12.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:23095, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.5	-13	Pass	2985
30	689	0.1	RMS	475.868	-65.73	-13	Pass	6590
689	726	0.1	RMS	703.06	19.39	60	Pass	401
726	1000	0.1	RMS	890.66	-64.65	-13	Pass	2740
1000	3000	1	RMS	2968.984	-49.34	-13	Pass	2000
3000	10000	1	RMS	9995.999	-42.84	-13	Pass	7000




12.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.59	-13	Pass	401
0.15	30	0.01	RMS	0.23	-72.19	-13	Pass	2985
30	689	0.1	RMS	482.469	-65.72	-13	Pass	6590
689	726	0.1	RMS	706.575	20.69	60	Pass	401
726	1000	0.1	RMS	849.245	-64.86	-13	Pass	2740
1000	3000	1	RMS	2969.985	-49.32	-13	Pass	2000
3000	10000	1	RMS	9965.995	-42.95	-13	Pass	7000



**12.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.43	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.69	-13	Pass	2985
30	689	0.1	RMS	480.868	-65.68	-13	Pass	6590
689	726	0.1	RMS	706.575	19.8	60	Pass	401
726	1000	0.1	RMS	907.266	-64.9	-13	Pass	2740
1000	3000	1	RMS	2969.985	-49.28	-13	Pass	2000
3000	10000	1	RMS	9994.999	-42.94	-13	Pass	7000



13. LTE_Band17


13.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-73.04	-13	Pass	401
0.15	30	0.01	RMS	0.21	-72.26	-13	Pass	2985
30	694	0.1	RMS	691.2	-62.29	-13	Pass	6640
694	726	0.1	RMS	704.32	20.56	60	Pass	401
726	1000	0.1	RMS	845.944	-64.94	-13	Pass	2740
1000	3000	1	RMS	2971.986	-49.33	-13	Pass	2000
3000	10000	1	RMS	7287.613	-42.46	-13	Pass	7000




**13.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:23755, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.07	-13	Pass	401
0.15	30	0.01	RMS	0.21	-72.67	-13	Pass	2985
30	694	0.1	RMS	691.2	-62.73	-13	Pass	6640
694	726	0.1	RMS	704.32	19.72	60	Pass	401
726	1000	0.1	RMS	861.549	-64.52	-13	Pass	2740
1000	3000	1	RMS	2939.97	-49.31	-13	Pass	2000
3000	10000	1	RMS	9997	-42.97	-13	Pass	7000




**13.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:23790, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.69	-13	Pass	401
0.15	30	0.01	RMS	0.22	-72.62	-13	Pass	2985
30	694	0.1	RMS	694	-65.15	-13	Pass	6640
694	726	0.1	RMS	707.84	20.79	60	Pass	401
726	1000	0.1	RMS	867.352	-64.92	-13	Pass	2740
1000	3000	1	RMS	2969.985	-49.29	-13	Pass	2000
3000	10000	1	RMS	9999	-42.9	-13	Pass	7000




**13.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:23790, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.55	-13	Pass	401
0.15	30	0.01	RMS	0.21	-72.05	-13	Pass	2985
30	694	0.1	RMS	691.2	-65.13	-13	Pass	6640
694	726	0.1	RMS	707.84	20.08	60	Pass	401
726	1000	0.1	RMS	898.463	-64.82	-13	Pass	2740
1000	3000	1	RMS	2968.984	-49.35	-13	Pass	2000
3000	10000	1	RMS	10000	-42.85	-13	Pass	7000




**13.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.67	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.16	-13	Pass	2985
30	694	0.1	RMS	691.2	-64.16	-13	Pass	6640
694	726	0.1	RMS	711.36	20.55	60	Pass	401
726	1000	0.1	RMS	965.888	-64.48	-13	Pass	2740
1000	3000	1	RMS	2941.971	-49.3	-13	Pass	2000
3000	10000	1	RMS	10000	-42.86	-13	Pass	7000




**13.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:23825, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.67	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.19	-13	Pass	2985
30	694	0.1	RMS	691.2	-64.45	-13	Pass	6640
694	726	0.1	RMS	711.36	20.05	60	Pass	401
726	1000	0.1	RMS	856.748	-64.76	-13	Pass	2740
1000	3000	1	RMS	2966.983	-49.35	-13	Pass	2000
3000	10000	1	RMS	9998	-42.94	-13	Pass	7000




13.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.3	-13	Pass	2985
30	694	0.1	RMS	691.4	-63.79	-13	Pass	6640
694	726	0.1	RMS	704.56	20.53	60	Pass	401
726	1000	0.1	RMS	843.643	-64.78	-13	Pass	2740
1000	3000	1	RMS	2939.97	-49.32	-13	Pass	2000
3000	10000	1	RMS	7285.612	-42.67	-13	Pass	7000




**13.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:23780, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.94	-13	Pass	401
0.15	30	0.01	RMS	0.22	-72.3	-13	Pass	2985
30	694	0.1	RMS	693.9	-64.27	-13	Pass	6640
694	726	0.1	RMS	704.56	19.73	60	Pass	401
726	1000	0.1	RMS	974.491	-64.89	-13	Pass	2740
1000	3000	1	RMS	2940.97	-49.33	-13	Pass	2000
3000	10000	1	RMS	9994.999	-42.88	-13	Pass	7000




13.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:23790, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.43	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.71	-13	Pass	2985
30	694	0.1	RMS	692.5	-62.7	-13	Pass	6640
694	726	0.1	RMS	705.6	20.74	60	Pass	401
726	1000	0.1	RMS	873.654	-64.81	-13	Pass	2740
1000	3000	1	RMS	2969.985	-49.28	-13	Pass	2000
3000	10000	1	RMS	10000	-42.96	-13	Pass	7000




**13.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:23790, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.68	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.8	-13	Pass	2985
30	694	0.1	RMS	692.5	-63.39	-13	Pass	6640
694	726	0.1	RMS	705.6	19.96	60	Pass	401
726	1000	0.1	RMS	976.291	-64.78	-13	Pass	2740
1000	3000	1	RMS	2969.985	-49.32	-13	Pass	2000
3000	10000	1	RMS	9999	-42.88	-13	Pass	7000




13.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.17	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.43	-13	Pass	2985
30	694	0.1	RMS	693.4	-62.2	-13	Pass	6640
694	726	0.1	RMS	706.56	20.64	60	Pass	401
726	1000	0.1	RMS	974.191	-64.69	-13	Pass	2740
1000	3000	1	RMS	2940.97	-49.33	-13	Pass	2000
3000	10000	1	RMS	9995.999	-42.9	-13	Pass	7000



**13.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:23800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.65	-13	Pass	2985
30	694	0.1	RMS	693.5	-62.84	-13	Pass	6640
694	726	0.1	RMS	706.56	19.67	60	Pass	401
726	1000	0.1	RMS	863.05	-64.71	-13	Pass	2740
1000	3000	1	RMS	2967.984	-49.33	-13	Pass	2000
3000	10000	1	RMS	9993.999	-42.8	-13	Pass	7000



14. LTE_Band26(part22)


14.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.16	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.79	-13	Pass	2985
30	814	0.1	RMS	813.5	-64.78	-13	Pass	7840
814	860	0.1	RMS	824.222	20.19	60	Pass	460
860	1000	0.1	RMS	901.129	-65.04	-13	Pass	1400
1000	3000	1	RMS	1648.324	-47.87	-13	Pass	2000
3000	10000	1	RMS	7248.607	-42.49	-13	Pass	7000




14.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.41	-13	Pass	401
0.15	30	0.01	RMS	0.22	-72.73	-13	Pass	2985
30	814	0.1	RMS	813.6	-64.5	-13	Pass	7840
814	860	0.1	RMS	824.222	19.24	60	Pass	460
860	1000	0.1	RMS	992.495	-65.01	-13	Pass	1400
1000	3000	1	RMS	1648.324	-48.62	-13	Pass	2000
3000	10000	1	RMS	10000	-42.92	-13	Pass	7000




14.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:26915, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-74.11	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.77	-13	Pass	2985
30	814	0.1	RMS	739.691	-65.38	-13	Pass	7840
814	860	0.1	RMS	836.048	20.37	60	Pass	460
860	1000	0.1	RMS	910.036	-65.06	-13	Pass	1400
1000	3000	1	RMS	1671.336	-47.81	-13	Pass	2000
3000	10000	1	RMS	9995.999	-42.87	-13	Pass	7000




**14.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:26915, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.1	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.47	-13	Pass	2985
30	814	0.1	RMS	741.691	-65.39	-13	Pass	7840
814	860	0.1	RMS	836.048	19.41	60	Pass	460
860	1000	0.1	RMS	984.089	-65.1	-13	Pass	1400
1000	3000	1	RMS	1671.336	-48.55	-13	Pass	2000
3000	10000	1	RMS	10000	-42.81	-13	Pass	7000




14.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.65	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.18	-13	Pass	2985
30	814	0.1	RMS	732.79	-65.39	-13	Pass	7840
814	860	0.1	RMS	847.874	20.15	60	Pass	460
860	1000	0.1	RMS	884.718	-65.05	-13	Pass	1400
1000	3000	1	RMS	1695.348	-47.9	-13	Pass	2000
3000	10000	1	RMS	9999	-42.84	-13	Pass	7000




**14.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.29	-13	Pass	401
0.15	30	0.01	RMS	0.24	-72.69	-13	Pass	2985
30	814	0.1	RMS	724.089	-65.25	-13	Pass	7840
814	860	0.1	RMS	847.874	19.35	60	Pass	460
860	1000	0.1	RMS	871.708	-65.06	-13	Pass	1400
1000	3000	1	RMS	1695.348	-48.62	-13	Pass	2000
3000	10000	1	RMS	9998	-42.81	-13	Pass	7000




**14.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.3	-13	Pass	401
0.15	30	0.01	RMS	0.18	-70.96	-13	Pass	2985
30	814	0.1	RMS	813.5	-64.4	-13	Pass	7840
814	860	0.1	RMS	824.222	20.35	60	Pass	460
860	1000	0.1	RMS	876.912	-65.02	-13	Pass	1400
1000	3000	1	RMS	1648.324	-47.8	-13	Pass	2000
3000	10000	1	RMS	7269.61	-42.38	-13	Pass	7000




**14.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.76	-13	Pass	401
0.15	30	0.01	RMS	0.23	-72.37	-13	Pass	2985
30	814	0.1	RMS	813.5	-64.8	-13	Pass	7840
814	860	0.1	RMS	824.222	19.53	60	Pass	460
860	1000	0.1	RMS	913.538	-65.06	-13	Pass	1400
1000	3000	1	RMS	1648.324	-48.37	-13	Pass	2000
3000	10000	1	RMS	9982.998	-42.86	-13	Pass	7000




**14.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:26915, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.33	-13	Pass	401
0.15	30	0.01	RMS	0.29	-72.35	-13	Pass	2985
30	814	0.1	RMS	730.889	-65.29	-13	Pass	7840
814	860	0.1	RMS	835.246	20.56	60	Pass	460
860	1000	0.1	RMS	887.52	-64.99	-13	Pass	1400
1000	3000	1	RMS	1670.335	-47.89	-13	Pass	2000
3000	10000	1	RMS	10000	-42.86	-13	Pass	7000




**14.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:26915, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.41	-13	Pass	401
0.15	30	0.01	RMS	0.24	-72.39	-13	Pass	2985
30	814	0.1	RMS	813.4	-65.33	-13	Pass	7840
814	860	0.1	RMS	835.246	19.69	60	Pass	460
860	1000	0.1	RMS	875.411	-65.02	-13	Pass	1400
1000	3000	1	RMS	1670.335	-48.66	-13	Pass	2000
3000	10000	1	RMS	10000	-42.79	-13	Pass	7000




14.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.99	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.11	-13	Pass	2985
30	814	0.1	RMS	729.289	-65.38	-13	Pass	7840
814	860	0.1	RMS	846.27	20.17	60	Pass	460
860	1000	0.1	RMS	885.318	-65.04	-13	Pass	1400
1000	3000	1	RMS	1692.346	-48.23	-13	Pass	2000
3000	10000	1	RMS	9999	-42.88	-13	Pass	7000




**14.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.58	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.92	-13	Pass	2985
30	814	0.1	RMS	810.2	-65.38	-13	Pass	7840
814	860	0.1	RMS	846.27	19.42	60	Pass	460
860	1000	0.1	RMS	990.293	-65.1	-13	Pass	1400
1000	3000	1	RMS	1692.346	-48.88	-13	Pass	2000
3000	10000	1	RMS	9998	-42.86	-13	Pass	7000




**14.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.87	-13	Pass	2985
30	814	0.1	RMS	813.7	-64.39	-13	Pass	7840
814	860	0.1	RMS	824.322	20.24	60	Pass	460
860	1000	0.1	RMS	992.495	-65.09	-13	Pass	1400
1000	3000	1	RMS	1648.324	-47.25	-13	Pass	2000
3000	10000	1	RMS	7273.611	-42.56	-13	Pass	7000




**14.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.41	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.41	-13	Pass	2985
30	814	0.1	RMS	813.7	-64.59	-13	Pass	7840
814	860	0.1	RMS	824.322	19.65	60	Pass	460
860	1000	0.1	RMS	871.909	-65.05	-13	Pass	1400
1000	3000	1	RMS	1648.324	-48.04	-13	Pass	2000
3000	10000	1	RMS	10000	-42.67	-13	Pass	7000




**14.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:26915, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-74.4	-13	Pass	401
0.15	30	0.01	RMS	0.21	-71.82	-13	Pass	2985
30	814	0.1	RMS	730.289	-65.3	-13	Pass	7840
814	860	0.1	RMS	834.344	20.48	60	Pass	460
860	1000	0.1	RMS	984.289	-65.07	-13	Pass	1400
1000	3000	1	RMS	1668.334	-47.34	-13	Pass	2000
3000	10000	1	RMS	9971.996	-42.93	-13	Pass	7000




**14.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:26915, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.55	-13	Pass	401
0.15	30	0.01	RMS	0.22	-72.53	-13	Pass	2985
30	814	0.1	RMS	733.99	-65.39	-13	Pass	7840
814	860	0.1	RMS	834.344	19.71	60	Pass	460
860	1000	0.1	RMS	889.321	-65.03	-13	Pass	1400
1000	3000	1	RMS	1668.334	-47.99	-13	Pass	2000
3000	10000	1	RMS	9998	-42.81	-13	Pass	7000




**14.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.53	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.83	-13	Pass	2985
30	814	0.1	RMS	741.991	-65.36	-13	Pass	7840
814	860	0.1	RMS	844.366	20.09	60	Pass	460
860	1000	0.1	RMS	980.086	-65.01	-13	Pass	1400
1000	3000	1	RMS	1688.344	-47.52	-13	Pass	2000
3000	10000	1	RMS	10000	-42.73	-13	Pass	7000




**14.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-74.3	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.06	-13	Pass	2985
30	814	0.1	RMS	729.289	-65.39	-13	Pass	7840
814	860	0.1	RMS	844.366	19.51	60	Pass	460
860	1000	0.1	RMS	874.11	-64.93	-13	Pass	1400
1000	3000	1	RMS	1688.344	-48.04	-13	Pass	2000
3000	10000	1	RMS	10000	-42.91	-13	Pass	7000




14.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.77	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.61	-13	Pass	2985
30	814	0.1	RMS	813.9	-64.09	-13	Pass	7840
814	860	0.1	RMS	824.623	20.38	60	Pass	460
860	1000	0.1	RMS	974.982	-65.07	-13	Pass	1400
1000	3000	1	RMS	1648.324	-47.74	-13	Pass	2000
3000	10000	1	RMS	7278.611	-42.45	-13	Pass	7000




**14.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.92	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.38	-13	Pass	2985
30	814	0.1	RMS	813.9	-64.28	-13	Pass	7840
814	860	0.1	RMS	824.623	19.48	60	Pass	460
860	1000	0.1	RMS	999.8	-64.96	-13	Pass	1400
1000	3000	1	RMS	1648.324	-48.48	-13	Pass	2000
3000	10000	1	RMS	9998	-42.75	-13	Pass	7000




14.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:26915, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.69	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.22	-13	Pass	2985
30	814	0.1	RMS	813.8	-65.32	-13	Pass	7840
814	860	0.1	RMS	832.139	19.79	60	Pass	460
860	1000	0.1	RMS	875.711	-64.87	-13	Pass	1400
1000	3000	1	RMS	1663.332	-48.09	-13	Pass	2000
3000	10000	1	RMS	9999	-42.91	-13	Pass	7000




**14.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:26915, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.6	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.81	-13	Pass	2985
30	814	0.1	RMS	710.987	-65.31	-13	Pass	7840
814	860	0.1	RMS	832.139	18.92	60	Pass	460
860	1000	0.1	RMS	868.006	-64.96	-13	Pass	1400
1000	3000	1	RMS	1663.332	-48.8	-13	Pass	2000
3000	10000	1	RMS	9993.999	-42.98	-13	Pass	7000




14.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.87	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.51	-13	Pass	2985
30	814	0.1	RMS	731.489	-65.44	-13	Pass	7840
814	860	0.1	RMS	839.556	20.2	60	Pass	460
860	1000	0.1	RMS	885.118	-65.12	-13	Pass	1400
1000	3000	1	RMS	1678.339	-47.86	-13	Pass	2000
3000	10000	1	RMS	9994.999	-42.94	-13	Pass	7000




**14.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.27	-13	Pass	401
0.15	30	0.01	RMS	0.22	-72.88	-13	Pass	2985
30	814	0.1	RMS	729.689	-65.35	-13	Pass	7840
814	860	0.1	RMS	839.556	19.37	60	Pass	460
860	1000	0.1	RMS	985.69	-65.17	-13	Pass	1400
1000	3000	1	RMS	1678.339	-48.51	-13	Pass	2000
3000	10000	1	RMS	10000	-42.8	-13	Pass	7000




**14.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25,
Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.43	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.19	-13	Pass	2985
30	814	0.1	RMS	810.7	-63.85	-13	Pass	7840
814	860	0.1	RMS	824.824	20.21	60	Pass	460
860	1000	0.1	RMS	888.921	-65.03	-13	Pass	1400
1000	3000	1	RMS	1649.325	-47.39	-13	Pass	2000
3000	10000	1	RMS	7278.611	-42.3	-13	Pass	7000




**14.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.91	-13	Pass	401
0.15	30	0.01	RMS	0.21	-72.03	-13	Pass	2985
30	814	0.1	RMS	810.8	-62.67	-13	Pass	7840
814	860	0.1	RMS	824.824	19.47	60	Pass	460
860	1000	0.1	RMS	878.013	-65.22	-13	Pass	1400
1000	3000	1	RMS	1649.325	-48.21	-13	Pass	2000
3000	10000	1	RMS	9994.999	-42.86	-13	Pass	7000




**14.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,
Channel:26915, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.54	-13	Pass	401
0.15	30	0.01	RMS	0.21	-72.22	-13	Pass	2985
30	814	0.1	RMS	812	-64.93	-13	Pass	7840
814	860	0.1	RMS	829.834	20.42	60	Pass	460
860	1000	0.1	RMS	865.204	-65.17	-13	Pass	1400
1000	3000	1	RMS	1659.33	-47.56	-13	Pass	2000
3000	10000	1	RMS	9998	-42.86	-13	Pass	7000




**14.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,
Channel:26915, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.89	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.92	-13	Pass	2985
30	814	0.1	RMS	814	-65.19	-13	Pass	7840
814	860	0.1	RMS	829.834	19.38	60	Pass	460
860	1000	0.1	RMS	988.692	-64.98	-13	Pass	1400
1000	3000	1	RMS	1659.33	-48.38	-13	Pass	2000
3000	10000	1	RMS	9994.999	-42.93	-13	Pass	7000




**14.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29,
Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.26	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.52	-13	Pass	2985
30	814	0.1	RMS	812.3	-65.2	-13	Pass	7840
814	860	0.1	RMS	834.845	20.39	60	Pass	460
860	1000	0.1	RMS	882.716	-64.96	-13	Pass	1400
1000	3000	1	RMS	1669.335	-47.65	-13	Pass	2000
3000	10000	1	RMS	10000	-42.86	-13	Pass	7000



**14.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,
Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.37	-13	Pass	401
0.15	30	0.01	RMS	0.26	-72.49	-13	Pass	2985
30	814	0.1	RMS	813.7	-65.32	-13	Pass	7840
814	860	0.1	RMS	834.845	19.67	60	Pass	460
860	1000	0.1	RMS	886.719	-65.02	-13	Pass	1400
1000	3000	1	RMS	1669.335	-48.19	-13	Pass	2000
3000	10000	1	RMS	9999	-42.75	-13	Pass	7000



15. LTE_Band26(part90)


15.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.81	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.77	-13	Pass	2985
30	804	0.1	RMS	803.6	-64.1	-13	Pass	7740
804	835	0.1	RMS	814.23	20.63	60	Pass	401
835	1000	0.1	RMS	844.806	-63.14	-13	Pass	1650
1000	3000	1	RMS	2944.972	-49.09	-13	Pass	2000
3000	10000	1	RMS	10000	-42.47	-13	Pass	7000




**15.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.61	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.17	-13	Pass	2985
30	804	0.1	RMS	803.6	-63.97	-13	Pass	7740
804	835	0.1	RMS	814.23	19.7	60	Pass	401
835	1000	0.1	RMS	844.806	-63.53	-13	Pass	1650
1000	3000	1	RMS	2969.985	-49.04	-13	Pass	2000
3000	10000	1	RMS	9997	-42.57	-13	Pass	7000




15.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:26740, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.12	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.06	-13	Pass	2985
30	804	0.1	RMS	729.59	-64.07	-13	Pass	7740
804	835	0.1	RMS	818.57	20.62	60	Pass	401
835	1000	0.1	RMS	844.806	-63.4	-13	Pass	1650
1000	3000	1	RMS	2969.985	-49.03	-13	Pass	2000
3000	10000	1	RMS	10000	-42.43	-13	Pass	7000




**15.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:26740, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.07	-13	Pass	401
0.15	30	0.01	RMS	0.22	-72.48	-13	Pass	2985
30	804	0.1	RMS	714.488	-64.31	-13	Pass	7740
804	835	0.1	RMS	818.57	19.66	60	Pass	401
835	1000	0.1	RMS	844.806	-63.42	-13	Pass	1650
1000	3000	1	RMS	2969.985	-49.06	-13	Pass	2000
3000	10000	1	RMS	9998	-42.57	-13	Pass	7000




15.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74	-13	Pass	401
0.15	30	0.01	RMS	0.21	-72.53	-13	Pass	2985
30	804	0.1	RMS	726.49	-64.27	-13	Pass	7740
804	835	0.1	RMS	822.833	20.44	60	Pass	401
835	1000	0.1	RMS	844.806	-62.94	-13	Pass	1650
1000	3000	1	RMS	1645.323	-48.72	-13	Pass	2000
3000	10000	1	RMS	9959.994	-42.63	-13	Pass	7000




**15.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.32	-13	Pass	2985
30	804	0.1	RMS	478.758	-64.31	-13	Pass	7740
804	835	0.1	RMS	822.833	19.69	60	Pass	401
835	1000	0.1	RMS	844.806	-63.14	-13	Pass	1650
1000	3000	1	RMS	2968.984	-49.03	-13	Pass	2000
3000	10000	1	RMS	10000	-42.55	-13	Pass	7000




**15.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.18	-13	Pass	2985
30	804	0.1	RMS	803.5	-63.65	-13	Pass	7740
804	835	0.1	RMS	814.23	20.84	60	Pass	401
835	1000	0.1	RMS	844.806	-63.55	-13	Pass	1650
1000	3000	1	RMS	2969.985	-49.03	-13	Pass	2000
3000	10000	1	RMS	9998	-42.6	-13	Pass	7000




**15.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.27	-13	Pass	2985
30	804	0.1	RMS	803.5	-64.1	-13	Pass	7740
804	835	0.1	RMS	814.23	20	60	Pass	401
835	1000	0.1	RMS	844.806	-63.55	-13	Pass	1650
1000	3000	1	RMS	2969.985	-49.07	-13	Pass	2000
3000	10000	1	RMS	10000	-42.47	-13	Pass	7000




**15.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:26740, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.86	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.49	-13	Pass	2985
30	804	0.1	RMS	478.558	-64.42	-13	Pass	7740
804	835	0.1	RMS	817.718	20.62	60	Pass	401
835	1000	0.1	RMS	844.806	-63.85	-13	Pass	1650
1000	3000	1	RMS	2970.985	-49.05	-13	Pass	2000
3000	10000	1	RMS	10000	-42.64	-13	Pass	7000




**15.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:26740, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.68	-13	Pass	2985
30	804	0.1	RMS	775.296	-64.03	-13	Pass	7740
804	835	0.1	RMS	817.718	19.74	60	Pass	401
835	1000	0.1	RMS	996.898	-63.85	-13	Pass	1650
1000	3000	1	RMS	2969.985	-49.06	-13	Pass	2000
3000	10000	1	RMS	9993.999	-42.59	-13	Pass	7000




**15.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.45	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.84	-13	Pass	2985
30	804	0.1	RMS	727.29	-64.28	-13	Pass	7740
804	835	0.1	RMS	821.205	20.36	60	Pass	401
835	1000	0.1	RMS	844.806	-63.29	-13	Pass	1650
1000	3000	1	RMS	2941.971	-49.08	-13	Pass	2000
3000	10000	1	RMS	10000	-42.68	-13	Pass	7000




**15.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.23	-13	Pass	401
0.15	30	0.01	RMS	0.22	-71.93	-13	Pass	2985
30	804	0.1	RMS	743.492	-64.26	-13	Pass	7740
804	835	0.1	RMS	821.283	19.5	60	Pass	401
835	1000	0.1	RMS	844.806	-63.38	-13	Pass	1650
1000	3000	1	RMS	2966.983	-49.07	-13	Pass	2000
3000	10000	1	RMS	9998	-42.62	-13	Pass	7000




**15.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.08	-13	Pass	2985
30	804	0.1	RMS	803.6	-63.7	-13	Pass	7740
804	835	0.1	RMS	814.308	20.52	60	Pass	401
835	1000	0.1	RMS	844.806	-63.7	-13	Pass	1650
1000	3000	1	RMS	1628.314	-48.76	-13	Pass	2000
3000	10000	1	RMS	9999	-42.57	-13	Pass	7000




**15.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.33	-13	Pass	2985
30	804	0.1	RMS	803.6	-64.24	-13	Pass	7740
804	835	0.1	RMS	814.308	19.65	60	Pass	401
835	1000	0.1	RMS	844.806	-63.22	-13	Pass	1650
1000	3000	1	RMS	2969.985	-49.07	-13	Pass	2000
3000	10000	1	RMS	10000	-42.58	-13	Pass	7000




**15.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:26740, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.88	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.84	-13	Pass	2985
30	804	0.1	RMS	734.991	-64.23	-13	Pass	7740
804	835	0.1	RMS	816.865	20.55	60	Pass	401
835	1000	0.1	RMS	844.806	-63.31	-13	Pass	1650
1000	3000	1	RMS	1633.317	-48.88	-13	Pass	2000
3000	10000	1	RMS	10000	-42.59	-13	Pass	7000




**15.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:26740, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.57	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.42	-13	Pass	2985
30	804	0.1	RMS	729.29	-64.4	-13	Pass	7740
804	835	0.1	RMS	816.865	19.78	60	Pass	401
835	1000	0.1	RMS	844.806	-63.82	-13	Pass	1650
1000	3000	1	RMS	2970.985	-49.08	-13	Pass	2000
3000	10000	1	RMS	10000	-42.62	-13	Pass	7000




**15.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.62	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.23	-13	Pass	2985
30	804	0.1	RMS	733.991	-64.13	-13	Pass	7740
804	835	0.1	RMS	819.345	20.59	60	Pass	401
835	1000	0.1	RMS	844.806	-63.26	-13	Pass	1650
1000	3000	1	RMS	1638.319	-48.71	-13	Pass	2000
3000	10000	1	RMS	7699.671	-42.65	-13	Pass	7000




**15.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.18	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.15	-13	Pass	2985
30	804	0.1	RMS	736.391	-64.37	-13	Pass	7740
804	835	0.1	RMS	819.345	20.01	60	Pass	401
835	1000	0.1	RMS	844.806	-63.36	-13	Pass	1650
1000	3000	1	RMS	2968.984	-49.03	-13	Pass	2000
3000	10000	1	RMS	10000	-42.66	-13	Pass	7000




**15.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.05	-13	Pass	401
0.15	30	0.01	RMS	0.23	-72.34	-13	Pass	2985
30	804	0.1	RMS	803.9	-63.44	-13	Pass	7740
804	835	0.1	RMS	814.618	20.56	60	Pass	401
835	1000	0.1	RMS	992.395	-63.89	-13	Pass	1650
1000	3000	1	RMS	2967.984	-49.07	-13	Pass	2000
3000	10000	1	RMS	9999	-42.58	-13	Pass	7000



**15.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.3	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.44	-13	Pass	2985
30	804	0.1	RMS	803.9	-63.95	-13	Pass	7740
804	835	0.1	RMS	814.618	19.81	60	Pass	401
835	1000	0.1	RMS	879.327	-64.06	-13	Pass	1650
1000	3000	1	RMS	2938.969	-49.08	-13	Pass	2000
3000	10000	1	RMS	9995.999	-42.63	-13	Pass	7000



16. LTE_Band38


16.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-38.23	-25	Pass	401
0.15	30	0.01	RMS	2.061	-53.37	-25	Pass	2985
30	1000	0.1	RMS	858.212	-62.91	-25	Pass	9699
1000	2550	1	RMS	2550	-48.47	-25	Pass	1550
2550	2640	1	RMS	2570.25	20.24	60	Pass	401
2640	3000	1	RMS	2938.8	-47.33	-25	Pass	401
3000	12000	1	RMS	11889.864	-49.04	-25	Pass	9000
12000	26500	1	RMS	25894.904	-33.14	-25	Pass	14500




**16.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-38.42	-25	Pass	401
0.15	30	0.01	RMS	2.051	-53.1	-25	Pass	2985
30	1000	0.1	RMS	988.184	-62.86	-25	Pass	9699
1000	2550	1	RMS	2550	-48.63	-25	Pass	1550
2550	2640	1	RMS	2570.25	19.93	60	Pass	401
2640	3000	1	RMS	2948.7	-47.35	-25	Pass	401
3000	12000	1	RMS	11895.871	-48.98	-25	Pass	9000
12000	26500	1	RMS	25891.904	-33.18	-25	Pass	14500




**16.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:38000, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-38.23	-25	Pass	401
0.15	30	0.01	RMS	2.081	-53.17	-25	Pass	2985
30	1000	0.1	RMS	989.286	-63.12	-25	Pass	9699
1000	2550	1	RMS	2519.981	-48.67	-25	Pass	1550
2550	2640	1	RMS	2592.75	20.67	60	Pass	401
2640	3000	1	RMS	2942.4	-47.36	-25	Pass	401
3000	12000	1	RMS	11886.86	-49.01	-25	Pass	9000
12000	26500	1	RMS	25900.905	-33.15	-25	Pass	14500




**16.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:38000, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-38.25	-25	Pass	401
0.15	30	0.01	RMS	2.031	-53.23	-25	Pass	2985
30	1000	0.1	RMS	868.425	-63.05	-25	Pass	9699
1000	2550	1	RMS	2518.98	-48.72	-25	Pass	1550
2550	2640	1	RMS	2592.525	19.48	60	Pass	401
2640	3000	1	RMS	2969.4	-47.33	-25	Pass	401
3000	12000	1	RMS	11997.998	-48.96	-25	Pass	9000
12000	26500	1	RMS	25888.903	-33.12	-25	Pass	14500




**16.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-38.61	-25	Pass	401
0.15	30	0.01	RMS	2.051	-51.89	-25	Pass	2985
30	1000	0.1	RMS	877.838	-63.01	-25	Pass	9699
1000	2550	1	RMS	2525.985	-48.69	-25	Pass	1550
2550	2640	1	RMS	2615.25	20.92	60	Pass	401
2640	3000	1	RMS	2942.4	-47.35	-25	Pass	401
3000	12000	1	RMS	11877.849	-48.92	-25	Pass	9000
12000	26500	1	RMS	25887.903	-33.15	-25	Pass	14500




**16.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-38.57	-25	Pass	401
0.15	30	0.01	RMS	2.021	-52.43	-25	Pass	2985
30	1000	0.1	RMS	877.237	-62.91	-25	Pass	9699
1000	2550	1	RMS	2530.988	-48.76	-25	Pass	1550
2550	2640	1	RMS	2615.025	19.17	60	Pass	401
2640	3000	1	RMS	2964	-47.37	-25	Pass	401
3000	12000	1	RMS	11881.854	-48.94	-25	Pass	9000
12000	26500	1	RMS	25901.905	-33.21	-25	Pass	14500




16.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-37.82	-25	Pass	401
0.15	30	0.01	RMS	2.041	-52.93	-25	Pass	2985
30	1000	0.1	RMS	989.686	-62.93	-25	Pass	9699
1000	2550	1	RMS	2550	-48.5	-25	Pass	1550
2550	2640	1	RMS	2570.475	20.58	60	Pass	401
2640	3000	1	RMS	2969.4	-47.38	-25	Pass	401
3000	12000	1	RMS	11883.856	-48.97	-25	Pass	9000
12000	26500	1	RMS	25900.905	-33.2	-25	Pass	14500




**16.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-37.66	-25	Pass	401
0.15	30	0.01	RMS	2.041	-51.72	-25	Pass	2985
30	1000	0.1	RMS	992.79	-62.96	-25	Pass	9699
1000	2550	1	RMS	2550	-48.41	-25	Pass	1550
2550	2640	1	RMS	2570.475	18.86	60	Pass	401
2640	3000	1	RMS	2969.4	-47.3	-25	Pass	401
3000	12000	1	RMS	11941.928	-48.99	-25	Pass	9000
12000	26500	1	RMS	25879.902	-33.14	-25	Pass	14500




16.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-38.41	-25	Pass	401
0.15	30	0.01	RMS	2.031	-52.43	-25	Pass	2985
30	1000	0.1	RMS	857.711	-63.1	-25	Pass	9699
1000	2550	1	RMS	2514.977	-48.63	-25	Pass	1550
2550	2640	1	RMS	2590.275	20.2	60	Pass	401
2640	3000	1	RMS	2965.8	-47.33	-25	Pass	401
3000	12000	1	RMS	11995.995	-48.9	-25	Pass	9000
12000	26500	1	RMS	25900.905	-33.08	-25	Pass	14500




**16.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:38000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-38.98	-25	Pass	401
0.15	30	0.01	RMS	2.041	-53.11	-25	Pass	2985
30	1000	0.1	RMS	852.104	-63.12	-25	Pass	9699
1000	2550	1	RMS	2527.986	-48.76	-25	Pass	1550
2550	2640	1	RMS	2590.5	19.55	60	Pass	401
2640	3000	1	RMS	2969.4	-47.34	-25	Pass	401
3000	12000	1	RMS	11887.861	-49	-25	Pass	9000
12000	26500	1	RMS	25899.905	-33.14	-25	Pass	14500




16.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-38.86	-25	Pass	401
0.15	30	0.01	RMS	2.071	-52.44	-25	Pass	2985
30	1000	0.1	RMS	978.271	-63.08	-25	Pass	9699
1000	2550	1	RMS	2512.976	-48.73	-25	Pass	1550
2550	2640	1	RMS	2610.3	19.99	60	Pass	401
2640	3000	1	RMS	2973	-47.34	-25	Pass	401
3000	12000	1	RMS	11930.914	-49.02	-25	Pass	9000
12000	26500	1	RMS	25905.906	-33.16	-25	Pass	14500




**16.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-37.62	-25	Pass	401
0.15	30	0.01	RMS	2.081	-52.99	-25	Pass	2985
30	1000	0.1	RMS	982.276	-62.92	-25	Pass	9699
1000	2550	1	RMS	2525.985	-48.75	-25	Pass	1550
2550	2640	1	RMS	2610.3	19.58	60	Pass	401
2640	3000	1	RMS	2967.6	-47.36	-25	Pass	401
3000	12000	1	RMS	11996.996	-49.03	-25	Pass	9000
12000	26500	1	RMS	25878.902	-33.1	-25	Pass	14500




**16.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-38.38	-25	Pass	401
0.15	30	0.01	RMS	2.061	-51.57	-25	Pass	2985
30	1000	0.1	RMS	889.854	-62.96	-25	Pass	9699
1000	2550	1	RMS	2548.999	-48.5	-25	Pass	1550
2550	2640	1	RMS	2570.7	19.93	60	Pass	401
2640	3000	1	RMS	2938.8	-47.37	-25	Pass	401
3000	12000	1	RMS	11933.918	-49.01	-25	Pass	9000
12000	26500	1	RMS	25871.9	-33.2	-25	Pass	14500




**16.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-37.99	-25	Pass	401
0.15	30	0.01	RMS	2.061	-53.05	-25	Pass	2985
30	1000	0.1	RMS	851.803	-62.98	-25	Pass	9699
1000	2550	1	RMS	2550	-48.36	-25	Pass	1550
2550	2640	1	RMS	2570.7	19.71	60	Pass	401
2640	3000	1	RMS	2965.8	-47.34	-25	Pass	401
3000	12000	1	RMS	11938.924	-49.02	-25	Pass	9000
12000	26500	1	RMS	25896.904	-33.11	-25	Pass	14500




**16.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:38000, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-38.99	-25	Pass	401
0.15	30	0.01	RMS	2.071	-50.75	-25	Pass	2985
30	1000	0.1	RMS	902.471	-63.02	-25	Pass	9699
1000	2550	1	RMS	2519.981	-48.65	-25	Pass	1550
2550	2640	1	RMS	2588.25	20.43	60	Pass	401
2640	3000	1	RMS	2954.1	-47.37	-25	Pass	401
3000	12000	1	RMS	11897.874	-48.95	-25	Pass	9000
12000	26500	1	RMS	25902.905	-33.23	-25	Pass	14500




**16.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:38000, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-38.98	-25	Pass	401
0.15	30	0.01	RMS	2.031	-51.55	-25	Pass	2985
30	1000	0.1	RMS	973.365	-62.98	-25	Pass	9699
1000	2550	1	RMS	2504.971	-48.74	-25	Pass	1550
2550	2640	1	RMS	2588.025	19.05	60	Pass	401
2640	3000	1	RMS	2968.5	-47.34	-25	Pass	401
3000	12000	1	RMS	11884.857	-48.97	-25	Pass	9000
12000	26500	1	RMS	25910.907	-33.19	-25	Pass	14500




**16.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-38.24	-25	Pass	401
0.15	30	0.01	RMS	2.061	-51.14	-25	Pass	2985
30	1000	0.1	RMS	893.459	-63.08	-25	Pass	9699
1000	2550	1	RMS	2529.987	-48.64	-25	Pass	1550
2550	2640	1	RMS	2605.575	20.59	60	Pass	401
2640	3000	1	RMS	2968.5	-47.32	-25	Pass	401
3000	12000	1	RMS	11944.932	-48.99	-25	Pass	9000
12000	26500	1	RMS	25894.904	-33.18	-25	Pass	14500




**16.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-38.84	-25	Pass	401
0.15	30	0.01	RMS	2.041	-51.19	-25	Pass	2985
30	1000	0.1	RMS	914.386	-63.1	-25	Pass	9699
1000	2550	1	RMS	2527.986	-48.7	-25	Pass	1550
2550	2640	1	RMS	2605.575	19.53	60	Pass	401
2640	3000	1	RMS	2970.3	-47.34	-25	Pass	401
3000	12000	1	RMS	11947.936	-48.91	-25	Pass	9000
12000	26500	1	RMS	25892.904	-33.18	-25	Pass	14500




16.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-38.72	-25	Pass	401
0.15	30	0.01	RMS	2.031	-51.31	-25	Pass	2985
30	1000	0.1	RMS	998.999	-62.94	-25	Pass	9699
1000	2550	1	RMS	2547.999	-48.41	-25	Pass	1550
2550	2640	1	RMS	2570.925	20.28	60	Pass	401
2640	3000	1	RMS	2969.4	-47.32	-25	Pass	401
3000	12000	1	RMS	11877.849	-48.98	-25	Pass	9000
12000	26500	1	RMS	25894.904	-33.22	-25	Pass	14500




**16.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-38.8	-25	Pass	401
0.15	30	0.01	RMS	2.061	-51.07	-25	Pass	2985
30	1000	0.1	RMS	985.781	-62.82	-25	Pass	9699
1000	2550	1	RMS	2548.999	-48.52	-25	Pass	1550
2550	2640	1	RMS	2571.15	18.99	60	Pass	401
2640	3000	1	RMS	2940.6	-47.34	-25	Pass	401
3000	12000	1	RMS	11890.865	-48.97	-25	Pass	9000
12000	26500	1	RMS	25883.902	-33.13	-25	Pass	14500




16.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-39.04	-25	Pass	401
0.15	30	0.01	RMS	2.061	-51.57	-25	Pass	2985
30	1000	0.1	RMS	888.152	-63.01	-25	Pass	9699
1000	2550	1	RMS	2518.98	-48.71	-25	Pass	1550
2550	2640	1	RMS	2586	20.44	60	Pass	401
2640	3000	1	RMS	2939.7	-47.32	-25	Pass	401
3000	12000	1	RMS	11996.996	-49	-25	Pass	9000
12000	26500	1	RMS	25878.902	-33.15	-25	Pass	14500




**16.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-38.06	-25	Pass	401
0.15	30	0.01	RMS	2.051	-49.63	-25	Pass	2985
30	1000	0.1	RMS	870.929	-62.93	-25	Pass	9699
1000	2550	1	RMS	2515.978	-48.71	-25	Pass	1550
2550	2640	1	RMS	2585.775	19.11	60	Pass	401
2640	3000	1	RMS	2937	-47.34	-25	Pass	401
3000	12000	1	RMS	11880.853	-49.01	-25	Pass	9000
12000	26500	1	RMS	25899.905	-33.22	-25	Pass	14500




16.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-38.46	-25	Pass	401
0.15	30	0.01	RMS	2.071	-52.36	-25	Pass	2985
30	1000	0.1	RMS	864.721	-63.08	-25	Pass	9699
1000	2550	1	RMS	2513.977	-48.66	-25	Pass	1550
2550	2640	1	RMS	2601.075	20.64	60	Pass	401
2640	3000	1	RMS	2936.1	-47.3	-25	Pass	401
3000	12000	1	RMS	11995.995	-48.96	-25	Pass	9000
12000	26500	1	RMS	25892.904	-33.21	-25	Pass	14500



**16.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-38.28	-25	Pass	401
0.15	30	0.01	RMS	2.051	-51.44	-25	Pass	2985
30	1000	0.1	RMS	982.577	-63.02	-25	Pass	9699
1000	2550	1	RMS	2513.977	-48.74	-25	Pass	1550
2550	2640	1	RMS	2601.075	19.44	60	Pass	401
2640	3000	1	RMS	2941.5	-47.31	-25	Pass	401
3000	12000	1	RMS	11992.991	-48.98	-25	Pass	9000
12000	26500	1	RMS	25887.903	-33.12	-25	Pass	14500



17. LTE_Band41 full


17.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49	-25	Pass	601
0.15	30	0.01	RMS	0.15	-50.11	-25	Pass	2985
30	1000	0.1	RMS	945.094	-60.19	-25	Pass	9700
1000	2476	1	RMS	2476	-47.65	-25	Pass	1476
2476	2710	1	RMS	2496.28	21.39	60	Pass	601
2710	3000	1	RMS	2710.967	-47.28	-25	Pass	601
3000	12000	1	RMS	11976.997	-48.93	-25	Pass	9000
12000	27000	1	RMS	25685.912	-33.72	-25	Pass	15000




**17.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.69	-25	Pass	601
0.15	30	0.01	RMS	0.15	-49.24	-25	Pass	2985
30	1000	0.1	RMS	978.498	-60.24	-25	Pass	9700
1000	2476	1	RMS	2476	-47.65	-25	Pass	1476
2476	2710	1	RMS	2496.28	20.71	60	Pass	601
2710	3000	1	RMS	2711.45	-47.3	-25	Pass	601
3000	12000	1	RMS	11966.996	-48.91	-25	Pass	9000
12000	27000	1	RMS	25640.909	-33.81	-25	Pass	15000




**17.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:40620, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-48.75	-25	Pass	601
0.15	30	0.01	RMS	0.15	-50.3	-25	Pass	2985
30	1000	0.1	RMS	932.893	-60.21	-25	Pass	9700
1000	2476	1	RMS	2468.995	-47.72	-25	Pass	1476
2476	2710	1	RMS	2590.66	20.95	60	Pass	601
2710	3000	1	RMS	2712.417	-47.29	-25	Pass	601
3000	12000	1	RMS	11988.999	-48.97	-25	Pass	9000
12000	27000	1	RMS	25681.912	-33.82	-25	Pass	15000




**17.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:40620, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.09	-25	Pass	601
0.15	30	0.01	RMS	0.15	-49.97	-25	Pass	2985
30	1000	0.1	RMS	939.294	-60.32	-25	Pass	9700
1000	2476	1	RMS	2474.999	-47.56	-25	Pass	1476
2476	2710	1	RMS	2590.66	19.87	60	Pass	601
2710	3000	1	RMS	2710	-47.27	-25	Pass	601
3000	12000	1	RMS	11976.997	-48.93	-25	Pass	9000
12000	27000	1	RMS	25670.911	-33.8	-25	Pass	15000




**17.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.22	-25	Pass	601
0.15	30	0.01	RMS	0.15	-50.98	-25	Pass	2985
30	1000	0.1	RMS	930.193	-60.17	-25	Pass	9700
1000	2476	1	RMS	2476	-47.53	-25	Pass	1476
2476	2710	1	RMS	2685.43	20.82	60	Pass	601
2710	3000	1	RMS	2711.45	-47.22	-25	Pass	601
3000	12000	1	RMS	11956.995	-48.91	-25	Pass	9000
12000	27000	1	RMS	25678.912	-33.77	-25	Pass	15000




**17.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.19	-25	Pass	601
0.15	30	0.01	RMS	0.16	-50.04	-25	Pass	2985
30	1000	0.1	RMS	929.793	-60.22	-25	Pass	9700
1000	2476	1	RMS	2473.999	-47.72	-25	Pass	1476
2476	2710	1	RMS	2685.04	19.72	60	Pass	601
2710	3000	1	RMS	2710.967	-47.25	-25	Pass	601
3000	12000	1	RMS	11997	-48.86	-25	Pass	9000
12000	27000	1	RMS	25649.91	-33.79	-25	Pass	15000




**17.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.9	-25	Pass	601
0.15	30	0.01	RMS	0.15	-49.65	-25	Pass	2985
30	1000	0.1	RMS	940.194	-60.27	-25	Pass	9700
1000	2476	1	RMS	2476	-47.58	-25	Pass	1476
2476	2710	1	RMS	2496.67	21.3	60	Pass	601
2710	3000	1	RMS	2712.417	-47.3	-25	Pass	601
3000	12000	1	RMS	11980.998	-48.97	-25	Pass	9000
12000	27000	1	RMS	25651.91	-33.78	-25	Pass	15000




**17.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.3	-25	Pass	601
0.15	30	0.01	RMS	0.15	-49.44	-25	Pass	2985
30	1000	0.1	RMS	935.093	-60.25	-25	Pass	9700
1000	2476	1	RMS	2476	-47.58	-25	Pass	1476
2476	2710	1	RMS	2496.67	19.07	60	Pass	601
2710	3000	1	RMS	2713.383	-47.3	-25	Pass	601
3000	12000	1	RMS	11991.999	-48.96	-25	Pass	9000
12000	27000	1	RMS	25688.913	-33.71	-25	Pass	15000




17.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:40620, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.65	-25	Pass	601
0.15	30	0.01	RMS	0.15	-49.56	-25	Pass	2985
30	1000	0.1	RMS	914.591	-60.2	-25	Pass	9700
1000	2476	1	RMS	2468.995	-47.69	-25	Pass	1476
2476	2710	1	RMS	2588.71	21.11	60	Pass	601
2710	3000	1	RMS	2710.483	-47.3	-25	Pass	601
3000	12000	1	RMS	11990.999	-48.9	-25	Pass	9000
12000	27000	1	RMS	25678.912	-33.72	-25	Pass	15000




**17.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:40620, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.58	-25	Pass	601
0.15	30	0.01	RMS	0.15	-49.05	-25	Pass	2985
30	1000	0.1	RMS	945.294	-60.19	-25	Pass	9700
1000	2476	1	RMS	2473.999	-47.62	-25	Pass	1476
2476	2710	1	RMS	2588.32	19.1	60	Pass	601
2710	3000	1	RMS	2713.867	-47.29	-25	Pass	601
3000	12000	1	RMS	11970.997	-48.89	-25	Pass	9000
12000	27000	1	RMS	25651.91	-33.76	-25	Pass	15000




17.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.05	-25	Pass	601
0.15	30	0.01	RMS	0.15	-50.02	-25	Pass	2985
30	1000	0.1	RMS	935.093	-60.33	-25	Pass	9700
1000	2476	1	RMS	2474.999	-47.58	-25	Pass	1476
2476	2710	1	RMS	2680.36	20.01	60	Pass	601
2710	3000	1	RMS	2710	-47.18	-25	Pass	601
3000	12000	1	RMS	11979.998	-48.91	-25	Pass	9000
12000	27000	1	RMS	25686.912	-33.7	-25	Pass	15000




**17.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-48.58	-25	Pass	601
0.15	30	0.01	RMS	0.15	-49.95	-25	Pass	2985
30	1000	0.1	RMS	930.193	-60.27	-25	Pass	9700
1000	2476	1	RMS	2474.999	-47.66	-25	Pass	1476
2476	2710	1	RMS	2680.75	19.9	60	Pass	601
2710	3000	1	RMS	2710	-47.18	-25	Pass	601
3000	12000	1	RMS	11999	-48.94	-25	Pass	9000
12000	27000	1	RMS	25645.91	-33.79	-25	Pass	15000




**17.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.9	-25	Pass	601
0.15	30	0.01	RMS	0.15	-50.39	-25	Pass	2985
30	1000	0.1	RMS	979.698	-60.21	-25	Pass	9700
1000	2476	1	RMS	2476	-47.58	-25	Pass	1476
2476	2710	1	RMS	2496.67	21.02	60	Pass	601
2710	3000	1	RMS	2710.483	-47.31	-25	Pass	601
3000	12000	1	RMS	11982.998	-48.91	-25	Pass	9000
12000	27000	1	RMS	25684.912	-33.77	-25	Pass	15000




**17.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:39725, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.61	-25	Pass	601
0.15	30	0.01	RMS	0.15	-49.89	-25	Pass	2985
30	1000	0.1	RMS	900.79	-60.25	-25	Pass	9700
1000	2476	1	RMS	2476	-47.52	-25	Pass	1476
2476	2710	1	RMS	2497.06	20.31	60	Pass	601
2710	3000	1	RMS	2710.483	-47.3	-25	Pass	601
3000	12000	1	RMS	11968.997	-48.88	-25	Pass	9000
12000	27000	1	RMS	25643.91	-33.74	-25	Pass	15000




**17.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:40620, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-48.42	-25	Pass	601
0.15	30	0.01	RMS	0.15	-50.73	-25	Pass	2985
30	1000	0.1	RMS	935.593	-60	-25	Pass	9700
1000	2476	1	RMS	2469.996	-47.5	-25	Pass	1476
2476	2710	1	RMS	2586.37	20.48	60	Pass	601
2710	3000	1	RMS	2711.933	-47.08	-25	Pass	601
3000	12000	1	RMS	11975.997	-48.75	-25	Pass	9000
12000	27000	1	RMS	25675.912	-33.64	-25	Pass	15000




**17.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:40620, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-48.08	-25	Pass	601
0.15	30	0.01	RMS	0.15	-48.52	-25	Pass	2985
30	1000	0.1	RMS	932.793	-59.89	-25	Pass	9700
1000	2476	1	RMS	2476	-47.46	-25	Pass	1476
2476	2710	1	RMS	2586.37	19.41	60	Pass	601
2710	3000	1	RMS	2710.967	-47.09	-25	Pass	601
3000	12000	1	RMS	11998	-48.76	-25	Pass	9000
12000	27000	1	RMS	25690.913	-33.66	-25	Pass	15000




**17.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-48.46	-25	Pass	601
0.15	30	0.01	RMS	0.15	-50.22	-25	Pass	2985
30	1000	0.1	RMS	912.791	-60	-25	Pass	9700
1000	2476	1	RMS	2474.999	-47.43	-25	Pass	1476
2476	2710	1	RMS	2675.68	21.27	60	Pass	601
2710	3000	1	RMS	2711.45	-47.06	-25	Pass	601
3000	12000	1	RMS	11979.998	-48.81	-25	Pass	9000
12000	27000	1	RMS	25683.912	-33.72	-25	Pass	15000




**17.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.31	-25	Pass	601
0.15	30	0.01	RMS	0.16	-50.28	-25	Pass	2985
30	1000	0.1	RMS	881.088	-59.92	-25	Pass	9700
1000	2476	1	RMS	2471.997	-47.5	-25	Pass	1476
2476	2710	1	RMS	2675.68	20.56	60	Pass	601
2710	3000	1	RMS	2710.967	-47.01	-25	Pass	601
3000	12000	1	RMS	11978.998	-48.83	-25	Pass	9000
12000	27000	1	RMS	25694.913	-33.69	-25	Pass	15000




17.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.92	-25	Pass	601
0.15	30	0.01	RMS	0.15	-49.62	-25	Pass	2985
30	1000	0.1	RMS	935.693	-60	-25	Pass	9700
1000	2476	1	RMS	2474.999	-47.37	-25	Pass	1476
2476	2710	1	RMS	2497.45	20.3	60	Pass	601
2710	3000	1	RMS	2710.483	-47.03	-25	Pass	601
3000	12000	1	RMS	11958.995	-48.78	-25	Pass	9000
12000	27000	1	RMS	25658.911	-33.64	-25	Pass	15000




**17.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.27	-25	Pass	601
0.15	30	0.01	RMS	0.15	-49.36	-25	Pass	2985
30	1000	0.1	RMS	923.892	-60.04	-25	Pass	9700
1000	2476	1	RMS	2473.999	-47.41	-25	Pass	1476
2476	2710	1	RMS	2497.06	20.42	60	Pass	601
2710	3000	1	RMS	2710	-47.04	-25	Pass	601
3000	12000	1	RMS	11959.996	-48.81	-25	Pass	9000
12000	27000	1	RMS	25658.911	-33.66	-25	Pass	15000




17.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:40620, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.62	-25	Pass	601
0.15	30	0.01	RMS	0.15	-49.88	-25	Pass	2985
30	1000	0.1	RMS	917.091	-59.94	-25	Pass	9700
1000	2476	1	RMS	2476	-47.45	-25	Pass	1476
2476	2710	1	RMS	2584.03	21.54	60	Pass	601
2710	3000	1	RMS	2710.483	-47.09	-25	Pass	601
3000	12000	1	RMS	11990.999	-48.76	-25	Pass	9000
12000	27000	1	RMS	25667.911	-33.64	-25	Pass	15000




**17.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:40620, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.99	-25	Pass	601
0.15	30	0.01	RMS	0.15	-50.95	-25	Pass	2985
30	1000	0.1	RMS	938.594	-59.97	-25	Pass	9700
1000	2476	1	RMS	2473.999	-47.46	-25	Pass	1476
2476	2710	1	RMS	2584.03	19.46	60	Pass	601
2710	3000	1	RMS	2710	-47.04	-25	Pass	601
3000	12000	1	RMS	11960.996	-48.82	-25	Pass	9000
12000	27000	1	RMS	25691.913	-33.63	-25	Pass	15000




17.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.62	-25	Pass	601
0.15	30	0.01	RMS	0.15	-49.92	-25	Pass	2985
30	1000	0.1	RMS	935.593	-59.94	-25	Pass	9700
1000	2476	1	RMS	2476	-47.44	-25	Pass	1476
2476	2710	1	RMS	2671.39	20.36	60	Pass	601
2710	3000	1	RMS	2710	-47.02	-25	Pass	601
3000	12000	1	RMS	11965.996	-48.79	-25	Pass	9000
12000	27000	1	RMS	25685.912	-33.65	-25	Pass	15000



**17.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.41	-25	Pass	601
0.15	30	0.01	RMS	0.15	-49.2	-25	Pass	2985
30	1000	0.1	RMS	943.294	-59.94	-25	Pass	9700
1000	2476	1	RMS	2473.999	-47.46	-25	Pass	1476
2476	2710	1	RMS	2671.39	19.13	60	Pass	601
2710	3000	1	RMS	2712.417	-47.06	-25	Pass	601
3000	12000	1	RMS	11986.999	-48.75	-25	Pass	9000
12000	27000	1	RMS	25692.913	-33.67	-25	Pass	15000



18. LTE_Band66


18.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-40.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.35	-13	Pass	2985
30	1000	0.1	RMS	975.968	-64.97	-13	Pass	9699
1000	1700	1	RMS	1698.999	-50.54	-13	Pass	700
1700	1790	1	RMS	1710.125	22.04	60	Pass	401
1790	3000	1	RMS	2938.95	-49.3	-13	Pass	1210
3000	12000	1	RMS	11933.918	-41.21	-13	Pass	9000
12000	20000	1	RMS	19801.975	-32.05	-13	Pass	8000




18.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-40.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.23	-13	Pass	2985
30	1000	0.1	RMS	899.266	-65.01	-13	Pass	9699
1000	1700	1	RMS	1698.999	-50.8	-13	Pass	700
1700	1790	1	RMS	1710.125	21.14	60	Pass	401
1790	3000	1	RMS	2938.95	-49.27	-13	Pass	1210
3000	12000	1	RMS	11954.944	-41.16	-13	Pass	9000
12000	20000	1	RMS	19808.976	-32.16	-13	Pass	8000




18.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-40.36	-13	Pass	401
0.15	30	0.01	RMS	0.16	-49.95	-13	Pass	2985
30	1000	0.1	RMS	873.332	-65.07	-13	Pass	9699
1000	1700	1	RMS	1693.991	-52.67	-13	Pass	700
1700	1790	1	RMS	1744.325	22.03	60	Pass	401
1790	3000	1	RMS	2934.946	-49.32	-13	Pass	1210
3000	12000	1	RMS	11988.986	-41.09	-13	Pass	9000
12000	20000	1	RMS	19798.975	-32.06	-13	Pass	8000




18.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:132322, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-40.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.83	-13	Pass	2985
30	1000	0.1	RMS	998.298	-65.11	-13	Pass	9699
1000	1700	1	RMS	1700	-52.74	-13	Pass	700
1700	1790	1	RMS	1744.55	21.17	60	Pass	401
1790	3000	1	RMS	2967.974	-49.34	-13	Pass	1210
3000	12000	1	RMS	11948.937	-41.12	-13	Pass	9000
12000	20000	1	RMS	19796.975	-32.05	-13	Pass	8000




18.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-39.54	-13	Pass	401
0.15	30	0.01	RMS	0.16	-50.63	-13	Pass	2985
30	1000	0.1	RMS	996.395	-65.11	-13	Pass	9699
1000	1700	1	RMS	1694.993	-52.76	-13	Pass	700
1700	1790	1	RMS	1778.75	22.15	60	Pass	401
1790	3000	1	RMS	2847.874	-49.32	-13	Pass	1210
3000	12000	1	RMS	11925.908	-41.19	-13	Pass	9000
12000	20000	1	RMS	19801.975	-32.12	-13	Pass	8000




18.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-40.71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.97	-13	Pass	2985
30	1000	0.1	RMS	877.337	-65.02	-13	Pass	9699
1000	1700	1	RMS	1700	-52.74	-13	Pass	700
1700	1790	1	RMS	1778.75	21.34	60	Pass	401
1790	3000	1	RMS	2972.978	-49.35	-13	Pass	1210
3000	12000	1	RMS	11899.876	-41.18	-13	Pass	9000
12000	20000	1	RMS	19798.975	-32.16	-13	Pass	8000




18.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-39.92	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.59	-13	Pass	2985
30	1000	0.1	RMS	849.2	-64.95	-13	Pass	9699
1000	1700	1	RMS	1697.997	-50.31	-13	Pass	700
1700	1790	1	RMS	1710.125	22.16	60	Pass	401
1790	3000	1	RMS	2935.947	-49.34	-13	Pass	1210
3000	12000	1	RMS	11959.95	-41.18	-13	Pass	9000
12000	20000	1	RMS	19801.975	-32.13	-13	Pass	8000




**18.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-40.8	-13	Pass	401
0.15	30	0.01	RMS	0.16	-50.86	-13	Pass	2985
30	1000	0.1	RMS	994.993	-64.97	-13	Pass	9699
1000	1700	1	RMS	1698.999	-50.6	-13	Pass	700
1700	1790	1	RMS	1710.125	21.43	60	Pass	401
1790	3000	1	RMS	2969.975	-49.3	-13	Pass	1210
3000	12000	1	RMS	11934.919	-41.15	-13	Pass	9000
12000	20000	1	RMS	19801.975	-32.14	-13	Pass	8000




18.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-40.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.55	-13	Pass	2985
30	1000	0.1	RMS	993.391	-65.02	-13	Pass	9699
1000	1700	1	RMS	1693.991	-52.62	-13	Pass	700
1700	1790	1	RMS	1743.65	22.24	60	Pass	401
1790	3000	1	RMS	2970.976	-49.3	-13	Pass	1210
3000	12000	1	RMS	11948.937	-41.23	-13	Pass	9000
12000	20000	1	RMS	19793.974	-32.07	-13	Pass	8000




**18.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:132322, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-40.26	-13	Pass	401
0.15	30	0.01	RMS	0.16	-50.97	-13	Pass	2985
30	1000	0.1	RMS	890.054	-64.83	-13	Pass	9699
1000	1700	1	RMS	1693.991	-52.66	-13	Pass	700
1700	1790	1	RMS	1743.65	21.26	60	Pass	401
1790	3000	1	RMS	2938.95	-49.3	-13	Pass	1210
3000	12000	1	RMS	11898.875	-41.15	-13	Pass	9000
12000	20000	1	RMS	19808.976	-32.17	-13	Pass	8000




18.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-40.28	-13	Pass	401
0.15	30	0.01	RMS	0.16	-50.64	-13	Pass	2985
30	1000	0.1	RMS	907.577	-65.07	-13	Pass	9699
1000	1700	1	RMS	1700	-52.71	-13	Pass	700
1700	1790	1	RMS	1777.175	22.27	60	Pass	401
1790	3000	1	RMS	2944.955	-49.34	-13	Pass	1210
3000	12000	1	RMS	11911.891	-41.23	-13	Pass	9000
12000	20000	1	RMS	19799.975	-32.15	-13	Pass	8000




**18.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-39.64	-13	Pass	401
0.15	30	0.01	RMS	0.16	-50.14	-13	Pass	2985
30	1000	0.1	RMS	859.013	-65.08	-13	Pass	9699
1000	1700	1	RMS	1694.993	-52.75	-13	Pass	700
1700	1790	1	RMS	1777.175	21.39	60	Pass	401
1790	3000	1	RMS	2970.976	-49.31	-13	Pass	1210
3000	12000	1	RMS	11900.877	-41.16	-13	Pass	9000
12000	20000	1	RMS	19800.975	-32.07	-13	Pass	8000




18.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-40.81	-13	Pass	401
0.15	30	0.01	RMS	0.16	-50.93	-13	Pass	2985
30	1000	0.1	RMS	898.265	-65.02	-13	Pass	9699
1000	1700	1	RMS	1698.999	-50.25	-13	Pass	700
1700	1790	1	RMS	1710.125	22.01	60	Pass	401
1790	3000	1	RMS	2969.975	-49.24	-13	Pass	1210
3000	12000	1	RMS	11960.952	-41.16	-13	Pass	9000
12000	20000	1	RMS	19797.975	-32.18	-13	Pass	8000




**18.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-40.51	-13	Pass	401
0.15	30	0.01	RMS	0.16	-50.4	-13	Pass	2985
30	1000	0.1	RMS	879.44	-64.95	-13	Pass	9699
1000	1700	1	RMS	1698.999	-50.4	-13	Pass	700
1700	1790	1	RMS	1710.125	21.14	60	Pass	401
1790	3000	1	RMS	2969.975	-49.23	-13	Pass	1210
3000	12000	1	RMS	11897.874	-41.13	-13	Pass	9000
12000	20000	1	RMS	19794.974	-32.11	-13	Pass	8000




18.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:132322, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-40.73	-13	Pass	401
0.15	30	0.01	RMS	0.16	-50.84	-13	Pass	2985
30	1000	0.1	RMS	839.999	-65.18	-13	Pass	9699
1000	1700	1	RMS	1697.997	-52.62	-13	Pass	700
1700	1790	1	RMS	1742.75	22.19	60	Pass	401
1790	3000	1	RMS	2969.975	-49.28	-13	Pass	1210
3000	12000	1	RMS	11920.902	-41.14	-13	Pass	9000
12000	20000	1	RMS	19802.975	-32.1	-13	Pass	8000




**18.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:132322, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-40.29	-13	Pass	401
0.15	30	0.01	RMS	0.16	-50.22	-13	Pass	2985
30	1000	0.1	RMS	901.569	-65.05	-13	Pass	9699
1000	1700	1	RMS	1692.99	-52.63	-13	Pass	700
1700	1790	1	RMS	1742.75	21.49	60	Pass	401
1790	3000	1	RMS	2940.951	-49.28	-13	Pass	1210
3000	12000	1	RMS	11933.918	-41.2	-13	Pass	9000
12000	20000	1	RMS	19798.975	-32.01	-13	Pass	8000




18.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-41.01	-13	Pass	401
0.15	30	0.01	RMS	0.16	-51.13	-13	Pass	2985
30	1000	0.1	RMS	873.733	-64.97	-13	Pass	9699
1000	1700	1	RMS	1700	-52.76	-13	Pass	700
1700	1790	1	RMS	1775.15	22.16	60	Pass	401
1790	3000	1	RMS	2937.949	-49.28	-13	Pass	1210
3000	12000	1	RMS	11896.872	-41.19	-13	Pass	9000
12000	20000	1	RMS	19792.974	-32.1	-13	Pass	8000




**18.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-40.68	-13	Pass	401
0.15	30	0.01	RMS	0.16	-51.09	-13	Pass	2985
30	1000	0.1	RMS	876.937	-65.08	-13	Pass	9699
1000	1700	1	RMS	1691.989	-52.75	-13	Pass	700
1700	1790	1	RMS	1775.15	21.49	60	Pass	401
1790	3000	1	RMS	2951.96	-49.34	-13	Pass	1210
3000	12000	1	RMS	11981.978	-41.16	-13	Pass	9000
12000	20000	1	RMS	19801.975	-32.11	-13	Pass	8000




18.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-40.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.44	-13	Pass	2985
30	1000	0.1	RMS	861.116	-65.07	-13	Pass	9699
1000	1700	1	RMS	1700	-50.24	-13	Pass	700
1700	1790	1	RMS	1710.575	22.07	60	Pass	401
1790	3000	1	RMS	2968.974	-49.27	-13	Pass	1210
3000	12000	1	RMS	11948.937	-41.14	-13	Pass	9000
12000	20000	1	RMS	19800.975	-32.14	-13	Pass	8000




18.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-40.24	-13	Pass	401
0.15	30	0.01	RMS	0.16	-50.16	-13	Pass	2985
30	1000	0.1	RMS	987.884	-65.03	-13	Pass	9699
1000	1700	1	RMS	1700	-50.23	-13	Pass	700
1700	1790	1	RMS	1710.575	21.37	60	Pass	401
1790	3000	1	RMS	2969.975	-49.31	-13	Pass	1210
3000	12000	1	RMS	11926.91	-41.09	-13	Pass	9000
12000	20000	1	RMS	19805.976	-32.07	-13	Pass	8000




18.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-40.77	-13	Pass	401
0.15	30	0.01	RMS	0.16	-50.66	-13	Pass	2985
30	1000	0.1	RMS	874.734	-65.04	-13	Pass	9699
1000	1700	1	RMS	1697.997	-52.59	-13	Pass	700
1700	1790	1	RMS	1740.5	22.21	60	Pass	401
1790	3000	1	RMS	2969.975	-49.25	-13	Pass	1210
3000	12000	1	RMS	11958.949	-41.2	-13	Pass	9000
12000	20000	1	RMS	19799.975	-32.1	-13	Pass	8000




**18.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:132322, Bandwidth:10, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-40.64	-13	Pass	401
0.15	30	0.01	RMS	0.16	-50.85	-13	Pass	2985
30	1000	0.1	RMS	999.099	-65.13	-13	Pass	9699
1000	1700	1	RMS	1698.999	-52.61	-13	Pass	700
1700	1790	1	RMS	1740.5	21.32	60	Pass	401
1790	3000	1	RMS	2937.949	-49.33	-13	Pass	1210
3000	12000	1	RMS	11900.877	-41.16	-13	Pass	9000
12000	20000	1	RMS	19799.975	-32.08	-13	Pass	8000




18.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-39.99	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.38	-13	Pass	2985
30	1000	0.1	RMS	872.531	-64.98	-13	Pass	9699
1000	1700	1	RMS	1696.996	-52.69	-13	Pass	700
1700	1790	1	RMS	1770.425	22.2	60	Pass	401
1790	3000	1	RMS	2941.952	-49.27	-13	Pass	1210
3000	12000	1	RMS	11898.875	-41.12	-13	Pass	9000
12000	20000	1	RMS	19795.974	-32.16	-13	Pass	8000




**18.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-40.8	-13	Pass	401
0.15	30	0.01	RMS	0.16	-51.22	-13	Pass	2985
30	1000	0.1	RMS	868.425	-65.04	-13	Pass	9699
1000	1700	1	RMS	1690.987	-52.72	-13	Pass	700
1700	1790	1	RMS	1770.425	21.4	60	Pass	401
1790	3000	1	RMS	2934.946	-49.26	-13	Pass	1210
3000	12000	1	RMS	11974.969	-41.15	-13	Pass	9000
12000	20000	1	RMS	19801.975	-32.17	-13	Pass	8000




18.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-40.43	-13	Pass	401
0.15	30	0.01	RMS	0.16	-50.63	-13	Pass	2985
30	1000	0.1	RMS	875.134	-65.01	-13	Pass	9699
1000	1700	1	RMS	1697.997	-29.28	-13	Pass	700
1700	1790	1	RMS	1710.8	22.06	60	Pass	401
1790	3000	1	RMS	2968.974	-49.28	-13	Pass	1210
3000	12000	1	RMS	11922.905	-41.18	-13	Pass	9000
12000	20000	1	RMS	19800.975	-32.15	-13	Pass	8000




**18.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-40.57	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.63	-13	Pass	2985
30	1000	0.1	RMS	996.796	-65.14	-13	Pass	9699
1000	1700	1	RMS	1697.997	-30.08	-13	Pass	700
1700	1790	1	RMS	1710.8	21.4	60	Pass	401
1790	3000	1	RMS	2968.974	-49.3	-13	Pass	1210
3000	12000	1	RMS	11906.885	-41.18	-13	Pass	9000
12000	20000	1	RMS	19802.975	-32.11	-13	Pass	8000




**18.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,
Channel:132322, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-40.4	-13	Pass	401
0.15	30	0.01	RMS	0.16	-50.64	-13	Pass	2985
30	1000	0.1	RMS	997.697	-65.06	-13	Pass	9699
1000	1700	1	RMS	1700	-52.62	-13	Pass	700
1700	1790	1	RMS	1738.25	22.27	60	Pass	401
1790	3000	1	RMS	2944.955	-49.29	-13	Pass	1210
3000	12000	1	RMS	11964.957	-41.22	-13	Pass	9000
12000	20000	1	RMS	19799.975	-32.12	-13	Pass	8000




**18.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,
Channel:132322, Bandwidth:15, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-40.96	-13	Pass	401
0.15	30	0.01	RMS	0.16	-49.38	-13	Pass	2985
30	1000	0.1	RMS	865.822	-65.11	-13	Pass	9699
1000	1700	1	RMS	1697.997	-52.64	-13	Pass	700
1700	1790	1	RMS	1738.25	21.52	60	Pass	401
1790	3000	1	RMS	2963.97	-49.33	-13	Pass	1210
3000	12000	1	RMS	11946.934	-41.16	-13	Pass	9000
12000	20000	1	RMS	19799.975	-32.09	-13	Pass	8000




18.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-40.48	-13	Pass	401
0.15	30	0.01	RMS	0.16	-50.82	-13	Pass	2985
30	1000	0.1	RMS	865.422	-65.08	-13	Pass	9699
1000	1700	1	RMS	1698.999	-52.67	-13	Pass	700
1700	1790	1	RMS	1765.7	22.31	60	Pass	401
1790	3000	1	RMS	2967.974	-49.27	-13	Pass	1210
3000	12000	1	RMS	11934.919	-41.13	-13	Pass	9000
12000	20000	1	RMS	19797.975	-32.2	-13	Pass	8000




18.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30, Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-39.62	-13	Pass	401
0.15	30	0.01	RMS	0.16	-50.6	-13	Pass	2985
30	1000	0.1	RMS	873.132	-65.18	-13	Pass	9699
1000	1700	1	RMS	1698.999	-52.64	-13	Pass	700
1700	1790	1	RMS	1765.7	21.47	60	Pass	401
1790	3000	1	RMS	2937.949	-49.27	-13	Pass	1210
3000	12000	1	RMS	11896.872	-41.02	-13	Pass	9000
12000	20000	1	RMS	19798.975	-32.07	-13	Pass	8000




18.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-40.47	-13	Pass	401
0.15	30	0.01	RMS	0.16	-50.61	-13	Pass	2985
30	1000	0.1	RMS	875.235	-64.92	-13	Pass	9699
1000	1700	1	RMS	1692.99	-28.45	-13	Pass	700
1700	1790	1	RMS	1711.025	22.22	60	Pass	401
1790	3000	1	RMS	2966.973	-49.28	-13	Pass	1210
3000	12000	1	RMS	11943.931	-41.24	-13	Pass	9000
12000	20000	1	RMS	19797.975	-32.05	-13	Pass	8000




18.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-40.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.14	-13	Pass	2985
30	1000	0.1	RMS	984.88	-65.11	-13	Pass	9699
1000	1700	1	RMS	1692.99	-29.37	-13	Pass	700
1700	1790	1	RMS	1711.025	21.64	60	Pass	401
1790	3000	1	RMS	2944.955	-49.29	-13	Pass	1210
3000	12000	1	RMS	11988.986	-41.15	-13	Pass	9000
12000	20000	1	RMS	19799.975	-32.18	-13	Pass	8000




18.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-40.47	-13	Pass	401
0.15	30	0.01	RMS	0.16	-50.12	-13	Pass	2985
30	1000	0.1	RMS	895.461	-65.06	-13	Pass	9699
1000	1700	1	RMS	1700	-50.95	-13	Pass	700
1700	1790	1	RMS	1736	22.17	60	Pass	401
1790	3000	1	RMS	2972.978	-49.27	-13	Pass	1210
3000	12000	1	RMS	11953.943	-41.12	-13	Pass	9000
12000	20000	1	RMS	19803.975	-32.1	-13	Pass	8000




**18.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34,
Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-39.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.77	-13	Pass	2985
30	1000	0.1	RMS	989.686	-64.73	-13	Pass	9699
1000	1700	1	RMS	1700	-51.31	-13	Pass	700
1700	1790	1	RMS	1736	21.34	60	Pass	401
1790	3000	1	RMS	2953.962	-49.29	-13	Pass	1210
3000	12000	1	RMS	11988.986	-41.17	-13	Pass	9000
12000	20000	1	RMS	19808.976	-32.14	-13	Pass	8000




18.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-40.6	-13	Pass	401
0.15	30	0.01	RMS	0.16	-50.21	-13	Pass	2985
30	1000	0.1	RMS	873.232	-65.12	-13	Pass	9699
1000	1700	1	RMS	1698.999	-52.69	-13	Pass	700
1700	1790	1	RMS	1760.975	22.29	60	Pass	401
1790	3000	1	RMS	2966.973	-49.24	-13	Pass	1210
3000	12000	1	RMS	11908.887	-41.17	-13	Pass	9000
12000	20000	1	RMS	19803.975	-32.06	-13	Pass	8000



**18.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36,
Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-40.82	-13	Pass	401
0.15	30	0.01	RMS	0.16	-50.25	-13	Pass	2985
30	1000	0.1	RMS	873.132	-65.15	-13	Pass	9699
1000	1700	1	RMS	1692.99	-52.63	-13	Pass	700
1700	1790	1	RMS	1760.975	21.6	60	Pass	401
1790	3000	1	RMS	2940.951	-49.28	-13	Pass	1210
3000	12000	1	RMS	11977.973	-41.12	-13	Pass	9000
12000	20000	1	RMS	19802.975	-32.13	-13	Pass	8000




CA

19. CA_38C


19.1. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:37825+37975, Bandwidth:15+15, Modulation:QPSK, RB Number:1+2, RB Position:High+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-56.06	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.09	-25	Pass	2985
30	1000	0.1	RMS	998.498	-58.92	-25	Pass	9699
1000	2560	1	RMS	2560	-46	-25	Pass	1560
2560	2630	1	RMS	2585.9	20.1	60	Pass	401
2630	3000	1	RMS	2969.475	-44.94	-25	Pass	401
3000	12000	1	RMS	11886.86	-50.46	-25	Pass	9000
12000	26500	1	RMS	25883.902	-34.77	-25	Pass	14500




**19.2. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:37825+37975, Bandwidth:15+15, Modulation:16QAM, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-56.18	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.25	-25	Pass	2985
30	1000	0.1	RMS	891.256	-58.88	-25	Pass	9699
1000	2560	1	RMS	2558.999	-46.05	-25	Pass	1560
2560	2630	1	RMS	2583.975	18.98	60	Pass	401
2630	3000	1	RMS	2939.875	-44.97	-25	Pass	401
3000	12000	1	RMS	11893.869	-50.39	-25	Pass	9000
12000	26500	1	RMS	25890.903	-34.83	-25	Pass	14500




**19.3. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:37925+38075, Bandwidth:15+15, Modulation:QPSK, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-56.36	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.57	-25	Pass	2985
30	1000	0.1	RMS	903.873	-58.84	-25	Pass	9699
1000	2560	1	RMS	2530.981	-46.27	-25	Pass	1560
2560	2630	1	RMS	2594.125	20.44	60	Pass	401
2630	3000	1	RMS	2939.875	-44.95	-25	Pass	401
3000	12000	1	RMS	11998.999	-50.43	-25	Pass	9000
12000	26500	1	RMS	25894.904	-34.79	-25	Pass	14500




19.4. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:37925+38075, Bandwidth:15+15, Modulation:16QAM, RB Number:1+2, RB Position:High+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-56.62	-25	Pass	401
0.15	30	0.01	RMS	0.25	-67.93	-25	Pass	2985
30	1000	0.1	RMS	999.399	-58.54	-25	Pass	9699
1000	2560	1	RMS	2524.978	-46.26	-25	Pass	1560
2560	2630	1	RMS	2594.125	19.85	60	Pass	401
2630	3000	1	RMS	2970.4	-44.96	-25	Pass	401
3000	12000	1	RMS	11932.917	-50.4	-25	Pass	9000
12000	26500	1	RMS	25903.906	-34.87	-25	Pass	14500




19.5. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:38025+38175, Bandwidth:15+15, Modulation:QPSK, RB Number:1+2, RB Position:High+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-55.82	-25	Pass	401
0.15	30	0.01	RMS	0.32	-68.02	-25	Pass	2985
30	1000	0.1	RMS	899.667	-58.91	-25	Pass	9699
1000	2560	1	RMS	2512.97	-46.25	-25	Pass	1560
2560	2630	1	RMS	2605.85	20.1	60	Pass	401
2630	3000	1	RMS	2969.475	-44.98	-25	Pass	401
3000	12000	1	RMS	11929.913	-50.45	-25	Pass	9000
12000	26500	1	RMS	25884.902	-34.85	-25	Pass	14500




**19.6. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:38025+38175, Bandwidth:15+15, Modulation:16QAM, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-56.34	-25	Pass	401
0.15	30	0.01	RMS	0.23	-67.98	-25	Pass	2985
30	1000	0.1	RMS	847.7	-58.99	-25	Pass	9699
1000	2560	1	RMS	2526.979	-46.31	-25	Pass	1560
2560	2630	1	RMS	2605.675	18.82	60	Pass	401
2630	3000	1	RMS	2945.425	-45	-25	Pass	401
3000	12000	1	RMS	11997.998	-50.46	-25	Pass	9000
12000	26500	1	RMS	25891.904	-34.68	-25	Pass	14500




**19.7. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:37850+38048, Bandwidth:20+20, Modulation:QPSK, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-56.67	-25	Pass	401
0.15	30	0.01	RMS	0.16	-67.25	-25	Pass	2985
30	1000	0.1	RMS	854.908	-58.76	-25	Pass	9699
1000	2560	1	RMS	2527.979	-46.19	-25	Pass	1560
2560	2630	1	RMS	2588.875	20.42	60	Pass	401
2630	3000	1	RMS	2943.575	-44.95	-25	Pass	401
3000	12000	1	RMS	11876.848	-50.42	-25	Pass	9000
12000	26500	1	RMS	25896.904	-34.81	-25	Pass	14500




19.8. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:37850+38048, Bandwidth:20+20, Modulation:16QAM, RB Number:1+2, RB Position:High+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-55.89	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.17	-25	Pass	2985
30	1000	0.1	RMS	992.49	-58.88	-25	Pass	9699
1000	2560	1	RMS	2527.979	-46.26	-25	Pass	1560
2560	2630	1	RMS	2588.875	21.77	60	Pass	401
2630	3000	1	RMS	2969.475	-44.92	-25	Pass	401
3000	12000	1	RMS	11900.877	-50.38	-25	Pass	9000
12000	26500	1	RMS	25889.903	-34.8	-25	Pass	14500




**19.9. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:37901+38099, Bandwidth:20+20, Modulation:QPSK, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-55.98	-25	Pass	401
0.15	30	0.01	RMS	0.15	-66.96	-25	Pass	2985
30	1000	0.1	RMS	985.18	-58.87	-25	Pass	9699
1000	2560	1	RMS	2523.977	-46.23	-25	Pass	1560
2560	2630	1	RMS	2593.775	22.03	60	Pass	401
2630	3000	1	RMS	2938.95	-44.95	-25	Pass	401
3000	12000	1	RMS	11880.853	-50.36	-25	Pass	9000
12000	26500	1	RMS	25894.904	-34.79	-25	Pass	14500




19.10. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:37901+38099, Bandwidth:20+20, Modulation:16QAM, RB Number:1+2, RB Position:High+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-55.62	-25	Pass	401
0.15	30	0.01	RMS	0.17	-67.67	-25	Pass	2985
30	1000	0.1	RMS	876.737	-58.76	-25	Pass	9699
1000	2560	1	RMS	2515.972	-46.19	-25	Pass	1560
2560	2630	1	RMS	2593.95	20.99	60	Pass	401
2630	3000	1	RMS	2968.55	-44.94	-25	Pass	401
3000	12000	1	RMS	11884.857	-50.35	-25	Pass	9000
12000	26500	1	RMS	25890.903	-34.73	-25	Pass	14500




19.11. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:37952+38150, Bandwidth:20+20, Modulation:QPSK, RB Number:1+2, RB Position:High+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-55.15	-25	Pass	401
0.15	30	0.01	RMS	0.16	-67.66	-25	Pass	2985
30	1000	0.1	RMS	859.914	-58.87	-25	Pass	9699
1000	2560	1	RMS	2527.979	-46.24	-25	Pass	1560
2560	2630	1	RMS	2599.025	22.63	60	Pass	401
2630	3000	1	RMS	2970.4	-44.93	-25	Pass	401
3000	12000	1	RMS	11888.862	-50.42	-25	Pass	9000
12000	26500	1	RMS	25903.906	-34.7	-25	Pass	14500



**19.12. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:37952+38150, Bandwidth:20+20, Modulation:16QAM, RB Number:1+2, RB
Position:High+Low)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-56.64	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.26	-25	Pass	2985
30	1000	0.1	RMS	898.165	-58.81	-25	Pass	9699
1000	2560	1	RMS	2525.978	-46.21	-25	Pass	1560
2560	2630	1	RMS	2599.2	21.25	60	Pass	401
2630	3000	1	RMS	2969.475	-44.93	-25	Pass	401
3000	12000	1	RMS	11922.905	-50.35	-25	Pass	9000
12000	26500	1	RMS	25892.904	-34.84	-25	Pass	14500



20. CA_41C_full


20.1. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:39750+39867, Bandwidth:20+5, Modulation:QPSK, RB Number:1+2, RB Position:High+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-55.36	-25	Pass	401
0.15	30	0.01	RMS	0.23	-67	-25	Pass	2985
30	1000	0.1	RMS	840.599	-58.62	-25	Pass	9699
1000	2486	1	RMS	2483.999	-46.46	-25	Pass	1486
2486	2700	1	RMS	2514.89	22.06	60	Pass	401
2700	3000	1	RMS	2970.75	-44.92	-25	Pass	401
3000	12000	1	RMS	11886.86	-50.36	-25	Pass	9000
12000	27000	1	RMS	25892.837	-34.7	-25	Pass	15000




**20.2. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:39750+39867, Bandwidth:20+5, Modulation:16QAM, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-55.99	-25	Pass	401
0.15	30	0.01	RMS	0.24	-66.93	-25	Pass	2985
30	1000	0.1	RMS	993.792	-58.66	-25	Pass	9699
1000	2486	1	RMS	2486	-46.45	-25	Pass	1486
2486	2700	1	RMS	2514.89	20.93	60	Pass	401
2700	3000	1	RMS	2969.25	-44.86	-25	Pass	401
3000	12000	1	RMS	11994.994	-50.31	-25	Pass	9000
12000	27000	1	RMS	25902.839	-34.76	-25	Pass	15000




**20.3. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:40595+40712, Bandwidth:20+5, Modulation:QPSK, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-55.67	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.04	-25	Pass	2985
30	1000	0.1	RMS	903.172	-58.71	-25	Pass	9699
1000	2486	1	RMS	2486	-46.47	-25	Pass	1486
2486	2700	1	RMS	2599.42	21.3	60	Pass	401
2700	3000	1	RMS	2970	-44.91	-25	Pass	401
3000	12000	1	RMS	11880.853	-50.41	-25	Pass	9000
12000	27000	1	RMS	25892.837	-34.81	-25	Pass	15000




**20.4. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:40595+40712, Bandwidth:20+5, Modulation:16QAM, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-55.47	-25	Pass	401
0.15	30	0.01	RMS	0.18	-67.59	-25	Pass	2985
30	1000	0.1	RMS	884.847	-58.74	-25	Pass	9699
1000	2486	1	RMS	2478.995	-46.55	-25	Pass	1486
2486	2700	1	RMS	2598.885	20.93	60	Pass	401
2700	3000	1	RMS	2968.5	-44.95	-25	Pass	401
3000	12000	1	RMS	11932.917	-50.4	-25	Pass	9000
12000	27000	1	RMS	25906.839	-34.77	-25	Pass	15000




**20.5. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:41440+41557, Bandwidth:20+5, Modulation:QPSK, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-55.84	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.08	-25	Pass	2985
30	1000	0.1	RMS	987.684	-58.55	-25	Pass	9699
1000	2486	1	RMS	2486	-46.62	-25	Pass	1486
2486	2700	1	RMS	2683.415	21.49	60	Pass	401
2700	3000	1	RMS	2967.75	-44.93	-25	Pass	401
3000	12000	1	RMS	11932.917	-50.37	-25	Pass	9000
12000	27000	1	RMS	25894.838	-34.67	-25	Pass	15000




**20.6. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:41440+41557, Bandwidth:20+5, Modulation:16QAM, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-56.08	-25	Pass	401
0.15	30	0.01	RMS	0.15	-66.83	-25	Pass	2985
30	1000	0.1	RMS	878.639	-58.66	-25	Pass	9699
1000	2486	1	RMS	2484.999	-46.54	-25	Pass	1486
2486	2700	1	RMS	2683.415	20.78	60	Pass	401
2700	3000	1	RMS	2970	-44.9	-25	Pass	401
3000	12000	1	RMS	11896.872	-50.34	-25	Pass	9000
12000	27000	1	RMS	25894.838	-34.75	-25	Pass	15000




**20.7. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:39750+39948, Bandwidth:20+20, Modulation:QPSK, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-55.55	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.73	-25	Pass	2985
30	1000	0.1	RMS	872.931	-58.71	-25	Pass	9699
1000	2486	1	RMS	2486	-46.35	-25	Pass	1486
2486	2700	1	RMS	2514.89	21.55	60	Pass	401
2700	3000	1	RMS	2940.75	-44.91	-25	Pass	401
3000	12000	1	RMS	11880.853	-50.34	-25	Pass	9000
12000	27000	1	RMS	25888.837	-34.74	-25	Pass	15000




**20.8. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:39750+39948, Bandwidth:20+20, Modulation:16QAM, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-56.66	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.42	-25	Pass	2985
30	1000	0.1	RMS	985.28	-58.66	-25	Pass	9699
1000	2486	1	RMS	2484.999	-46.42	-25	Pass	1486
2486	2700	1	RMS	2514.89	20.79	60	Pass	401
2700	3000	1	RMS	2936.25	-44.93	-25	Pass	401
3000	12000	1	RMS	11878.85	-50.34	-25	Pass	9000
12000	27000	1	RMS	25903.839	-34.71	-25	Pass	15000




**20.9. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:40521+40719, Bandwidth:20+20, Modulation:QPSK, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-56.25	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.6	-25	Pass	2985
30	1000	0.1	RMS	990.588	-58.65	-25	Pass	9699
1000	2486	1	RMS	2482.998	-46.51	-25	Pass	1486
2486	2700	1	RMS	2591.395	21.23	60	Pass	401
2700	3000	1	RMS	2970	-44.93	-25	Pass	401
3000	12000	1	RMS	11884.857	-50.39	-25	Pass	9000
12000	27000	1	RMS	25899.838	-34.72	-25	Pass	15000




**20.10. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:40521+40719, Bandwidth:20+20, Modulation:16QAM, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-55.98	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.17	-25	Pass	2985
30	1000	0.1	RMS	992.891	-58.6	-25	Pass	9699
1000	2486	1	RMS	2483.999	-46.49	-25	Pass	1486
2486	2700	1	RMS	2591.395	19.89	60	Pass	401
2700	3000	1	RMS	2940.75	-44.93	-25	Pass	401
3000	12000	1	RMS	11888.862	-50.35	-25	Pass	9000
12000	27000	1	RMS	25901.839	-34.8	-25	Pass	15000




**20.11. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:41292+41490, Bandwidth:20+20, Modulation:QPSK, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-55.94	-25	Pass	401
0.15	30	0.01	RMS	0.29	-68.03	-25	Pass	2985
30	1000	0.1	RMS	881.843	-58.64	-25	Pass	9699
1000	2486	1	RMS	2484.999	-46.55	-25	Pass	1486
2486	2700	1	RMS	2668.97	21.33	60	Pass	401
2700	3000	1	RMS	2937	-44.9	-25	Pass	401
3000	12000	1	RMS	11881.854	-50.3	-25	Pass	9000
12000	27000	1	RMS	25886.836	-34.82	-25	Pass	15000



**20.12. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:41292+41490, Bandwidth:20+20, Modulation:16QAM, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-55.97	-25	Pass	401
0.15	30	0.01	RMS	0.23	-67.51	-25	Pass	2985
30	1000	0.1	RMS	862.017	-58.63	-25	Pass	9699
1000	2486	1	RMS	2483.999	-46.54	-25	Pass	1486
2486	2700	1	RMS	2668.97	20.65	60	Pass	401
2700	3000	1	RMS	2967.75	-44.93	-25	Pass	401
3000	12000	1	RMS	11879.851	-50.39	-25	Pass	9000
12000	27000	1	RMS	25882.836	-34.8	-25	Pass	15000




NR

21. n5 15kHz


21.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:165300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.034	-72.39	-13	Pass	401
0.15	30	0.01	RMS	1.08	-59.3	-13	Pass	2985
30	814	0.1	RMS	813.8	-68.24	-13	Pass	7840
814	859	0.1	RMS	825.526	10.38	60	Pass	450
859	1000	0.1	RMS	931.551	-81.08	-13	Pass	1410
1000	3000	1	RMS	2479.74	-22.7	-13	Pass	2000
3000	10000	1	RMS	8426.775	-54.36	-13	Pass	7000




**21.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:165300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.126	-72.68	-13	Pass	401
0.15	30	0.01	RMS	1.05	-57.14	-13	Pass	2985
30	814	0.1	RMS	813.6	-66.96	-13	Pass	7840
814	859	0.1	RMS	825.526	11.16	60	Pass	450
859	1000	0.1	RMS	931.451	-79.34	-13	Pass	1410
1000	3000	1	RMS	2478.739	-19.8	-13	Pass	2000
3000	10000	1	RMS	8425.775	-54.31	-13	Pass	7000




**21.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:167300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM,
RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.034	-74.34	-13	Pass	401
0.15	30	0.01	RMS	1.08	-60.79	-13	Pass	2985
30	814	0.1	RMS	810.7	-70.87	-13	Pass	7840
814	859	0.1	RMS	837.352	10.05	60	Pass	450
859	1000	0.1	RMS	967.477	-82.02	-13	Pass	1410
1000	3000	1	RMS	2508.754	-23.72	-13	Pass	2000
3000	10000	1	RMS	8426.775	-54.33	-13	Pass	7000




**21.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:167300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.126	-74.8	-13	Pass	401
0.15	30	0.01	RMS	1.05	-58.4	-13	Pass	2985
30	814	0.1	RMS	812.6	-75.57	-13	Pass	7840
814	859	0.1	RMS	837.051	10.73	60	Pass	450
859	1000	0.1	RMS	967.177	-80.87	-13	Pass	1410
1000	3000	1	RMS	2508.754	-21.25	-13	Pass	2000
3000	10000	1	RMS	8428.776	-54.44	-13	Pass	7000




21.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5, Channel:169300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.034	-76.16	-13	Pass	401
0.15	30	0.01	RMS	1.05	-62.44	-13	Pass	2985
30	814	0.1	RMS	813.2	-77.39	-13	Pass	7840
814	859	0.1	RMS	845.47	9.81	60	Pass	450
859	1000	0.1	RMS	861.402	-81.75	-13	Pass	1410
1000	3000	1	RMS	2538.769	-24.57	-13	Pass	2000
3000	10000	1	RMS	8436.777	-54.37	-13	Pass	7000




**21.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:169300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.126	-75.9	-13	Pass	401
0.15	30	0.01	RMS	1.05	-60.27	-13	Pass	2985
30	814	0.1	RMS	812	-77.05	-13	Pass	7840
814	859	0.1	RMS	845.47	10.92	60	Pass	450
859	1000	0.1	RMS	859.7	-81.24	-13	Pass	1410
1000	3000	1	RMS	2538.769	-21.77	-13	Pass	2000
3000	10000	1	RMS	8431.776	-54.29	-13	Pass	7000




21.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:7, Channel:166300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.056	-75.94	-13	Pass	401
0.15	30	0.01	RMS	1.801	-65.77	-13	Pass	2985
30	814	0.1	RMS	813.3	-50.21	-13	Pass	7840
814	859	0.1	RMS	827.831	5.62	60	Pass	450
859	1000	0.1	RMS	981.587	-80.37	-13	Pass	1410
1000	3000	1	RMS	2492.746	-26.63	-13	Pass	2000
3000	10000	1	RMS	8409.773	-54.41	-13	Pass	7000




21.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:8, Channel:166300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.084	-78.68	-13	Pass	401
0.15	30	0.01	RMS	5.432	-63.7	-13	Pass	2985
30	814	0.1	RMS	811.8	-50.71	-13	Pass	7840
814	859	0.1	RMS	828.633	6.51	60	Pass	450
859	1000	0.1	RMS	981.387	-79.69	-13	Pass	1410
1000	3000	1	RMS	2491.746	-24.7	-13	Pass	2000
3000	10000	1	RMS	8418.774	-54.44	-13	Pass	7000




21.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:9, Channel:167300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.056	-77.07	-13	Pass	401
0.15	30	0.01	RMS	1.801	-66.45	-13	Pass	2985
30	814	0.1	RMS	813.8	-55.99	-13	Pass	7840
814	859	0.1	RMS	838.053	5.51	60	Pass	450
859	1000	0.1	RMS	859.1	-78.83	-13	Pass	1410
1000	3000	1	RMS	2507.754	-26.95	-13	Pass	2000
3000	10000	1	RMS	8430.776	-54.32	-13	Pass	7000




21.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:10, Channel:167300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-78.34	-13	Pass	401
0.15	30	0.01	RMS	1.801	-64.38	-13	Pass	2985
30	814	0.1	RMS	813.8	-55.66	-13	Pass	7840
814	859	0.1	RMS	836.951	6.5	60	Pass	450
859	1000	0.1	RMS	859.2	-76.84	-13	Pass	1410
1000	3000	1	RMS	2507.754	-25.07	-13	Pass	2000
3000	10000	1	RMS	8427.775	-54.39	-13	Pass	7000




21.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:11, Channel:168300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.056	-78.71	-13	Pass	401
0.15	30	0.01	RMS	1.801	-67.66	-13	Pass	2985
30	814	0.1	RMS	813.3	-62.58	-13	Pass	7840
814	859	0.1	RMS	841.261	5.51	60	Pass	450
859	1000	0.1	RMS	859	-73.93	-13	Pass	1410
1000	3000	1	RMS	2522.761	-27.5	-13	Pass	2000
3000	10000	1	RMS	8425.775	-54.17	-13	Pass	7000




21.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:12, Channel:168300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-79.36	-13	Pass	401
0.15	30	0.01	RMS	1.801	-65.84	-13	Pass	2985
30	814	0.1	RMS	813.9	-60.5	-13	Pass	7840
814	859	0.1	RMS	841.962	6.62	60	Pass	450
859	1000	0.1	RMS	859	-71.74	-13	Pass	1410
1000	3000	1	RMS	2522.761	-25.33	-13	Pass	2000
3000	10000	1	RMS	8430.776	-54.28	-13	Pass	7000




21.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:13, Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.084	-77.15	-13	Pass	401
0.15	30	0.01	RMS	6.842	-64.07	-13	Pass	2985
30	814	0.1	RMS	813.9	-48.99	-13	Pass	7840
814	859	0.1	RMS	829.635	4.23	60	Pass	450
859	1000	0.1	RMS	859	-77.44	-13	Pass	1410
1000	3000	1	RMS	2499.75	-28.58	-13	Pass	2000
3000	10000	1	RMS	8429.776	-54.28	-13	Pass	7000




21.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:14, Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-79.2	-13	Pass	401
0.15	30	0.01	RMS	6.842	-61.92	-13	Pass	2985
30	814	0.1	RMS	812.6	-49.6	-13	Pass	7840
814	859	0.1	RMS	829.835	5.08	60	Pass	450
859	1000	0.1	RMS	859	-76.49	-13	Pass	1410
1000	3000	1	RMS	2500.75	-26.17	-13	Pass	2000
3000	10000	1	RMS	8423.775	-54.36	-13	Pass	7000




21.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:15, Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.028	-77.39	-13	Pass	401
0.15	30	0.01	RMS	6.842	-64.57	-13	Pass	2985
30	814	0.1	RMS	812.9	-51.23	-13	Pass	7840
814	859	0.1	RMS	839.958	4.17	60	Pass	450
859	1000	0.1	RMS	859.1	-76.88	-13	Pass	1410
1000	3000	1	RMS	2508.754	-28.62	-13	Pass	2000
3000	10000	1	RMS	8427.775	-54.3	-13	Pass	7000




21.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:16, Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-79.31	-13	Pass	401
0.15	30	0.01	RMS	6.842	-62.35	-13	Pass	2985
30	814	0.1	RMS	813.6	-51.45	-13	Pass	7840
814	859	0.1	RMS	839.156	5.31	60	Pass	450
859	1000	0.1	RMS	859	-75.28	-13	Pass	1410
1000	3000	1	RMS	2508.754	-26.1	-13	Pass	2000
3000	10000	1	RMS	8418.774	-54.34	-13	Pass	7000




21.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:17, Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.028	-77.67	-13	Pass	401
0.15	30	0.01	RMS	1.951	-64.15	-13	Pass	2985
30	814	0.1	RMS	813.5	-53.55	-13	Pass	7840
814	859	0.1	RMS	842.463	4.08	60	Pass	450
859	1000	0.1	RMS	859	-75.09	-13	Pass	1410
1000	3000	1	RMS	2515.758	-28.55	-13	Pass	2000
3000	10000	1	RMS	8429.776	-54.36	-13	Pass	7000



21.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:18, Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-79.49	-13	Pass	401
0.15	30	0.01	RMS	1.951	-62.42	-13	Pass	2985
30	814	0.1	RMS	812.2	-54.06	-13	Pass	7840
814	859	0.1	RMS	841.661	5.42	60	Pass	450
859	1000	0.1	RMS	859	-72.75	-13	Pass	1410
1000	3000	1	RMS	2515.758	-26.5	-13	Pass	2000
3000	10000	1	RMS	8431.776	-54.42	-13	Pass	7000



22. n7 15kHz


22.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:500500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-62.88	-25	Pass	401
0.15	30	0.01	RMS	0.18	-61.23	-25	Pass	2985
30	1000	0.1	RMS	890.154	-53.37	-25	Pass	9699
1000	2490	1	RMS	2490	-40.79	-25	Pass	1490
2490	2580	1	RMS	2502.15	19.19	60	Pass	401
2580	3000	1	RMS	2880.716	-39.13	-25	Pass	420
3000	6500	1	RMS	6058.874	-60.92	-25	Pass	3500
6500	26000	1	RMS	25206.745	-48.32	-25	Pass	19500




22.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:500500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-63.39	-25	Pass	401
0.15	30	0.01	RMS	0.24	-61.4	-25	Pass	2985
30	1000	0.1	RMS	890.154	-53.45	-25	Pass	9699
1000	2490	1	RMS	2490	-40.72	-25	Pass	1490
2490	2580	1	RMS	2502.15	20.32	60	Pass	401
2580	3000	1	RMS	2870.692	-39.11	-25	Pass	420
3000	6500	1	RMS	6054.873	-60.85	-25	Pass	3500
6500	26000	1	RMS	25204.745	-48.2	-25	Pass	19500




22.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:507000, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-62.6	-25	Pass	401
0.15	30	0.01	RMS	0.15	-60.75	-25	Pass	2985
30	1000	0.1	RMS	907.978	-53.4	-25	Pass	9699
1000	2490	1	RMS	2490	-41.06	-25	Pass	1490
2490	2580	1	RMS	2534.775	19.18	60	Pass	401
2580	3000	1	RMS	2871.695	-39.14	-25	Pass	420
3000	6500	1	RMS	6056.873	-60.8	-25	Pass	3500
6500	26000	1	RMS	25497.839	-48.33	-25	Pass	19500




22.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:507000, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-63.46	-25	Pass	401
0.15	30	0.01	RMS	0.15	-60.39	-25	Pass	2985
30	1000	0.1	RMS	896.863	-53.35	-25	Pass	9699
1000	2490	1	RMS	2488.999	-41.03	-25	Pass	1490
2490	2580	1	RMS	2534.775	20.4	60	Pass	401
2580	3000	1	RMS	2871.695	-39.14	-25	Pass	420
3000	6500	1	RMS	6060.875	-60.86	-25	Pass	3500
6500	26000	1	RMS	25196.742	-48.38	-25	Pass	19500




22.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5, Channel:513500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-62.04	-25	Pass	401
0.15	30	0.01	RMS	0.15	-61.29	-25	Pass	2985
30	1000	0.1	RMS	898.766	-53.43	-25	Pass	9699
1000	2490	1	RMS	2485.997	-41.06	-25	Pass	1490
2490	2580	1	RMS	2567.175	19.07	60	Pass	401
2580	3000	1	RMS	2869.69	-39.12	-25	Pass	420
3000	6500	1	RMS	6060.875	-60.89	-25	Pass	3500
6500	26000	1	RMS	25198.743	-48.33	-25	Pass	19500




**22.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:513500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-61.75	-25	Pass	401
0.15	30	0.01	RMS	0.2	-61.14	-25	Pass	2985
30	1000	0.1	RMS	869.927	-53.42	-25	Pass	9699
1000	2490	1	RMS	2484.997	-41.04	-25	Pass	1490
2490	2580	1	RMS	2567.175	20.22	60	Pass	401
2580	3000	1	RMS	2879.714	-39.12	-25	Pass	420
3000	6500	1	RMS	6058.874	-60.81	-25	Pass	3500
6500	26000	1	RMS	25485.835	-48.41	-25	Pass	19500




22.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:7, Channel:501500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-63.29	-25	Pass	401
0.15	30	0.01	RMS	0.17	-60.86	-25	Pass	2985
30	1000	0.1	RMS	893.759	-53.37	-25	Pass	9699
1000	2490	1	RMS	2490	-39.99	-25	Pass	1490
2490	2580	1	RMS	2507.325	15.07	60	Pass	401
2580	3000	1	RMS	2869.69	-39.14	-25	Pass	420
3000	6500	1	RMS	6059.874	-60.89	-25	Pass	3500
6500	26000	1	RMS	25198.743	-48.13	-25	Pass	19500




22.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:8, Channel:501500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-62.92	-25	Pass	401
0.15	30	0.01	RMS	0.27	-61.22	-25	Pass	2985
30	1000	0.1	RMS	979.773	-53.44	-25	Pass	9699
1000	2490	1	RMS	2490	-39.52	-25	Pass	1490
2490	2580	1	RMS	2507.775	15.96	60	Pass	401
2580	3000	1	RMS	2871.695	-39.14	-25	Pass	420
3000	6500	1	RMS	6054.873	-60.93	-25	Pass	3500
6500	26000	1	RMS	25499.839	-48.27	-25	Pass	19500




22.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:9, Channel:507000, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-63.25	-25	Pass	401
0.15	30	0.01	RMS	0.17	-61.38	-25	Pass	2985
30	1000	0.1	RMS	909.18	-53.44	-25	Pass	9699
1000	2490	1	RMS	2490	-41.03	-25	Pass	1490
2490	2580	1	RMS	2534.55	14.93	60	Pass	401
2580	3000	1	RMS	2871.695	-39.09	-25	Pass	420
3000	6500	1	RMS	6058.874	-60.81	-25	Pass	3500
6500	26000	1	RMS	25508.842	-48.34	-25	Pass	19500




22.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:10, Channel:507000, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-62.28	-25	Pass	401
0.15	30	0.01	RMS	0.16	-61.37	-25	Pass	2985
30	1000	0.1	RMS	893.959	-53.54	-25	Pass	9699
1000	2490	1	RMS	2490	-41.06	-25	Pass	1490
2490	2580	1	RMS	2535.225	15.9	60	Pass	401
2580	3000	1	RMS	2867.685	-39.13	-25	Pass	420
3000	6500	1	RMS	6057.874	-60.9	-25	Pass	3500
6500	26000	1	RMS	25201.744	-48.36	-25	Pass	19500




22.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:11, Channel:512500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-63.85	-25	Pass	401
0.15	30	0.01	RMS	0.25	-60.94	-25	Pass	2985
30	1000	0.1	RMS	896.863	-53.5	-25	Pass	9699
1000	2490	1	RMS	2488.999	-41.01	-25	Pass	1490
2490	2580	1	RMS	2562	14.77	60	Pass	401
2580	3000	1	RMS	2869.69	-39.09	-25	Pass	420
3000	6500	1	RMS	6181.909	-60.86	-25	Pass	3500
6500	26000	1	RMS	25201.744	-48.26	-25	Pass	19500




22.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:12, Channel:512500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:36, RB Position:18)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-63.4	-25	Pass	401
0.15	30	0.01	RMS	0.19	-61.44	-25	Pass	2985
30	1000	0.1	RMS	885.748	-53.39	-25	Pass	9699
1000	2490	1	RMS	2488.999	-41.01	-25	Pass	1490
2490	2580	1	RMS	2562.675	15.8	60	Pass	401
2580	3000	1	RMS	2869.69	-39.11	-25	Pass	420
3000	6500	1	RMS	6062.875	-60.84	-25	Pass	3500
6500	26000	1	RMS	25179.737	-48.34	-25	Pass	19500




22.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:13, Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-63.06	-25	Pass	401
0.15	30	0.01	RMS	0.17	-61.43	-25	Pass	2985
30	1000	0.1	RMS	897.564	-53.45	-25	Pass	9699
1000	2490	1	RMS	2490	-40.19	-25	Pass	1490
2490	2580	1	RMS	2510.925	13.6	60	Pass	401
2580	3000	1	RMS	2867.685	-39.14	-25	Pass	420
3000	6500	1	RMS	6060.875	-60.86	-25	Pass	3500
6500	26000	1	RMS	25494.838	-48.36	-25	Pass	19500




22.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:14, Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-63.34	-25	Pass	401
0.15	30	0.01	RMS	0.19	-60.99	-25	Pass	2985
30	1000	0.1	RMS	884.447	-53.3	-25	Pass	9699
1000	2490	1	RMS	2490	-39.87	-25	Pass	1490
2490	2580	1	RMS	2509.575	14.57	60	Pass	401
2580	3000	1	RMS	2869.69	-39.13	-25	Pass	420
3000	6500	1	RMS	6062.875	-60.86	-25	Pass	3500
6500	26000	1	RMS	25508.842	-48.27	-25	Pass	19500




22.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:15, Channel:507000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-62.83	-25	Pass	401
0.15	30	0.01	RMS	0.15	-60.88	-25	Pass	2985
30	1000	0.1	RMS	897.764	-53.55	-25	Pass	9699
1000	2490	1	RMS	2490	-41.05	-25	Pass	1490
2490	2580	1	RMS	2535.225	13.44	60	Pass	401
2580	3000	1	RMS	2868.687	-39.14	-25	Pass	420
3000	6500	1	RMS	6056.873	-60.91	-25	Pass	3500
6500	26000	1	RMS	25203.744	-48.22	-25	Pass	19500




22.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:16, Channel:507000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-63.65	-25	Pass	401
0.15	30	0.01	RMS	0.15	-60.57	-25	Pass	2985
30	1000	0.1	RMS	927.504	-53.57	-25	Pass	9699
1000	2490	1	RMS	2483.996	-41.08	-25	Pass	1490
2490	2580	1	RMS	2534.325	14.58	60	Pass	401
2580	3000	1	RMS	2869.69	-39.13	-25	Pass	420
3000	6500	1	RMS	6059.874	-60.9	-25	Pass	3500
6500	26000	1	RMS	25202.744	-48.07	-25	Pass	19500




22.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:17, Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-61.62	-25	Pass	401
0.15	30	0.01	RMS	0.17	-60.93	-25	Pass	2985
30	1000	0.1	RMS	888.853	-53.48	-25	Pass	9699
1000	2490	1	RMS	2484.997	-41.03	-25	Pass	1490
2490	2580	1	RMS	2560.2	13.33	60	Pass	401
2580	3000	1	RMS	2868.687	-39.1	-25	Pass	420
3000	6500	1	RMS	6061.875	-60.9	-25	Pass	3500
6500	26000	1	RMS	25500.84	-48.16	-25	Pass	19500



22.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:18, Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-62.96	-25	Pass	401
0.15	30	0.01	RMS	0.18	-61.4	-25	Pass	2985
30	1000	0.1	RMS	891.456	-53.48	-25	Pass	9699
1000	2490	1	RMS	2486.998	-41.04	-25	Pass	1490
2490	2580	1	RMS	2559.3	14.46	60	Pass	401
2580	3000	1	RMS	2580	-38.48	-25	Pass	420
3000	6500	1	RMS	6061.875	-60.9	-25	Pass	3500
6500	26000	1	RMS	25502.84	-48.22	-25	Pass	19500



23. n38 30kHz_PC3


23.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-62.09	-25	Pass	401
0.15	30	0.01	RMS	0.18	-59.67	-25	Pass	2985
30	1000	0.1	RMS	765.49	-51.53	-25	Pass	9699
1000	2560	1	RMS	2560	-39.4	-25	Pass	1560
2560	2630	1	RMS	2579.95	13.13	60	Pass	401
2630	3000	1	RMS	2872.35	-39.1	-25	Pass	401
3000	6500	1	RMS	6052.872	-60.69	-25	Pass	3500
6500	27000	1	RMS	25479.631	-47.5	-25	Pass	20500




23.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-61.58	-25	Pass	401
0.15	30	0.01	RMS	0.19	-60.7	-25	Pass	2985
30	1000	0.1	RMS	922.697	-51.98	-25	Pass	9699
1000	2560	1	RMS	2560	-37.97	-25	Pass	1560
2560	2630	1	RMS	2578.9	14.13	60	Pass	401
2630	3000	1	RMS	2870.5	-39.06	-25	Pass	401
3000	6500	1	RMS	6060.875	-60.67	-25	Pass	3500
6500	27000	1	RMS	25198.562	-47.87	-25	Pass	20500




23.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:519000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-60.85	-25	Pass	401
0.15	30	0.01	RMS	0.17	-59.51	-25	Pass	2985
30	1000	0.1	RMS	733.886	-52.57	-25	Pass	9699
1000	2560	1	RMS	2527.979	-40.58	-25	Pass	1560
2560	2630	1	RMS	2595	13.17	60	Pass	401
2630	3000	1	RMS	2871.425	-39.13	-25	Pass	401
3000	6500	1	RMS	6058.874	-60.77	-25	Pass	3500
6500	27000	1	RMS	25825.715	-47.86	-25	Pass	20500




23.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:519000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-63.12	-25	Pass	401
0.15	30	0.01	RMS	0.25	-60.62	-25	Pass	2985
30	1000	0.1	RMS	910.081	-50.95	-25	Pass	9699
1000	2560	1	RMS	2523.977	-40.65	-25	Pass	1560
2560	2630	1	RMS	2593.775	14.09	60	Pass	401
2630	3000	1	RMS	2881.6	-39.02	-25	Pass	401
3000	6500	1	RMS	6059.874	-60.73	-25	Pass	3500
6500	27000	1	RMS	25174.557	-47.62	-25	Pass	20500



23.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5, Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:25, RB Position:12)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-61.93	-25	Pass	401
0.15	30	0.01	RMS	0.22	-60.48	-25	Pass	2985
30	1000	0.1	RMS	991.188	-52.35	-25	Pass	9699
1000	2560	1	RMS	2520.975	-40.62	-25	Pass	1560
2560	2630	1	RMS	2609.875	13.3	60	Pass	401
2630	3000	1	RMS	2876.05	-39.11	-25	Pass	401
3000	6500	1	RMS	6057.874	-60.66	-25	Pass	3500
6500	27000	1	RMS	25827.715	-47.8	-25	Pass	20500



24. n41 30kHz_PC3


24.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-61.38	-25	Pass	401
0.15	30	0.01	RMS	0.21	-58.13	-25	Pass	2985
30	1000	0.1	RMS	829.598	-51.4	-25	Pass	9699
1000	2486	1	RMS	2486	-39.18	-25	Pass	1486
2486	2700	1	RMS	2506.33	13.32	60	Pass	401
2700	3000	1	RMS	2869.5	-38.98	-25	Pass	401
3000	6500	1	RMS	6185.91	-60.62	-25	Pass	3500
6500	27000	1	RMS	25492.634	-47.56	-25	Pass	20500




24.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-61.57	-25	Pass	401
0.15	30	0.01	RMS	0.55	-59.52	-25	Pass	2985
30	1000	0.1	RMS	907.778	-51.13	-25	Pass	9699
1000	2486	1	RMS	2486	-37.9	-25	Pass	1486
2486	2700	1	RMS	2509.005	14.47	60	Pass	401
2700	3000	1	RMS	2865.75	-39.06	-25	Pass	401
3000	6500	1	RMS	6063.875	-60.48	-25	Pass	3500
6500	27000	1	RMS	25788.706	-47.28	-25	Pass	20500




24.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:518598, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-61.91	-25	Pass	401
0.15	30	0.01	RMS	0.29	-60.06	-25	Pass	2985
30	1000	0.1	RMS	884.747	-51.77	-25	Pass	9699
1000	2486	1	RMS	2479.996	-41.02	-25	Pass	1486
2486	2700	1	RMS	2593	13.19	60	Pass	401
2700	3000	1	RMS	2870.25	-39.01	-25	Pass	401
3000	6500	1	RMS	6076.879	-60.67	-25	Pass	3500
6500	27000	1	RMS	25478.63	-47.07	-25	Pass	20500




24.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:518598, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-61.9	-25	Pass	401
0.15	30	0.01	RMS	0.33	-60.33	-25	Pass	2985
30	1000	0.1	RMS	887.751	-51.31	-25	Pass	9699
1000	2486	1	RMS	2468.989	-40.91	-25	Pass	1486
2486	2700	1	RMS	2596.21	14.21	60	Pass	401
2700	3000	1	RMS	2868	-39.1	-25	Pass	401
3000	6500	1	RMS	6048.871	-60.51	-25	Pass	3500
6500	27000	1	RMS	25508.638	-47.42	-25	Pass	20500




24.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5, Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-63.13	-25	Pass	401
0.15	30	0.01	RMS	0.17	-58.79	-25	Pass	2985
30	1000	0.1	RMS	753.988	-51.87	-25	Pass	9699
1000	2486	1	RMS	2483.999	-40.88	-25	Pass	1486
2486	2700	1	RMS	2680.205	12.85	60	Pass	401
2700	3000	1	RMS	2700	-39.02	-25	Pass	401
3000	6500	1	RMS	6179.909	-60.5	-25	Pass	3500
6500	27000	1	RMS	25425.617	-47.72	-25	Pass	20500




24.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-62.47	-25	Pass	401
0.15	30	0.01	RMS	0.19	-57.82	-25	Pass	2985
30	1000	0.1	RMS	875.635	-50.52	-25	Pass	9699
1000	2486	1	RMS	2482.998	-40.97	-25	Pass	1486
2486	2700	1	RMS	2676.995	13.8	60	Pass	401
2700	3000	1	RMS	2700	-37.76	-25	Pass	401
3000	6500	1	RMS	6154.901	-60.64	-25	Pass	3500
6500	27000	1	RMS	25511.638	-47.46	-25	Pass	20500




24.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:7, Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:81, RB Position:40)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-63	-25	Pass	401
0.15	30	0.01	RMS	0.23	-59.3	-25	Pass	2985
30	1000	0.1	RMS	999.599	-51.22	-25	Pass	9699
1000	2486	1	RMS	2486	-36.72	-25	Pass	1486
2486	2700	1	RMS	2526.66	8.29	60	Pass	401
2700	3000	1	RMS	2870.25	-39.01	-25	Pass	401
3000	6500	1	RMS	6045.87	-60.68	-25	Pass	3500
6500	27000	1	RMS	25497.635	-47.5	-25	Pass	20500




24.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:8, Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:81, RB Position:40)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-61.43	-25	Pass	401
0.15	30	0.01	RMS	0.34	-61.06	-25	Pass	2985
30	1000	0.1	RMS	826.897	-51.47	-25	Pass	9699
1000	2486	1	RMS	2486	-35.54	-25	Pass	1486
2486	2700	1	RMS	2532.545	9.28	60	Pass	401
2700	3000	1	RMS	2873.25	-39.06	-25	Pass	401
3000	6500	1	RMS	6058.874	-60.49	-25	Pass	3500
6500	27000	1	RMS	25213.566	-47.31	-25	Pass	20500




24.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:9, Channel:518598, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:81, RB Position:40)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-62.07	-25	Pass	401
0.15	30	0.01	RMS	0.15	-58.68	-25	Pass	2985
30	1000	0.1	RMS	929.907	-51.29	-25	Pass	9699
1000	2486	1	RMS	2477.995	-40.88	-25	Pass	1486
2486	2700	1	RMS	2586.045	8.23	60	Pass	401
2700	3000	1	RMS	2872.5	-39.02	-25	Pass	401
3000	6500	1	RMS	6057.874	-60.6	-25	Pass	3500
6500	27000	1	RMS	25811.711	-47.45	-25	Pass	20500




24.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:10, Channel:518598, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:81, RB Position:40)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-61.14	-25	Pass	401
0.15	30	0.01	RMS	0.22	-58.7	-25	Pass	2985
30	1000	0.1	RMS	891.656	-50.33	-25	Pass	9699
1000	2486	1	RMS	2459.982	-40.82	-25	Pass	1486
2486	2700	1	RMS	2599.42	9.33	60	Pass	401
2700	3000	1	RMS	2883	-39.05	-25	Pass	401
3000	6500	1	RMS	6057.874	-60.67	-25	Pass	3500
6500	27000	1	RMS	25198.562	-47.63	-25	Pass	20500




24.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:11, Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:81, RB Position:40)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-61.29	-25	Pass	401
0.15	30	0.01	RMS	0.16	-60.5	-25	Pass	2985
30	1000	0.1	RMS	898.866	-51.69	-25	Pass	9699
1000	2486	1	RMS	2469.989	-40.88	-25	Pass	1486
2486	2700	1	RMS	2652.92	8.45	60	Pass	401
2700	3000	1	RMS	2700	-37.35	-25	Pass	401
3000	6500	1	RMS	6053.873	-60.64	-25	Pass	3500
6500	27000	1	RMS	25820.713	-47.55	-25	Pass	20500




24.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:12, Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:81, RB Position:40)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-61.4	-25	Pass	401
0.15	30	0.01	RMS	0.29	-59.67	-25	Pass	2985
30	1000	0.1	RMS	898.065	-51.69	-25	Pass	9699
1000	2486	1	RMS	2482.998	-40.91	-25	Pass	1486
2486	2700	1	RMS	2652.92	9.22	60	Pass	401
2700	3000	1	RMS	2700	-36.21	-25	Pass	401
3000	6500	1	RMS	6052.872	-60.74	-25	Pass	3500
6500	27000	1	RMS	25907.735	-47.56	-25	Pass	20500




**24.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:13,
Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM,
Modulation:16QAM, RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-61.96	-25	Pass	401
0.15	30	0.01	RMS	0.18	-60.42	-25	Pass	2985
30	1000	0.1	RMS	839.899	-51.49	-25	Pass	9699
1000	2486	1	RMS	2486	-37.28	-25	Pass	1486
2486	2700	1	RMS	2558.225	6.1	60	Pass	401
2700	3000	1	RMS	2867.25	-38.98	-25	Pass	401
3000	6500	1	RMS	6056.873	-60.56	-25	Pass	3500
6500	27000	1	RMS	25481.631	-47.61	-25	Pass	20500




24.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:14, Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:135, RB Position:67)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-62.63	-25	Pass	401
0.15	30	0.01	RMS	0.36	-60.81	-25	Pass	2985
30	1000	0.1	RMS	889.253	-51.43	-25	Pass	9699
1000	2486	1	RMS	2484.999	-36.28	-25	Pass	1486
2486	2700	1	RMS	2557.69	7.13	60	Pass	401
2700	3000	1	RMS	2874.75	-38.99	-25	Pass	401
3000	6500	1	RMS	6057.874	-60.66	-25	Pass	3500
6500	27000	1	RMS	25515.639	-47.41	-25	Pass	20500




**24.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:15,
Channel:518598, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM,
Modulation:16QAM, RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-60.36	-25	Pass	401
0.15	30	0.01	RMS	0.2	-60.55	-25	Pass	2985
30	1000	0.1	RMS	874.133	-51.63	-25	Pass	9699
1000	2486	1	RMS	2479.996	-40.84	-25	Pass	1486
2486	2700	1	RMS	2578.02	6.04	60	Pass	401
2700	3000	1	RMS	2869.5	-39.08	-25	Pass	401
3000	6500	1	RMS	6057.874	-60.71	-25	Pass	3500
6500	27000	1	RMS	25487.633	-47.12	-25	Pass	20500




24.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:16, Channel:518598, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:135, RB Position:67)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-63.19	-25	Pass	401
0.15	30	0.01	RMS	0.45	-60.42	-25	Pass	2985
30	1000	0.1	RMS	966.756	-51.22	-25	Pass	9699
1000	2486	1	RMS	2483.999	-40.76	-25	Pass	1486
2486	2700	1	RMS	2579.09	7.1	60	Pass	401
2700	3000	1	RMS	2868.75	-39.07	-25	Pass	401
3000	6500	1	RMS	6175.907	-60.62	-25	Pass	3500
6500	27000	1	RMS	25878.728	-47.61	-25	Pass	20500




**24.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:17,
Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM,
Modulation:16QAM, RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-61.07	-25	Pass	401
0.15	30	0.01	RMS	0.26	-58.94	-25	Pass	2985
30	1000	0.1	RMS	783.492	-51.46	-25	Pass	9699
1000	2486	1	RMS	2484.999	-41.04	-25	Pass	1486
2486	2700	1	RMS	2641.15	6.32	60	Pass	401
2700	3000	1	RMS	2700	-37.61	-25	Pass	401
3000	6500	1	RMS	6176.908	-60.62	-25	Pass	3500
6500	27000	1	RMS	25203.564	-47.72	-25	Pass	20500



24.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:18, Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:135, RB Position:67)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-62.05	-25	Pass	401
0.15	30	0.01	RMS	0.15	-60.09	-25	Pass	2985
30	1000	0.1	RMS	870.128	-51.48	-25	Pass	9699
1000	2486	1	RMS	2478.995	-40.88	-25	Pass	1486
2486	2700	1	RMS	2637.405	7.18	60	Pass	401
2700	3000	1	RMS	2700	-36.37	-25	Pass	401
3000	6500	1	RMS	6060.875	-60.65	-25	Pass	3500
6500	27000	1	RMS	25497.635	-47.56	-25	Pass	20500



25. DC_2A_n66A_SCS15_5M_L_Inner Full(QPSK)

25.1. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.69	-13	Pass	2985
30	1000	0.1	RMS	896.162	-63.02	-13	Pass	9699
1000	1700	1	RMS	1700	-50.48	-13	Pass	700
1700	1790	1	RMS	1712.15	20.57	60	Pass	401
1790	3000	1	RMS	2868.892	-48.74	-13	Pass	1210
3000	6500	1	RMS	6060.875	-60.4	-13	Pass	3500
6500	20000	1	RMS	20000	-51.53	-13	Pass	13500



25. DC_2A_n66A_SCS15_5M_L_Inner Full(16QAM)

25.2. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.66	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.21	-13	Pass	2985
30	1000	0.1	RMS	912.484	-63.14	-13	Pass	9699
1000	1700	1	RMS	1700	-50.91	-13	Pass	700
1700	1790	1	RMS	1712.375	19.7	60	Pass	401
1790	3000	1	RMS	2869.892	-48.7	-13	Pass	1210
3000	6500	1	RMS	6059.874	-60.24	-13	Pass	3500
6500	20000	1	RMS	19999	-51.41	-13	Pass	13500



25. DC_2A_n66A_SCS15_5M_M_Inner Full(QPSK)

25.3. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.67	-13	Pass	2985
30	1000	0.1	RMS	907.678	-63.12	-13	Pass	9699
1000	1700	1	RMS	1700	-52.55	-13	Pass	700
1700	1790	1	RMS	1744.775	20.53	60	Pass	401
1790	3000	1	RMS	2865.889	-48.76	-13	Pass	1210
3000	6500	1	RMS	6057.874	-60.33	-13	Pass	3500
6500	20000	1	RMS	20000	-51.38	-13	Pass	13500



25. DC_2A_n66A_SCS15_5M_M_Inner Full(16QAM)

25.4. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.18	-13	Pass	2985
30	1000	0.1	RMS	868.025	-63.23	-13	Pass	9699
1000	1700	1	RMS	1700	-52.59	-13	Pass	700
1700	1790	1	RMS	1744.55	19.69	60	Pass	401
1790	3000	1	RMS	2867.891	-48.75	-13	Pass	1210
3000	6500	1	RMS	6060.875	-60.42	-13	Pass	3500
6500	20000	1	RMS	19999	-51.44	-13	Pass	13500



25. DC_2A_n66A_SCS15_5M_H_Inner Full(QPSK)

25.5. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-72.61	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.66	-13	Pass	2985
30	1000	0.1	RMS	886.65	-63.28	-13	Pass	9699
1000	1700	1	RMS	1697.997	-52.61	-13	Pass	700
1700	1790	1	RMS	1777.175	20.44	60	Pass	401
1790	3000	1	RMS	2868.892	-48.76	-13	Pass	1210
3000	6500	1	RMS	6055.873	-60.41	-13	Pass	3500
6500	20000	1	RMS	20000	-51.32	-13	Pass	13500



25. DC_2A_n66A_SCS15_5M_H_Inner Full(16QAM)

25.6. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-72.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.74	-13	Pass	2985
30	1000	0.1	RMS	885.648	-63.17	-13	Pass	9699
1000	1700	1	RMS	1697.997	-52.6	-13	Pass	700
1700	1790	1	RMS	1777.175	19.69	60	Pass	401
1790	3000	1	RMS	2871.894	-48.75	-13	Pass	1210
3000	6500	1	RMS	6055.873	-60.39	-13	Pass	3500
6500	20000	1	RMS	19998	-51.38	-13	Pass	13500



25. DC_2A_n66A_SCS15_15M_L_Inner Full(QPSK)

25.7. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.54	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.1	-13	Pass	2985
30	1000	0.1	RMS	884.347	-63.22	-13	Pass	9699
1000	1700	1	RMS	1700	-44.83	-13	Pass	700
1700	1790	1	RMS	1714.85	16.13	60	Pass	401
1790	3000	1	RMS	2876.898	-48.75	-13	Pass	1210
3000	6500	1	RMS	6059.874	-60.38	-13	Pass	3500
6500	20000	1	RMS	19996.999	-51.51	-13	Pass	13500



25. DC_2A_n66A_SCS15_15M_L_Inner Full(16QAM)

25.8. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-72.62	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.96	-13	Pass	2985
30	1000	0.1	RMS	876.336	-63.2	-13	Pass	9699
1000	1700	1	RMS	1700	-44.79	-13	Pass	700
1700	1790	1	RMS	1715.3	15.24	60	Pass	401
1790	3000	1	RMS	2871.894	-48.7	-13	Pass	1210
3000	6500	1	RMS	6055.873	-60.32	-13	Pass	3500
6500	20000	1	RMS	20000	-51.29	-13	Pass	13500



25. DC_2A_n66A_SCS15_15M_M_Inner Full(QPSK)

25.9. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-72.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.62	-13	Pass	2985
30	1000	0.1	RMS	888.352	-63.2	-13	Pass	9699
1000	1700	1	RMS	1700	-52.54	-13	Pass	700
1700	1790	1	RMS	1742.3	15.99	60	Pass	401
1790	3000	1	RMS	2867.891	-48.77	-13	Pass	1210
3000	6500	1	RMS	6058.874	-60.35	-13	Pass	3500
6500	20000	1	RMS	19993.999	-51.49	-13	Pass	13500



25. DC_2A_n66A_SCS15_15M_M_Inner Full(16QAM)

25.10. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.22	-13	Pass	2985
30	1000	0.1	RMS	893.859	-63.21	-13	Pass	9699
1000	1700	1	RMS	1697.997	-52.58	-13	Pass	700
1700	1790	1	RMS	1742.525	15.1	60	Pass	401
1790	3000	1	RMS	2868.892	-48.75	-13	Pass	1210
3000	6500	1	RMS	6054.873	-60.39	-13	Pass	3500
6500	20000	1	RMS	19999	-51.49	-13	Pass	13500



25. DC_2A_n66A_SCS15_15M_H_Inner Full(QPSK)

25.11. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-72.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.84	-13	Pass	2985
30	1000	0.1	RMS	911.483	-63.04	-13	Pass	9699
1000	1700	1	RMS	1697.997	-52.59	-13	Pass	700
1700	1790	1	RMS	1769.75	16.22	60	Pass	401
1790	3000	1	RMS	1790	-44.91	-13	Pass	1210
3000	6500	1	RMS	6058.874	-60.39	-13	Pass	3500
6500	20000	1	RMS	20000	-51.39	-13	Pass	13500



25. DC_2A_n66A_SCS15_15M_H_Inner Full(16QAM)

25.12. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-72.72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.09	-13	Pass	2985
30	1000	0.1	RMS	900.067	-63.03	-13	Pass	9699
1000	1700	1	RMS	1695.994	-52.57	-13	Pass	700
1700	1790	1	RMS	1769.75	15.34	60	Pass	401
1790	3000	1	RMS	1790	-45.72	-13	Pass	1210
3000	6500	1	RMS	6060.875	-60.31	-13	Pass	3500
6500	20000	1	RMS	19994.999	-51.53	-13	Pass	13500



25. DC_2A_n66A_SCS15_20M_L_Inner Full(QPSK)

25.13. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-72.59	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.75	-13	Pass	2985
30	1000	0.1	RMS	903.472	-63.31	-13	Pass	9699
1000	1700	1	RMS	1698.999	-42.46	-13	Pass	700
1700	1790	1	RMS	1719.35	14.68	60	Pass	401
1790	3000	1	RMS	2868.892	-48.7	-13	Pass	1210
3000	6500	1	RMS	6056.873	-60.38	-13	Pass	3500
6500	20000	1	RMS	19995.999	-51.38	-13	Pass	13500



25. DC_2A_n66A_SCS15_20M_L_Inner Full(16QAM)

25.14. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-72.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.51	-13	Pass	2985
30	1000	0.1	RMS	906.276	-63.16	-13	Pass	9699
1000	1700	1	RMS	1700	-43.47	-13	Pass	700
1700	1790	1	RMS	1720.025	13.8	60	Pass	401
1790	3000	1	RMS	2867.891	-48.73	-13	Pass	1210
3000	6500	1	RMS	6057.874	-60.29	-13	Pass	3500
6500	20000	1	RMS	20000	-51.39	-13	Pass	13500



25. DC_2A_n66A_SCS15_20M_M_Inner Full(QPSK)

25.15. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.44	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.27	-13	Pass	2985
30	1000	0.1	RMS	882.845	-63.24	-13	Pass	9699
1000	1700	1	RMS	1700	-52.32	-13	Pass	700
1700	1790	1	RMS	1744.1	14.75	60	Pass	401
1790	3000	1	RMS	2867.891	-48.74	-13	Pass	1210
3000	6500	1	RMS	6057.874	-60.35	-13	Pass	3500
6500	20000	1	RMS	20000	-51.46	-13	Pass	13500



25. DC_2A_n66A_SCS15_20M_M_Inner Full(16QAM)

25.16. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-72.29	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.61	-13	Pass	2985
30	1000	0.1	RMS	887.651	-63.2	-13	Pass	9699
1000	1700	1	RMS	1700	-52.48	-13	Pass	700
1700	1790	1	RMS	1745	13.84	60	Pass	401
1790	3000	1	RMS	2872.895	-48.75	-13	Pass	1210
3000	6500	1	RMS	6061.875	-60.35	-13	Pass	3500
6500	20000	1	RMS	20000	-51.47	-13	Pass	13500



25. DC_2A_n66A_SCS15_20M_H_Inner Full(QPSK)

25.17. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.33	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.42	-13	Pass	2985
30	1000	0.1	RMS	900.168	-63.31	-13	Pass	9699
1000	1700	1	RMS	1698.999	-52.59	-13	Pass	700
1700	1790	1	RMS	1769.3	14.77	60	Pass	401
1790	3000	1	RMS	1790	-42.34	-13	Pass	1210
3000	6500	1	RMS	6061.875	-60.36	-13	Pass	3500
6500	20000	1	RMS	19994.999	-51.44	-13	Pass	13500



25. DC_2A_n66A_SCS15_20M_H_Inner Full(16QAM)

25.18. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.062	-68.37	-13	Pass	401
0.15	30	0.01	RMS	0.22	-70.99	-13	Pass	2985
30	1000	0.1	RMS	860.815	-63.29	-13	Pass	9699
1000	1700	1	RMS	1698.999	-52.61	-13	Pass	700
1700	1790	1	RMS	1769.975	13.92	60	Pass	401
1790	3000	1	RMS	1790	-43.7	-13	Pass	1210
3000	6500	1	RMS	6059.874	-60.36	-13	Pass	3500
6500	20000	1	RMS	19994.999	-51.32	-13	Pass	13500



26. DC_5A_n7A_SCS15_5M_L_Inner Full(QPSK)

26.1. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-74.94	-25	Pass	401
0.15	30	0.01	RMS	0.15	-77.48	-25	Pass	2985
30	1000	0.1	RMS	985.08	-81.18	-25	Pass	9699
1000	2450	1	RMS	2450	-67.21	-25	Pass	1450
2450	2490	1	RMS	2490	-48.04	-25	Pass	401
2490	2580	1	RMS	2502.375	20.22	60	Pass	401
2580	2700	1	RMS	2699.7	-50.18	-25	Pass	401
2700	3000	1	RMS	2868.75	-65.01	-25	Pass	401
3000	6500	1	RMS	6055.873	-60.35	-25	Pass	3500
6500	27000	1	RMS	25200.563	-47.87	-25	Pass	20500



26. DC_5A_n7A_SCS15_5M_L_Inner Full(16QAM)

26.2. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-78.99	-25	Pass	401
0.15	30	0.01	RMS	0.15	-79.38	-25	Pass	2985
30	1000	0.1	RMS	861.817	-81.31	-25	Pass	9699
1000	2450	1	RMS	2450	-67.24	-25	Pass	1450
2450	2490	1	RMS	2489.8	-47.13	-25	Pass	401
2490	2580	1	RMS	2501.925	20.04	60	Pass	401
2580	2700	1	RMS	2697.3	-50.2	-25	Pass	401
2700	3000	1	RMS	2868	-65.01	-25	Pass	401
3000	6500	1	RMS	6060.875	-60.36	-25	Pass	3500
6500	27000	1	RMS	25504.637	-47.9	-25	Pass	20500



26. DC_5A_n7A_SCS15_5M_M_Inner Full(QPSK)

26.3. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-75.26	-25	Pass	401
0.15	30	0.01	RMS	0.15	-76	-25	Pass	2985
30	1000	0.1	RMS	934.413	-80.99	-25	Pass	9699
1000	2450	1	RMS	2448.999	-67.28	-25	Pass	1450
2450	2490	1	RMS	2489.6	-50.59	-25	Pass	401
2490	2580	1	RMS	2534.775	20.21	60	Pass	401
2580	2700	1	RMS	2699.1	-50.21	-25	Pass	401
2700	3000	1	RMS	2866.5	-65.01	-25	Pass	401
3000	6500	1	RMS	6060.875	-60.39	-25	Pass	3500
6500	27000	1	RMS	25198.562	-47.94	-25	Pass	20500



26. DC_5A_n7A_SCS15_5M_M_Inner Full(16QAM)

26.4. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-78.71	-25	Pass	401
0.15	30	0.01	RMS	0.15	-78.42	-25	Pass	2985
30	1000	0.1	RMS	991.589	-80.98	-25	Pass	9699
1000	2450	1	RMS	2445.997	-67.26	-25	Pass	1450
2450	2490	1	RMS	2489.7	-50.58	-25	Pass	401
2490	2580	1	RMS	2534.775	19.24	60	Pass	401
2580	2700	1	RMS	2696.4	-50.22	-25	Pass	401
2700	3000	1	RMS	2869.5	-65	-25	Pass	401
3000	6500	1	RMS	6057.874	-60.37	-25	Pass	3500
6500	27000	1	RMS	25197.562	-47.96	-25	Pass	20500



26. DC_5A_n7A_SCS15_5M_H_Inner Full(QPSK)

26.5. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-75.52	-25	Pass	401
0.15	30	0.01	RMS	0.15	-76.98	-25	Pass	2985
30	1000	0.1	RMS	892.357	-81.04	-25	Pass	9699
1000	2450	1	RMS	2439.993	-67.24	-25	Pass	1450
2450	2490	1	RMS	2489.7	-50.59	-25	Pass	401
2490	2580	1	RMS	2567.175	20.05	60	Pass	401
2580	2700	1	RMS	2580.6	-49.46	-25	Pass	401
2700	3000	1	RMS	2867.25	-65	-25	Pass	401
3000	6500	1	RMS	6058.874	-60.4	-25	Pass	3500
6500	27000	1	RMS	25499.635	-47.76	-25	Pass	20500



26. DC_5A_n7A_SCS15_5M_H_Inner Full(16QAM)

26.6. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-79.15	-25	Pass	401
0.15	30	0.01	RMS	0.15	-78.85	-25	Pass	2985
30	1000	0.1	RMS	893.659	-81.16	-25	Pass	9699
1000	2450	1	RMS	2450	-67.25	-25	Pass	1450
2450	2490	1	RMS	2489.5	-50.61	-25	Pass	401
2490	2580	1	RMS	2567.175	19.19	60	Pass	401
2580	2700	1	RMS	2580	-49.62	-25	Pass	401
2700	3000	1	RMS	2868.75	-65.03	-25	Pass	401
3000	6500	1	RMS	6055.873	-60.4	-25	Pass	3500
6500	27000	1	RMS	25484.632	-47.9	-25	Pass	20500



26. DC_5A_n7A_SCS15_15M_L_Inner Full(QPSK)

26.7. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-76.43	-25	Pass	401
0.15	30	0.01	RMS	0.15	-78.05	-25	Pass	2985
30	1000	0.1	RMS	987.183	-81.08	-25	Pass	9699
1000	2450	1	RMS	2442.995	-67.26	-25	Pass	1450
2450	2490	1	RMS	2490	-43.95	-25	Pass	401
2490	2580	1	RMS	2504.85	15.76	60	Pass	401
2580	2700	1	RMS	2697	-50.21	-25	Pass	401
2700	3000	1	RMS	2868	-65.01	-25	Pass	401
3000	6500	1	RMS	6052.872	-60.45	-25	Pass	3500
6500	27000	1	RMS	25199.563	-47.9	-25	Pass	20500



26. DC_5A_n7A_SCS15_15M_L_Inner Full(16QAM)

26.8. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-79.12	-25	Pass	401
0.15	30	0.01	RMS	0.15	-78.1	-25	Pass	2985
30	1000	0.1	RMS	891.356	-81.11	-25	Pass	9699
1000	2450	1	RMS	2438.992	-67.27	-25	Pass	1450
2450	2490	1	RMS	2490	-43.88	-25	Pass	401
2490	2580	1	RMS	2505.075	14.89	60	Pass	401
2580	2700	1	RMS	2694.3	-50.2	-25	Pass	401
2700	3000	1	RMS	2869.5	-65	-25	Pass	401
3000	6500	1	RMS	6058.874	-60.37	-25	Pass	3500
6500	27000	1	RMS	25502.636	-48.01	-25	Pass	20500



26. DC_5A_n7A_SCS15_15M_M_Inner Full(QPSK)

26.9. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-76.2	-25	Pass	401
0.15	30	0.01	RMS	0.15	-77.08	-25	Pass	2985
30	1000	0.1	RMS	904.073	-81.19	-25	Pass	9699
1000	2450	1	RMS	2442.995	-67.19	-25	Pass	1450
2450	2490	1	RMS	2489.4	-50.56	-25	Pass	401
2490	2580	1	RMS	2532.3	15.8	60	Pass	401
2580	2700	1	RMS	2699.4	-50.18	-25	Pass	401
2700	3000	1	RMS	2868.75	-65.04	-25	Pass	401
3000	6500	1	RMS	6055.873	-60.4	-25	Pass	3500
6500	27000	1	RMS	25207.565	-48.07	-25	Pass	20500



26. DC_5A_n7A_SCS15_15M_M_Inner Full(16QAM)

26.10. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-79.72	-25	Pass	401
0.15	30	0.01	RMS	0.15	-79.84	-25	Pass	2985
30	1000	0.1	RMS	998.097	-81.06	-25	Pass	9699
1000	2450	1	RMS	2450	-67.22	-25	Pass	1450
2450	2490	1	RMS	2489.6	-50.58	-25	Pass	401
2490	2580	1	RMS	2532.075	14.97	60	Pass	401
2580	2700	1	RMS	2698.2	-50.2	-25	Pass	401
2700	3000	1	RMS	2869.5	-65.01	-25	Pass	401
3000	6500	1	RMS	6054.873	-60.36	-25	Pass	3500
6500	27000	1	RMS	25516.64	-47.91	-25	Pass	20500



26. DC_5A_n7A_SCS15_15M_H_Inner Full(QPSK)

26.11. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-77.77	-25	Pass	401
0.15	30	0.01	RMS	0.15	-77.65	-25	Pass	2985
30	1000	0.1	RMS	993.491	-81.04	-25	Pass	9699
1000	2450	1	RMS	2441.994	-67.27	-25	Pass	1450
2450	2490	1	RMS	2488.5	-50.6	-25	Pass	401
2490	2580	1	RMS	2559.75	15.61	60	Pass	401
2580	2700	1	RMS	2580	-45.79	-25	Pass	401
2700	3000	1	RMS	2870.25	-65.02	-25	Pass	401
3000	6500	1	RMS	6056.873	-60.37	-25	Pass	3500
6500	27000	1	RMS	25509.638	-47.89	-25	Pass	20500



26. DC_5A_n7A_SCS15_15M_H_Inner Full(16QAM)

26.12. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-79.46	-25	Pass	401
0.15	30	0.01	RMS	0.15	-78.95	-25	Pass	2985
30	1000	0.1	RMS	891.056	-80.59	-25	Pass	9699
1000	2450	1	RMS	2450	-67.23	-25	Pass	1450
2450	2490	1	RMS	2489.8	-50.61	-25	Pass	401
2490	2580	1	RMS	2559.3	14.9	60	Pass	401
2580	2700	1	RMS	2580	-46.26	-25	Pass	401
2700	3000	1	RMS	2870.25	-65.02	-25	Pass	401
3000	6500	1	RMS	6058.874	-60.33	-25	Pass	3500
6500	27000	1	RMS	25200.563	-47.88	-25	Pass	20500



26. DC_5A_n7A_SCS15_20M_L_Inner Full(QPSK)

26.13. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-76.86	-25	Pass	401
0.15	30	0.01	RMS	0.15	-78.7	-25	Pass	2985
30	1000	0.1	RMS	996.095	-81.11	-25	Pass	9699
1000	2450	1	RMS	2442.995	-67.23	-25	Pass	1450
2450	2490	1	RMS	2490	-40.02	-25	Pass	401
2490	2580	1	RMS	2509.125	14.43	60	Pass	401
2580	2700	1	RMS	2695.2	-50.21	-25	Pass	401
2700	3000	1	RMS	2868.75	-65.02	-25	Pass	401
3000	6500	1	RMS	6055.873	-60.38	-25	Pass	3500
6500	27000	1	RMS	25505.637	-47.94	-25	Pass	20500



26. DC_5A_n7A_SCS15_20M_L_Inner Full(16AQM)

26.14. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-79.37	-25	Pass	401
0.15	30	0.01	RMS	0.15	-79.49	-25	Pass	2985
30	1000	0.1	RMS	911.082	-81.24	-25	Pass	9699
1000	2450	1	RMS	2450	-67.25	-25	Pass	1450
2450	2490	1	RMS	2490	-41.89	-25	Pass	401
2490	2580	1	RMS	2510.025	13.56	60	Pass	401
2580	2700	1	RMS	2697.3	-50.2	-25	Pass	401
2700	3000	1	RMS	2868	-65.01	-25	Pass	401
3000	6500	1	RMS	6061.875	-60.36	-25	Pass	3500
6500	27000	1	RMS	25510.638	-47.95	-25	Pass	20500



26. DC_5A_n7A_SCS15_20M_M_Inner Full(QPSK)

26.15. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-78.32	-25	Pass	401
0.15	30	0.01	RMS	0.15	-78.63	-25	Pass	2985
30	1000	0.1	RMS	978.772	-81.06	-25	Pass	9699
1000	2450	1	RMS	2445.997	-67.22	-25	Pass	1450
2450	2490	1	RMS	2489.9	-50.53	-25	Pass	401
2490	2580	1	RMS	2534.325	14.35	60	Pass	401
2580	2700	1	RMS	2697	-50.21	-25	Pass	401
2700	3000	1	RMS	2868	-64.99	-25	Pass	401
3000	6500	1	RMS	6060.875	-60.44	-25	Pass	3500
6500	27000	1	RMS	25504.637	-47.91	-25	Pass	20500



26. DC_5A_n7A_SCS15_20M_M_Inner Full(16AQM)

26.16. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-80.06	-25	Pass	401
0.15	30	0.01	RMS	0.15	-80.81	-25	Pass	2985
30	1000	0.1	RMS	894.16	-81.13	-25	Pass	9699
1000	2450	1	RMS	2445.997	-67.25	-25	Pass	1450
2450	2490	1	RMS	2489.2	-50.57	-25	Pass	401
2490	2580	1	RMS	2535	13.68	60	Pass	401
2580	2700	1	RMS	2700	-50.18	-25	Pass	401
2700	3000	1	RMS	2868.75	-65.02	-25	Pass	401
3000	6500	1	RMS	6058.874	-60.42	-25	Pass	3500
6500	27000	1	RMS	25197.562	-48	-25	Pass	20500



26. DC_5A_n7A_SCS15_20M_H_Inner Full(QPSK)

26.17. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-77.27	-25	Pass	401
0.15	30	0.01	RMS	0.15	-79.06	-25	Pass	2985
30	1000	0.1	RMS	999.199	-80.67	-25	Pass	9699
1000	2450	1	RMS	2444.997	-67.26	-25	Pass	1450
2450	2490	1	RMS	2488.8	-50.6	-25	Pass	401
2490	2580	1	RMS	2555.7	14.21	60	Pass	401
2580	2700	1	RMS	2580	-42.46	-25	Pass	401
2700	3000	1	RMS	2870.25	-65.01	-25	Pass	401
3000	6500	1	RMS	6055.873	-60.35	-25	Pass	3500
6500	27000	1	RMS	25500.636	-47.83	-25	Pass	20500



26. DC_5A_n7A_SCS15_20M_H_Inner Full(16AQM)

26.18. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-79.96	-25	Pass	401
0.15	30	0.01	RMS	0.15	-80.06	-25	Pass	2985
30	1000	0.1	RMS	989.686	-81.17	-25	Pass	9699
1000	2450	1	RMS	2450	-67.27	-25	Pass	1450
2450	2490	1	RMS	2488.6	-50.58	-25	Pass	401
2490	2580	1	RMS	2557.5	13.57	60	Pass	401
2580	2700	1	RMS	2580	-44.29	-25	Pass	401
2700	3000	1	RMS	2868	-65.03	-25	Pass	401
3000	6500	1	RMS	6060.875	-60.3	-25	Pass	3500
6500	27000	1	RMS	25497.635	-47.87	-25	Pass	20500



27. DC_5A_n66A_SCS15_5M_L_Inner Full(QPSK)

27.1. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.21	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.83	-13	Pass	2985
30	1000	0.1	RMS	997.296	-63.34	-13	Pass	9699
1000	1700	1	RMS	1700	-51.02	-13	Pass	700
1700	1790	1	RMS	1712.375	20.34	60	Pass	401
1790	3000	1	RMS	2874.897	-49.04	-13	Pass	1210
3000	6500	1	RMS	6062.875	-60.77	-13	Pass	3500
6500	20000	1	RMS	19999	-51.78	-13	Pass	13500



27. DC_5A_n66A_SCS15_5M_L_Inner Full(16QAM)

27.2. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.9	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.54	-13	Pass	2985
30	1000	0.1	RMS	897.364	-63.31	-13	Pass	9699
1000	1700	1	RMS	1700	-51.22	-13	Pass	700
1700	1790	1	RMS	1712.15	19.51	60	Pass	401
1790	3000	1	RMS	2871.894	-49.02	-13	Pass	1210
3000	6500	1	RMS	6066.876	-60.81	-13	Pass	3500
6500	20000	1	RMS	19998	-51.96	-13	Pass	13500



27. DC_5A_n66A_SCS15_5M_M_Inner Full(QPSK)

27.3. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-64.86	-13	Pass	401
0.15	30	0.01	RMS	0.21	-71.08	-13	Pass	2985
30	1000	0.1	RMS	996.095	-62.9	-13	Pass	9699
1000	1700	1	RMS	1700	-52.58	-13	Pass	700
1700	1790	1	RMS	1744.55	20.49	60	Pass	401
1790	3000	1	RMS	2876.898	-48.76	-13	Pass	1210
3000	6500	1	RMS	6058.874	-60.4	-13	Pass	3500
6500	20000	1	RMS	20000	-51.42	-13	Pass	13500



27. DC_5A_n66A_SCS15_5M_M_Inner Full(16QAM)

27.4. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-71.01	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.03	-13	Pass	2985
30	1000	0.1	RMS	922.597	-63.22	-13	Pass	9699
1000	1700	1	RMS	1700	-52.53	-13	Pass	700
1700	1790	1	RMS	1744.775	19.62	60	Pass	401
1790	3000	1	RMS	2868.892	-48.74	-13	Pass	1210
3000	6500	1	RMS	6053.873	-60.4	-13	Pass	3500
6500	20000	1	RMS	19999	-51.41	-13	Pass	13500



27. DC_5A_n66A_SCS15_5M_H_Inner Full(QPSK)

27.5. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-65.85	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.92	-13	Pass	2985
30	1000	0.1	RMS	885.949	-63.22	-13	Pass	9699
1000	1700	1	RMS	1698.999	-52.56	-13	Pass	700
1700	1790	1	RMS	1777.175	20.47	60	Pass	401
1790	3000	1	RMS	2868.892	-48.76	-13	Pass	1210
3000	6500	1	RMS	6183.91	-60.43	-13	Pass	3500
6500	20000	1	RMS	20000	-51.25	-13	Pass	13500



27. DC_5A_n66A_SCS15_5M_H_Inner Full(16QAM)

27.6. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-72.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.64	-13	Pass	2985
30	1000	0.1	RMS	986.182	-63.02	-13	Pass	9699
1000	1700	1	RMS	1696.996	-52.57	-13	Pass	700
1700	1790	1	RMS	1777.175	19.65	60	Pass	401
1790	3000	1	RMS	2872.895	-48.69	-13	Pass	1210
3000	6500	1	RMS	6061.875	-60.26	-13	Pass	3500
6500	20000	1	RMS	19999	-51.32	-13	Pass	13500



27. DC_5A_n66A_SCS15_15M_L_Inner Full(QPSK)

27.7. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-64.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.41	-13	Pass	2985
30	1000	0.1	RMS	888.152	-63.3	-13	Pass	9699
1000	1700	1	RMS	1700	-44.79	-13	Pass	700
1700	1790	1	RMS	1714.85	16.08	60	Pass	401
1790	3000	1	RMS	2871.894	-48.71	-13	Pass	1210
3000	6500	1	RMS	6057.874	-60.34	-13	Pass	3500
6500	20000	1	RMS	19993.999	-51.53	-13	Pass	13500



27. DC_5A_n66A_SCS15_15M_L_Inner Full(16QAM)

27.8. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.84	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.47	-13	Pass	2985
30	1000	0.1	RMS	873.833	-62.56	-13	Pass	9699
1000	1700	1	RMS	1700	-44.85	-13	Pass	700
1700	1790	1	RMS	1715.075	15.17	60	Pass	401
1790	3000	1	RMS	2874.897	-48.71	-13	Pass	1210
3000	6500	1	RMS	6060.875	-60.37	-13	Pass	3500
6500	20000	1	RMS	19999	-51.42	-13	Pass	13500



27. DC_5A_n66A_SCS15_15M_M_Inner Full(QPSK)

27.9. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-71.85	-13	Pass	401
0.15	30	0.01	RMS	0.18	-70.51	-13	Pass	2985
30	1000	0.1	RMS	894.76	-63.23	-13	Pass	9699
1000	1700	1	RMS	1700	-52.57	-13	Pass	700
1700	1790	1	RMS	1742.525	16.03	60	Pass	401
1790	3000	1	RMS	2870.893	-48.74	-13	Pass	1210
3000	6500	1	RMS	6059.874	-60.37	-13	Pass	3500
6500	20000	1	RMS	19999	-51.31	-13	Pass	13500



27. DC_5A_n66A_SCS15_15M_M_Inner Full(16QAM)

27.10. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-72.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.31	-13	Pass	2985
30	1000	0.1	RMS	906.276	-63.13	-13	Pass	9699
1000	1700	1	RMS	1697.997	-52.55	-13	Pass	700
1700	1790	1	RMS	1742.525	15.12	60	Pass	401
1790	3000	1	RMS	2869.892	-48.75	-13	Pass	1210
3000	6500	1	RMS	6059.874	-60.39	-13	Pass	3500
6500	20000	1	RMS	19999	-51.36	-13	Pass	13500



27. DC_5A_n66A_SCS15_15M_H_Inner Full(QPSK)

27.11. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.7	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.65	-13	Pass	2985
30	1000	0.1	RMS	909.981	-63.14	-13	Pass	9699
1000	1700	1	RMS	1698.999	-52.58	-13	Pass	700
1700	1790	1	RMS	1769.75	16.21	60	Pass	401
1790	3000	1	RMS	1790	-44.86	-13	Pass	1210
3000	6500	1	RMS	6057.874	-60.42	-13	Pass	3500
6500	20000	1	RMS	20000	-51.54	-13	Pass	13500



27. DC_5A_n66A_SCS15_15M_H_Inner Full(16QAM)

27.12. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.91	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.83	-13	Pass	2985
30	1000	0.1	RMS	897.164	-63.18	-13	Pass	9699
1000	1700	1	RMS	1700	-52.53	-13	Pass	700
1700	1790	1	RMS	1769.975	15.27	60	Pass	401
1790	3000	1	RMS	1790	-45.64	-13	Pass	1210
3000	6500	1	RMS	6059.874	-60.36	-13	Pass	3500
6500	20000	1	RMS	20000	-51.38	-13	Pass	13500



27. DC_5A_n66A_SCS15_20M_L_Inner Full(QPSK)

27.13. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-71.35	-13	Pass	401
0.15	30	0.01	RMS	0.22	-70.86	-13	Pass	2985
30	1000	0.1	RMS	881.843	-63.2	-13	Pass	9699
1000	1700	1	RMS	1698.999	-42.33	-13	Pass	700
1700	1790	1	RMS	1719.35	14.64	60	Pass	401
1790	3000	1	RMS	2869.892	-48.75	-13	Pass	1210
3000	6500	1	RMS	6179.909	-60.38	-13	Pass	3500
6500	20000	1	RMS	20000	-51.52	-13	Pass	13500



27. DC_5A_n66A_SCS15_20M_L_Inner Full(16QAM)

27.14. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.81	-13	Pass	401
0.15	30	0.01	RMS	0.24	-71.24	-13	Pass	2985
30	1000	0.1	RMS	877.538	-63.39	-13	Pass	9699
1000	1700	1	RMS	1700	-43.45	-13	Pass	700
1700	1790	1	RMS	1720.025	13.85	60	Pass	401
1790	3000	1	RMS	2871.894	-48.75	-13	Pass	1210
3000	6500	1	RMS	6053.873	-60.35	-13	Pass	3500
6500	20000	1	RMS	19998	-51.25	-13	Pass	13500



27. DC_5A_n66A_SCS15_20M_M_Inner Full(QPSK)

27.15. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.61	-13	Pass	401
0.15	30	0.01	RMS	0.19	-70.99	-13	Pass	2985
30	1000	0.1	RMS	881.743	-63.19	-13	Pass	9699
1000	1700	1	RMS	1700	-52.4	-13	Pass	700
1700	1790	1	RMS	1744.325	14.67	60	Pass	401
1790	3000	1	RMS	2876.898	-48.74	-13	Pass	1210
3000	6500	1	RMS	6057.874	-60.36	-13	Pass	3500
6500	20000	1	RMS	19998	-51.62	-13	Pass	13500



27. DC_5A_n66A_SCS15_20M_M_Inner Full(16QAM)

27.16. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.95	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.25	-13	Pass	2985
30	1000	0.1	RMS	906.676	-63.07	-13	Pass	9699
1000	1700	1	RMS	1697.997	-52.48	-13	Pass	700
1700	1790	1	RMS	1745	13.84	60	Pass	401
1790	3000	1	RMS	2870.893	-48.77	-13	Pass	1210
3000	6500	1	RMS	6056.873	-60.39	-13	Pass	3500
6500	20000	1	RMS	19996.999	-51.56	-13	Pass	13500



27. DC_5A_n66A_SCS15_20M_H_Inner Full(QPSK)

27.17. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-72.18	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.38	-13	Pass	2985
30	1000	0.1	RMS	885.348	-63.06	-13	Pass	9699
1000	1700	1	RMS	1695.994	-52.55	-13	Pass	700
1700	1790	1	RMS	1769.3	14.77	60	Pass	401
1790	3000	1	RMS	1790	-42.41	-13	Pass	1210
3000	6500	1	RMS	6058.874	-60.31	-13	Pass	3500
6500	20000	1	RMS	19999	-51.55	-13	Pass	13500



27. DC_5A_n66A_SCS15_20M_H_Inner Full(16QAM)

27.18. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.98	-13	Pass	2985
30	1000	0.1	RMS	953.939	-63.21	-13	Pass	9699
1000	1700	1	RMS	1698.999	-52.57	-13	Pass	700
1700	1790	1	RMS	1769.975	13.88	60	Pass	401
1790	3000	1	RMS	1790	-43.76	-13	Pass	1210
3000	6500	1	RMS	6060.875	-60.4	-13	Pass	3500
6500	20000	1	RMS	19999	-51.53	-13	Pass	13500



28. DC_7A_n5A_SCS15_5M_L_Inner Full(QPSK)

28.1. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.126	-73.33	-13	Pass	401
0.15	30	0.01	RMS	1.05	-57	-13	Pass	2985
30	814	0.1	RMS	813.7	-68.81	-13	Pass	7840
814	859	0.1	RMS	826.227	10.95	60	Pass	450
859	1000	0.1	RMS	931.852	-79.85	-13	Pass	1410
1000	3000	1	RMS	2478.739	-20.9	-13	Pass	2000
3000	10000	1	RMS	8428.776	-54.29	-13	Pass	7000



28. DC_7A_n5A_SCS15_5M_L_Inner Full(16QAM)

28.2. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.095	-72.29	-13	Pass	401
0.15	30	0.01	RMS	1.08	-58.64	-13	Pass	2985
30	814	0.1	RMS	814	-69.12	-13	Pass	7840
814	859	0.1	RMS	826.327	9.97	60	Pass	450
859	1000	0.1	RMS	931.451	-81.16	-13	Pass	1410
1000	3000	1	RMS	2478.739	-22.63	-13	Pass	2000
3000	10000	1	RMS	8427.775	-54.22	-13	Pass	7000



28. DC_7A_n5A_SCS15_5M_M_Inner Full(QPSK)

28.3. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.126	-74.44	-13	Pass	401
0.15	30	0.01	RMS	1.05	-58.49	-13	Pass	2985
30	814	0.1	RMS	812.5	-75.25	-13	Pass	7840
814	859	0.1	RMS	836.249	10.65	60	Pass	450
859	1000	0.1	RMS	966.776	-80.76	-13	Pass	1410
1000	3000	1	RMS	2508.754	-21.75	-13	Pass	2000
3000	10000	1	RMS	8432.776	-54.29	-13	Pass	7000



28. DC_7A_n5A_SCS15_5M_M_Inner Full(16QAM)

28.4. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-73.22	-13	Pass	401
0.15	30	0.01	RMS	1.05	-60.38	-13	Pass	2985
30	814	0.1	RMS	812.9	-75.49	-13	Pass	7840
814	859	0.1	RMS	836.35	9.59	60	Pass	450
859	1000	0.1	RMS	967.077	-81.92	-13	Pass	1410
1000	3000	1	RMS	2509.755	-23.64	-13	Pass	2000
3000	10000	1	RMS	8431.776	-54.38	-13	Pass	7000



28. DC_7A_n5A_SCS15_5M_H_Inner Full(QPSK)

28.5. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.126	-76.59	-13	Pass	401
0.15	30	0.01	RMS	1.05	-59.84	-13	Pass	2985
30	814	0.1	RMS	813.2	-77.29	-13	Pass	7840
814	859	0.1	RMS	846.272	10.64	60	Pass	450
859	1000	0.1	RMS	859.2	-81.21	-13	Pass	1410
1000	3000	1	RMS	2538.769	-22.48	-13	Pass	2000
3000	10000	1	RMS	8426.775	-54.35	-13	Pass	7000



28. DC_7A_n5A_SCS15_5M_H_Inner Full(16QAM)

28.6. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.095	-75.48	-13	Pass	401
0.15	30	0.01	RMS	1.05	-61.99	-13	Pass	2985
30	814	0.1	RMS	812	-77.28	-13	Pass	7840
814	859	0.1	RMS	846.272	9.76	60	Pass	450
859	1000	0.1	RMS	859.1	-81.68	-13	Pass	1410
1000	3000	1	RMS	2538.769	-24.64	-13	Pass	2000
3000	10000	1	RMS	8426.775	-54.27	-13	Pass	7000



28. DC_7A_n5A_SCS15_15M_L_Inner Full(QPSK)

28.7. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.056	-78.84	-13	Pass	401
0.15	30	0.01	RMS	1.801	-63.6	-13	Pass	2985
30	814	0.1	RMS	812.3	-50.7	-13	Pass	7840
814	859	0.1	RMS	829.033	6.43	60	Pass	450
859	1000	0.1	RMS	981.287	-79.72	-13	Pass	1410
1000	3000	1	RMS	2491.746	-25.43	-13	Pass	2000
3000	10000	1	RMS	8432.776	-54.33	-13	Pass	7000



28. DC_7A_n5A_SCS15_15M_L_Inner Full(16QAM)

28.8. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-77.44	-13	Pass	401
0.15	30	0.01	RMS	5.432	-65.74	-13	Pass	2985
30	814	0.1	RMS	813.6	-50.62	-13	Pass	7840
814	859	0.1	RMS	828.031	5.66	60	Pass	450
859	1000	0.1	RMS	981.287	-79.85	-13	Pass	1410
1000	3000	1	RMS	2491.746	-26.92	-13	Pass	2000
3000	10000	1	RMS	8428.776	-54.28	-13	Pass	7000



28. DC_7A_n5A_SCS15_15M_M_Inner Full(QPSK)

28.9. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-76.75	-13	Pass	401
0.15	30	0.01	RMS	1.801	-64.21	-13	Pass	2985
30	814	0.1	RMS	813.7	-55.64	-13	Pass	7840
814	859	0.1	RMS	838.454	6.27	60	Pass	450
859	1000	0.1	RMS	859.2	-77.16	-13	Pass	1410
1000	3000	1	RMS	2507.754	-25.2	-13	Pass	2000
3000	10000	1	RMS	8428.776	-54.29	-13	Pass	7000



28. DC_7A_n5A_SCS15_15M_M_Inner Full(16QAM)

28.10. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-77.46	-13	Pass	401
0.15	30	0.01	RMS	1.801	-66.16	-13	Pass	2985
30	814	0.1	RMS	813.7	-56.13	-13	Pass	7840
814	859	0.1	RMS	838.154	5.41	60	Pass	450
859	1000	0.1	RMS	859	-78.99	-13	Pass	1410
1000	3000	1	RMS	2507.754	-27.11	-13	Pass	2000
3000	10000	1	RMS	8426.775	-54.37	-13	Pass	7000



28. DC_7A_n5A_SCS15_15M_H_Inner Full(QPSK)

28.11. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-79.23	-13	Pass	401
0.15	30	0.01	RMS	1.801	-65.41	-13	Pass	2985
30	814	0.1	RMS	813.3	-61.88	-13	Pass	7840
814	859	0.1	RMS	842.964	6.23	60	Pass	450
859	1000	0.1	RMS	859.3	-72.35	-13	Pass	1410
1000	3000	1	RMS	2522.761	-25.98	-13	Pass	2000
3000	10000	1	RMS	8420.774	-54.32	-13	Pass	7000



28. DC_7A_n5A_SCS15_15M_H_Inner Full(16QAM)

28.12. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-77.94	-13	Pass	401
0.15	30	0.01	RMS	0.9	-66.84	-13	Pass	2985
30	814	0.1	RMS	813.5	-63.89	-13	Pass	7840
814	859	0.1	RMS	843.165	5.35	60	Pass	450
859	1000	0.1	RMS	859.5	-74	-13	Pass	1410
1000	3000	1	RMS	2522.761	-27.43	-13	Pass	2000
3000	10000	1	RMS	8424.775	-54.4	-13	Pass	7000



28. DC_7A_n5A_SCS15_20M_L_Inner Full(QPSK)

28.13. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.022	-77.26	-13	Pass	401
0.15	30	0.01	RMS	6.842	-61.7	-13	Pass	2985
30	814	0.1	RMS	813.5	-47.74	-13	Pass	7840
814	859	0.1	RMS	829.835	5.03	60	Pass	450
859	1000	0.1	RMS	859	-77.37	-13	Pass	1410
1000	3000	1	RMS	2500.75	-26.89	-13	Pass	2000
3000	10000	1	RMS	8421.775	-54.26	-13	Pass	7000



28. DC_7A_n5A_SCS15_20M_L_Inner Full(16AQM)

28.14. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.084	-77.95	-13	Pass	401
0.15	30	0.01	RMS	6.842	-63.53	-13	Pass	2985
30	814	0.1	RMS	813.8	-48.42	-13	Pass	7840
814	859	0.1	RMS	834.245	3.95	60	Pass	450
859	1000	0.1	RMS	859	-78.3	-13	Pass	1410
1000	3000	1	RMS	2500.75	-28.82	-13	Pass	2000
3000	10000	1	RMS	8431.776	-54.37	-13	Pass	7000



28. DC_7A_n5A_SCS15_20M_M_Inner Full(QPSK)

28.15. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.056	-80.44	-13	Pass	401
0.15	30	0.01	RMS	6.842	-62.27	-13	Pass	2985
30	814	0.1	RMS	813.8	-51.83	-13	Pass	7840
814	859	0.1	RMS	840.158	4.71	60	Pass	450
859	1000	0.1	RMS	859	-75.97	-13	Pass	1410
1000	3000	1	RMS	2508.754	-27.37	-13	Pass	2000
3000	10000	1	RMS	8429.776	-54.34	-13	Pass	7000



28. DC_7A_n5A_SCS15_20M_M_Inner Full(16AQM)

28.16. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.084	-78.38	-13	Pass	401
0.15	30	0.01	RMS	1.951	-64.17	-13	Pass	2985
30	814	0.1	RMS	812.9	-51.48	-13	Pass	7840
814	859	0.1	RMS	836.751	3.93	60	Pass	450
859	1000	0.1	RMS	859	-76.96	-13	Pass	1410
1000	3000	1	RMS	2509.755	-29.38	-13	Pass	2000
3000	10000	1	RMS	8426.775	-54.39	-13	Pass	7000



28. DC_7A_n5A_SCS15_20M_H_Inner Full(QPSK)

28.17. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-77.32	-13	Pass	401
0.15	30	0.01	RMS	1.951	-62.59	-13	Pass	2985
30	814	0.1	RMS	813.5	-54.01	-13	Pass	7840
814	859	0.1	RMS	841.661	4.87	60	Pass	450
859	1000	0.1	RMS	859	-73.19	-13	Pass	1410
1000	3000	1	RMS	2515.758	-27.45	-13	Pass	2000
3000	10000	1	RMS	8415.774	-54.23	-13	Pass	7000



28. DC_7A_n5A_SCS15_20M_H_Inner Full(16AQM)

28.18. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-78.29	-13	Pass	401
0.15	30	0.01	RMS	1.951	-63.75	-13	Pass	2985
30	814	0.1	RMS	813.5	-54.03	-13	Pass	7840
814	859	0.1	RMS	839.256	4.08	60	Pass	450
859	1000	0.1	RMS	859	-74.57	-13	Pass	1410
1000	3000	1	RMS	2515.758	-29.25	-13	Pass	2000
3000	10000	1	RMS	8430.776	-54.32	-13	Pass	7000



29. DC_7A_n66A_SCS15_5M_L_Inner Full(QPSK)

29.1. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.52	-13	Pass	2985
30	1000	0.1	RMS	993.792	-63.47	-13	Pass	9699
1000	1700	1	RMS	1700	-50.6	-13	Pass	700
1700	1790	1	RMS	1712.15	20.57	60	Pass	401
1790	3000	1	RMS	2872.895	-48.78	-13	Pass	1210
3000	6500	1	RMS	6059.874	-60.41	-13	Pass	3500
6500	20000	1	RMS	19999	-51.46	-13	Pass	13500



29. DC_7A_n66A_SCS15_5M_L_Inner Full(16QAM)

29.2. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.66	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.25	-13	Pass	2985
30	1000	0.1	RMS	885.748	-63.31	-13	Pass	9699
1000	1700	1	RMS	1700	-50.69	-13	Pass	700
1700	1790	1	RMS	1712.375	19.78	60	Pass	401
1790	3000	1	RMS	2872.895	-48.77	-13	Pass	1210
3000	6500	1	RMS	6056.873	-60.44	-13	Pass	3500
6500	20000	1	RMS	19998	-51.43	-13	Pass	13500



29. DC_7A_n66A_SCS15_5M_M_Inner Full(QPSK)

29.3. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.69	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.92	-13	Pass	2985
30	1000	0.1	RMS	874.634	-63.42	-13	Pass	9699
1000	1700	1	RMS	1700	-52.61	-13	Pass	700
1700	1790	1	RMS	1744.55	20.58	60	Pass	401
1790	3000	1	RMS	2876.898	-48.73	-13	Pass	1210
3000	6500	1	RMS	6058.874	-60.35	-13	Pass	3500
6500	20000	1	RMS	19999	-51.29	-13	Pass	13500



29. DC_7A_n66A_SCS15_5M_M_Inner Full(16QAM)

29.4. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.02	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.38	-13	Pass	2985
30	1000	0.1	RMS	899.367	-63.07	-13	Pass	9699
1000	1700	1	RMS	1698.999	-52.58	-13	Pass	700
1700	1790	1	RMS	1744.775	19.62	60	Pass	401
1790	3000	1	RMS	2872.895	-48.8	-13	Pass	1210
3000	6500	1	RMS	6060.875	-60.41	-13	Pass	3500
6500	20000	1	RMS	20000	-51.44	-13	Pass	13500



29. DC_7A_n66A_SCS15_5M_H_Inner Full(QPSK)

29.5. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-64.44	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.25	-13	Pass	2985
30	1000	0.1	RMS	930.308	-63.35	-13	Pass	9699
1000	1700	1	RMS	1697.997	-52.63	-13	Pass	700
1700	1790	1	RMS	1777.175	20.55	60	Pass	401
1790	3000	1	RMS	2868.892	-48.7	-13	Pass	1210
3000	6500	1	RMS	6057.874	-60.44	-13	Pass	3500
6500	20000	1	RMS	19998	-51.51	-13	Pass	13500



29. DC_7A_n66A_SCS15_5M_H_Inner Full(16QAM)

29.6. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.92	-13	Pass	401
0.15	30	0.01	RMS	0.19	-70.3	-13	Pass	2985
30	1000	0.1	RMS	911.983	-63.3	-13	Pass	9699
1000	1700	1	RMS	1698.999	-52.61	-13	Pass	700
1700	1790	1	RMS	1777.175	19.67	60	Pass	401
1790	3000	1	RMS	2869.892	-48.77	-13	Pass	1210
3000	6500	1	RMS	6058.874	-60.37	-13	Pass	3500
6500	20000	1	RMS	20000	-51.42	-13	Pass	13500



29. DC_7A_n66A_SCS15_15M_L_Inner Full(QPSK)

29.7. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.47	-13	Pass	401
0.15	30	0.01	RMS	0.18	-70.86	-13	Pass	2985
30	1000	0.1	RMS	885.748	-63.23	-13	Pass	9699
1000	1700	1	RMS	1700	-44.81	-13	Pass	700
1700	1790	1	RMS	1714.85	16.08	60	Pass	401
1790	3000	1	RMS	2867.891	-48.76	-13	Pass	1210
3000	6500	1	RMS	6060.875	-60.43	-13	Pass	3500
6500	20000	1	RMS	19999	-51.53	-13	Pass	13500



29. DC_7A_n66A_SCS15_15M_L_Inner Full(16QAM)

29.8. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-72.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.93	-13	Pass	2985
30	1000	0.1	RMS	865.522	-63.26	-13	Pass	9699
1000	1700	1	RMS	1700	-44.81	-13	Pass	700
1700	1790	1	RMS	1715.075	15.25	60	Pass	401
1790	3000	1	RMS	2878.9	-48.77	-13	Pass	1210
3000	6500	1	RMS	6055.873	-60.36	-13	Pass	3500
6500	20000	1	RMS	20000	-51.52	-13	Pass	13500



29. DC_7A_n66A_SCS15_15M_M_Inner Full(QPSK)

29.9. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.81	-13	Pass	401
0.15	30	0.01	RMS	0.23	-71.07	-13	Pass	2985
30	1000	0.1	RMS	893.659	-63.15	-13	Pass	9699
1000	1700	1	RMS	1700	-52.59	-13	Pass	700
1700	1790	1	RMS	1742.3	16.15	60	Pass	401
1790	3000	1	RMS	2868.892	-48.75	-13	Pass	1210
3000	6500	1	RMS	6053.873	-60.35	-13	Pass	3500
6500	20000	1	RMS	19999	-51.24	-13	Pass	13500



29. DC_7A_n66A_SCS15_15M_M_Inner Full(16QAM)

29.10. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.14	-13	Pass	401
0.15	30	0.01	RMS	0.25	-71.26	-13	Pass	2985
30	1000	0.1	RMS	883.846	-63.41	-13	Pass	9699
1000	1700	1	RMS	1697.997	-52.58	-13	Pass	700
1700	1790	1	RMS	1742.525	15.23	60	Pass	401
1790	3000	1	RMS	2870.893	-48.81	-13	Pass	1210
3000	6500	1	RMS	6061.875	-60.4	-13	Pass	3500
6500	20000	1	RMS	19996.999	-51.44	-13	Pass	13500



29. DC_7A_n66A_SCS15_15M_H_Inner Full(QPSK)

29.11. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-63.01	-13	Pass	401
0.15	30	0.01	RMS	0.18	-70.31	-13	Pass	2985
30	1000	0.1	RMS	887.25	-63.27	-13	Pass	9699
1000	1700	1	RMS	1695.994	-52.62	-13	Pass	700
1700	1790	1	RMS	1770.2	16.2	60	Pass	401
1790	3000	1	RMS	1790	-44.82	-13	Pass	1210
3000	6500	1	RMS	6059.874	-60.32	-13	Pass	3500
6500	20000	1	RMS	19998	-51.33	-13	Pass	13500



29. DC_7A_n66A_SCS15_15M_H_Inner Full(16QAM)

29.12. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-62.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.91	-13	Pass	2985
30	1000	0.1	RMS	881.242	-63.37	-13	Pass	9699
1000	1700	1	RMS	1700	-52.62	-13	Pass	700
1700	1790	1	RMS	1769.975	15.36	60	Pass	401
1790	3000	1	RMS	1790	-45.64	-13	Pass	1210
3000	6500	1	RMS	6058.874	-60.38	-13	Pass	3500
6500	20000	1	RMS	19996.999	-51.44	-13	Pass	13500



29. DC_7A_n66A_SCS15_20M_L_Inner Full(QPSK)

29.13. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.18	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.34	-13	Pass	2985
30	1000	0.1	RMS	934.213	-63.38	-13	Pass	9699
1000	1700	1	RMS	1698.999	-42.37	-13	Pass	700
1700	1790	1	RMS	1719.35	14.74	60	Pass	401
1790	3000	1	RMS	2867.891	-48.79	-13	Pass	1210
3000	6500	1	RMS	6061.875	-60.39	-13	Pass	3500
6500	20000	1	RMS	19994.999	-51.55	-13	Pass	13500



29. DC_7A_n66A_SCS15_20M_L_Inner Full(16QAM)

29.14. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-62.1	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.34	-13	Pass	2985
30	1000	0.1	RMS	904.874	-63.32	-13	Pass	9699
1000	1700	1	RMS	1700	-43.47	-13	Pass	700
1700	1790	1	RMS	1719.8	13.82	60	Pass	401
1790	3000	1	RMS	2871.894	-48.74	-13	Pass	1210
3000	6500	1	RMS	6053.873	-60.41	-13	Pass	3500
6500	20000	1	RMS	19999	-51.28	-13	Pass	13500



29. DC_7A_n66A_SCS15_20M_M_Inner Full(QPSK)

29.15. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.33	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.34	-13	Pass	2985
30	1000	0.1	RMS	927.003	-63.2	-13	Pass	9699
1000	1700	1	RMS	1700	-52.44	-13	Pass	700
1700	1790	1	RMS	1744.325	14.79	60	Pass	401
1790	3000	1	RMS	2874.897	-48.8	-13	Pass	1210
3000	6500	1	RMS	6058.874	-60.39	-13	Pass	3500
6500	20000	1	RMS	19995.999	-51.58	-13	Pass	13500



29. DC_7A_n66A_SCS15_20M_M_Inner Full(16QAM)

29.16. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.08	-13	Pass	401
0.15	30	0.01	RMS	0.18	-70.73	-13	Pass	2985
30	1000	0.1	RMS	932.41	-63.08	-13	Pass	9699
1000	1700	1	RMS	1700	-52.58	-13	Pass	700
1700	1790	1	RMS	1745	13.95	60	Pass	401
1790	3000	1	RMS	2880.902	-48.79	-13	Pass	1210
3000	6500	1	RMS	6056.873	-60.4	-13	Pass	3500
6500	20000	1	RMS	20000	-51.42	-13	Pass	13500



29. DC_7A_n66A_SCS15_20M_H_Inner Full(QPSK)

29.17. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-64.33	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.72	-13	Pass	2985
30	1000	0.1	RMS	882.845	-63.38	-13	Pass	9699
1000	1700	1	RMS	1694.993	-52.62	-13	Pass	700
1700	1790	1	RMS	1769.3	14.79	60	Pass	401
1790	3000	1	RMS	1790	-42.38	-13	Pass	1210
3000	6500	1	RMS	6056.873	-60.35	-13	Pass	3500
6500	20000	1	RMS	19998	-51.64	-13	Pass	13500



29. DC_7A_n66A_SCS15_20M_H_Inner Full(16QAM)

29.18. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.4	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.76	-13	Pass	2985
30	1000	0.1	RMS	889.253	-63.27	-13	Pass	9699
1000	1700	1	RMS	1700	-52.65	-13	Pass	700
1700	1790	1	RMS	1770.2	13.9	60	Pass	401
1790	3000	1	RMS	1790	-43.71	-13	Pass	1210
3000	6500	1	RMS	6059.874	-60.35	-13	Pass	3500
6500	20000	1	RMS	19993.999	-51.44	-13	Pass	13500



30. CA_7C


30.1. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:20850+20994, Bandwidth:20+10, Modulation:QPSK, RB Number:1+2, RB Position:High+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.48	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.88	-25	Pass	2985
30	1000	0.1	RMS	874.433	-62.78	-25	Pass	9699
1000	2490	1	RMS	2485.997	-50.61	-25	Pass	1490
2490	2580	1	RMS	2518.8	15.31	60	Pass	401
2580	3000	1	RMS	2945.871	-49.05	-25	Pass	420
3000	12000	1	RMS	11580.481	-50.91	-25	Pass	9000
12000	26000	1	RMS	25900.983	-34.72	-25	Pass	14000




**30.2. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:20850+20994, Bandwidth:20+10, Modulation:16QAM, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.58	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.22	-25	Pass	2985
30	1000	0.1	RMS	879.941	-62.92	-25	Pass	9699
1000	2490	1	RMS	2490	-50.61	-25	Pass	1490
2490	2580	1	RMS	2519.925	14.2	60	Pass	401
2580	3000	1	RMS	2948.878	-49.07	-25	Pass	420
3000	12000	1	RMS	11580.481	-51.06	-25	Pass	9000
12000	26000	1	RMS	25880.98	-34.78	-25	Pass	14000




**30.3. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:21051+21195, Bandwidth:20+10, Modulation:QPSK, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.81	-25	Pass	401
0.15	30	0.01	RMS	0.2	-71.77	-25	Pass	2985
30	1000	0.1	RMS	873.432	-62.98	-25	Pass	9699
1000	2490	1	RMS	2490	-50.72	-25	Pass	1490
2490	2580	1	RMS	2538.825	14.75	60	Pass	401
2580	3000	1	RMS	2943.866	-49.06	-25	Pass	420
3000	12000	1	RMS	11578.478	-50.97	-25	Pass	9000
12000	26000	1	RMS	25896.982	-34.71	-25	Pass	14000




**30.4. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:21051+21195, Bandwidth:20+10, Modulation:16QAM, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.47	-25	Pass	401
0.15	30	0.01	RMS	0.18	-72.57	-25	Pass	2985
30	1000	0.1	RMS	880.642	-62.82	-25	Pass	9699
1000	2490	1	RMS	2486.998	-50.71	-25	Pass	1490
2490	2580	1	RMS	2539.95	13.71	60	Pass	401
2580	3000	1	RMS	2949.881	-49.07	-25	Pass	420
3000	12000	1	RMS	11911.891	-51.01	-25	Pass	9000
12000	26000	1	RMS	25902.983	-34.74	-25	Pass	14000




**30.5. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:21251+21395, Bandwidth:20+10, Modulation:QPSK, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.64	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.12	-25	Pass	2985
30	1000	0.1	RMS	870.729	-62.84	-25	Pass	9699
1000	2490	1	RMS	2484.997	-50.67	-25	Pass	1490
2490	2580	1	RMS	2558.85	15.14	60	Pass	401
2580	3000	1	RMS	2945.871	-49.04	-25	Pass	420
3000	12000	1	RMS	11578.478	-50.94	-25	Pass	9000
12000	26000	1	RMS	25900.983	-34.78	-25	Pass	14000




**30.6. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:21251+21395, Bandwidth:20+10, Modulation:16QAM, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.68	-25	Pass	401
0.15	30	0.01	RMS	0.19	-72.69	-25	Pass	2985
30	1000	0.1	RMS	847.7	-62.88	-25	Pass	9699
1000	2490	1	RMS	2490	-50.65	-25	Pass	1490
2490	2580	1	RMS	2558.85	14.11	60	Pass	401
2580	3000	1	RMS	2947.876	-49.04	-25	Pass	420
3000	12000	1	RMS	11581.482	-51.04	-25	Pass	9000
12000	26000	1	RMS	25897.982	-34.76	-25	Pass	14000




**30.7. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:20850+21048, Bandwidth:20+20, Modulation:QPSK, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.9	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.2	-25	Pass	2985
30	1000	0.1	RMS	884.046	-62.88	-25	Pass	9699
1000	2490	1	RMS	2490	-50.52	-25	Pass	1490
2490	2580	1	RMS	2518.8	20.76	60	Pass	401
2580	3000	1	RMS	2944.869	-49.04	-25	Pass	420
3000	12000	1	RMS	11580.481	-50.88	-25	Pass	9000
12000	26000	1	RMS	25883.98	-34.76	-25	Pass	14000




**30.8. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:20850+21048, Bandwidth:20+20, Modulation:16QAM, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.71	-25	Pass	401
0.15	30	0.01	RMS	0.19	-72.02	-25	Pass	2985
30	1000	0.1	RMS	859.113	-62.92	-25	Pass	9699
1000	2490	1	RMS	2488.999	-50.47	-25	Pass	1490
2490	2580	1	RMS	2518.8	19.62	60	Pass	401
2580	3000	1	RMS	2949.881	-48.97	-25	Pass	420
3000	12000	1	RMS	11578.478	-50.93	-25	Pass	9000
12000	26000	1	RMS	25882.98	-34.62	-25	Pass	14000




**30.9. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:21001+21199, Bandwidth:20+20, Modulation:QPSK, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.95	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.93	-25	Pass	2985
30	1000	0.1	RMS	875.635	-62.93	-25	Pass	9699
1000	2490	1	RMS	2486.998	-50.54	-25	Pass	1490
2490	2580	1	RMS	2533.875	20.81	60	Pass	401
2580	3000	1	RMS	2946.874	-48.86	-25	Pass	420
3000	12000	1	RMS	11579.48	-50.86	-25	Pass	9000
12000	26000	1	RMS	25871.978	-34.69	-25	Pass	14000




**30.10. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:21001+21199, Bandwidth:20+20, Modulation:16QAM, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.95	-25	Pass	401
0.15	30	0.01	RMS	6.612	-72.03	-25	Pass	2985
30	1000	0.1	RMS	926.102	-61.32	-25	Pass	9699
1000	2490	1	RMS	2490	-50.49	-25	Pass	1490
2490	2580	1	RMS	2533.875	19.83	60	Pass	401
2580	3000	1	RMS	2947.876	-48.9	-25	Pass	420
3000	12000	1	RMS	11580.481	-50.8	-25	Pass	9000
12000	26000	1	RMS	25899.983	-34.61	-25	Pass	14000




30.11. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:21152+21350, Bandwidth:20+20, Modulation:QPSK, RB Number:1+2, RB Position:High+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.97	-25	Pass	401
0.15	30	0.01	RMS	1.941	-71.49	-25	Pass	2985
30	1000	0.1	RMS	892.658	-61.12	-25	Pass	9699
1000	2490	1	RMS	2487.999	-50.53	-25	Pass	1490
2490	2580	1	RMS	2548.95	20.65	60	Pass	401
2580	3000	1	RMS	2939.857	-48.94	-25	Pass	420
3000	12000	1	RMS	11582.483	-50.86	-25	Pass	9000
12000	26000	1	RMS	25894.982	-34.66	-25	Pass	14000



30.12. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:21152+21350, Bandwidth:20+20, Modulation:16QAM, RB Number:1+2, RB Position:High+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.47	-25	Pass	401
0.15	30	0.01	RMS	0.19	-72.19	-25	Pass	2985
30	1000	0.1	RMS	862.418	-63.01	-25	Pass	9699
1000	2490	1	RMS	2486.998	-50.49	-25	Pass	1490
2490	2580	1	RMS	2548.95	19.64	60	Pass	401
2580	3000	1	RMS	2947.876	-48.89	-25	Pass	420
3000	12000	1	RMS	11584.486	-50.83	-25	Pass	9000
12000	26000	1	RMS	25901.983	-34.61	-25	Pass	14000



END