



RSE-H&V LTE Band 66 BW5 CH132322




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
329.293	-66.22	-11.34	-13.0	-53.22	171.00	Horizontal	Vertical	Pass
1743.200	-42.76	-4.53	-13.0	-29.76	185.00	Horizontal	Vertical	N/A
2144.700	-27.17	-2.43	-13.0	-14.17	185.00	Horizontal	Vertical	N/A
3651.000	-50.99	4.45	-13.0	-37.99	316.00	Horizontal	Vertical	Pass
6974.200	-41.48	13.70	-13.0	-28.48	50.00	Horizontal	Vertical	Pass
17748.699	-32.83	21.49	-13.0	-19.83	164.00	Horizontal	Vertical	Pass

RSE-V&V LTE Band 66 BW5 CH132322



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
333.707	-64.09	-11.01	-13.0	-51.09	35.00	Vertical	Vertical	Pass
1748.300	-40.39	-4.53	-13.0	-27.39	0.00	Vertical	Vertical	N/A
2143.500	-34.48	-2.45	-13.0	-21.48	50.00	Vertical	Vertical	N/A
3186.000	-51.84	2.62	-13.0	-38.84	82.00	Vertical	Vertical	Pass
6983.000	-41.66	13.90	-13.0	-28.66	63.00	Vertical	Vertical	Pass
17615.499	-32.93	21.83	-13.0	-19.93	203.00	Vertical	Vertical	Pass


RSE-V&H LTE Band 66 BW5 CH132322



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
319.254	-68.98	-11.79	-13.0	-55.98	358.00	Vertical	Horizontal	Pass
1743.300	-48.13	-4.53	-13.0	-35.13	143.00	Vertical	Horizontal	N/A
2144.700	-34.02	-2.43	-13.0	-21.02	1.00	Vertical	Horizontal	N/A
3833.800	-50.29	5.45	-13.0	-37.29	246.00	Vertical	Horizontal	Pass
6985.200	-41.99	13.70	-13.0	-28.99	283.00	Vertical	Horizontal	Pass
17341.239	-33.50	21.10	-13.0	-20.50	336.00	Vertical	Horizontal	Pass


### 38.4 LTE Band 66 BW10, Middle Channel

RSE-H&H LTE Band 66 BW10 CH132322




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
216.774	-66.87	-15.83	-13.0	-53.87	44.00	Horizontal	Horizontal	Pass
1740.900	-38.67	-4.53	-13.0	-25.67	84.00	Horizontal	Horizontal	N/A
2142.300	-21.53	-2.48	-13.0	-8.53	269.00	Horizontal	Horizontal	N/A
3625.200	-51.23	3.23	-13.0	-38.23	317.00	Horizontal	Horizontal	Pass
6986.800	-41.93	13.70	-13.0	-28.93	279.00	Horizontal	Horizontal	Pass
17870.801	-33.38	22.38	-13.0	-20.38	203.00	Horizontal	Horizontal	Pass

RSE-H&V LTE Band 66 BW10 CH132322




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
325.026	-66.71	-11.34	-13.0	-53.71	184.00	Horizontal	Vertical	Pass
1741.100	-38.39	-4.53	-13.0	-25.39	171.00	Horizontal	Vertical	N/A
2144.600	-26.33	-2.43	-13.0	-13.33	182.00	Horizontal	Vertical	N/A
3561.200	-50.97	3.87	-13.0	-37.97	98.00	Horizontal	Vertical	Pass
6990.000	-41.23	13.46	-13.0	-28.23	145.00	Horizontal	Vertical	Pass
19388.725	-33.09	26.44	-13.0	-20.09	116.00	Horizontal	Vertical	Pass

RSE-V&V LTE Band 66 BW10 CH132322



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
327.257	-64.15	-11.24	-13.0	-51.15	15.00	Vertical	Vertical	Pass
1741.000	-44.72	-4.53	-13.0	-31.72	209.00	Vertical	Vertical	N/A
2144.600	-34.52	-2.43	-13.0	-21.52	51.00	Vertical	Vertical	N/A
3197.600	-50.98	2.89	-13.0	-37.98	248.00	Vertical	Vertical	Pass
6980.800	-42.18	13.79	-13.0	-29.18	180.00	Vertical	Vertical	Pass
19903.949	-33.18	27.38	-13.0	-20.18	0.00	Vertical	Vertical	Pass


RSE-V&H LTE Band 66 BW10 CH132322



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
314.938	-70.62	-11.85	-13.0	-57.62	346.00	Vertical	Horizontal	Pass
1741.000	-43.35	-4.53	-13.0	-30.35	140.00	Vertical	Horizontal	N/A
2149.100	-38.04	-2.26	-13.0	-25.04	0.00	Vertical	Horizontal	N/A
3222.400	-51.04	4.03	-13.0	-38.04	188.00	Vertical	Horizontal	Pass
6985.600	-41.87	13.70	-13.0	-28.87	88.00	Vertical	Horizontal	Pass
17610.412	-33.38	21.88	-13.0	-20.38	47.00	Vertical	Horizontal	Pass

### 38.5 LTE Band 66 BW15, Middle Channel


RSE-H&H LTE Band 66 BW15 CH132322



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
217.258	-66.15	-15.80	-13.0	-53.15	240.00	Horizontal	Horizontal	Pass
1738.800	-37.92	-4.53	-13.0	-24.92	80.00	Horizontal	Horizontal	N/A
2142.600	-24.20	-2.47	-13.0	-11.20	270.00	Horizontal	Horizontal	N/A
3205.600	-50.76	3.12	-13.0	-37.76	286.00	Horizontal	Horizontal	Pass
6996.600	-41.82	13.58	-13.0	-28.82	251.00	Horizontal	Horizontal	Pass
17878.198	-33.05	22.60	-13.0	-20.05	360.00	Horizontal	Horizontal	Pass




RSE-H&V LTE Band 66 BW15 CH132322




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
322.698	-66.43	-11.47	-13.0	-53.43	167.00	Horizontal	Vertical	Pass
1738.800	-37.89	-4.53	-13.0	-24.89	329.00	Horizontal	Vertical	N/A
2150.300	-26.23	-2.32	-13.0	-13.23	185.00	Horizontal	Vertical	N/A
3233.400	-51.20	3.26	-13.0	-38.20	265.00	Horizontal	Vertical	Pass
5206.600	-45.78	7.09	-13.0	-32.78	73.00	Horizontal	Vertical	Pass
17368.062	-33.63	21.80	-13.0	-20.63	288.00	Horizontal	Vertical	Pass

RSE-V&V LTE Band 66 BW15 CH132322



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
327.062	-63.91	-11.25	-13.0	-50.91	23.00	Vertical	Vertical	Pass
1738.800	-44.35	-4.53	-13.0	-31.35	0.00	Vertical	Vertical	N/A
2143.400	-33.17	-2.45	-13.0	-20.17	54.00	Vertical	Vertical	N/A
3658.000	-50.85	3.96	-13.0	-37.85	299.00	Vertical	Vertical	Pass
6998.200	-42.17	13.63	-13.0	-29.17	107.00	Vertical	Vertical	Pass
17890.224	-32.85	22.76	-13.0	-19.85	246.00	Vertical	Vertical	Pass


RSE-V&H LTE Band 66 BW15 CH132322



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
323.474	-69.34	-11.44	-13.0	-56.34	20.00	Vertical	Horizontal	Pass
1738.800	-42.70	-4.53	-13.0	-29.70	149.00	Vertical	Horizontal	N/A
2146.600	-38.70	-2.42	-13.0	-25.70	0.00	Vertical	Horizontal	N/A
3652.600	-50.98	4.34	-13.0	-37.98	348.00	Vertical	Horizontal	Pass
6793.800	-41.95	12.21	-13.0	-28.95	118.00	Vertical	Horizontal	Pass
17382.400	-33.50	22.28	-13.0	-20.50	162.00	Vertical	Horizontal	Pass


### 38.6 LTE Band 66 BW20, Middle Channel

RSE-H&H LTE Band 66 BW20 CH132322




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
214.736	-67.26	-15.97	-13.0	-54.26	39.00	Horizontal	Horizontal	Pass
1700.900	-47.24	-4.53	-13.0	-34.24	70.00	Horizontal	Horizontal	N/A
2153.600	-24.47	-2.35	-13.0	-11.47	269.00	Horizontal	Horizontal	N/A
3170.600	-51.44	3.19	-13.0	-38.44	114.00	Horizontal	Horizontal	Pass
6990.600	-42.10	13.48	-13.0	-29.10	224.00	Horizontal	Horizontal	Pass
17584.974	-32.98	22.14	-13.0	-19.98	177.00	Horizontal	Horizontal	Pass

RSE-H&V LTE Band 66 BW20 CH132322




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
322.116	-66.73	-11.48	-13.0	-53.73	178.00	Horizontal	Vertical	Pass
1736.500	-47.53	-4.53	-13.0	-34.53	172.00	Horizontal	Vertical	N/A
2147.900	-24.70	-2.30	-13.0	-11.70	172.00	Horizontal	Vertical	N/A
3208.200	-51.34	3.23	-13.0	-38.34	260.00	Horizontal	Vertical	Pass
6988.000	-39.72	13.58	-13.0	-26.72	269.00	Horizontal	Vertical	Pass
18787.013	-32.70	24.82	-13.0	-19.70	340.00	Horizontal	Vertical	Pass

RSE-V&V LTE Band 66 BW20 CH132322



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
321.194	-64.11	-11.51	-13.0	-51.11	35.00	Vertical	Vertical	Pass
1700.800	-53.14	-4.53	-13.0	-40.14	5.00	Vertical	Vertical	N/A
2143.100	-34.85	-2.46	-13.0	-21.85	54.00	Vertical	Vertical	N/A
3582.000	-50.92	3.40	-13.0	-37.92	169.00	Vertical	Vertical	Pass
6998.200	-41.73	13.63	-13.0	-28.73	0.00	Vertical	Vertical	Pass
17594.687	-32.91	22.03	-13.0	-19.91	90.00	Vertical	Vertical	Pass

RSE-V&H LTE Band 66 BW20 CH132322



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
316.198	-64.75	-11.75	-13.0	-51.75	360.00	Vertical	Horizontal	Pass
1700.800	-50.62	-4.53	-13.0	-37.62	0.00	Vertical	Horizontal	N/A
2146.500	-40.67	-2.43	-13.0	-27.67	0.00	Vertical	Horizontal	N/A
3699.600	-50.70	5.02	-13.0	-37.70	12.00	Vertical	Horizontal	Pass
6992.600	-41.91	13.59	-13.0	-28.91	35.00	Vertical	Horizontal	Pass
17467.501	-32.44	21.73	-13.0	-19.44	109.00	Vertical	Horizontal	Pass


CA

39 CA\_38C

39.1 CA\_38C 15MHz+15MHz, QPSK, Low Channel

RSE-H&H CH37825 15M RB1 HIGH CH37975 15M RB2 LOW


OPPO\_RSE (RF) \_FCC PART22&24&27-OPPO\_LTE Band 38 & 41(mid) \_2570-2620\_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
320.854	-67.22	-10.82	-25.0	-42.22	110.00	Horizontal	Horizontal	Pass
1405.700	-55.25	-2.34	-25.0	-30.25	100.00	Horizontal	Horizontal	Pass
2584.100	-44.42	1.63	-25.0	-19.42	130.00	Horizontal	Horizontal	N/A
6668.600	-42.60	11.57	-25.0	-17.60	332.00	Horizontal	Horizontal	Pass
9253.713	-48.41	9.19	-25.0	-23.41	236.00	Horizontal	Horizontal	Pass
21043.425	-45.74	14.51	-25.0	-20.74	72.00	Horizontal	Horizontal	Pass




RSE-H&V CH37825 15M RB1 HIGH CH37975 15M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
322.358	-67.23	-10.75	-25.0	-42.23	175.00	Horizontal	Vertical	Pass
1396.900	-54.96	-2.13	-25.0	-29.96	173.00	Horizontal	Vertical	Pass
2584.100	-46.93	1.63	-25.0	-21.93	173.00	Horizontal	Vertical	N/A
6782.000	-42.06	12.03	-25.0	-17.06	44.00	Horizontal	Vertical	Pass
9281.599	-48.24	9.56	-25.0	-23.24	54.00	Horizontal	Vertical	Pass
19217.199	-44.68	13.95	-25.0	-19.68	280.00	Horizontal	Vertical	Pass

RSE-V&V CH37825 15M RB1 HIGH CH37975 15M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
322.067	-65.05	-10.76	-25.0	-40.05	347.00	Vertical	Vertical	Pass
1264.900	-55.36	-3.60	-25.0	-30.36	0.00	Vertical	Vertical	Pass
2544.300	-45.18	1.07	-25.0	-20.18	162.00	Vertical	Vertical	N/A
6992.400	-41.20	13.58	-25.0	-16.20	43.00	Vertical	Vertical	Pass
9249.401	-48.42	9.15	-25.0	-23.42	338.00	Vertical	Vertical	Pass
17474.738	-46.19	9.00	-25.0	-21.19	313.00	Vertical	Vertical	Pass


RSE-V&H CH37825 15M RB1 HIGH CH37975 15M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
315.616	-63.98	-11.04	-25.0	-38.98	0.00	Vertical	Horizontal	Pass
1395.900	-54.88	-2.18	-25.0	-29.88	108.00	Vertical	Horizontal	Pass
2563.200	-45.74	1.42	-25.0	-20.74	45.00	Vertical	Horizontal	N/A
6806.400	-42.52	12.16	-25.0	-17.52	361.00	Vertical	Horizontal	Pass
9299.425	-46.57	10.21	-25.0	-21.57	222.00	Vertical	Horizontal	Pass
21617.177	-44.82	14.70	-25.0	-19.82	333.00	Vertical	Horizontal	Pass


### 39.2 CA\_38C 15MHz+15MHz, 16-QAM, Low Channel

RSE-H&H CH37825 15M RB1 HIGH CH37975 15M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
322.067	-67.69	-10.76	-25.0	-42.69	154.00	Horizontal	Horizontal	Pass
1389.500	-55.58	-2.38	-25.0	-30.58	122.00	Horizontal	Horizontal	Pass
2585.900	-44.66	1.64	-25.0	-19.66	154.00	Horizontal	Horizontal	N/A
6673.000	-42.13	11.59	-25.0	-17.13	264.00	Horizontal	Horizontal	Pass
9278.151	-47.65	9.48	-25.0	-22.65	155.00	Horizontal	Horizontal	Pass
21487.124	-44.24	14.66	-25.0	-19.24	244.00	Horizontal	Horizontal	Pass

RSE-H&V CH37825 15M RB1 HIGH CH37975 15M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
322.892	-67.16	-10.73	-25.0	-42.16	142.00	Horizontal	Vertical	Pass
1383.200	-55.47	-2.50	-25.0	-30.47	342.00	Horizontal	Vertical	Pass
2561.400	-44.89	1.41	-25.0	-19.89	309.00	Horizontal	Vertical	N/A
6616.000	-42.56	12.24	-25.0	-17.56	293.00	Horizontal	Vertical	Pass
9245.662	-47.70	9.17	-25.0	-22.70	-1.00	Horizontal	Vertical	Pass
20425.050	-45.57	14.31	-25.0	-20.57	-3.00	Horizontal	Vertical	Pass

RSE-V&V CH37825 15M RB1 HIGH CH37975 15M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
316.392	-65.96	-11.01	-25.0	-40.96	1.00	Vertical	Vertical	Pass
1398.200	-53.97	-2.11	-25.0	-28.97	360.00	Vertical	Vertical	Pass
2560.700	-38.30	1.40	-25.0	-13.30	192.00	Vertical	Vertical	N/A
6646.600	-42.12	11.90	-25.0	-17.12	48.00	Vertical	Vertical	Pass
9299.425	-48.10	10.21	-25.0	-23.10	66.00	Vertical	Vertical	Pass
19334.074	-45.24	16.04	-25.0	-20.24	329.00	Vertical	Vertical	Pass


RSE-V&H CH37825 15M RB1 HIGH CH37975 15M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
319.788	-64.21	-10.92	-25.0	-39.21	135.00	Vertical	Horizontal	Pass
1561.700	-55.20	-4.20	-25.0	-30.20	94.00	Vertical	Horizontal	Pass
2586.100	-48.66	1.65	-25.0	-23.66	313.00	Vertical	Horizontal	N/A
6782.200	-42.87	12.05	-25.0	-17.87	361.00	Vertical	Horizontal	Pass
9313.225	-48.32	10.01	-25.0	-23.32	236.00	Vertical	Horizontal	Pass
21040.026	-44.35	14.51	-25.0	-19.35	360.00	Vertical	Horizontal	Pass

### 39.3 CA\_38C 15MHz+15MHz, QPSK, Middle Channel


RSE-H&H CH37925 15M RB1 HIGH CH38075 15M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
209.256	-66.72	-15.23	-25.0	-41.72	84.00	Horizontal	Horizontal	Pass
1312.100	-56.07	-3.66	-25.0	-31.07	147.00	Horizontal	Horizontal	Pass
2630.600	-47.05	2.04	-25.0	-22.05	204.00	Horizontal	Horizontal	N/A
6978.000	-42.06	13.90	-25.0	-17.06	361.00	Horizontal	Horizontal	Pass
9201.100	-47.39	9.21	-25.0	-22.39	175.00	Horizontal	Horizontal	Pass
19242.275	-45.86	13.83	-25.0	-20.86	30.00	Horizontal	Horizontal	Pass




RSE-H&V CH37925 15M RB1 HIGH CH38075 15M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
214.834	-66.82	-15.32	-25.0	-41.82	88.00	Horizontal	Vertical	Pass
1275.600	-55.98	-3.48	-25.0	-30.98	336.00	Horizontal	Vertical	Pass
2596.900	-51.14	1.75	-25.0	-26.14	134.00	Horizontal	Vertical	N/A
6730.000	-42.82	11.55	-25.0	-17.82	92.00	Horizontal	Vertical	Pass
9210.299	-47.98	9.23	-25.0	-22.98	-1.00	Horizontal	Vertical	Pass
19371.475	-44.99	15.27	-25.0	-19.99	-1.00	Horizontal	Vertical	Pass

RSE-V&V CH37925 15M RB1 HIGH CH38075 15M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
32.085	-64.29	-16.68	-25.0	-39.29	342.00	Vertical	Vertical	Pass
1242.400	-56.70	-3.70	-25.0	-31.70	11.00	Vertical	Vertical	Pass
2632.200	-44.98	1.94	-25.0	-19.98	11.00	Vertical	Vertical	N/A
6399.600	-43.43	10.47	-25.0	-18.43	282.00	Vertical	Vertical	Pass
9318.688	-47.62	9.93	-25.0	-22.62	297.00	Vertical	Vertical	Pass
21051.501	-44.98	14.51	-25.0	-19.98	94.00	Vertical	Vertical	Pass


RSE-V&H CH37925 15M RB1 HIGH CH38075 15M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
208.722	-71.32	-15.23	-25.0	-46.32	6.00	Vertical	Horizontal	Pass
1367.800	-55.41	-3.05	-25.0	-30.41	167.00	Vertical	Horizontal	Pass
2626.400	-49.57	2.01	-25.0	-24.57	357.00	Vertical	Horizontal	N/A
6978.200	-40.87	13.92	-25.0	-15.87	5.00	Vertical	Horizontal	Pass
9364.400	-47.88	8.81	-25.0	-22.88	36.00	Vertical	Horizontal	Pass
21032.800	-45.71	14.51	-25.0	-20.71	318.00	Vertical	Horizontal	Pass


### 39.4 CA\_38C 15MHz+15MHz, 16-QAM, Middle Channel

RSE-H&H CH37925 15M RB1 HIGH CH38075 15M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
218.762	-67.98	-15.12	-25.0	-42.98	88.00	Horizontal	Horizontal	Pass
1398.300	-54.71	-2.11	-25.0	-29.71	161.00	Horizontal	Horizontal	Pass
2595.800	-46.26	1.74	-25.0	-21.26	142.00	Horizontal	Horizontal	N/A
6678.600	-42.33	11.76	-25.0	-17.33	335.00	Horizontal	Horizontal	Pass
9100.474	-48.61	8.35	-25.0	-23.61	282.00	Horizontal	Horizontal	Pass
18675.751	-45.17	12.41	-25.0	-20.17	166.00	Horizontal	Horizontal	Pass

RSE-H&V CH37925 15M RB1 HIGH CH38075 15M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
216.046	-66.86	-15.29	-25.0	-41.86	107.00	Horizontal	Vertical	Pass
1381.600	-55.07	-2.50	-25.0	-30.07	30.00	Horizontal	Vertical	Pass
2595.900	-48.78	1.74	-25.0	-23.78	132.00	Horizontal	Vertical	N/A
6995.000	-40.32	13.57	-25.0	-15.32	242.00	Horizontal	Vertical	Pass
9277.000	-47.71	9.47	-25.0	-22.71	141.00	Horizontal	Vertical	Pass
18667.250	-45.40	12.27	-25.0	-20.40	-1.00	Horizontal	Vertical	Pass

RSE-V&V CH37925 15M RB1 HIGH CH38075 15M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
32.037	-64.02	-16.68	-25.0	-39.02	290.00	Vertical	Vertical	Pass
1382.300	-55.73	-2.50	-25.0	-30.73	218.00	Vertical	Vertical	Pass
2595.900	-45.18	1.74	-25.0	-20.18	13.00	Vertical	Vertical	N/A
6680.800	-42.74	11.78	-25.0	-17.74	91.00	Vertical	Vertical	Pass
9902.026	-46.58	9.28	-25.0	-21.58	159.00	Vertical	Vertical	Pass
19424.176	-45.12	14.24	-25.0	-20.12	191.00	Vertical	Vertical	Pass


RSE-V&H CH37925 15M RB1 HIGH CH38075 15M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
32.182	-63.56	-16.68	-25.0	-38.56	263.00	Vertical	Horizontal	Pass
1242.900	-55.53	-3.63	-25.0	-30.53	157.00	Vertical	Horizontal	Pass
2595.900	-49.48	1.74	-25.0	-24.48	177.00	Vertical	Horizontal	N/A
6763.000	-42.89	11.44	-25.0	-17.89	148.00	Vertical	Horizontal	Pass
9288.787	-48.27	9.82	-25.0	-23.27	49.00	Vertical	Horizontal	Pass
19299.226	-45.87	15.37	-25.0	-20.87	-3.00	Vertical	Horizontal	Pass

### 39.5 CA\_38C 15MHz+15MHz, QPSK, High Channel


RSE-H&H CH38025 15M RB1 HIGH CH38175 15M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
209.402	-65.30	-15.23	-25.0	-40.30	262.00	Horizontal	Horizontal	Pass
1415.300	-55.38	-2.64	-25.0	-30.38	344.00	Horizontal	Horizontal	Pass
2604.600	-41.28	1.82	-25.0	-16.28	146.00	Horizontal	Horizontal	N/A
6611.000	-42.34	12.34	-25.0	-17.34	117.00	Horizontal	Horizontal	Pass
13460.588	-44.86	11.44	-25.0	-19.86	299.00	Horizontal	Horizontal	Pass
21042.448	-45.10	14.51	-25.0	-20.10	51.00	Horizontal	Horizontal	Pass




RSE-H&V CH38025 15M RB1 HIGH CH38175 15M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
211.342	-68.43	-15.28	-25.0	-43.43	277.00	Horizontal	Vertical	Pass
1265.800	-54.68	-3.54	-25.0	-29.68	177.00	Horizontal	Vertical	Pass
2604.500	-45.82	1.82	-25.0	-20.82	294.00	Horizontal	Vertical	N/A
6609.200	-42.31	12.27	-25.0	-17.31	118.00	Horizontal	Vertical	Pass
13464.526	-45.89	11.37	-25.0	-20.89	19.00	Horizontal	Vertical	Pass
19344.151	-44.88	15.85	-25.0	-19.88	144.00	Horizontal	Vertical	Pass

RSE-V&V CH38025 15M RB1 HIGH CH38175 15M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
31.988	-62.53	-16.71	-25.0	-37.53	24.00	Vertical	Vertical	Pass
1390.900	-55.43	-2.38	-25.0	-30.43	78.00	Vertical	Vertical	Pass
2626.200	-38.23	2.01	-25.0	-13.23	306.00	Vertical	Vertical	N/A
6605.400	-42.02	12.14	-25.0	-17.02	182.00	Vertical	Vertical	Pass
13374.224	-46.19	10.87	-25.0	-21.19	62.00	Vertical	Vertical	Pass
19411.651	-44.91	14.30	-25.0	-19.91	21.00	Vertical	Vertical	Pass


RSE-V&H CH38025 15M RB1 HIGH CH38175 15M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
32.182	-62.72	-16.68	-25.0	-37.72	253.00	Vertical	Horizontal	Pass
1399.500	-55.74	-2.01	-25.0	-30.74	320.00	Vertical	Horizontal	Pass
2604.600	-45.55	1.82	-25.0	-20.55	360.00	Vertical	Horizontal	N/A
6607.800	-42.06	12.25	-25.0	-17.06	318.00	Vertical	Horizontal	Pass
13472.400	-45.68	11.23	-25.0	-20.68	272.00	Vertical	Horizontal	Pass
19340.100	-45.75	15.96	-25.0	-20.75	350.00	Vertical	Horizontal	Pass


### 39.6 CA\_38C 15MHz+15MHz, 16-QAM, High Channel

RSE-H&H CH38025 15M RB1 HIGH CH38175 15M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
210.711	-66.72	-15.27	-25.0	-41.72	282.00	Horizontal	Horizontal	Pass
1404.600	-53.96	-2.26	-25.0	-28.96	324.00	Horizontal	Horizontal	Pass
2604.500	-40.89	1.82	-25.0	-15.89	141.00	Horizontal	Horizontal	N/A
6684.800	-42.33	12.01	-25.0	-17.33	148.00	Horizontal	Horizontal	Pass
13466.888	-45.30	11.33	-25.0	-20.30	89.00	Horizontal	Horizontal	Pass
21033.900	-44.43	14.51	-25.0	-19.43	123.00	Horizontal	Horizontal	Pass

RSE-H&V CH38025 15M RB1 HIGH CH38175 15M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
215.561	-67.75	-15.31	-25.0	-42.75	75.00	Horizontal	Vertical	Pass
1400.400	-55.49	-1.95	-25.0	-30.49	251.00	Horizontal	Vertical	Pass
2604.500	-45.96	1.82	-25.0	-20.96	155.00	Horizontal	Vertical	N/A
6692.000	-42.59	11.77	-25.0	-17.59	204.00	Horizontal	Vertical	Pass
13417.800	-45.83	10.95	-25.0	-20.83	347.00	Horizontal	Vertical	Pass
21491.100	-45.89	14.66	-25.0	-20.89	39.00	Horizontal	Vertical	Pass

RSE-V&V CH38025 15M RB1 HIGH CH38175 15M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
32.182	-63.69	-16.68	-25.0	-38.69	252.00	Vertical	Vertical	Pass
1400.000	-54.91	-1.96	-25.0	-29.91	287.00	Vertical	Vertical	Pass
2604.600	-40.69	1.82	-25.0	-15.69	287.00	Vertical	Vertical	N/A
6734.200	-42.32	11.88	-25.0	-17.32	190.00	Vertical	Vertical	Pass
13610.213	-46.38	10.35	-25.0	-21.38	110.00	Vertical	Vertical	Pass
19332.901	-45.39	16.06	-25.0	-20.39	126.00	Vertical	Vertical	Pass


RSE-V&H CH38025 15M RB1 HIGH CH38175 15M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
32.037	-64.71	-16.68	-25.0	-39.71	218.00	Vertical	Horizontal	Pass
1390.000	-55.24	-2.37	-25.0	-30.24	90.00	Vertical	Horizontal	Pass
2604.500	-44.67	1.82	-25.0	-19.67	73.00	Vertical	Horizontal	N/A
6647.000	-42.57	11.89	-25.0	-17.57	360.00	Vertical	Horizontal	Pass
13486.576	-45.61	10.97	-25.0	-20.61	168.00	Vertical	Horizontal	Pass
17482.875	-44.93	8.90	-25.0	-19.93	306.00	Vertical	Horizontal	Pass

### 39.7 CA\_38C 20MHz+20MHz, QPSK, Low Channel


RSE-H&H CH37850 20M RB1 HIGH CH38048 20M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
214.445	-65.76	-15.32	-25.0	-40.76	256.00	Horizontal	Horizontal	Pass
2563.100	-37.50	1.42	-25.0	-12.50	124.00	Horizontal	Horizontal	N/A
2628.800	-40.03	2.03	-25.0	-15.03	124.00	Horizontal	Horizontal	N/A
6982.600	-41.19	13.91	-25.0	-16.19	186.00	Horizontal	Horizontal	Pass
13474.237	-45.79	11.19	-25.0	-20.79	316.00	Horizontal	Horizontal	Pass
19341.900	-44.51	15.91	-25.0	-19.51	183.00	Horizontal	Horizontal	Pass




RSE-H&V CH37850 20M RB1 HIGH CH38048 20M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
215.318	-67.95	-15.32	-25.0	-42.95	277.00	Horizontal	Vertical	Pass
2551.200	-46.32	1.38	-25.0	-21.32	282.00	Horizontal	Vertical	N/A
2641.700	-45.53	1.66	-25.0	-20.53	309.00	Horizontal	Vertical	N/A
6614.600	-42.49	12.34	-25.0	-17.49	115.00	Horizontal	Vertical	Pass
13451.662	-45.95	11.50	-25.0	-20.95	276.00	Horizontal	Vertical	Pass
17489.437	-44.04	8.70	-25.0	-19.04	350.00	Horizontal	Vertical	Pass

RSE-V&V CH37850 20M RB1 HIGH CH38048 20M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
32.134	-64.00	-16.68	-25.0	-39.00	0.00	Vertical	Vertical	Pass
2549.300	-38.84	1.38	-25.0	-13.84	154.00	Vertical	Vertical	N/A
2655.700	-41.96	2.14	-25.0	-16.96	284.00	Vertical	Vertical	N/A
6396.800	-42.97	10.35	-25.0	-17.97	59.00	Vertical	Vertical	Pass
13375.537	-46.08	10.86	-25.0	-21.08	70.00	Vertical	Vertical	Pass
19336.950	-44.56	16.00	-25.0	-19.56	46.00	Vertical	Vertical	Pass


RSE-V&H CH37850 20M RB1 HIGH CH38048 20M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
32.037	-64.66	-16.68	-25.0	-39.66	317.00	Vertical	Horizontal	Pass
2561.800	-42.63	1.41	-25.0	-17.63	314.00	Vertical	Horizontal	N/A
2628.800	-45.35	2.03	-25.0	-20.35	-3.00	Vertical	Horizontal	N/A
6496.400	-42.30	10.48	-25.0	-17.30	68.00	Vertical	Horizontal	Pass
13465.050	-46.04	11.36	-25.0	-21.04	96.00	Vertical	Horizontal	Pass
21033.900	-44.90	14.51	-25.0	-19.90	-3.00	Vertical	Horizontal	Pass


### 39.8 CA\_38C 20MHz+20MHz, 16-QAM, Low Channel

RSE-H&H CH37850 20M RB1 HIGH CH38048 20M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
312.270	-67.57	-11.09	-25.0	-42.57	263.00	Horizontal	Horizontal	Pass
2561.700	-36.54	1.41	-25.0	-11.54	132.00	Horizontal	Horizontal	N/A
2628.500	-43.49	2.03	-25.0	-18.49	244.00	Horizontal	Horizontal	N/A
6730.400	-42.64	11.59	-25.0	-17.64	153.00	Horizontal	Horizontal	Pass
13451.400	-45.49	11.51	-25.0	-20.49	166.00	Horizontal	Horizontal	Pass
19367.100	-45.27	15.32	-25.0	-20.27	37.00	Horizontal	Horizontal	Pass

RSE-H&V CH37850 20M RB1 HIGH CH38048 20M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
324.638	-67.19	-10.68	-25.0	-42.19	66.00	Horizontal	Vertical	Pass
2552.200	-46.88	1.34	-25.0	-21.88	284.00	Horizontal	Vertical	N/A
2634.500	-44.67	1.86	-25.0	-19.67	284.00	Horizontal	Vertical	N/A
6670.600	-42.45	11.65	-25.0	-17.45	338.00	Horizontal	Vertical	Pass
13564.537	-45.59	10.63	-25.0	-20.59	290.00	Horizontal	Vertical	Pass
19335.150	-45.19	16.03	-25.0	-20.19	234.00	Horizontal	Vertical	Pass

RSE-V&V CH37850 20M RB1 HIGH CH38048 20M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
32.037	-64.01	-16.68	-25.0	-39.01	307.00	Vertical	Vertical	Pass
2559.400	-37.13	1.39	-25.0	-12.13	201.00	Vertical	Vertical	N/A
2632.500	-41.40	1.92	-25.0	-16.40	279.00	Vertical	Vertical	N/A
6604.000	-41.73	12.02	-25.0	-16.73	43.00	Vertical	Vertical	Pass
13462.688	-45.65	11.40	-25.0	-20.65	296.00	Vertical	Vertical	Pass
21054.151	-45.60	14.51	-25.0	-20.60	327.00	Vertical	Vertical	Pass


RSE-V&H CH37850 20M RB1 HIGH CH38048 20M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
319.302	-64.57	-10.99	-25.0	-39.57	148.00	Vertical	Horizontal	Pass
2552.700	-40.58	1.34	-25.0	-15.58	68.00	Vertical	Horizontal	N/A
2632.100	-44.36	1.95	-25.0	-19.36	68.00	Vertical	Horizontal	N/A
6614.400	-42.18	12.34	-25.0	-17.18	46.00	Vertical	Horizontal	Pass
13725.450	-46.39	10.36	-25.0	-21.39	92.00	Vertical	Horizontal	Pass
19372.501	-45.52	15.25	-25.0	-20.52	307.00	Vertical	Horizontal	Pass

### 39.9 CA\_38C 20MHz+20MHz, QPSK, Middle Channel


RSE-H&H CH37901 20M RB1 HIGH CH38099 20M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
319.400	-66.88	-10.97	-25.0	-41.88	90.00	Horizontal	Horizontal	Pass
2559.600	-38.94	1.39	-25.0	-13.94	159.00	Horizontal	Horizontal	N/A
2629.200	-39.23	2.03	-25.0	-14.23	155.00	Horizontal	Horizontal	N/A
6986.400	-41.57	13.70	-25.0	-16.57	8.00	Horizontal	Horizontal	Pass
13485.000	-46.34	11.00	-25.0	-21.34	73.00	Horizontal	Horizontal	Pass
21040.450	-45.62	14.51	-25.0	-20.62	15.00	Horizontal	Horizontal	Pass




RSE-H&V CH37901 20M RB1 HIGH CH38099 20M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
325.462	-65.44	-10.67	-25.0	-40.44	154.00	Horizontal	Vertical	Pass
2560.100	-47.14	1.39	-25.0	-22.14	111.00	Horizontal	Vertical	N/A
2628.100	-44.87	2.02	-25.0	-19.87	289.00	Horizontal	Vertical	N/A
6998.600	-41.85	13.64	-25.0	-16.85	146.00	Horizontal	Vertical	Pass
13452.450	-46.08	11.50	-25.0	-21.08	46.00	Horizontal	Vertical	Pass
19399.948	-45.74	14.41	-25.0	-20.74	276.00	Horizontal	Vertical	Pass

RSE-V&V CH37901 20M RB1 HIGH CH38099 20M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
318.187	-66.47	-11.01	-25.0	-41.47	23.00	Vertical	Vertical	Pass
2560.500	-39.36	1.40	-25.0	-14.36	146.00	Vertical	Vertical	N/A
2633.600	-38.60	1.87	-25.0	-13.60	353.00	Vertical	Vertical	N/A
6984.000	-42.16	13.80	-25.0	-17.16	190.00	Vertical	Vertical	Pass
13419.900	-45.06	10.98	-25.0	-20.06	9.00	Vertical	Vertical	Pass
21042.999	-45.65	14.51	-25.0	-20.65	350.00	Vertical	Vertical	Pass


RSE-V&H CH37901 20M RB1 HIGH CH38099 20M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
32.037	-64.40	-16.68	-25.0	-39.40	210.00	Vertical	Horizontal	Pass
2562.000	-43.88	1.41	-25.0	-18.88	1.00	Vertical	Horizontal	N/A
2651.500	-44.83	1.87	-25.0	-19.83	340.00	Vertical	Horizontal	N/A
6983.000	-41.12	13.90	-25.0	-16.12	203.00	Vertical	Horizontal	Pass
13428.563	-46.18	11.12	-25.0	-21.18	32.00	Vertical	Horizontal	Pass
21047.675	-44.67	14.51	-25.0	-19.67	168.00	Vertical	Horizontal	Pass


### 39.10 CA\_38C 20MHz+20MHz, 16-QAM, Middle Channel

RSE-H&H CH37901 20M RB1 HIGH CH38099 20M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
328.033	-69.64	-10.55	-25.0	-44.64	124.00	Horizontal	Horizontal	Pass
2553.300	-39.89	1.34	-25.0	-14.89	150.00	Horizontal	Horizontal	N/A
2638.000	-41.40	1.80	-25.0	-16.40	172.00	Horizontal	Horizontal	N/A
6989.600	-41.70	13.45	-25.0	-16.70	198.00	Horizontal	Horizontal	Pass
13484.213	-45.47	11.01	-25.0	-20.47	343.00	Horizontal	Horizontal	Pass
19371.475	-44.16	15.27	-25.0	-19.16	91.00	Horizontal	Horizontal	Pass

RSE-H&V CH37901 20M RB1 HIGH CH38099 20M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
323.862	-65.50	-10.70	-25.0	-40.50	172.00	Horizontal	Vertical	Pass
1409.100	-55.10	-2.39	-25.0	-30.10	223.00	Horizontal	Vertical	Pass
2626.100	-47.25	2.00	-25.0	-22.25	154.00	Horizontal	Vertical	N/A
6984.800	-41.31	13.72	-25.0	-16.31	1.00	Horizontal	Vertical	Pass
13503.638	-46.64	10.68	-25.0	-21.64	152.00	Horizontal	Vertical	Pass
19241.849	-45.58	13.81	-25.0	-20.58	292.00	Horizontal	Vertical	Pass

RSE-V&V CH37901 20M RB1 HIGH CH38099 20M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
318.187	-66.15	-11.01	-25.0	-41.15	26.00	Vertical	Vertical	Pass
2558.600	-43.43	1.37	-25.0	-18.43	206.00	Vertical	Vertical	N/A
2627.600	-43.53	2.02	-25.0	-18.53	359.00	Vertical	Vertical	N/A
6997.400	-41.64	13.61	-25.0	-16.64	62.00	Vertical	Vertical	Pass
13445.888	-45.82	11.43	-25.0	-20.82	64.00	Vertical	Vertical	Pass
21045.125	-44.22	14.51	-25.0	-19.22	237.00	Vertical	Vertical	Pass


RSE-V&H CH37901 20M RB1 HIGH CH38099 20M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
32.037	-64.56	-16.68	-25.0	-39.56	168.00	Vertical	Horizontal	Pass
2559.600	-43.38	1.39	-25.0	-18.38	197.00	Vertical	Horizontal	N/A
2633.400	-42.06	1.87	-25.0	-17.06	359.00	Vertical	Horizontal	N/A
6982.400	-41.83	13.89	-25.0	-16.83	4.00	Vertical	Horizontal	Pass
13457.438	-46.01	11.47	-25.0	-21.01	53.00	Vertical	Horizontal	Pass
19251.626	-44.39	14.19	-25.0	-19.39	138.00	Vertical	Horizontal	Pass

### 39.11 CA\_38C 20MHz+20MHz, QPSK, High Channel


RSE-H&H CH37952 20M RB1 HIGH CH38150 20M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
320.854	-69.15	-10.82	-25.0	-44.15	119.00	Horizontal	Horizontal	Pass
2559.200	-41.47	1.38	-25.0	-16.47	168.00	Horizontal	Horizontal	N/A
2646.200	-39.15	1.35	-25.0	-14.15	161.00	Horizontal	Horizontal	N/A
6994.400	-40.78	13.61	-25.0	-15.78	320.00	Horizontal	Horizontal	Pass
13431.975	-46.43	11.17	-25.0	-21.43	26.00	Horizontal	Horizontal	Pass
21614.199	-45.14	14.70	-25.0	-20.14	54.00	Horizontal	Horizontal	Pass




RSE-H&V CH37952 20M RB1 HIGH CH38150 20M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
326.432	-65.85	-10.62	-25.0	-40.85	180.00	Horizontal	Vertical	Pass
2550.700	-48.16	1.40	-25.0	-23.16	292.00	Horizontal	Vertical	N/A
2626.100	-42.85	2.00	-25.0	-17.85	309.00	Horizontal	Vertical	N/A
6980.200	-41.97	13.82	-25.0	-16.97	170.00	Horizontal	Vertical	Pass
13478.700	-46.43	11.11	-25.0	-21.43	279.00	Horizontal	Vertical	Pass
19259.699	-46.00	14.50	-25.0	-21.00	184.00	Horizontal	Vertical	Pass

RSE-V&V CH37952 20M RB1 HIGH CH38150 20M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
319.933	-66.35	-10.91	-25.0	-41.35	41.00	Vertical	Vertical	Pass
2550.700	-42.25	1.40	-25.0	-17.25	343.00	Vertical	Vertical	N/A
2645.500	-39.11	1.33	-25.0	-14.11	327.00	Vertical	Vertical	N/A
6979.400	-42.17	13.89	-25.0	-17.17	15.00	Vertical	Vertical	Pass
13284.450	-46.33	10.21	-25.0	-21.33	156.00	Vertical	Vertical	Pass
19292.000	-45.20	15.29	-25.0	-20.20	333.00	Vertical	Vertical	Pass


RSE-V&H CH37952 20M RB1 HIGH CH38150 20M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
32.085	-65.31	-16.68	-25.0	-40.31	0.00	Vertical	Horizontal	Pass
2559.000	-44.69	1.38	-25.0	-19.69	60.00	Vertical	Horizontal	N/A
2629.600	-40.36	2.03	-25.0	-15.36	360.00	Vertical	Horizontal	N/A
6992.600	-41.58	13.59	-25.0	-16.58	16.00	Vertical	Horizontal	Pass
13475.550	-46.44	11.17	-25.0	-21.44	176.00	Vertical	Horizontal	Pass
19336.624	-45.23	16.01	-25.0	-20.23	131.00	Vertical	Horizontal	Pass


### 39.12 CA\_38C 20MHz+20MHz, 16-QAM, High Channel

RSE-H&H CH37952 20M RB1 HIGH CH38150 20M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
323.182	-63.96	-10.71	-25.0	-38.96	143.00	Horizontal	Horizontal	Pass
2525.100	-40.95	1.14	-25.0	-15.95	149.00	Horizontal	Horizontal	N/A
2631.000	-36.61	2.04	-25.0	-11.61	171.00	Horizontal	Horizontal	N/A
6983.600	-41.42	13.84	-25.0	-16.42	226.00	Horizontal	Horizontal	Pass
13457.963	-45.97	11.46	-25.0	-20.97	0.00	Horizontal	Horizontal	Pass
19258.425	-45.78	14.45	-25.0	-20.78	218.00	Horizontal	Horizontal	Pass

RSE-H&V CH37952 20M RB1 HIGH CH38150 20M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
327.014	-66.08	-10.59	-25.0	-41.08	171.00	Horizontal	Vertical	Pass
2560.500	-46.78	1.40	-25.0	-21.78	297.00	Horizontal	Vertical	N/A
2626.800	-40.93	2.01	-25.0	-15.93	334.00	Horizontal	Vertical	N/A
6975.000	-41.60	13.72	-25.0	-16.60	163.00	Horizontal	Vertical	Pass
13412.813	-46.02	10.88	-25.0	-21.02	202.00	Horizontal	Vertical	Pass
21037.474	-45.08	14.51	-25.0	-20.08	249.00	Horizontal	Vertical	Pass

RSE-V&V CH37952 20M RB1 HIGH CH38150 20M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
31.940	-64.44	-16.83	-25.0	-39.44	48.00	Vertical	Vertical	Pass
2560.900	-40.06	1.40	-25.0	-15.06	29.00	Vertical	Vertical	N/A
2628.500	-38.32	2.03	-25.0	-13.32	5.00	Vertical	Vertical	N/A
7000.000	-41.81	13.64	-25.0	-16.81	332.00	Vertical	Vertical	Pass
13448.513	-46.00	11.48	-25.0	-21.00	152.00	Vertical	Vertical	Pass
18060.775	-45.20	10.13	-25.0	-20.20	207.00	Vertical	Vertical	Pass

RSE-V&H CH37952 20M RB1 HIGH CH38150 20M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
323.813	-66.87	-10.70	-25.0	-41.87	136.00	Vertical	Horizontal	Pass
2559.900	-42.57	1.39	-25.0	-17.57	51.00	Vertical	Horizontal	N/A
2630.800	-40.30	2.04	-25.0	-15.30	355.00	Vertical	Horizontal	N/A
6996.000	-41.46	13.56	-25.0	-16.46	178.00	Vertical	Horizontal	Pass
13660.088	-46.36	10.30	-25.0	-21.36	197.00	Vertical	Horizontal	Pass
21625.250	-44.31	14.70	-25.0	-19.31	284.00	Vertical	Horizontal	Pass

## 40 CA\_41C

### 40.1 CA\_41C 20MHz+5MHz, QPSK, Low Channel

RSE-H&H CH39750 20M RB1 HIGH CH39867 5M RB2 LOW


OPPO\_RSE (RF )\_FCC PART22&24&27-OPPO\_LTE Band 7 & 41(low)\_2496-2570\_30MHz-27GHz\_



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
220.411	-64.28	-15.11	-25.0	-39.28	63.00	Horizontal	Horizontal	Pass
2486.100	-39.27	1.60	-25.0	-14.27	125.00	Horizontal	Horizontal	N/A
2587.100	-48.01	1.39	-25.0	-23.01	162.00	Horizontal	Horizontal	N/A
6740.800	-42.62	12.00	-25.0	-17.62	14.00	Horizontal	Horizontal	Pass
9243.362	-48.19	9.18	-25.0	-23.19	253.00	Horizontal	Horizontal	Pass
21042.573	-45.77	14.51	-25.0	-20.77	12.00	Horizontal	Horizontal	Pass




RSE-H&V CH39750 20M RB1 HIGH CH39867 5M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
323.086	-67.60	-10.76	-25.0	-42.60	173.00	Horizontal	Vertical	Pass
2488.300	-43.21	1.63	-25.0	-18.21	73.00	Horizontal	Vertical	N/A
2579.200	-50.18	2.48	-25.0	-25.18	140.00	Horizontal	Vertical	N/A
6993.000	-41.57	13.63	-25.0	-16.57	278.00	Horizontal	Vertical	Pass
9283.900	-47.34	9.64	-25.0	-22.34	361.00	Horizontal	Vertical	Pass
19330.251	-45.06	16.09	-25.0	-20.06	363.00	Horizontal	Vertical	Pass

RSE-V&V CH39750 20M RB1 HIGH CH39867 5M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
32.037	-62.08	-16.62	-25.0	-37.08	51.00	Vertical	Vertical	Pass
2488.300	-31.20	1.63	-25.0	-6.20	15.00	Vertical	Vertical	N/A
2583.000	-44.02	1.77	-25.0	-19.02	19.00	Vertical	Vertical	N/A
6996.200	-41.38	13.57	-25.0	-16.38	328.00	Vertical	Vertical	Pass
13459.276	-45.08	11.45	-25.0	-20.08	179.00	Vertical	Vertical	Pass
21042.149	-44.99	14.51	-25.0	-19.99	264.00	Vertical	Vertical	Pass


RSE-V&H CH39750 20M RB1 HIGH CH39867 5M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
32.279	-64.35	-16.61	-25.0	-39.35	201.00	Vertical	Horizontal	Pass
2515.500	-46.45	1.87	-25.0	-21.45	345.00	Vertical	Horizontal	N/A
2578.300	-49.58	2.47	-25.0	-24.58	341.00	Vertical	Horizontal	N/A
6614.400	-42.51	12.34	-25.0	-17.51	304.00	Vertical	Horizontal	Pass
13127.213	-46.67	9.65	-25.0	-21.67	20.00	Vertical	Horizontal	Pass
19334.500	-45.54	16.03	-25.0	-20.54	46.00	Vertical	Horizontal	Pass


## 40.2 CA\_41C 20MHz+5MHz, 16-QAM, Low Channel

RSE-H&H CH39750 20M RB1 HIGH CH39867 5M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
317.944	-63.87	-11.05	-25.0	-38.87	123.00	Horizontal	Horizontal	Pass
2490.000	-37.02	1.66	-25.0	-12.02	203.00	Horizontal	Horizontal	N/A
2592.900	-46.32	1.00	-25.0	-21.32	146.00	Horizontal	Horizontal	N/A
6788.000	-41.72	12.32	-25.0	-16.72	241.00	Horizontal	Horizontal	Pass
9326.451	-47.84	9.59	-25.0	-22.84	147.00	Horizontal	Horizontal	Pass
19370.199	-45.41	15.28	-25.0	-20.41	361.00	Horizontal	Horizontal	Pass

RSE-H&V CH39750 20M RB1 HIGH CH39867 5M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
324.056	-67.32	-10.70	-25.0	-42.32	173.00	Horizontal	Vertical	Pass
2490.900	-43.54	1.67	-25.0	-18.54	137.00	Horizontal	Vertical	N/A
2580.700	-46.37	2.34	-25.0	-21.37	132.00	Horizontal	Vertical	N/A
6283.400	-43.07	11.32	-25.0	-18.07	70.00	Horizontal	Vertical	Pass
10950.825	-47.00	9.18	-25.0	-22.00	130.00	Horizontal	Vertical	Pass
21037.900	-44.98	14.51	-25.0	-19.98	200.00	Horizontal	Vertical	Pass

RSE-V&V CH39750 20M RB1 HIGH CH39867 5M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
317.411	-65.99	-11.05	-25.0	-40.99	37.00	Vertical	Vertical	Pass
2482.600	-34.93	1.55	-25.0	-9.93	12.00	Vertical	Vertical	N/A
2582.700	-43.75	1.86	-25.0	-18.75	324.00	Vertical	Vertical	N/A
6982.200	-41.34	13.88	-25.0	-16.34	236.00	Vertical	Vertical	Pass
9291.088	-47.55	9.91	-25.0	-22.55	185.00	Vertical	Vertical	Pass
19406.750	-45.65	14.35	-25.0	-20.65	84.00	Vertical	Vertical	Pass


RSE-V&H CH39750 20M RB1 HIGH CH39867 5M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
324.541	-63.29	-10.66	-25.0	-38.29	157.00	Vertical	Horizontal	Pass
2485.600	-40.19	1.59	-25.0	-15.19	63.00	Vertical	Horizontal	N/A
2579.600	-49.68	2.49	-25.0	-24.68	349.00	Vertical	Horizontal	N/A
6775.600	-42.89	11.78	-25.0	-17.89	-1.00	Vertical	Horizontal	Pass
9781.850	-46.78	9.81	-25.0	-21.78	52.00	Vertical	Horizontal	Pass
21631.199	-45.07	14.70	-25.0	-20.07	230.00	Vertical	Horizontal	Pass

### 40.3 CA\_41C 20MHz+5MHz, QPSK, Middle Channel


RSE-H&H CH40595 20M RB1 HIGH CH40712 5M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
317.266	-63.93	-11.00	-25.0	-38.93	122.00	Horizontal	Horizontal	Pass
2561.900	-42.54	1.41	-25.0	-17.54	169.00	Horizontal	Horizontal	N/A
2633.400	-40.15	1.87	-25.0	-15.15	152.00	Horizontal	Horizontal	N/A
6799.200	-42.81	12.33	-25.0	-17.81	232.00	Horizontal	Horizontal	Pass
11372.588	-47.01	8.75	-25.0	-22.01	361.00	Horizontal	Horizontal	Pass
19337.900	-45.17	15.99	-25.0	-20.17	107.00	Horizontal	Horizontal	Pass




RSE-H&V CH40595 20M RB1 HIGH CH40712 5M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
320.176	-66.58	-10.88	-25.0	-41.58	173.00	Horizontal	Vertical	Pass
1399.700	-55.74	-1.99	-25.0	-30.74	112.00	Horizontal	Vertical	Pass
2626.000	-46.18	2.00	-25.0	-21.18	137.00	Horizontal	Vertical	N/A
6995.400	-41.54	13.55	-25.0	-16.54	258.00	Horizontal	Vertical	Pass
8792.275	-48.11	8.07	-25.0	-23.11	46.00	Horizontal	Vertical	Pass
17865.863	-45.78	9.56	-25.0	-20.78	343.00	Horizontal	Vertical	Pass

RSE-V&V CH40595 20M RB1 HIGH CH40712 5M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
316.344	-65.94	-11.01	-25.0	-40.94	29.00	Vertical	Vertical	Pass
2560.600	-41.17	1.40	-25.0	-16.17	167.00	Vertical	Vertical	N/A
2626.700	-40.20	2.01	-25.0	-15.20	13.00	Vertical	Vertical	N/A
6675.600	-41.80	11.71	-25.0	-16.80	241.00	Vertical	Vertical	Pass
9291.375	-48.44	9.92	-25.0	-23.44	94.00	Vertical	Vertical	Pass
18150.449	-46.31	9.19	-25.0	-21.31	141.00	Vertical	Vertical	Pass


RSE-V&H CH40595 20M RB1 HIGH CH40712 5M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
326.869	-63.12	-10.60	-25.0	-38.12	147.00	Vertical	Horizontal	Pass
2560.200	-45.50	1.39	-25.0	-20.50	205.00	Vertical	Horizontal	N/A
2638.600	-46.43	1.79	-25.0	-21.43	75.00	Vertical	Horizontal	N/A
6680.400	-41.78	11.78	-25.0	-16.78	125.00	Vertical	Horizontal	Pass
9294.250	-47.81	10.02	-25.0	-22.81	240.00	Vertical	Horizontal	Pass
18793.900	-44.70	12.53	-25.0	-19.70	37.00	Vertical	Horizontal	Pass


## 40.4 CA\_41C 20MHz+5MHz, 16-QAM, Middle Channel

RSE-H&H CH40595 20M RB1 HIGH CH40712 5M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
317.120	-63.89	-10.99	-25.0	-38.89	109.00	Horizontal	Horizontal	Pass
1409.800	-54.86	-2.40	-25.0	-29.86	45.00	Horizontal	Horizontal	Pass
2631.900	-41.41	1.97	-25.0	-16.41	140.00	Horizontal	Horizontal	N/A
6727.800	-42.65	11.45	-25.0	-17.65	50.00	Horizontal	Horizontal	Pass
9201.963	-48.36	9.21	-25.0	-23.36	316.00	Horizontal	Horizontal	Pass
19288.177	-45.38	15.26	-25.0	-20.38	212.00	Horizontal	Horizontal	Pass

RSE-H&V CH40595 20M RB1 HIGH CH40712 5M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
320.078	-67.03	-10.89	-25.0	-42.03	149.00	Horizontal	Vertical	Pass
1401.200	-55.25	-1.98	-25.0	-30.25	76.00	Horizontal	Vertical	Pass
2647.900	-46.24	1.60	-25.0	-21.24	318.00	Horizontal	Vertical	N/A
6979.200	-41.02	13.90	-25.0	-16.02	164.00	Horizontal	Vertical	Pass
9324.438	-47.99	9.69	-25.0	-22.99	289.00	Horizontal	Vertical	Pass
18680.426	-45.99	12.47	-25.0	-20.99	201.00	Horizontal	Vertical	Pass

RSE-V&V CH40595 20M RB1 HIGH CH40712 5M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
324.007	-65.45	-10.70	-25.0	-40.45	150.00	Vertical	Vertical	Pass
2557.600	-42.28	1.29	-25.0	-17.28	189.00	Vertical	Vertical	N/A
2627.800	-39.05	2.02	-25.0	-14.05	27.00	Vertical	Vertical	N/A
6781.600	-42.20	11.98	-25.0	-17.20	-1.00	Vertical	Vertical	Pass
9184.425	-48.61	8.72	-25.0	-23.61	213.00	Vertical	Vertical	Pass
17462.137	-46.23	9.02	-25.0	-21.23	206.00	Vertical	Vertical	Pass


RSE-V&H CH40595 20M RB1 HIGH CH40712 5M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
323.619	-62.77	-10.70	-25.0	-37.77	135.00	Vertical	Horizontal	Pass
1420.100	-54.89	-2.69	-25.0	-29.89	75.00	Vertical	Horizontal	Pass
2628.900	-44.76	2.03	-25.0	-19.76	87.00	Vertical	Horizontal	N/A
6978.600	-41.69	13.96	-25.0	-16.69	62.00	Vertical	Horizontal	Pass
9280.162	-47.76	9.51	-25.0	-22.76	286.00	Vertical	Horizontal	Pass
21032.374	-45.05	14.51	-25.0	-20.05	330.00	Vertical	Horizontal	Pass

### 40.5 CA\_41C 20MHz+5MHz, QPSK, High Channel


RSE-H&H CH41440 20M RB1 HIGH CH41557 5M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
318.284	-63.20	-10.93	-25.0	-38.20	92.00	Horizontal	Horizontal	Pass
2600.000	-47.56	1.22	-25.0	-22.56	219.00	Horizontal	Horizontal	N/A
2698.900	-29.99	2.37	-25.0	-4.99	204.00	Horizontal	Horizontal	N/A
6761.600	-42.35	11.44	-25.0	-17.35	85.00	Horizontal	Horizontal	Pass
9248.538	-47.98	9.16	-25.0	-22.98	232.00	Horizontal	Horizontal	Pass
18672.775	-45.65	12.36	-25.0	-20.65	201.00	Horizontal	Horizontal	Pass




RSE-H&V CH41440 20M RB1 HIGH CH41557 5M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
323.813	-66.48	-10.65	-25.0	-41.48	148.00	Horizontal	Vertical	Pass
1260.500	-56.32	-3.49	-25.0	-31.32	153.00	Horizontal	Vertical	Pass
2698.300	-36.84	2.37	-25.0	-11.84	322.00	Horizontal	Vertical	N/A
6687.000	-42.45	11.96	-25.0	-17.45	194.00	Horizontal	Vertical	Pass
9293.100	-48.20	9.98	-25.0	-23.20	361.00	Horizontal	Vertical	Pass
18625.176	-45.43	11.75	-25.0	-20.43	292.00	Horizontal	Vertical	Pass

RSE-V&V CH41440 20M RB1 HIGH CH41557 5M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
323.474	-64.98	-10.67	-25.0	-39.98	45.00	Vertical	Vertical	Pass
2607.200	-46.77	1.63	-25.0	-21.77	292.00	Vertical	Vertical	N/A
2698.000	-30.53	2.37	-25.0	-5.53	328.00	Vertical	Vertical	N/A
6976.000	-41.45	13.74	-25.0	-16.45	20.00	Vertical	Vertical	Pass
9310.925	-48.14	10.05	-25.0	-23.14	328.00	Vertical	Vertical	Pass
17470.011	-45.51	9.01	-25.0	-20.51	58.00	Vertical	Vertical	Pass


RSE-V&H CH41440 20M RB1 HIGH CH41557 5M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
325.171	-63.16	-10.60	-25.0	-38.16	125.00	Vertical	Horizontal	Pass
1386.000	-55.84	-2.48	-25.0	-30.84	188.00	Vertical	Horizontal	Pass
2697.800	-37.04	2.37	-25.0	-12.04	73.00	Vertical	Horizontal	N/A
6787.600	-41.62	12.30	-25.0	-16.62	241.00	Vertical	Horizontal	Pass
9300.575	-48.86	10.22	-25.0	-23.86	0.00	Vertical	Horizontal	Pass
19331.099	-44.75	16.08	-25.0	-19.75	222.00	Vertical	Horizontal	Pass


## 40.6 CA\_41C 20MHz+5MHz, 16-QAM, High Channel

RSE-H&H CH41440 20M RB1 HIGH CH41557 5M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
317.654	-63.72	-10.91	-25.0	-38.72	104.00	Horizontal	Horizontal	Pass
2606.900	-46.67	1.63	-25.0	-21.67	222.00	Horizontal	Horizontal	N/A
2701.300	-33.70	2.41	-25.0	-8.70	249.00	Horizontal	Horizontal	N/A
6976.000	-40.71	13.74	-25.0	-15.71	23.00	Horizontal	Horizontal	Pass
9301.151	-48.03	10.21	-25.0	-23.03	0.00	Horizontal	Horizontal	Pass
19382.100	-45.81	15.07	-25.0	-20.81	361.00	Horizontal	Horizontal	Pass

RSE-H&V CH41440 20M RB1 HIGH CH41557 5M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
325.559	-67.71	-10.60	-25.0	-42.71	143.00	Horizontal	Vertical	Pass
1409.300	-55.32	-2.43	-25.0	-30.32	266.00	Horizontal	Vertical	Pass
2697.000	-38.46	2.36	-25.0	-13.46	307.00	Horizontal	Vertical	N/A
6769.400	-42.14	11.48	-25.0	-17.14	126.00	Horizontal	Vertical	Pass
9291.375	-47.97	9.92	-25.0	-22.97	47.00	Horizontal	Vertical	Pass
19239.725	-45.95	13.74	-25.0	-20.95	213.00	Horizontal	Vertical	Pass

RSE-V&V CH41440 20M RB1 HIGH CH41557 5M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
322.940	-66.19	-10.70	-25.0	-41.19	17.00	Vertical	Vertical	Pass
2598.700	-45.94	1.18	-25.0	-20.94	314.00	Vertical	Vertical	N/A
2696.600	-32.03	2.36	-25.0	-7.03	66.00	Vertical	Vertical	N/A
6796.200	-42.54	12.22	-25.0	-17.54	117.00	Vertical	Vertical	Pass
9207.137	-47.32	9.22	-25.0	-22.32	70.00	Vertical	Vertical	Pass
17298.074	-46.09	8.50	-25.0	-21.09	38.00	Vertical	Vertical	Pass


RSE-V&H CH41440 20M RB1 HIGH CH41557 5M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
325.850	-63.57	-10.60	-25.0	-38.57	136.00	Vertical	Horizontal	Pass
2607.200	-49.07	1.63	-25.0	-24.07	82.00	Vertical	Horizontal	N/A
2700.800	-37.50	2.40	-25.0	-12.50	82.00	Vertical	Horizontal	N/A
6990.000	-41.29	13.46	-25.0	-16.29	260.00	Vertical	Horizontal	Pass
13400.212	-46.32	10.69	-25.0	-21.32	-3.00	Vertical	Horizontal	Pass
21039.176	-44.22	14.51	-25.0	-19.22	252.00	Vertical	Horizontal	Pass

## 40.7 CA\_41C 20MHz+20MHz, QPSK, Low Channel


RSE-H&H CH39750 20M RB1 HIGH CH39948 20M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
322.164	-64.33	-10.77	-25.0	-39.33	117.00	Horizontal	Horizontal	Pass
2490.500	-39.82	1.66	-25.0	-14.82	143.00	Horizontal	Horizontal	N/A
2588.100	-44.14	1.42	-25.0	-19.14	215.00	Horizontal	Horizontal	N/A
6608.000	-42.61	12.25	-25.0	-17.61	213.00	Horizontal	Horizontal	Pass
9317.250	-48.47	9.95	-25.0	-23.47	107.00	Horizontal	Horizontal	Pass
19318.776	-45.75	16.18	-25.0	-20.75	362.00	Horizontal	Horizontal	Pass




RSE-H&V CH39750 20M RB1 HIGH CH39948 20M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
323.522	-66.77	-10.74	-25.0	-41.77	139.00	Horizontal	Vertical	Pass
2488.300	-47.40	1.63	-25.0	-22.40	200.00	Horizontal	Vertical	N/A
2602.000	-47.72	1.48	-25.0	-22.72	338.00	Horizontal	Vertical	N/A
6670.800	-42.15	11.65	-25.0	-17.15	330.00	Horizontal	Vertical	Pass
9310.063	-47.97	10.07	-25.0	-22.97	352.00	Horizontal	Vertical	Pass
18683.400	-45.64	12.44	-25.0	-20.64	357.00	Horizontal	Vertical	Pass

RSE-V&V CH39750 20M RB1 HIGH CH39948 20M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
322.552	-65.97	-10.77	-25.0	-40.97	30.00	Vertical	Vertical	Pass
2487.800	-37.71	1.62	-25.0	-12.71	181.00	Vertical	Vertical	N/A
2581.900	-43.84	2.10	-25.0	-18.84	29.00	Vertical	Vertical	N/A
6985.800	-41.59	13.70	-25.0	-16.59	1.00	Vertical	Vertical	Pass
9289.075	-47.43	9.83	-25.0	-22.43	0.00	Vertical	Vertical	Pass
19502.375	-45.30	14.88	-25.0	-20.30	119.00	Vertical	Vertical	Pass


RSE-V&H CH39750 20M RB1 HIGH CH39948 20M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
324.395	-63.36	-10.67	-25.0	-38.36	126.00	Vertical	Horizontal	Pass
2484.500	-43.08	1.58	-25.0	-18.08	64.00	Vertical	Horizontal	N/A
2600.700	-49.30	1.41	-25.0	-24.30	80.00	Vertical	Horizontal	N/A
6599.000	-41.68	11.42	-25.0	-16.68	165.00	Vertical	Horizontal	Pass
9329.325	-47.91	9.45	-25.0	-22.91	180.00	Vertical	Horizontal	Pass
19296.676	-45.62	15.34	-25.0	-20.62	244.00	Vertical	Horizontal	Pass


### 40.8 CA\_41C 20MHz+20MHz, 16-QAM, Low Channel

RSE-H&H CH39750 20M RB1 HIGH CH39948 20M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
321.873	-64.32	-10.78	-25.0	-39.32	95.00	Horizontal	Horizontal	Pass
2515.200	-41.69	1.87	-25.0	-16.69	148.00	Horizontal	Horizontal	N/A
2601.800	-48.01	1.47	-25.0	-23.01	162.00	Horizontal	Horizontal	N/A
6992.600	-41.79	13.59	-25.0	-16.79	170.00	Horizontal	Horizontal	Pass
9300.287	-47.97	10.23	-25.0	-22.97	169.00	Horizontal	Horizontal	Pass
21032.374	-44.63	14.51	-25.0	-19.63	228.00	Horizontal	Horizontal	Pass

RSE-H&V CH39750 20M RB1 HIGH CH39948 20M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
322.406	-66.86	-10.77	-25.0	-41.86	138.00	Horizontal	Vertical	Pass
1397.200	-55.40	-2.15	-25.0	-30.40	167.00	Horizontal	Vertical	Pass
2515.300	-47.76	1.87	-25.0	-22.76	152.00	Horizontal	Vertical	N/A
6757.000	-42.14	11.53	-25.0	-17.14	222.00	Horizontal	Vertical	Pass
9314.088	-47.82	10.00	-25.0	-22.82	144.00	Horizontal	Vertical	Pass
21632.475	-44.88	14.70	-25.0	-19.88	55.00	Horizontal	Vertical	Pass

RSE-V&V CH39750 20M RB1 HIGH CH39948 20M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
324.250	-65.49	-10.68	-25.0	-40.49	145.00	Vertical	Vertical	Pass
2485.600	-41.77	1.59	-25.0	-16.77	172.00	Vertical	Vertical	N/A
2587.600	-47.31	1.40	-25.0	-22.31	172.00	Vertical	Vertical	N/A
6993.200	-41.50	13.64	-25.0	-16.50	315.00	Vertical	Vertical	Pass
9275.275	-47.27	9.45	-25.0	-22.27	197.00	Vertical	Vertical	Pass
19242.699	-45.76	13.85	-25.0	-20.76	30.00	Vertical	Vertical	Pass


RSE-V&H CH39750 20M RB1 HIGH CH39948 20M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
321.388	-63.34	-10.78	-25.0	-38.34	119.00	Vertical	Horizontal	Pass
2488.700	-46.54	1.64	-25.0	-21.54	177.00	Vertical	Horizontal	N/A
2515.300	-45.71	1.87	-25.0	-20.71	73.00	Vertical	Horizontal	N/A
6993.800	-41.18	13.64	-25.0	-16.18	320.00	Vertical	Horizontal	Pass
9322.713	-46.60	9.77	-25.0	-21.60	139.00	Vertical	Horizontal	Pass
19214.651	-45.40	13.96	-25.0	-20.40	142.00	Vertical	Horizontal	Pass

### 40.9 CA\_41C 20MHz+20MHz, QPSK, Middle Channel


RSE-H&H CH40521 20M RB1 HIGH CH40719 20M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
316.490	-64.27	-11.01	-25.0	-39.27	105.00	Horizontal	Horizontal	Pass
1396.900	-55.04	-2.13	-25.0	-30.04	360.00	Horizontal	Horizontal	Pass
2592.400	-39.60	1.71	-25.0	-14.60	153.00	Horizontal	Horizontal	N/A
5125.800	-46.38	7.95	-25.0	-21.38	120.00	Horizontal	Horizontal	Pass
9282.463	-48.19	9.59	-25.0	-23.19	338.00	Horizontal	Horizontal	Pass
20418.677	-45.98	14.31	-25.0	-20.98	72.00	Horizontal	Horizontal	Pass




RSE-H&V CH40521 20M RB1 HIGH CH40719 20M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
322.358	-67.00	-10.75	-25.0	-42.00	172.00	Horizontal	Vertical	Pass
1408.100	-54.96	-2.41	-25.0	-29.96	250.00	Horizontal	Vertical	Pass
2592.300	-45.28	1.71	-25.0	-20.28	354.00	Horizontal	Vertical	N/A
6756.800	-41.66	11.55	-25.0	-16.66	64.00	Horizontal	Vertical	Pass
9298.275	-47.51	10.17	-25.0	-22.51	199.00	Horizontal	Vertical	Pass
18847.875	-45.93	12.39	-25.0	-20.93	292.00	Horizontal	Vertical	Pass

RSE-V&V CH40521 20M RB1 HIGH CH40719 20M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
324.346	-66.15	-10.69	-25.0	-41.15	139.00	Vertical	Vertical	Pass
1382.000	-55.61	-2.50	-25.0	-30.61	125.00	Vertical	Vertical	Pass
2592.400	-39.00	1.71	-25.0	-14.00	311.00	Vertical	Vertical	N/A
6785.400	-42.25	12.16	-25.0	-17.25	23.00	Vertical	Vertical	Pass
9300.862	-47.35	10.22	-25.0	-22.35	197.00	Vertical	Vertical	Pass
21032.374	-45.45	14.51	-25.0	-20.45	233.00	Vertical	Vertical	Pass


RSE-V&H CH40521 20M RB1 HIGH CH40719 20M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
322.018	-63.43	-10.76	-25.0	-38.43	129.00	Vertical	Horizontal	Pass
1397.500	-54.76	-2.12	-25.0	-29.76	277.00	Vertical	Horizontal	Pass
2592.400	-43.62	1.71	-25.0	-18.62	86.00	Vertical	Horizontal	N/A
6978.600	-42.03	13.96	-25.0	-17.03	89.00	Vertical	Horizontal	Pass
9242.787	-46.82	9.18	-25.0	-21.82	330.00	Vertical	Horizontal	Pass
21044.699	-45.59	14.51	-25.0	-20.59	66.00	Vertical	Horizontal	Pass


### 40.10 CA\_41C 20MHz+20MHz, 16-QAM, Middle Channel

RSE-H&H CH40521 20M RB1 HIGH CH40719 20M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
316.392	-64.26	-11.01	-25.0	-39.26	104.00	Horizontal	Horizontal	Pass
1379.500	-55.58	-2.59	-25.0	-30.58	360.00	Horizontal	Horizontal	Pass
2592.400	-39.66	1.71	-25.0	-14.66	157.00	Horizontal	Horizontal	N/A
6686.600	-42.27	11.98	-25.0	-17.27	238.00	Horizontal	Horizontal	Pass
9384.813	-47.92	9.43	-25.0	-22.92	363.00	Horizontal	Horizontal	Pass
19310.698	-45.22	15.84	-25.0	-20.22	200.00	Horizontal	Horizontal	Pass

RSE-H&V CH40521 20M RB1 HIGH CH40719 20M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
323.280	-67.04	-10.71	-25.0	-42.04	142.00	Horizontal	Vertical	Pass
1400.700	-54.71	-1.94	-25.0	-29.71	315.00	Horizontal	Vertical	Pass
2592.300	-45.32	1.71	-25.0	-20.32	344.00	Horizontal	Vertical	N/A
6637.200	-42.74	12.03	-25.0	-17.74	122.00	Horizontal	Vertical	Pass
9304.600	-47.62	10.16	-25.0	-22.62	184.00	Horizontal	Vertical	Pass
19504.075	-44.74	14.80	-25.0	-19.74	186.00	Horizontal	Vertical	Pass

RSE-V&V CH40521 20M RB1 HIGH CH40719 20M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
323.764	-65.46	-10.70	-25.0	-40.46	31.00	Vertical	Vertical	Pass
2562.900	-39.68	1.42	-25.0	-14.68	209.00	Vertical	Vertical	N/A
2632.000	-38.65	1.96	-25.0	-13.65	321.00	Vertical	Vertical	N/A
6675.200	-42.07	11.70	-25.0	-17.07	182.00	Vertical	Vertical	Pass
9299.713	-48.15	10.22	-25.0	-23.15	240.00	Vertical	Vertical	Pass
17423.813	-45.65	9.59	-25.0	-20.65	-2.00	Vertical	Vertical	Pass

RSE-V&H CH40521 20M RB1 HIGH CH40719 20M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
330.749	-63.92	-10.44	-25.0	-38.92	122.00	Vertical	Horizontal	Pass
1393.300	-54.96	-2.37	-25.0	-29.96	216.00	Vertical	Horizontal	Pass
2592.500	-42.29	1.71	-25.0	-17.29	79.00	Vertical	Horizontal	N/A
6994.000	-41.93	13.63	-25.0	-16.93	266.00	Vertical	Horizontal	Pass
9322.713	-47.61	9.77	-25.0	-22.61	236.00	Vertical	Horizontal	Pass
21040.026	-44.63	14.51	-25.0	-19.63	363.00	Vertical	Horizontal	Pass

## 40.11 CA\_41C 20MHz+20MHz, QPSK, High Channel

RSE-H&H CH41292 20M RB1 HIGH CH41490 20M RB2 LOW


OPPO\_RSE (RF) \_FCC PART22&24&27-OPPO\_LTE Band 41(high) \_2620-2690\_30MHz-27GHz\_



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
316.683	-64.14	-10.90	-25.0	-39.14	89.00	Horizontal	Horizontal	Pass
2594.500	-46.84	1.41	-25.0	-21.84	151.00	Horizontal	Horizontal	N/A
2698.500	-38.33	2.37	-25.0	-13.33	228.00	Horizontal	Horizontal	N/A
6693.000	-42.26	11.73	-25.0	-17.26	347.00	Horizontal	Horizontal	Pass
9221.512	-48.17	9.24	-25.0	-23.17	191.00	Horizontal	Horizontal	Pass
18804.949	-45.35	12.37	-25.0	-20.35	361.00	Horizontal	Horizontal	Pass




RSE-H&V CH41292 20M RB1 HIGH CH41490 20M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
317.750	-67.25	-10.91	-25.0	-42.25	154.00	Horizontal	Vertical	Pass
2610.900	-47.78	1.67	-25.0	-22.78	344.00	Horizontal	Vertical	N/A
2703.300	-42.60	2.46	-25.0	-17.60	331.00	Horizontal	Vertical	N/A
6663.200	-42.22	11.60	-25.0	-17.22	292.00	Horizontal	Vertical	Pass
9318.688	-48.75	9.93	-25.0	-23.75	361.00	Horizontal	Vertical	Pass
21034.074	-45.05	14.51	-25.0	-20.05	363.00	Horizontal	Vertical	Pass

RSE-V&V CH41292 20M RB1 HIGH CH41490 20M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
322.698	-66.51	-10.71	-25.0	-41.51	40.00	Vertical	Vertical	Pass
2598.700	-44.43	1.18	-25.0	-19.43	330.00	Vertical	Vertical	N/A
2701.400	-36.40	2.41	-25.0	-11.40	20.00	Vertical	Vertical	N/A
6800.000	-42.33	12.37	-25.0	-17.33	349.00	Vertical	Vertical	Pass
9258.313	-47.33	9.24	-25.0	-22.33	283.00	Vertical	Vertical	Pass
21031.948	-44.69	14.51	-25.0	-19.69	177.00	Vertical	Vertical	Pass


RSE-V&H CH41292 20M RB1 HIGH CH41490 20M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
323.570	-62.77	-10.66	-25.0	-37.77	110.00	Vertical	Horizontal	Pass
2586.600	-49.92	1.94	-25.0	-24.92	85.00	Vertical	Horizontal	N/A
2707.600	-46.40	2.55	-25.0	-21.40	85.00	Vertical	Horizontal	N/A
6548.600	-42.21	10.41	-25.0	-17.21	0.00	Vertical	Horizontal	Pass
9311.787	-48.01	10.04	-25.0	-23.01	361.00	Vertical	Horizontal	Pass
21629.073	-45.03	14.70	-25.0	-20.03	17.00	Vertical	Horizontal	Pass


## 40.12 CA\_41C 20MHz+20MHz, 16-QAM, High Channel

RSE-H&H CH41292 20M RB1 HIGH CH41490 20M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
316.683	-63.86	-10.90	-25.0	-38.86	110.00	Horizontal	Horizontal	Pass
2607.500	-45.08	1.64	-25.0	-20.08	211.00	Horizontal	Horizontal	N/A
2700.600	-39.37	2.39	-25.0	-14.37	223.00	Horizontal	Horizontal	N/A
6687.000	-42.34	11.96	-25.0	-17.34	200.00	Horizontal	Horizontal	Pass
9269.812	-48.31	9.38	-25.0	-23.31	324.00	Horizontal	Horizontal	Pass
19330.677	-45.93	16.09	-25.0	-20.93	58.00	Horizontal	Horizontal	Pass

RSE-H&V CH41292 20M RB1 HIGH CH41490 20M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
323.280	-66.93	-10.67	-25.0	-41.93	140.00	Horizontal	Vertical	Pass
2609.400	-46.62	1.66	-25.0	-21.62	348.00	Horizontal	Vertical	N/A
2698.900	-42.35	2.37	-25.0	-17.35	202.00	Horizontal	Vertical	N/A
6999.600	-42.19	13.65	-25.0	-17.19	155.00	Horizontal	Vertical	Pass
9191.037	-48.19	8.93	-25.0	-23.19	14.00	Horizontal	Vertical	Pass
17299.124	-45.03	8.50	-25.0	-20.03	-2.00	Horizontal	Vertical	Pass

RSE-V&V CH41292 20M RB1 HIGH CH41490 20M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
323.328	-66.08	-10.67	-25.0	-41.08	149.00	Vertical	Vertical	Pass
2598.700	-43.65	1.18	-25.0	-18.65	360.00	Vertical	Vertical	N/A
2701.000	-35.58	2.40	-25.0	-10.58	296.00	Vertical	Vertical	N/A
6985.200	-41.47	13.70	-25.0	-16.47	332.00	Vertical	Vertical	Pass
9321.850	-48.38	9.81	-25.0	-23.38	185.00	Vertical	Vertical	Pass
19278.823	-45.73	15.14	-25.0	-20.73	363.00	Vertical	Vertical	Pass


RSE-V&H CH41292 20M RB1 HIGH CH41490 20M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
325.462	-63.70	-10.60	-25.0	-38.70	156.00	Vertical	Horizontal	Pass
2608.600	-48.81	1.65	-25.0	-23.81	193.00	Vertical	Horizontal	N/A
2700.600	-44.56	2.39	-25.0	-19.56	101.00	Vertical	Horizontal	N/A
6753.200	-42.38	11.65	-25.0	-17.38	281.00	Vertical	Horizontal	Pass
9294.825	-48.15	10.04	-25.0	-23.15	172.00	Vertical	Horizontal	Pass
19377.850	-45.66	15.18	-25.0	-20.66	315.00	Vertical	Horizontal	Pass

NR  
 Up Antenna  
 41 n5  
 41.1 n5 BW5, QPSK, Middle Channel


RSE-H&H n5 BW5 CH176300



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
836.022	4.72	40.53	-13.0	17.72	247.00	Horizontal	Horizontal	N/A
880.932	-48.09	40.26	-13.0	-35.09	295.00	Horizontal	Horizontal	N/A
2464.300	-41.62	46.38	-13.0	-28.62	88.00	Horizontal	Horizontal	Pass
3649.400	-57.29	4.48	-13.0	-44.29	1.00	Horizontal	Horizontal	Pass
6984.400	-48.43	13.76	-13.0	-35.43	281.00	Horizontal	Horizontal	Pass
9302.799	-49.02	15.56	-13.0	-36.02	89.00	Horizontal	Horizontal	Pass




RSE-H&V n5 BW5 CH176300




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
837.089	-1.78	40.54	-13.0	11.22	187.00	Horizontal	Vertical	N/A
880.060	-52.45	40.22	-13.0	-39.45	283.00	Horizontal	Vertical	N/A
2279.100	-42.66	46.94	-13.0	-29.66	38.00	Horizontal	Vertical	Pass
3701.000	-58.01	4.95	-13.0	-45.01	37.00	Horizontal	Vertical	Pass
6985.400	-48.62	13.70	-13.0	-35.62	360.00	Horizontal	Vertical	Pass
9243.550	-48.64	15.24	-13.0	-35.64	190.00	Horizontal	Vertical	Pass

RSE-V&V n5 BW5 CH176300



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
836.409	6.33	40.53	-13.0	19.33	223.00	Vertical	Vertical	N/A
881.612	-46.71	40.29	-13.0	-33.71	130.00	Vertical	Vertical	N/A
2431.700	-42.40	46.30	-13.0	-29.40	352.00	Vertical	Vertical	Pass
3652.600	-57.75	4.34	-13.0	-44.75	21.00	Vertical	Vertical	Pass
6793.400	-49.00	12.23	-13.0	-36.00	334.00	Vertical	Vertical	Pass
9446.050	-48.73	16.63	-13.0	-35.73	341.00	Vertical	Vertical	Pass


RSE-V&H n5 BW5 CH176300



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
837.040	-3.31	40.54	-13.0	9.69	89.00	Vertical	Horizontal	N/A
881.612	-47.71	40.29	-13.0	-34.71	-2.00	Vertical	Horizontal	N/A
2368.900	-42.48	46.37	-13.0	-29.48	85.00	Vertical	Horizontal	Pass
3655.400	-57.96	4.18	-13.0	-44.96	198.00	Vertical	Horizontal	Pass
6614.200	-49.39	12.34	-13.0	-36.39	198.00	Vertical	Horizontal	Pass
9335.200	-48.87	15.30	-13.0	-35.87	324.00	Vertical	Horizontal	Pass


## 41.2 n5 BW15, QPSK, Middle Channel

RSE-H&H n5 BW15 CH176300




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
834.712	4.06	40.48	-13.0	17.06	330.00	Horizontal	Horizontal	N/A
875.113	-49.84	40.30	-13.0	-36.84	289.00	Horizontal	Horizontal	N/A
2170.200	-42.50	46.34	-13.0	-29.50	220.00	Horizontal	Horizontal	Pass
3727.200	-57.63	4.14	-13.0	-44.63	290.00	Horizontal	Horizontal	Pass
6978.400	-48.61	13.94	-13.0	-35.61	213.00	Horizontal	Horizontal	Pass
9437.500	-48.85	16.42	-13.0	-35.85	74.00	Horizontal	Horizontal	Pass

RSE-H&V n5 BW15 CH176300




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
833.451	-2.65	40.40	-13.0	10.35	142.00	Horizontal	Vertical	N/A
876.810	-49.65	40.36	-13.0	-36.65	-2.00	Horizontal	Vertical	N/A
2316.600	-42.09	46.79	-13.0	-29.09	56.00	Horizontal	Vertical	Pass
3651.200	-58.05	4.44	-13.0	-45.05	24.00	Horizontal	Vertical	Pass
6679.200	-49.21	11.77	-13.0	-36.21	139.00	Horizontal	Vertical	Pass
9197.200	-49.08	15.29	-13.0	-36.08	186.00	Horizontal	Vertical	Pass

RSE-V&V n5 BW15 CH176300



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
837.428	4.81	40.54	-13.0	17.81	202.00	Vertical	Vertical	N/A
875.404	-45.67	40.33	-13.0	-32.67	147.00	Vertical	Vertical	N/A
2232.700	-42.92	46.66	-13.0	-29.92	45.00	Vertical	Vertical	Pass
3651.000	-57.73	4.45	-13.0	-44.73	57.00	Vertical	Vertical	Pass
6684.600	-49.16	12.00	-13.0	-36.16	99.00	Vertical	Vertical	Pass
9304.450	-48.83	15.57	-13.0	-35.83	67.00	Vertical	Vertical	Pass


RSE-V&H n5 BW15 CH176300



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
836.943	-4.56	40.54	-13.0	8.44	279.00	Vertical	Horizontal	N/A
875.549	-46.63	40.35	-13.0	-33.63	-2.00	Vertical	Horizontal	N/A
2298.700	-42.74	46.70	-13.0	-29.74	249.00	Vertical	Horizontal	Pass
3648.800	-57.42	4.49	-13.0	-44.42	238.00	Vertical	Horizontal	Pass
6985.600	-48.87	13.70	-13.0	-35.87	340.00	Vertical	Horizontal	Pass
9262.900	-49.24	15.16	-13.0	-36.24	331.00	Vertical	Horizontal	Pass

### 41.3 n5 BW20, QPSK, Middle Channel


RSE-H&H n5 BW20 CH176300



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
840.193	2.94	40.58	-13.0	15.94	280.00	Horizontal	Horizontal	N/A
873.221	-48.92	40.14	-13.0	-35.92	297.00	Horizontal	Horizontal	N/A
2207.700	-43.14	46.32	-13.0	-30.14	207.00	Horizontal	Horizontal	Pass
3648.600	-57.16	4.49	-13.0	-44.16	99.00	Horizontal	Horizontal	Pass
6983.200	-48.38	13.88	-13.0	-35.38	59.00	Horizontal	Horizontal	Pass
9438.850	-48.64	16.44	-13.0	-35.64	307.00	Horizontal	Horizontal	Pass




RSE-H&V n5 BW20 CH176300




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
839.271	-3.91	40.50	-13.0	9.09	139.00	Horizontal	Vertical	N/A
875.064	-46.95	40.29	-13.0	-33.95	0.00	Horizontal	Vertical	N/A
2301.600	-42.06	47.00	-13.0	-29.06	160.00	Horizontal	Vertical	Pass
3658.600	-57.79	3.91	-13.0	-44.79	0.00	Horizontal	Vertical	Pass
6976.800	-48.44	13.78	-13.0	-35.44	312.00	Horizontal	Vertical	Pass
9213.400	-48.32	15.34	-13.0	-35.32	201.00	Horizontal	Vertical	Pass

RSE-V&V n5 BW20 CH176300



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
839.513	5.46	40.49	-13.0	18.46	228.00	Vertical	Vertical	N/A
872.445	-44.51	40.17	-13.0	-31.51	181.00	Vertical	Vertical	N/A
2182.600	-43.52	46.29	-13.0	-30.52	58.00	Vertical	Vertical	Pass
3483.400	-58.55	2.84	-13.0	-45.55	65.00	Vertical	Vertical	Pass
6677.000	-48.88	11.74	-13.0	-35.88	313.00	Vertical	Vertical	Pass
9233.200	-48.57	15.29	-13.0	-35.57	336.00	Vertical	Vertical	Pass

RSE-V&H n5 BW20 CH176300




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
840.241	-2.54	40.58	-13.0	10.46	295.00	Vertical	Horizontal	N/A
873.076	-47.28	40.14	-13.0	-34.28	46.00	Vertical	Horizontal	N/A
2199.800	-42.57	46.59	-13.0	-29.57	67.00	Vertical	Horizontal	Pass
3651.000	-57.74	4.45	-13.0	-44.74	279.00	Vertical	Horizontal	Pass
6997.400	-48.59	13.61	-13.0	-35.59	173.00	Vertical	Horizontal	Pass
9455.200	-48.07	16.63	-13.0	-35.07	102.00	Vertical	Horizontal	Pass

42 n7


42.1 n7 BW5, QPSK, Middle Channel

RSE-H&H n7 BW5 CH531000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
823.606	-53.51	40.19	-25.0	-28.51	16.00	Horizontal	Horizontal	Pass
1400.200	-47.23	45.17	-25.0	-22.23	239.00	Horizontal	Horizontal	Pass
2534.400	14.83	45.74	-25.0	39.83	135.00	Horizontal	Horizontal	N/A
3646.400	-57.30	4.47	-25.0	-32.30	192.00	Horizontal	Horizontal	Pass
6986.800	-48.63	13.70	-25.0	-23.63	282.00	Horizontal	Horizontal	Pass
17592.338	-40.05	22.05	-25.0	-15.05	254.00	Horizontal	Horizontal	Pass

RSE-H&V n7 BW5 CH531000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
928.608	-53.10	41.54	-25.0	-28.10	57.00	Horizontal	Vertical	Pass
1381.200	-47.35	44.81	-25.0	-22.35	158.00	Horizontal	Vertical	Pass
2534.900	13.24	45.72	-25.0	38.24	141.00	Horizontal	Vertical	N/A
3689.400	-57.82	4.98	-25.0	-32.82	116.00	Horizontal	Vertical	Pass
6967.400	-48.91	13.35	-25.0	-23.91	360.00	Horizontal	Vertical	Pass
17380.762	-40.12	22.24	-25.0	-15.12	343.00	Horizontal	Vertical	Pass

RSE-V&V n7 BW5 CH531000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
895.434	-51.67	40.82	-25.0	-26.67	121.00	Vertical	Vertical	Pass
1388.200	-47.68	44.93	-25.0	-22.68	311.00	Vertical	Vertical	Pass
2535.500	9.57	45.73	-25.0	34.57	226.00	Vertical	Vertical	N/A
3687.800	-57.70	4.95	-25.0	-32.70	16.00	Vertical	Vertical	Pass
6998.800	-48.77	13.64	-25.0	-23.77	51.00	Vertical	Vertical	Pass
17466.864	-40.46	21.73	-25.0	-15.46	360.00	Vertical	Vertical	Pass


RSE-V&H n7 BW5 CH531000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
842.763	-53.30	40.64	-25.0	-28.30	241.00	Vertical	Horizontal	Pass
1395.500	-47.09	45.13	-25.0	-22.09	20.00	Vertical	Horizontal	Pass
2534.600	-0.36	45.73	-25.0	24.64	37.00	Vertical	Horizontal	N/A
3641.000	-58.06	4.14	-25.0	-33.06	121.00	Vertical	Horizontal	Pass
6996.600	-48.89	13.58	-25.0	-23.89	360.00	Vertical	Horizontal	Pass
17418.824	-39.53	22.66	-25.0	-14.53	34.00	Vertical	Horizontal	Pass

## 42.2 n7 BW15, QPSK, Middle Channel


RSE-H&H n7 BW15 CH531000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
845.867	-53.51	40.47	-25.0	-28.51	173.00	Horizontal	Horizontal	Pass
1399.600	-46.70	45.17	-25.0	-21.70	198.00	Horizontal	Horizontal	Pass
2531.800	11.72	45.86	-25.0	36.72	144.00	Horizontal	Horizontal	N/A
3720.600	-57.67	4.03	-25.0	-32.67	54.00	Horizontal	Horizontal	Pass
6638.400	-48.76	12.08	-25.0	-23.76	18.00	Horizontal	Horizontal	Pass
17613.339	-39.70	21.85	-25.0	-14.70	203.00	Horizontal	Horizontal	Pass




RSE-H&V n7 BW15 CH531000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
948.493	-51.83	41.54	-25.0	-26.83	103.00	Horizontal	Vertical	Pass
1389.700	-47.37	44.96	-25.0	-22.37	327.00	Horizontal	Vertical	Pass
2535.100	9.17	45.71	-25.0	34.17	111.00	Horizontal	Vertical	N/A
3649.400	-57.53	4.48	-25.0	-32.53	238.00	Horizontal	Vertical	Pass
6999.200	-48.15	13.65	-25.0	-23.15	344.00	Horizontal	Vertical	Pass
17371.838	-40.40	21.94	-25.0	-15.40	100.00	Horizontal	Vertical	Pass

RSE-V&V n7 BW15 CH531000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
904.406	-53.43	40.98	-25.0	-28.43	165.00	Vertical	Vertical	Pass
1406.000	-47.19	44.95	-25.0	-22.19	231.00	Vertical	Vertical	Pass
2535.100	4.39	45.71	-25.0	29.39	254.00	Vertical	Vertical	N/A
3644.600	-57.46	4.49	-25.0	-32.46	304.00	Vertical	Vertical	Pass
6987.200	-48.27	13.68	-25.0	-23.27	229.00	Vertical	Vertical	Pass
17586.825	-39.82	22.11	-25.0	-14.82	329.00	Vertical	Vertical	Pass


RSE-V&H n7 BW15 CH531000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
931.178	-51.58	41.34	-25.0	-26.58	360.00	Vertical	Horizontal	Pass
1394.400	-47.10	45.10	-25.0	-22.10	0.00	Vertical	Horizontal	Pass
2536.100	-4.30	45.82	-25.0	20.70	1.00	Vertical	Horizontal	N/A
3646.600	-57.43	4.47	-25.0	-32.43	167.00	Vertical	Horizontal	Pass
6999.400	-47.77	13.65	-25.0	-22.77	131.00	Vertical	Horizontal	Pass
17423.550	-40.25	22.56	-25.0	-15.25	249.00	Vertical	Horizontal	Pass


## 42.3 n7 BW20, QPSK, Middle Channel

RSE-H&H n7 BW20 CH531000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
909.354	-52.53	41.14	-25.0	-27.53	187.00	Horizontal	Horizontal	Pass
1403.000	-47.40	45.12	-25.0	-22.40	201.00	Horizontal	Horizontal	Pass
2532.500	6.89	45.83	-25.0	31.89	174.00	Horizontal	Horizontal	N/A
3647.000	-57.49	4.47	-25.0	-32.49	100.00	Horizontal	Horizontal	Pass
6996.400	-48.45	13.58	-25.0	-23.45	71.00	Horizontal	Horizontal	Pass
17607.037	-39.99	21.91	-25.0	-14.99	354.00	Horizontal	Horizontal	Pass

RSE-H&V n7 BW20 CH531000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
872.881	-53.50	40.15	-25.0	-28.50	360.00	Horizontal	Vertical	Pass
1382.900	-47.29	44.79	-25.0	-22.29	48.00	Horizontal	Vertical	Pass
2538.100	7.78	46.02	-25.0	32.78	119.00	Horizontal	Vertical	N/A
3651.000	-57.84	4.45	-25.0	-32.84	319.00	Horizontal	Vertical	Pass
6999.200	-48.71	13.65	-25.0	-23.71	73.00	Horizontal	Vertical	Pass
17428.275	-39.67	22.45	-25.0	-14.67	285.00	Horizontal	Vertical	Pass

RSE-V&V n7 BW20 CH531000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
889.081	-53.64	40.59	-25.0	-28.64	360.00	Vertical	Vertical	Pass
1387.700	-47.62	44.89	-25.0	-22.62	309.00	Vertical	Vertical	Pass
2536.200	3.77	45.84	-25.0	28.77	240.00	Vertical	Vertical	N/A
3574.600	-57.80	3.96	-25.0	-32.80	41.00	Vertical	Vertical	Pass
6683.200	-48.99	11.88	-25.0	-23.99	41.00	Vertical	Vertical	Pass
17004.074	-40.47	20.93	-25.0	-15.47	360.00	Vertical	Vertical	Pass

RSE-V&H n7 BW20 CH531000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
892.718	-53.33	40.90	-25.0	-28.33	122.00	Vertical	Horizontal	Pass
1402.400	-47.38	45.14	-25.0	-22.38	198.00	Vertical	Horizontal	Pass
2533.600	-4.80	45.77	-25.0	20.20	0.00	Vertical	Horizontal	N/A
3796.600	-57.34	4.55	-25.0	-32.34	40.00	Vertical	Horizontal	Pass
6974.600	-48.46	13.71	-25.0	-23.46	131.00	Vertical	Horizontal	Pass
17591.812	-40.05	22.06	-25.0	-15.05	101.00	Vertical	Horizontal	Pass

43 n38

43.1 n38 BW20, QPSK, Middle Channel


RSE-H&H n38 BW20 CH519000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
836.846	-53.71	40.54	-25.0	-28.71	203.00	Horizontal	Horizontal	Pass
1403.500	-46.99	45.08	-25.0	-21.99	286.00	Horizontal	Horizontal	Pass
2594.300	19.43	46.11	-25.0	44.43	144.00	Horizontal	Horizontal	N/A
4056.800	-56.60	5.31	-25.0	-31.60	211.00	Horizontal	Horizontal	Pass
6686.400	-49.05	12.00	-25.0	-24.05	203.00	Horizontal	Horizontal	Pass
17005.387	-39.91	20.91	-25.0	-14.91	0.00	Horizontal	Horizontal	Pass




RSE-H&V n38 BW20 CH519000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
849.553	-53.43	40.48	-25.0	-28.43	94.00	Horizontal	Vertical	Pass
1408.100	-46.98	44.92	-25.0	-21.98	107.00	Horizontal	Vertical	Pass
2585.800	14.20	46.00	-25.0	39.20	8.00	Horizontal	Vertical	N/A
3701.000	-57.49	4.95	-25.0	-32.49	286.00	Horizontal	Vertical	Pass
6980.200	-48.03	13.82	-25.0	-23.03	348.00	Horizontal	Vertical	Pass
17590.499	-40.30	22.07	-25.0	-15.30	340.00	Horizontal	Vertical	Pass

RSE-V&V n38 BW20 CH519000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
920.606	-51.29	41.39	-25.0	-26.29	248.00	Vertical	Vertical	Pass
1392.600	-47.21	45.01	-25.0	-22.21	0.00	Vertical	Vertical	Pass
2585.900	12.50	46.02	-25.0	37.50	214.00	Vertical	Vertical	N/A
3693.400	-57.43	5.00	-25.0	-32.43	108.00	Vertical	Vertical	Pass
6998.600	-48.29	13.64	-25.0	-23.29	239.00	Vertical	Vertical	Pass
17572.387	-39.96	22.30	-25.0	-14.96	184.00	Vertical	Vertical	Pass

RSE-V&H n38 BW20 CH519000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
790.625	-53.26	39.75	-25.0	-28.26	161.00	Vertical	Horizontal	Pass
1398.100	-47.24	45.16	-25.0	-22.24	329.00	Vertical	Horizontal	Pass
2588.800	0.44	46.20	-25.0	25.44	45.00	Vertical	Horizontal	N/A
3976.000	-56.98	4.89	-25.0	-31.98	266.00	Vertical	Horizontal	Pass
9840.787	-47.36	16.98	-25.0	-22.36	119.00	Vertical	Horizontal	Pass
17622.788	-39.46	21.73	-25.0	-14.46	99.00	Vertical	Horizontal	Pass

44 n41


44.1 n41 BW20, QPSK, Middle Channel

RSE-H&H n41 BW20 CH518598




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
918.520	-52.84	41.27	-25.0	-27.84	307.00	Horizontal	Horizontal	Pass
1399.400	-46.41	45.17	-25.0	-21.41	21.00	Horizontal	Horizontal	Pass
2583.700	15.22	45.83	-25.0	40.22	141.00	Horizontal	Horizontal	N/A
6612.600	-48.97	12.34	-25.0	-23.97	83.00	Horizontal	Horizontal	Pass
11087.388	-46.79	15.82	-25.0	-21.79	51.00	Horizontal	Horizontal	Pass
17588.926	-40.44	22.09	-25.0	-15.44	71.00	Horizontal	Horizontal	Pass

RSE-H&V n41 BW20 CH518598




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
788.977	-53.26	39.77	-25.0	-28.26	233.00	Horizontal	Vertical	Pass
1387.800	-47.20	44.91	-25.0	-22.20	338.00	Horizontal	Vertical	Pass
2583.800	12.33	45.82	-25.0	37.33	4.00	Horizontal	Vertical	N/A
6669.200	-48.90	11.60	-25.0	-23.90	190.00	Horizontal	Vertical	Pass
11478.963	-46.44	17.66	-25.0	-21.44	118.00	Horizontal	Vertical	Pass
17584.988	-40.20	22.14	-25.0	-15.20	0.00	Horizontal	Vertical	Pass

RSE-V&V n41 BW20 CH518598



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
914.446	-51.63	41.29	-25.0	-26.63	148.00	Vertical	Vertical	Pass
1401.100	-47.43	45.14	-25.0	-22.43	132.00	Vertical	Vertical	Pass
2592.500	13.11	45.87	-25.0	38.11	264.00	Vertical	Vertical	N/A
6632.800	-48.86	12.12	-25.0	-23.86	191.00	Vertical	Vertical	Pass
11495.063	-47.16	17.77	-25.0	-22.16	118.00	Vertical	Vertical	Pass
17435.625	-39.70	22.26	-25.0	-14.70	57.00	Vertical	Vertical	Pass


RSE-V&H n41 BW20 CH518598



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
909.742	-52.45	41.12	-25.0	-27.45	294.00	Vertical	Horizontal	Pass
1395.000	-47.01	45.12	-25.0	-22.01	329.00	Vertical	Horizontal	Pass
2592.700	-4.95	45.87	-25.0	20.05	338.00	Vertical	Horizontal	N/A
3650.200	-56.80	4.47	-25.0	-31.80	64.00	Vertical	Horizontal	Pass
6997.800	-48.52	13.63	-25.0	-23.52	26.00	Vertical	Horizontal	Pass
17445.075	-39.45	22.04	-25.0	-14.45	10.00	Vertical	Horizontal	Pass

## 44.2 n41 BW60, QPSK, Middle Channel


RSE-H&H n41 BW60 CH518598



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
829.135	-53.69	40.29	-25.0	-28.69	169.00	Horizontal	Horizontal	Pass
1403.600	-47.47	45.07	-25.0	-22.47	238.00	Horizontal	Horizontal	Pass
2563.700	7.54	45.88	-25.0	32.54	102.00	Horizontal	Horizontal	N/A
3849.200	-56.58	4.74	-25.0	-31.58	0.00	Horizontal	Horizontal	Pass
9203.974	-49.23	15.34	-25.0	-24.23	45.00	Horizontal	Horizontal	Pass
17571.338	-39.71	22.31	-25.0	-14.71	38.00	Horizontal	Horizontal	Pass




RSE-H&V n41 BW60 CH518598




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
850.814	-53.12	40.50	-25.0	-28.12	173.00	Horizontal	Vertical	Pass
1400.500	-47.77	45.15	-25.0	-22.77	98.00	Horizontal	Vertical	Pass
2572.200	8.83	46.05	-25.0	33.83	343.00	Horizontal	Vertical	N/A
3685.400	-57.70	4.78	-25.0	-32.70	351.00	Horizontal	Vertical	Pass
6686.800	-49.55	11.97	-25.0	-24.55	167.00	Horizontal	Vertical	Pass
17198.850	-40.40	20.73	-25.0	-15.40	47.00	Horizontal	Vertical	Pass

RSE-V&V n41 BW60 CH518598



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
917.744	-52.17	41.28	-25.0	-27.17	150.00	Vertical	Vertical	Pass
1396.800	-47.63	45.16	-25.0	-22.63	268.00	Vertical	Vertical	Pass
2572.100	12.22	46.06	-25.0	37.22	295.00	Vertical	Vertical	N/A
3657.400	-57.21	4.01	-25.0	-32.21	112.00	Vertical	Vertical	Pass
6978.800	-48.36	13.94	-25.0	-23.36	56.00	Vertical	Vertical	Pass
17462.401	-40.03	21.74	-25.0	-15.03	-1.00	Vertical	Vertical	Pass


RSE-V&H n41 BW60 CH518598



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
897.617	-53.38	40.96	-25.0	-28.38	293.00	Vertical	Horizontal	Pass
1417.800	-47.34	44.80	-25.0	-22.34	248.00	Vertical	Horizontal	Pass
2564.200	-0.93	45.91	-25.0	24.07	24.00	Vertical	Horizontal	N/A
3647.600	-57.72	4.48	-25.0	-32.72	350.00	Vertical	Horizontal	Pass
6999.600	-48.20	13.65	-25.0	-23.20	0.00	Vertical	Horizontal	Pass
17425.125	-40.31	22.52	-25.0	-15.31	116.00	Vertical	Horizontal	Pass


### 44.3 n41 BW100, QPSK, Middle Channel

RSE-H&H n41 BW100 CH518598




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
837.961	-53.95	40.53	-25.0	-28.95	113.00	Horizontal	Horizontal	Pass
1400.900	-47.23	45.14	-25.0	-22.23	327.00	Horizontal	Horizontal	Pass
2552.500	13.54	45.73	-25.0	38.54	232.00	Horizontal	Horizontal	N/A
3689.200	-57.60	4.96	-25.0	-32.60	0.00	Horizontal	Horizontal	Pass
6671.800	-49.15	11.60	-25.0	-24.15	123.00	Horizontal	Horizontal	Pass
17423.286	-40.03	22.57	-25.0	-15.03	195.00	Horizontal	Horizontal	Pass

RSE-H&V n41 BW100 CH518598




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
917.647	-52.66	41.28	-25.0	-27.66	10.00	Horizontal	Vertical	Pass
1417.400	-47.43	44.81	-25.0	-22.43	273.00	Horizontal	Vertical	Pass
2552.400	11.44	45.73	-25.0	36.44	127.00	Horizontal	Vertical	N/A
3693.800	-57.57	5.05	-25.0	-32.57	262.00	Horizontal	Vertical	Pass
6686.800	-49.01	11.97	-25.0	-24.01	62.00	Horizontal	Vertical	Pass
17472.113	-40.51	21.72	-25.0	-15.51	-3.00	Horizontal	Vertical	Pass

RSE-V&V n41 BW100 CH518598



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
826.952	-54.15	40.16	-25.0	-29.15	237.00	Vertical	Vertical	Pass
1395.500	-47.21	45.13	-25.0	-22.21	205.00	Vertical	Vertical	Pass
2544.200	10.55	45.93	-25.0	35.55	221.00	Vertical	Vertical	N/A
3645.600	-57.75	4.48	-25.0	-32.75	231.00	Vertical	Vertical	Pass
6668.200	-49.20	11.56	-25.0	-24.20	47.00	Vertical	Vertical	Pass
17476.575	-40.25	21.71	-25.0	-15.25	137.00	Vertical	Vertical	Pass

RSE-V&H n41 BW100 CH518598




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
805.418	-52.89	40.05	-25.0	-27.89	349.00	Vertical	Horizontal	Pass
1400.400	-47.24	45.16	-25.0	-22.24	28.00	Vertical	Horizontal	Pass
2543.800	0.27	45.92	-25.0	25.27	44.00	Vertical	Horizontal	N/A
3835.600	-57.10	5.63	-25.0	-32.10	43.00	Vertical	Horizontal	Pass
6983.400	-48.31	13.86	-25.0	-23.31	0.00	Vertical	Horizontal	Pass
17426.698	-40.22	22.49	-25.0	-15.22	-1.00	Vertical	Horizontal	Pass

Down Antenna

45 n5

45.1 n5 BW5, QPSK, Middle Channel


RSE-H&H n5 BW5 CH176300



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
837.089	-4.25	40.54	-13.0	8.75	36.00	Horizontal	Horizontal	N/A
880.932	-50.71	40.26	-13.0	-37.71	320.00	Horizontal	Horizontal	N/A
2279.800	-42.67	46.89	-13.0	-29.67	138.00	Horizontal	Horizontal	Pass
3653.000	-57.80	4.31	-13.0	-44.80	351.00	Horizontal	Horizontal	Pass
6973.600	-47.99	13.68	-13.0	-34.99	2.00	Horizontal	Horizontal	Pass
9214.900	-48.51	15.34	-13.0	-35.51	190.00	Horizontal	Horizontal	Pass




RSE-H&V n5 BW5 CH176300




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
837.331	-11.33	40.54	-13.0	1.67	-2.00	Horizontal	Vertical	N/A
881.514	-51.42	40.29	-13.0	-38.42	10.00	Horizontal	Vertical	N/A
2280.200	-42.24	46.86	-13.0	-29.24	17.00	Horizontal	Vertical	Pass
3574.000	-58.47	3.95	-13.0	-45.47	342.00	Horizontal	Vertical	Pass
6998.000	-48.27	13.63	-13.0	-35.27	61.00	Horizontal	Vertical	Pass
9320.050	-47.36	15.68	-13.0	-34.36	182.00	Horizontal	Vertical	Pass

RSE-V&V n5 BW5 CH176300



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
836.894	-10.19	40.54	-13.0	2.81	92.00	Vertical	Vertical	N/A
879.720	-48.67	40.24	-13.0	-35.67	109.00	Vertical	Vertical	N/A
2401.700	-42.37	46.66	-13.0	-29.37	63.00	Vertical	Vertical	Pass
3576.000	-58.14	3.84	-13.0	-45.14	256.00	Vertical	Vertical	Pass
6998.400	-48.47	13.63	-13.0	-35.47	243.00	Vertical	Vertical	Pass
9242.651	-48.92	15.25	-13.0	-35.92	301.00	Vertical	Vertical	Pass


RSE-V&H n5 BW5 CH176300



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
835.682	-11.56	40.53	-13.0	1.44	321.00	Vertical	Horizontal	N/A
880.205	-47.64	40.23	-13.0	-34.64	16.00	Vertical	Horizontal	N/A
2409.700	-42.33	46.42	-13.0	-29.33	90.00	Vertical	Horizontal	Pass
3554.600	-58.78	3.53	-13.0	-45.78	22.00	Vertical	Horizontal	Pass
6606.400	-49.35	12.22	-13.0	-36.35	69.00	Vertical	Horizontal	Pass
9454.000	-48.31	16.66	-13.0	-35.31	202.00	Vertical	Horizontal	Pass


### 45.2 n5 BW15, QPSK, Middle Channel

RSE-H&H n5 BW15 CH176300




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
837.816	-6.41	40.53	-13.0	6.59	38.00	Horizontal	Horizontal	N/A
874.919	-49.63	40.27	-13.0	-36.63	188.00	Horizontal	Horizontal	N/A
2328.500	-42.39	46.62	-13.0	-29.39	201.00	Horizontal	Horizontal	Pass
3707.000	-57.22	4.69	-13.0	-44.22	360.00	Horizontal	Horizontal	Pass
6689.000	-48.86	11.89	-13.0	-35.86	138.00	Horizontal	Horizontal	Pass
9058.150	-48.70	14.89	-13.0	-35.70	21.00	Horizontal	Horizontal	Pass

RSE-H&V n5 BW15 CH176300




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
837.282	-2.99	40.54	-13.0	10.01	164.00	Horizontal	Vertical	N/A
878.023	-50.08	40.33	-13.0	-37.08	-2.00	Horizontal	Vertical	N/A
2301.400	-42.09	46.98	-13.0	-29.09	19.00	Horizontal	Vertical	Pass
3571.000	-58.30	4.04	-13.0	-45.30	345.00	Horizontal	Vertical	Pass
6987.000	-48.62	13.69	-13.0	-35.62	217.00	Horizontal	Vertical	Pass
9247.750	-48.30	15.21	-13.0	-35.30	168.00	Horizontal	Vertical	Pass

RSE-V&V n5 BW15 CH176300



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
838.786	-10.54	40.51	-13.0	2.46	101.00	Vertical	Vertical	N/A
875.404	-47.98	40.33	-13.0	-34.98	132.00	Vertical	Vertical	N/A
2439.100	-41.90	46.43	-13.0	-28.90	261.00	Vertical	Vertical	Pass
3576.000	-58.05	3.84	-13.0	-45.05	139.00	Vertical	Vertical	Pass
6984.600	-48.24	13.74	-13.0	-35.24	221.00	Vertical	Vertical	Pass
9282.099	-48.86	15.15	-13.0	-35.86	205.00	Vertical	Vertical	Pass


RSE-V&H n5 BW15 CH176300



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
836.604	-8.33	40.54	-13.0	4.67	77.00	Vertical	Horizontal	N/A
875.306	-48.33	40.32	-13.0	-35.33	-2.00	Vertical	Horizontal	N/A
2280.100	-42.40	46.87	-13.0	-29.40	137.00	Vertical	Horizontal	Pass
3695.800	-57.38	5.28	-13.0	-44.38	146.00	Vertical	Horizontal	Pass
6979.200	-47.86	13.90	-13.0	-34.86	5.00	Vertical	Horizontal	Pass
9617.350	-48.41	16.37	-13.0	-35.41	117.00	Vertical	Horizontal	Pass

### 45.3 n5 BW20, QPSK, Middle Channel


RSE-H&H n5 BW20 CH176300



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
835.439	-4.62	40.53	-13.0	8.38	239.00	Horizontal	Horizontal	N/A
873.561	-51.99	40.12	-13.0	-38.99	34.00	Horizontal	Horizontal	N/A
2413.200	-42.49	46.43	-13.0	-29.49	360.00	Horizontal	Horizontal	Pass
3567.600	-57.99	4.13	-13.0	-44.99	269.00	Horizontal	Horizontal	Pass
6660.800	-48.93	11.51	-13.0	-35.93	86.00	Horizontal	Horizontal	Pass
9453.250	-48.58	16.67	-13.0	-35.58	6.00	Horizontal	Horizontal	Pass




RSE-H&V n5 BW20 CH176300




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
838.156	-13.96	40.53	-13.0	-0.96	14.00	Horizontal	Vertical	N/A
875.452	-47.49	40.34	-13.0	-34.49	77.00	Horizontal	Vertical	N/A
2277.800	-42.52	46.97	-13.0	-29.52	268.00	Horizontal	Vertical	Pass
3695.000	-58.02	5.22	-13.0	-45.02	198.00	Horizontal	Vertical	Pass
6984.800	-48.63	13.72	-13.0	-35.63	27.00	Horizontal	Vertical	Pass
9222.250	-49.02	15.33	-13.0	-36.02	0.00	Horizontal	Vertical	Pass

RSE-V&V n5 BW20 CH176300



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
840.289	-10.62	40.59	-13.0	2.38	77.00	Vertical	Vertical	N/A
874.045	-49.41	40.17	-13.0	-36.41	16.00	Vertical	Vertical	N/A
2444.600	-39.27	46.39	-13.0	-26.27	221.00	Vertical	Vertical	Pass
3603.200	-58.18	3.19	-13.0	-45.18	104.00	Vertical	Vertical	Pass
6978.400	-48.74	13.94	-13.0	-35.74	87.00	Vertical	Vertical	Pass
9207.250	-49.18	15.34	-13.0	-36.18	349.00	Vertical	Vertical	Pass

RSE-V&H n5 BW20 CH176300




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
839.271	-12.13	40.50	-13.0	0.87	141.00	Vertical	Horizontal	N/A
872.445	-45.44	40.17	-13.0	-32.44	55.00	Vertical	Horizontal	N/A
2449.700	-40.14	46.51	-13.0	-27.14	246.00	Vertical	Horizontal	Pass
3648.200	-57.78	4.48	-13.0	-44.78	10.00	Vertical	Horizontal	Pass
6986.600	-48.45	13.70	-13.0	-35.45	299.00	Vertical	Horizontal	Pass
9198.099	-48.85	15.31	-13.0	-35.85	316.00	Vertical	Horizontal	Pass

46 n7


46.1 n7 BW5, QPSK, Middle Channel

RSE-H&H n7 BW5 CH531000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
905.377	-52.66	40.99	-25.0	-27.66	41.00	Horizontal	Horizontal	Pass
1391.000	-47.12	44.97	-25.0	-22.12	347.00	Horizontal	Horizontal	Pass
2535.600	12.11	45.74	-25.0	37.11	204.00	Horizontal	Horizontal	N/A
3654.000	-57.54	4.26	-25.0	-32.54	248.00	Horizontal	Horizontal	Pass
6974.800	-47.95	13.71	-25.0	-22.95	343.00	Horizontal	Horizontal	Pass
17382.339	-40.65	22.28	-25.0	-15.65	360.00	Horizontal	Horizontal	Pass

RSE-H&V n7 BW5 CH531000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
912.652	-53.30	41.24	-25.0	-28.30	14.00	Horizontal	Vertical	Pass
1411.200	-47.23	44.80	-25.0	-22.23	314.00	Horizontal	Vertical	Pass
2535.900	6.74	45.79	-25.0	31.74	314.00	Horizontal	Vertical	N/A
3646.800	-57.89	4.47	-25.0	-32.89	360.00	Horizontal	Vertical	Pass
6993.400	-48.56	13.66	-25.0	-23.56	314.00	Horizontal	Vertical	Pass
17003.551	-40.65	20.94	-25.0	-15.65	216.00	Horizontal	Vertical	Pass

RSE-V&V n7 BW5 CH531000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
822.054	-53.67	40.16	-25.0	-28.67	166.00	Vertical	Vertical	Pass
1398.100	-47.45	45.16	-25.0	-22.45	282.00	Vertical	Vertical	Pass
2535.900	13.19	45.79	-25.0	38.19	331.00	Vertical	Vertical	N/A
3690.200	-57.87	5.02	-25.0	-32.87	138.00	Vertical	Vertical	Pass
6963.400	-48.56	13.09	-25.0	-23.56	301.00	Vertical	Vertical	Pass
17570.550	-39.40	22.32	-25.0	-14.40	324.00	Vertical	Vertical	Pass


RSE-V&H n7 BW5 CH531000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
906.007	-53.15	41.04	-25.0	-28.15	42.00	Vertical	Horizontal	Pass
1382.800	-47.17	44.79	-25.0	-22.17	2.00	Vertical	Horizontal	Pass
2534.500	6.55	45.74	-25.0	31.55	205.00	Vertical	Horizontal	N/A
3658.200	-57.70	3.95	-25.0	-32.70	125.00	Vertical	Horizontal	Pass
6973.000	-48.04	13.67	-25.0	-23.04	334.00	Vertical	Horizontal	Pass
17582.625	-40.45	22.16	-25.0	-15.45	287.00	Vertical	Horizontal	Pass

## 46.2 n7 BW15, QPSK, Middle Channel


RSE-H&H n7 BW15 CH531000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
903.437	-52.46	40.98	-25.0	-27.46	224.00	Horizontal	Horizontal	Pass
1369.300	-47.75	44.27	-25.0	-22.75	232.00	Horizontal	Horizontal	Pass
2535.800	8.57	45.78	-25.0	33.57	183.00	Horizontal	Horizontal	N/A
3971.600	-56.90	5.15	-25.0	-31.90	178.00	Horizontal	Horizontal	Pass
6999.600	-48.50	13.65	-25.0	-23.50	4.00	Horizontal	Horizontal	Pass
17582.363	-39.99	22.16	-25.0	-14.99	130.00	Horizontal	Horizontal	Pass




RSE-H&V n7 BW15 CH531000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
848.292	-53.26	40.40	-25.0	-28.26	237.00	Horizontal	Vertical	Pass
1392.800	-46.96	45.02	-25.0	-21.96	36.00	Horizontal	Vertical	Pass
2532.100	4.03	45.85	-25.0	29.03	137.00	Horizontal	Vertical	N/A
3577.200	-57.66	3.78	-25.0	-32.66	140.00	Horizontal	Vertical	Pass
6998.600	-48.21	13.64	-25.0	-23.21	242.00	Horizontal	Vertical	Pass
17585.775	-39.86	22.13	-25.0	-14.86	199.00	Horizontal	Vertical	Pass

RSE-V&V n7 BW15 CH531000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
907.462	-53.06	41.19	-25.0	-28.06	146.00	Vertical	Vertical	Pass
1400.000	-47.57	45.18	-25.0	-22.57	316.00	Vertical	Vertical	Pass
2531.900	8.69	45.86	-25.0	33.69	190.00	Vertical	Vertical	N/A
3645.800	-57.50	4.48	-25.0	-32.50	360.00	Vertical	Vertical	Pass
6682.600	-48.62	11.86	-25.0	-23.62	354.00	Vertical	Vertical	Pass
17420.136	-40.34	22.65	-25.0	-15.34	216.00	Vertical	Vertical	Pass


RSE-V&H n7 BW15 CH531000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
904.261	-52.52	40.98	-25.0	-27.52	259.00	Vertical	Horizontal	Pass
1393.000	-47.31	45.03	-25.0	-22.31	140.00	Vertical	Horizontal	Pass
2533.900	3.53	45.76	-25.0	28.53	45.00	Vertical	Horizontal	N/A
3858.800	-57.59	4.21	-25.0	-32.59	52.00	Vertical	Horizontal	Pass
6685.200	-48.76	12.04	-25.0	-23.76	125.00	Vertical	Horizontal	Pass
17416.462	-40.08	22.66	-25.0	-15.08	173.00	Vertical	Horizontal	Pass


## 46.3 n7 BW20, QPSK, Middle Channel

RSE-H&H n7 BW20 CH531000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
915.707	-53.29	41.34	-25.0	-28.29	350.00	Horizontal	Horizontal	Pass
1375.500	-47.55	44.50	-25.0	-22.55	300.00	Horizontal	Horizontal	Pass
2533.100	6.49	45.79	-25.0	31.49	137.00	Horizontal	Horizontal	N/A
3924.000	-57.30	4.96	-25.0	-32.30	233.00	Horizontal	Horizontal	Pass
6998.000	-48.79	13.63	-25.0	-23.79	166.00	Horizontal	Horizontal	Pass
17639.850	-39.84	21.38	-25.0	-14.84	305.00	Horizontal	Horizontal	Pass

RSE-H&V n7 BW20 CH531000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
904.698	-52.86	40.99	-25.0	-27.86	137.00	Horizontal	Vertical	Pass
1409.300	-47.34	44.89	-25.0	-22.34	89.00	Horizontal	Vertical	Pass
2530.600	1.20	45.95	-25.0	26.20	133.00	Horizontal	Vertical	N/A
3606.400	-57.61	3.31	-25.0	-32.61	360.00	Horizontal	Vertical	Pass
6976.400	-48.65	13.75	-25.0	-23.65	282.00	Horizontal	Vertical	Pass
17419.088	-40.15	22.66	-25.0	-15.15	148.00	Horizontal	Vertical	Pass

RSE-V&V n7 BW20 CH531000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
919.490	-52.08	41.34	-25.0	-27.08	360.00	Vertical	Vertical	Pass
1373.200	-47.63	44.36	-25.0	-22.63	124.00	Vertical	Vertical	Pass
2532.200	7.91	45.84	-25.0	32.91	171.00	Vertical	Vertical	N/A
3637.200	-57.49	3.92	-25.0	-32.49	317.00	Vertical	Vertical	Pass
6993.600	-48.70	13.65	-25.0	-23.70	100.00	Vertical	Vertical	Pass
17589.975	-39.75	22.08	-25.0	-14.75	200.00	Vertical	Vertical	Pass

RSE-V&H n7 BW20 CH531000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
921.479	-53.53	41.37	-25.0	-28.53	317.00	Vertical	Horizontal	Pass
1381.000	-47.06	44.80	-25.0	-22.06	149.00	Vertical	Horizontal	Pass
2532.200	3.56	45.84	-25.0	28.56	200.00	Vertical	Horizontal	N/A
3575.400	-58.22	3.89	-25.0	-33.22	60.00	Vertical	Horizontal	Pass
6997.000	-48.30	13.60	-25.0	-23.30	297.00	Vertical	Horizontal	Pass
17454.000	-39.53	21.86	-25.0	-14.53	114.00	Vertical	Horizontal	Pass

47 n38

47.1 n38 BW20, QPSK, Middle Channel


RSE-H&H n38 BW20 CH519000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
796.591	-54.02	39.84	-25.0	-29.02	293.00	Horizontal	Horizontal	Pass
1391.700	-46.96	44.98	-25.0	-21.96	99.00	Horizontal	Horizontal	Pass
2585.900	11.66	46.02	-25.0	36.66	223.00	Horizontal	Horizontal	N/A
4063.600	-56.12	5.00	-25.0	-31.12	27.00	Horizontal	Horizontal	Pass
6993.600	-48.57	13.65	-25.0	-23.57	62.00	Horizontal	Horizontal	Pass
17378.927	-40.71	22.19	-25.0	-15.71	278.00	Horizontal	Horizontal	Pass




RSE-H&V n38 BW20 CH519000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
808.522	-53.95	39.95	-25.0	-28.95	317.00	Horizontal	Vertical	Pass
1395.300	-47.75	45.13	-25.0	-22.75	287.00	Horizontal	Vertical	Pass
2586.300	4.19	46.07	-25.0	29.19	153.00	Horizontal	Vertical	N/A
3671.000	-57.60	4.07	-25.0	-32.60	172.00	Horizontal	Vertical	Pass
6608.200	-49.48	12.25	-25.0	-24.48	261.00	Horizontal	Vertical	Pass
17376.037	-39.99	22.08	-25.0	-14.99	214.00	Horizontal	Vertical	Pass

RSE-V&V n38 BW20 CH519000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
840.774	-53.32	40.65	-25.0	-28.32	269.00	Vertical	Vertical	Pass
1391.100	-47.53	44.98	-25.0	-22.53	344.00	Vertical	Vertical	Pass
2594.400	16.01	46.12	-25.0	41.01	312.00	Vertical	Vertical	N/A
3794.600	-57.32	4.40	-25.0	-32.32	267.00	Vertical	Vertical	Pass
8687.050	-49.20	13.59	-25.0	-24.20	46.00	Vertical	Vertical	Pass
17422.500	-40.68	22.59	-25.0	-15.68	253.00	Vertical	Vertical	Pass

RSE-V&H n38 BW20 CH519000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
922.157	-52.33	41.36	-25.0	-27.33	74.00	Vertical	Horizontal	Pass
1398.800	-47.02	45.16	-25.0	-22.02	283.00	Vertical	Horizontal	Pass
2594.500	10.86	46.14	-25.0	35.86	66.00	Vertical	Horizontal	N/A
6981.800	-48.58	13.85	-25.0	-23.58	335.00	Vertical	Horizontal	Pass
11474.938	-46.72	17.59	-25.0	-21.72	295.00	Vertical	Horizontal	Pass
17415.938	-40.39	22.67	-25.0	-15.39	0.00	Vertical	Horizontal	Pass


48 n41

48.1 n41 BW20, QPSK, Middle Channel


RSE-H&H n41 BW20 CH518598



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
783.011	-52.94	39.46	-25.0	-27.94	86.00	Horizontal	Horizontal	Pass
1385.200	-47.33	44.62	-25.0	-22.33	7.00	Horizontal	Horizontal	Pass
2586.600	6.79	46.10	-25.0	31.79	152.00	Horizontal	Horizontal	N/A
6995.800	-47.82	13.55	-25.0	-22.82	49.00	Horizontal	Horizontal	Pass
11511.737	-46.72	17.62	-25.0	-21.72	89.00	Horizontal	Horizontal	Pass
17426.962	-40.10	22.48	-25.0	-15.10	194.00	Horizontal	Horizontal	Pass




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
823.266	-53.16	40.19	-25.0	-28.16	267.00	Horizontal	Vertical	Pass
1391.200	-47.72	44.98	-25.0	-22.72	278.00	Horizontal	Vertical	Pass
2592.400	6.38	45.87	-25.0	31.38	339.00	Horizontal	Vertical	N/A
3649.600	-57.01	4.48	-25.0	-32.01	331.00	Horizontal	Vertical	Pass
9731.826	-48.54	16.22	-25.0	-23.54	245.00	Horizontal	Vertical	Pass
17586.037	-40.22	22.12	-25.0	-15.22	65.00	Horizontal	Vertical	Pass



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
897.519	-53.66	40.95	-25.0	-28.66	78.00	Vertical	Vertical	Pass
1380.300	-47.36	44.74	-25.0	-22.36	0.00	Vertical	Vertical	Pass
2592.400	13.09	45.87	-25.0	38.09	338.00	Vertical	Vertical	N/A
6288.600	-50.77	11.42	-25.0	-25.77	88.00	Vertical	Vertical	Pass
11482.700	-46.93	17.70	-25.0	-21.93	18.00	Vertical	Vertical	Pass
17467.912	-39.82	21.73	-25.0	-14.82	293.00	Vertical	Vertical	Pass


RSE-V&H n41 BW20 CH518598



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
909.499	-52.71	41.13	-25.0	-27.71	299.00	Vertical	Horizontal	Pass
1399.000	-47.23	45.17	-25.0	-22.23	91.00	Vertical	Horizontal	Pass
2584.100	5.55	45.79	-25.0	30.55	319.00	Vertical	Horizontal	N/A
6928.000	-48.53	11.94	-25.0	-23.53	79.00	Vertical	Horizontal	Pass
10891.025	-47.12	17.46	-25.0	-22.12	247.00	Vertical	Horizontal	Pass
17582.363	-40.16	22.16	-25.0	-15.16	134.00	Vertical	Horizontal	Pass


## 48.2 n41 BW60, QPSK, Middle Channel

RSE-H&H n41 BW60 CH518598




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
838.592	-53.86	40.52	-25.0	-28.86	309.00	Horizontal	Horizontal	Pass
1417.400	-47.13	44.81	-25.0	-22.13	360.00	Horizontal	Horizontal	Pass
2564.000	12.67	45.90	-25.0	37.67	144.00	Horizontal	Horizontal	N/A
3609.600	-57.58	3.35	-25.0	-32.58	202.00	Horizontal	Horizontal	Pass
6985.000	-47.70	13.71	-25.0	-22.70	156.00	Horizontal	Horizontal	Pass
17584.724	-40.02	22.14	-25.0	-15.02	0.00	Horizontal	Horizontal	Pass






Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
848.777	-53.59	40.43	-25.0	-28.59	337.00	Horizontal	Vertical	Pass
1365.900	-47.61	44.13	-25.0	-22.61	21.00	Horizontal	Vertical	Pass
2563.600	0.60	45.87	-25.0	25.60	150.00	Horizontal	Vertical	N/A
3649.600	-57.42	4.48	-25.0	-32.42	286.00	Horizontal	Vertical	Pass
6994.200	-48.27	13.62	-25.0	-23.27	206.00	Horizontal	Vertical	Pass
17377.350	-40.72	22.13	-25.0	-15.72	30.00	Horizontal	Vertical	Pass

RSE-V&V n41 BW60 CH518598



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
841.938	-53.60	40.75	-25.0	-28.60	117.00	Vertical	Vertical	Pass
1391.300	-47.37	44.98	-25.0	-22.37	223.00	Vertical	Vertical	Pass
2572.500	13.90	46.01	-25.0	38.90	310.00	Vertical	Vertical	N/A
3654.200	-56.98	4.25	-25.0	-31.98	250.00	Vertical	Vertical	Pass
6770.200	-48.44	11.52	-25.0	-23.44	288.00	Vertical	Vertical	Pass
17425.912	-40.43	22.50	-25.0	-15.43	360.00	Vertical	Vertical	Pass


RSE-V&H n41 BW60 CH518598



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
900.381	-54.39	41.03	-25.0	-29.39	246.00	Vertical	Horizontal	Pass
1395.900	-47.41	45.15	-25.0	-22.41	360.00	Vertical	Horizontal	Pass
2572.100	6.18	46.06	-25.0	31.18	213.00	Vertical	Horizontal	N/A
3652.600	-58.02	4.34	-25.0	-33.02	341.00	Vertical	Horizontal	Pass
6661.000	-48.79	11.52	-25.0	-23.79	17.00	Vertical	Horizontal	Pass
17449.538	-40.44	21.95	-25.0	-15.44	345.00	Vertical	Horizontal	Pass


### 48.3 n41 BW100, QPSK, Middle Channel

RSE-H&H n41 BW100 CH518598




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
928.463	-52.96	41.54	-25.0	-27.96	252.00	Horizontal	Horizontal	Pass
1410.300	-47.51	44.84	-25.0	-22.51	234.00	Horizontal	Horizontal	Pass
2552.500	11.63	45.73	-25.0	36.63	163.00	Horizontal	Horizontal	N/A
4060.000	-56.11	5.21	-25.0	-31.11	0.00	Horizontal	Horizontal	Pass
6784.800	-48.75	12.15	-25.0	-23.75	168.00	Horizontal	Horizontal	Pass
17433.262	-40.62	22.32	-25.0	-15.62	-3.00	Horizontal	Horizontal	Pass

RSE-H&V n41 BW100 CH518598




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
908.383	-52.98	41.18	-25.0	-27.98	321.00	Horizontal	Vertical	Pass
1391.300	-47.41	44.98	-25.0	-22.41	359.00	Horizontal	Vertical	Pass
2544.300	-1.13	45.94	-25.0	23.87	14.00	Horizontal	Vertical	N/A
3652.800	-56.76	4.32	-25.0	-31.76	115.00	Horizontal	Vertical	Pass
6974.200	-48.68	13.70	-25.0	-23.68	169.00	Horizontal	Vertical	Pass
17588.662	-40.49	22.09	-25.0	-15.49	186.00	Horizontal	Vertical	Pass

RSE-V&V n41 BW100 CH518598



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.044	-53.49	40.37	-25.0	-28.49	310.00	Vertical	Vertical	Pass
1396.000	-46.51	45.15	-25.0	-21.51	353.00	Vertical	Vertical	Pass
2552.400	11.73	45.73	-25.0	36.73	360.00	Vertical	Vertical	N/A
3702.400	-57.64	4.89	-25.0	-32.64	309.00	Vertical	Vertical	Pass
6982.000	-48.42	13.87	-25.0	-23.42	54.00	Vertical	Vertical	Pass
17413.313	-40.09	22.67	-25.0	-15.09	-1.00	Vertical	Vertical	Pass


RSE-V&H n41 BW100 CH518598



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
911.730	-52.25	41.22	-25.0	-27.25	274.00	Vertical	Horizontal	Pass
1378.800	-47.54	44.63	-25.0	-22.54	220.00	Vertical	Horizontal	Pass
2552.500	7.19	45.73	-25.0	32.19	74.00	Vertical	Horizontal	N/A
3713.400	-57.46	4.25	-25.0	-32.46	18.00	Vertical	Horizontal	Pass
6977.600	-48.73	13.86	-25.0	-23.73	76.00	Vertical	Horizontal	Pass
17604.938	-40.12	21.93	-25.0	-15.12	157.00	Vertical	Horizontal	Pass

Up Up Antenna  
 49 DC\_2A\_n66A  
 49.1 DC\_2A\_n66A BW20(LTE)+BW5(NR)


RSE-H&H DC\_2A\_n66A BW20(LTE)+BW5(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
919.538	-53.48	41.34	-25.0	-28.48	256.00	Horizontal	Horizontal	Pass
1744.300	11.13	43.24	-25.0	36.13	116.00	Horizontal	Horizontal	N/A
1871.200	8.02	43.90	-25.0	33.02	358.00	Horizontal	Horizontal	N/A
1960.200	-39.03	43.93	-25.0	-14.03	205.00	Horizontal	Horizontal	N/A
6985.200	-47.87	13.70	-25.0	-22.87	186.00	Horizontal	Horizontal	Pass
17458.989	-40.23	21.77	-25.0	-15.23	53.00	Horizontal	Horizontal	Pass




RSE-H&V DC\_2A\_n66A BW20(LTE)+BW5(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
835.391	-54.26	40.53	-25.0	-29.26	363.00	Horizontal	Vertical	Pass
1745.100	9.63	43.29	-25.0	34.63	0.00	Horizontal	Vertical	N/A
1871.100	10.74	43.89	-25.0	35.74	162.00	Horizontal	Vertical	N/A
6979.600	-48.58	13.87	-25.0	-23.58	37.00	Horizontal	Vertical	Pass
14900.138	-42.37	20.49	-25.0	-17.37	0.00	Horizontal	Vertical	Pass
17427.225	-40.22	22.47	-25.0	-15.22	10.00	Horizontal	Vertical	Pass

RSE-V&V DC\_2A\_n66A BW20(LTE)+BW5(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
1744.500	7.32	43.26	-25.0	32.32	211.00	Vertical	Vertical	N/A
1871.300	9.72	43.91	-25.0	34.72	85.00	Vertical	Vertical	N/A
1960.000	-42.11	43.93	-25.0	-17.11	224.00	Vertical	Vertical	N/A
2144.800	-42.77	46.12	-25.0	-17.77	196.00	Vertical	Vertical	N/A
6987.200	-48.26	13.68	-25.0	-23.26	82.00	Vertical	Vertical	Pass
17425.125	-39.82	22.52	-25.0	-14.82	360.00	Vertical	Vertical	Pass


RSE-V&H DC\_2A\_n66A BW20(LTE)+BW5(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
849.698	-52.76	40.49	-25.0	-27.76	212.00	Vertical	Horizontal	Pass
1744.700	-4.13	43.28	-25.0	20.87	285.00	Vertical	Horizontal	N/A
1871.200	-3.56	43.90	-25.0	21.44	89.00	Vertical	Horizontal	N/A
5613.600	-50.48	6.91	-25.0	-25.48	126.00	Vertical	Horizontal	Pass
11500.526	-45.64	17.79	-25.0	-20.64	341.00	Vertical	Horizontal	Pass
17590.499	-39.66	22.07	-25.0	-14.66	207.00	Vertical	Horizontal	Pass

## 49.2 DC\_2A\_n66A BW20(LTE)+BW15(NR)


RSE-H&H DC\_2A\_n66A BW20(LTE)+BW15(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
911.245	-53.06	41.20	-25.0	-28.06	201.00	Horizontal	Horizontal	Pass
1743.700	7.12	43.18	-25.0	32.12	131.00	Horizontal	Horizontal	N/A
1871.400	11.44	43.91	-25.0	36.44	166.00	Horizontal	Horizontal	N/A
1959.800	-36.59	43.93	-25.0	-11.59	185.00	Horizontal	Horizontal	N/A
6977.200	-48.44	13.82	-25.0	-23.44	146.00	Horizontal	Horizontal	Pass
17377.087	-40.26	22.12	-25.0	-15.26	280.00	Horizontal	Horizontal	Pass


RSE-H&V DC\_2A\_n66A BW20(LTE)+BW15(NR)

RSE (RF) FCC PART22&24&27 - 5G\_5G N4 & N66 30M-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
923.661	-52.61	41.36	-25.0	-27.61	343.00	Horizontal	Vertical	Pass
1745.800	6.20	43.28	-25.0	31.20	360.00	Horizontal	Vertical	N/A
1871.100	10.32	43.89	-25.0	35.32	326.00	Horizontal	Vertical	N/A
6620.400	-49.22	12.03	-25.0	-24.22	130.00	Horizontal	Vertical	Pass
14911.162	-41.81	20.08	-25.0	-16.81	97.00	Horizontal	Vertical	Pass
17422.238	-39.68	22.60	-25.0	-14.68	60.00	Horizontal	Vertical	Pass

RSE-V&V DC\_2A\_n66A BW20(LTE)+BW15(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
1000.300	-49.47	43.88	-25.0	-24.47	142.00	Vertical	Vertical	Pass
1744.200	3.71	43.23	-25.0	28.71	65.00	Vertical	Vertical	N/A
1871.000	7.17	43.89	-25.0	32.17	226.00	Vertical	Vertical	N/A
6981.600	-48.42	13.84	-25.0	-23.42	246.00	Vertical	Vertical	Pass
14908.013	-41.92	20.20	-25.0	-16.92	126.00	Vertical	Vertical	Pass
17763.226	-40.45	21.42	-25.0	-15.45	190.00	Vertical	Vertical	Pass


RSE-V&H DC\_2A\_n66A BW20(LTE)+BW15(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
877.441	-52.82	40.34	-25.0	-27.82	221.00	Vertical	Horizontal	Pass
1745.100	-10.62	43.29	-25.0	14.38	290.00	Vertical	Horizontal	N/A
1871.300	-6.50	43.91	-25.0	18.50	31.00	Vertical	Horizontal	N/A
6781.000	-48.93	11.91	-25.0	-23.93	309.00	Vertical	Horizontal	Pass
14908.276	-41.62	20.19	-25.0	-16.62	170.00	Vertical	Horizontal	Pass
17329.574	-39.64	21.08	-25.0	-14.64	360.00	Vertical	Horizontal	Pass

### 49.3 DC\_2A\_n66A BW20(LTE)+BW20(NR)


RSE-H&H DC\_2A\_n66A BW20(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
802.314	-53.51	39.97	-25.0	-28.51	363.00	Horizontal	Horizontal	Pass
1747.000	5.64	43.26	-25.0	30.64	120.00	Horizontal	Horizontal	N/A
1871.300	10.65	43.91	-25.0	35.65	139.00	Horizontal	Horizontal	N/A
1960.200	-38.60	43.93	-25.0	-13.60	195.00	Horizontal	Horizontal	N/A
6799.200	-48.63	12.33	-25.0	-23.63	345.00	Horizontal	Horizontal	Pass
17488.650	-40.42	21.44	-25.0	-15.42	41.00	Horizontal	Horizontal	Pass




RSE-H&V DC\_2A\_n66A BW20(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
937.484	-52.78	41.41	-25.0	-27.78	189.00	Horizontal	Vertical	Pass
1744.800	4.56	43.29	-25.0	29.56	0.00	Horizontal	Vertical	N/A
1871.200	9.19	43.90	-25.0	34.19	302.00	Horizontal	Vertical	N/A
6726.600	-49.78	11.37	-25.0	-24.78	0.00	Horizontal	Vertical	Pass
14938.200	-42.36	19.58	-25.0	-17.36	65.00	Horizontal	Vertical	Pass
17421.187	-39.96	22.62	-25.0	-14.96	360.00	Horizontal	Vertical	Pass

RSE-V&V DC\_2A\_n66A BW20(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
917.647	-52.54	41.28	-25.0	-27.54	175.00	Vertical	Vertical	Pass
1744.600	1.89	43.27	-25.0	26.89	49.00	Vertical	Vertical	N/A
1871.000	4.29	43.89	-25.0	29.29	86.00	Vertical	Vertical	N/A
1959.900	-43.95	43.93	-25.0	-18.95	224.00	Vertical	Vertical	N/A
6688.400	-49.05	11.91	-25.0	-24.05	162.00	Vertical	Vertical	Pass
17416.724	-39.99	22.66	-25.0	-14.99	247.00	Vertical	Vertical	Pass

RSE-V&H DC\_2A\_n66A BW20(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
857.362	-53.25	40.27	-25.0	-28.25	363.00	Vertical	Horizontal	Pass
1744.200	-10.20	43.23	-25.0	14.80	286.00	Vertical	Horizontal	N/A
1871.300	-5.63	43.91	-25.0	19.37	81.00	Vertical	Horizontal	N/A
6995.000	-48.48	13.57	-25.0	-23.48	331.00	Vertical	Horizontal	Pass
14902.237	-42.18	20.42	-25.0	-17.18	0.00	Vertical	Horizontal	Pass
17422.238	-40.11	22.60	-25.0	-15.11	360.00	Vertical	Horizontal	Pass

50 DC\_5A\_n7A


50.1 DC\_5A\_n7A BW10(LTE)+BW5(NR)

RSE-H&H DC\_5A\_n7A BW10(LTE)+BW5(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.044	12.30	40.37	-25.0	37.30	244.00	Horizontal	Horizontal	N/A
884.764	-35.74	40.56	-25.0	-10.74	214.00	Horizontal	Horizontal	N/A
2534.500	11.14	45.74	-25.0	36.14	214.00	Horizontal	Horizontal	N/A
2654.900	-31.20	46.09	-25.0	-6.20	0.00	Horizontal	Horizontal	N/A
6996.600	-47.76	13.58	-25.0	-22.76	322.00	Horizontal	Horizontal	Pass
17504.137	-40.06	21.15	-25.0	-15.06	298.00	Horizontal	Horizontal	Pass

RSE-H&V DC\_5A\_n7A BW10(LTE)+BW5(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.093	4.48	40.37	-25.0	29.48	155.00	Horizontal	Vertical	N/A
881.903	-35.00	40.31	-25.0	-10.00	209.00	Horizontal	Vertical	N/A
2534.600	10.50	45.73	-25.0	35.50	150.00	Horizontal	Vertical	N/A
2655.300	-32.12	46.09	-25.0	-7.12	-1.00	Horizontal	Vertical	N/A
6767.600	-49.14	11.43	-25.0	-24.14	201.00	Horizontal	Vertical	Pass
17423.550	-40.14	22.56	-25.0	-15.14	293.00	Horizontal	Vertical	Pass

RSE-V&V DC\_5A\_n7A BW10(LTE)+BW5(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.093	11.59	40.37	-25.0	36.59	211.00	Vertical	Vertical	N/A
884.812	-36.31	40.55	-25.0	-11.31	348.00	Vertical	Vertical	N/A
2535.200	7.85	45.71	-25.0	32.85	265.00	Vertical	Vertical	N/A
6998.800	-48.52	13.64	-25.0	-23.52	361.00	Vertical	Vertical	Pass
15045.037	-41.98	20.27	-25.0	-16.98	165.00	Vertical	Vertical	Pass
17895.000	-40.12	22.81	-25.0	-15.12	83.00	Vertical	Vertical	Pass


RSE-V&H DC\_5A\_n7A BW10(LTE)+BW5(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.142	5.45	40.37	-25.0	30.45	333.00	Vertical	Horizontal	N/A
885.879	-36.63	40.46	-25.0	-11.63	360.00	Vertical	Horizontal	N/A
2534.800	-3.67	45.72	-25.0	21.33	202.00	Vertical	Horizontal	N/A
6980.800	-48.13	13.79	-25.0	-23.13	343.00	Vertical	Horizontal	Pass
14917.200	-41.84	19.86	-25.0	-16.84	186.00	Vertical	Horizontal	Pass
18718.650	-40.17	24.88	-25.0	-15.17	13.00	Vertical	Horizontal	Pass

## 50.2 DC\_5A\_n7A BW10(LTE)+BW15(NR)


RSE-H&H DC\_5A\_n7A BW10(LTE)+BW15(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.142	12.38	40.37	-25.0	37.38	319.00	Horizontal	Horizontal	N/A
881.272	-50.38	40.28	-25.0	-25.38	275.00	Horizontal	Horizontal	N/A
2534.300	6.82	45.74	-25.0	31.82	194.00	Horizontal	Horizontal	N/A
3645.000	-57.29	4.49	-25.0	-32.29	0.00	Horizontal	Horizontal	Pass
6687.800	-48.99	11.93	-25.0	-23.99	0.00	Horizontal	Horizontal	Pass
17474.214	-40.04	21.71	-25.0	-15.04	111.00	Horizontal	Horizontal	Pass




RSE-H&V DC\_5A\_n7A BW10(LTE)+BW15(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.142	5.36	40.37	-25.0	30.36	135.00	Horizontal	Vertical	N/A
1406.200	-47.03	44.95	-25.0	-22.03	229.00	Horizontal	Vertical	Pass
2537.100	6.98	45.98	-25.0	31.98	129.00	Horizontal	Vertical	N/A
3650.600	-57.56	4.46	-25.0	-32.56	324.00	Horizontal	Vertical	Pass
6977.800	-48.29	13.88	-25.0	-23.29	94.00	Horizontal	Vertical	Pass
17589.975	-40.09	22.08	-25.0	-15.09	259.00	Horizontal	Vertical	Pass

RSE-V&V DC\_5A\_n7A BW10(LTE)+BW15(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.142	11.79	40.37	-25.0	36.79	159.00	Vertical	Vertical	N/A
1394.800	-47.42	45.11	-25.0	-22.42	231.00	Vertical	Vertical	Pass
2532.300	5.43	45.84	-25.0	30.43	270.00	Vertical	Vertical	N/A
3837.400	-56.83	5.65	-25.0	-31.83	30.00	Vertical	Vertical	Pass
6981.400	-48.36	13.83	-25.0	-23.36	287.00	Vertical	Vertical	Pass
17472.113	-39.48	21.72	-25.0	-14.48	117.00	Vertical	Vertical	Pass


RSE-V&H DC\_5A\_n7A BW10(LTE)+BW15(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.142	5.91	40.37	-25.0	30.91	86.00	Vertical	Horizontal	N/A
1395.600	-47.62	45.14	-25.0	-22.62	360.00	Vertical	Horizontal	Pass
2531.600	-8.15	45.88	-25.0	16.85	42.00	Vertical	Horizontal	N/A
3575.200	-58.09	3.91	-25.0	-33.09	15.00	Vertical	Horizontal	Pass
6688.000	-49.27	11.92	-25.0	-24.27	60.00	Vertical	Horizontal	Pass
17631.449	-40.14	21.56	-25.0	-15.14	264.00	Vertical	Horizontal	Pass


### 50.3 DC\_5A\_n7A BW10(LTE)+BW20(NR)

RSE-H&H DC\_5A\_n7A BW10(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.093	12.07	40.37	-25.0	37.07	323.00	Horizontal	Horizontal	N/A
881.078	-52.21	40.27	-25.0	-27.21	284.00	Horizontal	Horizontal	N/A
2537.900	6.39	46.02	-25.0	31.39	218.00	Horizontal	Horizontal	N/A
3651.800	-57.88	4.39	-25.0	-32.88	307.00	Horizontal	Horizontal	Pass
6973.200	-48.79	13.67	-25.0	-23.79	180.00	Horizontal	Horizontal	Pass
17458.463	-39.71	21.78	-25.0	-14.71	9.00	Horizontal	Horizontal	Pass

RSE-H&V DC\_5A\_n7A BW10(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.190	5.69	40.37	-25.0	30.69	198.00	Horizontal	Vertical	N/A
1393.800	-47.61	45.07	-25.0	-22.61	27.00	Horizontal	Vertical	Pass
2538.100	7.08	46.02	-25.0	32.08	133.00	Horizontal	Vertical	N/A
3697.200	-57.77	5.19	-25.0	-32.77	0.00	Horizontal	Vertical	Pass
7000.000	-48.54	13.64	-25.0	-23.54	360.00	Horizontal	Vertical	Pass
17433.526	-40.13	22.32	-25.0	-15.13	205.00	Horizontal	Vertical	Pass

RSE-V&V DC\_5A\_n7A BW10(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.093	12.60	40.37	-25.0	37.60	234.00	Vertical	Vertical	N/A
1397.800	-47.04	45.16	-25.0	-22.04	192.00	Vertical	Vertical	Pass
2538.200	4.51	46.02	-25.0	29.51	271.00	Vertical	Vertical	N/A
3652.400	-57.53	4.35	-25.0	-32.53	149.00	Vertical	Vertical	Pass
6998.800	-48.05	13.64	-25.0	-23.05	346.00	Vertical	Vertical	Pass
17581.838	-40.21	22.17	-25.0	-15.21	86.00	Vertical	Vertical	Pass

RSE-V&H DC\_5A\_n7A BW10(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.093	5.80	40.37	-25.0	30.80	360.00	Vertical	Horizontal	N/A
1391.600	-47.15	44.98	-25.0	-22.15	295.00	Vertical	Horizontal	Pass
2536.600	-8.35	45.90	-25.0	16.65	213.00	Vertical	Horizontal	N/A
3648.800	-57.95	4.49	-25.0	-32.95	322.00	Vertical	Horizontal	Pass
6976.600	-48.19	13.76	-25.0	-23.19	0.00	Vertical	Horizontal	Pass
17594.438	-39.40	22.03	-25.0	-14.40	103.00	Vertical	Horizontal	Pass

51 DC\_5A\_n66A

51.1 DC\_5A\_n66A BW10(LTE)+BW5(NR)


RSE-H&H DC\_5A\_n66A BW10(LTE)+BW5(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.093	14.30	40.37	-13.0	27.30	323.00	Horizontal	Horizontal	N/A
877.150	-43.92	40.35	-13.0	-30.92	96.00	Horizontal	Horizontal	N/A
1744.300	9.84	43.24	-13.0	22.84	133.00	Horizontal	Horizontal	N/A
6998.600	-48.34	13.64	-13.0	-35.34	153.00	Horizontal	Horizontal	Pass
14897.250	-42.10	20.52	-13.0	-29.10	78.00	Horizontal	Horizontal	Pass
17329.838	-40.63	21.08	-13.0	-27.63	116.00	Horizontal	Horizontal	Pass




RSE-H&V DC\_5A\_n66A BW10(LTE)+BW5(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.093	4.81	40.37	-13.0	17.81	49.00	Horizontal	Vertical	N/A
879.284	-47.62	40.26	-13.0	-34.62	163.00	Horizontal	Vertical	N/A
1745.600	10.15	43.28	-13.0	23.15	0.00	Horizontal	Vertical	N/A
6986.600	-48.55	13.70	-13.0	-35.55	360.00	Horizontal	Vertical	Pass
14912.474	-42.74	20.03	-13.0	-29.74	341.00	Horizontal	Vertical	Pass
17586.563	-40.38	22.12	-13.0	-27.38	28.00	Horizontal	Vertical	Pass

RSE-V&V DC\_5A\_n66A BW10(LTE)+BW5(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.093	10.03	40.37	-13.0	23.03	275.00	Vertical	Vertical	N/A
881.612	-50.38	40.29	-13.0	-37.38	317.00	Vertical	Vertical	N/A
1745.200	5.56	43.29	-13.0	18.56	89.00	Vertical	Vertical	N/A
6689.400	-49.14	11.87	-13.0	-36.14	360.00	Vertical	Vertical	Pass
14908.537	-42.47	20.18	-13.0	-29.47	360.00	Vertical	Vertical	Pass
17454.262	-40.45	21.85	-13.0	-27.45	150.00	Vertical	Vertical	Pass


RSE-V&H DC\_5A\_n66A BW10(LTE)+BW5(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.093	8.09	40.37	-13.0	21.09	90.00	Vertical	Horizontal	N/A
877.101	-46.02	40.35	-13.0	-33.02	276.00	Vertical	Horizontal	N/A
1745.000	-5.07	43.29	-13.0	7.93	275.00	Vertical	Horizontal	N/A
6974.000	-48.80	13.69	-13.0	-35.80	107.00	Vertical	Horizontal	Pass
14906.438	-42.38	20.26	-13.0	-29.38	326.00	Vertical	Horizontal	Pass
17490.749	-40.31	21.37	-13.0	-27.31	360.00	Vertical	Horizontal	Pass


## 51.2 DC\_5A\_n66A BW10(LTE)+BW15(NR)

RSE-H&H DC\_5A\_n66A BW10(LTE)+BW15(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.093	10.56	40.37	-13.0	23.56	337.00	Horizontal	Horizontal	N/A
884.134	-44.40	40.58	-13.0	-31.40	64.00	Horizontal	Horizontal	N/A
1746.700	5.93	43.26	-13.0	18.93	126.00	Horizontal	Horizontal	N/A
6992.200	-48.17	13.56	-13.0	-35.17	243.00	Horizontal	Horizontal	Pass
14900.400	-41.85	20.49	-13.0	-28.85	84.00	Horizontal	Horizontal	Pass
17426.962	-40.20	22.48	-13.0	-27.20	125.00	Horizontal	Horizontal	Pass

RSE-H&V DC\_5A\_n66A BW10(LTE)+BW15(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.142	7.95	40.37	-13.0	20.95	23.00	Horizontal	Vertical	N/A
881.127	-45.24	40.27	-13.0	-32.24	151.00	Horizontal	Vertical	N/A
1742.500	5.44	43.08	-13.0	18.44	145.00	Horizontal	Vertical	N/A
6599.200	-49.10	11.44	-13.0	-36.10	347.00	Horizontal	Vertical	Pass
14896.201	-42.04	20.53	-13.0	-29.04	91.00	Horizontal	Vertical	Pass
17558.999	-40.03	22.48	-13.0	-27.03	268.00	Horizontal	Vertical	Pass

RSE-V&V DC\_5A\_n66A BW10(LTE)+BW15(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.044	8.99	40.37	-13.0	21.99	276.00	Vertical	Vertical	N/A
881.854	-46.76	40.31	-13.0	-33.76	319.00	Vertical	Vertical	N/A
1746.000	2.50	43.27	-13.0	15.50	68.00	Vertical	Vertical	N/A
6988.000	-48.18	13.58	-13.0	-35.18	190.00	Vertical	Vertical	Pass
14904.075	-42.39	20.35	-13.0	-29.39	66.00	Vertical	Vertical	Pass
17461.875	-40.27	21.74	-13.0	-27.27	288.00	Vertical	Vertical	Pass


RSE-V&H DC\_5A\_n66A BW10(LTE)+BW15(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.142	6.03	40.37	-13.0	19.03	125.00	Vertical	Horizontal	N/A
881.854	-46.24	40.31	-13.0	-33.24	229.00	Vertical	Horizontal	N/A
1745.400	-10.47	43.29	-13.0	2.53	276.00	Vertical	Horizontal	N/A
6611.800	-49.37	12.34	-13.0	-36.37	317.00	Vertical	Horizontal	Pass
14911.162	-42.27	20.08	-13.0	-29.27	175.00	Vertical	Horizontal	Pass
17375.250	-40.62	22.06	-13.0	-27.62	196.00	Vertical	Horizontal	Pass

### 51.3 DC\_5A\_n66A BW10(LTE)+BW20(NR)


RSE-H&H DC\_5A\_n66A BW10(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.142	12.02	40.37	-13.0	25.02	322.00	Horizontal	Horizontal	N/A
881.272	-44.58	40.28	-13.0	-31.58	4.00	Horizontal	Horizontal	N/A
1744.600	4.53	43.27	-13.0	17.53	174.00	Horizontal	Horizontal	N/A
6686.600	-48.86	11.98	-13.0	-35.86	329.00	Horizontal	Horizontal	Pass
14894.888	-42.12	20.54	-13.0	-29.12	4.00	Horizontal	Horizontal	Pass
17467.650	-39.91	21.73	-13.0	-26.91	360.00	Horizontal	Horizontal	Pass




RSE-H&V DC\_5A\_n66A BW10(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.142	7.32	40.37	-13.0	20.32	231.00	Horizontal	Vertical	N/A
877.052	-43.94	40.35	-13.0	-30.94	49.00	Horizontal	Vertical	N/A
1746.100	5.03	43.27	-13.0	18.03	0.00	Horizontal	Vertical	N/A
6962.400	-48.69	12.98	-13.0	-35.69	255.00	Horizontal	Vertical	Pass
14915.100	-42.28	19.94	-13.0	-29.28	351.00	Horizontal	Vertical	Pass
17426.176	-40.01	22.50	-13.0	-27.01	50.00	Horizontal	Vertical	Pass

RSE-V&V DC\_5A\_n66A BW10(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.142	10.92	40.37	-13.0	23.92	236.00	Vertical	Vertical	N/A
884.182	-46.65	40.59	-13.0	-33.65	74.00	Vertical	Vertical	N/A
1747.300	0.55	43.21	-13.0	13.55	214.00	Vertical	Vertical	N/A
6688.400	-48.92	11.91	-13.0	-35.92	5.00	Vertical	Vertical	Pass
14909.587	-42.32	20.14	-13.0	-29.32	320.00	Vertical	Vertical	Pass
17384.700	-40.20	22.34	-13.0	-27.20	296.00	Vertical	Vertical	Pass

RSE-V&H DC\_5A\_n66A BW10(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.093	8.38	40.37	-13.0	21.38	96.00	Vertical	Horizontal	N/A
881.903	-47.04	40.31	-13.0	-34.04	256.00	Vertical	Horizontal	N/A
1745.300	-10.56	43.29	-13.0	2.44	286.00	Vertical	Horizontal	N/A
6681.000	-48.48	11.79	-13.0	-35.48	191.00	Vertical	Horizontal	Pass
14935.050	-42.29	19.61	-13.0	-29.29	132.00	Vertical	Horizontal	Pass
17467.386	-39.99	21.73	-13.0	-26.99	156.00	Vertical	Horizontal	Pass

52 DC\_7A\_n5A


52.1 DC\_7A\_n5A BW20(LTE)+BW5(NR)

RSE-H&H DC\_7A\_n5A BW20(LTE)+BW5(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
837.331	9.19	40.54	-25.0	34.19	345.00	Horizontal	Horizontal	N/A
880.205	-30.22	40.23	-25.0	-5.22	196.00	Horizontal	Horizontal	N/A
2543.400	7.39	45.94	-25.0	32.39	146.00	Horizontal	Horizontal	N/A
2646.800	-35.55	46.24	-25.0	-10.55	230.00	Horizontal	Horizontal	N/A
6720.800	-48.80	11.06	-25.0	-23.80	360.00	Horizontal	Horizontal	Pass
17330.362	-40.12	21.08	-25.0	-15.12	97.00	Horizontal	Horizontal	Pass

RSE-H&V DC\_7A\_n5A BW20(LTE)+BW5(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
837.089	-5.36	40.54	-25.0	19.64	141.00	Horizontal	Vertical	N/A
881.612	-35.27	40.29	-25.0	-10.27	238.00	Horizontal	Vertical	N/A
2534.200	5.36	45.75	-25.0	30.36	127.00	Horizontal	Vertical	N/A
2658.600	-36.08	46.29	-25.0	-11.08	243.00	Horizontal	Vertical	N/A
6997.400	-47.10	13.61	-25.0	-22.10	107.00	Horizontal	Vertical	Pass
17420.136	-40.20	22.65	-25.0	-15.20	0.00	Horizontal	Vertical	Pass

RSE-V&V DC\_7A\_n5A BW20(LTE)+BW5(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
835.633	3.73	40.53	-25.0	28.73	270.00	Vertical	Vertical	N/A
882.727	-41.54	40.40	-25.0	-16.54	125.00	Vertical	Vertical	N/A
2528.700	4.39	46.09	-25.0	29.39	255.00	Vertical	Vertical	N/A
3648.200	-56.92	4.48	-25.0	-31.92	0.00	Vertical	Vertical	Pass
6999.200	-48.63	13.65	-25.0	-23.63	133.00	Vertical	Vertical	Pass
17587.876	-40.29	22.10	-25.0	-15.29	264.00	Vertical	Vertical	Pass


RSE-V&H DC\_7A\_n5A BW20(LTE)+BW5(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
836.652	3.61	40.54	-25.0	28.61	115.00	Vertical	Horizontal	N/A
880.447	-39.27	40.24	-25.0	-14.27	342.00	Vertical	Horizontal	N/A
2532.500	-4.14	45.83	-25.0	20.86	36.00	Vertical	Horizontal	N/A
3646.800	-57.57	4.47	-25.0	-32.57	0.00	Vertical	Horizontal	Pass
9443.463	-48.42	16.56	-25.0	-23.42	39.00	Vertical	Horizontal	Pass
17418.301	-40.16	22.66	-25.0	-15.16	227.00	Vertical	Horizontal	Pass

## 52.2 DC\_7A\_n5A BW20(LTE)+BW15(NR)


RSE-H&H DC\_7A\_n5A BW20(LTE)+BW15(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
837.816	-1.33	40.53	-25.0	23.67	290.00	Horizontal	Horizontal	N/A
874.724	-38.43	40.25	-25.0	-13.43	135.00	Horizontal	Horizontal	N/A
2539.500	5.94	45.98	-25.0	30.94	159.00	Horizontal	Horizontal	N/A
2657.200	-34.97	46.17	-25.0	-9.97	247.00	Horizontal	Horizontal	N/A
6980.400	-48.38	13.80	-25.0	-23.38	312.00	Horizontal	Horizontal	Pass
17914.950	-40.17	22.49	-25.0	-15.17	290.00	Horizontal	Horizontal	Pass




RSE-H&V DC\_7A\_n5A BW20(LTE)+BW15(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
837.670	-14.17	40.54	-25.0	10.83	357.00	Horizontal	Vertical	N/A
875.452	-39.60	40.34	-25.0	-14.60	228.00	Horizontal	Vertical	N/A
2527.700	6.01	46.12	-25.0	31.01	133.00	Horizontal	Vertical	N/A
6273.200	-50.00	11.14	-25.0	-25.00	141.00	Horizontal	Vertical	Pass
10890.450	-46.66	17.44	-25.0	-21.66	200.00	Horizontal	Vertical	Pass
17377.876	-40.53	22.15	-25.0	-15.53	-3.00	Horizontal	Vertical	Pass

RSE-V&V DC\_7A\_n5A BW20(LTE)+BW15(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
837.234	-2.67	40.54	-25.0	22.33	221.00	Vertical	Vertical	N/A
878.410	-39.38	40.31	-25.0	-14.38	333.00	Vertical	Vertical	N/A
2537.300	3.19	46.01	-25.0	28.19	278.00	Vertical	Vertical	N/A
6973.200	-48.73	13.67	-25.0	-23.73	49.00	Vertical	Vertical	Pass
11579.588	-46.55	17.60	-25.0	-21.55	247.00	Vertical	Vertical	Pass
17429.062	-40.38	22.43	-25.0	-15.38	185.00	Vertical	Vertical	Pass


RSE-V&H DC\_7A\_n5A BW20(LTE)+BW15(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
833.596	-7.98	40.41	-25.0	17.02	0.00	Vertical	Horizontal	N/A
876.519	-37.74	40.36	-25.0	-12.74	313.00	Vertical	Horizontal	N/A
2539.800	-6.90	45.98	-25.0	18.10	202.00	Vertical	Horizontal	N/A
6664.000	-49.07	11.60	-25.0	-24.07	259.00	Vertical	Horizontal	Pass
11028.450	-47.09	16.87	-25.0	-22.09	47.00	Vertical	Horizontal	Pass
17586.301	-40.58	22.12	-25.0	-15.58	47.00	Vertical	Horizontal	Pass


### 52.3 DC\_7A\_n5A BW20(LTE)+BW20(NR)

RSE-H&H DC\_7A\_n5A BW20(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
838.058	-2.89	40.53	-25.0	22.11	269.00	Horizontal	Horizontal	N/A
873.754	-41.41	40.13	-25.0	-16.41	0.00	Horizontal	Horizontal	N/A
2534.000	5.88	45.76	-25.0	30.88	162.00	Horizontal	Horizontal	N/A
2662.600	-35.72	46.11	-25.0	-10.72	254.00	Horizontal	Horizontal	N/A
6778.400	-49.40	11.90	-25.0	-24.40	152.00	Horizontal	Horizontal	Pass
17417.775	-39.95	22.66	-25.0	-14.95	322.00	Horizontal	Horizontal	Pass

RSE-H&V DC\_7A\_n5A BW20(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.869	-8.97	40.38	-25.0	16.03	0.00	Horizontal	Vertical	N/A
875.015	-40.10	40.29	-25.0	-15.10	0.00	Horizontal	Vertical	N/A
2529.100	4.52	46.08	-25.0	29.52	164.00	Horizontal	Vertical	N/A
6672.800	-49.54	11.58	-25.0	-24.54	33.00	Horizontal	Vertical	Pass
11499.662	-46.22	17.80	-25.0	-21.22	120.00	Horizontal	Vertical	Pass
17582.100	-40.57	22.17	-25.0	-15.57	-3.00	Horizontal	Vertical	Pass

RSE-V&V DC\_7A\_n5A BW20(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
834.761	-4.67	40.49	-25.0	20.33	243.00	Vertical	Vertical	N/A
873.269	-43.55	40.13	-25.0	-18.55	39.00	Vertical	Vertical	N/A
2540.000	3.84	45.98	-25.0	28.84	232.00	Vertical	Vertical	N/A
2648.100	-40.68	46.12	-25.0	-15.68	141.00	Vertical	Vertical	N/A
6631.800	-48.82	12.13	-25.0	-23.82	13.00	Vertical	Vertical	Pass
17670.302	-40.47	21.35	-25.0	-15.47	107.00	Vertical	Vertical	Pass

RSE-V&H DC\_7A\_n5A BW20(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.093	-8.29	40.37	-25.0	16.71	0.00	Vertical	Horizontal	N/A
875.064	-46.28	40.29	-25.0	-21.28	309.00	Vertical	Horizontal	N/A
2538.100	-7.76	46.02	-25.0	17.24	208.00	Vertical	Horizontal	N/A
6609.000	-49.92	12.26	-25.0	-24.92	219.00	Vertical	Horizontal	Pass
10885.562	-47.44	17.30	-25.0	-22.44	304.00	Vertical	Horizontal	Pass
17581.050	-40.05	22.18	-25.0	-15.05	213.00	Vertical	Horizontal	Pass

53 DC\_7A\_n66A

53.1 DC\_7A\_n66A BW20(LTE)+BW5(NR)


RSE-H&H DC\_7A\_n66A BW20(LTE)+BW5(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
1744.300	10.29	43.24	-25.0	35.29	161.00	Horizontal	Horizontal	N/A
2144.200	-42.32	46.11	-25.0	-17.32	273.00	Horizontal	Horizontal	N/A
2526.100	8.52	46.11	-25.0	33.52	161.00	Horizontal	Horizontal	N/A
2654.000	-41.76	46.06	-25.0	-16.76	229.00	Horizontal	Horizontal	N/A
6682.800	-48.55	11.87	-25.0	-23.55	330.00	Horizontal	Horizontal	Pass
17583.151	-40.00	22.16	-25.0	-15.00	107.00	Horizontal	Horizontal	Pass




RSE-H&V DC\_7A\_n66A BW20(LTE)+BW5(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
844.752	-54.12	40.48	-25.0	-29.12	291.00	Horizontal	Vertical	Pass
1744.700	10.60	43.28	-25.0	35.60	0.00	Horizontal	Vertical	N/A
2526.100	8.16	46.11	-25.0	33.16	308.00	Horizontal	Vertical	N/A
6685.800	-49.24	12.03	-25.0	-24.24	7.00	Horizontal	Vertical	Pass
14903.287	-42.18	20.38	-25.0	-17.18	184.00	Horizontal	Vertical	Pass
17009.849	-40.15	20.84	-25.0	-15.15	360.00	Horizontal	Vertical	Pass

RSE-V&V DC\_7A\_n66A BW20(LTE)+BW5(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
911.487	-52.45	41.21	-25.0	-27.45	238.00	Vertical	Vertical	Pass
1745.000	6.69	43.29	-25.0	31.69	78.00	Vertical	Vertical	N/A
2143.700	-42.26	46.05	-25.0	-17.26	154.00	Vertical	Vertical	N/A
2526.300	2.17	46.12	-25.0	27.17	355.00	Vertical	Vertical	N/A
6986.200	-48.23	13.70	-25.0	-23.23	160.00	Vertical	Vertical	Pass
17471.062	-40.34	21.72	-25.0	-15.34	272.00	Vertical	Vertical	Pass


RSE-V&H DC\_7A\_n66A BW20(LTE)+BW5(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
899.459	-52.84	41.10	-25.0	-27.84	40.00	Vertical	Horizontal	Pass
1744.300	-3.94	43.24	-25.0	21.06	30.00	Vertical	Horizontal	N/A
2526.100	-8.43	46.11	-25.0	16.57	319.00	Vertical	Horizontal	N/A
2659.700	-41.34	46.26	-25.0	-16.34	53.00	Vertical	Horizontal	N/A
6786.200	-49.47	12.21	-25.0	-24.47	104.00	Vertical	Horizontal	Pass
17618.588	-39.88	21.80	-25.0	-14.88	156.00	Vertical	Horizontal	Pass


### 53.2 DC\_7A\_n66A BW20(LTE)+BW15(NR)

RSE-H&H DC\_7A\_n66A BW20(LTE)+BW15(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
892.136	-53.46	40.85	-25.0	-28.46	123.00	Horizontal	Horizontal	Pass
1745.300	7.16	43.29	-25.0	32.16	121.00	Horizontal	Horizontal	N/A
2526.200	4.99	46.11	-25.0	29.99	3.00	Horizontal	Horizontal	N/A
6271.000	-50.39	10.92	-25.0	-25.39	308.00	Horizontal	Horizontal	Pass
15035.062	-41.86	20.12	-25.0	-16.86	156.00	Horizontal	Horizontal	Pass
17471.324	-40.15	21.72	-25.0	-15.15	7.00	Horizontal	Horizontal	Pass

RSE-H&V DC\_7A\_n66A BW20(LTE)+BW15(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
800.519	-54.29	40.00	-25.0	-29.29	225.00	Horizontal	Vertical	Pass
1746.900	5.86	43.26	-25.0	30.86	360.00	Horizontal	Vertical	N/A
2526.100	8.02	46.11	-25.0	33.02	311.00	Horizontal	Vertical	N/A
6611.400	-49.66	12.34		-24.66	33.00	Horizontal	Vertical	Pass
14906.963	-41.73	20.24	-25.0	-16.73	28.00	Horizontal	Vertical	Pass
17892.637	-40.43	22.78	-25.0	-15.43	350.00	Horizontal	Vertical	Pass

RSE-V&V DC\_7A\_n66A BW20(LTE)+BW15(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
628.442	-58.25	36.33	-25.0	-33.25	55.00	Vertical	Vertical	Pass
1744.200	3.14	43.23	-25.0	28.14	74.00	Vertical	Vertical	N/A
2526.300	3.03	46.12	-25.0	28.03	74.00	Vertical	Vertical	N/A
6680.800	-49.44	11.78	-25.0	-24.44	337.00	Vertical	Vertical	Pass
14866.275	-42.26	20.56	-25.0	-17.26	274.00	Vertical	Vertical	Pass
17595.750	-40.31	22.02	-25.0	-15.31	360.00	Vertical	Vertical	Pass


RSE-V&H DC\_7A\_n66A BW20(LTE)+BW15(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
853.627	-53.91	40.38	-25.0	-28.91	347.00	Vertical	Horizontal	Pass
1745.400	-12.13	43.29	-25.0	12.87	87.00	Vertical	Horizontal	N/A
2526.000	-5.67	46.10	-25.0	19.33	63.00	Vertical	Horizontal	N/A
6670.600	-49.28	11.65	-25.0	-24.28	40.00	Vertical	Horizontal	Pass
15068.137	-42.44	20.02	-25.0	-17.44	359.00	Vertical	Horizontal	Pass
17469.225	-40.26	21.72	-25.0	-15.26	296.00	Vertical	Horizontal	Pass

### 53.3 DC\_7A\_n66A BW20(LTE)+BW20(NR)


RSE-H&H DC\_7A\_n66A BW20(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
705.071	-56.16	38.00	-25.0	-31.16	334.00	Horizontal	Horizontal	Pass
1742.100	5.87	43.06	-25.0	30.87	148.00	Horizontal	Horizontal	N/A
2526.300	7.31	46.12	-25.0	32.31	5.00	Horizontal	Horizontal	N/A
2654.800	-41.58	46.08	-25.0	-16.58	235.00	Horizontal	Horizontal	N/A
6685.400	-49.40	12.05	-25.0	-24.40	18.00	Horizontal	Horizontal	Pass
17426.176	-40.25	22.50	-25.0	-15.25	41.00	Horizontal	Horizontal	Pass




RSE-H&V DC\_7A\_n66A BW20(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
921.624	-52.08	41.37	-25.0	-27.08	9.00	Horizontal	Vertical	Pass
1743.800	4.14	43.19	-25.0	29.14	116.00	Horizontal	Vertical	N/A
2526.200	7.67	46.11	-25.0	32.67	304.00	Horizontal	Vertical	N/A
6424.600	-50.30	10.69	-25.0	-25.30	319.00	Horizontal	Vertical	Pass
15060.787	-41.61	20.24	-25.0	-16.61	118.00	Horizontal	Vertical	Pass
18193.949	-39.99	22.34	-25.0	-14.99	210.00	Horizontal	Vertical	Pass

RSE-V&V DC\_7A\_n66A BW20(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
819.434	-53.59	40.06	-25.0	-28.59	108.00	Vertical	Vertical	Pass
1742.900	2.25	43.11	-25.0	27.25	55.00	Vertical	Vertical	N/A
2526.000	3.36	46.10	-25.0	28.36	243.00	Vertical	Vertical	N/A
5488.200	-53.29	7.46	-25.0	-28.29	84.00	Vertical	Vertical	Pass
14905.912	-41.27	20.28	-25.0	-16.27	109.00	Vertical	Vertical	Pass
17012.738	-39.72	20.79	-25.0	-14.72	267.00	Vertical	Vertical	Pass


RSE-V&H DC\_7A\_n66A BW20(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
774.960	-53.62	39.29	-25.0	-28.62	165.00	Vertical	Horizontal	Pass
1741.900	-12.70	43.05	-25.0	12.30	107.00	Vertical	Horizontal	N/A
2526.300	-7.30	46.12	-25.0	17.70	107.00	Vertical	Horizontal	N/A
6977.000	-48.02	13.80	-25.0	-23.02	243.00	Vertical	Horizontal	Pass
17423.026	-39.17	22.58	-25.0	-14.17	286.00	Vertical	Horizontal	Pass
21620.251	-41.21	25.54	-25.0	-16.21	123.00	Vertical	Horizontal	Pass


Up Down Antenna  
 54 DC\_2A\_n66A  
 54.1 DC\_2A\_n66A BW20(LTE)+BW5(NR)

RSE-H&H DC\_2A\_n66A BW20(LTE)+BW5(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
1744.500	17.69	43.26	-25.0	42.69	154.00	Horizontal	Horizontal	N/A
1881.000	1.92	44.08	-25.0	26.92	209.00	Horizontal	Horizontal	N/A
1966.200	-30.80	43.99	-25.0	-5.80	227.00	Horizontal	Horizontal	N/A
2144.200	-33.29	46.11	-25.0	-8.29	301.00	Horizontal	Horizontal	N/A
5198.800	-51.80	7.10	-25.0	-26.80	5.00	Horizontal	Horizontal	Pass
17591.550	-40.30	22.06	-25.0	-15.30	-3.00	Horizontal	Horizontal	Pass

RSE-H&V DC\_2A\_n66A BW20(LTE)+BW5(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
1745.500	14.99	43.28	-25.0	39.99	160.00	Horizontal	Vertical	N/A
1881.400	1.70	44.11	-25.0	26.70	180.00	Horizontal	Vertical	N/A
2145.000	-40.85	46.11	-25.0	-15.85	200.00	Horizontal	Vertical	N/A
5199.000	-50.98	7.11	-25.0	-25.98	168.00	Horizontal	Vertical	Pass
14931.375	-42.21	19.65	-25.0	-17.21	189.00	Horizontal	Vertical	Pass
17592.074	-39.98	22.06	-25.0	-14.98	269.00	Horizontal	Vertical	Pass

RSE-V&V DC\_2A\_n66A BW20(LTE)+BW5(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
1744.400	11.67	43.25	-25.0	36.67	94.00	Vertical	Vertical	N/A
1883.400	-1.73	44.15	-25.0	23.27	228.00	Vertical	Vertical	N/A
1965.100	-41.53	43.94	-25.0	-16.53	149.00	Vertical	Vertical	N/A
2143.500	-26.37	46.02	-25.0	-1.37	163.00	Vertical	Vertical	N/A
6608.000	-48.77	12.25	-25.0	-23.77	220.00	Vertical	Vertical	Pass
14904.863	-40.83	20.32	-25.0	-15.83	286.00	Vertical	Vertical	Pass


RSE-V&H DC\_2A\_n66A BW20(LTE)+BW5(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
916.386	-53.13	41.34	-25.0	-28.13	14.00	Vertical	Horizontal	Pass
1744.200	-1.10	43.23	-25.0	23.90	300.00	Vertical	Horizontal	N/A
1880.800	-10.03	44.07	-25.0	14.97	99.00	Vertical	Horizontal	N/A
6784.400	-49.71	12.15	-25.0	-24.71	174.00	Vertical	Horizontal	Pass
14917.200	-42.61	19.86	-25.0	-17.61	62.00	Vertical	Horizontal	Pass
17893.163	-40.37	22.79	-25.0	-15.37	122.00	Vertical	Horizontal	Pass

## 54.2 DC\_2A\_n66A BW20(LTE)+BW15(NR)


RSE-H&H DC\_2A\_n66A BW20(LTE)+BW15(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
1745.800	12.84	43.28	-25.0	37.84	149.00	Horizontal	Horizontal	N/A
1883.100	2.98	44.19	-25.0	27.98	204.00	Horizontal	Horizontal	N/A
1952.300	-31.88	44.04	-25.0	-6.88	210.00	Horizontal	Horizontal	N/A
2139.700	-36.01	45.94	-25.0	-11.01	279.00	Horizontal	Horizontal	N/A
6982.200	-48.08	13.88	-25.0	-23.08	52.00	Horizontal	Horizontal	Pass
17625.676	-40.09	21.67	-25.0	-15.09	69.00	Horizontal	Horizontal	Pass




RSE-H&V DC\_2A\_n66A BW20(LTE)+BW15(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
906.153	-53.70	41.05	-25.0	-28.70	272.00	Horizontal	Vertical	Pass
1745.800	10.48	43.28	-25.0	35.48	150.00	Horizontal	Vertical	N/A
1877.300	1.34	44.00	-25.0	26.34	170.00	Horizontal	Vertical	N/A
6607.000	-49.37	12.24	-25.0	-24.37	96.00	Horizontal	Vertical	Pass
14899.350	-42.85	20.51	-25.0	-17.85	88.00	Horizontal	Vertical	Pass
17418.301	-39.49	22.66	-25.0	-14.49	57.00	Horizontal	Vertical	Pass

RSE-V&V DC\_2A\_n66A BW20(LTE)+BW15(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
1746.200	7.18	43.27	-25.0	32.18	74.00	Vertical	Vertical	N/A
1877.200	-1.84	43.99	-25.0	23.16	116.00	Vertical	Vertical	N/A
1958.300	-38.55	44.06	-25.0	-13.55	264.00	Vertical	Vertical	N/A
2139.900	-32.66	45.95	-25.0	-7.66	127.00	Vertical	Vertical	N/A
5198.800	-49.36	7.10	-25.0	-24.36	311.00	Vertical	Vertical	Pass
16972.838	-40.33	20.98	-25.0	-15.33	-1.00	Vertical	Vertical	Pass


RSE-V&H DC\_2A\_n66A BW20(LTE)+BW15(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
925.116	-53.07	41.39	-25.0	-28.07	77.00	Vertical	Horizontal	Pass
1746.400	-4.09	43.27	-25.0	20.91	138.00	Vertical	Horizontal	N/A
1875.000	-13.07	44.05	-25.0	11.93	99.00	Vertical	Horizontal	N/A
6997.600	-48.13	13.62	-25.0	-23.13	292.00	Vertical	Horizontal	Pass
14896.201	-42.36	20.53	-25.0	-17.36	186.00	Vertical	Horizontal	Pass
17426.438	-40.00	22.49	-25.0	-15.00	186.00	Vertical	Horizontal	Pass


### 54.3 DC\_2A\_n66A BW20(LTE)+BW20(NR)

RSE-H&H DC\_2A\_n66A BW20(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
1746.500	10.80	43.27	-25.0	35.80	325.00	Horizontal	Horizontal	N/A
1875.900	2.60	44.00	-25.0	27.60	183.00	Horizontal	Horizontal	N/A
1961.700	-33.93	43.92	-25.0	-8.93	199.00	Horizontal	Horizontal	N/A
2138.900	-38.23	45.89	-25.0	-13.23	266.00	Horizontal	Horizontal	N/A
6784.600	-48.82	12.15	-25.0	-23.82	90.00	Horizontal	Horizontal	Pass
17590.761	-40.36	22.07	-25.0	-15.36	218.00	Horizontal	Horizontal	Pass

RSE-H&V DC\_2A\_n66A BW20(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
862.794	-53.84	40.17	-25.0	-28.84	317.00	Horizontal	Vertical	Pass
1742.400	8.83	43.07	-25.0	33.83	159.00	Horizontal	Vertical	N/A
1880.600	1.21	44.07	-25.0	26.21	180.00	Horizontal	Vertical	N/A
6611.200	-49.13	12.34	-25.0	-24.13	342.00	Horizontal	Vertical	Pass
14913.000	-42.32	20.01	-25.0	-17.32	106.00	Horizontal	Vertical	Pass
17877.938	-40.04	22.59	-25.0	-15.04	140.00	Horizontal	Vertical	Pass

RSE-V&V DC\_2A\_n66A BW20(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
1746.800	6.85	43.26	-25.0	31.85	90.00	Vertical	Vertical	N/A
1876.600	-2.83	43.95	-25.0	22.17	111.00	Vertical	Vertical	N/A
1964.900	-40.04	43.92	-25.0	-15.04	269.00	Vertical	Vertical	N/A
2137.100	-33.76	45.91	-25.0	-8.76	153.00	Vertical	Vertical	N/A
6685.200	-48.88	12.04	-25.0	-23.88	151.00	Vertical	Vertical	Pass
17464.500	-40.59	21.74	-25.0	-15.59	317.00	Vertical	Vertical	Pass

RSE-V&H DC\_2A\_n66A BW20(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
894.076	-53.35	40.84	-25.0	-28.35	353.00	Vertical	Horizontal	Pass
1746.700	1.31	43.26	-25.0	26.31	0.00	Vertical	Horizontal	N/A
1872.000	-14.14	43.95	-25.0	10.86	96.00	Vertical	Horizontal	N/A
6681.000	-49.32	11.79	-25.0	-24.32	47.00	Vertical	Horizontal	Pass
14903.026	-42.11	20.39	-25.0	-17.11	33.00	Vertical	Horizontal	Pass
17464.238	-40.06	21.74	-25.0	-15.06	0.00	Vertical	Horizontal	Pass

55 DC\_5A\_n7A

55.1 DC\_5A\_n7A BW10(LTE)+BW5(NR)


RSE-H&H DC\_5A\_n7A BW10(LTE)+BW5(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.142	11.94	40.37	-25.0	36.94	323.00	Horizontal	Horizontal	N/A
885.055	-36.02	40.53	-25.0	-11.02	216.00	Horizontal	Horizontal	N/A
2534.300	11.39	45.74	-25.0	36.39	140.00	Horizontal	Horizontal	N/A
2653.600	-31.85	46.04	-25.0	-6.85	2.00	Horizontal	Horizontal	N/A
6998.000	-48.51	13.63	-25.0	-23.51	37.00	Horizontal	Horizontal	Pass
17629.350	-40.45	21.60	-25.0	-15.45	36.00	Horizontal	Horizontal	Pass




RSE-H&V DC\_5A\_n7A BW10(LTE)+BW5(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.093	4.40	40.37	-25.0	29.40	178.00	Horizontal	Vertical	N/A
879.914	-34.01	40.23	-25.0	-9.01	220.00	Horizontal	Vertical	N/A
2534.800	9.82	45.72	-25.0	34.82	136.00	Horizontal	Vertical	N/A
2653.900	-32.13	46.05	-25.0	-7.13	363.00	Horizontal	Vertical	N/A
6690.200	-49.25	11.84	-25.0	-24.25	1.00	Horizontal	Vertical	Pass
17456.886	-39.94	21.80	-25.0	-14.94	172.00	Horizontal	Vertical	Pass

RSE-V&V DC\_5A\_n7A BW10(LTE)+BW5(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.190	12.34	40.37	-25.0	37.34	237.00	Vertical	Vertical	N/A
885.103	-35.89	40.53	-25.0	-10.89	176.00	Vertical	Vertical	N/A
2535.600	8.72	45.74	-25.0	33.72	249.00	Vertical	Vertical	N/A
6994.200	-48.79	13.62	-25.0	-23.79	-1.00	Vertical	Vertical	Pass
14933.737	-41.83	19.62	-25.0	-16.83	-1.00	Vertical	Vertical	Pass
17578.162	-39.89	22.22	-25.0	-14.89	-1.00	Vertical	Vertical	Pass


RSE-V&H DC\_5A\_n7A BW10(LTE)+BW5(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.093	6.05	40.37	-25.0	31.05	347.00	Vertical	Horizontal	N/A
885.782	-35.40	40.47	-25.0	-10.40	357.00	Vertical	Horizontal	N/A
2534.200	-7.32	45.75	-25.0	17.68	62.00	Vertical	Horizontal	N/A
6988.400	-48.49	13.53	-25.0	-23.49	219.00	Vertical	Horizontal	Pass
14901.450	-41.72	20.45	-25.0	-16.72	-1.00	Vertical	Horizontal	Pass
17591.812	-39.81	22.06	-25.0	-14.81	44.00	Vertical	Horizontal	Pass


## 55.2 DC\_5A\_n7A BW10(LTE)+BW15(NR)

RSE-H&H DC\_5A\_n7A BW10(LTE)+BW15(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.142	12.75	40.37	-25.0	37.75	308.00	Horizontal	Horizontal	N/A
1398.700	-47.36	45.16	-25.0	-22.36	214.00	Horizontal	Horizontal	Pass
2533.500	7.94	45.78	-25.0	32.94	297.00	Horizontal	Horizontal	N/A
3571.400	-57.62	3.99	-25.0	-32.62	0.00	Horizontal	Horizontal	Pass
6974.400	-48.26	13.70	-25.0	-23.26	253.00	Horizontal	Horizontal	Pass
17425.650	-40.70	22.51	-25.0	-15.70	144.00	Horizontal	Horizontal	Pass

RSE-H&V DC\_5A\_n7A BW10(LTE)+BW15(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.093	5.55	40.37	-25.0	30.55	147.00	Horizontal	Vertical	N/A
1396.100	-47.13	45.15	-25.0	-22.13	360.00	Horizontal	Vertical	Pass
2532.900	-3.24	45.80	-25.0	21.76	37.00	Horizontal	Vertical	N/A
3579.000	-58.23	3.69	-25.0	-33.23	133.00	Horizontal	Vertical	Pass
6992.000	-48.23	13.55	-25.0	-23.23	0.00	Horizontal	Vertical	Pass
17377.614	-39.82	22.14	-25.0	-14.82	309.00	Horizontal	Vertical	Pass

RSE-V&V DC\_5A\_n7A BW10(LTE)+BW15(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.093	13.17	40.37	-25.0	38.17	223.00	Vertical	Vertical	N/A
1408.600	-47.70	44.91	-25.0	-22.70	179.00	Vertical	Vertical	Pass
2535.500	4.95	45.73	-25.0	29.95	272.00	Vertical	Vertical	N/A
3924.000	-55.96	4.96	-25.0	-30.96	222.00	Vertical	Vertical	Pass
6969.400	-48.63	13.41	-25.0	-23.63	92.00	Vertical	Vertical	Pass
17467.650	-39.95	21.73	-25.0	-14.95	95.00	Vertical	Vertical	Pass


RSE-V&H DC\_5A\_n7A BW10(LTE)+BW15(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.093	6.44	40.37	-25.0	31.44	74.00	Vertical	Horizontal	N/A
1400.400	-47.18	45.16	-25.0	-22.18	32.00	Vertical	Horizontal	Pass
2533.500	-5.22	45.78	-25.0	19.78	200.00	Vertical	Horizontal	N/A
3696.400	-57.09	5.24	-25.0	-32.09	229.00	Vertical	Horizontal	Pass
6613.600	-48.94	12.34	-25.0	-23.94	316.00	Vertical	Horizontal	Pass
17600.737	-40.15	21.96	-25.0	-15.15	187.00	Vertical	Horizontal	Pass

### 55.3 DC\_5A\_n7A BW10(LTE)+BW20(NR)


RSE-H&H DC\_5A\_n7A BW10(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.142	11.74	40.37	-25.0	36.74	309.00	Horizontal	Horizontal	N/A
1399.100	-47.35	45.17	-25.0	-22.35	159.00	Horizontal	Horizontal	Pass
2532.500	8.25	45.83	-25.0	33.25	338.00	Horizontal	Horizontal	N/A
3695.200	-57.93	5.25	-25.0	-32.93	240.00	Horizontal	Horizontal	Pass
6999.600	-48.02	13.65	-25.0	-23.02	17.00	Horizontal	Horizontal	Pass
17589.975	-39.70	22.08	-25.0	-14.70	92.00	Horizontal	Horizontal	Pass




RSE-H&V DC\_5A\_n7A BW10(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.142	4.72	40.37	-25.0	29.72	169.00	Horizontal	Vertical	N/A
1397.500	-47.64	45.16	-25.0	-22.64	105.00	Horizontal	Vertical	Pass
2537.100	-1.86	45.98	-25.0	23.14	121.00	Horizontal	Vertical	N/A
3646.800	-58.06	4.47	-25.0	-33.06	105.00	Horizontal	Vertical	Pass
6980.400	-48.58	13.80	-25.0	-23.58	153.00	Horizontal	Vertical	Pass
17880.562	-39.56	22.66	-25.0	-14.56	36.00	Horizontal	Vertical	Pass

RSE-V&V DC\_5A\_n7A BW10(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.142	11.87	40.37	-25.0	36.87	224.00	Vertical	Vertical	N/A
1399.200	-46.90	45.17	-25.0	-21.90	110.00	Vertical	Vertical	Pass
2534.800	4.26	45.72	-25.0	29.26	277.00	Vertical	Vertical	N/A
3691.000	-57.21	5.07	-25.0	-32.21	316.00	Vertical	Vertical	Pass
6983.200	-48.33	13.88	-25.0	-23.33	284.00	Vertical	Vertical	Pass
16966.537	-40.40	20.89	-25.0	-15.40	213.00	Vertical	Vertical	Pass

RSE-V&H DC\_5A\_n7A BW10(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.093	5.66	40.37	-25.0	30.66	65.00	Vertical	Horizontal	N/A
1396.900	-47.22	45.16	-25.0	-22.22	158.00	Vertical	Horizontal	Pass
2535.300	-5.18	45.70	-25.0	19.82	33.00	Vertical	Horizontal	N/A
3979.200	-56.62	4.76	-25.0	-31.62	343.00	Vertical	Horizontal	Pass
6982.200	-48.10	13.88	-25.0	-23.10	180.00	Vertical	Horizontal	Pass
17471.324	-40.01	21.72	-25.0	-15.01	28.00	Vertical	Horizontal	Pass

56 DC\_5A\_n66A


56.1 DC\_5A\_n66A BW10(LTE)+BW5(NR)

RSE-H&H DC\_5A\_n66A BW10(LTE)+BW5(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.093	10.75	40.37	-13.0	23.75	0.00	Horizontal	Horizontal	N/A
1744.800	13.90	43.29	-13.0	26.90	347.00	Horizontal	Horizontal	N/A
3651.200	-57.28	4.44	-13.0	-44.28	304.00	Horizontal	Horizontal	Pass
6922.600	-48.85	11.77	-13.0	-35.85	133.00	Horizontal	Horizontal	Pass
14933.213	-42.38	19.63	-13.0	-29.38	57.00	Horizontal	Horizontal	Pass
17465.813	-40.06	21.73	-13.0	-27.06	186.00	Horizontal	Horizontal	Pass

RSE-H&V DC\_5A\_n66A BW10(LTE)+BW5(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.142	3.87	40.37	-13.0	16.87	150.00	Horizontal	Vertical	N/A
1744.000	6.08	43.21	-13.0	19.08	170.00	Horizontal	Vertical	N/A
3649.400	-57.78	4.48	-13.0	-44.78	61.00	Horizontal	Vertical	Pass
6684.200	-49.02	11.96	-13.0	-36.02	76.00	Horizontal	Vertical	Pass
14899.613	-42.20	20.50	-13.0	-29.20	-3.00	Horizontal	Vertical	Pass
17465.551	-39.83	21.73	-13.0	-26.83	5.00	Horizontal	Vertical	Pass

RSE-V&V DC\_5A\_n66A BW10(LTE)+BW5(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.093	9.50	40.37	-13.0	22.50	180.00	Vertical	Vertical	N/A
1744.400	11.52	43.25	-13.0	24.52	258.00	Vertical	Vertical	N/A
3650.000	-57.67	4.47	-13.0	-44.67	124.00	Vertical	Vertical	Pass
6976.800	-48.64	13.78	-13.0	-35.64	303.00	Vertical	Vertical	Pass
15047.663	-42.29	20.32	-13.0	-29.29	38.00	Vertical	Vertical	Pass
17378.927	-39.88	22.19	-13.0	-26.88	-3.00	Vertical	Vertical	Pass


RSE-V&H DC\_5A\_n66A BW10(LTE)+BW5(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.093	6.59	40.37	-13.0	19.59	140.00	Vertical	Horizontal	N/A
1745.200	4.75	43.29	-13.0	17.75	29.00	Vertical	Horizontal	N/A
3641.800	-57.14	4.22	-13.0	-44.14	275.00	Vertical	Horizontal	Pass
6684.000	-49.41	11.95	-13.0	-36.41	88.00	Vertical	Horizontal	Pass
15192.037	-42.24	19.33	-13.0	-29.24	120.00	Vertical	Horizontal	Pass
17585.512	-40.17	22.13	-13.0	-27.17	-3.00	Vertical	Horizontal	Pass

## 56.2 DC\_5A\_n66A BW10(LTE)+BW15(NR)


RSE-H&H DC\_5A\_n66A BW10(LTE)+BW15(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.142	11.07	40.37	-13.0	24.07	327.00	Horizontal	Horizontal	N/A
1745.600	12.09	43.28	-13.0	25.09	140.00	Horizontal	Horizontal	N/A
4059.000	-56.88	5.30	-13.0	-43.88	237.00	Horizontal	Horizontal	Pass
6996.400	-48.59	13.58	-13.0	-35.59	181.00	Horizontal	Horizontal	Pass
14909.850	-42.29	20.13	-13.0	-29.29	63.00	Horizontal	Horizontal	Pass
17475.787	-40.13	21.71	-13.0	-27.13	29.00	Horizontal	Horizontal	Pass




RSE-H&V DC\_5A\_n66A BW10(LTE)+BW15(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.044	6.16	40.37	-13.0	19.16	167.00	Horizontal	Vertical	N/A
881.612	-50.23	40.29	-13.0	-37.23	355.00	Horizontal	Vertical	N/A
1745.400	9.70	43.29	-13.0	22.70	156.00	Horizontal	Vertical	N/A
6984.400	-48.51	13.76	-13.0	-35.51	161.00	Horizontal	Vertical	Pass
14910.375	-41.82	20.11	-13.0	-28.82	29.00	Horizontal	Vertical	Pass
17294.926	-40.49	21.13	-13.0	-27.49	97.00	Horizontal	Vertical	Pass

RSE-V&V DC\_5A\_n66A BW10(LTE)+BW15(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.044	10.73	40.37	-13.0	23.73	336.00	Vertical	Vertical	N/A
1741.800	6.07	43.04	-13.0	19.07	55.00	Vertical	Vertical	N/A
3575.400	-57.57	3.89	-13.0	-44.57	347.00	Vertical	Vertical	Pass
6783.200	-49.56	12.15	-13.0	-36.56	312.00	Vertical	Vertical	Pass
14921.662	-42.45	19.74	-13.0	-29.45	196.00	Vertical	Vertical	Pass
18104.199	-39.69	22.06	-13.0	-26.69	308.00	Vertical	Vertical	Pass


RSE-V&H DC\_5A\_n66A BW10(LTE)+BW15(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.142	5.66	40.37	-13.0	18.66	117.00	Vertical	Horizontal	N/A
1743.500	-4.36	43.17	-13.0	8.64	74.00	Vertical	Horizontal	N/A
3968.400	-57.65	5.36	-13.0	-44.65	155.00	Vertical	Horizontal	Pass
6986.400	-48.11	13.70	-13.0	-35.11	248.00	Vertical	Horizontal	Pass
14941.350	-42.05	19.57	-13.0	-29.05	13.00	Vertical	Horizontal	Pass
17589.975	-39.55	22.08	-13.0	-26.55	46.00	Vertical	Horizontal	Pass


### 56.3 DC\_5A\_n66A BW10(LTE)+BW20(NR)

RSE-H&H DC\_5A\_n66A BW10(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.093	13.70	40.37	-13.0	26.70	307.00	Horizontal	Horizontal	N/A
1744.900	9.24	43.29	-13.0	22.24	331.00	Horizontal	Horizontal	N/A
4066.400	-56.84	4.81	-13.0	-43.84	327.00	Horizontal	Horizontal	Pass
6976.400	-48.57	13.75	-13.0	-35.57	166.00	Horizontal	Horizontal	Pass
14938.724	-42.36	19.58	-13.0	-29.36	61.00	Horizontal	Horizontal	Pass
17577.376	-40.50	22.23	-13.0	-27.50	254.00	Horizontal	Horizontal	Pass

RSE-H&V DC\_5A\_n66A BW10(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.093	6.08	40.37	-13.0	19.08	135.00	Horizontal	Vertical	N/A
1747.700	8.14	43.15	-13.0	21.14	0.00	Horizontal	Vertical	N/A
4060.400	-57.23	5.18	-13.0	-44.23	267.00	Horizontal	Vertical	Pass
6980.200	-48.33	13.82	-13.0	-35.33	143.00	Horizontal	Vertical	Pass
14910.113	-42.21	20.12	-13.0	-29.21	150.00	Horizontal	Vertical	Pass
17468.176	-39.68	21.73	-13.0	-26.68	92.00	Horizontal	Vertical	Pass

RSE-V&V DC\_5A\_n66A BW10(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.142	10.93	40.37	-13.0	23.93	190.00	Vertical	Vertical	N/A
1742.100	6.91	43.06	-13.0	19.91	86.00	Vertical	Vertical	N/A
3567.200	-58.36	4.10	-13.0	-45.36	98.00	Vertical	Vertical	Pass
6995.400	-48.78	13.55	-13.0	-35.78	263.00	Vertical	Vertical	Pass
10895.625	-47.14	17.59	-13.0	-34.14	191.00	Vertical	Vertical	Pass
17897.363	-39.51	22.83	-13.0	-26.51	168.00	Vertical	Vertical	Pass

RSE-V&H DC\_5A\_n66A BW10(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.190	11.21	40.37	-13.0	24.21	271.00	Vertical	Horizontal	N/A
1748.000	-2.81	43.10	-13.0	10.19	42.00	Vertical	Horizontal	N/A
3698.800	-57.16	5.08	-13.0	-44.16	189.00	Vertical	Horizontal	Pass
6688.800	-49.10	11.89	-13.0	-36.10	165.00	Vertical	Horizontal	Pass
14905.388	-42.51	20.30	-13.0	-29.51	312.00	Vertical	Horizontal	Pass
17418.037	-40.01	22.66	-13.0	-27.01	73.00	Vertical	Horizontal	Pass

57 DC\_7A\_n5A

57.1 DC\_7A\_n5A BW20(LTE)+BW5(NR)


RSE-H&H DC\_7A\_n5A BW20(LTE)+BW5(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
835.488	-6.93	40.53	-25.0	18.07	340.00	Horizontal	Horizontal	N/A
879.526	-38.85	40.25	-25.0	-13.85	300.00	Horizontal	Horizontal	N/A
2529.400	7.29	46.05	-25.0	32.29	143.00	Horizontal	Horizontal	N/A
2661.600	-34.51	46.18	-25.0	-9.51	243.00	Horizontal	Horizontal	N/A
6999.600	-47.92	13.65	-25.0	-22.92	237.00	Horizontal	Horizontal	Pass
17423.813	-40.57	22.56	-25.0	-15.57	358.00	Horizontal	Horizontal	Pass




RSE-H&V DC\_7A\_n5A BW20(LTE)+BW5(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
837.331	-11.76	40.54	-25.0	13.24	336.00	Horizontal	Vertical	N/A
881.223	-35.39	40.28	-25.0	-10.39	316.00	Horizontal	Vertical	N/A
2539.500	5.60	45.98	-25.0	30.60	135.00	Horizontal	Vertical	N/A
3638.200	-57.97	4.05	-25.0	-32.97	337.00	Horizontal	Vertical	Pass
6678.200	-49.48	11.76	-25.0	-24.48	44.00	Horizontal	Vertical	Pass
17482.613	-40.32	21.62	-25.0	-15.32	-3.00	Horizontal	Vertical	Pass

RSE-V&V DC\_7A\_n5A BW20(LTE)+BW5(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
835.488	-11.87	40.53	-25.0	13.13	261.00	Vertical	Vertical	N/A
880.690	-33.57	40.25	-25.0	-8.57	6.00	Vertical	Vertical	N/A
2530.100	3.19	45.99	-25.0	28.19	299.00	Vertical	Vertical	N/A
2658.900	-39.65	46.28	-25.0	-14.65	122.00	Vertical	Vertical	N/A
6996.200	-48.60	13.57	-25.0	-23.60	81.00	Vertical	Vertical	Pass
17429.588	-39.97	22.41	-25.0	-14.97	-3.00	Vertical	Vertical	Pass


RSE-V&H DC\_7A\_n5A BW20(LTE)+BW5(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
835.682	-11.74	40.53	-25.0	13.26	283.00	Vertical	Horizontal	N/A
882.242	-36.11	40.33	-25.0	-11.11	184.00	Vertical	Horizontal	N/A
2538.900	-5.21	46.00	-25.0	19.79	40.00	Vertical	Horizontal	N/A
6673.000	-49.59	11.59	-25.0	-24.59	101.00	Vertical	Horizontal	Pass
11374.026	-46.95	16.97	-25.0	-21.95	290.00	Vertical	Horizontal	Pass
17578.426	-40.35	22.21	-25.0	-15.35	231.00	Vertical	Horizontal	Pass


## 57.2 DC\_7A\_n5A BW20(LTE)+BW15(NR)

RSE-H&H DC\_7A\_n5A BW20(LTE)+BW15(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
838.641	-10.49	40.51	-25.0	14.51	205.00	Horizontal	Horizontal	N/A
876.665	-43.19	40.36	-25.0	-18.19	320.00	Horizontal	Horizontal	N/A
2534.500	7.50	45.74	-25.0	32.50	139.00	Horizontal	Horizontal	N/A
2659.400	-33.93	46.27	-25.0	-8.93	246.00	Horizontal	Horizontal	N/A
6991.800	-48.37	13.53	-25.0	-23.37	337.00	Horizontal	Horizontal	Pass
17852.738	-40.36	21.97	-25.0	-15.36	296.00	Horizontal	Horizontal	Pass

RSE-H&V DC\_7A\_n5A BW20(LTE)+BW15(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
835.100	-16.39	40.51	-25.0	8.61	337.00	Horizontal	Vertical	N/A
875.258	-37.61	40.31	-25.0	-12.61	86.00	Horizontal	Vertical	N/A
2529.500	5.86	46.04	-25.0	30.86	150.00	Horizontal	Vertical	N/A
6976.800	-48.33	13.78	-25.0	-23.33	358.00	Horizontal	Vertical	Pass
10894.474	-46.96	17.56	-25.0	-21.96	110.00	Horizontal	Vertical	Pass
17584.464	-40.35	22.14	-25.0	-15.35	-1.00	Horizontal	Vertical	Pass

RSE-V&V DC\_7A\_n5A BW20(LTE)+BW15(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
833.936	-14.36	40.43	-25.0	10.64	253.00	Vertical	Vertical	N/A
874.676	-42.23	40.24	-25.0	-17.23	295.00	Vertical	Vertical	N/A
2538.400	0.51	46.01	-25.0	25.51	251.00	Vertical	Vertical	N/A
2649.800	-40.32	46.28	-25.0	-15.32	126.00	Vertical	Vertical	N/A
6634.400	-48.98	12.12	-25.0	-23.98	337.00	Vertical	Vertical	Pass
18675.751	-40.49	24.69	-25.0	-15.49	55.00	Vertical	Vertical	Pass


RSE-V&H DC\_7A\_n5A BW20(LTE)+BW15(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
835.731	-15.42	40.53	-25.0	9.58	301.00	Vertical	Horizontal	N/A
875.404	-42.03	40.33	-25.0	-17.03	139.00	Vertical	Horizontal	N/A
2532.900	-5.87	45.80	-25.0	19.13	43.00	Vertical	Horizontal	N/A
6612.000	-49.69	12.34	-25.0	-24.69	109.00	Vertical	Horizontal	Pass
10893.612	-47.15	17.53	-25.0	-22.15	360.00	Vertical	Horizontal	Pass
17383.387	-40.37	22.31	-25.0	-15.37	100.00	Vertical	Horizontal	Pass

### 57.3 DC\_7A\_n5A BW20(LTE)+BW20(NR)


RSE-H&H DC\_7A\_n5A BW20(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
839.562	-10.38	40.49	-25.0	14.62	223.00	Horizontal	Horizontal	N/A
874.628	-43.06	40.24	-25.0	-18.06	215.00	Horizontal	Horizontal	N/A
2532.400	5.44	45.83	-25.0	30.44	362.00	Horizontal	Horizontal	N/A
2657.400	-35.22	46.19	-25.0	-10.22	158.00	Horizontal	Horizontal	N/A
6983.200	-48.18	13.88	-25.0	-23.18	237.00	Horizontal	Horizontal	Pass
17484.188	-39.56	21.57	-25.0	-14.56	112.00	Horizontal	Horizontal	Pass




RSE-H&V DC\_7A\_n5A BW20(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
831.511	-18.86	40.36	-25.0	6.14	0.00	Horizontal	Vertical	N/A
875.598	-44.19	40.36	-25.0	-19.19	-3.00	Horizontal	Vertical	N/A
2528.000	3.18	46.11	-25.0	28.18	363.00	Horizontal	Vertical	N/A
2651.400	-35.15	46.10	-25.0	-10.15	168.00	Horizontal	Vertical	N/A
6987.600	-48.64	13.63	-25.0	-23.64	167.00	Horizontal	Vertical	Pass
17597.323	-40.14	22.00	-25.0	-15.14	256.00	Horizontal	Vertical	Pass

RSE-V&V DC\_7A\_n5A BW20(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
831.511	-14.06	40.36	-25.0	10.94	292.00	Vertical	Vertical	N/A
872.591	-40.09	40.16	-25.0	-15.09	360.00	Vertical	Vertical	N/A
2538.300	2.46	46.01	-25.0	27.46	266.00	Vertical	Vertical	N/A
6667.000	-49.31	11.56	-25.0	-24.31	119.00	Vertical	Vertical	Pass
14905.650	-42.55	20.29	-25.0	-17.55	229.00	Vertical	Vertical	Pass
17630.136	-40.19	21.58	-25.0	-15.19	349.00	Vertical	Vertical	Pass

RSE-V&H DC\_7A\_n5A BW20(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
839.610	-14.68	40.49	-25.0	10.32	78.00	Vertical	Horizontal	N/A
874.870	-41.17	40.27	-25.0	-16.17	27.00	Vertical	Horizontal	N/A
2536.300	-6.08	45.85	-25.0	18.92	29.00	Vertical	Horizontal	N/A
6998.400	-47.97	13.63	-25.0	-22.97	266.00	Vertical	Horizontal	Pass
14900.138	-42.43	20.49	-25.0	-17.43	52.00	Vertical	Horizontal	Pass
19209.150	-39.80	25.75	-25.0	-14.80	127.00	Vertical	Horizontal	Pass

58 DC\_7A\_n66A


58.1 DC\_7A\_n66A BW20(LTE)+BW5(NR)

RSE-H&H DC\_7A\_n66A BW20(LTE)+BW5(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
1744.300	12.01	43.24	-25.0	37.01	324.00	Horizontal	Horizontal	N/A
2145.700	-35.55	46.10	-25.0	-10.55	67.00	Horizontal	Horizontal	N/A
2537.500	4.30	46.04	-25.0	29.30	210.00	Horizontal	Horizontal	N/A
2656.600	-35.84	46.12	-25.0	-10.84	245.00	Horizontal	Horizontal	N/A
6773.000	-49.81	11.69	-25.0	-24.81	240.00	Horizontal	Horizontal	Pass
17617.801	-39.73	21.81	-25.0	-14.73	150.00	Horizontal	Horizontal	Pass

RSE-H&V DC\_7A\_n66A BW20(LTE)+BW5(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
913.622	-54.21	41.26	-25.0	-29.21	219.00	Horizontal	Vertical	Pass
1744.500	2.93	43.26	-25.0	27.93	203.00	Horizontal	Vertical	N/A
2144.000	-41.07	46.08	-25.0	-16.07	215.00	Horizontal	Vertical	N/A
2532.700	2.92	45.82	-25.0	27.92	301.00	Horizontal	Vertical	N/A
6686.200	-49.17	12.01	-25.0	-24.17	117.00	Horizontal	Vertical	Pass
17489.699	-40.23	21.40	-25.0	-15.23	290.00	Horizontal	Vertical	Pass

RSE-V&V DC\_7A\_n66A BW20(LTE)+BW5(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
1745.800	11.46	43.28	-25.0	36.46	273.00	Vertical	Vertical	N/A
2146.000	-25.53	46.09	-25.0	-0.53	154.00	Vertical	Vertical	N/A
2538.000	0.22	46.02	-25.0	25.22	355.00	Vertical	Vertical	N/A
2660.100	-40.62	46.25	-25.0	-15.62	103.00	Vertical	Vertical	N/A
6676.400	-49.18	11.72	-25.0	-24.18	303.00	Vertical	Vertical	Pass
17423.550	-40.09	22.56	-25.0	-15.09	290.00	Vertical	Vertical	Pass


RSE-V&H DC\_7A\_n66A BW20(LTE)+BW5(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
831.608	-53.99	40.37	-25.0	-28.99	140.00	Vertical	Horizontal	Pass
1744.900	2.46	43.29	-25.0	27.46	360.00	Vertical	Horizontal	N/A
2534.000	-7.39	45.76	-25.0	17.61	42.00	Vertical	Horizontal	N/A
6618.400	-49.71	12.07	-25.0	-24.71	248.00	Vertical	Horizontal	Pass
14911.425	-41.86	20.07	-25.0	-16.86	-1.00	Vertical	Horizontal	Pass
17481.824	-40.62	21.64	-25.0	-15.62	239.00	Vertical	Horizontal	Pass

## 58.2 DC\_7A\_n66A BW20(LTE)+BW15(NR)


RSE-H&H DC\_7A\_n66A BW20(LTE)+BW15(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
887.965	-53.07	40.51	-25.0	-28.07	207.00	Horizontal	Horizontal	Pass
1747.400	-6.08	43.19	-25.0	18.92	324.00	Horizontal	Horizontal	N/A
2526.100	15.23	46.11	-25.0	40.23	190.00	Horizontal	Horizontal	N/A
6975.600	-48.63	13.73	-25.0	-23.63	112.00	Horizontal	Horizontal	Pass
15047.663	-42.39	20.32	-25.0	-17.39	295.00	Horizontal	Horizontal	Pass
17374.724	-40.30	22.04	-25.0	-15.30	248.00	Horizontal	Horizontal	Pass




RSE-H&V DC\_7A\_n66A BW20(LTE)+BW15(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
893.203	-53.16	40.88	-25.0	-28.16	222.00	Horizontal	Vertical	Pass
1744.100	-9.33	43.22	-25.0	15.67	358.00	Horizontal	Vertical	N/A
2526.200	15.15	46.11	-25.0	40.15	311.00	Horizontal	Vertical	N/A
6694.200	-49.34	11.66	-25.0	-24.34	5.00	Horizontal	Vertical	Pass
14901.450	-41.85	20.45	-25.0	-16.85	143.00	Horizontal	Vertical	Pass
17493.637	-39.77	21.28	-25.0	-14.77	90.00	Horizontal	Vertical	Pass

RSE-V&V DC\_7A\_n66A BW20(LTE)+BW15(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
835.585	-53.30	40.53	-25.0	-28.30	274.00	Vertical	Vertical	Pass
1746.400	-11.89	43.27	-25.0	13.11	260.00	Vertical	Vertical	N/A
2526.200	8.40	46.11	-25.0	33.40	336.00	Vertical	Vertical	N/A
6980.400	-48.40	13.80	-25.0	-23.40	270.00	Vertical	Vertical	Pass
15423.563	-42.49	19.28	-25.0	-17.49	0.00	Vertical	Vertical	Pass
17418.562	-39.99	22.66	-25.0	-14.99	-3.00	Vertical	Vertical	Pass


RSE-V&H DC\_7A\_n66A BW20(LTE)+BW15(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
922.885	-52.84	41.35	-25.0	-27.84	361.00	Vertical	Horizontal	Pass
1743.900	-14.51	43.20	-25.0	10.49	42.00	Vertical	Horizontal	N/A
2526.100	3.80	46.11	-25.0	28.80	88.00	Vertical	Horizontal	N/A
6679.200	-48.42	11.77	-25.0	-23.42	334.00	Vertical	Horizontal	Pass
15049.763	-42.19	20.36	-25.0	-17.19	157.00	Vertical	Horizontal	Pass
17420.925	-39.78	22.63	-25.0	-14.78	40.00	Vertical	Horizontal	Pass

### 58.3 DC\_7A\_n66A BW20(LTE)+BW20(NR)

RSE-H&H DC\_7A\_n66A BW20(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
850.377	-53.25	40.52	-25.0	-28.25	-2.00	Horizontal	Horizontal	Pass
1745.900	0.76	43.28	-25.0	25.76	74.00	Horizontal	Horizontal	N/A
2526.300	15.34	46.12	-25.0	40.34	17.00	Horizontal	Horizontal	N/A
6612.600	-49.58	12.34	-25.0	-24.58	40.00	Horizontal	Horizontal	Pass
15034.013	-42.06	20.11	-25.0	-17.06	0.00	Horizontal	Horizontal	Pass
17379.449	-40.56	22.20	-25.0	-15.56	239.00	Horizontal	Horizontal	Pass