



RSE-H&V DC_7A_n66A BW20(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
805.806	-54.04	40.06	-25.0	-29.04	24.00	Horizontal	Vertical	Pass
1746.700	-10.41	43.26	-25.0	14.59	145.00	Horizontal	Vertical	N/A
2526.200	13.72	46.11	-25.0	38.72	298.00	Horizontal	Vertical	N/A
6995.000	-48.38	13.57	-25.0	-23.38	28.00	Horizontal	Vertical	Pass
15043.987	-42.11	20.24	-25.0	-17.11	350.00	Horizontal	Vertical	Pass
17413.313	-39.88	22.67	-25.0	-14.88	18.00	Horizontal	Vertical	Pass

RSE-V&V DC_7A_n66A BW20(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
901.254	-52.87	40.95	-25.0	-27.87	24.00	Vertical	Vertical	Pass
1743.700	-11.91	43.18	-25.0	13.09	242.00	Vertical	Vertical	N/A
2526.100	10.40	46.11	-25.0	35.40	242.00	Vertical	Vertical	N/A
6976.400	-48.70	13.75	-25.0	-23.70	296.00	Vertical	Vertical	Pass
14977.050	-42.34	19.45	-25.0	-17.34	123.00	Vertical	Vertical	Pass
17422.500	-40.18	22.59	-25.0	-15.18	74.00	Vertical	Vertical	Pass


RSE-V&H DC_7A_n66A BW20(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
834.324	-52.27	40.46	-25.0	-27.27	-3.00	Vertical	Horizontal	Pass
1742.700	-9.64	43.09	-25.0	15.36	291.00	Vertical	Horizontal	N/A
2526.300	2.98	46.12	-25.0	27.98	32.00	Vertical	Horizontal	N/A
6986.200	-47.96	13.70	-25.0	-22.96	45.00	Vertical	Horizontal	Pass
15037.162	-42.21	20.14	-25.0	-17.21	84.00	Vertical	Horizontal	Pass
17439.562	-40.36	22.16	-25.0	-15.36	351.00	Vertical	Horizontal	Pass


Down Up Antenna
 59 DC_2A_n66A
 59.1 DC_2A_n66A BW20(LTE)+BW5(NR)

RSE-H&H DC_2A_n66A BW20(LTE)+BW5(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
1744.600	10.63	43.27	-25.0	35.63	132.00	Horizontal	Horizontal	N/A
1871.100	9.28	43.89	-25.0	34.28	190.00	Horizontal	Horizontal	N/A
1959.300	-43.32	43.95	-25.0	-18.32	190.00	Horizontal	Horizontal	N/A
2302.000	-41.77	46.93	-25.0	-16.77	220.00	Horizontal	Horizontal	Pass
6984.800	-48.27	13.72	-25.0	-23.27	145.00	Horizontal	Horizontal	Pass
17482.875	-40.02	21.61	-25.0	-15.02	167.00	Horizontal	Horizontal	Pass

RSE-H&V DC_2A_n66A BW20(LTE)+BW5(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
867.498	-53.36	40.18	-25.0	-28.36	105.00	Horizontal	Vertical	Pass
1744.600	9.90	43.27	-25.0	34.90	0.00	Horizontal	Vertical	N/A
1871.100	10.44	43.89	-25.0	35.44	98.00	Horizontal	Vertical	N/A
6986.800	-48.35	13.70	-25.0	-23.35	262.00	Horizontal	Vertical	Pass
14915.888	-42.20	19.91	-25.0	-17.20	27.00	Horizontal	Vertical	Pass
17892.375	-40.22	22.78	-25.0	-15.22	329.00	Horizontal	Vertical	Pass

RSE-V&V DC_2A_n66A BW20(LTE)+BW5(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
1745.200	5.11	43.29	-25.0	30.11	95.00	Vertical	Vertical	N/A
1871.200	13.21	43.90	-25.0	38.21	360.00	Vertical	Vertical	N/A
1960.200	-43.91	43.93	-25.0	-18.91	263.00	Vertical	Vertical	N/A
2144.100	-42.20	46.10	-25.0	-17.20	164.00	Vertical	Vertical	N/A
6972.600	-48.20	13.66	-25.0	-23.20	200.00	Vertical	Vertical	Pass
17593.651	-40.29	22.04	-25.0	-15.29	229.00	Vertical	Vertical	Pass


RSE-V&H DC_2A_n66A BW20(LTE)+BW5(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
909.305	-53.01	41.14	-25.0	-28.01	361.00	Vertical	Horizontal	Pass
1744.500	-6.00	43.26	-25.0	19.00	34.00	Vertical	Horizontal	N/A
1871.100	12.71	43.89	-25.0	37.71	79.00	Vertical	Horizontal	N/A
6974.800	-48.65	13.71	-25.0	-23.65	57.00	Vertical	Horizontal	Pass
15072.862	-42.28	19.88	-25.0	-17.28	93.00	Vertical	Horizontal	Pass
17424.863	-39.72	22.53	-25.0	-14.72	222.00	Vertical	Horizontal	Pass


59.2 DC_2A_n66A BW20(LTE)+BW15(NR)

RSE-H&H DC_2A_n66A BW20(LTE)+BW15(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
794.360	-54.06	39.73	-25.0	-29.06	362.00	Horizontal	Horizontal	Pass
1743.900	6.32	43.20	-25.0	31.32	128.00	Horizontal	Horizontal	N/A
1871.100	9.48	43.89	-25.0	34.48	155.00	Horizontal	Horizontal	N/A
1960.100	-39.16	43.93	-25.0	-14.16	183.00	Horizontal	Horizontal	N/A
6688.800	-48.76	11.89	-25.0	-23.76	308.00	Horizontal	Horizontal	Pass
17417.511	-40.26	22.66	-25.0	-15.26	166.00	Horizontal	Horizontal	Pass

RSE-H&V DC_2A_n66A BW20(LTE)+BW15(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
910.226	-53.20	41.15	-25.0	-28.20	294.00	Horizontal	Vertical	Pass
1746.300	4.89	43.27	-25.0	29.89	361.00	Horizontal	Vertical	N/A
1871.200	9.95	43.90	-25.0	34.95	83.00	Horizontal	Vertical	N/A
6614.000	-49.33	12.34	-25.0	-24.33	229.00	Horizontal	Vertical	Pass
14899.875	-41.63	20.50	-25.0	-16.63	252.00	Horizontal	Vertical	Pass
17586.301	-40.25	22.12	-25.0	-15.25	235.00	Horizontal	Vertical	Pass

RSE-V&V DC_2A_n66A BW20(LTE)+BW15(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
940.200	-52.15	41.50	-25.0	-27.15	361.00	Vertical	Vertical	Pass
1741.900	1.80	43.05	-25.0	26.80	89.00	Vertical	Vertical	N/A
1871.200	12.79	43.90	-25.0	37.79	344.00	Vertical	Vertical	N/A
1960.200	-43.13	43.93	-25.0	-18.13	89.00	Vertical	Vertical	N/A
6687.400	-49.07	11.94	-25.0	-24.07	250.00	Vertical	Vertical	Pass
17382.339	-39.65	22.28	-25.0	-14.65	261.00	Vertical	Vertical	Pass


RSE-V&H DC_2A_n66A BW20(LTE)+BW15(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
839.368	-53.43	40.50	-25.0	-28.43	106.00	Vertical	Horizontal	Pass
1744.300	-9.62	43.24	-25.0	15.38	271.00	Vertical	Horizontal	N/A
1870.900	13.70	43.88	-25.0	38.70	59.00	Vertical	Horizontal	N/A
6756.800	-49.15	11.55	-25.0	-24.15	27.00	Vertical	Horizontal	Pass
15048.188	-42.27	20.33	-25.0	-17.27	47.00	Vertical	Horizontal	Pass
17594.438	-40.27	22.03	-25.0	-15.27	311.00	Vertical	Horizontal	Pass


59.3 DC_2A_n66A BW20(LTE)+BW20(NR)

RSE-H&H DC_2A_n66A BW20(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
908.190	-53.50	41.18	-25.0	-28.50	324.00	Horizontal	Horizontal	Pass
1747.200	4.97	43.22	-25.0	29.97	130.00	Horizontal	Horizontal	N/A
1871.000	13.02	43.89	-25.0	38.02	15.00	Horizontal	Horizontal	N/A
1960.100	-37.80	43.93	-25.0	-12.80	188.00	Horizontal	Horizontal	N/A
6980.000	-48.05	13.84	-25.0	-23.05	61.00	Horizontal	Horizontal	Pass
17375.513	-40.34	22.07	-25.0	-15.34	329.00	Horizontal	Horizontal	Pass

RSE-H&V DC_2A_n66A BW20(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
849.893	-53.27	40.50	-25.0	-28.27	93.00	Horizontal	Vertical	Pass
1743.000	4.51	43.12	-25.0	29.51	0.00	Horizontal	Vertical	N/A
1871.200	11.40	43.90	-25.0	36.40	65.00	Horizontal	Vertical	N/A
6789.000	-49.40	12.37	-25.0	-24.40	360.00	Horizontal	Vertical	Pass
14919.562	-41.33	19.77	-25.0	-16.33	202.00	Horizontal	Vertical	Pass
17591.812	-40.04	22.06	-25.0	-15.04	322.00	Horizontal	Vertical	Pass

RSE-V&V DC_2A_n66A BW20(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
928.123	-53.14	41.52	-25.0	-28.14	287.00	Vertical	Vertical	Pass
1747.300	1.69	43.21	-25.0	26.69	77.00	Vertical	Vertical	N/A
1871.200	11.76	43.90	-25.0	36.76	339.00	Vertical	Vertical	N/A
1960.000	-41.44	43.93	-25.0	-16.44	198.00	Vertical	Vertical	N/A
6986.200	-48.51	13.70	-25.0	-23.51	83.00	Vertical	Vertical	Pass
17424.863	-40.18	22.53	-25.0	-15.18	63.00	Vertical	Vertical	Pass

RSE-V&H DC_2A_n66A BW20(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
940.102	-52.21	41.51	-25.0	-27.21	236.00	Vertical	Horizontal	Pass
1740.200	-9.99	42.98	-25.0	15.01	277.00	Vertical	Horizontal	N/A
1871.200	9.99	43.90	-25.0	34.99	116.00	Vertical	Horizontal	N/A
6777.400	-48.45	11.87	-25.0	-23.45	360.00	Vertical	Horizontal	Pass
14904.075	-42.60	20.35	-25.0	-17.60	360.00	Vertical	Horizontal	Pass
17429.588	-40.01	22.41	-25.0	-15.01	360.00	Vertical	Horizontal	Pass

60 DC_5A_n7A


60.1 DC_5A_n7A BW10(LTE)+BW5(NR)

RSE-H&H DC_5A_n7A BW10(LTE)+BW5(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.190	2.04	40.37	-25.0	27.04	114.00	Horizontal	Horizontal	N/A
1401.100	-46.49	45.14	-25.0	-21.49	211.00	Horizontal	Horizontal	Pass
2535.800	12.09	45.78	-25.0	37.09	219.00	Horizontal	Horizontal	N/A
3703.000	-57.83	4.89	-25.0	-32.83	291.00	Horizontal	Horizontal	Pass
6633.200	-49.18	12.12	-25.0	-24.18	259.00	Horizontal	Horizontal	Pass
17586.563	-39.49	22.12	-25.0	-14.49	0.00	Horizontal	Horizontal	Pass

RSE-H&V DC_5A_n7A BW10(LTE)+BW5(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.093	-8.23	40.37	-25.0	16.77	202.00	Horizontal	Vertical	N/A
1388.000	-47.33	44.92	-25.0	-22.33	20.00	Horizontal	Vertical	Pass
2534.700	10.50	45.73	-25.0	35.50	143.00	Horizontal	Vertical	N/A
3696.800	-57.70	5.22	-25.0	-32.70	149.00	Horizontal	Vertical	Pass
6975.400	-48.77	13.72	-25.0	-23.77	53.00	Horizontal	Vertical	Pass
17595.750	-40.10	22.02	-25.0	-15.10	288.00	Horizontal	Vertical	Pass

RSE-V&V DC_5A_n7A BW10(LTE)+BW5(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.093	-3.42	40.37	-25.0	21.58	107.00	Vertical	Vertical	N/A
1406.300	-46.79	44.95	-25.0	-21.79	210.00	Vertical	Vertical	Pass
2535.000	8.07	45.72	-25.0	33.07	243.00	Vertical	Vertical	N/A
3647.400	-57.35	4.48	-25.0	-32.35	164.00	Vertical	Vertical	Pass
6964.200	-48.50	13.14	-25.0	-23.50	112.00	Vertical	Vertical	Pass
17584.464	-39.61	22.14	-25.0	-14.61	141.00	Vertical	Vertical	Pass


RSE-V&H DC_5A_n7A BW10(LTE)+BW5(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.044	0.30	40.37	-25.0	25.30	63.00	Vertical	Horizontal	N/A
1388.700	-47.23	44.94	-25.0	-22.23	201.00	Vertical	Horizontal	Pass
2534.600	-2.38	45.73	-25.0	22.62	47.00	Vertical	Horizontal	N/A
3799.400	-57.97	4.64	-25.0	-32.97	71.00	Vertical	Horizontal	Pass
6983.000	-47.83	13.90	-25.0	-22.83	207.00	Vertical	Horizontal	Pass
17330.362	-40.08	21.08	-25.0	-15.08	241.00	Vertical	Horizontal	Pass


60.2 DC_5A_n7A BW10(LTE)+BW15(NR)

RSE-H&H DC_5A_n7A BW10(LTE)+BW15(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.093	0.72	40.37	-25.0	25.72	115.00	Horizontal	Horizontal	N/A
1389.500	-47.42	44.95	-25.0	-22.42	360.00	Horizontal	Horizontal	Pass
2536.700	8.22	45.92	-25.0	33.22	219.00	Horizontal	Horizontal	N/A
3709.200	-57.59	4.51	-25.0	-32.59	89.00	Horizontal	Horizontal	Pass
6608.600	-49.40	12.25	-25.0	-24.40	210.00	Horizontal	Horizontal	Pass
18021.675	-39.87	22.92	-25.0	-14.87	37.00	Horizontal	Horizontal	Pass

RSE-H&V DC_5A_n7A BW10(LTE)+BW15(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.190	-5.38	40.37	-25.0	19.62	356.00	Horizontal	Vertical	N/A
1404.000	-47.89	45.03	-25.0	-22.89	89.00	Horizontal	Vertical	Pass
2537.100	6.92	45.98	-25.0	31.92	156.00	Horizontal	Vertical	N/A
3834.000	-57.34	5.47	-25.0	-32.34	165.00	Horizontal	Vertical	Pass
6965.400	-47.59	13.16	-25.0	-22.59	116.00	Horizontal	Vertical	Pass
17465.025	-38.90	21.73	-25.0	-13.90	0.00	Horizontal	Vertical	Pass

RSE-V&V DC_5A_n7A BW10(LTE)+BW15(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.142	-3.04	40.37	-25.0	21.96	107.00	Vertical	Vertical	N/A
1391.800	-47.66	44.98	-25.0	-22.66	306.00	Vertical	Vertical	Pass
2533.200	5.31	45.79	-25.0	30.31	270.00	Vertical	Vertical	N/A
3696.800	-57.23	5.22	-25.0	-32.23	300.00	Vertical	Vertical	Pass
6978.000	-48.54	13.90	-25.0	-23.54	236.00	Vertical	Vertical	Pass
17579.739	-40.12	22.19	-25.0	-15.12	71.00	Vertical	Vertical	Pass


RSE-V&H DC_5A_n7A BW10(LTE)+BW15(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.142	-0.54	40.37	-25.0	24.46	63.00	Vertical	Horizontal	N/A
1378.200	-46.64	44.58	-25.0	-21.64	355.00	Vertical	Horizontal	Pass
2536.300	-9.36	45.85	-25.0	15.64	54.00	Vertical	Horizontal	N/A
3603.200	-58.66	3.19	-25.0	-33.66	169.00	Vertical	Horizontal	Pass
6999.600	-48.42	13.65	-25.0	-23.42	338.00	Vertical	Horizontal	Pass
17901.038	-39.96	22.83	-25.0	-14.96	46.00	Vertical	Horizontal	Pass


60.3 DC_5A_n7A BW10(LTE)+BW20(NR)

RSE-H&H DC_5A_n7A BW10(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.142	0.94	40.37	-25.0	25.94	0.00	Horizontal	Horizontal	N/A
1395.200	-47.40	45.12	-25.0	-22.40	276.00	Horizontal	Horizontal	Pass
2532.100	6.41	45.85	-25.0	31.41	220.00	Horizontal	Horizontal	N/A
3578.400	-58.33	3.75	-25.0	-33.33	285.00	Horizontal	Horizontal	Pass
6999.000	-48.43	13.64	-25.0	-23.43	360.00	Horizontal	Horizontal	Pass
17583.938	-40.02	22.15	-25.0	-15.02	75.00	Horizontal	Horizontal	Pass

RSE-H&V DC_5A_n7A BW10(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.142	-5.37	40.37	-25.0	19.63	187.00	Horizontal	Vertical	N/A
1400.400	-46.85	45.16	-25.0	-21.85	59.00	Horizontal	Vertical	Pass
2535.600	4.50	45.74	-25.0	29.50	119.00	Horizontal	Vertical	N/A
3575.200	-57.36	3.91	-25.0	-32.36	0.00	Horizontal	Vertical	Pass
6669.400	-49.22	11.61	-25.0	-24.22	0.00	Horizontal	Vertical	Pass
17411.213	-40.26	22.68	-25.0	-15.26	233.00	Horizontal	Vertical	Pass

RSE-V&V DC_5A_n7A BW10(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.142	-4.72	40.37	-25.0	20.28	22.00	Vertical	Vertical	N/A
1393.700	-47.87	45.06	-25.0	-22.87	21.00	Vertical	Vertical	Pass
2532.300	3.75	45.84	-25.0	28.75	274.00	Vertical	Vertical	N/A
3654.000	-57.41	4.26	-25.0	-32.41	295.00	Vertical	Vertical	Pass
6999.400	-48.23	13.65	-25.0	-23.23	155.00	Vertical	Vertical	Pass
17374.462	-40.48	22.03	-25.0	-15.48	268.00	Vertical	Vertical	Pass

RSE-V&H DC_5A_n7A BW10(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.093	0.04	40.37	-25.0	25.04	75.00	Vertical	Horizontal	N/A
1416.200	-46.85	44.73	-25.0	-21.85	130.00	Vertical	Horizontal	Pass
2531.800	-8.36	45.86	-25.0	16.64	57.00	Vertical	Horizontal	N/A
3651.800	-57.12	4.39	-25.0	-32.12	266.00	Vertical	Horizontal	Pass
6758.400	-48.75	11.51	-25.0	-23.75	341.00	Vertical	Horizontal	Pass
17591.026	-39.86	22.07	-25.0	-14.86	108.00	Vertical	Horizontal	Pass

61 DC_5A_n66A


61.1 DC_5A_n66A BW10(LTE)+BW5(NR)

RSE-H&H DC_5A_n66A BW10(LTE)+BW5(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.142	3.63	40.37	-13.0	16.63	110.00	Horizontal	Horizontal	N/A
884.085	-45.58	40.58	-13.0	-32.58	360.00	Horizontal	Horizontal	N/A
1745.200	10.56	43.29	-13.0	23.56	117.00	Horizontal	Horizontal	N/A
6684.800	-48.85	12.01	-13.0	-35.85	202.00	Horizontal	Horizontal	Pass
14929.800	-41.57	19.66	-13.0	-28.57	3.00	Horizontal	Horizontal	Pass
17428.275	-40.31	22.45	-13.0	-27.31	278.00	Horizontal	Horizontal	Pass

RSE-H&V DC_5A_n66A BW10(LTE)+BW5(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.093	-6.59	40.37	-13.0	6.41	42.00	Horizontal	Vertical	N/A
877.101	-46.51	40.35	-13.0	-33.51	360.00	Horizontal	Vertical	N/A
1745.000	9.99	43.29	-13.0	22.99	0.00	Horizontal	Vertical	N/A
6961.600	-48.33	12.89	-13.0	-35.33	243.00	Horizontal	Vertical	Pass
14905.912	-42.39	20.28	-13.0	-29.39	180.00	Horizontal	Vertical	Pass
17385.224	-40.49	22.35	-13.0	-27.49	266.00	Horizontal	Vertical	Pass

RSE-V&V DC_5A_n66A BW10(LTE)+BW5(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.044	-3.52	40.37	-13.0	9.48	109.00	Vertical	Vertical	N/A
883.843	-50.80	40.54	-13.0	-37.80	360.00	Vertical	Vertical	N/A
1744.700	7.12	43.28	-13.0	20.12	63.00	Vertical	Vertical	N/A
2143.400	-42.18	46.01	-13.0	-29.18	167.00	Vertical	Vertical	N/A
6686.200	-49.30	12.01	-13.0	-36.30	69.00	Vertical	Vertical	Pass
17375.250	-40.39	22.06	-13.0	-27.39	341.00	Vertical	Vertical	Pass


RSE-V&H DC_5A_n66A BW10(LTE)+BW5(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.190	-6.38	40.37	-13.0	6.62	96.00	Vertical	Horizontal	N/A
881.321	-47.04	40.28	-13.0	-34.04	116.00	Vertical	Horizontal	N/A
1745.000	-5.30	43.29	-13.0	7.70	177.00	Vertical	Horizontal	N/A
6667.200	-49.57	11.56	-13.0	-36.57	360.00	Vertical	Horizontal	Pass
14896.987	-42.22	20.52	-13.0	-29.22	199.00	Vertical	Horizontal	Pass
17567.400	-40.20	22.37	-13.0	-27.20	68.00	Vertical	Horizontal	Pass


61.2 DC_5A_n66A BW10(LTE)+BW15(NR)

RSE-H&H DC_5A_n66A BW10(LTE)+BW15(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.142	0.60	40.37	-13.0	13.60	360.00	Horizontal	Horizontal	N/A
884.134	-44.46	40.58	-13.0	-31.46	179.00	Horizontal	Horizontal	N/A
1746.500	5.93	43.27	-13.0	18.93	181.00	Horizontal	Horizontal	N/A
6974.000	-48.24	13.69	-13.0	-35.24	316.00	Horizontal	Horizontal	Pass
15184.950	-42.19	19.44	-13.0	-29.19	207.00	Horizontal	Horizontal	Pass
17593.125	-39.82	22.05	-13.0	-26.82	117.00	Horizontal	Horizontal	Pass

RSE-H&V DC_5A_n66A BW10(LTE)+BW15(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.044	-5.34	40.37	-13.0	7.66	25.00	Horizontal	Vertical	N/A
884.182	-46.71	40.59	-13.0	-33.71	251.00	Horizontal	Vertical	N/A
1743.800	5.48	43.19	-13.0	18.48	0.00	Horizontal	Vertical	N/A
6737.800	-48.80	12.04	-13.0	-35.80	116.00	Horizontal	Vertical	Pass
15092.813	-42.26	19.35	-13.0	-29.26	71.00	Horizontal	Vertical	Pass
17872.949	-40.24	22.44	-13.0	-27.24	116.00	Horizontal	Vertical	Pass

RSE-V&V DC_5A_n66A BW10(LTE)+BW15(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.142	-3.20	40.37	-13.0	9.80	72.00	Vertical	Vertical	N/A
881.806	-48.21	40.30	-13.0	-35.21	317.00	Vertical	Vertical	N/A
1745.000	1.10	43.29	-13.0	14.10	205.00	Vertical	Vertical	N/A
6680.400	-49.45	11.78	-13.0	-36.45	93.00	Vertical	Vertical	Pass
14899.088	-42.44	20.51	-13.0	-29.44	236.00	Vertical	Vertical	Pass
17472.375	-40.04	21.72	-13.0	-27.04	328.00	Vertical	Vertical	Pass


RSE-V&H DC_5A_n66A BW10(LTE)+BW15(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.142	-4.82	40.37	-13.0	8.18	357.00	Vertical	Horizontal	N/A
884.085	-47.04	40.58	-13.0	-34.04	335.00	Vertical	Horizontal	N/A
1746.300	-11.87	43.27	-13.0	1.13	270.00	Vertical	Horizontal	N/A
6995.600	-48.18	13.55	-13.0	-35.18	252.00	Vertical	Horizontal	Pass
14897.776	-42.03	20.52	-13.0	-29.03	328.00	Vertical	Horizontal	Pass
17370.788	-40.07	21.90	-13.0	-27.07	283.00	Vertical	Horizontal	Pass


61.3 DC_5A_n66A BW10(LTE)+BW20(NR)

RSE-H&H DC_5A_n66A BW10(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.093	2.63	40.37	-13.0	15.63	74.00	Horizontal	Horizontal	N/A
881.708	-48.74	40.30	-13.0	-35.74	164.00	Horizontal	Horizontal	N/A
1744.200	4.92	43.23	-13.0	17.92	130.00	Horizontal	Horizontal	N/A
6998.400	-48.47	13.63	-13.0	-35.47	236.00	Horizontal	Horizontal	Pass
14922.450	-41.77	19.73	-13.0	-28.77	284.00	Horizontal	Horizontal	Pass
17450.850	-39.82	21.92	-13.0	-26.82	260.00	Horizontal	Horizontal	Pass

RSE-H&V DC_5A_n66A BW10(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.044	-5.50	40.37	-13.0	7.50	3.00	Horizontal	Vertical	N/A
881.903	-44.26	40.31	-13.0	-31.26	349.00	Horizontal	Vertical	N/A
1745.400	4.54	43.29	-13.0	17.54	0.00	Horizontal	Vertical	N/A
6615.200	-48.48	12.33	-13.0	-35.48	284.00	Horizontal	Vertical	Pass
14917.200	-42.39	19.86	-13.0	-29.39	242.00	Horizontal	Vertical	Pass
17605.462	-40.43	21.92	-13.0	-27.43	76.00	Horizontal	Vertical	Pass

RSE-V&V DC_5A_n66A BW10(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.093	-3.72	40.37	-13.0	9.28	95.00	Vertical	Vertical	N/A
884.182	-45.38	40.59	-13.0	-32.38	73.00	Vertical	Vertical	N/A
1747.700	-0.02	43.15	-13.0	12.98	75.00	Vertical	Vertical	N/A
2137.000	-42.33	45.92	-13.0	-29.33	120.00	Vertical	Vertical	N/A
6976.000	-48.34	13.74	-13.0	-35.34	240.00	Vertical	Vertical	Pass
17463.450	-40.28	21.74	-13.0	-27.28	76.00	Vertical	Vertical	Pass

RSE-V&H DC_5A_n66A BW10(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.093	-2.32	40.37	-13.0	10.68	273.00	Vertical	Horizontal	N/A
881.369	-47.10	40.28	-13.0	-34.10	360.00	Vertical	Horizontal	N/A
1744.400	-11.14	43.25	-13.0	1.86	77.00	Vertical	Horizontal	N/A
6984.000	-48.51	13.80	-13.0	-35.51	218.00	Vertical	Horizontal	Pass
14915.100	-41.95	19.94	-13.0	-28.95	28.00	Vertical	Horizontal	Pass
17418.037	-39.81	22.66	-13.0	-26.81	52.00	Vertical	Horizontal	Pass

62 DC_7A_n5A


62.1 DC_7A_n5A BW20(LTE)+BW5(NR)

RSE-H&H DC_7A_n5A BW20(LTE)+BW5(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
835.731	2.64	40.53	-25.0	27.64	262.00	Horizontal	Horizontal	N/A
880.399	-34.11	40.24	-25.0	-9.11	245.00	Horizontal	Horizontal	N/A
2530.100	8.63	45.99	-25.0	33.63	336.00	Horizontal	Horizontal	N/A
2661.600	-36.70	46.18	-25.0	-11.70	239.00	Horizontal	Horizontal	N/A
6999.000	-48.15	13.64	-25.0	-23.15	339.00	Horizontal	Horizontal	Pass
17474.214	-39.72	21.71	-25.0	-14.72	93.00	Horizontal	Horizontal	Pass

RSE-H&V DC_7A_n5A BW20(LTE)+BW5(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
836.943	-4.44	40.54	-25.0	20.56	158.00	Horizontal	Vertical	N/A
883.406	-34.87	40.49	-25.0	-9.87	232.00	Horizontal	Vertical	N/A
2537.900	-1.48	46.02	-25.0	23.52	141.00	Horizontal	Vertical	N/A
2653.800	-36.41	46.05	-25.0	-11.41	259.00	Horizontal	Vertical	N/A
6788.800	-49.72	12.36	-25.0	-24.72	359.00	Horizontal	Vertical	Pass
17369.739	-40.32	21.86	-25.0	-15.32	76.00	Horizontal	Vertical	Pass

RSE-V&V DC_7A_n5A BW20(LTE)+BW5(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
837.234	3.83	40.54	-25.0	28.83	279.00	Vertical	Vertical	N/A
880.496	-42.73	40.24	-25.0	-17.73	259.00	Vertical	Vertical	N/A
2532.300	4.38	45.84	-25.0	29.38	236.00	Vertical	Vertical	N/A
6670.800	-48.85	11.65	-25.0	-23.85	183.00	Vertical	Vertical	Pass
10900.513	-47.09	17.72	-25.0	-22.09	0.00	Vertical	Vertical	Pass
17581.050	-39.91	22.18	-25.0	-14.91	18.00	Vertical	Vertical	Pass


RSE-V&H DC_7A_n5A BW20(LTE)+BW5(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
835.682	-2.68	40.53	-25.0	22.32	150.00	Vertical	Horizontal	N/A
881.272	-39.92	40.28	-25.0	-14.92	262.00	Vertical	Horizontal	N/A
2536.900	-4.69	45.95	-25.0	20.31	360.00	Vertical	Horizontal	N/A
4046.600	-56.62	5.35	-25.0	-31.62	47.00	Vertical	Horizontal	Pass
6997.800	-48.24	13.63	-25.0	-23.24	262.00	Vertical	Horizontal	Pass
17426.438	-40.40	22.49	-25.0	-15.40	49.00	Vertical	Horizontal	Pass


62.2 DC_7A_n5A BW20(LTE)+BW15(NR)

RSE-H&H DC_7A_n5A BW20(LTE)+BW15(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
834.324	-0.96	40.46	-25.0	24.04	260.00	Horizontal	Horizontal	N/A
875.549	-41.05	40.35	-25.0	-16.05	190.00	Horizontal	Horizontal	N/A
2538.500	8.59	46.01	-25.0	33.59	339.00	Horizontal	Horizontal	N/A
2657.000	-34.36	46.15	-25.0	-9.36	244.00	Horizontal	Horizontal	N/A
6972.000	-48.68	13.63	-25.0	-23.68	42.00	Horizontal	Horizontal	Pass
17420.136	-40.28	22.65	-25.0	-15.28	125.00	Horizontal	Horizontal	Pass

RSE-H&V DC_7A_n5A BW20(LTE)+BW15(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
834.324	-8.86	40.46	-25.0	16.14	143.00	Horizontal	Vertical	N/A
875.015	-40.10	40.29	-25.0	-15.10	47.00	Horizontal	Vertical	N/A
2537.100	-1.94	45.98	-25.0	23.06	152.00	Horizontal	Vertical	N/A
6676.400	-49.26	11.72	-25.0	-24.26	116.00	Horizontal	Vertical	Pass
10891.025	-46.37	17.46	-25.0	-21.37	184.00	Horizontal	Vertical	Pass
18182.750	-40.33	22.39	-25.0	-15.33	202.00	Horizontal	Vertical	Pass

RSE-V&V DC_7A_n5A BW20(LTE)+BW15(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
835.100	-2.75	40.51	-25.0	22.25	205.00	Vertical	Vertical	N/A
874.870	-42.37	40.27	-25.0	-17.37	0.00	Vertical	Vertical	N/A
2535.400	4.16	45.71	-25.0	29.16	247.00	Vertical	Vertical	N/A
2662.200	-40.50	46.14	-25.0	-15.50	126.00	Vertical	Vertical	N/A
6972.400	-48.94	13.66	-25.0	-23.94	0.00	Vertical	Vertical	Pass
17430.374	-40.28	22.39	-25.0	-15.28	78.00	Vertical	Vertical	Pass


RSE-V&H DC_7A_n5A BW20(LTE)+BW15(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
833.257	-7.98	40.39	-25.0	17.02	0.00	Vertical	Horizontal	N/A
878.119	-41.30	40.32	-25.0	-16.30	221.00	Vertical	Horizontal	N/A
2532.400	-2.07	45.83	-25.0	22.93	29.00	Vertical	Horizontal	N/A
6666.200	-49.31	11.55	-25.0	-24.31	82.00	Vertical	Horizontal	Pass
10658.150	-47.42	16.38	-25.0	-22.42	360.00	Vertical	Horizontal	Pass
17425.650	-40.32	22.51	-25.0	-15.32	39.00	Vertical	Horizontal	Pass


62.3 DC_7A_n5A BW20(LTE)+BW20(NR)

RSE-H&H DC_7A_n5A BW20(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
835.924	1.49	40.53	-25.0	26.49	263.00	Horizontal	Horizontal	N/A
873.754	-40.50	40.13	-25.0	-15.50	263.00	Horizontal	Horizontal	N/A
2533.600	8.28	45.77	-25.0	33.28	317.00	Horizontal	Horizontal	N/A
2647.600	-35.65	46.14	-25.0	-10.65	246.00	Horizontal	Horizontal	N/A
6969.000	-48.29	13.41	-25.0	-23.29	19.00	Horizontal	Horizontal	Pass
17422.762	-40.58	22.58	-25.0	-15.58	96.00	Horizontal	Horizontal	Pass

RSE-H&V DC_7A_n5A BW20(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
831.657	-10.00	40.37	-25.0	15.00	22.00	Horizontal	Vertical	N/A
873.706	-41.87	40.13	-25.0	-16.87	354.00	Horizontal	Vertical	N/A
2534.100	-2.81	45.75	-25.0	22.19	124.00	Horizontal	Vertical	N/A
6680.200	-48.76	11.78	-25.0	-23.76	331.00	Horizontal	Vertical	Pass
11579.300	-46.25	17.59	-25.0	-21.25	28.00	Horizontal	Vertical	Pass
17471.588	-40.51	21.72	-25.0	-15.51	136.00	Horizontal	Vertical	Pass

RSE-V&V DC_7A_n5A BW20(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
831.753	-3.79	40.37	-25.0	21.21	263.00	Vertical	Vertical	N/A
874.239	-46.18	40.19	-25.0	-21.18	53.00	Vertical	Vertical	N/A
2536.800	5.05	45.93	-25.0	30.05	262.00	Vertical	Vertical	N/A
6973.200	-48.41	13.67	-25.0	-23.41	309.00	Vertical	Vertical	Pass
11597.125	-46.64	17.95	-25.0	-21.64	360.00	Vertical	Vertical	Pass
17571.600	-40.73	22.31	-25.0	-15.73	62.00	Vertical	Vertical	Pass

RSE-V&H DC_7A_n5A BW20(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
840.289	-3.16	40.59	-25.0	21.84	143.00	Vertical	Horizontal	N/A
872.202	-38.52	40.18	-25.0	-13.52	96.00	Vertical	Horizontal	N/A
2534.400	-5.05	45.74	-25.0	19.95	28.00	Vertical	Horizontal	N/A
6739.400	-48.99	12.05	-25.0	-23.99	143.00	Vertical	Horizontal	Pass
10899.651	-47.25	17.71	-25.0	-22.25	148.00	Vertical	Horizontal	Pass
17424.337	-40.31	22.54	-25.0	-15.31	90.00	Vertical	Horizontal	Pass

63 DC_7A_n66A


63.1 DC_7A_n66A BW20(LTE)+BW5(NR)

RSE-H&H DC_7A_n66A BW20(LTE)+BW5(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
1744.400	11.29	43.25	-25.0	36.29	141.00	Horizontal	Horizontal	Fail
2144.600	-42.42	46.12	-25.0	-17.42	33.00	Horizontal	Horizontal	N/A
2526.200	12.61	46.11	-25.0	37.61	141.00	Horizontal	Horizontal	N/A
2655.100	-40.40	46.09	-25.0	-15.40	221.00	Horizontal	Horizontal	N/A
6992.800	-48.47	13.61	-25.0	-23.47	248.00	Horizontal	Horizontal	Pass
17328.787	-40.16	21.08	-25.0	-15.16	247.00	Horizontal	Horizontal	Pass

RSE-H&V DC_7A_n66A BW20(LTE)+BW5(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
848.631	-53.56	40.42	-25.0	-28.56	85.00	Horizontal	Vertical	Pass
1745.100	10.38	43.29	-25.0	35.38	354.00	Horizontal	Vertical	N/A
2526.300	3.31	46.12	-25.0	28.31	277.00	Horizontal	Vertical	N/A
6977.600	-48.93	13.86	-25.0	-23.93	58.00	Horizontal	Vertical	Pass
14922.974	-41.33	19.72	-25.0	-16.33	360.00	Horizontal	Vertical	Pass
17426.176	-40.06	22.50	-25.0	-15.06	330.00	Horizontal	Vertical	Pass

RSE-V&V DC_7A_n66A BW20(LTE)+BW5(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
872.639	-52.51	40.16	-25.0	-27.51	206.00	Vertical	Vertical	Pass
1745.400	7.14	43.29	-25.0	32.14	202.00	Vertical	Vertical	N/A
2526.100	9.35	46.11	-25.0	34.35	302.00	Vertical	Vertical	N/A
6994.600	-47.75	13.60	-25.0	-22.75	360.00	Vertical	Vertical	Pass
15064.200	-41.97	20.14	-25.0	-16.97	360.00	Vertical	Vertical	Pass
17379.449	-39.95	22.20	-25.0	-14.95	163.00	Vertical	Vertical	Pass


RSE-V&H DC_7A_n66A BW20(LTE)+BW5(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
888.498	-53.56	40.55	-25.0	-28.56	295.00	Vertical	Horizontal	Pass
1745.500	-5.30	43.28	-25.0	19.70	175.00	Vertical	Horizontal	N/A
2526.100	5.18	46.11	-25.0	30.18	350.00	Vertical	Horizontal	N/A
6976.400	-48.36	13.75	-25.0	-23.36	294.00	Vertical	Horizontal	Pass
14914.838	-42.37	19.95	-25.0	-17.37	360.00	Vertical	Horizontal	Pass
17422.500	-39.59	22.59	-25.0	-14.59	165.00	Vertical	Horizontal	Pass


63.2 DC_7A_n66A BW20(LTE)+BW15(NR)

RSE-H&H DC_7A_n66A BW20(LTE)+BW15(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
736.451	-55.39	38.68	-25.0	-30.39	62.00	Horizontal	Horizontal	Pass
1746.100	6.77	43.27	-25.0	31.77	130.00	Horizontal	Horizontal	N/A
2526.000	13.62	46.10	-25.0	38.62	140.00	Horizontal	Horizontal	N/A
6672.200	-49.82	11.58	-25.0	-24.82	360.00	Horizontal	Horizontal	Pass
14907.750	-41.88	20.21	-25.0	-16.88	197.00	Horizontal	Horizontal	Pass
21037.050	-40.30	25.42	-25.0	-15.30	225.00	Horizontal	Horizontal	Pass

RSE-H&V DC_7A_n66A BW20(LTE)+BW15(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
918.762	-50.67	41.29	-25.0	-25.67	362.00	Horizontal	Vertical	Pass
1745.300	5.96	43.29	-25.0	30.96	129.00	Horizontal	Vertical	N/A
2526.300	3.72	46.12	-25.0	28.72	139.00	Horizontal	Vertical	N/A
2655.400	-41.17	46.09	-25.0	-16.17	232.00	Horizontal	Vertical	N/A
6977.200	-48.02	13.82	-25.0	-23.02	210.00	Horizontal	Vertical	Pass
19339.198	-40.23	27.63	-25.0	-15.23	306.00	Horizontal	Vertical	Pass

RSE-V&V DC_7A_n66A BW20(LTE)+BW15(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
799.258	-54.05	40.05	-25.0	-29.05	262.00	Vertical	Vertical	Pass
1744.900	3.51	43.29	-25.0	28.51	93.00	Vertical	Vertical	N/A
2526.100	10.45	46.11	-25.0	35.45	168.00	Vertical	Vertical	N/A
6606.200	-49.82	12.20	-25.0	-24.82	185.00	Vertical	Vertical	Pass
14897.250	-41.95	20.52	-25.0	-16.95	0.00	Vertical	Vertical	Pass
17623.839	-40.23	21.71	-25.0	-15.23	24.00	Vertical	Vertical	Pass


RSE-V&H DC_7A_n66A BW20(LTE)+BW15(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
811.723	-54.14	40.11	-25.0	-29.14	43.00	Vertical	Horizontal	Pass
1746.800	-11.91	43.26	-25.0	13.09	67.00	Vertical	Horizontal	N/A
2526.200	5.31	46.11	-25.0	30.31	48.00	Vertical	Horizontal	N/A
6670.600	-48.99	11.65	-25.0	-23.99	12.00	Vertical	Horizontal	Pass
14907.225	-41.28	20.23	-25.0	-16.28	245.00	Vertical	Horizontal	Pass
17582.887	-39.94	22.16	-25.0	-14.94	360.00	Vertical	Horizontal	Pass


63.3 DC_7A_n66A BW20(LTE)+BW20(NR)

RSE-H&H DC_7A_n66A BW20(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
800.229	-54.40	40.02	-25.0	-29.40	4.00	Horizontal	Horizontal	Pass
1746.200	5.75	43.27	-25.0	30.75	190.00	Horizontal	Horizontal	N/A
2526.100	11.78	46.11	-25.0	36.78	154.00	Horizontal	Horizontal	N/A
6685.800	-48.94	12.03	-25.0	-23.94	107.00	Horizontal	Horizontal	Pass
14907.487	-42.26	20.22	-25.0	-17.26	203.00	Horizontal	Horizontal	Pass
17425.388	-40.04	22.52	-25.0	-15.04	323.00	Horizontal	Horizontal	Pass

RSE-H&V DC_7A_n66A BW20(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
784.321	-54.95	39.53	-25.0	-29.95	47.00	Horizontal	Vertical	Pass
1745.000	4.58	43.29	-25.0	29.58	-3.00	Horizontal	Vertical	N/A
2526.300	2.63	46.12	-25.0	27.63	134.00	Horizontal	Vertical	N/A
6779.000	-49.02	11.91	-25.0	-24.02	13.00	Horizontal	Vertical	Pass
14908.800	-42.39	20.17	-25.0	-17.39	351.00	Horizontal	Vertical	Pass
17426.176	-39.51	22.50	-25.0	-14.51	255.00	Horizontal	Vertical	Pass

RSE-V&V DC_7A_n66A BW20(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
774.184	-55.00	39.25	-25.0	-30.00	252.00	Vertical	Vertical	Pass
1747.700	1.56	43.15	-25.0	26.56	78.00	Vertical	Vertical	N/A
2526.000	9.87	46.10	-25.0	34.87	171.00	Vertical	Vertical	N/A
6686.400	-48.34	12.00	-25.0	-23.34	209.00	Vertical	Vertical	Pass
14917.463	-42.30	19.85	-25.0	-17.30	279.00	Vertical	Vertical	Pass
17622.262	-40.31	21.74	-25.0	-15.31	184.00	Vertical	Vertical	Pass


RSE-V&H DC_7A_n66A BW20(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
802.169	-53.80	39.96	-25.0	-28.80	202.00	Vertical	Horizontal	Pass
1740.600	-11.76	42.97	-25.0	13.24	86.00	Vertical	Horizontal	N/A
2526.100	4.82	46.11	-25.0	29.82	341.00	Vertical	Horizontal	N/A
6294.200	-50.52	11.24	-25.0	-25.52	173.00	Vertical	Horizontal	Pass
14895.412	-42.37	20.54	-25.0	-17.37	236.00	Vertical	Horizontal	Pass
17415.676	-40.11	22.67	-25.0	-15.11	117.00	Vertical	Horizontal	Pass


Down Down Antenna
 64 DC_2A_n66A
 64.1 DC_2A_n66A BW20(LTE)+BW5(NR)

RSE-H&H DC_2A_n66A BW20(LTE)+BW5(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
827.049	-53.43	40.16	-25.0	-28.43	360.00	Horizontal	Horizontal	Pass
1744.300	13.75	43.24	-25.0	38.75	320.00	Horizontal	Horizontal	N/A
1871.200	17.00	43.90	-25.0	42.00	83.00	Horizontal	Horizontal	N/A
3694.800	-57.98	5.19	-25.0	-32.98	27.00	Horizontal	Horizontal	Pass
6980.600	-48.61	13.78	-25.0	-23.61	139.00	Horizontal	Horizontal	Pass
17423.550	-40.38	22.56	-25.0	-15.38	33.00	Horizontal	Horizontal	Pass

RSE-H&V DC_2A_n66A BW20(LTE)+BW5(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
865.024	-52.40	40.02	-25.0	-27.40	127.00	Horizontal	Vertical	Pass
1744.900	5.39	43.29	-25.0	30.39	99.00	Horizontal	Vertical	N/A
1871.200	14.48	43.90	-25.0	39.48	138.00	Horizontal	Vertical	N/A
3646.400	-57.92	4.47	-25.0	-32.92	157.00	Horizontal	Vertical	Pass
6997.000	-47.93	13.60	-25.0	-22.93	179.00	Horizontal	Vertical	Pass
17421.976	-40.25	22.60	-25.0	-15.25	13.00	Horizontal	Vertical	Pass

RSE-V&V DC_2A_n66A BW20(LTE)+BW5(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
848.001	-53.05	40.40	-25.0	-28.05	-1.00	Vertical	Vertical	Pass
1744.500	11.27	43.26	-25.0	36.27	271.00	Vertical	Vertical	N/A
1871.300	18.29	43.91	-25.0	43.29	19.00	Vertical	Vertical	N/A
3579.600	-57.62	3.60	-25.0	-32.62	164.00	Vertical	Vertical	Pass
6999.600	-48.52	13.65	-25.0	-23.52	27.00	Vertical	Vertical	Pass
17410.163	-39.82	22.69	-25.0	-14.82	339.00	Vertical	Vertical	Pass


RSE-V&H DC_2A_n66A BW20(LTE)+BW5(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
885.152	-53.68	40.52	-25.0	-28.68	-1.00	Vertical	Horizontal	Pass
1745.200	3.28	43.29	-25.0	28.28	47.00	Vertical	Horizontal	N/A
1871.100	14.95	43.89	-25.0	39.95	84.00	Vertical	Horizontal	N/A
3688.800	-57.54	4.96	-25.0	-32.54	194.00	Vertical	Horizontal	Pass
6981.400	-48.49	13.83	-25.0	-23.49	360.00	Vertical	Horizontal	Pass
17424.599	-39.73	22.54	-25.0	-14.73	336.00	Vertical	Horizontal	Pass


64.2 DC_2A_n66A BW20(LTE)+BW15(NR)

RSE-H&H DC_2A_n66A BW20(LTE)+BW15(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
1742.600	10.79	43.08	-25.0	35.79	317.00	Horizontal	Horizontal	N/A
1886.000	6.99	43.96	-25.0	31.99	148.00	Horizontal	Horizontal	N/A
1967.600	-31.96	43.98	-25.0	-6.96	208.00	Horizontal	Horizontal	N/A
2140.300	-40.03	45.95	-25.0	-15.03	89.00	Horizontal	Horizontal	N/A
6680.000	-49.45	11.78	-25.0	-24.45	216.00	Horizontal	Horizontal	Pass
17749.838	-40.40	21.49	-25.0	-15.40	70.00	Horizontal	Horizontal	Pass

RSE-H&V DC_2A_n66A BW20(LTE)+BW15(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
901.011	-52.74	40.97	-25.0	-27.74	133.00	Horizontal	Vertical	Pass
1742.000	9.87	43.05	-25.0	34.87	160.00	Horizontal	Vertical	N/A
1877.400	5.18	44.00	-25.0	30.18	326.00	Horizontal	Vertical	N/A
6782.800	-48.89	12.12	-25.0	-23.89	356.00	Horizontal	Vertical	Pass
15050.550	-42.58	20.36	-25.0	-17.58	-1.00	Horizontal	Vertical	Pass
17420.663	-39.68	22.64	-25.0	-14.68	82.00	Horizontal	Vertical	Pass

RSE-V&V DC_2A_n66A BW20(LTE)+BW15(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
1742.100	7.55	43.06	-25.0	32.55	78.00	Vertical	Vertical	N/A
1886.000	6.55	43.96	-25.0	31.55	145.00	Vertical	Vertical	N/A
1954.400	-40.47	44.10	-25.0	-15.47	86.00	Vertical	Vertical	N/A
2138.800	-31.45	45.89	-25.0	-6.45	138.00	Vertical	Vertical	N/A
6978.800	-47.79	13.94	-25.0	-22.79	242.00	Vertical	Vertical	Pass
17418.301	-39.84	22.66	-25.0	-14.84	135.00	Vertical	Vertical	Pass


RSE-V&H DC_2A_n66A BW20(LTE)+BW15(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
875.598	-53.07	40.36	-25.0	-28.07	357.00	Vertical	Horizontal	Pass
1742.900	-0.07	43.11	-25.0	24.93	0.00	Vertical	Horizontal	N/A
1887.000	4.02	44.00	-25.0	29.02	11.00	Vertical	Horizontal	N/A
6999.000	-47.94	13.64	-25.0	-22.94	221.00	Vertical	Horizontal	Pass
14917.987	-41.97	19.83	-25.0	-16.97	220.00	Vertical	Horizontal	Pass
17566.349	-40.59	22.38	-25.0	-15.59	57.00	Vertical	Horizontal	Pass


64.3 DC_2A_n66A BW20(LTE)+BW20(NR)

RSE-H&H DC_2A_n66A BW20(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
1748.000	11.00	43.10	-25.0	36.00	324.00	Horizontal	Horizontal	N/A
1876.600	6.63	43.95	-25.0	31.63	153.00	Horizontal	Horizontal	N/A
1957.200	-33.79	44.16	-25.0	-8.79	209.00	Horizontal	Horizontal	N/A
2136.200	-37.62	45.99	-25.0	-12.62	259.00	Horizontal	Horizontal	N/A
6999.800	-47.66	13.65	-25.0	-22.66	0.00	Horizontal	Horizontal	Pass
17461.875	-39.38	21.74	-25.0	-14.38	106.00	Horizontal	Horizontal	Pass

RSE-H&V DC_2A_n66A BW20(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
872.251	-53.09	40.18	-25.0	-28.09	159.00	Horizontal	Vertical	Pass
1746.700	9.34	43.26	-25.0	34.34	0.00	Horizontal	Vertical	N/A
1882.200	5.29	44.16	-25.0	30.29	161.00	Horizontal	Vertical	N/A
6687.600	-48.90	11.93	-25.0	-23.90	231.00	Horizontal	Vertical	Pass
10903.099	-46.77	17.70	-25.0	-21.77	88.00	Horizontal	Vertical	Pass
17622.526	-40.09	21.74	-25.0	-15.09	350.00	Horizontal	Vertical	Pass

RSE-V&V DC_2A_n66A BW20(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
1742.500	6.58	43.08	-25.0	31.58	107.00	Vertical	Vertical	N/A
1880.900	6.81	44.08	-25.0	31.81	142.00	Vertical	Vertical	N/A
1962.700	-40.28	43.87	-25.0	-15.28	142.00	Vertical	Vertical	N/A
2137.900	-35.43	45.85	-25.0	-10.43	176.00	Vertical	Vertical	N/A
6998.200	-48.32	13.63	-25.0	-23.32	102.00	Vertical	Vertical	Pass
17418.824	-40.39	22.66	-25.0	-15.39	215.00	Vertical	Vertical	Pass

RSE-V&H DC_2A_n66A BW20(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
904.213	-53.87	40.98	-25.0	-28.87	44.00	Vertical	Horizontal	Pass
1746.400	1.12	43.27	-25.0	26.12	33.00	Vertical	Horizontal	N/A
1882.000	5.99	44.14	-25.0	30.99	42.00	Vertical	Horizontal	N/A
6967.600	-48.15	13.37	-25.0	-23.15	208.00	Vertical	Horizontal	Pass
14923.237	-42.36	19.72	-25.0	-17.36	350.00	Vertical	Horizontal	Pass
17469.489	-40.19	21.72	-25.0	-15.19	360.00	Vertical	Horizontal	Pass

65 DC_5A_n7A


65.1 DC_5A_n7A BW10(LTE)+BW5(NR)

RSE-H&H DC_5A_n7A BW10(LTE)+BW5(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.093	-0.12	40.37	-25.0	24.88	117.00	Horizontal	Horizontal	N/A
1401.900	-47.56	45.14	-25.0	-22.56	115.00	Horizontal	Horizontal	Pass
2534.400	12.41	45.74	-25.0	37.41	346.00	Horizontal	Horizontal	N/A
3638.400	-57.83	4.05	-25.0	-32.83	70.00	Horizontal	Horizontal	Pass
6986.800	-48.26	13.70	-25.0	-23.26	3.00	Horizontal	Horizontal	Pass
17421.976	-40.15	22.60	-25.0	-15.15	163.00	Horizontal	Horizontal	Pass

RSE-H&V DC_5A_n7A BW10(LTE)+BW5(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.044	-9.80	40.37	-25.0	15.20	200.00	Horizontal	Vertical	N/A
1395.500	-47.19	45.13	-25.0	-22.19	272.00	Horizontal	Vertical	Pass
2535.400	4.09	45.71	-25.0	29.09	130.00	Horizontal	Vertical	N/A
3698.400	-57.96	5.11	-25.0	-32.96	188.00	Horizontal	Vertical	Pass
6989.600	-47.92	13.45	-25.0	-22.92	297.00	Horizontal	Vertical	Pass
17582.887	-39.77	22.16	-25.0	-14.77	269.00	Horizontal	Vertical	Pass

RSE-V&V DC_5A_n7A BW10(LTE)+BW5(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.093	-3.20	40.37	-25.0	21.80	265.00	Vertical	Vertical	N/A
1401.900	-47.44	45.14	-25.0	-22.44	78.00	Vertical	Vertical	Pass
2534.100	8.25	45.75	-25.0	33.25	218.00	Vertical	Vertical	N/A
3655.200	-57.15	4.20	-25.0	-32.15	123.00	Vertical	Vertical	Pass
6969.400	-48.52	13.41	-25.0	-23.52	7.00	Vertical	Vertical	Pass
17591.288	-39.46	22.07	-25.0	-14.46	148.00	Vertical	Vertical	Pass


RSE-V&H DC_5A_n7A BW10(LTE)+BW5(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.093	0.24	40.37	-25.0	25.24	64.00	Vertical	Horizontal	N/A
1402.400	-46.49	45.14	-25.0	-21.49	289.00	Vertical	Horizontal	Pass
2535.200	-0.08	45.71	-25.0	24.92	205.00	Vertical	Horizontal	N/A
3650.800	-57.56	4.46	-25.0	-32.56	46.00	Vertical	Horizontal	Pass
6978.200	-48.31	13.92	-25.0	-23.31	46.00	Vertical	Horizontal	Pass
17575.274	-40.27	22.26	-25.0	-15.27	332.00	Vertical	Horizontal	Pass


65.2 DC_5A_n7A BW10(LTE)+BW15(NR)

RSE-H&H DC_5A_n7A BW10(LTE)+BW15(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.093	0.81	40.37	-25.0	25.81	198.00	Horizontal	Horizontal	N/A
1389.000	-47.62	44.94	-25.0	-22.62	239.00	Horizontal	Horizontal	Pass
2536.800	8.57	45.93	-25.0	33.57	333.00	Horizontal	Horizontal	N/A
3695.000	-57.75	5.22	-25.0	-32.75	20.00	Horizontal	Horizontal	Pass
6985.400	-48.43	13.70	-25.0	-23.43	321.00	Horizontal	Horizontal	Pass
17301.750	-40.09	21.13	-25.0	-15.09	307.00	Horizontal	Horizontal	Pass

RSE-H&V DC_5A_n7A BW10(LTE)+BW15(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.093	-5.87	40.37	-25.0	19.13	346.00	Horizontal	Vertical	N/A
1396.000	-47.58	45.15	-25.0	-22.58	160.00	Horizontal	Vertical	Pass
2532.100	1.15	45.85	-25.0	26.15	129.00	Horizontal	Vertical	N/A
3757.000	-57.71	3.61	-25.0	-32.71	188.00	Horizontal	Vertical	Pass
6978.600	-48.30	13.96	-25.0	-23.30	188.00	Horizontal	Vertical	Pass
17416.989	-39.60	22.66	-25.0	-14.60	211.00	Horizontal	Vertical	Pass

RSE-V&V DC_5A_n7A BW10(LTE)+BW15(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.093	-3.11	40.37	-25.0	21.89	276.00	Vertical	Vertical	N/A
1400.000	-47.07	45.18	-25.0	-22.07	143.00	Vertical	Vertical	Pass
2534.200	5.85	45.75	-25.0	30.85	248.00	Vertical	Vertical	N/A
3652.000	-57.92	4.38	-25.0	-32.92	40.00	Vertical	Vertical	Pass
6966.200	-48.57	13.21	-25.0	-23.57	353.00	Vertical	Vertical	Pass
17414.625	-39.44	22.67	-25.0	-14.44	17.00	Vertical	Vertical	Pass


RSE-V&H DC_5A_n7A BW10(LTE)+BW15(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.093	0.28	40.37	-25.0	25.28	87.00	Vertical	Horizontal	N/A
1400.300	-47.44	45.16	-25.0	-22.44	243.00	Vertical	Horizontal	Pass
2533.200	-3.49	45.79	-25.0	21.51	18.00	Vertical	Horizontal	N/A
3780.200	-57.64	3.98	-25.0	-32.64	32.00	Vertical	Horizontal	Pass
6997.000	-48.34	13.60	-25.0	-23.34	158.00	Vertical	Horizontal	Pass
17597.850	-39.82	21.99	-25.0	-14.82	118.00	Vertical	Horizontal	Pass


65.3 DC_5A_n7A BW10(LTE)+BW20(NR)

RSE-H&H DC_5A_n7A BW10(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.093	0.61	40.37	-25.0	25.61	333.00	Horizontal	Horizontal	N/A
1403.400	-47.24	45.08	-25.0	-22.24	191.00	Horizontal	Horizontal	Pass
2532.200	8.29	45.84	-25.0	33.29	330.00	Horizontal	Horizontal	N/A
3578.800	-57.69	3.72	-25.0	-32.69	15.00	Horizontal	Horizontal	Pass
6979.400	-48.10	13.89	-25.0	-23.10	275.00	Horizontal	Horizontal	Pass
17588.400	-39.60	22.10	-25.0	-14.60	64.00	Horizontal	Horizontal	Pass

RSE-H&V DC_5A_n7A BW10(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.093	-5.21	40.37	-25.0	19.79	165.00	Horizontal	Vertical	N/A
1397.800	-47.15	45.16	-25.0	-22.15	301.00	Horizontal	Vertical	Pass
2537.900	-0.05	46.02	-25.0	24.95	142.00	Horizontal	Vertical	N/A
3695.200	-58.22	5.25	-25.0	-33.22	318.00	Horizontal	Vertical	Pass
6977.000	-48.43	13.80	-25.0	-23.43	234.00	Horizontal	Vertical	Pass
17616.488	-39.94	21.82	-25.0	-14.94	111.00	Horizontal	Vertical	Pass

RSE-V&V DC_5A_n7A BW10(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.093	-3.11	40.37	-25.0	21.89	264.00	Vertical	Vertical	N/A
1394.900	-47.44	45.11	-25.0	-22.44	259.00	Vertical	Vertical	Pass
2535.900	5.10	45.79	-25.0	30.10	259.00	Vertical	Vertical	N/A
3685.600	-58.00	4.80	-25.0	-33.00	199.00	Vertical	Vertical	Pass
6973.200	-48.37	13.67	-25.0	-23.37	113.00	Vertical	Vertical	Pass
17383.387	-40.21	22.31	-25.0	-15.21	76.00	Vertical	Vertical	Pass

RSE-V&H DC_5A_n7A BW10(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.044	0.62	40.37	-25.0	25.62	72.00	Vertical	Horizontal	N/A
1402.200	-47.19	45.14	-25.0	-22.19	73.00	Vertical	Horizontal	Pass
2532.200	-5.38	45.84	-25.0	19.62	207.00	Vertical	Horizontal	N/A
3650.400	-57.76	4.47	-25.0	-32.76	0.00	Vertical	Horizontal	Pass
6979.200	-48.28	13.90	-25.0	-23.28	229.00	Vertical	Horizontal	Pass
17327.475	-40.09	21.08	-25.0	-15.09	22.00	Vertical	Horizontal	Pass



66 DC_5A_n66A


66.1 DC_5A_n66A BW10(LTE)+BW5(NR)

RSE-H&H DC_5A_n66A BW10(LTE)+BW5(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.044	2.49	40.37	-13.0	15.49	191.00	Horizontal	Horizontal	N/A
1745.600	13.79	43.28	-13.0	26.79	314.00	Horizontal	Horizontal	N/A
3652.600	-57.76	4.34	-13.0	-44.76	89.00	Horizontal	Horizontal	Pass
6986.400	-48.12	13.70	-13.0	-35.12	334.00	Horizontal	Horizontal	Pass
14901.450	-42.52	20.45	-13.0	-29.52	-3.00	Horizontal	Horizontal	Pass
17462.925	-40.49	21.74	-13.0	-27.49	205.00	Horizontal	Horizontal	Pass

RSE-H&V DC_5A_n66A BW10(LTE)+BW5(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.044	-4.37	40.37	-13.0	8.63	116.00	Horizontal	Vertical	N/A
1744.800	13.92	43.29	-13.0	26.92	11.00	Horizontal	Vertical	N/A
3925.400	-57.77	4.92	-13.0	-44.77	342.00	Horizontal	Vertical	Pass
6998.000	-48.63	13.63	-13.0	-35.63	73.00	Horizontal	Vertical	Pass
14922.188	-42.20	19.73	-13.0	-29.20	135.00	Horizontal	Vertical	Pass
17325.638	-40.01	21.08	-13.0	-27.01	301.00	Horizontal	Vertical	Pass

RSE-V&V DC_5A_n66A BW10(LTE)+BW5(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.093	-1.77	40.37	-13.0	11.23	256.00	Vertical	Vertical	N/A
1744.400	10.25	43.25	-13.0	23.25	210.00	Vertical	Vertical	N/A
3835.000	-57.57	5.57	-13.0	-44.57	129.00	Vertical	Vertical	Pass
6977.200	-48.58	13.82	-13.0	-35.58	143.00	Vertical	Vertical	Pass
14907.225	-42.39	20.23	-13.0	-29.39	74.00	Vertical	Vertical	Pass
17467.912	-40.66	21.73	-13.0	-27.66	138.00	Vertical	Vertical	Pass


RSE-V&H DC_5A_n66A BW10(LTE)+BW5(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.093	-4.65	40.37	-25.0	20.35	119.00	Vertical	Horizontal	N/A
1745.300	5.42	43.29	-25.0	30.42	70.00	Vertical	Horizontal	N/A
3649.600	-58.16	4.48	-25.0	-33.16	348.00	Vertical	Horizontal	Pass
6801.000	-48.91	12.35	-25.0	-23.91	14.00	Vertical	Horizontal	Pass
14946.076	-42.59	19.61	-25.0	-17.59	300.00	Vertical	Horizontal	Pass
17870.588	-39.96	22.37	-25.0	-14.96	334.00	Vertical	Horizontal	Pass


66.2 DC_5A_n66A BW10(LTE)+BW15(NR)

RSE-H&H DC_5A_n66A BW10(LTE)+BW15(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.093	2.60	40.37	-13.0	15.60	326.00	Horizontal	Horizontal	N/A
1745.900	9.82	43.28	-13.0	22.82	324.00	Horizontal	Horizontal	N/A
3835.400	-57.08	5.61	-13.0	-44.08	0.00	Horizontal	Horizontal	Pass
6603.000	-49.36	11.94	-13.0	-36.36	18.00	Horizontal	Horizontal	Pass
14917.987	-42.29	19.83	-13.0	-29.29	349.00	Horizontal	Horizontal	Pass
17476.313	-40.36	21.71	-13.0	-27.36	349.00	Horizontal	Horizontal	Pass

RSE-H&V DC_5A_n66A BW10(LTE)+BW15(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.142	-4.92	40.37	-13.0	8.08	351.00	Horizontal	Vertical	N/A
1744.000	0.81	43.21	-13.0	13.81	144.00	Horizontal	Vertical	N/A
4066.000	-56.42	4.84	-13.0	-43.42	0.00	Horizontal	Vertical	Pass
6978.600	-48.73	13.96	-13.0	-35.73	72.00	Horizontal	Vertical	Pass
14913.526	-42.45	19.99	-13.0	-29.45	161.00	Horizontal	Vertical	Pass
17608.614	-40.03	21.89	-13.0	-27.03	298.00	Horizontal	Vertical	Pass

RSE-V&V DC_5A_n66A BW10(LTE)+BW15(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.190	-0.97	40.37	-13.0	12.03	122.00	Vertical	Vertical	N/A
1744.000	7.49	43.21	-13.0	20.49	253.00	Vertical	Vertical	N/A
5196.400	-51.61	7.08	-13.0	-38.61	80.00	Vertical	Vertical	Pass
6973.400	-48.71	13.68	-13.0	-35.71	182.00	Vertical	Vertical	Pass
14909.062	-42.09	20.16	-13.0	-29.09	127.00	Vertical	Vertical	Pass
17429.062	-40.21	22.43	-13.0	-27.21	332.00	Vertical	Vertical	Pass


RSE-V&H DC_5A_n66A BW10(LTE)+BW15(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.093	-0.66	40.37	-13.0	12.34	360.00	Vertical	Horizontal	N/A
1741.800	-1.45	43.04	-13.0	11.55	25.00	Vertical	Horizontal	N/A
4062.400	-56.35	5.06	-13.0	-43.35	303.00	Vertical	Horizontal	Pass
6982.600	-48.17	13.91	-13.0	-35.17	223.00	Vertical	Horizontal	Pass
14896.463	-42.21	20.53	-13.0	-29.21	9.00	Vertical	Horizontal	Pass
17746.950	-40.19	21.49	-13.0	-27.19	77.00	Vertical	Horizontal	Pass


66.3 DC_5A_n66A BW10(LTE)+BW20(NR)

RSE-H&H DC_5A_n66A BW10(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.093	2.80	40.37	-13.0	15.80	360.00	Horizontal	Horizontal	N/A
1742.100	6.23	43.06	-13.0	19.23	360.00	Horizontal	Horizontal	N/A
3656.600	-57.80	4.08	-13.0	-44.80	0.00	Horizontal	Horizontal	Pass
6993.800	-47.92	13.64	-13.0	-34.92	57.00	Horizontal	Horizontal	Pass
14897.250	-41.59	20.52	-13.0	-28.59	331.00	Horizontal	Horizontal	Pass
17330.100	-40.43	21.08	-13.0	-27.43	114.00	Horizontal	Horizontal	Pass

RSE-H&V DC_5A_n66A BW10(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.190	-8.28	40.37	-13.0	4.72	170.00	Horizontal	Vertical	N/A
1745.700	9.64	43.28	-13.0	22.64	360.00	Horizontal	Vertical	N/A
3650.000	-57.96	4.47	-13.0	-44.96	198.00	Horizontal	Vertical	Pass
6649.000	-49.01	11.78	-13.0	-36.01	253.00	Horizontal	Vertical	Pass
15042.938	-42.08	20.22	-13.0	-29.08	85.00	Horizontal	Vertical	Pass
18185.501	-40.48	22.38	-13.0	-27.48	64.00	Horizontal	Vertical	Pass

RSE-V&V DC_5A_n66A BW10(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.142	-1.48	40.37	-13.0	11.52	260.00	Vertical	Vertical	N/A
1746.600	5.77	43.26	-13.0	18.77	96.00	Vertical	Vertical	N/A
3704.200	-57.39	4.86	-13.0	-44.39	105.00	Vertical	Vertical	Pass
6666.600	-48.99	11.55	-13.0	-35.99	308.00	Vertical	Vertical	Pass
14890.424	-42.10	20.58	-13.0	-29.10	240.00	Vertical	Vertical	Pass
17476.051	-40.18	21.71	-13.0	-27.18	222.00	Vertical	Vertical	Pass

RSE-V&H DC_5A_n66A BW10(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.044	-0.89	40.37	-13.0	12.11	351.00	Vertical	Horizontal	N/A
1742.600	-1.68	43.08	-13.0	11.32	27.00	Vertical	Horizontal	N/A
3704.200	-57.77	4.86	-13.0	-44.77	270.00	Vertical	Horizontal	Pass
6983.200	-48.78	13.88	-13.0	-35.78	354.00	Vertical	Horizontal	Pass
14924.026	-41.76	19.71	-13.0	-28.76	316.00	Vertical	Horizontal	Pass
17428.011	-39.93	22.45	-13.0	-26.93	-1.00	Vertical	Horizontal	Pass

67 DC_7A_n5A


67.1 DC_7A_n5A BW20(LTE)+BW5(NR)

RSE-H&H DC_7A_n5A BW20(LTE)+BW5(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
837.380	-3.53	40.54	-25.0	21.47	341.00	Horizontal	Horizontal	N/A
880.060	-33.78	40.22	-25.0	-8.78	242.00	Horizontal	Horizontal	N/A
2538.500	8.61	46.01	-25.0	33.61	348.00	Horizontal	Horizontal	N/A
2649.400	-36.77	46.24	-25.0	-11.77	246.00	Horizontal	Horizontal	N/A
6779.200	-48.84	11.91	-25.0	-23.84	275.00	Horizontal	Horizontal	Pass
17448.749	-40.00	21.96	-25.0	-15.00	227.00	Horizontal	Horizontal	Pass

RSE-H&V DC_7A_n5A BW20(LTE)+BW5(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
837.380	-14.36	40.54	-25.0	10.64	111.00	Horizontal	Vertical	N/A
879.865	-35.75	40.23	-25.0	-10.75	337.00	Horizontal	Vertical	N/A
2532.000	-1.51	45.85	-25.0	23.49	128.00	Horizontal	Vertical	N/A
4054.000	-57.06	5.30	-25.0	-32.06	189.00	Horizontal	Vertical	Pass
9824.975	-47.58	17.07	-25.0	-22.58	290.00	Horizontal	Vertical	Pass
17652.449	-40.54	21.24	-25.0	-15.54	86.00	Horizontal	Vertical	Pass

RSE-V&V DC_7A_n5A BW20(LTE)+BW5(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
836.264	-11.47	40.53	-25.0	13.53	257.00	Vertical	Vertical	N/A
882.824	-32.19	40.41	-25.0	-7.19	175.00	Vertical	Vertical	N/A
2532.300	6.02	45.84	-25.0	31.02	257.00	Vertical	Vertical	N/A
2663.600	-40.06	46.14	-25.0	-15.06	130.00	Vertical	Vertical	N/A
6994.000	-48.24	13.63	-25.0	-23.24	314.00	Vertical	Vertical	Pass
17379.713	-40.36	22.21	-25.0	-15.36	357.00	Vertical	Vertical	Pass


RSE-V&H DC_7A_n5A BW20(LTE)+BW5(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
835.682	-10.69	40.53	-25.0	14.31	155.00	Vertical	Horizontal	N/A
880.836	-37.75	40.26	-25.0	-12.75	276.00	Vertical	Horizontal	N/A
2543.300	-4.51	45.94	-25.0	20.49	360.00	Vertical	Horizontal	N/A
3698.000	-57.39	5.14	-25.0	-32.39	144.00	Vertical	Horizontal	Pass
6975.200	-48.30	13.72	-25.0	-23.30	334.00	Vertical	Horizontal	Pass
17599.427	-40.60	21.98	-25.0	-15.60	-1.00	Vertical	Horizontal	Pass


67.2 DC_7A_n5A BW20(LTE)+BW15(NR)

RSE-H&H DC_7A_n5A BW20(LTE)+BW15(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
838.156	-11.20	40.53	-25.0	13.80	98.00	Horizontal	Horizontal	N/A
878.653	-42.57	40.29	-25.0	-17.57	220.00	Horizontal	Horizontal	N/A
2540.700	7.40	45.99	-25.0	32.40	346.00	Horizontal	Horizontal	N/A
2658.800	-34.37	46.29	-25.0	-9.37	248.00	Horizontal	Horizontal	N/A
6978.600	-47.89	13.96	-25.0	-22.89	21.00	Horizontal	Horizontal	Pass
17604.151	-40.12	21.93	-25.0	-15.12	158.00	Horizontal	Horizontal	Pass

RSE-H&V DC_7A_n5A BW20(LTE)+BW15(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
834.567	-17.45	40.47	-25.0	7.55	336.00	Horizontal	Vertical	N/A
877.732	-37.01	40.34	-25.0	-12.01	252.00	Horizontal	Vertical	N/A
2537.100	-0.21	45.98	-25.0	24.79	150.00	Horizontal	Vertical	N/A
6681.200	-49.41	11.79	-25.0	-24.41	249.00	Horizontal	Vertical	Pass
10988.200	-46.58	17.31	-25.0	-21.58	360.00	Horizontal	Vertical	Pass
17394.149	-40.55	22.57	-25.0	-15.55	157.00	Horizontal	Vertical	Pass

RSE-V&V DC_7A_n5A BW20(LTE)+BW15(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
833.742	-15.71	40.42	-25.0	9.29	277.00	Vertical	Vertical	N/A
875.937	-40.01	40.37	-25.0	-15.01	318.00	Vertical	Vertical	N/A
2530.800	4.32	45.93	-25.0	29.32	322.00	Vertical	Vertical	N/A
2649.600	-40.69	46.26	-25.0	-15.69	25.00	Vertical	Vertical	N/A
6789.400	-48.25	12.39	-25.0	-23.25	13.00	Vertical	Vertical	Pass
17431.687	-40.43	22.36	-25.0	-15.43	255.00	Vertical	Vertical	Pass


RSE-V&H DC_7A_n5A BW20(LTE)+BW15(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
834.761	-17.07	40.49	-25.0	7.93	76.00	Vertical	Horizontal	N/A
875.985	-40.68	40.37	-25.0	-15.68	270.00	Vertical	Horizontal	N/A
2533.200	-2.46	45.79	-25.0	22.54	24.00	Vertical	Horizontal	N/A
6678.600	-48.41	11.76	-25.0	-23.41	334.00	Vertical	Horizontal	Pass
10867.162	-47.19	17.38	-25.0	-22.19	360.00	Vertical	Horizontal	Pass
17380.237	-39.76	22.23	-25.0	-14.76	186.00	Vertical	Horizontal	Pass


67.3 DC_7A_n5A BW20(LTE)+BW20(NR)

RSE-H&H DC_7A_n5A BW20(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
838.980	-10.71	40.51	-25.0	14.29	340.00	Horizontal	Horizontal	N/A
872.494	-42.73	40.17	-25.0	-17.73	218.00	Horizontal	Horizontal	N/A
2537.100	5.34	45.98	-25.0	30.34	311.00	Horizontal	Horizontal	N/A
2657.600	-35.76	46.21	-25.0	-10.76	160.00	Horizontal	Horizontal	N/A
6689.200	-48.88	11.88	-25.0	-23.88	45.00	Horizontal	Horizontal	Pass
17584.724	-39.80	22.14	-25.0	-14.80	84.00	Horizontal	Horizontal	Pass

RSE-H&V DC_7A_n5A BW20(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
837.137	-17.74	40.54	-25.0	7.26	-1.00	Horizontal	Vertical	N/A
873.027	-43.11	40.15	-25.0	-18.11	230.00	Horizontal	Vertical	N/A
2536.500	-1.97	45.89	-25.0	23.03	131.00	Horizontal	Vertical	N/A
2659.600	-36.37	46.27	-25.0	-11.37	8.00	Horizontal	Vertical	N/A
6986.200	-47.74	13.70	-25.0	-22.74	48.00	Horizontal	Vertical	Pass
17454.000	-39.63	21.86	-25.0	-14.63	229.00	Horizontal	Vertical	Pass

RSE-V&V DC_7A_n5A BW20(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
834.615	-11.68	40.48	-25.0	13.32	303.00	Vertical	Vertical	N/A
876.082	-40.50	40.37	-25.0	-15.50	352.00	Vertical	Vertical	N/A
2533.800	2.19	45.76	-25.0	27.19	241.00	Vertical	Vertical	N/A
6998.000	-48.04	13.63	-25.0	-23.04	275.00	Vertical	Vertical	Pass
17370.788	-40.13	21.90	-25.0	-15.13	40.00	Vertical	Vertical	Pass
21497.850	-41.71	25.52	-25.0	-16.71	321.00	Vertical	Vertical	Pass

RSE-V&H DC_7A_n5A BW20(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
838.058	-13.50	40.53	-25.0	11.50	78.00	Vertical	Horizontal	N/A
875.985	-39.44	40.37	-25.0	-14.44	46.00	Vertical	Horizontal	N/A
2526.800	-5.12	46.14	-25.0	19.88	21.00	Vertical	Horizontal	N/A
6983.800	-48.46	13.82	-25.0	-23.46	63.00	Vertical	Horizontal	Pass
14589.338	-42.74	19.57	-25.0	-17.74	280.00	Vertical	Horizontal	Pass
17374.724	-39.96	22.04	-25.0	-14.96	-3.00	Vertical	Horizontal	Pass

68 DC_7A_n66A


68.1 DC_7A_n66A BW20(LTE)+BW5(NR)

RSE-H&H DC_7A_n66A BW20(LTE)+BW5(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
878.993	-54.11	40.28	-25.0	-29.11	274.00	Horizontal	Horizontal	Pass
1745.700	9.22	43.28	-25.0	34.22	196.00	Horizontal	Horizontal	N/A
2526.100	15.07	46.11	-25.0	40.07	158.00	Horizontal	Horizontal	N/A
6998.400	-48.41	13.63	-25.0	-23.41	199.00	Horizontal	Horizontal	Pass
14904.600	-42.48	20.33	-25.0	-17.48	70.00	Horizontal	Horizontal	Pass
17418.562	-39.92	22.66	-25.0	-14.92	93.00	Horizontal	Horizontal	Pass

RSE-H&V DC_7A_n66A BW20(LTE)+BW5(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
841.938	-53.09	40.75	-25.0	-28.09	224.00	Horizontal	Vertical	Pass
1744.400	-4.66	43.25	-25.0	20.34	360.00	Horizontal	Vertical	N/A
2526.300	4.66	46.12	-25.0	29.66	43.00	Horizontal	Vertical	N/A
6680.000	-49.37	11.78	-25.0	-24.37	360.00	Horizontal	Vertical	Pass
14909.587	-42.09	20.14	-25.0	-17.09	261.00	Horizontal	Vertical	Pass
17468.699	-40.67	21.73	-25.0	-15.67	127.00	Horizontal	Vertical	Pass

RSE-V&V DC_7A_n66A BW20(LTE)+BW5(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
905.910	-53.21	41.03	-25.0	-28.21	9.00	Vertical	Vertical	Pass
1744.400	-7.20	43.25	-25.0	17.80	246.00	Vertical	Vertical	N/A
2526.300	13.33	46.12	-25.0	38.33	311.00	Vertical	Vertical	N/A
6689.000	-49.92	11.89	-25.0	-24.92	164.00	Vertical	Vertical	Pass
14942.925	-42.30	19.59	-25.0	-17.30	33.00	Vertical	Vertical	Pass
17463.450	-40.18	21.74	-25.0	-15.18	117.00	Vertical	Vertical	Pass


RSE-V&H DC_7A_n66A BW20(LTE)+BW5(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
901.690	-53.24	40.96	-25.0	-28.24	-2.00	Vertical	Horizontal	Pass
1744.300	5.09	43.24	-25.0	30.09	21.00	Vertical	Horizontal	N/A
2526.200	7.87	46.11	-25.0	32.87	188.00	Vertical	Horizontal	N/A
6744.200	-49.34	11.92	-25.0	-24.34	0.00	Vertical	Horizontal	Pass
11482.412	-46.92	17.70	-25.0	-21.92	182.00	Vertical	Horizontal	Pass
17434.051	-40.55	22.30	-25.0	-15.55	324.00	Vertical	Horizontal	Pass


68.2 DC_7A_n66A BW20(LTE)+BW15(NR)

RSE-H&H DC_7A_n66A BW20(LTE)+BW15(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
862.648	-53.87	40.17	-25.0	-28.87	323.00	Horizontal	Horizontal	Pass
1744.800	-5.06	43.29	-25.0	19.94	318.00	Horizontal	Horizontal	N/A
2526.400	13.96	46.12	-25.0	38.96	157.00	Horizontal	Horizontal	N/A
6972.600	-48.22	13.66	-25.0	-23.22	9.00	Horizontal	Horizontal	Pass
10898.500	-46.89	17.68	-25.0	-21.89	131.00	Horizontal	Horizontal	Pass
17425.912	-39.72	22.50	-25.0	-14.72	112.00	Horizontal	Horizontal	Pass

RSE-H&V DC_7A_n66A BW20(LTE)+BW15(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
839.562	-54.35	40.49	-25.0	-29.35	200.00	Horizontal	Vertical	Pass
1741.600	9.97	43.03	-25.0	34.97	147.00	Horizontal	Vertical	N/A
2526.200	6.92	46.11	-25.0	31.92	311.00	Horizontal	Vertical	N/A
6599.600	-49.19	11.49	-25.0	-24.19	279.00	Horizontal	Vertical	Pass
15057.637	-41.81	20.29	-25.0	-16.81	111.00	Horizontal	Vertical	Pass
17593.387	-40.29	22.04	-25.0	-15.29	303.00	Horizontal	Vertical	Pass

RSE-V&V DC_7A_n66A BW20(LTE)+BW15(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
856.828	-53.78	40.29	-25.0	-28.78	263.00	Vertical	Vertical	Pass
1742.000	7.04	43.05	-25.0	32.04	93.00	Vertical	Vertical	N/A
2526.400	13.17	46.12	-25.0	38.17	304.00	Vertical	Vertical	N/A
6963.000	-48.61	13.05	-25.0	-23.61	236.00	Vertical	Vertical	Pass
15042.150	-41.77	20.21	-25.0	-16.77	277.00	Vertical	Vertical	Pass
17579.739	-40.13	22.19	-25.0	-15.13	187.00	Vertical	Vertical	Pass


RSE-V&H DC_7A_n66A BW20(LTE)+BW15(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
905.279	-53.32	40.99	-25.0	-28.32	44.00	Vertical	Horizontal	Pass
1746.100	-7.28	43.27	-25.0	17.72	238.00	Vertical	Horizontal	N/A
2526.200	8.81	46.11	-25.0	33.81	71.00	Vertical	Horizontal	N/A
5052.200	-51.19	7.49	-25.0	-26.19	219.00	Vertical	Horizontal	Pass
14899.350	-42.51	20.51	-25.0	-17.51	231.00	Vertical	Horizontal	Pass
17473.161	-40.15	21.71	-25.0	-15.15	49.00	Vertical	Horizontal	Pass


68.3 DC_7A_n66A BW20(LTE)+BW20(NR)

RSE-H&H DC_7A_n66A BW20(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
907.607	-53.17	41.20	-25.0	-28.17	44.00	Horizontal	Horizontal	Pass
1743.000	-7.32	43.12	-25.0	17.68	25.00	Horizontal	Horizontal	N/A
2526.300	15.66	46.12	-25.0	40.66	153.00	Horizontal	Horizontal	N/A
6626.200	-49.32	12.11	-25.0	-24.32	187.00	Horizontal	Horizontal	Pass
14928.750	-41.98	19.67	-25.0	-16.98	0.00	Horizontal	Horizontal	Pass
17591.026	-40.16	22.07	-25.0	-15.16	301.00	Horizontal	Horizontal	Pass

RSE-H&V DC_7A_n66A BW20(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
899.557	-52.94	41.09	-25.0	-27.94	209.00	Horizontal	Vertical	Pass
1746.900	0.75	43.26	-25.0	25.75	350.00	Horizontal	Vertical	N/A
2526.100	7.67	46.11	-25.0	32.67	302.00	Horizontal	Vertical	N/A
6788.600	-49.18	12.35	-25.0	-24.18	154.00	Horizontal	Vertical	Pass
15053.175	-42.10	20.33	-25.0	-17.10	3.00	Horizontal	Vertical	Pass
17479.463	-40.14	21.70	-25.0	-15.14	102.00	Horizontal	Vertical	Pass

RSE-V&V DC_7A_n66A BW20(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
922.351	-52.51	41.35	-25.0	-27.51	229.00	Vertical	Vertical	Pass
1745.300	0.78	43.29	-25.0	25.78	121.00	Vertical	Vertical	N/A
2526.200	13.48	46.11	-25.0	38.48	360.00	Vertical	Vertical	N/A
6661.800	-48.73	11.59	-25.0	-23.73	89.00	Vertical	Vertical	Pass
15051.600	-41.85	20.35	-25.0	-16.85	34.00	Vertical	Vertical	Pass
17414.099	-40.19	22.67	-25.0	-15.19	67.00	Vertical	Vertical	Pass

RSE-V&H DC_7A_n66A BW20(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
843.393	-52.94	40.55	-25.0	-27.94	229.00	Vertical	Horizontal	Pass
1743.200	-20.15	43.14	-25.0	4.85	360.00	Vertical	Horizontal	N/A
2526.000	7.88	46.10	-25.0	32.88	53.00	Vertical	Horizontal	N/A
6997.200	-48.35	13.61	-25.0	-23.35	101.00	Vertical	Horizontal	Pass
15057.375	-42.22	20.29	-25.0	-17.22	250.00	Vertical	Horizontal	Pass
17473.161	-40.38	21.71	-25.0	-15.38	168.00	Vertical	Horizontal	Pass




Up Antenna
 69 CA_7C
 69.1 CA_7C 20MHz+10MHz, QPSK, Low Channel

RSE-H&H CH20850 20M RB1 HIGH CH20994 10M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
192.572	-68.33	-14.45	-25.0	-43.33	229.00	Horizontal	Horizontal	Pass
2519.400	-44.54	1.89	-25.0	-19.54	169.00	Horizontal	Horizontal	N/A
2647.500	-25.38	1.48	-25.0	-0.38	145.00	Horizontal	Horizontal	N/A
6686.400	-42.12	12.00	-25.0	-17.12	183.00	Horizontal	Horizontal	Pass
13459.537	-45.80	11.45	-25.0	-20.80	179.00	Horizontal	Horizontal	Pass
19332.000	-45.17	16.07	-25.0	-20.17	93.00	Horizontal	Horizontal	Pass

RSE-H&V CH20850 20M RB1 HIGH CH20994 10M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
32.959	-67.37	-16.59	-25.0	-42.37	184.00	Horizontal	Vertical	Pass
2490.300	-44.39	1.66	-25.0	-19.39	357.00	Horizontal	Vertical	N/A
2648.800	-25.00	1.43	-25.0	-0.00	150.00	Horizontal	Vertical	N/A
6685.200	-41.69	12.04	-25.0	-16.69	341.00	Horizontal	Vertical	Pass
13595.250	-46.20	10.44	-25.0	-21.20	172.00	Horizontal	Vertical	Pass
19264.500	-45.76	14.66	-25.0	-20.76	299.00	Horizontal	Vertical	Pass

RSE-V&V CH20850 20M RB1 HIGH CH20994 10M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
33.638	-63.10	-17.51	-25.0	-38.10	121.00	Vertical	Vertical	Pass
2485.900	-46.93	1.60	-25.0	-21.93	268.00	Vertical	Vertical	N/A
2641.900	-42.49	1.55	-25.0	-17.49	141.00	Vertical	Vertical	N/A
6674.400	-41.28	11.67	-25.0	-16.28	256.00	Vertical	Vertical	Pass
13456.125	-45.86	11.48	-25.0	-20.86	347.00	Vertical	Vertical	Pass
19291.050	-44.89	15.29	-25.0	-19.89	235.00	Vertical	Vertical	Pass


RSE-V&H CH20850 20M RB1 HIGH CH20994 10M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
63.514	-64.50	-15.76	-25.0	-39.50	348.00	Vertical	Horizontal	Pass
1395.400	-55.53	-2.18	-25.0	-30.53	360.00	Vertical	Horizontal	Pass
2622.300	-41.20	1.24	-25.0	-16.20	242.00	Vertical	Horizontal	N/A
6732.600	-42.22	11.77	-25.0	-17.22	196.00	Vertical	Horizontal	Pass
13464.001	-45.39	11.38	-25.0	-20.39	180.00	Vertical	Horizontal	Pass
21029.849	-45.29	14.51	-25.0	-20.29	38.00	Vertical	Horizontal	Pass


69.2 CA_7C 20MHz+10MHz, 16-QAM, Low Channel

RSE-H&H CH20850 20M RB1 HIGH CH20994 10M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
191.942	-67.35	-14.42	-25.0	-42.35	217.00	Horizontal	Horizontal	Pass
2519.300	-44.57	1.89	-25.0	-19.57	179.00	Horizontal	Horizontal	N/A
2646.700	-24.45	1.57	-25.0	0.55	153.00	Horizontal	Horizontal	N/A
6983.800	-41.41	13.82	-25.0	-16.41	198.00	Horizontal	Horizontal	Pass
13417.538	-45.58	10.94	-25.0	-20.58	204.00	Horizontal	Horizontal	Pass
22223.700	-45.52	14.89	-25.0	-20.52	352.00	Horizontal	Horizontal	Pass

RSE-H&V CH20850 20M RB1 HIGH CH20994 10M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
32.959	-65.84	-16.59	-25.0	-40.84	108.00	Horizontal	Vertical	Pass
2519.300	-45.23	1.89	-25.0	-20.23	146.00	Horizontal	Vertical	N/A
2643.500	-26.01	1.60	-25.0	-1.01	154.00	Horizontal	Vertical	N/A
6998.600	-41.24	13.64	-25.0	-16.24	189.00	Horizontal	Vertical	Pass
13360.312	-46.19	10.91	-25.0	-21.19	191.00	Horizontal	Vertical	Pass
19308.151	-45.54	15.73	-25.0	-20.54	126.00	Horizontal	Vertical	Pass

RSE-V&V CH20850 20M RB1 HIGH CH20994 10M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
33.686	-64.11	-17.58	-25.0	-39.11	146.00	Vertical	Vertical	Pass
2519.300	-47.25	1.89	-25.0	-22.25	263.00	Vertical	Vertical	N/A
2647.400	-41.85	1.49	-25.0	-16.85	139.00	Vertical	Vertical	N/A
6996.400	-41.88	13.58	-25.0	-16.88	360.00	Vertical	Vertical	Pass
13417.538	-45.69	10.94	-25.0	-20.69	49.00	Vertical	Vertical	Pass
21047.400	-45.39	14.51	-25.0	-20.39	209.00	Vertical	Vertical	Pass


RSE-V&H CH20850 20M RB1 HIGH CH20994 10M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
41.106	-63.68	-17.55	-25.0	-38.68	101.00	Vertical	Horizontal	Pass
1401.300	-56.61	-2.25	-25.0	-31.61	-1.00	Vertical	Horizontal	Pass
2643.800	-45.26	1.60	-25.0	-20.26	-1.00	Vertical	Horizontal	N/A
6675.200	-42.53	11.70	-25.0	-17.53	273.00	Vertical	Horizontal	Pass
13464.787	-45.62	11.36	-25.0	-20.62	176.00	Vertical	Horizontal	Pass
21611.700	-45.58	14.70	-25.0	-20.58	-1.00	Vertical	Horizontal	Pass


69.3 CA_7C 20MHz+10MHz, QPSK, Middle Channel

RSE-H&H CH21051 20M RB1 HIGH CH21195 10M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
95.620	-66.07	-20.87	-25.0	-41.07	361.00	Horizontal	Horizontal	Pass
1394.000	-55.77	-2.25	-25.0	-30.77	318.00	Horizontal	Horizontal	Pass
2665.000	-25.09	1.53	-25.0	-0.09	141.00	Horizontal	Horizontal	N/A
6976.200	-41.81	13.74	-25.0	-16.81	175.00	Horizontal	Horizontal	Pass
13460.062	-45.73	11.45	-25.0	-20.73	262.00	Horizontal	Horizontal	Pass
21049.651	-45.74	14.51	-25.0	-20.74	163.00	Horizontal	Horizontal	Pass

RSE-H&V CH21051 20M RB1 HIGH CH21195 10M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
32.085	-66.38	-16.62	-25.0	-41.38	161.00	Horizontal	Vertical	Pass
2540.700	-48.66	1.98	-25.0	-23.66	123.00	Horizontal	Vertical	N/A
2664.100	-23.76	1.51	-25.0	1.24	152.00	Horizontal	Vertical	N/A
6997.800	-40.60	13.63	-25.0	-15.60	237.00	Horizontal	Vertical	Pass
13450.875	-46.02	11.51	-25.0	-21.02	98.00	Horizontal	Vertical	Pass
19199.699	-45.55	13.99	-25.0	-20.55	135.00	Horizontal	Vertical	Pass

RSE-V&V CH21051 20M RB1 HIGH CH21195 10M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
33.492	-63.41	-17.30	-25.0	-38.41	105.00	Vertical	Vertical	Pass
2492.300	-50.37	1.69	-25.0	-25.37	245.00	Vertical	Vertical	N/A
2662.300	-41.46	1.42	-25.0	-16.46	134.00	Vertical	Vertical	N/A
6990.600	-40.89	13.48	-25.0	-15.89	91.00	Vertical	Vertical	Pass
13451.662	-46.15	11.50	-25.0	-21.15	141.00	Vertical	Vertical	Pass
21033.001	-45.68	14.51	-25.0	-20.68	281.00	Vertical	Vertical	Pass


RSE-V&H CH21051 20M RB1 HIGH CH21195 10M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
41.058	-64.69	-17.57	-25.0	-39.69	108.00	Vertical	Horizontal	Pass
1389.600	-54.94	-2.30	-25.0	-29.94	113.00	Vertical	Horizontal	Pass
2665.300	-40.07	1.50	-25.0	-15.07	50.00	Vertical	Horizontal	N/A
6996.600	-40.96	13.58	-25.0	-15.96	60.00	Vertical	Horizontal	Pass
13567.425	-46.40	10.64	-25.0	-21.40	338.00	Vertical	Horizontal	Pass
21028.051	-45.35	14.51	-25.0	-20.35	325.00	Vertical	Horizontal	Pass


69.4 CA_7C 20MHz+10MHz, 16-QAM, Middle Channel

RSE-H&H CH21051 20M RB1 HIGH CH21195 10M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
193.688	-65.88	-14.50	-25.0	-40.88	249.00	Horizontal	Horizontal	Pass
1402.900	-54.46	-2.29	-25.0	-29.46	174.00	Horizontal	Horizontal	Pass
2664.600	-25.07	1.52	-25.0	-0.07	145.00	Horizontal	Horizontal	N/A
6980.600	-40.89	13.78	-25.0	-15.89	0.00	Horizontal	Horizontal	Pass
13459.800	-45.05	11.45	-25.0	-20.05	137.00	Horizontal	Horizontal	Pass
19341.449	-45.33	15.92	-25.0	-20.33	351.00	Horizontal	Horizontal	Pass

RSE-H&V CH21051 20M RB1 HIGH CH21195 10M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
101.828	-66.36	-21.32	-25.0	-41.36	361.00	Horizontal	Vertical	Pass
2540.500	-50.50	1.98	-25.0	-25.50	19.00	Horizontal	Vertical	N/A
2665.900	-24.86	1.44	-25.0	0.14	152.00	Horizontal	Vertical	N/A
6986.000	-41.52	13.70	-25.0	-16.52	175.00	Horizontal	Vertical	Pass
13783.987	-45.91	11.68	-25.0	-20.91	79.00	Horizontal	Vertical	Pass
17464.762	-45.62	9.02	-25.0	-20.62	106.00	Horizontal	Vertical	Pass

RSE-V&V CH21051 20M RB1 HIGH CH21195 10M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
33.783	-63.77	-17.72	-25.0	-38.77	122.00	Vertical	Vertical	Pass
2299.000	-51.65	0.83	-25.0	-26.65	244.00	Vertical	Vertical	Pass
2662.300	-42.48	1.42	-25.0	-17.48	49.00	Vertical	Vertical	N/A
6641.000	-41.57	12.00	-25.0	-16.57	58.00	Vertical	Vertical	Pass
13413.075	-45.50	10.88	-25.0	-20.50	350.00	Vertical	Vertical	Pass
19377.000	-45.42	15.19	-25.0	-20.42	8.00	Vertical	Vertical	Pass


RSE-V&H CH21051 20M RB1 HIGH CH21195 10M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
41.155	-64.00	-17.52	-25.0	-39.00	127.00	Vertical	Horizontal	Pass
2170.800	-51.63	0.11	-25.0	-26.63	282.00	Vertical	Horizontal	Pass
2664.500	-39.75	1.52	-25.0	-14.75	45.00	Vertical	Horizontal	N/A
6992.000	-40.86	13.55	-25.0	-15.86	33.00	Vertical	Horizontal	Pass
13423.050	-45.58	11.03	-25.0	-20.58	193.00	Vertical	Horizontal	Pass
19373.851	-43.90	15.23	-25.0	-18.90	118.00	Vertical	Horizontal	Pass


69.5 CA_7C 20MHz+10MHz, QPSK, High Channel

RSE-H&H CH21251 20M RB1 HIGH CH21395 10M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
193.784	-67.14	-14.50	-25.0	-42.14	245.00	Horizontal	Horizontal	Pass
2579.400	-41.25	2.49	-25.0	-16.25	121.00	Horizontal	Horizontal	N/A
2683.600	-25.54	1.87	-25.0	-0.54	136.00	Horizontal	Horizontal	N/A
6987.600	-41.47	13.63	-25.0	-16.47	328.00	Horizontal	Horizontal	Pass
12872.849	-46.42	11.15	-25.0	-21.42	42.00	Horizontal	Horizontal	Pass
21033.449	-44.95	14.51	-25.0	-19.95	52.00	Horizontal	Horizontal	Pass

RSE-H&V CH21251 20M RB1 HIGH CH21395 10M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
102.022	-65.10	-21.33	-25.0	-40.10	361.00	Horizontal	Vertical	Pass
2577.100	-39.18	2.45	-25.0	-14.18	112.00	Horizontal	Vertical	N/A
2681.400	-24.46	1.79	-25.0	0.54	133.00	Horizontal	Vertical	N/A
6692.200	-42.05	11.76	-25.0	-17.05	95.00	Horizontal	Vertical	Pass
13452.975	-45.81	11.50	-25.0	-20.81	311.00	Horizontal	Vertical	Pass
21040.200	-45.56	14.51	-25.0	-20.56	173.00	Horizontal	Vertical	Pass

RSE-V&V CH21251 20M RB1 HIGH CH21395 10M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
41.106	-64.04	-17.55	-25.0	-39.04	104.00	Vertical	Vertical	Pass
2578.100	-43.57	2.47	-25.0	-18.57	60.00	Vertical	Vertical	N/A
2683.300	-43.01	1.85	-25.0	-18.01	143.00	Vertical	Vertical	N/A
6987.400	-41.00	13.65	-25.0	-16.00	331.00	Vertical	Vertical	Pass
13471.088	-45.83	11.25	-25.0	-20.83	324.00	Vertical	Vertical	Pass
20447.099	-45.75	14.32	-25.0	-20.75	311.00	Vertical	Vertical	Pass


RSE-V&H CH21251 20M RB1 HIGH CH21395 10M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
40.816	-64.51	-17.74	-25.0	-39.51	133.00	Vertical	Horizontal	Pass
1393.800	-55.00	-2.26	-25.0	-30.00	4.00	Vertical	Horizontal	Pass
2688.900	-39.60	1.42	-25.0	-14.60	32.00	Vertical	Horizontal	N/A
6978.200	-41.57	13.92	-25.0	-16.57	0.00	Vertical	Horizontal	Pass
13548.000	-45.47	10.56	-25.0	-20.47	226.00	Vertical	Horizontal	Pass
21033.449	-45.36	14.51	-25.0	-20.36	19.00	Vertical	Horizontal	Pass


69.6 CA_7C 20MHz+10MHz, 16-QAM, High Channel

RSE-H&H CH21251 20M RB1 HIGH CH21395 10M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
95.426	-66.21	-20.85	-25.0	-41.21	360.00	Horizontal	Horizontal	Pass
2577.000	-42.53	2.45	-25.0	-17.53	239.00	Horizontal	Horizontal	N/A
2681.300	-25.82	1.80	-25.0	-0.82	-3.00	Horizontal	Horizontal	N/A
6977.600	-41.29	13.86	-25.0	-16.29	115.00	Horizontal	Horizontal	Pass
13449.825	-46.19	11.51	-25.0	-21.19	123.00	Horizontal	Horizontal	Pass
19336.499	-45.67	16.01	-25.0	-20.67	16.00	Horizontal	Horizontal	Pass

RSE-H&V CH21251 20M RB1 HIGH CH21395 10M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
101.586	-65.13	-21.32	-25.0	-40.13	360.00	Horizontal	Vertical	Pass
2579.100	-41.60	2.48	-25.0	-16.60	137.00	Horizontal	Vertical	N/A
2686.400	-23.34	1.63	-25.0	1.66	137.00	Horizontal	Vertical	N/A
6683.800	-41.91	11.93	-25.0	-16.91	133.00	Horizontal	Vertical	Pass
13433.813	-45.96	11.20	-25.0	-20.96	0.00	Horizontal	Vertical	Pass
21635.099	-45.58	14.70	-25.0	-20.58	129.00	Horizontal	Vertical	Pass

RSE-V&V CH21251 20M RB1 HIGH CH21395 10M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
41.155	-64.54	-17.52	-25.0	-39.54	101.00	Vertical	Vertical	Pass
2559.300	-47.09	2.17	-25.0	-22.09	275.00	Vertical	Vertical	N/A
2681.300	-41.60	1.80	-25.0	-16.60	136.00	Vertical	Vertical	N/A
6748.800	-41.69	11.76	-25.0	-16.69	57.00	Vertical	Vertical	Pass
13444.575	-45.54	11.40	-25.0	-20.54	47.00	Vertical	Vertical	Pass
21615.749	-45.45	14.70	-25.0	-20.45	-3.00	Vertical	Vertical	Pass


RSE-V&H CH21251 20M RB1 HIGH CH21395 10M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
76.269	-57.37	-17.45	-25.0	-32.37	0.00	Vertical	Horizontal	Pass
1398.800	-55.20	-2.17	-25.0	-30.20	174.00	Vertical	Horizontal	Pass
2681.000	-40.11	1.84	-25.0	-15.11	44.00	Vertical	Horizontal	N/A
6600.200	-41.39	11.56	-25.0	-16.39	16.00	Vertical	Horizontal	Pass
13452.713	-45.90	11.50	-25.0	-20.90	360.00	Vertical	Horizontal	Pass
21051.449	-44.84	14.51	-25.0	-19.84	328.00	Vertical	Horizontal	Pass


69.7 CA_7C 20MHz+20MHz, QPSK, Low Channel

RSE-H&H CH20850 20M RB1 HIGH CH21048 20M RB1 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
192.038	-66.14	-14.43	-25.0	-41.14	234.00	Horizontal	Horizontal	Pass
2519.400	-40.51	1.89	-25.0	-15.51	213.00	Horizontal	Horizontal	N/A
2655.900	-29.06	1.34	-25.0	-4.06	179.00	Horizontal	Horizontal	N/A
6305.400	-43.32	10.66	-25.0	-18.32	315.00	Horizontal	Horizontal	Pass
13478.700	-46.11	11.11	-25.0	-21.11	0.00	Horizontal	Horizontal	Pass
21044.251	-45.66	14.51	-25.0	-20.66	94.00	Horizontal	Horizontal	Pass

RSE-H&V CH20850 20M RB1 HIGH CH21048 20M RB1 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
102.701	-65.36	-21.32	-25.0	-40.36	356.00	Horizontal	Vertical	Pass
2519.200	-41.10	1.89	-25.0	-16.10	149.00	Horizontal	Vertical	N/A
2648.800	-29.25	1.43	-25.0	-4.25	186.00	Horizontal	Vertical	N/A
6621.600	-42.75	12.00	-25.0	-17.75	256.00	Horizontal	Vertical	Pass
13388.401	-46.06	10.78	-25.0	-21.06	239.00	Horizontal	Vertical	Pass
21029.401	-45.21	14.51	-25.0	-20.21	360.00	Horizontal	Vertical	Pass

RSE-V&V CH20850 20M RB1 HIGH CH21048 20M RB1 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
33.492	-63.33	-17.30	-25.0	-38.33	0.00	Vertical	Vertical	Pass
2519.200	-43.84	1.89	-25.0	-18.84	113.00	Vertical	Vertical	N/A
2656.300	-45.82	1.32	-25.0	-20.82	363.00	Vertical	Vertical	N/A
6992.200	-41.69	13.56	-25.0	-16.69	35.00	Vertical	Vertical	Pass
13441.424	-46.40	11.33	-25.0	-21.40	79.00	Vertical	Vertical	Pass
19292.400	-45.56	15.30	-25.0	-20.56	313.00	Vertical	Vertical	Pass


RSE-V&H CH20850 20M RB1 HIGH CH21048 20M RB1 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
41.446	-63.33	-17.38	-25.0	-38.33	28.00	Vertical	Horizontal	Pass
1376.800	-55.13	-2.71	-25.0	-30.13	243.00	Vertical	Horizontal	Pass
2654.500	-43.55	1.43	-25.0	-18.55	71.00	Vertical	Horizontal	N/A
6596.000	-42.61	11.11	-25.0	-17.61	231.00	Vertical	Horizontal	Pass
13413.599	-45.99	10.89	-25.0	-20.99	268.00	Vertical	Horizontal	Pass
19294.650	-44.85	15.32	-25.0	-19.85	239.00	Vertical	Horizontal	Pass


69.8 CA_7C 20MHz+20MHz, 16-QAM, Low Channel

RSE-H&H CH20850 20M RB1 HIGH CH21048 20M RB1 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
32.085	-66.36	-16.62	-25.0	-41.36	223.00	Horizontal	Horizontal	Pass
2519.300	-40.67	1.89	-25.0	-15.67	215.00	Horizontal	Horizontal	N/A
2653.300	-29.23	1.41	-25.0	-4.23	174.00	Horizontal	Horizontal	N/A
6509.000	-42.87	10.75	-25.0	-17.87	249.00	Horizontal	Horizontal	Pass
13289.175	-46.56	10.27	-25.0	-21.56	221.00	Horizontal	Horizontal	Pass
22225.500	-45.32	14.89	-25.0	-20.32	360.00	Horizontal	Horizontal	Pass

RSE-H&V CH20850 20M RB1 HIGH CH21048 20M RB1 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
101.974	-65.91	-21.33	-25.0	-40.91	355.00	Horizontal	Vertical	Pass
2519.300	-41.29	1.89	-25.0	-16.29	146.00	Horizontal	Vertical	N/A
2644.800	-29.32	1.63	-25.0	-4.32	180.00	Horizontal	Vertical	N/A
6992.600	-40.94	13.59	-25.0	-15.94	137.00	Horizontal	Vertical	Pass
13453.237	-46.25	11.49	-25.0	-21.25	57.00	Horizontal	Vertical	Pass
19369.802	-45.17	15.29	-25.0	-20.17	76.00	Horizontal	Vertical	Pass

RSE-V&V CH20850 20M RB1 HIGH CH21048 20M RB1 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
33.686	-63.33	-17.58	-25.0	-38.33	-3.00	Vertical	Vertical	Pass
2519.200	-43.35	1.89	-25.0	-18.35	296.00	Vertical	Vertical	N/A
2642.200	-45.79	1.56	-25.0	-20.79	217.00	Vertical	Vertical	N/A
6988.600	-41.27	13.51	-25.0	-16.27	320.00	Vertical	Vertical	Pass
13455.075	-46.36	11.48	-25.0	-21.36	0.00	Vertical	Vertical	Pass
22223.249	-45.68	14.89	-25.0	-20.68	217.00	Vertical	Vertical	Pass


RSE-V&H CH20850 20M RB1 HIGH CH21048 20M RB1 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
34.171	-63.95	-18.07	-25.0	-38.95	2.00	Vertical	Horizontal	Pass
2527.700	-50.49	1.92	-25.0	-25.49	37.00	Vertical	Horizontal	N/A
2657.500	-44.32	1.41	-25.0	-19.32	71.00	Vertical	Horizontal	N/A
6992.000	-41.67	13.55	-25.0	-16.67	339.00	Vertical	Horizontal	Pass
13407.037	-45.99	10.79	-25.0	-20.99	322.00	Vertical	Horizontal	Pass
21616.650	-45.66	14.70	-25.0	-20.66	113.00	Vertical	Horizontal	Pass


69.9 CA_7C 20MHz+20MHz, QPSK, Middle Channel

RSE-H&H CH21001 20M RB1 HIGH CH21199 20M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
96.639	-67.08	-20.97	-25.0	-42.08	315.00	Horizontal	Horizontal	Pass
1426.900	-55.34	-2.99	-25.0	-30.34	8.00	Horizontal	Horizontal	Pass
2659.400	-29.36	1.43	-25.0	-4.36	154.00	Horizontal	Horizontal	N/A
6740.200	-41.93	12.02	-25.0	-16.93	113.00	Horizontal	Horizontal	Pass
12801.188	-45.63	10.39	-25.0	-20.63	0.00	Horizontal	Horizontal	Pass
19304.550	-44.81	15.57	-25.0	-19.81	360.00	Horizontal	Horizontal	Pass

RSE-H&V CH21001 20M RB1 HIGH CH21199 20M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
101.537	-65.11	-21.32	-25.0	-40.11	355.00	Horizontal	Vertical	Pass
1427.500	-56.14	-2.96	-25.0	-31.14	360.00	Horizontal	Vertical	Pass
2661.300	-29.69	1.34	-25.0	-4.69	158.00	Horizontal	Vertical	N/A
6986.600	-41.86	13.70	-25.0	-16.86	231.00	Horizontal	Vertical	Pass
13454.287	-46.54	11.49	-25.0	-21.54	121.00	Horizontal	Vertical	Pass
17462.401	-45.73	9.02	-25.0	-20.73	180.00	Horizontal	Vertical	Pass

RSE-V&V CH21001 20M RB1 HIGH CH21199 20M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
33.589	-63.54	-17.44	-25.0	-38.54	164.00	Vertical	Vertical	Pass
1405.600	-55.50	-2.35	-25.0	-30.50	272.00	Vertical	Vertical	Pass
2658.800	-46.01	1.49	-25.0	-21.01	160.00	Vertical	Vertical	N/A
6992.600	-40.77	13.59	-25.0	-15.77	273.00	Vertical	Vertical	Pass
13450.613	-46.33	11.51	-25.0	-21.33	107.00	Vertical	Vertical	Pass
19410.301	-44.62	14.32	-25.0	-19.62	46.00	Vertical	Vertical	Pass


RSE-V&H CH21001 20M RB1 HIGH CH21199 20M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
33.444	-64.03	-17.23	-25.0	-39.03	-3.00	Vertical	Horizontal	Pass
2271.500	-51.85	1.12	-25.0	-26.85	346.00	Vertical	Horizontal	Pass
2660.500	-43.60	1.32	-25.0	-18.60	84.00	Vertical	Horizontal	N/A
6676.000	-42.30	11.71	-25.0	-17.30	171.00	Vertical	Horizontal	Pass
13454.812	-46.09	11.48	-25.0	-21.09	225.00	Vertical	Horizontal	Pass
19904.401	-45.78	16.26	-25.0	-20.78	119.00	Vertical	Horizontal	Pass


69.10 CA_7C 20MHz+20MHz, 16-QAM, Middle Channel

RSE-H&H CH21001 20M RB1 HIGH CH21199 20M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
95.669	-65.96	-20.88	-25.0	-40.96	353.00	Horizontal	Horizontal	Pass
2534.100	-50.71	1.95	-25.0	-25.71	83.00	Horizontal	Horizontal	N/A
2664.500	-29.79	1.52	-25.0	-4.79	155.00	Horizontal	Horizontal	N/A
6979.600	-42.07	13.87	-25.0	-17.07	109.00	Horizontal	Horizontal	Pass
13467.675	-45.00	11.31	-25.0	-20.00	297.00	Horizontal	Horizontal	Pass
22224.151	-46.06	14.89	-25.0	-21.06	224.00	Horizontal	Horizontal	Pass

RSE-H&V CH21001 20M RB1 HIGH CH21199 20M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
102.071	-65.13	-21.33	-25.0	-40.13	353.00	Horizontal	Vertical	Pass
2534.400	-49.12	1.95	-25.0	-24.12	153.00	Horizontal	Vertical	N/A
2667.900	-29.87	1.33	-25.0	-4.87	190.00	Horizontal	Vertical	N/A
6777.800	-41.68	11.88	-25.0	-16.68	154.00	Horizontal	Vertical	Pass
13001.475	-46.04	10.45	-25.0	-21.04	294.00	Horizontal	Vertical	Pass
18667.350	-45.40	12.28	-25.0	-20.40	288.00	Horizontal	Vertical	Pass

RSE-V&V CH21001 20M RB1 HIGH CH21199 20M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
33.589	-63.54	-17.44	-25.0	-38.54	33.00	Vertical	Vertical	Pass
1379.800	-55.60	-2.71	-25.0	-30.60	363.00	Vertical	Vertical	Pass
2661.600	-46.67	1.37	-25.0	-21.67	100.00	Vertical	Vertical	N/A
6967.200	-42.11	13.33	-25.0	-17.11	283.00	Vertical	Vertical	Pass
13471.612	-45.88	11.24	-25.0	-20.88	54.00	Vertical	Vertical	Pass
22220.550	-45.47	14.89	-25.0	-20.47	151.00	Vertical	Vertical	Pass


RSE-V&H CH21001 20M RB1 HIGH CH21199 20M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
33.638	-63.98	-17.51	-25.0	-38.98	19.00	Vertical	Horizontal	Pass
2553.400	-50.28	2.08	-25.0	-25.28	363.00	Vertical	Horizontal	N/A
2662.200	-44.38	1.41	-25.0	-19.38	87.00	Vertical	Horizontal	N/A
6679.800	-42.64	11.78	-25.0	-17.64	72.00	Vertical	Horizontal	Pass
13422.788	-46.43	11.02	-25.0	-21.43	111.00	Vertical	Horizontal	Pass
20425.949	-45.51	14.31	-25.0	-20.51	363.00	Vertical	Horizontal	Pass


69.11 CA_7C 20MHz+20MHz, QPSK, High Channel

RSE-H&H CH21152 20M RB1 HIGH CH21350 20M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
98.725	-67.04	-21.16	-25.0	-42.04	356.00	Horizontal	Horizontal	Pass
2551.500	-36.69	2.05	-25.0	-11.69	178.00	Horizontal	Horizontal	N/A
2654.600	-27.41	1.42	-25.0	-2.41	232.00	Horizontal	Horizontal	N/A
6992.400	-41.63	13.58	-25.0	-16.63	127.00	Horizontal	Horizontal	Pass
13421.475	-44.97	11.00	-25.0	-19.97	24.00	Horizontal	Horizontal	Pass
19408.026	-45.01	14.34	-25.0	-20.01	360.00	Horizontal	Horizontal	Pass

RSE-H&V CH21152 20M RB1 HIGH CH21350 20M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
101.295	-68.67	-21.32	-25.0	-43.67	358.00	Horizontal	Vertical	Pass
1406.100	-55.73	-2.38	-25.0	-30.73	290.00	Horizontal	Vertical	Pass
2551.600	-37.13	2.05	-25.0	-12.13	113.00	Horizontal	Vertical	N/A
2664.600	-28.35	1.52	-25.0	-3.35	86.00	Horizontal	Vertical	N/A
6986.400	-41.85	13.70	-25.0	-16.85	2.00	Horizontal	Vertical	Pass
17459.511	-46.04	9.04	-25.0	-21.04	235.00	Horizontal	Vertical	Pass


RSE-V&V CH21152 20M RB1 HIGH CH21350 20M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
40.767	-60.90	-17.78	-25.0	-35.90	134.00	Vertical	Vertical	Pass
1398.400	-55.26	-2.16	-25.0	-30.26	0.00	Vertical	Vertical	Pass
2551.500	-36.81	2.05	-25.0	-11.81	247.00	Vertical	Vertical	N/A
2652.900	-37.05	1.40	-25.0	-12.05	83.00	Vertical	Vertical	N/A
6973.000	-41.45	13.67	-25.0	-16.45	209.00	Vertical	Vertical	Pass
19248.224	-45.37	14.06	-25.0	-20.37	255.00	Vertical	Vertical	Pass

RSE-V&H CH21152 20M RB1 HIGH CH21350 20M RB2 LOW


OPPO_RSE (RF)_FCC PART22&24&27-OPPO_LTE Band 7 & 41(low)_2496-2570_30MHz-27GHz_



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
41.106	-64.23	-17.55	-25.0	-39.23	62.00	Vertical	Horizontal	Pass
1400.700	-55.60	-2.23	-25.0	-30.60	40.00	Vertical	Horizontal	Pass
2672.500	-42.11	1.48	-25.0	-17.11	186.00	Vertical	Horizontal	N/A
6791.000	-41.38	12.39	-25.0	-16.38	115.00	Vertical	Horizontal	Pass
13455.337	-46.45	11.48	-25.0	-21.45	0.00	Vertical	Horizontal	Pass
18626.449	-45.49	11.75	-25.0	-20.49	276.00	Vertical	Horizontal	Pass


69.12 CA_7C 20MHz+20MHz, 16-QAM, High Channel

RSE-H&H CH21152 20M RB1 HIGH CH21350 20M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
95.863	-68.39	-20.91	-25.0	-43.39	360.00	Horizontal	Horizontal	Pass
1422.000	-55.30	-2.80	-25.0	-30.30	82.00	Horizontal	Horizontal	Pass
2551.500	-34.56	2.05	-25.0	-9.56	141.00	Horizontal	Horizontal	N/A
2675.000	-27.23	1.74	-25.0	-2.23	237.00	Horizontal	Horizontal	N/A
6982.800	-41.71	13.92	-25.0	-16.71	3.00	Horizontal	Horizontal	Pass
19333.650	-45.86	16.05	-25.0	-20.86	138.00	Horizontal	Horizontal	Pass

RSE-H&V CH21152 20M RB1 HIGH CH21350 20M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
101.731	-68.61	-21.32	-25.0	-43.61	352.00	Horizontal	Vertical	Pass
1376.300	-55.53	-2.73	-25.0	-30.53	55.00	Horizontal	Vertical	Pass
2551.500	-35.13	2.05	-25.0	-10.13	140.00	Horizontal	Vertical	N/A
2654.500	-28.77	1.43	-25.0	-3.77	81.00	Horizontal	Vertical	N/A
6993.400	-41.92	13.66	-25.0	-16.92	345.00	Horizontal	Vertical	Pass
17483.401	-45.53	8.88	-25.0	-20.53	11.00	Horizontal	Vertical	Pass

RSE-V&V CH21152 20M RB1 HIGH CH21350 20M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
41.398	-60.85	-17.41	-25.0	-35.85	49.00	Vertical	Vertical	Pass
1403.800	-54.87	-2.30	-25.0	-29.87	320.00	Vertical	Vertical	Pass
2551.500	-39.02	2.05	-25.0	-14.02	254.00	Vertical	Vertical	N/A
2662.800	-36.01	1.46	-25.0	-11.01	83.00	Vertical	Vertical	N/A
6979.400	-41.32	13.89	-25.0	-16.32	179.00	Vertical	Vertical	Pass
17420.925	-45.84	9.64	-25.0	-20.84	0.00	Vertical	Vertical	Pass

RSE-V&H CH21152 20M RB1 HIGH CH21350 20M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
40.767	-63.87	-17.78	-25.0	-38.87	100.00	Vertical	Horizontal	Pass
1397.100	-54.29	-2.15	-25.0	-29.29	0.00	Vertical	Horizontal	Pass
2551.500	-49.75	2.05	-25.0	-24.75	109.00	Vertical	Horizontal	N/A
2665.500	-42.65	1.48	-25.0	-17.65	187.00	Vertical	Horizontal	N/A
6998.800	-41.77	13.64	-25.0	-16.77	275.00	Vertical	Horizontal	Pass
21613.775	-45.49	14.70	-25.0	-20.49	81.00	Vertical	Horizontal	Pass




Down Antenna

70 CA_7C


70.1 CA_7C 20MHz+10MHz, QPSK, Low Channel

RSE-H&H CH20850 20M RB1 HIGH CH20994 10M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
96.154	-66.44	-20.93	-25.0	-41.44	334.00	Horizontal	Horizontal	Pass
2519.300	-48.87	1.89	-25.0	-23.87	159.00	Horizontal	Horizontal	N/A
2646.600	-30.29	1.58	-25.0	-5.29	360.00	Horizontal	Horizontal	N/A
6673.000	-41.88	11.59	-25.0	-16.88	0.00	Horizontal	Horizontal	Pass
13425.937	-45.02	11.07	-25.0	-20.02	249.00	Horizontal	Horizontal	Pass
17415.150	-45.63	9.62	-25.0	-20.63	0.00	Horizontal	Horizontal	Pass

RSE-H&V CH20850 20M RB1 HIGH CH20994 10M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
102.071	-66.00	-21.33	-25.0	-41.00	356.00	Horizontal	Vertical	Pass
2214.200	-51.79	0.56	-25.0	-26.79	67.00	Horizontal	Vertical	Pass
2647.600	-28.93	1.47	-25.0	-3.93	169.00	Horizontal	Vertical	N/A
6616.400	-42.51	12.19	-25.0	-17.51	252.00	Horizontal	Vertical	Pass
12718.088	-45.73	10.10	-25.0	-20.73	226.00	Horizontal	Vertical	Pass
19117.801	-45.59	11.80	-25.0	-20.59	269.00	Horizontal	Vertical	Pass

RSE-V&V CH20850 20M RB1 HIGH CH20994 10M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
41.495	-65.15	-17.36	-25.0	-40.15	322.00	Vertical	Vertical	Pass
2519.200	-46.96	1.89	-25.0	-21.96	219.00	Vertical	Vertical	N/A
2646.900	-46.00	1.55	-25.0	-21.00	363.00	Vertical	Vertical	N/A
6983.400	-42.13	13.86	-25.0	-17.13	357.00	Vertical	Vertical	Pass
13445.363	-45.99	11.42	-25.0	-20.99	323.00	Vertical	Vertical	Pass
19953.449	-45.40	15.26	-25.0	-20.40	330.00	Vertical	Vertical	Pass


RSE-V&H CH20850 20M RB1 HIGH CH20994 10M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
41.398	-64.80	-17.41	-25.0	-39.80	18.00	Vertical	Horizontal	Pass
1371.200	-55.41	-3.07	-25.0	-30.41	1.00	Vertical	Horizontal	Pass
2647.000	-45.08	1.54	-25.0	-20.08	61.00	Vertical	Horizontal	N/A
6998.000	-40.76	13.63	-25.0	-15.76	148.00	Vertical	Horizontal	Pass
13493.137	-46.30	10.85	-25.0	-21.30	359.00	Vertical	Horizontal	Pass
21633.749	-45.45	14.70	-25.0	-20.45	109.00	Vertical	Horizontal	Pass


70.2 CA_7C 20MHz+10MHz, 16-QAM, Low Channel

RSE-H&H CH20850 20M RB1 HIGH CH20994 10M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
95.960	-66.33	-20.92	-25.0	-41.33	359.00	Horizontal	Horizontal	Pass
2519.200	-48.22	1.89	-25.0	-23.22	150.00	Horizontal	Horizontal	N/A
2642.400	-30.02	1.57	-25.0	-5.02	180.00	Horizontal	Horizontal	N/A
6963.600	-41.71	13.12	-25.0	-16.71	276.00	Horizontal	Horizontal	Pass
13458.750	-45.65	11.46	-25.0	-20.65	205.00	Horizontal	Horizontal	Pass
18961.650	-45.14	10.95	-25.0	-20.14	67.00	Horizontal	Horizontal	Pass

RSE-H&V CH20850 20M RB1 HIGH CH20994 10M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
101.101	-65.61	-21.32	-25.0	-40.61	359.00	Horizontal	Vertical	Pass
1398.200	-55.68	-2.16	-25.0	-30.68	360.00	Horizontal	Vertical	Pass
2646.900	-30.18	1.55	-25.0	-5.18	363.00	Horizontal	Vertical	N/A
5146.600	-46.39	7.49	-25.0	-21.39	331.00	Horizontal	Vertical	Pass
13462.425	-46.12	11.41	-25.0	-21.12	212.00	Horizontal	Vertical	Pass
18630.900	-44.98	11.76	-25.0	-19.98	124.00	Horizontal	Vertical	Pass

RSE-V&V CH20850 20M RB1 HIGH CH20994 10M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
33.492	-65.17	-17.30	-25.0	-40.17	46.00	Vertical	Vertical	Pass
2519.300	-48.26	1.89	-25.0	-23.26	326.00	Vertical	Vertical	N/A
2640.900	-45.77	1.47	-25.0	-20.77	363.00	Vertical	Vertical	N/A
6678.800	-40.93	11.77	-25.0	-15.93	40.00	Vertical	Vertical	Pass
13656.674	-45.56	10.40	-25.0	-20.56	318.00	Vertical	Vertical	Pass
19928.699	-44.80	16.06	-25.0	-19.80	360.00	Vertical	Vertical	Pass


RSE-V&H CH20850 20M RB1 HIGH CH20994 10M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
41.203	-64.89	-17.50	-25.0	-39.89	328.00	Vertical	Horizontal	Pass
1388.600	-55.38	-2.27	-25.0	-30.38	165.00	Vertical	Horizontal	Pass
2642.500	-45.72	1.57	-25.0	-20.72	353.00	Vertical	Horizontal	N/A
6982.200	-40.75	13.88	-25.0	-15.75	17.00	Vertical	Horizontal	Pass
13430.662	-46.31	11.15	-25.0	-21.31	35.00	Vertical	Horizontal	Pass
21027.600	-45.44	14.51	-25.0	-20.44	117.00	Vertical	Horizontal	Pass


70.3 CA_7C 20MHz+10MHz, QPSK, Middle Channel

RSE-H&H CH21051 20M RB1 HIGH CH21195 10M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
95.766	-66.73	-20.89	-25.0	-41.73	359.00	Horizontal	Horizontal	Pass
2219.100	-51.89	0.66	-25.0	-26.89	199.00	Horizontal	Horizontal	Pass
2665.000	-30.61	1.53	-25.0	-5.61	170.00	Horizontal	Horizontal	N/A
6992.400	-41.48	13.58	-25.0	-16.48	113.00	Horizontal	Horizontal	Pass
13455.863	-46.25	11.48	-25.0	-21.25	34.00	Horizontal	Horizontal	Pass
21029.849	-45.25	14.51	-25.0	-20.25	202.00	Horizontal	Horizontal	Pass

RSE-H&V CH21051 20M RB1 HIGH CH21195 10M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
100.325	-64.57	-21.31	-25.0	-39.57	360.00	Horizontal	Vertical	Pass
1418.300	-55.75	-2.63	-25.0	-30.75	222.00	Horizontal	Vertical	Pass
2661.400	-29.12	1.35	-25.0	-4.12	165.00	Horizontal	Vertical	N/A
6611.600	-42.05	12.34	-25.0	-17.05	88.00	Horizontal	Vertical	Pass
13419.900	-45.47	10.98	-25.0	-20.47	0.00	Horizontal	Vertical	Pass
21036.151	-44.98	14.51	-25.0	-19.98	129.00	Horizontal	Vertical	Pass

RSE-V&V CH21051 20M RB1 HIGH CH21195 10M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
33.492	-64.24	-17.30	-25.0	-39.24	10.00	Vertical	Vertical	Pass
1392.800	-55.85	-2.34	-25.0	-30.85	325.00	Vertical	Vertical	Pass
2667.700	-44.81	1.33	-25.0	-19.81	274.00	Vertical	Vertical	N/A
6278.800	-43.22	11.26	-25.0	-18.22	101.00	Vertical	Vertical	Pass
13823.887	-46.55	11.60	-25.0	-21.55	8.00	Vertical	Vertical	Pass
22226.850	-45.28	14.89	-25.0	-20.28	286.00	Vertical	Vertical	Pass


RSE-V&H CH21051 20M RB1 HIGH CH21195 10M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
41.398	-65.09	-17.41	-25.0	-40.09	40.00	Vertical	Horizontal	Pass
1398.700	-55.54	-2.17	-25.0	-30.54	208.00	Vertical	Horizontal	Pass
2661.800	-42.71	1.38	-25.0	-17.71	56.00	Vertical	Horizontal	N/A
6979.000	-40.93	13.92	-25.0	-15.93	161.00	Vertical	Horizontal	Pass
13472.663	-46.75	11.22	-25.0	-21.75	60.00	Vertical	Horizontal	Pass
19333.800	-45.28	16.04	-25.0	-20.28	341.00	Vertical	Horizontal	Pass


70.4 CA_7C 20MHz+10MHz, 16-QAM, Middle Channel

RSE-H&H CH21051 20M RB1 HIGH CH21195 10M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
96.979	-65.98	-21.00	-25.0	-40.98	359.00	Horizontal	Horizontal	Pass
2306.800	-51.94	1.20	-25.0	-26.94	31.00	Horizontal	Horizontal	Pass
2668.000	-30.28	1.33	-25.0	-5.28	180.00	Horizontal	Horizontal	N/A
6784.600	-41.87	12.15	-25.0	-16.87	284.00	Horizontal	Horizontal	Pass
13450.087	-46.12	11.51	-25.0	-21.12	331.00	Horizontal	Horizontal	Pass
21611.700	-45.24	14.70	-25.0	-20.24	279.00	Horizontal	Horizontal	Pass

RSE-H&V CH21051 20M RB1 HIGH CH21195 10M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
96.445	-66.27	-20.96	-25.0	-41.27	335.00	Horizontal	Vertical	Pass
2482.900	-51.15	1.55	-25.0	-26.15	86.00	Horizontal	Vertical	Pass
2663.900	-30.33	1.50	-25.0	-5.33	162.00	Horizontal	Vertical	N/A
6994.200	-41.06	13.62	-25.0	-16.06	65.00	Horizontal	Vertical	Pass
13439.062	-46.50	11.28	-25.0	-21.50	212.00	Horizontal	Vertical	Pass
21622.051	-45.60	14.70	-25.0	-20.60	50.00	Horizontal	Vertical	Pass

RSE-V&V CH21051 20M RB1 HIGH CH21195 10M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
33.589	-64.00	-17.44	-25.0	-39.00	32.00	Vertical	Vertical	Pass
2576.600	-50.49	2.44	-25.0	-25.49	295.00	Vertical	Vertical	N/A
2665.800	-46.13	1.45	-25.0	-21.13	295.00	Vertical	Vertical	N/A
6982.200	-41.19	13.88	-25.0	-16.19	27.00	Vertical	Vertical	Pass
12861.563	-46.76	11.13	-25.0	-21.76	90.00	Vertical	Vertical	Pass
22224.599	-45.03	14.89	-25.0	-20.03	184.00	Vertical	Vertical	Pass


RSE-V&H CH21051 20M RB1 HIGH CH21195 10M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
33.589	-65.47	-17.44	-25.0	-40.47	124.00	Vertical	Horizontal	Pass
1382.800	-55.44	-2.64	-25.0	-30.44	360.00	Vertical	Horizontal	Pass
2661.400	-44.31	1.35	-25.0	-19.31	64.00	Vertical	Horizontal	N/A
6982.600	-41.65	13.91	-25.0	-16.65	350.00	Vertical	Horizontal	Pass
13403.362	-46.45	10.74	-25.0	-21.45	266.00	Vertical	Horizontal	Pass
19290.599	-45.62	15.28	-25.0	-20.62	18.00	Vertical	Horizontal	Pass


70.5 CA_7C 20MHz+10MHz, QPSK, High Channel

RSE-H&H CH21251 20M RB1 HIGH CH21395 10M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
96.348	-65.98	-20.95	-25.0	-40.98	360.00	Horizontal	Horizontal	Pass
2577.100	-45.62	2.45	-25.0	-20.62	201.00	Horizontal	Horizontal	N/A
2683.500	-30.27	1.86	-25.0	-5.27	158.00	Horizontal	Horizontal	N/A
6995.400	-41.93	13.55	-25.0	-16.93	295.00	Horizontal	Horizontal	Pass
13402.575	-46.17	10.73	-25.0	-21.17	0.00	Horizontal	Horizontal	Pass
21041.099	-45.09	14.51	-25.0	-20.09	208.00	Horizontal	Horizontal	Pass

RSE-H&V CH21251 20M RB1 HIGH CH21395 10M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
33.007	-67.63	-16.60	-25.0	-42.63	59.00	Horizontal	Vertical	Pass
2583.300	-48.02	1.67	-25.0	-23.02	57.00	Horizontal	Vertical	N/A
2685.200	-30.11	1.78	-25.0	-5.11	162.00	Horizontal	Vertical	N/A
6616.600	-42.28	12.17	-25.0	-17.28	93.00	Horizontal	Vertical	Pass
13413.599	-46.28	10.89	-25.0	-21.28	0.00	Horizontal	Vertical	Pass
21628.350	-45.67	14.70	-25.0	-20.67	107.00	Horizontal	Vertical	Pass

RSE-V&V CH21251 20M RB1 HIGH CH21395 10M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
43.629	-63.75	-14.99	-25.0	-38.75	360.00	Vertical	Vertical	Pass
2580.700	-40.30	2.34	-25.0	-15.30	338.00	Vertical	Vertical	N/A
2684.700	-46.42	1.84	-25.0	-21.42	165.00	Vertical	Vertical	N/A
6998.400	-41.78	13.63	-25.0	-16.78	295.00	Vertical	Vertical	Pass
13483.425	-46.00	11.03	-25.0	-21.00	90.00	Vertical	Vertical	Pass
19381.051	-45.90	15.11	-25.0	-20.90	77.00	Vertical	Vertical	Pass


RSE-V&H CH21251 20M RB1 HIGH CH21395 10M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
40.476	-64.29	-18.01	-25.0	-39.29	88.00	Vertical	Horizontal	Pass
2580.300	-47.32	2.43	-25.0	-22.32	166.00	Vertical	Horizontal	N/A
2681.300	-44.44	1.80	-25.0	-19.44	45.00	Vertical	Horizontal	N/A
6986.000	-41.50	13.70	-25.0	-16.50	207.00	Vertical	Horizontal	Pass
13462.688	-45.26	11.40	-25.0	-20.26	26.00	Vertical	Horizontal	Pass
17483.401	-45.71	8.88	-25.0	-20.71	273.00	Vertical	Horizontal	Pass


70.6 CA_7C 20MHz+10MHz, 16-QAM, High Channel

RSE-H&H CH21251 20M RB1 HIGH CH21395 10M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
95.766	-67.08	-20.89	-25.0	-42.08	344.00	Horizontal	Horizontal	Pass
2577.300	-43.24	2.45	-25.0	-18.24	229.00	Horizontal	Horizontal	N/A
2684.700	-30.17	1.84	-25.0	-5.17	177.00	Horizontal	Horizontal	N/A
6987.000	-40.66	13.69	-25.0	-15.66	37.00	Horizontal	Horizontal	Pass
13470.562	-45.58	11.26	-25.0	-20.58	7.00	Horizontal	Horizontal	Pass
19336.950	-45.51	16.00	-25.0	-20.51	93.00	Horizontal	Horizontal	Pass

RSE-H&V CH21251 20M RB1 HIGH CH21395 10M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
32.279	-66.35	-16.61	-25.0	-41.35	119.00	Horizontal	Vertical	Pass
2231.600	-51.49	0.75	-25.0	-26.49	150.00	Horizontal	Vertical	Pass
2686.000	-29.46	1.67	-25.0	-4.46	173.00	Horizontal	Vertical	N/A
6983.600	-41.73	13.84	-25.0	-16.73	173.00	Horizontal	Vertical	Pass
13450.087	-45.59	11.51	-25.0	-20.59	95.00	Horizontal	Vertical	Pass
21039.749	-45.94	14.51	-25.0	-20.94	304.00	Horizontal	Vertical	Pass

RSE-V&V CH21251 20M RB1 HIGH CH21395 10M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
33.880	-64.15	-17.85	-25.0	-39.15	44.00	Vertical	Vertical	Pass
2578.200	-43.08	2.47	-25.0	-18.08	363.00	Vertical	Vertical	N/A
2684.700	-46.18	1.84	-25.0	-21.18	79.00	Vertical	Vertical	N/A
6980.200	-41.67	13.82	-25.0	-16.67	128.00	Vertical	Vertical	Pass
12770.737	-46.80	10.23	-25.0	-21.80	96.00	Vertical	Vertical	Pass
17382.599	-45.76	9.10	-25.0	-20.76	0.00	Vertical	Vertical	Pass

RSE-V&H CH21251 20M RB1 HIGH CH21395 10M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
33.734	-63.86	-17.65	-25.0	-38.86	134.00	Vertical	Horizontal	Pass
2421.900	-51.27	1.57	-25.0	-26.27	246.00	Vertical	Horizontal	Pass
2681.100	-44.68	1.83	-25.0	-19.68	38.00	Vertical	Horizontal	N/A
6989.800	-41.68	13.46	-25.0	-16.68	249.00	Vertical	Horizontal	Pass
13431.713	-46.38	11.17	-25.0	-21.38	45.00	Vertical	Horizontal	Pass
19309.500	-45.98	15.78	-25.0	-20.98	308.00	Vertical	Horizontal	Pass

70.7 CA_7C 20MHz+20MHz, QPSK, Low Channel


RSE-H&H CH20850 20M RB1 HIGH CH21048 20M RB2 LOW

OPPO_RSE (RF) _FCC PART22&24&27-OPPO_LTE Band 7 & 41(low) _2496-2570_30MHz-27GHz_




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
192.912	-65.69	-14.47	-25.0	-40.69	233.00	Horizontal	Horizontal	Pass
1394.300	-54.61	-2.23	-25.0	-29.61	122.00	Horizontal	Horizontal	Pass
2519.300	-41.22	1.89	-25.0	-16.22	152.00	Horizontal	Horizontal	N/A
2632.500	-28.62	1.49	-25.0	-3.62	242.00	Horizontal	Horizontal	N/A
6999.600	-41.71	13.65	-25.0	-16.71	265.00	Horizontal	Horizontal	Pass
19241.001	-45.98	13.78	-25.0	-20.98	29.00	Horizontal	Horizontal	Pass

RSE-H&V CH20850 20M RB1 HIGH CH21048 20M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
31.988	-65.94	-16.65	-25.0	-40.94	159.00	Horizontal	Vertical	Pass
1409.200	-55.76	-2.44	-25.0	-30.76	247.00	Horizontal	Vertical	Pass
2519.400	-48.04	1.89	-25.0	-23.04	158.00	Horizontal	Vertical	N/A
2653.300	-27.61	1.41	-25.0	-2.61	247.00	Horizontal	Vertical	N/A
6998.800	-41.65	13.64	-25.0	-16.65	286.00	Horizontal	Vertical	Pass
20457.349	-45.74	14.32	-25.0	-20.74	91.00	Horizontal	Vertical	Pass

RSE-V&V CH20850 20M RB1 HIGH CH21048 20M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
40.767	-64.04	-17.78	-25.0	-39.04	63.00	Vertical	Vertical	Pass
1400.600	-55.80	-2.23	-25.0	-30.80	271.00	Vertical	Vertical	Pass
2519.400	-43.21	1.89	-25.0	-18.21	214.00	Vertical	Vertical	N/A
2625.700	-38.27	1.18	-25.0	-13.27	99.00	Vertical	Vertical	N/A
6975.400	-41.89	13.72	-25.0	-16.89	44.00	Vertical	Vertical	Pass
19868.725	-45.73	15.53	-25.0	-20.73	118.00	Vertical	Vertical	Pass


RSE-V&H CH20850 20M RB1 HIGH CH21048 20M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
41.446	-62.22	-17.38	-25.0	-37.22	26.00	Vertical	Horizontal	Pass
1398.400	-55.19	-2.16	-25.0	-30.19	323.00	Vertical	Horizontal	Pass
2519.200	-48.33	1.89	-25.0	-23.33	207.00	Vertical	Horizontal	N/A
2649.900	-44.49	1.42	-25.0	-19.49	82.00	Vertical	Horizontal	N/A
6971.000	-41.99	13.52	-25.0	-16.99	63.00	Vertical	Horizontal	Pass
19331.949	-44.70	16.07	-25.0	-19.70	136.00	Vertical	Horizontal	Pass


70.8 CA_7C 20MHz+20MHz, 16-QAM, Low Channel

RSE-H&H CH20850 20M RB1 HIGH CH21048 20M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
193.348	-68.67	-14.49	-25.0	-43.67	239.00	Horizontal	Horizontal	Pass
1389.500	-55.75	-2.30	-25.0	-30.75	223.00	Horizontal	Horizontal	Pass
2519.300	-40.98	1.89	-25.0	-15.98	147.00	Horizontal	Horizontal	N/A
2649.600	-28.22	1.42	-25.0	-3.22	240.00	Horizontal	Horizontal	N/A
6995.400	-41.61	13.55	-25.0	-16.61	129.00	Horizontal	Horizontal	Pass
19324.725	-45.73	16.17	-25.0	-20.73	222.00	Horizontal	Horizontal	Pass

RSE-H&V CH20850 20M RB1 HIGH CH21048 20M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
32.231	-66.18	-16.61	-25.0	-41.18	97.00	Horizontal	Vertical	Pass
1389.400	-55.30	-2.30	-25.0	-30.30	360.00	Horizontal	Vertical	Pass
2519.400	-48.82	1.89	-25.0	-23.82	154.00	Horizontal	Vertical	N/A
2651.400	-27.29	1.40	-25.0	-2.29	237.00	Horizontal	Vertical	N/A
6981.600	-41.85	13.84	-25.0	-16.85	249.00	Horizontal	Vertical	Pass
21620.574	-45.21	14.70	-25.0	-20.21	230.00	Horizontal	Vertical	Pass

RSE-V&V CH20850 20M RB1 HIGH CH21048 20M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
41.398	-63.01	-17.41	-25.0	-38.01	68.00	Vertical	Vertical	Pass
1406.100	-55.64	-2.38	-25.0	-30.64	239.00	Vertical	Vertical	Pass
2519.300	-42.74	1.89	-25.0	-17.74	183.00	Vertical	Vertical	N/A
2651.200	-37.78	1.40	-25.0	-12.78	27.00	Vertical	Vertical	N/A
6973.600	-41.71	13.68	-25.0	-16.71	163.00	Vertical	Vertical	Pass
19452.649	-45.67	14.29	-25.0	-20.67	175.00	Vertical	Vertical	Pass

RSE-V&H CH20850 20M RB1 HIGH CH21048 20M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
41.398	-63.74	-17.41	-25.0	-38.74	84.00	Vertical	Horizontal	Pass
1404.000	-54.98	-2.30	-25.0	-29.98	68.00	Vertical	Horizontal	Pass
2519.100	-48.89	1.89	-25.0	-23.89	213.00	Vertical	Horizontal	N/A
2622.200	-43.84	1.24	-25.0	-18.84	342.00	Vertical	Horizontal	N/A
6995.200	-40.84	13.56	-25.0	-15.84	323.00	Vertical	Horizontal	Pass
19280.949	-45.15	15.18	-25.0	-20.15	125.00	Vertical	Horizontal	Pass

70.9 CA_7C 20MHz+20MHz, QPSK, Middle Channel


RSE-H&H CH21001 20M RB1 HIGH CH21199 20M RB2 LOW

OPPO_RSE (RF) , FCC PART22&24&27-OPPO_LTE Band 7 & 41(low) ,2496-2570_30MHz-27GHz_




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
193.542	-68.45	-14.50	-25.0	-43.45	219.00	Horizontal	Horizontal	Pass
1393.000	-54.98	-2.32	-25.0	-29.98	216.00	Horizontal	Horizontal	Pass
2652.200	-27.79	1.38	-25.0	-2.79	236.00	Horizontal	Horizontal	N/A
5126.200	-45.54	7.93	-25.0	-20.54	172.00	Horizontal	Horizontal	Pass
13448.513	-45.45	11.48	-25.0	-20.45	139.00	Horizontal	Horizontal	Pass
17475.787	-44.47	8.99	-25.0	-19.47	0.00	Horizontal	Horizontal	Pass

RSE-H&V CH21001 20M RB1 HIGH CH21199 20M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
102.750	-67.60	-21.32	-25.0	-42.60	26.00	Horizontal	Vertical	Pass
1418.300	-54.67	-2.63	-25.0	-29.67	99.00	Horizontal	Vertical	Pass
2650.500	-29.08	1.41	-25.0	-4.08	240.00	Horizontal	Vertical	N/A
6997.800	-41.75	13.63	-25.0	-16.75	247.00	Horizontal	Vertical	Pass
13415.963	-45.50	10.92	-25.0	-20.50	244.00	Horizontal	Vertical	Pass
19918.875	-45.74	16.42	-25.0	-20.74	360.00	Horizontal	Vertical	Pass

RSE-V&V CH21001 20M RB1 HIGH CH21199 20M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
33.589	-64.54	-17.44	-25.0	-39.54	96.00	Vertical	Vertical	Pass
1394.800	-55.20	-2.20	-25.0	-30.20	257.00	Vertical	Vertical	Pass
2534.400	-48.85	1.95	-25.0	-23.85	335.00	Vertical	Vertical	N/A
2640.500	-38.50	1.43	-25.0	-13.50	23.00	Vertical	Vertical	N/A
6983.400	-40.97	13.86	-25.0	-15.97	297.00	Vertical	Vertical	Pass
21043.425	-45.86	14.51	-25.0	-20.86	360.00	Vertical	Vertical	Pass

RSE-V&H CH21001 20M RB1 HIGH CH21199 20M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
41.155	-64.83	-17.52	-25.0	-39.83	163.00	Vertical	Horizontal	Pass
1390.200	-55.06	-2.32	-25.0	-30.06	190.00	Vertical	Horizontal	Pass
2670.300	-43.83	1.37	-25.0	-18.83	190.00	Vertical	Horizontal	N/A
6998.800	-41.51	13.64	-25.0	-16.51	353.00	Vertical	Horizontal	Pass
13412.550	-46.57	10.87	-25.0	-21.57	323.00	Vertical	Horizontal	Pass
22345.200	-45.17	14.93	-25.0	-20.17	277.00	Vertical	Horizontal	Pass

70.10 CA_7C 20MHz+20MHz, 16-QAM, Middle Channel


RSE-H&H CH21001 20M RB1 HIGH CH21199 20M RB2 LOW

OPPO_RSE (RF) _FCC PART22&24&27-OPPO_LTE Band 7 & 41(low) _2496-2570_30MHz-27GHz_




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
95.863	-68.01	-20.91	-25.0	-43.01	360.00	Horizontal	Horizontal	Pass
1366.800	-55.09	-2.96	-25.0	-30.09	0.00	Horizontal	Horizontal	Pass
2642.400	-28.35	1.57	-25.0	-3.35	245.00	Horizontal	Horizontal	N/A
6975.200	-41.71	13.72	-25.0	-16.71	57.00	Horizontal	Horizontal	Pass
13434.599	-46.23	11.21	-25.0	-21.23	39.00	Horizontal	Horizontal	Pass
19198.925	-44.90	13.97	-25.0	-19.90	173.00	Horizontal	Horizontal	Pass

RSE-H&V CH21001 20M RB1 HIGH CH21199 20M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
32.085	-66.27	-16.62	-25.0	-41.27	149.00	Horizontal	Vertical	Pass
1405.300	-55.08	-2.34	-25.0	-30.08	256.00	Horizontal	Vertical	Pass
2650.800	-28.67	1.41	-25.0	-3.67	242.00	Horizontal	Vertical	N/A
6784.000	-42.62	12.15	-25.0	-17.62	198.00	Horizontal	Vertical	Pass
13427.512	-45.64	11.10	-25.0	-20.64	236.00	Horizontal	Vertical	Pass
19500.675	-45.57	14.95	-25.0	-20.57	269.00	Horizontal	Vertical	Pass

RSE-V&V CH21001 20M RB1 HIGH CH21199 20M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
40.476	-64.76	-18.01	-25.0	-39.76	55.00	Vertical	Vertical	Pass
1410.000	-55.56	-2.50	-25.0	-30.56	197.00	Vertical	Vertical	Pass
2645.300	-38.88	1.65	-25.0	-13.88	37.00	Vertical	Vertical	N/A
6996.000	-41.23	13.56	-25.0	-16.23	269.00	Vertical	Vertical	Pass
13575.300	-46.45	10.66	-25.0	-21.45	0.00	Vertical	Vertical	Pass
19918.875	-45.41	16.42	-25.0	-20.41	82.00	Vertical	Vertical	Pass


RSE-V&H CH21001 20M RB1 HIGH CH21199 20M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
41.106	-62.17	-17.55	-25.0	-37.17	38.00	Vertical	Horizontal	Pass
1398.500	-54.73	-2.16	-25.0	-29.73	226.00	Vertical	Horizontal	Pass
2649.900	-45.09	1.42	-25.0	-20.09	79.00	Vertical	Horizontal	N/A
6975.400	-42.24	13.72	-25.0	-17.24	93.00	Vertical	Horizontal	Pass
13468.200	-45.96	11.30	-25.0	-20.96	107.00	Vertical	Horizontal	Pass
21037.900	-45.16	14.51	-25.0	-20.16	298.00	Vertical	Horizontal	Pass


70.11 CA_7C 20MHz+20MHz, QPSK, High Channel

RSE-H&H CH21152 20M RB1 HIGH CH21350 20M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
193.639	-68.79	-14.50	-25.0	-43.79	252.00	Horizontal	Horizontal	Pass
1403.000	-54.00	-2.29	-25.0	-29.00	172.00	Horizontal	Horizontal	Pass
2551.600	-39.23	2.05	-25.0	-14.23	151.00	Horizontal	Horizontal	N/A
2681.800	-27.18	1.75	-25.0	-2.18	244.00	Horizontal	Horizontal	N/A
6995.200	-41.91	13.56	-25.0	-16.91	113.00	Horizontal	Horizontal	Pass
18631.125	-45.18	11.76	-25.0	-20.18	192.00	Horizontal	Horizontal	Pass

RSE-H&V CH21152 20M RB1 HIGH CH21350 20M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
101.974	-67.53	-21.33	-25.0	-42.53	351.00	Horizontal	Vertical	Pass
1397.300	-55.03	-2.15	-25.0	-30.03	259.00	Horizontal	Vertical	Pass
2551.500	-45.55	2.05	-25.0	-20.55	159.00	Horizontal	Vertical	N/A
2672.400	-28.27	1.47	-25.0	-3.27	246.00	Horizontal	Vertical	N/A
5478.000	-45.27	7.25	-25.0	-20.27	338.00	Horizontal	Vertical	Pass
21032.800	-44.99	14.51	-25.0	-19.99	156.00	Horizontal	Vertical	Pass

RSE-V&V CH21152 20M RB1 HIGH CH21350 20M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
41.155	-64.53	-17.52	-25.0	-39.53	74.00	Vertical	Vertical	Pass
1417.400	-54.92	-2.58	-25.0	-29.92	229.00	Vertical	Vertical	Pass
2551.500	-38.73	2.05	-25.0	-13.73	326.00	Vertical	Vertical	N/A
2654.700	-38.02	1.41	-25.0	-13.02	21.00	Vertical	Vertical	N/A
6999.600	-41.93	13.65	-25.0	-16.93	191.00	Vertical	Vertical	Pass
19288.177	-44.85	15.26	-25.0	-19.85	60.00	Vertical	Vertical	Pass


RSE-V&H CH21152 20M RB1 HIGH CH21350 20M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
41.398	-64.22	-17.41	-25.0	-39.22	95.00	Vertical	Horizontal	Pass
1398.700	-55.17	-2.17	-25.0	-30.17	60.00	Vertical	Horizontal	Pass
2551.500	-45.61	2.05	-25.0	-20.61	360.00	Vertical	Horizontal	N/A
2681.600	-43.13	1.77	-25.0	-18.13	181.00	Vertical	Horizontal	N/A
6998.000	-42.13	13.63	-25.0	-17.13	114.00	Vertical	Horizontal	Pass
21612.501	-45.58	14.70	-25.0	-20.58	154.00	Vertical	Horizontal	Pass


70.12 CA_7C 20MHz+20MHz, 16-QAM, High Channel

RSE-H&H CH21152 20M RB1 HIGH CH21350 20M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
193.639	-68.69	-14.50	-25.0	-43.69	231.00	Horizontal	Horizontal	Pass
1381.200	-54.84	-2.62	-25.0	-29.84	292.00	Horizontal	Horizontal	Pass
2551.700	-40.21	2.05	-25.0	-15.21	167.00	Horizontal	Horizontal	N/A
2658.000	-27.85	1.46	-25.0	-2.85	247.00	Horizontal	Horizontal	N/A
6982.400	-41.13	13.89	-25.0	-16.13	148.00	Horizontal	Horizontal	Pass
21634.175	-45.44	14.70	-25.0	-20.44	238.00	Horizontal	Horizontal	Pass

RSE-H&V CH21152 20M RB1 HIGH CH21350 20M RB2 LOW




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
32.085	-66.24	-16.62	-25.0	-41.24	96.00	Horizontal	Vertical	Pass
1396.500	-54.91	-2.14	-25.0	-29.91	32.00	Horizontal	Vertical	Pass
2551.400	-44.70	2.04	-25.0	-19.70	149.00	Horizontal	Vertical	N/A
2680.500	-27.38	1.89	-25.0	-2.38	242.00	Horizontal	Vertical	N/A
6979.800	-39.78	13.85	-25.0	-14.78	258.00	Horizontal	Vertical	Pass
19215.073	-44.94	13.95	-25.0	-19.94	24.00	Horizontal	Vertical	Pass

RSE-V&V CH21152 20M RB1 HIGH CH21350 20M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
44.550	-63.73	-15.30	-25.0	-38.73	317.00	Vertical	Vertical	Pass
1402.900	-55.17	-2.29	-25.0	-30.17	175.00	Vertical	Vertical	Pass
2551.500	-39.09	2.05	-25.0	-14.09	353.00	Vertical	Vertical	N/A
2652.600	-38.03	1.39	-25.0	-13.03	32.00	Vertical	Vertical	N/A
6992.800	-42.25	13.61	-25.0	-17.25	244.00	Vertical	Vertical	Pass
19843.226	-45.81	14.27	-25.0	-20.81	84.00	Vertical	Vertical	Pass

RSE-V&H CH21152 20M RB1 HIGH CH21350 20M RB2 LOW



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
41.398	-64.43	-17.41	-25.0	-39.43	101.00	Vertical	Horizontal	Pass
1400.300	-55.33	-2.20	-25.0	-30.33	40.00	Vertical	Horizontal	Pass
2551.500	-44.69	2.05	-25.0	-19.69	213.00	Vertical	Horizontal	N/A
2680.700	-43.23	1.87	-25.0	-18.23	192.00	Vertical	Horizontal	N/A
6972.600	-41.63	13.66	-25.0	-16.63	0.00	Vertical	Horizontal	Pass
18930.749	-45.49	11.56	-25.0	-20.49	116.00	Vertical	Horizontal	Pass