



**20.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.23	-13	Pass	2985
30	1000	0.1	RMS	833.598	-64.95	-13	Pass	9699
1000	1700	1	RMS	1694.993	-53.72	-13	Pass	700
1700	1790	1	RMS	1778.75	22.16	60	Pass	401
1790	3000	1	RMS	2946.956	-49.83	-13	Pass	1210
3000	12000	1	RMS	12000	-43.39	-13	Pass	9000
12000	20000	1	RMS	19679.96	-35.14	-13	Pass	8000




**20.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.53	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.73	-13	Pass	2985
30	1000	0.1	RMS	858.813	-64.93	-13	Pass	9699
1000	1700	1	RMS	1695.994	-53.69	-13	Pass	700
1700	1790	1	RMS	1778.75	21.17	60	Pass	401
1790	3000	1	RMS	2955.964	-49.89	-13	Pass	1210
3000	12000	1	RMS	11995.995	-43.44	-13	Pass	9000
12000	20000	1	RMS	19682.96	-35.15	-13	Pass	8000




**20.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,  
Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-75.16	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.83	-13	Pass	2985
30	1000	0.1	RMS	820.296	-64.95	-13	Pass	9699
1000	1700	1	RMS	1700	-51.23	-13	Pass	700
1700	1790	1	RMS	1710.125	22.31	60	Pass	401
1790	3000	1	RMS	2947.957	-49.88	-13	Pass	1210
3000	12000	1	RMS	11993.993	-43.45	-13	Pass	9000
12000	20000	1	RMS	19680.96	-35.15	-13	Pass	8000




**20.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,  
Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.74	-13	Pass	2985
30	1000	0.1	RMS	864.32	-64.91	-13	Pass	9699
1000	1700	1	RMS	1700	-51.47	-13	Pass	700
1700	1790	1	RMS	1710.125	21.51	60	Pass	401
1790	3000	1	RMS	2950.959	-49.91	-13	Pass	1210
3000	12000	1	RMS	11997.998	-43.43	-13	Pass	9000
12000	20000	1	RMS	19685.961	-35.17	-13	Pass	8000




**20.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.77	-13	Pass	2985
30	1000	0.1	RMS	849.1	-64.77	-13	Pass	9699
1000	1700	1	RMS	1694.993	-53.7	-13	Pass	700
1700	1790	1	RMS	1743.65	22.11	60	Pass	401
1790	3000	1	RMS	2950.959	-49.87	-13	Pass	1210
3000	12000	1	RMS	12000	-43.44	-13	Pass	9000
12000	20000	1	RMS	19680.96	-35.14	-13	Pass	8000




**20.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,  
Channel:132322, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.59	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.61	-13	Pass	2985
30	1000	0.1	RMS	847.7	-64.91	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.74	-13	Pass	700
1700	1790	1	RMS	1743.65	21.23	60	Pass	401
1790	3000	1	RMS	2947.957	-49.86	-13	Pass	1210
3000	12000	1	RMS	11997.998	-43.4	-13	Pass	9000
12000	20000	1	RMS	19674.959	-35.19	-13	Pass	8000




**20.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.44	-13	Pass	2985
30	1000	0.1	RMS	838.499	-64.72	-13	Pass	9699
1000	1700	1	RMS	1696.996	-53.78	-13	Pass	700
1700	1790	1	RMS	1777.175	22.08	60	Pass	401
1790	3000	1	RMS	2941.952	-49.9	-13	Pass	1210
3000	12000	1	RMS	12000	-43.41	-13	Pass	9000
12000	20000	1	RMS	19676.96	-35.19	-13	Pass	8000



**20.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,  
Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.59	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.92	-13	Pass	2985
30	1000	0.1	RMS	841.999	-65.03	-13	Pass	9699
1000	1700	1	RMS	1700	-53.75	-13	Pass	700
1700	1790	1	RMS	1777.175	21.2	60	Pass	401
1790	3000	1	RMS	2950.959	-49.85	-13	Pass	1210
3000	12000	1	RMS	12000	-43.43	-13	Pass	9000
12000	20000	1	RMS	19680.96	-35.18	-13	Pass	8000






**20.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,  
Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.37	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.19	-13	Pass	2985
30	1000	0.1	RMS	853.606	-64.79	-13	Pass	9699
1000	1700	1	RMS	1698.999	-51.13	-13	Pass	700
1700	1790	1	RMS	1710.125	22.26	60	Pass	401
1790	3000	1	RMS	2947.957	-49.85	-13	Pass	1210
3000	12000	1	RMS	12000	-43.47	-13	Pass	9000
12000	20000	1	RMS	19676.96	-35.17	-13	Pass	8000




**20.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,  
Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.4	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.6	-13	Pass	2985
30	1000	0.1	RMS	836.498	-64.94	-13	Pass	9699
1000	1700	1	RMS	1700	-50.77	-13	Pass	700
1700	1790	1	RMS	1710.125	21.31	60	Pass	401
1790	3000	1	RMS	2950.959	-49.83	-13	Pass	1210
3000	12000	1	RMS	11991.99	-43.47	-13	Pass	9000
12000	20000	1	RMS	19682.96	-35.08	-13	Pass	8000




**20.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:132322, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.96	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.66	-13	Pass	2985
30	1000	0.1	RMS	851.403	-64.92	-13	Pass	9699
1000	1700	1	RMS	1691.989	-53.66	-13	Pass	700
1700	1790	1	RMS	1742.75	22.03	60	Pass	401
1790	3000	1	RMS	2948.958	-49.84	-13	Pass	1210
3000	12000	1	RMS	12000	-43.44	-13	Pass	9000
12000	20000	1	RMS	19681.96	-35.09	-13	Pass	8000




**20.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,  
Channel:132322, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.94	-13	Pass	401
0.15	30	0.01	RMS	0.16	-73.13	-13	Pass	2985
30	1000	0.1	RMS	846.6	-64.86	-13	Pass	9699
1000	1700	1	RMS	1695.994	-53.71	-13	Pass	700
1700	1790	1	RMS	1742.75	21.39	60	Pass	401
1790	3000	1	RMS	2946.956	-49.81	-13	Pass	1210
3000	12000	1	RMS	11998.999	-43.46	-13	Pass	9000
12000	20000	1	RMS	19680.96	-35.18	-13	Pass	8000




**20.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,  
Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.09	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.57	-13	Pass	2985
30	1000	0.1	RMS	871.429	-64.78	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.77	-13	Pass	700
1700	1790	1	RMS	1775.15	22.09	60	Pass	401
1790	3000	1	RMS	2949.959	-49.89	-13	Pass	1210
3000	12000	1	RMS	11997.998	-43.47	-13	Pass	9000
12000	20000	1	RMS	19681.96	-35.2	-13	Pass	8000




**20.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,  
Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-74.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-73.12	-13	Pass	2985
30	1000	0.1	RMS	842.399	-64.87	-13	Pass	9699
1000	1700	1	RMS	1695.994	-53.74	-13	Pass	700
1700	1790	1	RMS	1775.15	21.42	60	Pass	401
1790	3000	1	RMS	2946.956	-49.86	-13	Pass	1210
3000	12000	1	RMS	11996.996	-43.34	-13	Pass	9000
12000	20000	1	RMS	19679.96	-35.16	-13	Pass	8000




**20.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.97	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.32	-13	Pass	2985
30	1000	0.1	RMS	839.599	-64.86	-13	Pass	9699
1000	1700	1	RMS	1700	-50.51	-13	Pass	700
1700	1790	1	RMS	1710.575	22.26	60	Pass	401
1790	3000	1	RMS	2946.956	-49.85	-13	Pass	1210
3000	12000	1	RMS	12000	-43.34	-13	Pass	9000
12000	20000	1	RMS	19683.96	-35.17	-13	Pass	8000



**20.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,  
Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 1, RB  
Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.29	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.83	-13	Pass	2985
30	1000	0.1	RMS	842.799	-64.94	-13	Pass	9699
1000	1700	1	RMS	1700	-50.92	-13	Pass	700
1700	1790	1	RMS	1710.575	21.18	60	Pass	401
1790	3000	1	RMS	2946.956	-49.88	-13	Pass	1210
3000	12000	1	RMS	11997.998	-43.34	-13	Pass	9000
12000	20000	1	RMS	19676.96	-35.14	-13	Pass	8000






**20.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.83	-13	Pass	2985
30	1000	0.1	RMS	838.199	-64.79	-13	Pass	9699
1000	1700	1	RMS	1696.996	-53.59	-13	Pass	700
1700	1790	1	RMS	1740.5	22.13	60	Pass	401
1790	3000	1	RMS	2950.959	-49.87	-13	Pass	1210
3000	12000	1	RMS	11998.999	-43.45	-13	Pass	9000
12000	20000	1	RMS	19681.96	-35.16	-13	Pass	8000




**20.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,  
Channel:132322, Bandwidth:10, Modulation:Q16, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.48	-13	Pass	2985
30	1000	0.1	RMS	842.799	-64.93	-13	Pass	9699
1000	1700	1	RMS	1697.997	-53.62	-13	Pass	700
1700	1790	1	RMS	1740.5	21.23	60	Pass	401
1790	3000	1	RMS	2946.956	-49.86	-13	Pass	1210
3000	12000	1	RMS	11997.998	-43.5	-13	Pass	9000
12000	20000	1	RMS	19678.96	-35.12	-13	Pass	8000




**20.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,  
Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.76	-13	Pass	2985
30	1000	0.1	RMS	836.898	-64.83	-13	Pass	9699
1000	1700	1	RMS	1696.996	-53.71	-13	Pass	700
1700	1790	1	RMS	1770.425	22.12	60	Pass	401
1790	3000	1	RMS	2947.957	-49.88	-13	Pass	1210
3000	12000	1	RMS	12000	-43.41	-13	Pass	9000
12000	20000	1	RMS	19676.96	-35.15	-13	Pass	8000




**20.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,  
Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.01	-13	Pass	401
0.15	30	0.01	RMS	0.16	-73.41	-13	Pass	2985
30	1000	0.1	RMS	834.498	-64.85	-13	Pass	9699
1000	1700	1	RMS	1697.997	-53.71	-13	Pass	700
1700	1790	1	RMS	1770.425	21.4	60	Pass	401
1790	3000	1	RMS	2941.952	-49.89	-13	Pass	1210
3000	12000	1	RMS	11996.996	-43.46	-13	Pass	9000
12000	20000	1	RMS	19678.96	-35.15	-13	Pass	8000




**20.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.19	-13	Pass	2985
30	1000	0.1	RMS	841.599	-64.84	-13	Pass	9699
1000	1700	1	RMS	1697.997	-35.45	-13	Pass	700
1700	1790	1	RMS	1710.8	22.16	60	Pass	401
1790	3000	1	RMS	2949.959	-49.84	-13	Pass	1210
3000	12000	1	RMS	11997.998	-43.43	-13	Pass	9000
12000	20000	1	RMS	19683.96	-35.15	-13	Pass	8000




**20.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,  
Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.61	-13	Pass	2985
30	1000	0.1	RMS	852.504	-64.83	-13	Pass	9699
1000	1700	1	RMS	1697.997	-36.37	-13	Pass	700
1700	1790	1	RMS	1710.8	21.31	60	Pass	401
1790	3000	1	RMS	2949.959	-49.82	-13	Pass	1210
3000	12000	1	RMS	11993.993	-43.53	-13	Pass	9000
12000	20000	1	RMS	19679.96	-35.08	-13	Pass	8000




**20.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,  
Channel:132322, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.71	-13	Pass	401
0.15	30	0.01	RMS	0.29	-73.37	-13	Pass	2985
30	1000	0.1	RMS	845.9	-64.85	-13	Pass	9699
1000	1700	1	RMS	1700	-53.58	-13	Pass	700
1700	1790	1	RMS	1738.25	22.11	60	Pass	401
1790	3000	1	RMS	2948.958	-49.85	-13	Pass	1210
3000	12000	1	RMS	11996.996	-43.46	-13	Pass	9000
12000	20000	1	RMS	19680.96	-35.09	-13	Pass	8000



**20.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,  
Channel:132322, Bandwidth:15, Modulation:Q16, RB Number: 1, RB  
Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.48	-13	Pass	2985
30	1000	0.1	RMS	850.702	-64.92	-13	Pass	9699
1000	1700	1	RMS	1696.996	-53.58	-13	Pass	700
1700	1790	1	RMS	1738.25	21.52	60	Pass	401
1790	3000	1	RMS	2951.96	-49.82	-13	Pass	1210
3000	12000	1	RMS	11996.996	-43.36	-13	Pass	9000
12000	20000	1	RMS	19678.96	-35.18	-13	Pass	8000






**20.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.49	-13	Pass	2985
30	1000	0.1	RMS	824.097	-64.83	-13	Pass	9699
1000	1700	1	RMS	1695.994	-53.67	-13	Pass	700
1700	1790	1	RMS	1765.7	22.32	60	Pass	401
1790	3000	1	RMS	2946.956	-49.81	-13	Pass	1210
3000	12000	1	RMS	12000	-43.49	-13	Pass	9000
12000	20000	1	RMS	19683.96	-35.14	-13	Pass	8000




**20.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30, Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.23	-13	Pass	2985
30	1000	0.1	RMS	850.602	-64.86	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.62	-13	Pass	700
1700	1790	1	RMS	1765.7	21.38	60	Pass	401
1790	3000	1	RMS	2950.959	-49.84	-13	Pass	1210
3000	12000	1	RMS	11998.999	-43.46	-13	Pass	9000
12000	20000	1	RMS	19679.96	-35.09	-13	Pass	8000




**20.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.46	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.74	-13	Pass	2985
30	1000	0.1	RMS	845.8	-64.82	-13	Pass	9699
1000	1700	1	RMS	1692.99	-34.51	-13	Pass	700
1700	1790	1	RMS	1711.025	22.24	60	Pass	401
1790	3000	1	RMS	2947.957	-49.87	-13	Pass	1210
3000	12000	1	RMS	11996.996	-43.38	-13	Pass	9000
12000	20000	1	RMS	19680.96	-35.13	-13	Pass	8000




**20.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.52	-13	Pass	401
0.15	30	0.01	RMS	0.2	-73.01	-13	Pass	2985
30	1000	0.1	RMS	842.299	-64.92	-13	Pass	9699
1000	1700	1	RMS	1692.99	-35.55	-13	Pass	700
1700	1790	1	RMS	1711.025	21.58	60	Pass	401
1790	3000	1	RMS	2951.96	-49.91	-13	Pass	1210
3000	12000	1	RMS	11998.999	-43.43	-13	Pass	9000
12000	20000	1	RMS	19679.96	-35.05	-13	Pass	8000




**20.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.95	-13	Pass	2985
30	1000	0.1	RMS	847.5	-65.02	-13	Pass	9699
1000	1700	1	RMS	1700	-52.55	-13	Pass	700
1700	1790	1	RMS	1736	22.17	60	Pass	401
1790	3000	1	RMS	2949.959	-49.8	-13	Pass	1210
3000	12000	1	RMS	12000	-43.4	-13	Pass	9000
12000	20000	1	RMS	19679.96	-35.14	-13	Pass	8000




**20.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34, Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.38	-13	Pass	2985
30	1000	0.1	RMS	855.308	-64.82	-13	Pass	9699
1000	1700	1	RMS	1700	-52.93	-13	Pass	700
1700	1790	1	RMS	1736	21.33	60	Pass	401
1790	3000	1	RMS	2950.959	-49.87	-13	Pass	1210
3000	12000	1	RMS	11998.999	-43.46	-13	Pass	9000
12000	20000	1	RMS	19687.961	-35.17	-13	Pass	8000




**20.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.43	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.69	-13	Pass	2985
30	1000	0.1	RMS	845.5	-64.88	-13	Pass	9699
1000	1700	1	RMS	1694.993	-53.56	-13	Pass	700
1700	1790	1	RMS	1760.975	22.2	60	Pass	401
1790	3000	1	RMS	2949.959	-49.8	-13	Pass	1210
3000	12000	1	RMS	11998.999	-43.39	-13	Pass	9000
12000	20000	1	RMS	19676.96	-35.09	-13	Pass	8000



**20.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.63	-13	Pass	2985
30	1000	0.1	RMS	841.799	-64.88	-13	Pass	9699
1000	1700	1	RMS	1700	-53.61	-13	Pass	700
1700	1790	1	RMS	1760.975	21.33	60	Pass	401
1790	3000	1	RMS	2945.955	-49.88	-13	Pass	1210
3000	12000	1	RMS	11997.998	-43.48	-13	Pass	9000
12000	20000	1	RMS	19680.96	-35.12	-13	Pass	8000






# CA

## 21. CA\_7C


**21.1. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:20850+20994, Bandwidth:20+10, Modulation:QPSK, RB Number:1+2, RB Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.57	-25	Pass	401
0.15	30	0.01	RMS	0.24	-73.1	-25	Pass	2985
30	1000	0.1	RMS	839.799	-64.96	-25	Pass	9699
1000	2490	1	RMS	2490	-51.49	-25	Pass	1490
2490	2580	1	RMS	2518.8	20.21	60	Pass	401
2580	3000	1	RMS	2948.878	-49.86	-25	Pass	420
3000	12000	1	RMS	5039.249	-53.89	-25	Pass	9000
12000	26000	1	RMS	25993.999	-39.48	-25	Pass	14000




**21.2. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,  
Channel:20850+20994, Bandwidth:20+10, Modulation:16QAM, RB Number:1+2, RB  
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.96	-25	Pass	401
0.15	30	0.01	RMS	0.2	-72.98	-25	Pass	2985
30	1000	0.1	RMS	843.499	-65.01	-25	Pass	9699
1000	2490	1	RMS	2490	-51.62	-25	Pass	1490
2490	2580	1	RMS	2518.8	19.5	60	Pass	401
2580	3000	1	RMS	2949.881	-50.01	-25	Pass	420
3000	12000	1	RMS	11825.784	-53.95	-25	Pass	9000
12000	26000	1	RMS	25987.998	-39.49	-25	Pass	14000




**21.3. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,  
Channel:21051+21195, Bandwidth:20+10, Modulation:QPSK, RB Number:1+2, RB  
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.48	-25	Pass	401
0.15	30	0.01	RMS	0.2	-72.97	-25	Pass	2985
30	1000	0.1	RMS	578.867	-63.21	-25	Pass	9699
1000	2490	1	RMS	2486.998	-51.72	-25	Pass	1490
2490	2580	1	RMS	2538.825	20.2	60	Pass	401
2580	3000	1	RMS	2950.883	-49.88	-25	Pass	420
3000	12000	1	RMS	11819.777	-53.87	-25	Pass	9000
12000	26000	1	RMS	25996.999	-39.35	-25	Pass	14000




**21.4. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,  
Channel:21051+21195, Bandwidth:20+10, Modulation:16QAM, RB Number:1+2, RB  
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.54	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.88	-25	Pass	2985
30	1000	0.1	RMS	578.867	-64.38	-25	Pass	9699
1000	2490	1	RMS	2490	-51.78	-25	Pass	1490
2490	2580	1	RMS	2539.05	19.16	60	Pass	401
2580	3000	1	RMS	2948.878	-49.87	-25	Pass	420
3000	12000	1	RMS	11811.767	-53.86	-25	Pass	9000
12000	26000	1	RMS	25998	-39.35	-25	Pass	14000




**21.5. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,  
Channel:21251+21395, Bandwidth:20+10, Modulation:QPSK, RB Number:1+2, RB  
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.57	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.33	-25	Pass	2985
30	1000	0.1	RMS	598.869	-62.5	-25	Pass	9699
1000	2490	1	RMS	2485.997	-51.76	-25	Pass	1490
2490	2580	1	RMS	2558.85	20.25	60	Pass	401
2580	3000	1	RMS	2947.876	-49.88	-25	Pass	420
3000	12000	1	RMS	11819.777	-53.86	-25	Pass	9000
12000	26000	1	RMS	25984.997	-39.34	-25	Pass	14000




**21.6. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,  
Channel:21251+21395, Bandwidth:20+10, Modulation:16QAM, RB Number:1+2, RB  
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.68	-25	Pass	401
0.15	30	0.01	RMS	0.24	-73.15	-25	Pass	2985
30	1000	0.1	RMS	598.869	-63.45	-25	Pass	9699
1000	2490	1	RMS	2481.995	-51.76	-25	Pass	1490
2490	2580	1	RMS	2558.85	19.23	60	Pass	401
2580	3000	1	RMS	2951.885	-49.88	-25	Pass	420
3000	12000	1	RMS	11800.753	-53.92	-25	Pass	9000
12000	26000	1	RMS	25982.997	-39.36	-25	Pass	14000




**21.7. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,  
Channel:20850+21048, Bandwidth:20+20, Modulation:QPSK, RB Number:1+2, RB  
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.49	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.34	-25	Pass	2985
30	1000	0.1	RMS	850.602	-64.72	-25	Pass	9699
1000	2490	1	RMS	2488.999	-51.57	-25	Pass	1490
2490	2580	1	RMS	2518.8	20.06	60	Pass	401
2580	3000	1	RMS	2947.876	-49.88	-25	Pass	420
3000	12000	1	RMS	11798.751	-53.93	-25	Pass	9000
12000	26000	1	RMS	26000	-39.33	-25	Pass	14000



**21.8. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,  
Channel:20850+21048, Bandwidth:20+20, Modulation:16QAM, RB Number:1+2, RB  
Position:High+Low)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.34	-25	Pass	401
0.15	30	0.01	RMS	0.22	-73.18	-25	Pass	2985
30	1000	0.1	RMS	835.998	-64.65	-25	Pass	9699
1000	2490	1	RMS	2488.999	-51.63	-25	Pass	1490
2490	2580	1	RMS	2518.8	19.16	60	Pass	401
2580	3000	1	RMS	2944.869	-49.88	-25	Pass	420
3000	12000	1	RMS	11816.773	-53.9	-25	Pass	9000
12000	26000	1	RMS	25989.998	-39.35	-25	Pass	14000






**21.9. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,  
Channel:21001+21199, Bandwidth:20+20, Modulation:QPSK, RB Number:1+2, RB  
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.6	-25	Pass	401
0.15	30	0.01	RMS	0.21	-72.69	-25	Pass	2985
30	1000	0.1	RMS	574.366	-63.81	-25	Pass	9699
1000	2490	1	RMS	2490	-51.73	-25	Pass	1490
2490	2580	1	RMS	2533.875	20.2	60	Pass	401
2580	3000	1	RMS	2946.874	-49.91	-25	Pass	420
3000	12000	1	RMS	11794.746	-53.92	-25	Pass	9000
12000	26000	1	RMS	25993.999	-39.37	-25	Pass	14000




**21.10. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,  
Channel:21001+21199, Bandwidth:20+20, Modulation:16QAM, RB Number:1+2, RB  
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.23	-25	Pass	401
0.15	30	0.01	RMS	0.18	-72.16	-25	Pass	2985
30	1000	0.1	RMS	574.366	-64.95	-25	Pass	9699
1000	2490	1	RMS	2486.998	-51.78	-25	Pass	1490
2490	2580	1	RMS	2533.875	19.07	60	Pass	401
2580	3000	1	RMS	2951.885	-49.92	-25	Pass	420
3000	12000	1	RMS	11821.779	-53.85	-25	Pass	9000
12000	26000	1	RMS	25995.999	-39.36	-25	Pass	14000




**21.11. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:21152+21350, Bandwidth:20+20, Modulation:QPSK, RB Number:1+2, RB Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75.17	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.13	-25	Pass	2985
30	1000	0.1	RMS	589.468	-62.41	-25	Pass	9699
1000	2490	1	RMS	2488.999	-51.73	-25	Pass	1490
2490	2580	1	RMS	2548.95	20.13	60	Pass	401
2580	3000	1	RMS	2946.874	-49.9	-25	Pass	420
3000	12000	1	RMS	8249.641	-53.92	-25	Pass	9000
12000	26000	1	RMS	25993.999	-39.35	-25	Pass	14000



**21.12. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:21152+21350, Bandwidth:20+20, Modulation:16QAM, RB Number:1+2, RB Position:High+Low)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.01	-25	Pass	401
0.15	30	0.01	RMS	0.23	-73	-25	Pass	2985
30	1000	0.1	RMS	589.368	-63.81	-25	Pass	9699
1000	2490	1	RMS	2488.999	-51.76	-25	Pass	1490
2490	2580	1	RMS	2548.95	19.08	60	Pass	401
2580	3000	1	RMS	2949.881	-49.89	-25	Pass	420
3000	12000	1	RMS	11789.74	-53.95	-25	Pass	9000
12000	26000	1	RMS	25999	-39.42	-25	Pass	14000



## 22. CA\_38C


**22.1. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:37825+37975, Bandwidth:15+15, Modulation:QPSK, RB Number:1+2, RB Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.45	-25	Pass	401
0.15	30	0.01	RMS	0.18	-68.89	-25	Pass	2985
30	1000	0.1	RMS	844.999	-60.78	-25	Pass	9699
1000	2560	1	RMS	2560	-47.31	-25	Pass	1560
2560	2630	1	RMS	2583.975	20.19	60	Pass	401
2630	3000	1	RMS	2944.5	-46	-25	Pass	401
3000	12000	1	RMS	11800.753	-53.83	-25	Pass	9000
12000	26500	1	RMS	26007.922	-39.28	-25	Pass	14500




**22.2. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,  
Channel:37825+37975, Bandwidth:15+15, Modulation:16QAM, RB Number:1+2, RB  
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.55	-25	Pass	401
0.15	30	0.01	RMS	0.23	-69.57	-25	Pass	2985
30	1000	0.1	RMS	837.799	-60.73	-25	Pass	9699
1000	2560	1	RMS	2557.999	-47.33	-25	Pass	1560
2560	2630	1	RMS	2585.9	20.01	60	Pass	401
2630	3000	1	RMS	2950.05	-45.96	-25	Pass	401
3000	12000	1	RMS	11794.746	-53.87	-25	Pass	9000
12000	26500	1	RMS	26016.923	-39.32	-25	Pass	14500




**22.3. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,  
Channel:37925+38075, Bandwidth:15+15, Modulation:QPSK, RB Number:1+2, RB  
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.46	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.11	-25	Pass	2985
30	1000	0.1	RMS	841.399	-60.86	-25	Pass	9699
1000	2560	1	RMS	2490.956	-47.69	-25	Pass	1560
2560	2630	1	RMS	2594.125	20.45	60	Pass	401
2630	3000	1	RMS	2950.05	-45.97	-25	Pass	401
3000	12000	1	RMS	11813.77	-53.87	-25	Pass	9000
12000	26500	1	RMS	25997.92	-39.28	-25	Pass	14500



**22.4. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,  
Channel:37925+38075, Bandwidth:15+15, Modulation:16QAM, RB Number:1+2, RB  
Position:High+Low)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.35	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.19	-25	Pass	2985
30	1000	0.1	RMS	845.9	-60.86	-25	Pass	9699
1000	2560	1	RMS	2488.954	-47.7	-25	Pass	1560
2560	2630	1	RMS	2595.875	19.88	60	Pass	401
2630	3000	1	RMS	2950.05	-46	-25	Pass	401
3000	12000	1	RMS	11810.766	-53.9	-25	Pass	9000
12000	26500	1	RMS	25982.918	-39.31	-25	Pass	14500






**22.5. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,  
Channel:38025+38175, Bandwidth:15+15, Modulation:QPSK, RB Number:1+2, RB  
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.26	-25	Pass	401
0.15	30	0.01	RMS	0.19	-68.77	-25	Pass	2985
30	1000	0.1	RMS	850.802	-60.74	-25	Pass	9699
1000	2560	1	RMS	2523.977	-47.76	-25	Pass	1560
2560	2630	1	RMS	2603.925	20.49	60	Pass	401
2630	3000	1	RMS	2949.125	-45.98	-25	Pass	401
3000	12000	1	RMS	11819.777	-53.84	-25	Pass	9000
12000	26500	1	RMS	26010.922	-39.19	-25	Pass	14500




**22.6. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,  
Channel:38025+38175, Bandwidth:15+15, Modulation:16QAM, RB Number:1+2, RB  
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.68	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.93	-25	Pass	2985
30	1000	0.1	RMS	845.5	-60.86	-25	Pass	9699
1000	2560	1	RMS	2487.954	-47.71	-25	Pass	1560
2560	2630	1	RMS	2606.025	19.65	60	Pass	401
2630	3000	1	RMS	2947.275	-45.99	-25	Pass	401
3000	12000	1	RMS	11793.745	-53.88	-25	Pass	9000
12000	26500	1	RMS	26016.923	-39.29	-25	Pass	14500




**22.7. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,  
Channel:37850+38048, Bandwidth:20+20, Modulation:QPSK, RB Number:1+2, RB  
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.1	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.73	-25	Pass	2985
30	1000	0.1	RMS	819.396	-60.84	-25	Pass	9699
1000	2560	1	RMS	2558.999	-47.61	-25	Pass	1560
2560	2630	1	RMS	2588.875	20.97	60	Pass	401
2630	3000	1	RMS	2946.35	-45.97	-25	Pass	401
3000	12000	1	RMS	11811.767	-53.92	-25	Pass	9000
12000	26500	1	RMS	26015.923	-39.29	-25	Pass	14500




**22.8. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,  
Channel:37850+38048, Bandwidth:20+20, Modulation:16QAM, RB Number:1+2, RB  
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.55	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.17	-25	Pass	2985
30	1000	0.1	RMS	845.6	-60.87	-25	Pass	9699
1000	2560	1	RMS	2560	-47.55	-25	Pass	1560
2560	2630	1	RMS	2588.875	19.85	60	Pass	401
2630	3000	1	RMS	2944.5	-45.95	-25	Pass	401
3000	12000	1	RMS	11798.751	-53.88	-25	Pass	9000
12000	26500	1	RMS	25999.921	-39.22	-25	Pass	14500




**22.9. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,  
Channel:37901+38099, Bandwidth:20+20, Modulation:QPSK, RB Number:1+2, RB  
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.83	-25	Pass	401
0.15	30	0.01	RMS	0.18	-68.9	-25	Pass	2985
30	1000	0.1	RMS	842.299	-60.87	-25	Pass	9699
1000	2560	1	RMS	2556.998	-47.72	-25	Pass	1560
2560	2630	1	RMS	2593.95	20.34	60	Pass	401
2630	3000	1	RMS	2944.5	-45.98	-25	Pass	401
3000	12000	1	RMS	11795.747	-53.92	-25	Pass	9000
12000	26500	1	RMS	25996.92	-39.27	-25	Pass	14500




**22.10. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,  
Channel:37901+38099, Bandwidth:20+20, Modulation:16QAM, RB Number:1+2, RB  
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.32	-25	Pass	401
0.15	30	0.01	RMS	0.17	-69.25	-25	Pass	2985
30	1000	0.1	RMS	844.699	-60.82	-25	Pass	9699
1000	2560	1	RMS	2487.954	-47.69	-25	Pass	1560
2560	2630	1	RMS	2593.95	19.86	60	Pass	401
2630	3000	1	RMS	2950.05	-45.96	-25	Pass	401
3000	12000	1	RMS	11806.761	-53.89	-25	Pass	9000
12000	26500	1	RMS	26005.922	-39.13	-25	Pass	14500




**22.11. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:37952+38150, Bandwidth:20+20, Modulation:QPSK, RB Number:1+2, RB Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.4	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.52	-25	Pass	2985
30	1000	0.1	RMS	879.04	-60.87	-25	Pass	9699
1000	2560	1	RMS	2494.958	-47.77	-25	Pass	1560
2560	2630	1	RMS	2599.025	20.96	60	Pass	401
2630	3000	1	RMS	2946.35	-46	-25	Pass	401
3000	12000	1	RMS	11794.746	-53.8	-25	Pass	9000
12000	26500	1	RMS	25999.921	-39.26	-25	Pass	14500



**22.12. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,  
Channel:37952+38150, Bandwidth:20+20, Modulation:16QAM, RB Number:1+2, RB  
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.06	-25	Pass	401
0.15	30	0.01	RMS	0.21	-69.1	-25	Pass	2985
30	1000	0.1	RMS	839.999	-60.6	-25	Pass	9699
1000	2560	1	RMS	2488.954	-47.73	-25	Pass	1560
2560	2630	1	RMS	2600.95	19.57	60	Pass	401
2630	3000	1	RMS	2950.05	-45.98	-25	Pass	401
3000	12000	1	RMS	11803.757	-53.85	-25	Pass	9000
12000	26500	1	RMS	25999.921	-39.27	-25	Pass	14500






## 23. CA\_41C\_full


23.1. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,  
Channel:39750+39867, Bandwidth:20+5, Modulation:QPSK, RB Number:1+2, RB  
Position:High+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.82	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.13	-25	Pass	2985
30	1000	0.1	RMS	847.3	-60.89	-25	Pass	9699
1000	2486	1	RMS	2484.999	-47.49	-25	Pass	1486
2486	2700	1	RMS	2514.89	21.41	60	Pass	401
2700	3000	1	RMS	2949.75	-45.96	-25	Pass	401
3000	12000	1	RMS	11804.758	-53.88	-25	Pass	9000
12000	27000	1	RMS	26004.854	-39.19	-25	Pass	15000




**23.2. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,  
Channel:39750+39867, Bandwidth:20+5, Modulation:16QAM, RB Number:1+2, RB  
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.22	-25	Pass	401
0.15	30	0.01	RMS	0.18	-68.86	-25	Pass	2985
30	1000	0.1	RMS	843.099	-60.92	-25	Pass	9699
1000	2486	1	RMS	2486	-47.59	-25	Pass	1486
2486	2700	1	RMS	2514.89	21.01	60	Pass	401
2700	3000	1	RMS	2949.75	-45.94	-25	Pass	401
3000	12000	1	RMS	11819.777	-53.9	-25	Pass	9000
12000	27000	1	RMS	25996.853	-39.3	-25	Pass	15000




**23.3. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,  
Channel:40595+40712, Bandwidth:20+5, Modulation:QPSK, RB Number:1+2, RB  
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.16	-25	Pass	401
0.15	30	0.01	RMS	0.22	-69.18	-25	Pass	2985
30	1000	0.1	RMS	842.899	-60.89	-25	Pass	9699
1000	2486	1	RMS	2477.995	-47.8	-25	Pass	1486
2486	2700	1	RMS	2599.42	21.37	60	Pass	401
2700	3000	1	RMS	2949.75	-45.99	-25	Pass	401
3000	12000	1	RMS	11800.753	-53.87	-25	Pass	9000
12000	27000	1	RMS	25999.853	-39.22	-25	Pass	15000




**23.4. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,  
Channel:40595+40712, Bandwidth:20+5, Modulation:16QAM, RB Number:1+2, RB  
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.94	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.42	-25	Pass	2985
30	1000	0.1	RMS	848.1	-60.82	-25	Pass	9699
1000	2486	1	RMS	2486	-47.84	-25	Pass	1486
2486	2700	1	RMS	2599.42	20.12	60	Pass	401
2700	3000	1	RMS	2949.75	-45.97	-25	Pass	401
3000	12000	1	RMS	11812.768	-53.93	-25	Pass	9000
12000	27000	1	RMS	25983.851	-39.25	-25	Pass	15000




**23.5. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,  
Channel:41440+41557, Bandwidth:20+5, Modulation:QPSK, RB Number:1+2, RB  
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.49	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.98	-25	Pass	2985
30	1000	0.1	RMS	723.485	-60.13	-25	Pass	9699
1000	2486	1	RMS	2479.996	-47.86	-25	Pass	1486
2486	2700	1	RMS	2683.95	21.8	60	Pass	401
2700	3000	1	RMS	2947.5	-46	-25	Pass	401
3000	12000	1	RMS	11797.75	-53.85	-25	Pass	9000
12000	27000	1	RMS	26001.853	-39.28	-25	Pass	15000




**23.6. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,  
Channel:41440+41557, Bandwidth:20+5, Modulation:16QAM, RB Number:1+2, RB  
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.61	-25	Pass	401
0.15	30	0.01	RMS	0.22	-69.04	-25	Pass	2985
30	1000	0.1	RMS	839.699	-60.73	-25	Pass	9699
1000	2486	1	RMS	2486	-47.82	-25	Pass	1486
2486	2700	1	RMS	2683.95	21.51	60	Pass	401
2700	3000	1	RMS	2944.5	-45.99	-25	Pass	401
3000	12000	1	RMS	11807.762	-53.84	-25	Pass	9000
12000	27000	1	RMS	26972.996	-39.27	-25	Pass	15000




**23.7. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,  
Channel:39750+39948, Bandwidth:20+20, Modulation:QPSK, RB Number:1+2, RB  
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.67	-25	Pass	401
0.15	30	0.01	RMS	0.2	-69.34	-25	Pass	2985
30	1000	0.1	RMS	850.902	-60.72	-25	Pass	9699
1000	2486	1	RMS	2486	-47.63	-25	Pass	1486
2486	2700	1	RMS	2516.495	20.2	60	Pass	401
2700	3000	1	RMS	2948.25	-45.98	-25	Pass	401
3000	12000	1	RMS	11800.753	-53.8	-25	Pass	9000
12000	27000	1	RMS	26000.853	-39.24	-25	Pass	15000



**23.8. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,  
Channel:39750+39948, Bandwidth:20+20, Modulation:16QAM, RB Number:1+2, RB  
Position:High+Low)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.44	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.07	-25	Pass	2985
30	1000	0.1	RMS	830.698	-60.79	-25	Pass	9699
1000	2486	1	RMS	2486	-47.61	-25	Pass	1486
2486	2700	1	RMS	2516.495	19.24	60	Pass	401
2700	3000	1	RMS	2949.75	-46	-25	Pass	401
3000	12000	1	RMS	11449.318	-53.9	-25	Pass	9000
12000	27000	1	RMS	26029.858	-39.26	-25	Pass	15000






**23.9. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,  
Channel:40521+40719, Bandwidth:20+20, Modulation:QPSK, RB Number:1+2, RB  
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.58	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.82	-25	Pass	2985
30	1000	0.1	RMS	863.519	-60.7	-25	Pass	9699
1000	2486	1	RMS	2484.999	-47.8	-25	Pass	1486
2486	2700	1	RMS	2593.535	19.88	60	Pass	401
2700	3000	1	RMS	2949.75	-45.98	-25	Pass	401
3000	12000	1	RMS	11818.776	-53.91	-25	Pass	9000
12000	27000	1	RMS	26006.854	-39.23	-25	Pass	15000




**23.10. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,  
Channel:40521+40719, Bandwidth:20+20, Modulation:16QAM, RB Number:1+2, RB  
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.29	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.82	-25	Pass	2985
30	1000	0.1	RMS	839.499	-60.85	-25	Pass	9699
1000	2486	1	RMS	2481.997	-47.81	-25	Pass	1486
2486	2700	1	RMS	2591.93	19.18	60	Pass	401
2700	3000	1	RMS	2949.75	-45.99	-25	Pass	401
3000	12000	1	RMS	11813.77	-53.79	-25	Pass	9000
12000	27000	1	RMS	26002.854	-39.24	-25	Pass	15000




**23.11. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:41292+41490, Bandwidth:20+20, Modulation:QPSK, RB Number:1+2, RB Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.16	-25	Pass	401
0.15	30	0.01	RMS	0.2	-68.88	-25	Pass	2985
30	1000	0.1	RMS	830.698	-60.91	-25	Pass	9699
1000	2486	1	RMS	2483.999	-47.87	-25	Pass	1486
2486	2700	1	RMS	2668.97	19.91	60	Pass	401
2700	3000	1	RMS	2944.5	-45.98	-25	Pass	401
3000	12000	1	RMS	11804.758	-53.9	-25	Pass	9000
12000	27000	1	RMS	26008.854	-39.26	-25	Pass	15000



**23.12. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,  
Channel:41292+41490, Bandwidth:20+20, Modulation:16QAM, RB Number:1+2, RB  
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.18	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.38	-25	Pass	2985
30	1000	0.1	RMS	837.899	-60.75	-25	Pass	9699
1000	2486	1	RMS	2480.997	-47.8	-25	Pass	1486
2486	2700	1	RMS	2668.97	19.49	60	Pass	401
2700	3000	1	RMS	2946	-46.01	-25	Pass	401
3000	12000	1	RMS	5342.286	-52.65	-25	Pass	9000
12000	27000	1	RMS	25995.853	-39.27	-25	Pass	15000




# NR

## 24. n5 15kHz


24.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:165300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-70.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.67	-13	Pass	2985
30	814	0.1	RMS	813.6	-63.58	-13	Pass	7840
814	859	0.1	RMS	825.526	10.48	60	Pass	450
859	1000	0.1	RMS	898.028	-63.96	-13	Pass	1410
1000	3000	1	RMS	2880.94	-49.03	-13	Pass	2000
3000	10000	1	RMS	8400.772	-40.41	-13	Pass	7000




**24.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,  
Channel:167300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,  
RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.12	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.06	-13	Pass	2985
30	814	0.1	RMS	734.49	-64.4	-13	Pass	7840
814	859	0.1	RMS	837.051	10.16	60	Pass	450
859	1000	0.1	RMS	886.82	-64	-13	Pass	1410
1000	3000	1	RMS	2868.934	-48.77	-13	Pass	2000
3000	10000	1	RMS	8400.772	-60.39	-13	Pass	7000




**24.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,  
Channel:169300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,  
RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.03	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.4	-13	Pass	2985
30	814	0.1	RMS	740.591	-64.29	-13	Pass	7840
814	859	0.1	RMS	845.47	10.26	60	Pass	450
859	1000	0.1	RMS	891.623	-63.89	-13	Pass	1410
1000	3000	1	RMS	2873.937	-48.76	-13	Pass	2000
3000	10000	1	RMS	8398.771	-60.45	-13	Pass	7000



**24.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:166300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:36, RB Position:18)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-72.69	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.91	-13	Pass	2985
30	814	0.1	RMS	812.3	-50.08	-13	Pass	7840
814	859	0.1	RMS	831.94	5.82	60	Pass	450
859	1000	0.1	RMS	907.735	-63.97	-13	Pass	1410
1000	3000	1	RMS	2869.935	-48.77	-13	Pass	2000
3000	10000	1	RMS	8391.77	-60.46	-13	Pass	7000






**24.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:167300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-71.48	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.26	-13	Pass	2985
30	814	0.1	RMS	813.7	-56.4	-13	Pass	7840
814	859	0.1	RMS	836.951	6.12	60	Pass	450
859	1000	0.1	RMS	886.419	-63.92	-13	Pass	1410
1000	3000	1	RMS	2877.939	-48.79	-13	Pass	2000
3000	10000	1	RMS	8415.774	-60.52	-13	Pass	7000




**24.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:168300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.15	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.85	-13	Pass	2985
30	814	0.1	RMS	813.3	-62.04	-13	Pass	7840
814	859	0.1	RMS	841.962	6.1	60	Pass	450
859	1000	0.1	RMS	891.523	-64.01	-13	Pass	1410
1000	3000	1	RMS	2871.936	-48.79	-13	Pass	2000
3000	10000	1	RMS	8418.774	-60.49	-13	Pass	7000




**24.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.21	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.19	-13	Pass	2985
30	814	0.1	RMS	813.8	-47.15	-13	Pass	7840
814	859	0.1	RMS	836.65	4.49	60	Pass	450
859	1000	0.1	RMS	994.196	-64.02	-13	Pass	1410
1000	3000	1	RMS	2865.933	-48.8	-13	Pass	2000
3000	10000	1	RMS	8422.775	-60.5	-13	Pass	7000




**24.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-72.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.43	-13	Pass	2985
30	814	0.1	RMS	813.6	-51.44	-13	Pass	7840
814	859	0.1	RMS	839.156	4.86	60	Pass	450
859	1000	0.1	RMS	885.619	-64.03	-13	Pass	1410
1000	3000	1	RMS	2879.94	-48.76	-13	Pass	2000
3000	10000	1	RMS	8403.772	-60.48	-13	Pass	7000




**24.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.8	-13	Pass	2985
30	814	0.1	RMS	813.5	-53.37	-13	Pass	7840
814	859	0.1	RMS	841.661	4.89	60	Pass	450
859	1000	0.1	RMS	917.041	-64.04	-13	Pass	1410
1000	3000	1	RMS	2879.94	-48.8	-13	Pass	2000
3000	10000	1	RMS	8402.772	-60.5	-13	Pass	7000




**24.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:165300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.85	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.03	-13	Pass	2985
30	814	0.1	RMS	813.9	-63.8	-13	Pass	7840
814	859	0.1	RMS	826.428	9.35	60	Pass	450
859	1000	0.1	RMS	888.321	-64.04	-13	Pass	1410
1000	3000	1	RMS	2866.933	-49.06	-13	Pass	2000
3000	10000	1	RMS	8401.772	-60.5	-13	Pass	7000




**24.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,  
Channel:167300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM,  
RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.43	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.5	-13	Pass	2985
30	814	0.1	RMS	746.891	-64.41	-13	Pass	7840
814	859	0.1	RMS	836.45	9.25	60	Pass	450
859	1000	0.1	RMS	903.432	-64.04	-13	Pass	1410
1000	3000	1	RMS	2868.934	-49.03	-13	Pass	2000
3000	10000	1	RMS	8410.773	-60.57	-13	Pass	7000



**24.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,  
Channel:169300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM,  
RB Number:12, RB Position:6)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-71.64	-13	Pass	401
0.15	30	0.01	RMS	0.18	-70.92	-13	Pass	2985
30	814	0.1	RMS	738.79	-64.37	-13	Pass	7840
814	859	0.1	RMS	845.67	9.1	60	Pass	450
859	1000	0.1	RMS	915.64	-64.05	-13	Pass	1410
1000	3000	1	RMS	2872.936	-49.06	-13	Pass	2000
3000	10000	1	RMS	8406.772	-60.53	-13	Pass	7000






**24.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:166300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-58.27	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.09	-13	Pass	2985
30	814	0.1	RMS	813.2	-50.78	-13	Pass	7840
814	859	0.1	RMS	828.031	5.05	60	Pass	450
859	1000	0.1	RMS	893.524	-64.09	-13	Pass	1410
1000	3000	1	RMS	2872.936	-49.05	-13	Pass	2000
3000	10000	1	RMS	8405.772	-60.5	-13	Pass	7000




**24.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:167300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-58.08	-13	Pass	401
0.15	30	0.01	RMS	0.19	-70.97	-13	Pass	2985
30	814	0.1	RMS	813.8	-57.29	-13	Pass	7840
814	859	0.1	RMS	838.755	4.75	60	Pass	450
859	1000	0.1	RMS	994.396	-64	-13	Pass	1410
1000	3000	1	RMS	2869.935	-49.06	-13	Pass	2000
3000	10000	1	RMS	8401.772	-60.57	-13	Pass	7000




**24.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,  
Channel:168300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM,  
RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-72.15	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.34	-13	Pass	2985
30	814	0.1	RMS	813.4	-63.04	-13	Pass	7840
814	859	0.1	RMS	843.265	4.69	60	Pass	450
859	1000	0.1	RMS	911.537	-64.05	-13	Pass	1410
1000	3000	1	RMS	2876.938	-49.06	-13	Pass	2000
3000	10000	1	RMS	8406.772	-60.47	-13	Pass	7000




**24.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-60.6	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.44	-13	Pass	2985
30	814	0.1	RMS	813.6	-48.17	-13	Pass	7840
814	859	0.1	RMS	830.136	3.11	60	Pass	450
859	1000	0.1	RMS	896.827	-64.06	-13	Pass	1410
1000	3000	1	RMS	2870.935	-49.06	-13	Pass	2000
3000	10000	1	RMS	8401.772	-60.54	-13	Pass	7000




**24.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-70.81	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.38	-13	Pass	2985
30	814	0.1	RMS	812.9	-51.53	-13	Pass	7840
814	859	0.1	RMS	839.256	3.25	60	Pass	450
859	1000	0.1	RMS	998.199	-64.03	-13	Pass	1410
1000	3000	1	RMS	2869.935	-49.03	-13	Pass	2000
3000	10000	1	RMS	8394.771	-60.49	-13	Pass	7000



**24.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:25)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-61.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.77	-13	Pass	2985
30	814	0.1	RMS	813.5	-53.76	-13	Pass	7840
814	859	0.1	RMS	839.256	3.47	60	Pass	450
859	1000	0.1	RMS	873.31	-63.88	-13	Pass	1410
1000	3000	1	RMS	2877.939	-49.04	-13	Pass	2000
3000	10000	1	RMS	8402.772	-60.55	-13	Pass	7000



## 25. n7 15kHz


**25.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:500500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.65	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.38	-25	Pass	2985
30	1000	0.1	RMS	890.355	-63.99	-25	Pass	9699
1000	2490	1	RMS	2490	-48.32	-25	Pass	1490
2490	2580	1	RMS	2502.375	19.65	60	Pass	401
2580	3000	1	RMS	2876.706	-48.87	-25	Pass	420
3000	6500	1	RMS	5004.573	-57.66	-25	Pass	3500
6500	26000	1	RMS	25496.839	-44.82	-25	Pass	19500



**25.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,  
Channel:507000, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,  
RB Number:12, RB Position:6)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-71.9	-25	Pass	401
0.15	30	0.01	RMS	0.22	-71.81	-25	Pass	2985
30	1000	0.1	RMS	903.772	-63.99	-25	Pass	9699
1000	2490	1	RMS	2488.999	-50.92	-25	Pass	1490
2490	2580	1	RMS	2534.775	19.6	60	Pass	401
2580	3000	1	RMS	2868.687	-48.85	-25	Pass	420
3000	6500	1	RMS	5069.591	-62.84	-25	Pass	3500
6500	26000	1	RMS	25492.837	-44.91	-25	Pass	19500






**25.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,  
Channel:513500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,  
RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-71.69	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.45	-25	Pass	2985
30	1000	0.1	RMS	896.463	-63.94	-25	Pass	9699
1000	2490	1	RMS	2488.999	-50.91	-25	Pass	1490
2490	2580	1	RMS	2567.4	19.49	60	Pass	401
2580	3000	1	RMS	2876.706	-48.81	-25	Pass	420
3000	6500	1	RMS	5135.61	-56.85	-25	Pass	3500
6500	26000	1	RMS	25489.836	-44.86	-25	Pass	19500




**25.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:501500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-70.87	-25	Pass	401
0.15	30	0.01	RMS	0.16	-70.6	-25	Pass	2985
30	1000	0.1	RMS	891.156	-63.9	-25	Pass	9699
1000	2490	1	RMS	2490	-46.81	-25	Pass	1490
2490	2580	1	RMS	2507.775	15.16	60	Pass	401
2580	3000	1	RMS	2878.711	-48.85	-25	Pass	420
3000	6500	1	RMS	5014.576	-61.73	-25	Pass	3500
6500	26000	1	RMS	25500.84	-44.84	-25	Pass	19500




**25.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:507000, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-71.8	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.48	-25	Pass	2985
30	1000	0.1	RMS	998.198	-63.85	-25	Pass	9699
1000	2490	1	RMS	2490	-50.85	-25	Pass	1490
2490	2580	1	RMS	2535.45	15.2	60	Pass	401
2580	3000	1	RMS	2879.714	-48.83	-25	Pass	420
3000	6500	1	RMS	5069.591	-64.28	-25	Pass	3500
6500	26000	1	RMS	25498.839	-44.84	-25	Pass	19500




**25.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:512500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-70.75	-25	Pass	401
0.15	30	0.01	RMS	0.18	-71.81	-25	Pass	2985
30	1000	0.1	RMS	904.173	-63.91	-25	Pass	9699
1000	2490	1	RMS	2490	-50.8	-25	Pass	1490
2490	2580	1	RMS	2559.75	15.03	60	Pass	401
2580	3000	1	RMS	2580	-44.48	-25	Pass	420
3000	6500	1	RMS	5120.606	-63.69	-25	Pass	3500
6500	26000	1	RMS	25490.837	-44.8	-25	Pass	19500




**25.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.08	-25	Pass	401
0.15	30	0.01	RMS	0.16	-70.72	-25	Pass	2985
30	1000	0.1	RMS	899.967	-63.91	-25	Pass	9699
1000	2490	1	RMS	2490	-43.15	-25	Pass	1490
2490	2580	1	RMS	2509.575	13.9	60	Pass	401
2580	3000	1	RMS	2871.695	-48.86	-25	Pass	420
3000	6500	1	RMS	5016.576	-62.65	-25	Pass	3500
6500	26000	1	RMS	25501.84	-44.89	-25	Pass	19500




**25.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:507000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.31	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.63	-25	Pass	2985
30	1000	0.1	RMS	883.646	-63.86	-25	Pass	9699
1000	2490	1	RMS	2465.984	-50.53	-25	Pass	1490
2490	2580	1	RMS	2534.55	13.79	60	Pass	401
2580	3000	1	RMS	2868.687	-48.84	-25	Pass	420
3000	6500	1	RMS	6217.919	-64.23	-25	Pass	3500
6500	26000	1	RMS	25496.839	-44.82	-25	Pass	19500




**25.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.99	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.01	-25	Pass	2985
30	1000	0.1	RMS	889.453	-63.96	-25	Pass	9699
1000	2490	1	RMS	2488.999	-50.89	-25	Pass	1490
2490	2580	1	RMS	2559.525	13.84	60	Pass	401
2580	3000	1	RMS	2580	-40.36	-25	Pass	420
3000	6500	1	RMS	5114.604	-63.54	-25	Pass	3500
6500	26000	1	RMS	25506.842	-44.86	-25	Pass	19500



**25.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:500500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:12, RB Position:6)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-71.63	-25	Pass	401
0.15	30	0.01	RMS	0.16	-70.63	-25	Pass	2985
30	1000	0.1	RMS	880.441	-63.89	-25	Pass	9699
1000	2490	1	RMS	2490	-49.07	-25	Pass	1490
2490	2580	1	RMS	2502.15	18.49	60	Pass	401
2580	3000	1	RMS	2876.706	-49.04	-25	Pass	420
3000	6500	1	RMS	5004.573	-59.03	-25	Pass	3500
6500	26000	1	RMS	25502.84	-44.98	-25	Pass	19500






**25.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:507000, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.73	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.51	-25	Pass	2985
30	1000	0.1	RMS	907.577	-63.88	-25	Pass	9699
1000	2490	1	RMS	2487.999	-50.91	-25	Pass	1490
2490	2580	1	RMS	2534.775	18.52	60	Pass	401
2580	3000	1	RMS	2868.687	-49.01	-25	Pass	420
3000	6500	1	RMS	5070.592	-63.96	-25	Pass	3500
6500	26000	1	RMS	25507.84 2	-44.9	-25	Pass	19500




**25.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:513500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-71.42	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.39	-25	Pass	2985
30	1000	0.1	RMS	896.763	-63.81	-25	Pass	9699
1000	2490	1	RMS	2490	-50.87	-25	Pass	1490
2490	2580	1	RMS	2567.4	18.37	60	Pass	401
2580	3000	1	RMS	2882.721	-49.01	-25	Pass	420
3000	6500	1	RMS	5135.61	-58.29	-25	Pass	3500
6500	26000	1	RMS	25871.959	-44.89	-25	Pass	19500




**25.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:501500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.29	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.1	-25	Pass	2985
30	1000	0.1	RMS	905.174	-63.93	-25	Pass	9699
1000	2490	1	RMS	2490	-46.65	-25	Pass	1490
2490	2580	1	RMS	2508.9	14.14	60	Pass	401
2580	3000	1	RMS	2873.699	-49	-25	Pass	420
3000	6500	1	RMS	5013.575	-62.55	-25	Pass	3500
6500	26000	1	RMS	25497.839	-44.82	-25	Pass	19500




**25.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:507000, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-71.33	-25	Pass	401
0.15	30	0.01	RMS	0.22	-70.97	-25	Pass	2985
30	1000	0.1	RMS	900.168	-63.84	-25	Pass	9699
1000	2490	1	RMS	2488.999	-50.88	-25	Pass	1490
2490	2580	1	RMS	2532.075	14.07	60	Pass	401
2580	3000	1	RMS	2873.699	-49	-25	Pass	420
3000	6500	1	RMS	6218.92	-64.4	-25	Pass	3500
6500	26000	1	RMS	25506.84 2	-44.87	-25	Pass	19500




**25.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:512500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-70.97	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.48	-25	Pass	2985
30	1000	0.1	RMS	902.07	-63.9	-25	Pass	9699
1000	2490	1	RMS	2488.999	-50.87	-25	Pass	1490
2490	2580	1	RMS	2559.75	14.06	60	Pass	401
2580	3000	1	RMS	2580	-45.02	-25	Pass	420
3000	6500	1	RMS	5122.606	-64.2	-25	Pass	3500
6500	26000	1	RMS	25200.743	-44.87	-25	Pass	19500




**25.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.034	-71.02	-25	Pass	401
0.15	30	0.01	RMS	0.18	-71.4	-25	Pass	2985
30	1000	0.1	RMS	887.451	-63.65	-25	Pass	9699
1000	2490	1	RMS	2490	-44.56	-25	Pass	1490
2490	2580	1	RMS	2512.5	12.65	60	Pass	401
2580	3000	1	RMS	2878.711	-48.96	-25	Pass	420
3000	6500	1	RMS	5018.577	-63.82	-25	Pass	3500
6500	26000	1	RMS	25500.84	-44.79	-25	Pass	19500




**25.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:507000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-71.45	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.55	-25	Pass	2985
30	1000	0.1	RMS	900.568	-63.9	-25	Pass	9699
1000	2490	1	RMS	2490	-50.69	-25	Pass	1490
2490	2580	1	RMS	2535.225	12.6	60	Pass	401
2580	3000	1	RMS	2869.69	-48.97	-25	Pass	420
3000	6500	1	RMS	6215.919	-64.37	-25	Pass	3500
6500	26000	1	RMS	25499.839	-44.85	-25	Pass	19500



**25.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-70.74	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.38	-25	Pass	2985
30	1000	0.1	RMS	902.771	-63.84	-25	Pass	9699
1000	2490	1	RMS	2488.999	-50.84	-25	Pass	1490
2490	2580	1	RMS	2557.5	12.61	60	Pass	401
2580	3000	1	RMS	2580	-42.52	-25	Pass	420
3000	6500	1	RMS	5116.605	-64.11	-25	Pass	3500
6500	26000	1	RMS	25500.84	-44.79	-25	Pass	19500






## 26. n12 15kHz


26.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:140300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-72.42	-13	Pass	401
0.15	30	0.01	RMS	1.05	-68.91	-13	Pass	2985
30	689	0.1	RMS	687.8	-64.66	-13	Pass	6590
689	726	0.1	RMS	702.043	10.22	60	Pass	401
726	1000	0.1	RMS	892.361	-63.62	-13	Pass	2740
1000	3000	1	RMS	2871.936	-48.79	-13	Pass	2000
3000	10000	1	RMS	8410.773	-60.49	-13	Pass	7000




**26.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,  
Channel:141500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,  
RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.55	-13	Pass	401
0.15	30	0.01	RMS	1.05	-70.23	-13	Pass	2985
30	689	0.1	RMS	474.567	-64.67	-13	Pass	6590
689	726	0.1	RMS	706.483	10.33	60	Pass	401
726	1000	0.1	RMS	882.157	-63.76	-13	Pass	2740
1000	3000	1	RMS	2877.939	-48.76	-13	Pass	2000
3000	10000	1	RMS	8385.769	-60.47	-13	Pass	7000




**26.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,  
Channel:142700, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,  
RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-72.61	-13	Pass	401
0.15	30	0.01	RMS	1.05	-70.11	-13	Pass	2985
30	689	0.1	RMS	471.167	-64.79	-13	Pass	6590
689	726	0.1	RMS	712.495	10.2	60	Pass	401
726	1000	0.1	RMS	873.554	-63.82	-13	Pass	2740
1000	3000	1	RMS	2869.935	-48.81	-13	Pass	2000
3000	10000	1	RMS	8420.774	-60.5	-13	Pass	7000




**26.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:140800, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-72.03	-13	Pass	401
0.15	30	0.01	RMS	0.22	-71.19	-13	Pass	2985
30	689	0.1	RMS	689	-63.3	-13	Pass	6590
689	726	0.1	RMS	705.465	7.4	60	Pass	401
726	1000	0.1	RMS	885.958	-63.71	-13	Pass	2740
1000	3000	1	RMS	2870.935	-48.79	-13	Pass	2000
3000	10000	1	RMS	8410.773	-60.42	-13	Pass	7000




**26.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:141500, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-71.84	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.58	-13	Pass	2985
30	689	0.1	RMS	689	-64.13	-13	Pass	6590
689	726	0.1	RMS	705.743	7.46	60	Pass	401
726	1000	0.1	RMS	984.394	-63.81	-13	Pass	2740
1000	3000	1	RMS	2869.935	-48.77	-13	Pass	2000
3000	10000	1	RMS	8407.773	-60.52	-13	Pass	7000




**26.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:142200, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.23	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.81	-13	Pass	2985
30	689	0.1	RMS	689	-64.7	-13	Pass	6590
689	726	0.1	RMS	709.258	7.42	60	Pass	401
726	1000	0.1	RMS	894.361	-63.89	-13	Pass	2740
1000	3000	1	RMS	2874.937	-48.75	-13	Pass	2000
3000	10000	1	RMS	8414.774	-60.48	-13	Pass	7000




**26.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:141300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.09	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.06	-13	Pass	2985
30	689	0.1	RMS	688.9	-60.78	-13	Pass	6590
689	726	0.1	RMS	706.945	5.94	60	Pass	401
726	1000	0.1	RMS	919.07	-63.73	-13	Pass	2740
1000	3000	1	RMS	2879.94	-48.77	-13	Pass	2000
3000	10000	1	RMS	8399.771	-60.41	-13	Pass	7000



**26.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:141500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:36, RB Position:18)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-73.02	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.19	-13	Pass	2985
30	689	0.1	RMS	688.3	-60.33	-13	Pass	6590
689	726	0.1	RMS	707.963	5.92	60	Pass	401
726	1000	0.1	RMS	896.162	-63.75	-13	Pass	2740
1000	3000	1	RMS	2873.937	-48.77	-13	Pass	2000
3000	10000	1	RMS	8400.772	-60.47	-13	Pass	7000






**26.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:141700, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.34	-13	Pass	2985
30	689	0.1	RMS	688.9	-59.91	-13	Pass	6590
689	726	0.1	RMS	708.888	5.79	60	Pass	401
726	1000	0.1	RMS	895.262	-63.61	-13	Pass	2740
1000	3000	1	RMS	2881.941	-48.78	-13	Pass	2000
3000	10000	1	RMS	8401.772	-60.42	-13	Pass	7000




**26.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:140300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.034	-71.01	-13	Pass	401
0.15	30	0.01	RMS	1.08	-70.98	-13	Pass	2985
30	689	0.1	RMS	497.071	-64.71	-13	Pass	6590
689	726	0.1	RMS	701.765	9.11	60	Pass	401
726	1000	0.1	RMS	896.562	-63.78	-13	Pass	2740
1000	3000	1	RMS	2879.94	-48.95	-13	Pass	2000
3000	10000	1	RMS	8414.774	-60.46	-13	Pass	7000




**26.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:141500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-72.28	-13	Pass	401
0.15	30	0.01	RMS	1.08	-70.83	-13	Pass	2985
30	689	0.1	RMS	481.669	-64.73	-13	Pass	6590
689	726	0.1	RMS	706.668	9.2	60	Pass	401
726	1000	0.1	RMS	888.959	-63.68	-13	Pass	2740
1000	3000	1	RMS	2874.937	-48.98	-13	Pass	2000
3000	10000	1	RMS	8403.772	-60.46	-13	Pass	7000




**26.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,  
Channel:142700, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM,  
RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.47	-13	Pass	401
0.15	30	0.01	RMS	1.05	-71.32	-13	Pass	2985
30	689	0.1	RMS	473.767	-64.7	-13	Pass	6590
689	726	0.1	RMS	712.495	8.75	60	Pass	401
726	1000	0.1	RMS	901.064	-63.76	-13	Pass	2740
1000	3000	1	RMS	2873.937	-48.95	-13	Pass	2000
3000	10000	1	RMS	8401.772	-60.42	-13	Pass	7000




**26.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:140800, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-71.19	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.26	-13	Pass	2985
30	689	0.1	RMS	688.8	-64	-13	Pass	6590
689	726	0.1	RMS	704.17	6.39	60	Pass	401
726	1000	0.1	RMS	893.261	-63.47	-13	Pass	2740
1000	3000	1	RMS	2880.94	-48.98	-13	Pass	2000
3000	10000	1	RMS	8404.772	-60.47	-13	Pass	7000




**26.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,  
Channel:141500, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM,  
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.036	-70.41	-13	Pass	401
0.15	30	0.01	RMS	0.25	-71.69	-13	Pass	2985
30	689	0.1	RMS	688.5	-64.5	-13	Pass	6590
689	726	0.1	RMS	707.685	6.21	60	Pass	401
726	1000	0.1	RMS	892.661	-63.75	-13	Pass	2740
1000	3000	1	RMS	2876.938	-48.95	-13	Pass	2000
3000	10000	1	RMS	8413.773	-60.44	-13	Pass	7000




**26.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:142200, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.55	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.09	-13	Pass	2985
30	689	0.1	RMS	479.168	-64.63	-13	Pass	6590
689	726	0.1	RMS	710.738	5.99	60	Pass	401
726	1000	0.1	RMS	909.767	-63.69	-13	Pass	2740
1000	3000	1	RMS	2877.939	-48.97	-13	Pass	2000
3000	10000	1	RMS	8398.771	-60.47	-13	Pass	7000



**26.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:141300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:36, RB Position:18)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.57	-13	Pass	401
0.15	30	0.01	RMS	0.18	-70.9	-13	Pass	2985
30	689	0.1	RMS	689	-60.38	-13	Pass	6590
689	726	0.1	RMS	704.818	4.95	60	Pass	401
726	1000	0.1	RMS	992.497	-63.53	-13	Pass	2740
1000	3000	1	RMS	2878.939	-48.91	-13	Pass	2000
3000	10000	1	RMS	8401.772	-60.42	-13	Pass	7000






**26.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:141500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.25	-13	Pass	2985
30	689	0.1	RMS	688.9	-60.09	-13	Pass	6590
689	726	0.1	RMS	704.633	4.81	60	Pass	401
726	1000	0.1	RMS	895.062	-63.62	-13	Pass	2740
1000	3000	1	RMS	2878.939	-48.92	-13	Pass	2000
3000	10000	1	RMS	8401.772	-60.44	-13	Pass	7000



**26.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:141700, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:36, RB Position:18)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-71.13	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.48	-13	Pass	2985
30	689	0.1	RMS	689	-60.96	-13	Pass	6590
689	726	0.1	RMS	705.003	4.89	60	Pass	401
726	1000	0.1	RMS	895.462	-63.59	-13	Pass	2740
1000	3000	1	RMS	2866.933	-48.96	-13	Pass	2000
3000	10000	1	RMS	8411.773	-60.47	-13	Pass	7000



## 27. NR\_n13\_SCS15\_5M\_L\_Inner\_Full(QPSK)

### 27.1. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-79.44	-13	Pass	401
0.15	30	0.01	RMS	0.25	-77.03	-13	Pass	2985
30	767	0.1	RMS	480.661	-71.77	-13	Pass	7370
767	797	0.1	RMS	779	2.95	60	Pass	401
797	1000	0.1	RMS	881.942	-71.74	-13	Pass	2030
1000	3000	1	RMS	2878.939	-58.81	-13	Pass	2000
3000	10000	1	RMS	8399.771	-74.82	-13	Pass	7000



## 27. NR\_n13\_SCS15\_5M\_M\_Inner\_Full(QPSK)

### 27.2. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-78.02	-13	Pass	401
0.15	30	0.01	RMS	0.2	-77.6	-13	Pass	2985
30	767	0.1	RMS	476.061	-71.83	-13	Pass	7370
767	797	0.1	RMS	781.55	2.77	60	Pass	401
797	1000	0.1	RMS	887.144	-71.72	-13	Pass	2030
1000	3000	1	RMS	2872.936	-58.79	-13	Pass	2000
3000	10000	1	RMS	8409.773	-74.81	-13	Pass	7000



## 27. NR\_n13\_SCS15\_5M\_H\_Inner\_Full(QPSK)

### 27.3. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-78.57	-13	Pass	401
0.15	30	0.01	RMS	0.33	-76.89	-13	Pass	2985
30	767	0.1	RMS	496.663	-71.8	-13	Pass	7370
767	797	0.1	RMS	784.025	2.8	60	Pass	401
797	1000	0.1	RMS	894.248	-71.67	-13	Pass	2030
1000	3000	1	RMS	2868.934	-58.78	-13	Pass	2000
3000	10000	1	RMS	8415.774	-74.82	-13	Pass	7000



## 27. NR\_n13\_SCS15\_10M\_M\_Inner\_Full(QPSK)

### 27.4. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-78.38	-13	Pass	401
0.15	30	0.01	RMS	0.18	-77.12	-13	Pass	2985
30	767	0.1	RMS	460.858	-71.73	-13	Pass	7370
767	797	0.1	RMS	781.925	-0.42	60	Pass	401
797	1000	0.1	RMS	797.2	-70.14	-13	Pass	2030
1000	3000	1	RMS	2868.934	-58.77	-13	Pass	2000
3000	10000	1	RMS	8400.772	-74.81	-13	Pass	7000



## 27. NR\_n13\_SCS15\_5M\_L\_Inner\_Full(16QAM)

### 27.5. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-78.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-76.61	-13	Pass	2985
30	767	0.1	RMS	488.562	-72.13	-13	Pass	7370
767	797	0.1	RMS	778.55	1.42	60	Pass	401
797	1000	0.1	RMS	884.543	-72.03	-13	Pass	2030
1000	3000	1	RMS	2869.935	-59.25	-13	Pass	2000
3000	10000	1	RMS	8421.775	-75.43	-13	Pass	7000



## 27. NR\_n13\_SCS15\_5M\_M\_Inner\_Full(16QAM)

### 27.6. FCC-NR Spurious Emission at Antenna Terminals(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-79.37	-13	Pass	401
0.15	30	0.01	RMS	0.16	-76.5	-13	Pass	2985
30	767	0.1	RMS	724.194	-72.15	-13	Pass	7370
767	797	0.1	RMS	782.45	1.52	60	Pass	401
797	1000	0.1	RMS	893.147	-71.67	-13	Pass	2030
1000	3000	1	RMS	2868.934	-59.23	-13	Pass	2000
3000	10000	1	RMS	8408.773	-75.38	-13	Pass	7000






## 27. NR\_n13\_SCS15\_5M\_H\_Inner\_Full(16QAM)

### 27.7. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-78.28	-13	Pass	401
0.15	30	0.01	RMS	0.18	-77.07	-13	Pass	2985
30	767	0.1	RMS	483.061	-72.02	-13	Pass	7370
767	797	0.1	RMS	784.925	1.53	60	Pass	401
797	1000	0.1	RMS	893.648	-71.82	-13	Pass	2030
1000	3000	1	RMS	2869.935	-59.24	-13	Pass	2000
3000	10000	1	RMS	8405.772	-75.47	-13	Pass	7000



## 27. NR\_n13\_SCS15\_10M\_M\_Inner\_Full(16QAM)

### 27.8. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-78.32	-13	Pass	401
0.15	30	0.01	RMS	0.15	-76.31	-13	Pass	2985
30	767	0.1	RMS	475.56	-72.19	-13	Pass	7370
767	797	0.1	RMS	780.725	-1.57	60	Pass	401
797	1000	0.1	RMS	797.1	-69.76	-13	Pass	2030
1000	3000	1	RMS	2872.936	-59.26	-13	Pass	2000
3000	10000	1	RMS	8394.771	-75.41	-13	Pass	7000



## 28. DC\_n26(Part22)\_SCS15\_5M\_L\_Inner Full(QPSK)

### 28.1. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-78.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-76.63	-13	Pass	2985
30	814	0.1	RMS	813.2	-71.56	-13	Pass	7840
814	859	0.1	RMS	826.027	2.58	60	Pass	450
859	1000	0.1	RMS	891.023	-71.88	-13	Pass	1410
1000	3000	1	RMS	2874.937	-58.77	-13	Pass	2000
3000	10000	1	RMS	8420.774	-74.76	-13	Pass	7000



## 28. DC\_n26(Part22)\_SCS15\_5M\_M\_Inner Full(QPSK)

### 28.2. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-77.93	-13	Pass	401
0.15	30	0.01	RMS	0.26	-76.77	-13	Pass	2985
30	814	0.1	RMS	475.757	-71.82	-13	Pass	7840
814	859	0.1	RMS	837.352	2.45	60	Pass	450
859	1000	0.1	RMS	901.33	-71.79	-13	Pass	1410
1000	3000	1	RMS	2868.934	-58.73	-13	Pass	2000
3000	10000	1	RMS	8384.769	-74.73	-13	Pass	7000



## 28. DC\_n26(Part22)\_SCS15\_5M\_H\_Inner Full(QPSK)

### 28.3. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-78.62	-13	Pass	401
0.15	30	0.01	RMS	0.16	-76.57	-13	Pass	2985
30	814	0.1	RMS	734.99	-71.7	-13	Pass	7840
814	859	0.1	RMS	846.071	2.59	60	Pass	450
859	1000	0.1	RMS	890.222	-71.74	-13	Pass	1410
1000	3000	1	RMS	2873.937	-58.78	-13	Pass	2000
3000	10000	1	RMS	8401.772	-74.75	-13	Pass	7000



## 28. DC\_n26(Part22)\_SCS15\_10M\_L\_Inner Full(QPSK)

### 28.4. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-78.72	-13	Pass	401
0.15	30	0.01	RMS	0.21	-77.18	-13	Pass	2985
30	814	0.1	RMS	814	-62.85	-13	Pass	7840
814	859	0.1	RMS	826.929	-0.4	60	Pass	450
859	1000	0.1	RMS	883.117	-71.61	-13	Pass	1410
1000	3000	1	RMS	2868.934	-58.77	-13	Pass	2000
3000	10000	1	RMS	8400.772	-74.74	-13	Pass	7000



## 28. DC\_n26(Part22)\_SCS15\_10M\_M\_Inner Full(QPSK)

### 28.5. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-78.96	-13	Pass	401
0.15	30	0.01	RMS	0.18	-76.79	-13	Pass	2985
30	814	0.1	RMS	813.5	-71.19	-13	Pass	7840
814	859	0.1	RMS	838.154	-0.48	60	Pass	450
859	1000	0.1	RMS	884.618	-71.65	-13	Pass	1410
1000	3000	1	RMS	2868.934	-58.75	-13	Pass	2000
3000	10000	1	RMS	8408.773	-74.76	-13	Pass	7000



## 28. DC\_n26(Part22)\_SCS15\_10M\_H\_Inner Full(QPSK)

### 28.6. FCC-NR Spurious Emission at Antenna Terminals(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-63.13	-13	Pass	401
0.15	30	0.01	RMS	0.25	-77.22	-13	Pass	2985
30	814	0.1	RMS	482.658	-71.79	-13	Pass	7840
814	859	0.1	RMS	842.363	-0.37	60	Pass	450
859	1000	0.1	RMS	863.803	-71.83	-13	Pass	1410
1000	3000	1	RMS	2868.934	-58.78	-13	Pass	2000
3000	10000	1	RMS	8391.77	-74.81	-13	Pass	7000






## 28. DC\_n26(Part22)\_SCS15\_20M\_L\_Inner Full(QPSK)

### 28.7. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-79.5	-13	Pass	401
0.15	30	0.01	RMS	0.2	-76.93	-13	Pass	2985
30	814	0.1	RMS	813.1	-60.47	-13	Pass	7840
814	859	0.1	RMS	836.751	-3.45	60	Pass	450
859	1000	0.1	RMS	887.32	-71.75	-13	Pass	1410
1000	3000	1	RMS	2868.934	-58.73	-13	Pass	2000
3000	10000	1	RMS	8408.773	-74.75	-13	Pass	7000



## 28. DC\_n26(Part22)\_SCS15\_20M\_M\_Inner Full(QPSK)

### 28.8. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-78.56	-13	Pass	401
0.15	30	0.01	RMS	0.17	-77.07	-13	Pass	2985
30	814	0.1	RMS	813.7	-64.92	-13	Pass	7840
814	859	0.1	RMS	840.058	-3.31	60	Pass	450
859	1000	0.1	RMS	890.722	-71.82	-13	Pass	1410
1000	3000	1	RMS	2868.934	-58.76	-13	Pass	2000
3000	10000	1	RMS	8402.772	-74.74	-13	Pass	7000



## 28. DC\_n26(Part22)\_SCS15\_20M\_H\_Inner Full(QPSK)

### 28.9. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-79.05	-13	Pass	401
0.15	30	0.01	RMS	0.18	-76.26	-13	Pass	2985
30	814	0.1	RMS	811.9	-65.14	-13	Pass	7840
814	859	0.1	RMS	841.762	-3.3	60	Pass	450
859	1000	0.1	RMS	899.329	-71.75	-13	Pass	1410
1000	3000	1	RMS	2868.934	-58.74	-13	Pass	2000
3000	10000	1	RMS	8394.771	-74.78	-13	Pass	7000



## 28. DC\_n26(Part22)\_SCS15\_5M\_L\_Inner Full(16QAM)

### 28.10. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-78.52	-13	Pass	401
0.15	30	0.01	RMS	0.22	-77.49	-13	Pass	2985
30	814	0.1	RMS	813.9	-71.94	-13	Pass	7840
814	859	0.1	RMS	825.526	1.13	60	Pass	450
859	1000	0.1	RMS	886.119	-72.03	-13	Pass	1410
1000	3000	1	RMS	2867.934	-59.25	-13	Pass	2000
3000	10000	1	RMS	8401.772	-75.48	-13	Pass	7000



## 28. DC\_n26(Part22)\_SCS15\_5M\_M\_Inner Full(16QAM)

### 28.11. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-79.07	-13	Pass	401
0.15	30	0.01	RMS	0.19	-77.27	-13	Pass	2985
30	814	0.1	RMS	471.756	-72.19	-13	Pass	7840
814	859	0.1	RMS	836.951	1.35	60	Pass	450
859	1000	0.1	RMS	891.623	-72.1	-13	Pass	1410
1000	3000	1	RMS	2868.934	-59.21	-13	Pass	2000
3000	10000	1	RMS	8413.773	-75.45	-13	Pass	7000



## 28. DC\_n26(Part22)\_SCS15\_5M\_H\_Inner Full(16QAM)

### 28.12. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-78.97	-13	Pass	401
0.15	30	0.01	RMS	0.19	-77.23	-13	Pass	2985
30	814	0.1	RMS	492.659	-72.11	-13	Pass	7840
814	859	0.1	RMS	846.973	1.15	60	Pass	450
859	1000	0.1	RMS	903.331	-71.9	-13	Pass	1410
1000	3000	1	RMS	2868.934	-59.22	-13	Pass	2000
3000	10000	1	RMS	8408.773	-75.41	-13	Pass	7000



## 28. DC\_n26(Part22)\_SCS15\_10M\_L\_Inner Full(16QAM)

### 28.13. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-78.52	-13	Pass	401
0.15	30	0.01	RMS	0.17	-76.3	-13	Pass	2985
30	814	0.1	RMS	814	-65.55	-13	Pass	7840
814	859	0.1	RMS	827.731	-1.65	60	Pass	450
859	1000	0.1	RMS	880.916	-72.16	-13	Pass	1410
1000	3000	1	RMS	2869.935	-59.26	-13	Pass	2000
3000	10000	1	RMS	8428.776	-75.47	-13	Pass	7000



## 28. DC\_n26(Part22)\_SCS15\_10M\_M\_Inner Full(16QAM)

### 28.14. FCC-NR Spurious Emission at Antenna Terminals(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-78.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-77.14	-13	Pass	2985
30	814	0.1	RMS	814	-71.75	-13	Pass	7840
814	859	0.1	RMS	836.851	-1.83	60	Pass	450
859	1000	0.1	RMS	888.521	-72.13	-13	Pass	1410
1000	3000	1	RMS	2874.937	-59.25	-13	Pass	2000
3000	10000	1	RMS	8409.773	-75.46	-13	Pass	7000






## 28. DC\_n26(Part22)\_SCS15\_10M\_H\_Inner Full(16QAM)

### 28.15. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-77.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-76.88	-13	Pass	2985
30	814	0.1	RMS	481.258	-72.15	-13	Pass	7840
814	859	0.1	RMS	842.764	-1.62	60	Pass	450
859	1000	0.1	RMS	890.622	-72.1	-13	Pass	1410
1000	3000	1	RMS	2873.937	-59.23	-13	Pass	2000
3000	10000	1	RMS	8409.773	-75.46	-13	Pass	7000



## 28. DC\_n26(Part22)\_SCS15\_20M\_L\_Inner Full(16QAM)

### 28.16. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-79.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-76.37	-13	Pass	2985
30	814	0.1	RMS	814	-60.69	-13	Pass	7840
814	859	0.1	RMS	829.735	-4.39	60	Pass	450
859	1000	0.1	RMS	888.921	-72.2	-13	Pass	1410
1000	3000	1	RMS	2871.936	-59.24	-13	Pass	2000
3000	10000	1	RMS	8402.772	-75.45	-13	Pass	7000



## 28. DC\_n26(Part22)\_SCS15\_20M\_M\_Inner Full(16QAM)

### 28.17. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-77.21	-13	Pass	401
0.15	30	0.01	RMS	0.18	-76.61	-13	Pass	2985
30	814	0.1	RMS	812.9	-64.51	-13	Pass	7840
814	859	0.1	RMS	839.457	-4.76	60	Pass	450
859	1000	0.1	RMS	877.813	-72.02	-13	Pass	1410
1000	3000	1	RMS	2868.934	-59.25	-13	Pass	2000
3000	10000	1	RMS	8402.772	-75.4	-13	Pass	7000



## 28. DC\_n26(Part22)\_SCS15\_20M\_H\_Inner Full(16QAM)

### 28.18. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-79.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-77.25	-13	Pass	2985
30	814	0.1	RMS	813.5	-66.4	-13	Pass	7840
814	859	0.1	RMS	839.657	-4.54	60	Pass	450
859	1000	0.1	RMS	906.133	-72.15	-13	Pass	1410
1000	3000	1	RMS	2867.934	-59.28	-13	Pass	2000
3000	10000	1	RMS	8408.773	-75.47	-13	Pass	7000



## 29. NR\_n26(Part90)\_SCS15\_5M\_L\_Inner\_Full(QPSK)

### 29.1. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-79.36	-13	Pass	401
0.15	30	0.01	RMS	0.2	-76.95	-13	Pass	2985
30	804	0.1	RMS	484.059	-71.71	-13	Pass	7740
804	834	0.1	RMS	816	2.63	60	Pass	401
834	1000	0.1	RMS	844.807	-71.08	-13	Pass	1660
1000	3000	1	RMS	2867.934	-58.72	-13	Pass	2000
3000	10000	1	RMS	8412.773	-74.78	-13	Pass	7000



## 29. NR\_n26(Part90)\_SCS15\_5M\_M\_Inner\_Full(QPSK)

### 29.2. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.13	-13	Pass	401
0.15	30	0.01	RMS	0.17	-76.45	-13	Pass	2985
30	804	0.1	RMS	481.158	-71.68	-13	Pass	7740
804	834	0.1	RMS	818.55	2.6	60	Pass	401
834	1000	0.1	RMS	844.807	-71.51	-13	Pass	1660
1000	3000	1	RMS	2873.937	-58.74	-13	Pass	2000
3000	10000	1	RMS	8398.771	-74.8	-13	Pass	7000



## 29. NR\_n26(Part90)\_SCS15\_5M\_H\_Inner\_Full(QPSK)

### 29.3. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-78.29	-13	Pass	401
0.15	30	0.01	RMS	0.2	-76.94	-13	Pass	2985
30	804	0.1	RMS	468.257	-71.61	-13	Pass	7740
804	834	0.1	RMS	822.375	2.51	60	Pass	401
834	1000	0.1	RMS	844.807	-70.55	-13	Pass	1660
1000	3000	1	RMS	2869.935	-58.7	-13	Pass	2000
3000	10000	1	RMS	8408.773	-74.7	-13	Pass	7000



## 29. NR\_n26(Part90)\_SCS15\_10M\_M\_Inner\_Full(QPSK)

### 29.4. FCC-NR Spurious Emission at Antenna Terminals(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-77.82	-13	Pass	401
0.15	30	0.01	RMS	0.2	-76.42	-13	Pass	2985
30	804	0.1	RMS	480.058	-71.92	-13	Pass	7740
804	834	0.1	RMS	820.725	-0.35	60	Pass	401
834	1000	0.1	RMS	834.2	-64.96	-13	Pass	1660
1000	3000	1	RMS	2873.937	-58.63	-13	Pass	2000
3000	10000	1	RMS	8412.773	-74.88	-13	Pass	7000






## 29. NR\_n26(Part90)\_SCS15\_5M\_L\_Inner\_Full(16QAM)

### 29.5. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-77.21	-13	Pass	401
0.15	30	0.01	RMS	0.15	-77.21	-13	Pass	2985
30	804	0.1	RMS	462.756	-72.18	-13	Pass	7740
804	834	0.1	RMS	816.975	1.4	60	Pass	401
834	1000	0.1	RMS	844.807	-70.98	-13	Pass	1660
1000	3000	1	RMS	2869.935	-59.25	-13	Pass	2000
3000	10000	1	RMS	8402.772	-75.51	-13	Pass	7000



## 29. NR\_n26(Part90)\_SCS15\_5M\_M\_Inner\_Full(16QAM)

### 29.6. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-78.25	-13	Pass	401
0.15	30	0.01	RMS	0.18	-76.71	-13	Pass	2985
30	804	0.1	RMS	500.561	-72.26	-13	Pass	7740
804	834	0.1	RMS	819.45	1.48	60	Pass	401
834	1000	0.1	RMS	844.807	-71.96	-13	Pass	1660
1000	3000	1	RMS	2869.935	-59.32	-13	Pass	2000
3000	10000	1	RMS	8395.771	-75.47	-13	Pass	7000



## 29. NR\_n26(Part90)\_SCS15\_5M\_H\_Inner\_Full(16QAM)

### 29.7. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-78.48	-13	Pass	401
0.15	30	0.01	RMS	0.17	-76.86	-13	Pass	2985
30	804	0.1	RMS	737.191	-72.19	-13	Pass	7740
804	834	0.1	RMS	821.925	1.45	60	Pass	401
834	1000	0.1	RMS	844.807	-70.87	-13	Pass	1660
1000	3000	1	RMS	2865.933	-59.35	-13	Pass	2000
3000	10000	1	RMS	8401.772	-75.48	-13	Pass	7000



## 29. NR\_n26(Part90)\_SCS15\_10M\_M\_Inner\_Full(16QAM)

### 29.8. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-77.41	-13	Pass	401
0.15	30	0.01	RMS	0.19	-77.44	-13	Pass	2985
30	804	0.1	RMS	470.457	-72.22	-13	Pass	7740
804	834	0.1	RMS	819.975	-1.63	60	Pass	401
834	1000	0.1	RMS	834.1	-66.31	-13	Pass	1660
1000	3000	1	RMS	2870.935	-59.32	-13	Pass	2000
3000	10000	1	RMS	8401.772	-75.4	-13	Pass	7000



### 30. n38 30kHz\_PC3


**30.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.035	-71.6	-25	Pass	401
0.15	30	0.01	RMS	0.19	-70.07	-25	Pass	2985
30	1000	0.1	RMS	964.954	-61.72	-25	Pass	9699
1000	2560	1	RMS	2560	-43.08	-25	Pass	1560
2560	2630	1	RMS	2578.725	13.82	60	Pass	401
2630	3000	1	RMS	2868.65	-48.75	-25	Pass	401
3000	6500	1	RMS	6226.922	-64.21	-25	Pass	3500
6500	27000	1	RMS	25484.632	-43.56	-25	Pass	20500




**30.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:519000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.039	-70.68	-25	Pass	401
0.15	30	0.01	RMS	0.21	-70.61	-25	Pass	2985
30	1000	0.1	RMS	965.354	-61.23	-25	Pass	9699
1000	2560	1	RMS	2560	-50.4	-25	Pass	1560
2560	2630	1	RMS	2593.775	13.79	60	Pass	401
2630	3000	1	RMS	2868.65	-48.83	-25	Pass	401
3000	6500	1	RMS	6034.867	-64.21	-25	Pass	3500
6500	27000	1	RMS	25874.727	-43.92	-25	Pass	20500




**30.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-70.85	-25	Pass	401
0.15	30	0.01	RMS	0.22	-69.27	-25	Pass	2985
30	1000	0.1	RMS	937.417	-61.31	-25	Pass	9699
1000	2560	1	RMS	2512.97	-50.4	-25	Pass	1560
2560	2630	1	RMS	2606.9	13.73	60	Pass	401
2630	3000	1	RMS	2630	-45.5	-25	Pass	401
3000	6500	1	RMS	6072.878	-64.2	-25	Pass	3500
6500	27000	1	RMS	25487.633	-43.86	-25	Pass	20500



**30.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:25, RB Position:12)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-71.03	-25	Pass	401
0.15	30	0.01	RMS	0.34	-69.41	-25	Pass	2985
30	1000	0.1	RMS	925.101	-61.48	-25	Pass	9699
1000	2560	1	RMS	2560	-46.71	-25	Pass	1560
2560	2630	1	RMS	2580.125	12.68	60	Pass	401
2630	3000	1	RMS	2874.2	-48.9	-25	Pass	401
3000	6500	1	RMS	6221.921	-64.13	-25	Pass	3500
6500	27000	1	RMS	25515.639	-43.66	-25	Pass	20500






**30.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:519000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.04	-25	Pass	401
0.15	30	0.01	RMS	0.19	-69.92	-25	Pass	2985
30	1000	0.1	RMS	748.588	-61.56	-25	Pass	9699
1000	2560	1	RMS	2518.974	-50.38	-25	Pass	1560
2560	2630	1	RMS	2595.175	12.71	60	Pass	401
2630	3000	1	RMS	2882.525	-48.94	-25	Pass	401
3000	6500	1	RMS	6220.92	-64.1	-25	Pass	3500
6500	27000	1	RMS	25859.723	-43.77	-25	Pass	20500




**30.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,  
Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM,  
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-72.13	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.56	-25	Pass	2985
30	1000	0.1	RMS	892.157	-61.17	-25	Pass	9699
1000	2560	1	RMS	2499.962	-50.33	-25	Pass	1560
2560	2630	1	RMS	2610.575	12.69	60	Pass	401
2630	3000	1	RMS	2630	-46.49	-25	Pass	401
3000	6500	1	RMS	6221.921	-64.1	-25	Pass	3500
6500	27000	1	RMS	25960.748	-43.82	-25	Pass	20500




**30.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:517000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-75.35	-25	Pass	691
0.15	30	0.01	RMS	28.74	-68.89	-25	Pass	2985
30	1000	0.1	RMS	892.989	-57.9	-25	Pass	9700
1000	2520	1	RMS	2520	-49.02	-25	Pass	1520
2520	2670	1	RMS	2583.261	12.55	60	Pass	691
2670	3000	1	RMS	2999.043	-46.9	-25	Pass	691
3000	6500	1	RMS	6462.989	-55.01	-25	Pass	3500
6500	27000	1	RMS	25838.943	-44.05	-25	Pass	20500




**30.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:519000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-74.83	-25	Pass	691
0.15	30	0.01	RMS	23.148	-70.15	-25	Pass	2985
30	1000	0.1	RMS	866.586	-58.18	-25	Pass	9700
1000	2520	1	RMS	2460.961	-49.05	-25	Pass	1520
2520	2670	1	RMS	2594.13	12.18	60	Pass	691
2670	3000	1	RMS	3000	-46.91	-25	Pass	691
3000	6500	1	RMS	6483.995	-54.77	-25	Pass	3500
6500	27000	1	RMS	25845.944	-43.71	-25	Pass	20500




**30.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:521000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-74.85	-25	Pass	691
0.15	30	0.01	RMS	23.598	-69.61	-25	Pass	2985
30	1000	0.1	RMS	920.892	-58.11	-25	Pass	9700
1000	2520	1	RMS	2439.947	-49.06	-25	Pass	1520
2520	2670	1	RMS	2606.304	12.17	60	Pass	691
2670	3000	1	RMS	2997.13	-46.82	-25	Pass	691
3000	6500	1	RMS	6434.981	-55.12	-25	Pass	3500
6500	27000	1	RMS	25797.941	-44.23	-25	Pass	20500




**30.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:517000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-74.9	-25	Pass	691
0.15	30	0.01	RMS	28.88	-70.76	-25	Pass	2985
30	1000	0.1	RMS	898.39	-57.93	-25	Pass	9700
1000	2520	1	RMS	2493.983	-49.13	-25	Pass	1520
2520	2670	1	RMS	2586.087	6.9	60	Pass	691
2670	3000	1	RMS	2999.522	-46.84	-25	Pass	691
3000	6500	1	RMS	6466.991	-55.02	-25	Pass	3500
6500	27000	1	RMS	26471.974	-43.94	-25	Pass	20500




**30.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:519000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.63	-25	Pass	691
0.15	30	0.01	RMS	0.17	-69.63	-25	Pass	2985
30	1000	0.1	RMS	914.291	-57.67	-25	Pass	9700
1000	2520	1	RMS	2442.949	-49.17	-25	Pass	1520
2520	2670	1	RMS	2596.087	6.46	60	Pass	691
2670	3000	1	RMS	2997.13	-46.96	-25	Pass	691
3000	6500	1	RMS	6481.995	-54.98	-25	Pass	3500
6500	27000	1	RMS	25819.942	-43.93	-25	Pass	20500



**30.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:521000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-74.78	-25	Pass	691
0.15	30	0.01	RMS	28.499	-69.94	-25	Pass	2985
30	1000	0.1	RMS	969.397	-58.3	-25	Pass	9700
1000	2520	1	RMS	2460.961	-49.1	-25	Pass	1520
2520	2670	1	RMS	2606.304	6.06	60	Pass	691
2670	3000	1	RMS	2995.217	-46.91	-25	Pass	691
3000	6500	1	RMS	6416.976	-55.01	-25	Pass	3500
6500	27000	1	RMS	25805.942	-44.03	-25	Pass	20500






### 31. n41 30kHz\_PC3


**31.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.69	-25	Pass	401
0.15	30	0.01	RMS	0.24	-70.34	-25	Pass	2985
30	1000	0.1	RMS	729.285	-61.05	-25	Pass	9699
1000	2486	1	RMS	2486	-40.85	-25	Pass	1486
2486	2700	1	RMS	2509.005	14.34	60	Pass	401
2700	3000	1	RMS	2870.25	-48.89	-25	Pass	401
3000	6500	1	RMS	6220.92	-64.01	-25	Pass	3500
6500	27000	1	RMS	26929.983	-44.02	-25	Pass	20500




**31.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:518598, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.037	-70.8	-25	Pass	401
0.15	30	0.01	RMS	0.32	-70.88	-25	Pass	2985
30	1000	0.1	RMS	907.277	-60.97	-25	Pass	9699
1000	2486	1	RMS	2483.999	-50.91	-25	Pass	1486
2486	2700	1	RMS	2589.79	13.78	60	Pass	401
2700	3000	1	RMS	2874	-48.79	-25	Pass	401
3000	6500	1	RMS	6219.92	-64.05	-25	Pass	3500
6500	27000	1	RMS	26886.973	-43.77	-25	Pass	20500




**31.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.035	-68.74	-25	Pass	401
0.15	30	0.01	RMS	0.22	-70.28	-25	Pass	2985
30	1000	0.1	RMS	867.324	-61.46	-25	Pass	9699
1000	2486	1	RMS	2486	-50.7	-25	Pass	1486
2486	2700	1	RMS	2676.995	13.57	60	Pass	401
2700	3000	1	RMS	2700	-43.92	-25	Pass	401
3000	6500	1	RMS	6218.92	-63.98	-25	Pass	3500
6500	27000	1	RMS	25856.722	-43.94	-25	Pass	20500




**31.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-67.33	-25	Pass	401
0.15	30	0.01	RMS	0.21	-70.07	-25	Pass	2985
30	1000	0.1	RMS	721.484	-61.57	-25	Pass	9699
1000	2486	1	RMS	2486	-37.52	-25	Pass	1486
2486	2700	1	RMS	2532.01	9	60	Pass	401
2700	3000	1	RMS	2878.5	-48.71	-25	Pass	401
3000	6500	1	RMS	6225.922	-64.04	-25	Pass	3500
6500	27000	1	RMS	25875.727	-43.67	-25	Pass	20500




**31.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:518598, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-68.8	-25	Pass	401
0.15	30	0.01	RMS	0.23	-69.54	-25	Pass	2985
30	1000	0.1	RMS	889.654	-61.38	-25	Pass	9699
1000	2486	1	RMS	2486	-50.74	-25	Pass	1486
2486	2700	1	RMS	2599.42	8.8	60	Pass	401
2700	3000	1	RMS	2877.75	-48.83	-25	Pass	401
3000	6500	1	RMS	6215.919	-63.93	-25	Pass	3500
6500	27000	1	RMS	25940.743	-43.45	-25	Pass	20500




**31.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.026	-69.93	-25	Pass	401
0.15	30	0.01	RMS	0.18	-70.06	-25	Pass	2985
30	1000	0.1	RMS	920.895	-61.54	-25	Pass	9699
1000	2486	1	RMS	2470.99	-50.9	-25	Pass	1486
2486	2700	1	RMS	2666.295	8.69	60	Pass	401
2700	3000	1	RMS	2700	-39.85	-25	Pass	401
3000	6500	1	RMS	6129.894	-64.15	-25	Pass	3500
6500	27000	1	RMS	25900.733	-43.69	-25	Pass	20500




**31.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,  
Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,  
RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-68.7	-25	Pass	401
0.15	30	0.01	RMS	0.43	-71.16	-25	Pass	2985
30	1000	0.1	RMS	896.863	-61.07	-25	Pass	9699
1000	2486	1	RMS	2486	-38.18	-25	Pass	1486
2486	2700	1	RMS	2532.01	6.97	60	Pass	401
2700	3000	1	RMS	2868.75	-48.73	-25	Pass	401
3000	6500	1	RMS	6218.92	-64.06	-25	Pass	3500
6500	27000	1	RMS	25463.627	-43.8	-25	Pass	20500



**31.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:518598, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:135, RB Position:67)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-69.07	-25	Pass	401
0.15	30	0.01	RMS	0.19	-70.09	-25	Pass	2985
30	1000	0.1	RMS	966.756	-61.5	-25	Pass	9699
1000	2486	1	RMS	2486	-48.02	-25	Pass	1486
2486	2700	1	RMS	2588.185	6.94	60	Pass	401
2700	3000	1	RMS	2700.75	-48.8	-25	Pass	401
3000	6500	1	RMS	6220.92	-64.04	-25	Pass	3500
6500	27000	1	RMS	25490.633	-43.81	-25	Pass	20500






**31.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,  
Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,  
RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-67.2	-25	Pass	401
0.15	30	0.01	RMS	0.78	-70.89	-25	Pass	2985
30	1000	0.1	RMS	965.154	-61.17	-25	Pass	9699
1000	2486	1	RMS	2483.999	-50.68	-25	Pass	1486
2486	2700	1	RMS	2626.17	6.58	60	Pass	401
2700	3000	1	RMS	2700	-39.6	-25	Pass	401
3000	6500	1	RMS	6223.921	-64.05	-25	Pass	3500
6500	27000	1	RMS	25910.735	-43.89	-25	Pass	20500




**31.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-71.31	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.79	-25	Pass	2985
30	1000	0.1	RMS	986.482	-61.1	-25	Pass	9699
1000	2486	1	RMS	2486	-43.49	-25	Pass	1486
2486	2700	1	RMS	2509.005	12.76	60	Pass	401
2700	3000	1	RMS	2867.25	-48.92	-25	Pass	401
3000	6500	1	RMS	6079.88	-64.17	-25	Pass	3500
6500	27000	1	RMS	25814.71 2	-43.82	-25	Pass	20500




**31.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:518598, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-69.68	-25	Pass	401
0.15	30	0.01	RMS	0.6	-69.63	-25	Pass	2985
30	1000	0.1	RMS	997.196	-61.21	-25	Pass	9699
1000	2486	1	RMS	2475.993	-50.85	-25	Pass	1486
2486	2700	1	RMS	2593	12.58	60	Pass	401
2700	3000	1	RMS	2877	-48.88	-25	Pass	401
3000	6500	1	RMS	6218.92	-64.13	-25	Pass	3500
6500	27000	1	RMS	25825.715	-43.55	-25	Pass	20500




**31.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.034	-70.23	-25	Pass	401
0.15	30	0.01	RMS	0.22	-69.22	-25	Pass	2985
30	1000	0.1	RMS	551.264	-61.83	-25	Pass	9699
1000	2486	1	RMS	2482.998	-50.77	-25	Pass	1486
2486	2700	1	RMS	2676.995	12.4	60	Pass	401
2700	3000	1	RMS	2700	-45.92	-25	Pass	401
3000	6500	1	RMS	6074.879	-64.27	-25	Pass	3500
6500	27000	1	RMS	26856.965	-43.62	-25	Pass	20500




**31.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-70.29	-25	Pass	401
0.15	30	0.01	RMS	0.38	-70.92	-25	Pass	2985
30	1000	0.1	RMS	918.892	-61.67	-25	Pass	9699
1000	2486	1	RMS	2486	-40.04	-25	Pass	1486
2486	2700	1	RMS	2525.055	8.04	60	Pass	401
2700	3000	1	RMS	2873.25	-48.86	-25	Pass	401
3000	6500	1	RMS	6219.92	-63.83	-25	Pass	3500
6500	27000	1	RMS	25200.563	-43.84	-25	Pass	20500




**31.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:518598, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-70.99	-25	Pass	401
0.15	30	0.01	RMS	0.29	-69.42	-25	Pass	2985
30	1000	0.1	RMS	765.69	-61.35	-25	Pass	9699
1000	2486	1	RMS	2484.999	-50.68	-25	Pass	1486
2486	2700	1	RMS	2591.93	7.82	60	Pass	401
2700	3000	1	RMS	2880	-48.88	-25	Pass	401
3000	6500	1	RMS	6075.879	-64.08	-25	Pass	3500
6500	27000	1	RMS	25198.562	-43.74	-25	Pass	20500




**31.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.17	-25	Pass	401
0.15	30	0.01	RMS	0.24	-69.66	-25	Pass	2985
30	1000	0.1	RMS	889.153	-61.32	-25	Pass	9699
1000	2486	1	RMS	2476.994	-50.72	-25	Pass	1486
2486	2700	1	RMS	2658.805	7.76	60	Pass	401
2700	3000	1	RMS	2700	-41.9	-25	Pass	401
3000	6500	1	RMS	6074.879	-64.03	-25	Pass	3500
6500	27000	1	RMS	25507.637	-43.8	-25	Pass	20500



**31.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,  
Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM,  
Modulation:16QAM, RB Number:135, RB Position:67)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.36	-25	Pass	401
0.15	30	0.01	RMS	0.21	-69.28	-25	Pass	2985
30	1000	0.1	RMS	717.684	-61.56	-25	Pass	9699
1000	2486	1	RMS	2486	-40.15	-25	Pass	1486
2486	2700	1	RMS	2530.405	5.75	60	Pass	401
2700	3000	1	RMS	2871.75	-48.93	-25	Pass	401
3000	6500	1	RMS	6216.919	-64.11	-25	Pass	3500
6500	27000	1	RMS	25483.632	-43.7	-25	Pass	20500






**31.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,  
Channel:518598, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM,  
Modulation:16QAM, RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.88	-25	Pass	401
0.15	30	0.01	RMS	0.18	-69.39	-25	Pass	2985
30	1000	0.1	RMS	903.672	-61.54	-25	Pass	9699
1000	2486	1	RMS	2483.999	-49.44	-25	Pass	1486
2486	2700	1	RMS	2590.325	5.76	60	Pass	401
2700	3000	1	RMS	2878.5	-48.91	-25	Pass	401
3000	6500	1	RMS	6211.918	-64.03	-25	Pass	3500
6500	27000	1	RMS	25794.707	-43.93	-25	Pass	20500



**31.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,  
Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM,  
Modulation:16QAM, RB Number:135, RB Position:67)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.022	-72.38	-25	Pass	401
0.15	30	0.01	RMS	0.39	-69.11	-25	Pass	2985
30	1000	0.1	RMS	856.71	-60.98	-25	Pass	9699
1000	2486	1	RMS	2484.999	-50.71	-25	Pass	1486
2486	2700	1	RMS	2624.03	5.65	60	Pass	401
2700	3000	1	RMS	2700	-40.79	-25	Pass	401
3000	6500	1	RMS	6212.918	-63.96	-25	Pass	3500
6500	27000	1	RMS	25843.719	-43.93	-25	Pass	20500



## 32. n66 15kHz


**32.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:342500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-72.05	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.74	-13	Pass	2985
30	1000	0.1	RMS	904.874	-63.86	-13	Pass	9699
1000	1700	1	RMS	1700	-51.03	-13	Pass	700
1700	1790	1	RMS	1712.375	19.81	60	Pass	401
1790	3000	1	RMS	2875.897	-48.74	-13	Pass	1210
3000	6500	1	RMS	6219.92	-64.25	-13	Pass	3500
6500	20000	1	RMS	19926.986	-50.4	-13	Pass	13500




**32.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,  
Channel:349000, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,  
RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.77	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.13	-13	Pass	2985
30	1000	0.1	RMS	890.955	-63.98	-13	Pass	9699
1000	1700	1	RMS	1700	-52.89	-13	Pass	700
1700	1790	1	RMS	1744.775	19.62	60	Pass	401
1790	3000	1	RMS	2873.896	-48.76	-13	Pass	1210
3000	6500	1	RMS	6214.919	-64.41	-13	Pass	3500
6500	20000	1	RMS	19900.981	-50.47	-13	Pass	13500




**32.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,  
Channel:355500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,  
RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-71.15	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.61	-13	Pass	2985
30	1000	0.1	RMS	997.697	-63.96	-13	Pass	9699
1000	1700	1	RMS	1700	-52.88	-13	Pass	700
1700	1790	1	RMS	1777.4	19.49	60	Pass	401
1790	3000	1	RMS	2868.892	-48.82	-13	Pass	1210
3000	6500	1	RMS	6217.919	-64.36	-13	Pass	3500
6500	20000	1	RMS	19914.984	-50.45	-13	Pass	13500




**32.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-70.57	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.64	-13	Pass	2985
30	1000	0.1	RMS	905.575	-64.02	-13	Pass	9699
1000	1700	1	RMS	1700	-46.11	-13	Pass	700
1700	1790	1	RMS	1719.35	13.91	60	Pass	401
1790	3000	1	RMS	2868.892	-48.74	-13	Pass	1210
3000	6500	1	RMS	6220.92	-64.36	-13	Pass	3500
6500	20000	1	RMS	19921.985	-50.46	-13	Pass	13500




**32.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:349000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-70.93	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.13	-13	Pass	2985
30	1000	0.1	RMS	884.547	-64.05	-13	Pass	9699
1000	1700	1	RMS	1698.999	-52.71	-13	Pass	700
1700	1790	1	RMS	1744.55	13.75	60	Pass	401
1790	3000	1	RMS	2876.898	-48.71	-13	Pass	1210
3000	6500	1	RMS	6218.92	-64.3	-13	Pass	3500
6500	20000	1	RMS	19919.985	-50.44	-13	Pass	13500



**32.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:354000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-71.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.21	-13	Pass	2985
30	1000	0.1	RMS	900.268	-63.91	-13	Pass	9699
1000	1700	1	RMS	1695.994	-52.84	-13	Pass	700
1700	1790	1	RMS	1769.3	13.63	60	Pass	401
1790	3000	1	RMS	1790	-43.99	-13	Pass	1210
3000	6500	1	RMS	6220.92	-64.35	-13	Pass	3500
6500	20000	1	RMS	19925.986	-50.49	-13	Pass	13500






**32.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:346000, Bandwidth:40, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:108, RB Position:54)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.77	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.57	-13	Pass	2985
30	1000	0.1	RMS	897.664	-63.91	-13	Pass	9699
1000	1700	1	RMS	1700	-47.41	-13	Pass	700
1700	1790	1	RMS	1736.45	10.64	60	Pass	401
1790	3000	1	RMS	2874.897	-48.7	-13	Pass	1210
3000	6500	1	RMS	6215.919	-64.36	-13	Pass	3500
6500	20000	1	RMS	19948.99	-50.55	-13	Pass	13500




**32.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,  
Channel:349000, Bandwidth:40, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,  
RB Number:108, RB Position:54)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.49	-13	Pass	2985
30	1000	0.1	RMS	900.067	-64	-13	Pass	9699
1000	1700	1	RMS	1700	-46.13	-13	Pass	700
1700	1790	1	RMS	1746.125	10.72	60	Pass	401
1790	3000	1	RMS	1790	-44.67	-13	Pass	1210
3000	6500	1	RMS	6213.918	-64.33	-13	Pass	3500
6500	20000	1	RMS	19906.982	-50.5	-13	Pass	13500




**32.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,  
Channel:352000, Bandwidth:40, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,  
RB Number:108, RB Position:54)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.74	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.54	-13	Pass	2985
30	1000	0.1	RMS	892.057	-63.97	-13	Pass	9699
1000	1700	1	RMS	1700	-50.39	-13	Pass	700
1700	1790	1	RMS	1758.95	10.52	60	Pass	401
1790	3000	1	RMS	1790	-43.74	-13	Pass	1210
3000	6500	1	RMS	6214.919	-64.34	-13	Pass	3500
6500	20000	1	RMS	19892.98	-50.5	-13	Pass	13500




**32.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:342500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-71.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.8	-13	Pass	2985
30	1000	0.1	RMS	892.558	-63.94	-13	Pass	9699
1000	1700	1	RMS	1700	-51.5	-13	Pass	700
1700	1790	1	RMS	1712.15	18.43	60	Pass	401
1790	3000	1	RMS	2875.897	-48.96	-13	Pass	1210
3000	6500	1	RMS	6215.919	-64.35	-13	Pass	3500
6500	20000	1	RMS	19925.986	-50.36	-13	Pass	13500




**32.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:349000, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-70.01	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.18	-13	Pass	2985
30	1000	0.1	RMS	898.165	-63.84	-13	Pass	9699
1000	1700	1	RMS	1693.991	-52.85	-13	Pass	700
1700	1790	1	RMS	1744.775	18.29	60	Pass	401
1790	3000	1	RMS	2871.894	-48.96	-13	Pass	1210
3000	6500	1	RMS	6220.92	-64.38	-13	Pass	3500
6500	20000	1	RMS	19905.98 2	-50.5	-13	Pass	13500




**32.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,  
Channel:355500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM,  
RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-70.29	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.79	-13	Pass	2985
30	1000	0.1	RMS	904.774	-63.94	-13	Pass	9699
1000	1700	1	RMS	1677.969	-52.92	-13	Pass	700
1700	1790	1	RMS	1777.4	18.2	60	Pass	401
1790	3000	1	RMS	2868.892	-48.88	-13	Pass	1210
3000	6500	1	RMS	6219.92	-64.32	-13	Pass	3500
6500	20000	1	RMS	19990.998	-50.49	-13	Pass	13500




**32.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.2	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.28	-13	Pass	2985
30	1000	0.1	RMS	887.851	-63.85	-13	Pass	9699
1000	1700	1	RMS	1700	-47.34	-13	Pass	700
1700	1790	1	RMS	1720.025	12.72	60	Pass	401
1790	3000	1	RMS	2874.897	-48.97	-13	Pass	1210
3000	6500	1	RMS	6218.92	-64.31	-13	Pass	3500
6500	20000	1	RMS	19917.985	-50.49	-13	Pass	13500



**32.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:349000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:25)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-71.49	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.74	-13	Pass	2985
30	1000	0.1	RMS	890.154	-63.95	-13	Pass	9699
1000	1700	1	RMS	1697.997	-52.77	-13	Pass	700
1700	1790	1	RMS	1747.25	12.41	60	Pass	401
1790	3000	1	RMS	2873.896	-48.96	-13	Pass	1210
3000	6500	1	RMS	6219.92	-64.34	-13	Pass	3500
6500	20000	1	RMS	19890.979	-50.45	-13	Pass	13500






**32.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:354000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.53	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.46	-13	Pass	2985
30	1000	0.1	RMS	901.77	-63.91	-13	Pass	9699
1000	1700	1	RMS	1689.986	-52.85	-13	Pass	700
1700	1790	1	RMS	1770.425	12.45	60	Pass	401
1790	3000	1	RMS	1790	-46.37	-13	Pass	1210
3000	6500	1	RMS	6219.92	-64.22	-13	Pass	3500
6500	20000	1	RMS	19941.989	-50.47	-13	Pass	13500




**32.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:346000, Bandwidth:40, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:108, RB Position:54)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-72.15	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.33	-13	Pass	2985
30	1000	0.1	RMS	999.199	-63.92	-13	Pass	9699
1000	1700	1	RMS	1700	-46.31	-13	Pass	700
1700	1790	1	RMS	1732.85	9.6	60	Pass	401
1790	3000	1	RMS	2868.892	-49.03	-13	Pass	1210
3000	6500	1	RMS	6219.92	-64.45	-13	Pass	3500
6500	20000	1	RMS	19909.983	-50.51	-13	Pass	13500




**32.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,  
Channel:349000, Bandwidth:40, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM,  
RB Number:108, RB Position:54)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.46	-13	Pass	2985
30	1000	0.1	RMS	999.299	-64.11	-13	Pass	9699
1000	1700	1	RMS	1700	-47.95	-13	Pass	700
1700	1790	1	RMS	1747.475	9.77	60	Pass	401
1790	3000	1	RMS	1790	-46.63	-13	Pass	1210
3000	6500	1	RMS	6220.92	-64.43	-13	Pass	3500
6500	20000	1	RMS	19944.99	-50.54	-13	Pass	13500



**32.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,  
Channel:352000, Bandwidth:40, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM,  
RB Number:108, RB Position:54)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-73.52	-13	Pass	401
0.15	30	0.01	RMS	0.25	-71.49	-13	Pass	2985
30	1000	0.1	RMS	897.264	-64.04	-13	Pass	9699
1000	1700	1	RMS	1700	-51.3	-13	Pass	700
1700	1790	1	RMS	1755.8	9.51	60	Pass	401
1790	3000	1	RMS	1790	-42.97	-13	Pass	1210
3000	6500	1	RMS	6216.919	-64.42	-13	Pass	3500
6500	20000	1	RMS	19909.983	-50.5	-13	Pass	13500



### 33. DC\_5A\_n7A\_SCS15


**33.1. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:500500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:12@6, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-72.3	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.54	-25	Pass	2985
30	1000	0.1	RMS	891.256	-63.82	-25	Pass	9699
1000	2490	1	RMS	2490	-49.59	-25	Pass	1490
2490	2580	1	RMS	2502.375	19.26	60	Pass	401
2580	3000	1	RMS	2880.716	-48.62	-25	Pass	420
3000	6500	1	RMS	6220.92	-63.85	-25	Pass	3500
6500	26000	1	RMS	25511.843	-44.37	-25	Pass	19500




**33.2. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:507000, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:12@6, LTE Ch:20525, LTE BW:10, QPSK, LTE RB:50@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.36	-25	Pass	401
0.15	30	0.01	RMS	0.21	-71.02	-25	Pass	2985
30	1000	0.1	RMS	901.369	-63.72	-25	Pass	9699
1000	2490	1	RMS	2490	-50.51	-25	Pass	1490
2490	2580	1	RMS	2534.775	19.34	60	Pass	401
2580	3000	1	RMS	2867.685	-48.63	-25	Pass	420
3000	6500	1	RMS	6218.92	-63.79	-25	Pass	3500
6500	26000	1	RMS	25487.836	-44.28	-25	Pass	19500




**33.3. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:513500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:12@6, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.034	-72.66	-25	Pass	401
0.15	30	0.01	RMS	0.33	-71.47	-25	Pass	2985
30	1000	0.1	RMS	896.663	-63.89	-25	Pass	9699
1000	2490	1	RMS	2488.999	-50.55	-25	Pass	1490
2490	2580	1	RMS	2567.175	19.18	60	Pass	401
2580	3000	1	RMS	2867.685	-48.59	-25	Pass	420
3000	6500	1	RMS	6214.919	-63.84	-25	Pass	3500
6500	26000	1	RMS	25496.839	-44.38	-25	Pass	19500



**33.4. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:501500, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:36@18, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.53	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.2	-25	Pass	2985
30	1000	0.1	RMS	905.274	-63.75	-25	Pass	9699
1000	2490	1	RMS	2490	-43.36	-25	Pass	1490
2490	2580	1	RMS	2507.775	14.98	60	Pass	401
2580	3000	1	RMS	2879.714	-48.58	-25	Pass	420
3000	6500	1	RMS	6217.919	-63.85	-25	Pass	3500
6500	26000	1	RMS	25485.835	-44.37	-25	Pass	19500






**33.5. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:507000, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:36@18, LTE Ch:20525, LTE BW:10, QPSK, LTE RB:50@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.54	-25	Pass	401
0.15	30	0.01	RMS	0.18	-71.07	-25	Pass	2985
30	1000	0.1	RMS	883.746	-63.88	-25	Pass	9699
1000	2490	1	RMS	2488.999	-50.47	-25	Pass	1490
2490	2580	1	RMS	2532.3	15	60	Pass	401
2580	3000	1	RMS	2876.706	-48.59	-25	Pass	420
3000	6500	1	RMS	6219.92	-63.85	-25	Pass	3500
6500	26000	1	RMS	25502.84	-44.31	-25	Pass	19500




**33.6. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:512500, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:36@18, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.79	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.12	-25	Pass	2985
30	1000	0.1	RMS	888.752	-63.83	-25	Pass	9699
1000	2490	1	RMS	2490	-50.62	-25	Pass	1490
2490	2580	1	RMS	2562.9	14.97	60	Pass	401
2580	3000	1	RMS	2580	-43.52	-25	Pass	420
3000	6500	1	RMS	6217.919	-63.85	-25	Pass	3500
6500	26000	1	RMS	25500.84	-44.37	-25	Pass	19500




**33.7. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:502000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:50@25, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.25	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.06	-25	Pass	2985
30	1000	0.1	RMS	879.04	-63.84	-25	Pass	9699
1000	2490	1	RMS	2490	-38.34	-25	Pass	1490
2490	2580	1	RMS	2509.35	13.59	60	Pass	401
2580	3000	1	RMS	2871.695	-48.63	-25	Pass	420
3000	6500	1	RMS	6221.921	-63.85	-25	Pass	3500
6500	26000	1	RMS	25853.953	-44.34	-25	Pass	19500




**33.8. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:507000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:50@25, LTE Ch:20525, LTE BW:10, QPSK, LTE RB:50@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.92	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.39	-25	Pass	2985
30	1000	0.1	RMS	903.172	-63.79	-25	Pass	9699
1000	2490	1	RMS	2490	-50.14	-25	Pass	1490
2490	2580	1	RMS	2534.325	13.78	60	Pass	401
2580	3000	1	RMS	2866.683	-48.61	-25	Pass	420
3000	6500	1	RMS	6079.88	-63.88	-25	Pass	3500
6500	26000	1	RMS	25498.839	-44.45	-25	Pass	19500




**33.9. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:512000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:50@25, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.54	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.56	-25	Pass	2985
30	1000	0.1	RMS	885.448	-63.77	-25	Pass	9699
1000	2490	1	RMS	2488.999	-50.53	-25	Pass	1490
2490	2580	1	RMS	2559.525	13.73	60	Pass	401
2580	3000	1	RMS	2580	-40.9	-25	Pass	420
3000	6500	1	RMS	6219.92	-63.84	-25	Pass	3500
6500	26000	1	RMS	25501.84	-44.31	-25	Pass	19500




**33.10. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:500500, NR BW:5, SCS:15, DFT-s-OFDM, 16QAM, NR RB:12@6, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.58	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.9	-25	Pass	2985
30	1000	0.1	RMS	880.842	-63.88	-25	Pass	9699
1000	2490	1	RMS	2490	-49.89	-25	Pass	1490
2490	2580	1	RMS	2502.375	18.13	60	Pass	401
2580	3000	1	RMS	2879.714	-48.74	-25	Pass	420
3000	6500	1	RMS	6220.92	-63.88	-25	Pass	3500
6500	26000	1	RMS	25506.842	-44.43	-25	Pass	19500




**33.11. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:507000, NR BW:5, SCS:15, DFT-s-OFDM, 16QAM, NR RB:12@6, LTE Ch:20525, LTE BW:10, QPSK, LTE RB:50@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.98	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.31	-25	Pass	2985
30	1000	0.1	RMS	890.254	-63.98	-25	Pass	9699
1000	2490	1	RMS	2490	-50.62	-25	Pass	1490
2490	2580	1	RMS	2534.775	18.17	60	Pass	401
2580	3000	1	RMS	2879.714	-48.74	-25	Pass	420
3000	6500	1	RMS	6219.92	-63.88	-25	Pass	3500
6500	26000	1	RMS	25865.957	-44.5	-25	Pass	19500



**33.12. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:513500, NR BW:5, SCS:15, DFT-s-OFDM, 16QAM, NR RB:12@6, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.46	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.41	-25	Pass	2985
30	1000	0.1	RMS	910.381	-63.89	-25	Pass	9699
1000	2490	1	RMS	2486.998	-50.68	-25	Pass	1490
2490	2580	1	RMS	2567.175	17.96	60	Pass	401
2580	3000	1	RMS	2871.695	-48.73	-25	Pass	420
3000	6500	1	RMS	6221.921	-63.91	-25	Pass	3500
6500	26000	1	RMS	25497.839	-44.47	-25	Pass	19500






**33.13. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:501500, NR BW:15, SCS:15, DFT-s-OFDM, 16QAM, NR RB:36@18, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-63.41	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.91	-25	Pass	2985
30	1000	0.1	RMS	901.069	-63.89	-25	Pass	9699
1000	2490	1	RMS	2490	-44.3	-25	Pass	1490
2490	2580	1	RMS	2505.3	13.79	60	Pass	401
2580	3000	1	RMS	2877.709	-48.74	-25	Pass	420
3000	6500	1	RMS	6216.919	-63.95	-25	Pass	3500
6500	26000	1	RMS	25485.835	-44.47	-25	Pass	19500




**33.14. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:507000, NR BW:15, SCS:15, DFT-s-OFDM, 16QAM, NR RB:36@18, LTE Ch:20525, LTE BW:10, QPSK, LTE RB:50@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.019	-63.04	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.86	-25	Pass	2985
30	1000	0.1	RMS	905.975	-63.8	-25	Pass	9699
1000	2490	1	RMS	2488.999	-50.56	-25	Pass	1490
2490	2580	1	RMS	2532.075	13.85	60	Pass	401
2580	3000	1	RMS	2875.704	-48.7	-25	Pass	420
3000	6500	1	RMS	6218.92	-63.93	-25	Pass	3500
6500	26000	1	RMS	25486.835	-44.45	-25	Pass	19500




**33.15. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:512500, NR BW:15, SCS:15, DFT-s-OFDM, 16QAM, NR RB:36@18, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.6	-25	Pass	401
0.15	30	0.01	RMS	0.16	-70.94	-25	Pass	2985
30	1000	0.1	RMS	902.571	-63.75	-25	Pass	9699
1000	2490	1	RMS	2486.998	-50.6	-25	Pass	1490
2490	2580	1	RMS	2559.525	13.71	60	Pass	401
2580	3000	1	RMS	2580	-45.55	-25	Pass	420
3000	6500	1	RMS	6218.92	-63.92	-25	Pass	3500
6500	26000	1	RMS	25496.839	-44.33	-25	Pass	19500




**33.16. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:502000, NR BW:20, SCS:15, DFT-s-OFDM, 16QAM, NR RB:50@25, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.96	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.69	-25	Pass	2985
30	1000	0.1	RMS	898.866	-63.84	-25	Pass	9699
1000	2490	1	RMS	2490	-43.35	-25	Pass	1490
2490	2580	1	RMS	2510.25	12.33	60	Pass	401
2580	3000	1	RMS	2875.704	-48.73	-25	Pass	420
3000	6500	1	RMS	6218.92	-63.96	-25	Pass	3500
6500	26000	1	RMS	25494.838	-44.47	-25	Pass	19500




**33.17. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:507000, NR BW:20, SCS:15, DFT-s-OFDM, 16QAM, NR RB:50@25, LTE Ch:20525, LTE BW:10, QPSK, LTE RB:50@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.03	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.28	-25	Pass	2985
30	1000	0.1	RMS	873.232	-63.8	-25	Pass	9699
1000	2490	1	RMS	2490	-50.46	-25	Pass	1490
2490	2580	1	RMS	2535	12.41	60	Pass	401
2580	3000	1	RMS	2868.687	-48.72	-25	Pass	420
3000	6500	1	RMS	6219.92	-63.86	-25	Pass	3500
6500	26000	1	RMS	25501.84	-44.33	-25	Pass	19500



**33.18. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:512000, NR BW:20, SCS:15, DFT-s-OFDM, 16QAM, NR RB:50@25, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.77	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.45	-25	Pass	2985
30	1000	0.1	RMS	997.797	-63.82	-25	Pass	9699
1000	2490	1	RMS	2490	-50.58	-25	Pass	1490
2490	2580	1	RMS	2560.2	12.3	60	Pass	401
2580	3000	1	RMS	2580	-43.78	-25	Pass	420
3000	6500	1	RMS	6219.92	-63.93	-25	Pass	3500
6500	26000	1	RMS	25501.84	-44.39	-25	Pass	19500



### 34. DC\_7A\_n5A\_SCS15


**34.1. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:165300, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:12@6, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-62.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.62	-13	Pass	2985
30	814	0.1	RMS	738.69	-54.36	-13	Pass	7840
814	859	0.1	RMS	825.526	10.43	60	Pass	450
859	1000	0.1	RMS	904.132	-53.98	-13	Pass	1410
1000	3000	1	RMS	2873.937	-38.76	-13	Pass	2000
3000	6500	1	RMS	6218.92	-64.26	-13	Pass	3500
6500	10000	1	RMS	8410.546	-59.99	-13	Pass	3500



**34.2. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:167300, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:12@6, LTE Ch:21100, LTE BW:20, QPSK, LTE RB:100@0)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-63.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-61	-13	Pass	2985
30	814	0.1	RMS	749.692	-54.33	-13	Pass	7840
814	859	0.1	RMS	837.352	9.97	60	Pass	450
859	1000	0.1	RMS	894.125	-54	-13	Pass	1410
1000	3000	1	RMS	2880.94	-38.77	-13	Pass	2000
3000	6500	1	RMS	6216.919	-64.25	-13	Pass	3500
6500	10000	1	RMS	8410.546	-59.92	-13	Pass	3500






**34.3. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:169300, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:12@6, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-62.52	-13	Pass	401
0.15	30	0.01	RMS	0.26	-61.8	-13	Pass	2985
30	814	0.1	RMS	738.49	-54.47	-13	Pass	7840
814	859	0.1	RMS	845.47	10.26	60	Pass	450
859	1000	0.1	RMS	886.419	-53.88	-13	Pass	1410
1000	3000	1	RMS	2877.939	-38.66	-13	Pass	2000
3000	6500	1	RMS	6220.92	-64.28	-13	Pass	3500
6500	10000	1	RMS	8411.546	-60.04	-13	Pass	3500




**34.4. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:166300, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:36@18, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-62.42	-13	Pass	401
0.15	30	0.01	RMS	0.19	-61.26	-13	Pass	2985
30	814	0.1	RMS	812.1	-49.32	-13	Pass	7840
814	859	0.1	RMS	831.94	5.82	60	Pass	450
859	1000	0.1	RMS	897.027	-53.93	-13	Pass	1410
1000	3000	1	RMS	2878.939	-38.77	-13	Pass	2000
3000	6500	1	RMS	6216.919	-64.29	-13	Pass	3500
6500	10000	1	RMS	8409.546	-60.02	-13	Pass	3500




**34.5. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:10, NR Ch:167300, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:36@18, LTE Ch:21100, LTE BW:20, QPSK, LTE RB:100@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-61.11	-13	Pass	401
0.15	30	0.01	RMS	0.15	-60.88	-13	Pass	2985
30	814	0.1	RMS	813.7	-53.15	-13	Pass	7840
814	859	0.1	RMS	838.955	5.91	60	Pass	450
859	1000	0.1	RMS	889.422	-54.05	-13	Pass	1410
1000	3000	1	RMS	2878.939	-38.73	-13	Pass	2000
3000	6500	1	RMS	6220.92	-64.31	-13	Pass	3500
6500	10000	1	RMS	8411.546	-60	-13	Pass	3500




**34.6. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:12, NR Ch:168300, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:36@18, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-61.84	-13	Pass	401
0.15	30	0.01	RMS	0.31	-61.98	-13	Pass	2985
30	814	0.1	RMS	732.29	-54.46	-13	Pass	7840
814	859	0.1	RMS	841.962	5.99	60	Pass	450
859	1000	0.1	RMS	884.318	-53.98	-13	Pass	1410
1000	3000	1	RMS	2873.937	-38.72	-13	Pass	2000
3000	6500	1	RMS	6219.92	-64.35	-13	Pass	3500
6500	10000	1	RMS	8409.546	-59.91	-13	Pass	3500




**34.7. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:14, NR Ch:166800, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:50@25, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-62.94	-13	Pass	401
0.15	30	0.01	RMS	0.23	-61.7	-13	Pass	2985
30	814	0.1	RMS	813.8	-46.35	-13	Pass	7840
814	859	0.1	RMS	829.835	4.31	60	Pass	450
859	1000	0.1	RMS	922.445	-54.02	-13	Pass	1410
1000	3000	1	RMS	2869.935	-38.74	-13	Pass	2000
3000	6500	1	RMS	6219.92	-64.29	-13	Pass	3500
6500	10000	1	RMS	8408.545	-60.02	-13	Pass	3500




**34.8. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:16, NR Ch:167300, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:50@25, LTE Ch:21100, LTE BW:20, QPSK, LTE RB:100@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-63.29	-13	Pass	401
0.15	30	0.01	RMS	0.16	-61.59	-13	Pass	2985
30	814	0.1	RMS	813.7	-49.76	-13	Pass	7840
814	859	0.1	RMS	839.156	4.61	60	Pass	450
859	1000	0.1	RMS	893.424	-54.11	-13	Pass	1410
1000	3000	1	RMS	2876.938	-38.79	-13	Pass	2000
3000	6500	1	RMS	6214.919	-64.33	-13	Pass	3500
6500	10000	1	RMS	8409.546	-60	-13	Pass	3500




**34.9. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:18, NR Ch:167800, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:50@25, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-62.39	-13	Pass	401
0.15	30	0.01	RMS	0.17	-61.62	-13	Pass	2985
30	814	0.1	RMS	813.5	-51.01	-13	Pass	7840
814	859	0.1	RMS	841.661	4.75	60	Pass	450
859	1000	0.1	RMS	994.796	-53.95	-13	Pass	1410
1000	3000	1	RMS	2869.935	-38.76	-13	Pass	2000
3000	6500	1	RMS	6219.92	-64.29	-13	Pass	3500
6500	10000	1	RMS	8410.546	-60.02	-13	Pass	3500



**34.10. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:165300, NR BW:5, SCS:15, DFT-s-OFDM, 16QAM, NR RB:12@6, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.66	-13	Pass	401
0.15	30	0.01	RMS	0.26	-71.59	-13	Pass	2985
30	814	0.1	RMS	813.5	-63.8	-13	Pass	7840
814	859	0.1	RMS	825.626	9.28	60	Pass	450
859	1000	0.1	RMS	900.029	-63.79	-13	Pass	1410
1000	3000	1	RMS	2868.934	-48.95	-13	Pass	2000
3000	10000	1	RMS	8401.772	-60.5	-13	Pass	7000






**34.11. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:167300, NR BW:5, SCS:15, DFT-s-OFDM, 16QAM, NR RB:12@6, LTE Ch:21100, LTE BW:20, QPSK, LTE RB:100@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.48	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.44	-13	Pass	2985
30	814	0.1	RMS	723.088	-64.26	-13	Pass	7840
814	859	0.1	RMS	836.751	9.11	60	Pass	450
859	1000	0.1	RMS	894.225	-63.88	-13	Pass	1410
1000	3000	1	RMS	2876.938	-48.97	-13	Pass	2000
3000	10000	1	RMS	8401.772	-60.44	-13	Pass	7000




**34.12. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:169300, NR BW:5, SCS:15, DFT-s-OFDM, 16QAM, NR RB:12@6, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.19	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.37	-13	Pass	2985
30	814	0.1	RMS	739.991	-64.17	-13	Pass	7840
814	859	0.1	RMS	846.773	8.86	60	Pass	450
859	1000	0.1	RMS	902.031	-63.94	-13	Pass	1410
1000	3000	1	RMS	2877.939	-48.94	-13	Pass	2000
3000	10000	1	RMS	8406.772	-60.48	-13	Pass	7000




**34.13. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:166300, NR BW:15, SCS:15, DFT-s-OFDM, 16QAM, NR RB:36@18, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.3	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.45	-13	Pass	2985
30	814	0.1	RMS	813.2	-50.73	-13	Pass	7840
814	859	0.1	RMS	828.031	5.07	60	Pass	450
859	1000	0.1	RMS	887.72	-64.02	-13	Pass	1410
1000	3000	1	RMS	2869.935	-48.99	-13	Pass	2000
3000	10000	1	RMS	8401.772	-60.46	-13	Pass	7000




**34.14. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:167300, NR BW:15, SCS:15, DFT-s-OFDM, 16QAM, NR RB:36@18, LTE Ch:21100, LTE BW:20, QPSK, LTE RB:100@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.71	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.33	-13	Pass	2985
30	814	0.1	RMS	813.8	-57.17	-13	Pass	7840
814	859	0.1	RMS	838.154	4.8	60	Pass	450
859	1000	0.1	RMS	996.297	-63.92	-13	Pass	1410
1000	3000	1	RMS	2874.937	-48.97	-13	Pass	2000
3000	10000	1	RMS	8398.771	-60.52	-13	Pass	7000




**34.15. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:168300, NR BW:15, SCS:15, DFT-s-OFDM, 16QAM, NR RB:36@18, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-62.06	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.12	-13	Pass	2985
30	814	0.1	RMS	813.5	-62.73	-13	Pass	7840
814	859	0.1	RMS	842.864	4.55	60	Pass	450
859	1000	0.1	RMS	899.028	-63.78	-13	Pass	1410
1000	3000	1	RMS	2869.935	-48.96	-13	Pass	2000
3000	10000	1	RMS	8400.772	-60.41	-13	Pass	7000




**34.16. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:166800, NR BW:20, SCS:15, DFT-s-OFDM, 16QAM, NR RB:50@25, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.14	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.61	-13	Pass	2985
30	814	0.1	RMS	813.8	-48.22	-13	Pass	7840
814	859	0.1	RMS	834.245	3.2	60	Pass	450
859	1000	0.1	RMS	999.7	-63.87	-13	Pass	1410
1000	3000	1	RMS	2874.937	-48.99	-13	Pass	2000
3000	10000	1	RMS	8396.771	-60.48	-13	Pass	7000




**34.17. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:167300, NR BW:20, SCS:15, DFT-s-OFDM, 16QAM, NR RB:50@25, LTE Ch:21100, LTE BW:20, QPSK, LTE RB:100@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.61	-13	Pass	401
0.15	30	0.01	RMS	0.19	-70.6	-13	Pass	2985
30	814	0.1	RMS	812.9	-51.49	-13	Pass	7840
814	859	0.1	RMS	839.256	3.32	60	Pass	450
859	1000	0.1	RMS	900.029	-63.99	-13	Pass	1410
1000	3000	1	RMS	2877.939	-48.98	-13	Pass	2000
3000	10000	1	RMS	8402.772	-60.42	-13	Pass	7000



**34.18. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:167800, NR BW:20, SCS:15, DFT-s-OFDM, 16QAM, NR RB:50@25, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.59	-13	Pass	2985
30	814	0.1	RMS	813.5	-53.88	-13	Pass	7840
814	859	0.1	RMS	839.256	3.52	60	Pass	450
859	1000	0.1	RMS	901.73	-63.99	-13	Pass	1410
1000	3000	1	RMS	2868.934	-49.01	-13	Pass	2000
3000	10000	1	RMS	8398.771	-60.4	-13	Pass	7000






### 35. DC\_7A\_n66A\_SCS15


**35.1. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:342500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:12@6, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.31	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.75	-13	Pass	2985
30	1000	0.1	RMS	903.071	-63.36	-13	Pass	9699
1000	1700	1	RMS	1700	-50.71	-13	Pass	700
1700	1790	1	RMS	1712.375	19.83	60	Pass	401
1790	3000	1	RMS	2877.899	-48.32	-13	Pass	1210
3000	6500	1	RMS	6220.92	-63.71	-13	Pass	3500
6500	20000	1	RMS	19943.989	-49.85	-13	Pass	13500




**35.2. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:349000, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:12@6, LTE Ch:21100, LTE BW:20, QPSK, LTE RB:100@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.38	-13	Pass	401
0.15	30	0.01	RMS	0.22	-71.31	-13	Pass	2985
30	1000	0.1	RMS	889.353	-63.6	-13	Pass	9699
1000	1700	1	RMS	1700	-52.57	-13	Pass	700
1700	1790	1	RMS	1744.775	19.55	60	Pass	401
1790	3000	1	RMS	2873.896	-48.31	-13	Pass	1210
3000	6500	1	RMS	6218.92	-63.78	-13	Pass	3500
6500	20000	1	RMS	19890.979	-49.78	-13	Pass	13500




**35.3. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:355500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:12@6, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.02	-13	Pass	2985
30	1000	0.1	RMS	902.971	-63.41	-13	Pass	9699
1000	1700	1	RMS	1698.999	-52.63	-13	Pass	700
1700	1790	1	RMS	1777.175	19.7	60	Pass	401
1790	3000	1	RMS	2880.902	-48.37	-13	Pass	1210
3000	6500	1	RMS	6218.92	-63.77	-13	Pass	3500
6500	20000	1	RMS	19910.983	-49.81	-13	Pass	13500




**35.4. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:344000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:50@25, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-59.98	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.61	-13	Pass	2985
30	1000	0.1	RMS	993.191	-63.82	-13	Pass	9699
1000	1700	1	RMS	1700	-43.24	-13	Pass	700
1700	1790	1	RMS	1719.35	13.99	60	Pass	401
1790	3000	1	RMS	2870.893	-48.31	-13	Pass	1210
3000	6500	1	RMS	6217.919	-63.78	-13	Pass	3500
6500	20000	1	RMS	19927.986	-49.83	-13	Pass	13500




**35.5. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:349000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:50@25, LTE Ch:21100, LTE BW:20, QPSK, LTE RB:100@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.52	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.86	-13	Pass	2985
30	1000	0.1	RMS	890.755	-63.71	-13	Pass	9699
1000	1700	1	RMS	1700	-52.31	-13	Pass	700
1700	1790	1	RMS	1744.325	13.78	60	Pass	401
1790	3000	1	RMS	2880.902	-48.36	-13	Pass	1210
3000	6500	1	RMS	6219.92	-63.8	-13	Pass	3500
6500	20000	1	RMS	19902.98 2	-49.81	-13	Pass	13500




**35.6. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:354000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:50@25, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.31	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.37	-13	Pass	2985
30	1000	0.1	RMS	914.887	-63.77	-13	Pass	9699
1000	1700	1	RMS	1698.999	-52.6	-13	Pass	700
1700	1790	1	RMS	1769.3	14.05	60	Pass	401
1790	3000	1	RMS	1790	-44.1	-13	Pass	1210
3000	6500	1	RMS	6218.92	-63.75	-13	Pass	3500
6500	20000	1	RMS	19932.987	-49.88	-13	Pass	13500




**35.7. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:346000, NR BW:40, SCS:15, DFT-s-OFDM, QPSK, NR RB:108@54, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.49	-13	Pass	2985
30	1000	0.1	RMS	899.066	-63.76	-13	Pass	9699
1000	1700	1	RMS	1698.999	-39	-13	Pass	700
1700	1790	1	RMS	1730.6	10.65	60	Pass	401
1790	3000	1	RMS	2878.9	-48.32	-13	Pass	1210
3000	6500	1	RMS	6219.92	-63.8	-13	Pass	3500
6500	20000	1	RMS	19895.98	-49.85	-13	Pass	13500



**35.8. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:349000, NR BW:40, SCS:15, DFT-s-OFDM, QPSK, NR RB:108@54, LTE Ch:21100, LTE BW:20, QPSK, LTE RB:100@0)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-62.04	-13	Pass	401
0.15	30	0.01	RMS	0.21	-71.57	-13	Pass	2985
30	1000	0.1	RMS	899.166	-63.69	-13	Pass	9699
1000	1700	1	RMS	1700	-45.53	-13	Pass	700
1700	1790	1	RMS	1745.675	10.87	60	Pass	401
1790	3000	1	RMS	1790	-45.28	-13	Pass	1210
3000	6500	1	RMS	6218.92	-63.83	-13	Pass	3500
6500	20000	1	RMS	19898.98 1	-49.86	-13	Pass	13500






**35.9. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:352000, NR BW:40, SCS:15, DFT-s-OFDM, QPSK, NR RB:108@54, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.41	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.45	-13	Pass	2985
30	1000	0.1	RMS	984.58	-63.71	-13	Pass	9699
1000	1700	1	RMS	1700	-50.73	-13	Pass	700
1700	1790	1	RMS	1760.525	10.75	60	Pass	401
1790	3000	1	RMS	1790	-43.04	-13	Pass	1210
3000	6500	1	RMS	6214.919	-63.79	-13	Pass	3500
6500	20000	1	RMS	19908.983	-49.88	-13	Pass	13500




**35.10. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:342500, NR BW:5, SCS:15, DFT-s-OFDM, 16QAM, NR RB:12@6, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-69.17	-13	Pass	401
0.15	30	0.01	RMS	0.28	-71.08	-13	Pass	2985
30	1000	0.1	RMS	899.266	-63.77	-13	Pass	9699
1000	1700	1	RMS	1700	-51.16	-13	Pass	700
1700	1790	1	RMS	1712.375	18.8	60	Pass	401
1790	3000	1	RMS	2877.899	-48.61	-13	Pass	1210
3000	6500	1	RMS	6219.92	-63.78	-13	Pass	3500
6500	20000	1	RMS	19938.989	-49.93	-13	Pass	13500




**35.11. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:349000, NR BW:5, SCS:15, DFT-s-OFDM, 16QAM, NR RB:12@6, LTE Ch:21100, LTE BW:20, QPSK, LTE RB:100@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-72.69	-13	Pass	401
0.15	30	0.01	RMS	0.23	-70.96	-13	Pass	2985
30	1000	0.1	RMS	881.343	-63.85	-13	Pass	9699
1000	1700	1	RMS	1693.991	-52.66	-13	Pass	700
1700	1790	1	RMS	1744.775	18.49	60	Pass	401
1790	3000	1	RMS	2873.896	-48.61	-13	Pass	1210
3000	6500	1	RMS	6216.919	-63.86	-13	Pass	3500
6500	20000	1	RMS	19937.988	-49.93	-13	Pass	13500




**35.12. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:355500, NR BW:5, SCS:15, DFT-s-OFDM, 16QAM, NR RB:12@6, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.74	-13	Pass	2985
30	1000	0.1	RMS	901.369	-63.81	-13	Pass	9699
1000	1700	1	RMS	1692.99	-52.7	-13	Pass	700
1700	1790	1	RMS	1776.95	18.52	60	Pass	401
1790	3000	1	RMS	2875.897	-48.62	-13	Pass	1210
3000	6500	1	RMS	6219.92	-63.78	-13	Pass	3500
6500	20000	1	RMS	19910.983	-49.84	-13	Pass	13500




**35.13. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:344000, NR BW:20, SCS:15, DFT-s-OFDM, 16QAM, NR RB:50@25, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.65	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.06	-13	Pass	2985
30	1000	0.1	RMS	920.595	-63.76	-13	Pass	9699
1000	1700	1	RMS	1700	-44.86	-13	Pass	700
1700	1790	1	RMS	1718.675	12.81	60	Pass	401
1790	3000	1	RMS	2866.89	-48.61	-13	Pass	1210
3000	6500	1	RMS	6215.919	-63.81	-13	Pass	3500
6500	20000	1	RMS	19892.98	-49.96	-13	Pass	13500




**35.14. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:349000, NR BW:20, SCS:15, DFT-s-OFDM, 16QAM, NR RB:50@25, LTE Ch:21100, LTE BW:20, QPSK, LTE RB:100@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.84	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.74	-13	Pass	2985
30	1000	0.1	RMS	906.075	-63.8	-13	Pass	9699
1000	1700	1	RMS	1700	-52.46	-13	Pass	700
1700	1790	1	RMS	1743.2	12.59	60	Pass	401
1790	3000	1	RMS	2880.902	-48.65	-13	Pass	1210
3000	6500	1	RMS	6217.919	-63.8	-13	Pass	3500
6500	20000	1	RMS	19907.983	-49.97	-13	Pass	13500




**35.15. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:354000, NR BW:20, SCS:15, DFT-s-OFDM, 16QAM, NR RB:50@25, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.85	-13	Pass	2985
30	1000	0.1	RMS	902.571	-63.79	-13	Pass	9699
1000	1700	1	RMS	1672.961	-52.67	-13	Pass	700
1700	1790	1	RMS	1767.725	12.77	60	Pass	401
1790	3000	1	RMS	1790	-45.23	-13	Pass	1210
3000	6500	1	RMS	6219.92	-63.8	-13	Pass	3500
6500	20000	1	RMS	19896.981	-49.94	-13	Pass	13500



**35.16. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:346000, NR BW:40, SCS:15, DFT-s-OFDM, 16QAM, NR RB:108@54, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-72.27	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.29	-13	Pass	2985
30	1000	0.1	RMS	896.963	-63.86	-13	Pass	9699
1000	1700	1	RMS	1698.999	-40.47	-13	Pass	700
1700	1790	1	RMS	1732.4	9.67	60	Pass	401
1790	3000	1	RMS	2877.899	-48.61	-13	Pass	1210
3000	6500	1	RMS	6219.92	-63.85	-13	Pass	3500
6500	20000	1	RMS	19903.982	-49.87	-13	Pass	13500






**35.17. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:349000, NR BW:40, SCS:15, DFT-s-OFDM, 16QAM, NR RB:108@54, LTE Ch:21100, LTE BW:20, QPSK, LTE RB:100@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.94	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.07	-13	Pass	2985
30	1000	0.1	RMS	864.32	-63.7	-13	Pass	9699
1000	1700	1	RMS	1700	-49.31	-13	Pass	700
1700	1790	1	RMS	1747.025	9.67	60	Pass	401
1790	3000	1	RMS	1790	-48.39	-13	Pass	1210
3000	6500	1	RMS	6219.92	-63.82	-13	Pass	3500
6500	20000	1	RMS	19943.989	-49.91	-13	Pass	13500



**35.18. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:352000, NR BW:40, SCS:15, DFT-s-OFDM, 16QAM, NR RB:108@54, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-72.18	-13	Pass	401
0.15	30	0.01	RMS	0.27	-71.24	-13	Pass	2985
30	1000	0.1	RMS	890.355	-63.79	-13	Pass	9699
1000	1700	1	RMS	1700	-51.44	-13	Pass	700
1700	1790	1	RMS	1759.85	9.62	60	Pass	401
1790	3000	1	RMS	1790	-42.55	-13	Pass	1210
3000	6500	1	RMS	6219.92	-63.82	-13	Pass	3500
6500	20000	1	RMS	19904.982	-49.97	-13	Pass	13500



### 36. DC\_25A\_n41A\_SCS30


**36.1. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:501204, NR BW:20, SCS:30, DFT-s-OFDM, QPSK, NR RB:25@12, LTE Ch:26140, LTE BW:20, QPSK, LTE RB:100@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.52	-25	Pass	401
0.15	30	0.01	RMS	0.28	-70.52	-25	Pass	2985
30	1000	0.1	RMS	954.339	-60.99	-25	Pass	9699
1000	2486	1	RMS	2486	-41.03	-25	Pass	1486
2486	2700	1	RMS	2509.005	14.15	60	Pass	401
2700	3000	1	RMS	2872.5	-48.32	-25	Pass	401
3000	6500	1	RMS	6198.914	-63.47	-25	Pass	3500
6500	27000	1	RMS	26837.961	-42.79	-25	Pass	20500




**36.2. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:518598, NR BW:20, SCS:30, DFT-s-OFDM, QPSK, NR RB:25@12, LTE Ch:26365, LTE BW:20, QPSK, LTE RB:100@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-70.49	-25	Pass	401
0.15	30	0.01	RMS	0.3	-69.98	-25	Pass	2985
30	1000	0.1	RMS	942.223	-61.68	-25	Pass	9699
1000	2486	1	RMS	2455.98	-50.36	-25	Pass	1486
2486	2700	1	RMS	2591.93	13.74	60	Pass	401
2700	3000	1	RMS	2865	-48.33	-25	Pass	401
3000	6500	1	RMS	6216.919	-63.54	-25	Pass	3500
6500	27000	1	RMS	25182.558	-43.08	-25	Pass	20500




**36.3. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:535998, NR BW:20, SCS:30, DFT-s-OFDM, QPSK, NR RB:25@12, LTE Ch:26590, LTE BW:20, QPSK, LTE RB:100@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.38	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.36	-25	Pass	2985
30	1000	0.1	RMS	758.389	-61.26	-25	Pass	9699
1000	2486	1	RMS	2480.997	-50.39	-25	Pass	1486
2486	2700	1	RMS	2676.995	13.73	60	Pass	401
2700	3000	1	RMS	2700.75	-38.92	-25	Pass	401
3000	6500	1	RMS	6220.92	-63.59	-25	Pass	3500
6500	27000	1	RMS	25827.715	-43.17	-25	Pass	20500




**36.4. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:505200, NR BW:60, SCS:30, DFT-s-OFDM, QPSK, NR RB:81 @40, LTE Ch:26140, LTE BW:20, QPSK, LTE RB:100@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.62	-25	Pass	401
0.15	30	0.01	RMS	0.29	-68.85	-25	Pass	2985
30	1000	0.1	RMS	898.666	-60.96	-25	Pass	9699
1000	2486	1	RMS	2486	-37.49	-25	Pass	1486
2486	2700	1	RMS	2532.545	9.37	60	Pass	401
2700	3000	1	RMS	2868.75	-48.24	-25	Pass	401
3000	6500	1	RMS	6077.879	-63.61	-25	Pass	3500
6500	27000	1	RMS	25529.643	-43.2	-25	Pass	20500




**36.5. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:518598, NR BW:60, SCS:30, DFT-s-OFDM, QPSK, NR RB:81 @40, LTE Ch:26365, LTE BW:20, QPSK, LTE RB:100@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-69.24	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.64	-25	Pass	2985
30	1000	0.1	RMS	905.675	-60.91	-25	Pass	9699
1000	2486	1	RMS	2486	-49.42	-25	Pass	1486
2486	2700	1	RMS	2599.42	8.92	60	Pass	401
2700	3000	1	RMS	2879.25	-48.33	-25	Pass	401
3000	6500	1	RMS	6209.917	-63.58	-25	Pass	3500
6500	27000	1	RMS	25486.63 2	-43	-25	Pass	20500



**36.6. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:531996, NR BW:60, SCS:30, DFT-s-OFDM, QPSK, NR RB:81 @40, LTE Ch:26590, LTE BW:20, QPSK, LTE RB:100@0)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-68.88	-25	Pass	401
0.15	30	0.01	RMS	0.25	-69.83	-25	Pass	2985
30	1000	0.1	RMS	865.822	-60.71	-25	Pass	9699
1000	2486	1	RMS	2482.998	-50.25	-25	Pass	1486
2486	2700	1	RMS	2646.5	9.11	60	Pass	401
2700	3000	1	RMS	2700	-35.13	-25	Pass	401
3000	6500	1	RMS	6218.92	-63.59	-25	Pass	3500
6500	27000	1	RMS	25515.639	-43.21	-25	Pass	20500






**36.7. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:509202, NR BW:100, SCS:30, DFT-s-OFDM, QPSK, NR RB:135@67, LTE Ch:26140, LTE BW:20, QPSK, LTE RB:100@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-68.15	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.08	-25	Pass	2985
30	1000	0.1	RMS	918.792	-61.41	-25	Pass	9699
1000	2486	1	RMS	2486	-42.51	-25	Pass	1486
2486	2700	1	RMS	2558.225	7.19	60	Pass	401
2700	3000	1	RMS	2871.75	-48.35	-25	Pass	401
3000	6500	1	RMS	6197.914	-63.55	-25	Pass	3500
6500	27000	1	RMS	26907.978	-43.11	-25	Pass	20500




**36.8. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:518598, NR BW:100, SCS:30, DFT-s-OFDM, QPSK, NR RB:135@67, LTE Ch:26365, LTE BW:20, QPSK, LTE RB:100@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-68.78	-25	Pass	401
0.15	30	0.01	RMS	0.25	-68.15	-25	Pass	2985
30	1000	0.1	RMS	920.094	-61.03	-25	Pass	9699
1000	2486	1	RMS	2483.999	-48.33	-25	Pass	1486
2486	2700	1	RMS	2606.375	7.06	60	Pass	401
2700	3000	1	RMS	2700	-44.24	-25	Pass	401
3000	6500	1	RMS	6214.919	-63.46	-25	Pass	3500
6500	27000	1	RMS	25499.635	-43.4	-25	Pass	20500




**36.9. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:528000, NR BW:100, SCS:30, DFT-s-OFDM, QPSK, NR RB:135@67, LTE Ch:26590, LTE BW:20, QPSK, LTE RB:100@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-69.15	-25	Pass	401
0.15	30	0.01	RMS	0.39	-69.43	-25	Pass	2985
30	1000	0.1	RMS	824.497	-61.08	-25	Pass	9699
1000	2486	1	RMS	2486	-49.37	-25	Pass	1486
2486	2700	1	RMS	2626.17	7.14	60	Pass	401
2700	3000	1	RMS	2701.5	-37.29	-25	Pass	401
3000	6500	1	RMS	6212.918	-63.51	-25	Pass	3500
6500	27000	1	RMS	25199.563	-43.16	-25	Pass	20500




**36.10. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:501204, NR BW:20, SCS:30, DFT-s-OFDM, 16QAM, NR RB:25@12, LTE Ch:26140, LTE BW:20, QPSK, LTE RB:100@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-71.49	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.25	-25	Pass	2985
30	1000	0.1	RMS	899.367	-61.34	-25	Pass	9699
1000	2486	1	RMS	2486	-42.49	-25	Pass	1486
2486	2700	1	RMS	2509.005	13.24	60	Pass	401
2700	3000	1	RMS	2866.5	-48.6	-25	Pass	401
3000	6500	1	RMS	6077.879	-63.79	-25	Pass	3500
6500	27000	1	RMS	25837.718	-43.03	-25	Pass	20500




**36.11. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:518598, NR BW:20, SCS:30, DFT-s-OFDM, 16QAM, NR RB:25@12, LTE Ch:26365, LTE BW:20, QPSK, LTE RB:100@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.04	-25	Pass	401
0.15	30	0.01	RMS	0.17	-70.27	-25	Pass	2985
30	1000	0.1	RMS	871.029	-61.12	-25	Pass	9699
1000	2486	1	RMS	2483.999	-50.45	-25	Pass	1486
2486	2700	1	RMS	2593.535	12.73	60	Pass	401
2700	3000	1	RMS	2875.5	-48.56	-25	Pass	401
3000	6500	1	RMS	6221.921	-63.6	-25	Pass	3500
6500	27000	1	RMS	25764.7	-43.4	-25	Pass	20500




**36.12. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:535998, NR BW:20, SCS:30, DFT-s-OFDM, 16QAM, NR RB:25@12, LTE Ch:26590, LTE BW:20, QPSK, LTE RB:100@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-72.02	-25	Pass	401
0.15	30	0.01	RMS	0.18	-68.51	-25	Pass	2985
30	1000	0.1	RMS	727.485	-60.55	-25	Pass	9699
1000	2486	1	RMS	2486	-50.57	-25	Pass	1486
2486	2700	1	RMS	2680.205	12.68	60	Pass	401
2700	3000	1	RMS	2700	-39.1	-25	Pass	401
3000	6500	1	RMS	6204.916	-63.57	-25	Pass	3500
6500	27000	1	RMS	25896.732	-43.28	-25	Pass	20500




**36.13. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:505200, NR BW:60, SCS:30, DFT-s-OFDM, 16QAM, NR RB:81 @40, LTE Ch:26140, LTE BW:20, QPSK, LTE RB:100@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-71.56	-25	Pass	401
0.15	30	0.01	RMS	0.21	-70.24	-25	Pass	2985
30	1000	0.1	RMS	889.954	-61.83	-25	Pass	9699
1000	2486	1	RMS	2486	-38.32	-25	Pass	1486
2486	2700	1	RMS	2530.94	8.6	60	Pass	401
2700	3000	1	RMS	2878.5	-48.91	-25	Pass	401
3000	6500	1	RMS	6221.921	-64.12	-25	Pass	3500
6500	27000	1	RMS	26772.945	-43.97	-25	Pass	20500



**36.14. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:518598, NR BW:60, SCS:30, DFT-s-OFDM, 16QAM, NR RB:81 @40, LTE Ch:26365, LTE BW:20, QPSK, LTE RB:100@0)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-70.52	-25	Pass	401
0.15	30	0.01	RMS	0.28	-70.44	-25	Pass	2985
30	1000	0.1	RMS	662.177	-61.89	-25	Pass	9699
1000	2486	1	RMS	2486	-50.31	-25	Pass	1486
2486	2700	1	RMS	2591.93	8.74	60	Pass	401
2700	3000	1	RMS	2868.75	-48.93	-25	Pass	401
3000	6500	1	RMS	6060.875	-64.26	-25	Pass	3500
6500	27000	1	RMS	25790.706	-43.94	-25	Pass	20500






**36.15. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:531996, NR BW:60, SCS:30, DFT-s-OFDM, 16QAM, NR RB:81 @40, LTE Ch:26590, LTE BW:20, QPSK, LTE RB:100@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-68.48	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.2	-25	Pass	2985
30	1000	0.1	RMS	936.416	-61.55	-25	Pass	9699
1000	2486	1	RMS	2478.995	-50.86	-25	Pass	1486
2486	2700	1	RMS	2647.035	7.92	60	Pass	401
2700	3000	1	RMS	2700	-37.72	-25	Pass	401
3000	6500	1	RMS	6078.88	-64.17	-25	Pass	3500
6500	27000	1	RMS	25197.562	-43.87	-25	Pass	20500




**36.16. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:509202, NR BW:100, SCS:30, DFT-s-OFDM, 16QAM, NR RB:135@67, LTE Ch:26140, LTE BW:20, QPSK, LTE RB:100@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.91	-25	Pass	401
0.15	30	0.01	RMS	0.8	-70.17	-25	Pass	2985
30	1000	0.1	RMS	966.956	-61.72	-25	Pass	9699
1000	2486	1	RMS	2486	-43.74	-25	Pass	1486
2486	2700	1	RMS	2557.69	6.21	60	Pass	401
2700	3000	1	RMS	2873.25	-49	-25	Pass	401
3000	6500	1	RMS	6219.92	-64.13	-25	Pass	3500
6500	27000	1	RMS	25484.632	-43.61	-25	Pass	20500




**36.17. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:518598, NR BW:100, SCS:30, DFT-s-OFDM, 16QAM, NR RB:135@67, LTE Ch:26365, LTE BW:20, QPSK, LTE RB:100@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-72.08	-25	Pass	401
0.15	30	0.01	RMS	0.31	-70.54	-25	Pass	2985
30	1000	0.1	RMS	892.157	-61.33	-25	Pass	9699
1000	2486	1	RMS	2486	-49.55	-25	Pass	1486
2486	2700	1	RMS	2612.795	5.75	60	Pass	401
2700	3000	1	RMS	2700	-46.75	-25	Pass	401
3000	6500	1	RMS	6218.92	-64.08	-25	Pass	3500
6500	27000	1	RMS	25800.709	-43.84	-25	Pass	20500



**36.18. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:528000, NR BW:100, SCS:30, DFT-s-OFDM, 16QAM, NR RB:135@67, LTE Ch:26590, LTE BW:20, QPSK, LTE RB:100@0)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.18	-25	Pass	401
0.15	30	0.01	RMS	0.18	-70.22	-25	Pass	2985
30	1000	0.1	RMS	891.656	-61.25	-25	Pass	9699
1000	2486	1	RMS	1904.609	-43.14	-25	Pass	1486
2486	2700	1	RMS	2624.03	5.95	60	Pass	401
2700	3000	1	RMS	2701.5	-38.82	-25	Pass	401
3000	6500	1	RMS	6080.88	-64.26	-25	Pass	3500
6500	27000	1	RMS	25540.645	-43.83	-25	Pass	20500



### 37. DC\_26A\_n41A\_SCS30


37.1. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:501204, NR BW:20, SCS:30, DFT-s-OFDM, QPSK, NR RB:25@12, LTE Ch:26765, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.03	-69.61	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.88	-25	Pass	2985
30	1000	0.1	RMS	815.096	-61.3	-25	Pass	9699
1000	2486	1	RMS	2486	-39.91	-25	Pass	1486
2486	2700	1	RMS	2509.005	14.25	60	Pass	401
2700	3000	1	RMS	2868.75	-48.52	-25	Pass	401
3000	6500	1	RMS	6213.918	-63.72	-25	Pass	3500
6500	27000	1	RMS	25202.563	-43.16	-25	Pass	20500




**37.2. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:518598, NR BW:20, SCS:30, DFT-s-OFDM, QPSK, NR RB:25@12, LTE Ch:26865, LTE BW:15, QPSK, LTE RB:75@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.23	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.64	-25	Pass	2985
30	1000	0.1	RMS	974.366	-60.98	-25	Pass	9699
1000	2486	1	RMS	2480.997	-50.49	-25	Pass	1486
2486	2700	1	RMS	2591.93	14	60	Pass	401
2700	3000	1	RMS	2877	-48.58	-25	Pass	401
3000	6500	1	RMS	6201.915	-63.66	-25	Pass	3500
6500	27000	1	RMS	25495.635	-43.43	-25	Pass	20500




**37.3. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:535998, NR BW:20, SCS:30, DFT-s-OFDM, QPSK, NR RB:25@12, LTE Ch:26965, LTE BW:15, QPSK, LTE RB:75@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.03	-70.74	-25	Pass	401
0.15	30	0.01	RMS	0.42	-70.67	-25	Pass	2985
30	1000	0.1	RMS	878.639	-61.76	-25	Pass	9699
1000	2486	1	RMS	2486	-50.42	-25	Pass	1486
2486	2700	1	RMS	2678.6	13.84	60	Pass	401
2700	3000	1	RMS	2700	-38.83	-25	Pass	401
3000	6500	1	RMS	6215.919	-63.58	-25	Pass	3500
6500	27000	1	RMS	25444.622	-43.57	-25	Pass	20500



**37.4. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:505200, NR BW:60, SCS:30, DFT-s-OFDM, QPSK, NR RB:81 @40, LTE Ch:26765, LTE BW:15, QPSK, LTE RB:75@0)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.24	-25	Pass	401
0.15	30	0.01	RMS	0.23	-69.59	-25	Pass	2985
30	1000	0.1	RMS	948.832	-61.03	-25	Pass	9699
1000	2486	1	RMS	2486	-37.48	-25	Pass	1486
2486	2700	1	RMS	2532.545	9.45	60	Pass	401
2700	3000	1	RMS	2867.25	-48.57	-25	Pass	401
3000	6500	1	RMS	6211.918	-63.55	-25	Pass	3500
6500	27000	1	RMS	25531.643	-43.19	-25	Pass	20500






**37.5. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:518598, NR BW:60, SCS:30, DFT-s-OFDM, QPSK, NR RB:81 @40, LTE Ch:26865, LTE BW:15, QPSK, LTE RB:75 @0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.03	-25	Pass	401
0.15	30	0.01	RMS	0.35	-70.31	-25	Pass	2985
30	1000	0.1	RMS	886.349	-61.15	-25	Pass	9699
1000	2486	1	RMS	2486	-49.38	-25	Pass	1486
2486	2700	1	RMS	2599.42	9.21	60	Pass	401
2700	3000	1	RMS	2874.75	-48.52	-25	Pass	401
3000	6500	1	RMS	6075.879	-63.7	-25	Pass	3500
6500	27000	1	RMS	25777.703	-43.37	-25	Pass	20500




**37.6. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:531996, NR BW:60, SCS:30, DFT-s-OFDM, QPSK, NR RB:81 @40, LTE Ch:26965, LTE BW:15, QPSK, LTE RB:75 @0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.025	-70.46	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.32	-25	Pass	2985
30	1000	0.1	RMS	910.982	-61.53	-25	Pass	9699
1000	2486	1	RMS	2484.999	-50.25	-25	Pass	1486
2486	2700	1	RMS	2654.525	8.99	60	Pass	401
2700	3000	1	RMS	2700	-36.5	-25	Pass	401
3000	6500	1	RMS	6225.922	-63.69	-25	Pass	3500
6500	27000	1	RMS	25179.558	-43.5	-25	Pass	20500




**37.7. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:509202, NR BW:100, SCS:30, DFT-s-OFDM, QPSK, NR RB:135@67, LTE Ch:26765, LTE BW:15, QPSK, LTE RB:75@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.98	-25	Pass	401
0.15	30	0.01	RMS	0.3	-69.96	-25	Pass	2985
30	1000	0.1	RMS	953.839	-61.4	-25	Pass	9699
1000	2486	1	RMS	2486	-42.01	-25	Pass	1486
2486	2700	1	RMS	2550.2	7.42	60	Pass	401
2700	3000	1	RMS	2883.75	-48.56	-25	Pass	401
3000	6500	1	RMS	5853.815	-63.61	-25	Pass	3500
6500	27000	1	RMS	25869.725	-43.3	-25	Pass	20500




**37.8. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:518598, NR BW:100, SCS:30, DFT-s-OFDM, QPSK, NR RB:135@67, LTE Ch:26865, LTE BW:15, QPSK, LTE RB:75@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-70.77	-25	Pass	401
0.15	30	0.01	RMS	0.22	-69.23	-25	Pass	2985
30	1000	0.1	RMS	890.154	-60.68	-25	Pass	9699
1000	2486	1	RMS	2486	-48.82	-25	Pass	1486
2486	2700	1	RMS	2604.77	7.02	60	Pass	401
2700	3000	1	RMS	2700	-45.13	-25	Pass	401
3000	6500	1	RMS	6213.918	-63.61	-25	Pass	3500
6500	27000	1	RMS	25510.638	-43.21	-25	Pass	20500




**37.9. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:528000, NR BW:100, SCS:30, DFT-s-OFDM, QPSK, NR RB:135@67, LTE Ch:26965, LTE BW:15, QPSK, LTE RB:75@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-70.68	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.63	-25	Pass	2985
30	1000	0.1	RMS	721.984	-61.7	-25	Pass	9699
1000	2486	1	RMS	2486	-49.36	-25	Pass	1486
2486	2700	1	RMS	2635.265	7.37	60	Pass	401
2700	3000	1	RMS	2701.5	-38.59	-25	Pass	401
3000	6500	1	RMS	6210.917	-63.55	-25	Pass	3500
6500	27000	1	RMS	25853.722	-43.34	-25	Pass	20500




**37.10. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:501204, NR BW:20, SCS:30, DFT-s-OFDM, 16QAM, NR RB:25@12, LTE Ch:26765, LTE BW:15, QPSK, LTE RB:75@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-70.55	-25	Pass	401
0.15	30	0.01	RMS	0.18	-70.26	-25	Pass	2985
30	1000	0.1	RMS	894.46	-60.99	-25	Pass	9699
1000	2486	1	RMS	2486	-40.96	-25	Pass	1486
2486	2700	1	RMS	2506.33	13.31	60	Pass	401
2700	3000	1	RMS	2867.25	-48.57	-25	Pass	401
3000	6500	1	RMS	6079.88	-63.52	-25	Pass	3500
6500	27000	1	RMS	25522.641	-43.27	-25	Pass	20500




**37.11. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:518598, NR BW:20, SCS:30, DFT-s-OFDM, 16QAM, NR RB:25@12, LTE Ch:26865, LTE BW:15, QPSK, LTE RB:75@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.034	-70.22	-25	Pass	401
0.15	30	0.01	RMS	0.17	-70.31	-25	Pass	2985
30	1000	0.1	RMS	748.788	-61.32	-25	Pass	9699
1000	2486	1	RMS	2450.976	-50.61	-25	Pass	1486
2486	2700	1	RMS	2593.535	12.98	60	Pass	401
2700	3000	1	RMS	2869.5	-48.47	-25	Pass	401
3000	6500	1	RMS	6216.919	-63.65	-25	Pass	3500
6500	27000	1	RMS	25495.635	-43.44	-25	Pass	20500



**37.12. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:535998, NR BW:20, SCS:30, DFT-s-OFDM, 16QAM, NR RB:25@12, LTE Ch:26965, LTE BW:15, QPSK, LTE RB:75@0)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-70.34	-25	Pass	401
0.15	30	0.01	RMS	0.33	-68.71	-25	Pass	2985
30	1000	0.1	RMS	901.269	-61.2	-25	Pass	9699
1000	2486	1	RMS	2486	-50.5	-25	Pass	1486
2486	2700	1	RMS	2678.065	12.76	60	Pass	401
2700	3000	1	RMS	2700	-39.1	-25	Pass	401
3000	6500	1	RMS	6217.919	-63.58	-25	Pass	3500
6500	27000	1	RMS	25498.635	-43.32	-25	Pass	20500






**37.13. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:505200, NR BW:60, SCS:30, DFT-s-OFDM, 16QAM, NR RB:81 @40, LTE Ch:26765, LTE BW:15, QPSK, LTE RB:75 @0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.023	-70.27	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.69	-25	Pass	2985
30	1000	0.1	RMS	723.185	-61.49	-25	Pass	9699
1000	2486	1	RMS	2486	-40.11	-25	Pass	1486
2486	2700	1	RMS	2530.94	8.4	60	Pass	401
2700	3000	1	RMS	2874.75	-48.59	-25	Pass	401
3000	6500	1	RMS	6221.921	-63.48	-25	Pass	3500
6500	27000	1	RMS	25812.712	-42.89	-25	Pass	20500




**37.14. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:518598, NR BW:60, SCS:30, DFT-s-OFDM, 16QAM, NR RB:81 @40, LTE Ch:26865, LTE BW:15, QPSK, LTE RB:75 @0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.035	-69.65	-25	Pass	401
0.15	30	0.01	RMS	0.18	-69.75	-25	Pass	2985
30	1000	0.1	RMS	810.095	-60.88	-25	Pass	9699
1000	2486	1	RMS	2486	-49.58	-25	Pass	1486
2486	2700	1	RMS	2591.93	8.22	60	Pass	401
2700	3000	1	RMS	2876.25	-48.58	-25	Pass	401
3000	6500	1	RMS	6220.92	-63.7	-25	Pass	3500
6500	27000	1	RMS	25787.705	-43.08	-25	Pass	20500




**37.15. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:531996, NR BW:60, SCS:30, DFT-s-OFDM, 16QAM, NR RB:81 @40, LTE Ch:26965, LTE BW:15, QPSK, LTE RB:75@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.37	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.1	-25	Pass	2985
30	1000	0.1	RMS	862.418	-61.18	-25	Pass	9699
1000	2486	1	RMS	2482.998	-50.46	-25	Pass	1486
2486	2700	1	RMS	2647.035	8.24	60	Pass	401
2700	3000	1	RMS	2700	-37.65	-25	Pass	401
3000	6500	1	RMS	6226.922	-63.48	-25	Pass	3500
6500	27000	1	RMS	25913.736	-43.24	-25	Pass	20500




**37.16. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:509202, NR BW:100, SCS:30, DFT-s-OFDM, 16QAM, NR RB:135@67, LTE Ch:26765, LTE BW:15, QPSK, LTE RB:75@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.03	-71.11	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.16	-25	Pass	2985
30	1000	0.1	RMS	802.794	-61.64	-25	Pass	9699
1000	2486	1	RMS	2486	-42.57	-25	Pass	1486
2486	2700	1	RMS	2555.55	6.33	60	Pass	401
2700	3000	1	RMS	2868.75	-48.55	-25	Pass	401
3000	6500	1	RMS	6080.88	-63.59	-25	Pass	3500
6500	27000	1	RMS	25782.704	-43	-25	Pass	20500




**37.17. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:518598, NR BW:100, SCS:30, DFT-s-OFDM, 16QAM, NR RB:135@67, LTE Ch:26865, LTE BW:15, QPSK, LTE RB:75@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-70.73	-25	Pass	401
0.15	30	0.01	RMS	0.33	-69.37	-25	Pass	2985
30	1000	0.1	RMS	971.462	-61.06	-25	Pass	9699
1000	2486	1	RMS	2486	-49.19	-25	Pass	1486
2486	2700	1	RMS	2604.77	6.37	60	Pass	401
2700	3000	1	RMS	2700	-47.03	-25	Pass	401
3000	6500	1	RMS	6079.88	-63.51	-25	Pass	3500
6500	27000	1	RMS	25834.717	-43.31	-25	Pass	20500



**37.18. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:528000, NR BW:100, SCS:30, DFT-s-OFDM, 16QAM, NR RB:135@67, LTE Ch:26965, LTE BW:15, QPSK, LTE RB:75@0)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.035	-70.2	-25	Pass	401
0.15	30	0.01	RMS	0.23	-69.52	-25	Pass	2985
30	1000	0.1	RMS	887.551	-61.24	-25	Pass	9699
1000	2486	1	RMS	2484.999	-50.14	-25	Pass	1486
2486	2700	1	RMS	2642.755	6.29	60	Pass	401
2700	3000	1	RMS	2701.5	-39.3	-25	Pass	401
3000	6500	1	RMS	6214.919	-63.69	-25	Pass	3500
6500	27000	1	RMS	25487.633	-43.14	-25	Pass	20500



### 38. DC\_66A\_n7A\_SCS15


**38.1. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:500500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:12@6, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-63.27	-25	Pass	401
0.15	30	0.01	RMS	0.17	-61.14	-25	Pass	2985
30	1000	0.1	RMS	906.676	-53.76	-25	Pass	9699
1000	2490	1	RMS	2490	-40.17	-25	Pass	1490
2490	2580	1	RMS	2502.375	19.21	60	Pass	401
2580	3000	1	RMS	2868.687	-38.48	-25	Pass	420
3000	6500	1	RMS	6218.92	-63.74	-25	Pass	3500
6500	26000	1	RMS	25904.97	-44.34	-25	Pass	19500



**38.2. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:507000, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:12@6, LTE Ch:132322, LTE BW:20, QPSK, LTE RB:100@0)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-62.69	-25	Pass	401
0.15	30	0.01	RMS	0.15	-61.06	-25	Pass	2985
30	1000	0.1	RMS	905.875	-53.79	-25	Pass	9699
1000	2490	1	RMS	2490	-40.56	-25	Pass	1490
2490	2580	1	RMS	2534.775	19.14	60	Pass	401
2580	3000	1	RMS	2876.706	-38.5	-25	Pass	420
3000	6500	1	RMS	6221.921	-63.78	-25	Pass	3500
6500	26000	1	RMS	25524.848	-44.32	-25	Pass	19500






**38.3. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:513500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:12@6, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-62.71	-25	Pass	401
0.15	30	0.01	RMS	0.17	-61.48	-25	Pass	2985
30	1000	0.1	RMS	891.656	-53.88	-25	Pass	9699
1000	2490	1	RMS	2490	-40.56	-25	Pass	1490
2490	2580	1	RMS	2567.175	19.01	60	Pass	401
2580	3000	1	RMS	2874.702	-38.52	-25	Pass	420
3000	6500	1	RMS	6217.919	-63.78	-25	Pass	3500
6500	26000	1	RMS	25499.839	-44.33	-25	Pass	19500




**38.4. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:501500, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:36@18, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-63.13	-25	Pass	401
0.15	30	0.01	RMS	0.15	-61.02	-25	Pass	2985
30	1000	0.1	RMS	898.766	-53.76	-25	Pass	9699
1000	2490	1	RMS	2490	-38.18	-25	Pass	1490
2490	2580	1	RMS	2504.85	14.76	60	Pass	401
2580	3000	1	RMS	2870.692	-38.48	-25	Pass	420
3000	6500	1	RMS	6218.92	-63.78	-25	Pass	3500
6500	26000	1	RMS	25508.84 2	-44.37	-25	Pass	19500




**38.5. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:10, NR Ch:507000, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:36@18, LTE Ch:132322, LTE BW:20, QPSK, LTE RB:100@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-63.03	-25	Pass	401
0.15	30	0.01	RMS	0.18	-61.79	-25	Pass	2985
30	1000	0.1	RMS	894.26	-53.86	-25	Pass	9699
1000	2490	1	RMS	2490	-40.58	-25	Pass	1490
2490	2580	1	RMS	2532.075	14.85	60	Pass	401
2580	3000	1	RMS	2880.716	-38.52	-25	Pass	420
3000	6500	1	RMS	6221.921	-63.76	-25	Pass	3500
6500	26000	1	RMS	25505.841	-44.35	-25	Pass	19500




**38.6. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:12, NR Ch:512500, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:36@18, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-62.97	-25	Pass	401
0.15	30	0.01	RMS	0.17	-61.36	-25	Pass	2985
30	1000	0.1	RMS	905.475	-53.74	-25	Pass	9699
1000	2490	1	RMS	2490	-40.6	-25	Pass	1490
2490	2580	1	RMS	2562.9	14.85	60	Pass	401
2580	3000	1	RMS	2868.687	-38.5	-25	Pass	420
3000	6500	1	RMS	6218.92	-63.78	-25	Pass	3500
6500	26000	1	RMS	25500.84	-44.25	-25	Pass	19500




**38.7. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:14, NR Ch:502000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:50@25, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-62.27	-25	Pass	401
0.15	30	0.01	RMS	0.18	-60.78	-25	Pass	2985
30	1000	0.1	RMS	896.763	-53.68	-25	Pass	9699
1000	2490	1	RMS	2490	-34.36	-25	Pass	1490
2490	2580	1	RMS	2509.575	13.47	60	Pass	401
2580	3000	1	RMS	2869.69	-38.5	-25	Pass	420
3000	6500	1	RMS	6079.88	-63.83	-25	Pass	3500
6500	26000	1	RMS	25493.838	-44.32	-25	Pass	19500




**38.8. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:16, NR Ch:507000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:50@25, LTE Ch:132322, LTE BW:20, QPSK, LTE RB:100@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-62.78	-25	Pass	401
0.15	30	0.01	RMS	0.18	-61.62	-25	Pass	2985
30	1000	0.1	RMS	890.855	-53.83	-25	Pass	9699
1000	2490	1	RMS	2490	-40.53	-25	Pass	1490
2490	2580	1	RMS	2534.325	13.6	60	Pass	401
2580	3000	1	RMS	2868.687	-38.53	-25	Pass	420
3000	6500	1	RMS	6220.92	-63.76	-25	Pass	3500
6500	26000	1	RMS	25486.835	-44.34	-25	Pass	19500




**38.9. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:18, NR Ch:512000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:50@25, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-63.22	-25	Pass	401
0.15	30	0.01	RMS	0.16	-61.57	-25	Pass	2985
30	1000	0.1	RMS	892.858	-53.64	-25	Pass	9699
1000	2490	1	RMS	2486.998	-40.58	-25	Pass	1490
2490	2580	1	RMS	2559.525	13.56	60	Pass	401
2580	3000	1	RMS	2580	-36.45	-25	Pass	420
3000	6500	1	RMS	6219.92	-63.85	-25	Pass	3500
6500	26000	1	RMS	25511.843	-44.41	-25	Pass	19500



**38.10. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:500500, NR BW:5, SCS:15, DFT-s-OFDM, 16QAM, NR RB:12@6, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.14	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.79	-25	Pass	2985
30	1000	0.1	RMS	882.945	-63.78	-25	Pass	9699
1000	2490	1	RMS	2490	-48.85	-25	Pass	1490
2490	2580	1	RMS	2502.15	17.75	60	Pass	401
2580	3000	1	RMS	2868.687	-48.65	-25	Pass	420
3000	6500	1	RMS	6214.919	-63.84	-25	Pass	3500
6500	26000	1	RMS	25501.84	-44.27	-25	Pass	19500






**38.11. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:507000, NR BW:5, SCS:15, DFT-s-OFDM, 16QAM, NR RB:12@6, LTE Ch:132322, LTE BW:20, QPSK, LTE RB:100@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.54	-25	Pass	401
0.15	30	0.01	RMS	0.18	-71.14	-25	Pass	2985
30	1000	0.1	RMS	874.834	-63.78	-25	Pass	9699
1000	2490	1	RMS	2490	-50.5	-25	Pass	1490
2490	2580	1	RMS	2534.325	17.84	60	Pass	401
2580	3000	1	RMS	2869.69	-48.64	-25	Pass	420
3000	6500	1	RMS	6220.92	-63.79	-25	Pass	3500
6500	26000	1	RMS	25504.841	-44.38	-25	Pass	19500




**38.12. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:513500, NR BW:5, SCS:15, DFT-s-OFDM, 16QAM, NR RB:12@6, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.25	-25	Pass	401
0.15	30	0.01	RMS	0.21	-71.47	-25	Pass	2985
30	1000	0.1	RMS	876.636	-63.86	-25	Pass	9699
1000	2490	1	RMS	2490	-50.52	-25	Pass	1490
2490	2580	1	RMS	2567.175	17.97	60	Pass	401
2580	3000	1	RMS	2872.697	-48.67	-25	Pass	420
3000	6500	1	RMS	6216.919	-63.84	-25	Pass	3500
6500	26000	1	RMS	25497.839	-44.4	-25	Pass	19500




**38.13. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:501500, NR BW:15, SCS:15, DFT-s-OFDM, 16QAM, NR RB:36@18, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-71.27	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.96	-25	Pass	2985
30	1000	0.1	RMS	880.441	-63.76	-25	Pass	9699
1000	2490	1	RMS	2490	-42.86	-25	Pass	1490
2490	2580	1	RMS	2505.3	13.71	60	Pass	401
2580	3000	1	RMS	2875.704	-48.66	-25	Pass	420
3000	6500	1	RMS	6219.92	-63.79	-25	Pass	3500
6500	26000	1	RMS	25508.842	-44.39	-25	Pass	19500




**38.14. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:507000, NR BW:15, SCS:15, DFT-s-OFDM, 16QAM, NR RB:36@18, LTE Ch:132322, LTE BW:20, QPSK, LTE RB:100@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-72.22	-25	Pass	401
0.15	30	0.01	RMS	0.18	-71.5	-25	Pass	2985
30	1000	0.1	RMS	894.26	-63.66	-25	Pass	9699
1000	2490	1	RMS	2488.999	-50.42	-25	Pass	1490
2490	2580	1	RMS	2533.2	13.77	60	Pass	401
2580	3000	1	RMS	2879.714	-48.64	-25	Pass	420
3000	6500	1	RMS	6218.92	-63.77	-25	Pass	3500
6500	26000	1	RMS	25500.84	-44.23	-25	Pass	19500




**38.15. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:512500, NR BW:15, SCS:15, DFT-s-OFDM, 16QAM, NR RB:36@18, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-72.78	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.55	-25	Pass	2985
30	1000	0.1	RMS	867.624	-63.82	-25	Pass	9699
1000	2490	1	RMS	2487.999	-50.53	-25	Pass	1490
2490	2580	1	RMS	2559.975	13.67	60	Pass	401
2580	3000	1	RMS	2580	-44	-25	Pass	420
3000	6500	1	RMS	6219.92	-63.83	-25	Pass	3500
6500	26000	1	RMS	25498.839	-44.35	-25	Pass	19500




**38.16. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:502000, NR BW:20, SCS:15, DFT-s-OFDM, 16QAM, NR RB:50@25, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.88	-25	Pass	401
0.15	30	0.01	RMS	0.17	-70.76	-25	Pass	2985
30	1000	0.1	RMS	896.763	-63.74	-25	Pass	9699
1000	2490	1	RMS	2490	-39.26	-25	Pass	1490
2490	2580	1	RMS	2510.25	12.25	60	Pass	401
2580	3000	1	RMS	2870.692	-48.65	-25	Pass	420
3000	6500	1	RMS	6217.919	-63.79	-25	Pass	3500
6500	26000	1	RMS	25856.954	-44.36	-25	Pass	19500




**38.17. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:507000, NR BW:20, SCS:15, DFT-s-OFDM, 16QAM, NR RB:50@25, LTE Ch:132322, LTE BW:20, QPSK, LTE RB:100@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.6	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.14	-25	Pass	2985
30	1000	0.1	RMS	878.038	-63.83	-25	Pass	9699
1000	2490	1	RMS	2490	-50.27	-25	Pass	1490
2490	2580	1	RMS	2533.425	12.36	60	Pass	401
2580	3000	1	RMS	2874.702	-48.65	-25	Pass	420
3000	6500	1	RMS	6220.92	-63.84	-25	Pass	3500
6500	26000	1	RMS	25502.84	-44.36	-25	Pass	19500



**38.18. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:512000, NR BW:20, SCS:15, DFT-s-OFDM, 16QAM, NR RB:50@25, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.2	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.84	-25	Pass	2985
30	1000	0.1	RMS	893.759	-63.81	-25	Pass	9699
1000	2490	1	RMS	2488.999	-50.45	-25	Pass	1490
2490	2580	1	RMS	2560.425	12.21	60	Pass	401
2580	3000	1	RMS	2580	-42.3	-25	Pass	420
3000	6500	1	RMS	6219.92	-63.75	-25	Pass	3500
6500	26000	1	RMS	25492.837	-44.32	-25	Pass	19500





---

END