



RSE-H&V n26 (Part 22) BW20 CH176300




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 831.172         | -5.98        | 40.69       | -13.0          | 7.02            | 96.00     | Horizontal | Vertical | N/A     |
| 877.150         | -29.33       | 41.02       | -13.0          | -16.33          | 76.00     | Horizontal | Vertical | N/A     |
| 2230.600        | -39.04       | 47.46       | -13.0          | -26.04          | 311.00    | Horizontal | Vertical | Pass    |
| 3682.200        | -56.81       | 4.87        | -13.0          | -43.81          | 0.00      | Horizontal | Vertical | Pass    |
| 6979.400        | -47.56       | 13.92       | -13.0          | -34.56          | 14.00     | Horizontal | Vertical | Pass    |
| 9448.750        | -45.41       | 17.73       | -13.0          | -32.41          | 257.00    | Horizontal | Vertical | Pass    |

RSE-V&V n26 (Part 22) BW20 CH176300



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 831.268         | -2.10        | 40.69       | -13.0          | 10.90           | 297.00    | Vertical | Vertical | N/A     |
| 873.803         | -33.45       | 40.81       | -13.0          | -20.45          | 319.00    | Vertical | Vertical | N/A     |
| 2088.700        | -40.65       | 46.03       | -13.0          | -27.65          | 45.00     | Vertical | Vertical | Pass    |
| 3670.400        | -56.17       | 4.55        | -13.0          | -43.17          | 346.00    | Vertical | Vertical | Pass    |
| 6686.400        | -48.23       | 12.57       | -13.0          | -35.23          | 85.00     | Vertical | Vertical | Pass    |
| 9460.901        | -45.65       | 17.64       | -13.0          | -32.65          | 0.00      | Vertical | Vertical | Pass    |

RSE-V&H n26 (Part 22) BW20 CH176300




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|------------|---------|
| 831.172         | -4.91        | 40.69       | -13.0          | 8.09            | 124.00    | Vertical | Horizontal | N/A     |
| 879.186         | -31.40       | 40.94       | -13.0          | -18.40          | 312.00    | Vertical | Horizontal | N/A     |
| 2183.000        | -39.73       | 47.08       | -13.0          | -26.73          | 50.00     | Vertical | Horizontal | Pass    |
| 3675.200        | -56.86       | 4.69        | -13.0          | -43.86          | 0.00      | Vertical | Horizontal | Pass    |
| 6985.200        | -47.45       | 13.69       | -13.0          | -34.45          | 112.00    | Vertical | Horizontal | Pass    |
| 9448.450        | -45.70       | 17.72       | -13.0          | -32.70          | 344.00    | Vertical | Horizontal | Pass    |

29 n26 (Part 90)


29.1 n26 (Part 90) BW5, Middle Channel

RSE-H&H n26 (Part 90) BW5 CH172800




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|------------|---------|
| 818.756         | 4.01         | 40.53       | -13.0          | 17.01           | 68.00     | Horizontal | Horizontal | N/A     |
| 862.648         | -20.18       | 40.82       | -13.0          | -7.18           | 265.00    | Horizontal | Horizontal | N/A     |
| 2124.100        | -40.07       | 46.51       | -13.0          | -27.07          | 88.00     | Horizontal | Horizontal | Pass    |
| 3679.800        | -56.01       | 4.90        | -13.0          | -43.01          | 268.00    | Horizontal | Horizontal | Pass    |
| 6980.400        | -47.41       | 13.83       | -13.0          | -34.41          | 123.00    | Horizontal | Horizontal | Pass    |
| 9446.500        | -44.90       | 17.67       | -13.0          | -31.90          | 238.00    | Horizontal | Horizontal | Pass    |

RSE-H&V n26 (Part 90) BW5 CH172800




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 819.095         | -3.71        | 40.51       | -13.0          | 9.29            | 104.00    | Horizontal | Vertical | N/A     |
| 862.842         | -24.04       | 40.82       | -13.0          | -11.04          | 87.00     | Horizontal | Vertical | N/A     |
| 2136.100        | -40.10       | 46.88       | -13.0          | -27.10          | 68.00     | Horizontal | Vertical | Pass    |
| 3687.200        | -56.60       | 5.15        | -13.0          | -43.60          | 63.00     | Horizontal | Vertical | Pass    |
| 6685.000        | -48.04       | 12.56       | -13.0          | -35.04          | 360.00    | Horizontal | Vertical | Pass    |
| 9455.799        | -45.21       | 17.70       | -13.0          | -32.21          | 361.00    | Horizontal | Vertical | Pass    |

RSE-V&V n26 (Part 90) BW5 CH172800



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 816.815         | 1.46         | 40.53       | -13.0          | 14.46           | 60.00     | Vertical | Vertical | N/A     |
| 865.558         | -29.21       | 40.70       | -13.0          | -16.21          | 129.00    | Vertical | Vertical | N/A     |
| 1922.400        | -41.93       | 45.12       | -13.0          | -28.93          | 360.00    | Vertical | Vertical | Pass    |
| 3683.000        | -56.17       | 4.85        | -13.0          | -43.17          | 122.00    | Vertical | Vertical | Pass    |
| 6683.800        | -47.69       | 12.43       | -13.0          | -34.69          | 1.00      | Vertical | Vertical | Pass    |
| 9451.150        | -45.36       | 17.75       | -13.0          | -32.36          | 108.00    | Vertical | Vertical | Pass    |


RSE-V&H n26 (Part 90) BW5 CH172800



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|------------|---------|
| 816.815         | -0.98        | 40.53       | -13.0          | 12.02           | 101.00    | Vertical | Horizontal | N/A     |
| 863.036         | -25.85       | 40.82       | -13.0          | -12.85          | 290.00    | Vertical | Horizontal | N/A     |
| 2246.700        | -38.92       | 47.49       | -13.0          | -25.92          | 270.00    | Vertical | Horizontal | Pass    |
| 3681.800        | -55.84       | 4.88        | -13.0          | -42.84          | 0.00      | Vertical | Horizontal | Pass    |
| 6981.000        | -47.39       | 13.82       | -13.0          | -34.39          | 9.00      | Vertical | Horizontal | Pass    |
| 9449.349        | -45.25       | 17.74       | -13.0          | -32.25          | 10.00     | Vertical | Horizontal | Pass    |

## 29.2 n26 (Part 90) BW10, Middle Channel


RSE-H&H n26 (Part 90) BW10 CH172800



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|------------|---------|
| 816.864         | 8.48         | 40.53       | -13.0          | 21.48           | 102.00    | Horizontal | Horizontal | N/A     |
| 865.558         | -24.98       | 40.70       | -13.0          | -11.98          | 102.00    | Horizontal | Horizontal | N/A     |
| 2096.200        | -40.90       | 46.40       | -13.0          | -27.90          | 54.00     | Horizontal | Horizontal | Pass    |
| 3481.400        | -57.98       | 3.23        | -13.0          | -44.98          | 360.00    | Horizontal | Horizontal | Pass    |
| 6993.800        | -47.77       | 13.57       | -13.0          | -34.77          | 192.00    | Horizontal | Horizontal | Pass    |
| 9444.550        | -45.35       | 17.61       | -13.0          | -32.35          | 296.00    | Horizontal | Horizontal | Pass    |




RSE-H&V n26 (Part 90) BW10 CH172800




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 818.610         | 0.65         | 40.53       | -13.0          | 13.65           | 211.00    | Horizontal | Vertical | N/A     |
| 864.831         | -23.97       | 40.69       | -13.0          | -10.97          | 101.00    | Horizontal | Vertical | N/A     |
| 2189.600        | -40.05       | 47.05       | -13.0          | -27.05          | 255.00    | Horizontal | Vertical | Pass    |
| 3677.600        | -57.01       | 4.77        | -13.0          | -44.01          | 90.00     | Horizontal | Vertical | Pass    |
| 6999.600        | -46.98       | 13.53       | -13.0          | -33.98          | 157.00    | Horizontal | Vertical | Pass    |
| 9449.800        | -44.77       | 17.75       | -13.0          | -31.77          | 148.00    | Horizontal | Vertical | Pass    |

RSE-V&V n26 (Part 90) BW10 CH172800



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 816.912         | 3.69         | 40.53       | -13.0          | 16.69           | 45.00     | Vertical | Vertical | N/A     |
| 860.854         | -32.41       | 40.84       | -13.0          | -19.41          | 294.00    | Vertical | Vertical | N/A     |
| 2196.600        | -39.92       | 47.11       | -13.0          | -26.92          | 236.00    | Vertical | Vertical | Pass    |
| 3675.000        | -56.63       | 4.70        | -13.0          | -43.63          | 183.00    | Vertical | Vertical | Pass    |
| 6997.600        | -47.65       | 13.52       | -13.0          | -34.65          | 294.00    | Vertical | Vertical | Pass    |
| 9466.299        | -45.28       | 17.57       | -13.0          | -32.28          | 363.00    | Vertical | Vertical | Pass    |

RSE-V&H n26 (Part 90) BW10 CH172800




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|------------|---------|
| 814.487         | 1.15         | 40.47       | -13.0          | 14.15           | 71.00     | Vertical | Horizontal | N/A     |
| 865.170         | -27.58       | 40.67       | -13.0          | -14.58          | 292.00    | Vertical | Horizontal | N/A     |
| 2174.300        | -40.19       | 47.24       | -13.0          | -27.19          | 38.00     | Vertical | Horizontal | Pass    |
| 3672.800        | -56.84       | 4.63        | -13.0          | -43.84          | 254.00    | Vertical | Horizontal | Pass    |
| 6994.800        | -47.02       | 13.50       | -13.0          | -34.02          | 125.00    | Vertical | Horizontal | Pass    |
| 9458.050        | -45.10       | 17.68       | -13.0          | -32.10          | 363.00    | Vertical | Horizontal | Pass    |


30 n38

30.1 n38 BW20, Middle Channel

RSE-H&H n38 BW20 CH519000




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|------------|---------|
| 805.078         | -52.33       | 40.61       | -25.0          | -27.33          | 180.00    | Horizontal | Horizontal | Pass    |
| 1442.000        | -43.24       | 44.59       | -25.0          | -18.24          | 360.00    | Horizontal | Horizontal | Pass    |
| 2586.300        | 9.23         | 46.96       | -25.0          | 34.23           | 62.00     | Horizontal | Horizontal | N/A     |
| 3681.800        | -56.88       | 4.88        | -25.0          | -31.88          | 55.00     | Horizontal | Horizontal | Pass    |
| 6685.200        | -47.96       | 12.59       | -25.0          | -22.96          | 302.00    | Horizontal | Horizontal | Pass    |
| 14312.401       | -39.19       | 22.20       | -25.0          | -14.19          | 0.00      | Horizontal | Horizontal | Pass    |




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 866.625         | -52.24       | 40.79       | -25.0          | -27.24          | 119.00    | Horizontal | Vertical | Pass    |
| 1461.400        | -44.08       | 44.46       | -25.0          | -19.08          | 265.00    | Horizontal | Vertical | Pass    |
| 2594.900        | 7.84         | 47.03       | -25.0          | 32.84           | 170.00    | Horizontal | Vertical | N/A     |
| 3679.400        | -56.64       | 4.89        | -25.0          | -31.64          | 252.00    | Horizontal | Vertical | Pass    |
| 6987.200        | -47.79       | 13.65       | -25.0          | -22.79          | 22.00     | Horizontal | Vertical | Pass    |
| 17418.301       | -39.52       | 22.66       | -25.0          | -14.52          | 26.00     | Horizontal | Vertical | Pass    |

RSE-V&V n38 BW20 CH519000



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 800.374         | -53.24       | 40.62       | -25.0          | -28.24          | 312.00    | Vertical | Vertical | Pass    |
| 1403.800        | -43.78       | 44.74       | -25.0          | -18.78          | 189.00    | Vertical | Vertical | Pass    |
| 2586.000        | 14.25        | 46.92       | -25.0          | 39.25           | 117.00    | Vertical | Vertical | N/A     |
| 3668.000        | -56.85       | 4.43        | -25.0          | -31.85          | 360.00    | Vertical | Vertical | Pass    |
| 6992.400        | -47.33       | 13.52       | -25.0          | -22.33          | 132.00    | Vertical | Vertical | Pass    |
| 17416.200       | -39.77       | 22.66       | -25.0          | -14.77          | 262.00    | Vertical | Vertical | Pass    |


RSE-V&H n38 BW20 CH519000



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|------------|---------|
| 812.984         | -52.32       | 40.56       | -25.0          | -27.32          | 51.00     | Vertical | Horizontal | Pass    |
| 1405.900        | -43.91       | 44.70       | -25.0          | -18.91          | 246.00    | Vertical | Horizontal | Pass    |
| 2594.200        | 6.84         | 46.95       | -25.0          | 31.84           | 267.00    | Vertical | Horizontal | N/A     |
| 3671.000        | -56.46       | 4.56        | -25.0          | -31.46          | 19.00     | Vertical | Horizontal | Pass    |
| 6998.800        | -47.81       | 13.53       | -25.0          | -22.81          | 163.00    | Vertical | Horizontal | Pass    |
| 14357.812       | -39.59       | 22.07       | -25.0          | -14.59          | 158.00    | Vertical | Horizontal | Pass    |

### 30.1 n38 BW30, Middle Channel


RSE-H&H n38 BW30 CH519000



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|------------|---------|
| 193.202         | -75.44       | -16.08      | -25.0          | -50.44          | 239.00    | Horizontal | Horizontal | Pass    |
| 1625.900        | -51.21       | 0.22        | -25.0          | -26.21          | 27.00     | Horizontal | Horizontal | Pass    |
| 2562.900        | -37.78       | 8.87        | -25.0          | -12.78          | 127.00    | Horizontal | Horizontal | N/A     |
| 2634.800        | -39.10       | 8.22        | -25.0          | -14.10          | 77.00     | Horizontal | Horizontal | N/A     |
| 6650.250        | -38.36       | 15.11       | -25.0          | -13.36          | 290.00    | Horizontal | Horizontal | Pass    |
| 13802.362       | -38.69       | 16.95       | -25.0          | -13.69          | 62.00     | Horizontal | Horizontal | Pass    |




RSE-H&V n38 BW30 CH519000



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 202.902         | -76.88       | -15.64      | -25.0          | -51.88          | 63.00     | Horizontal | Vertical | Pass    |
| 2552.700        | -41.66       | 7.16        | -25.0          | -16.66          | 313.00    | Horizontal | Vertical | N/A     |
| 2632.600        | -40.09       | 8.13        | -25.0          | -15.09          | 279.00    | Horizontal | Vertical | N/A     |
| 6692.000        | -39.06       | 14.87       | -25.0          | -14.06          | 361.00    | Horizontal | Vertical | Pass    |
| 12501.812       | -38.79       | 14.69       | -25.0          | -13.79          | 236.00    | Horizontal | Vertical | Pass    |
| 19761.625       | -40.62       | 12.94       | -25.0          | -15.62          | 361.00    | Horizontal | Vertical | Pass    |


RSE-V&V n38 BW30 CH519000

RSE(5G FCC)\_RSE(5G FCC)\_5G N38 & 41(mid)\_2570-2620\_30MHz-27GHz



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 88.006          | -69.12       | -20.09      | -25.0          | -44.12          | 142.00    | Vertical | Vertical | Pass    |
| 2554.700        | -34.23       | 7.24        | -25.0          | -9.23           | 173.00    | Vertical | Vertical | N/A     |
| 2632.300        | -37.00       | 8.13        | -25.0          | -12.00          | 179.00    | Vertical | Vertical | N/A     |
| 6653.000        | -38.69       | 15.01       | -25.0          | -13.69          | 248.00    | Vertical | Vertical | Pass    |
| 13340.363       | -38.65       | 16.16       | -25.0          | -13.65          | 284.00    | Vertical | Vertical | Pass    |
| 19764.599       | -40.57       | 12.94       | -25.0          | -15.57          | 361.00    | Vertical | Vertical | Pass    |

RSE-V&H n38 BW30 CH519000




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|------------|---------|
| 87.473          | -69.23       | -20.23      | -25.0          | -44.23          | 83.00     | Vertical | Horizontal | Pass    |
| 1535.100        | -52.49       | -0.10       | -25.0          | -27.49          | -1.00     | Vertical | Horizontal | Pass    |
| 2556.700        | -42.56       | 7.36        | -25.0          | -17.56          | 159.00    | Vertical | Horizontal | N/A     |
| 2632.800        | -39.70       | 8.14        | -25.0          | -14.70          | 176.00    | Vertical | Horizontal | N/A     |
| 6673.250        | -38.90       | 14.59       | -25.0          | -13.90          | 103.00    | Vertical | Horizontal | Pass    |
| 13452.450       | -39.15       | 15.88       | -25.0          | -14.15          | 116.00    | Vertical | Horizontal | Pass    |

31 n41


31.1 n41 BW20, Middle Channel

RSE-H&H n41 BW20 CH518598




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|------------|---------|
| 386.718         | -61.64       | 32.14       | -25.0          | -36.64          | 362.00    | Horizontal | Horizontal | Pass    |
| 1491.400        | -43.34       | 44.70       | -25.0          | -18.34          | 181.00    | Horizontal | Horizontal | Pass    |
| 2593.600        | 7.91         | 46.86       | -25.0          | 32.91           | 160.00    | Horizontal | Horizontal | N/A     |
| 5172.600        | -50.23       | 10.56       | -25.0          | -25.23          | 110.00    | Horizontal | Horizontal | Pass    |
| 9440.012        | -45.23       | 17.49       | -25.0          | -20.23          | 123.00    | Horizontal | Horizontal | Pass    |
| 19310.698       | -39.79       | 27.52       | -25.0          | -14.79          | 236.00    | Horizontal | Horizontal | Pass    |

RSE-H&V n41 BW20 CH518598




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 388.221         | -61.80       | 32.16       | -25.0          | -36.80          | 131.00    | Horizontal | Vertical | Pass    |
| 1325.100        | -43.42       | 44.68       | -25.0          | -18.42          | 74.00     | Horizontal | Vertical | Pass    |
| 2595.300        | 5.49         | 46.99       | -25.0          | 30.49           | 300.00    | Horizontal | Vertical | N/A     |
| 5161.400        | -50.22       | 10.49       | -25.0          | -25.22          | 312.00    | Horizontal | Vertical | Pass    |
| 10757.049       | -43.62       | 18.22       | -25.0          | -18.62          | 192.00    | Horizontal | Vertical | Pass    |
| 17378.927       | -39.39       | 22.19       | -25.0          | -14.39          | 362.00    | Horizontal | Vertical | Pass    |



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 536.291         | -59.53       | 34.92       | -25.0          | -34.53          | 315.00    | Vertical | Vertical | Pass    |
| 1905.600        | -42.33       | 45.29       | -25.0          | -17.33          | 33.00     | Vertical | Vertical | Pass    |
| 2595.200        | 7.88         | 47.00       | -25.0          | 32.88           | 98.00     | Vertical | Vertical | N/A     |
| 5188.200        | -50.17       | 10.68       | -25.0          | -25.17          | 164.00    | Vertical | Vertical | Pass    |
| 9437.138        | -45.46       | 17.44       | -25.0          | -20.46          | 18.00     | Vertical | Vertical | Pass    |
| 17382.599       | -39.58       | 22.29       | -25.0          | -14.58          | 209.00    | Vertical | Vertical | Pass    |


RSE-V&H n41 BW20 CH518598



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|------------|---------|
| 184.278         | -69.33       | 26.38       | -25.0          | -44.33          | 316.00    | Vertical | Horizontal | Pass    |
| 2275.000        | -39.07       | 47.36       | -25.0          | -14.07          | 265.00    | Vertical | Horizontal | Pass    |
| 2589.300        | 5.26         | 46.97       | -25.0          | 30.26           | 67.00     | Vertical | Horizontal | N/A     |
| 5173.000        | -50.06       | 10.55       | -25.0          | -25.06          | 230.00    | Vertical | Horizontal | Pass    |
| 10609.849       | -44.29       | 17.55       | -25.0          | -19.29          | 102.00    | Vertical | Horizontal | Pass    |
| 17394.938       | -39.46       | 22.59       | -25.0          | -14.46          | 128.00    | Vertical | Horizontal | Pass    |


### 31.2 n41 BW60, Middle Channel

RSE-H&H n41 BW60 CH518598




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|------------|---------|
| 439.631         | -61.76       | 32.96       | -25.0          | -36.76          | 48.00     | Horizontal | Horizontal | Pass    |
| 1351.500        | -43.78       | 44.40       | -25.0          | -18.78          | 275.00    | Horizontal | Horizontal | Pass    |
| 2604.300        | 3.42         | 46.79       | -25.0          | 28.42           | 154.00    | Horizontal | Horizontal | N/A     |
| 5108.600        | -49.87       | 10.31       | -25.0          | -24.87          | 311.00    | Horizontal | Horizontal | Pass    |
| 9448.637        | -45.17       | 17.72       | -25.0          | -20.17          | 293.00    | Horizontal | Horizontal | Pass    |
| 17399.400       | -39.46       | 22.71       | -25.0          | -14.46          | 362.00    | Horizontal | Horizontal | Pass    |






| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 158.428         | -68.81       | 25.82       | -25.0          | -43.81          | 93.00     | Horizontal | Vertical | Pass    |
| 1300.700        | -43.92       | 44.91       | -25.0          | -18.92          | 360.00    | Horizontal | Vertical | Pass    |
| 2599.900        | 0.04         | 46.72       | -25.0          | 25.04           | 310.00    | Horizontal | Vertical | N/A     |
| 6985.200        | -47.42       | 13.69       | -25.0          | -22.42          | 55.00     | Horizontal | Vertical | Pass    |
| 11318.537       | -44.47       | 18.91       | -25.0          | -19.47          | 218.00    | Horizontal | Vertical | Pass    |
| 19339.176       | -39.59       | 27.63       | -25.0          | -14.59          | 50.00     | Horizontal | Vertical | Pass    |



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 389.094         | -62.18       | 32.18       | -25.0          | -37.18          | 279.00    | Vertical | Vertical | Pass    |
| 1303.500        | -43.97       | 44.81       | -25.0          | -18.97          | 160.00    | Vertical | Vertical | Pass    |
| 2588.100        | 4.90         | 47.11       | -25.0          | 29.90           | 115.00    | Vertical | Vertical | N/A     |
| 5168.400        | -49.21       | 10.64       | -25.0          | -24.21          | 187.00    | Vertical | Vertical | Pass    |
| 9460.712        | -45.03       | 17.65       | -25.0          | -20.03          | 216.00    | Vertical | Vertical | Pass    |
| 17417.251       | -39.24       | 22.66       | -25.0          | -14.24          | 94.00     | Vertical | Vertical | Pass    |


RSE-V&H n41 BW60 CH518598



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|------------|---------|
| 367.560         | -63.16       | 31.54       | -25.0          | -38.16          | 120.00    | Vertical | Horizontal | Pass    |
| 1955.900        | -41.42       | 44.93       | -25.0          | -16.42          | 67.00     | Vertical | Horizontal | Pass    |
| 2586.400        | 2.41         | 46.97       | -25.0          | 27.41           | 74.00     | Vertical | Horizontal | N/A     |
| 5167.600        | -50.55       | 10.60       | -25.0          | -25.55          | 58.00     | Vertical | Horizontal | Pass    |
| 11229.412       | -43.84       | 18.35       | -25.0          | -18.84          | 204.00    | Vertical | Horizontal | Pass    |
| 18376.124       | -39.56       | 22.39       | -25.0          | -14.56          | 132.00    | Vertical | Horizontal | Pass    |


### 31.3 n41 BW100, Middle Channel

RSE-H&H n41 BW100 CH518598




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|------------|---------|
| 436.236         | -60.31       | 32.61       | -25.0          | -35.31          | 0.00      | Horizontal | Horizontal | Pass    |
| 1295.500        | -43.65       | 44.78       | -25.0          | -18.65          | 344.00    | Horizontal | Horizontal | Pass    |
| 2597.600        | 0.78         | 46.84       | -25.0          | 25.78           | 25.00     | Horizontal | Horizontal | N/A     |
| 5178.000        | -50.14       | 10.68       | -25.0          | -25.14          | 288.00    | Horizontal | Horizontal | Pass    |
| 9447.200        | -45.02       | 17.68       | -25.0          | -20.02          | 121.00    | Horizontal | Horizontal | Pass    |
| 19317.926       | -39.35       | 27.82       | -25.0          | -14.35          | 264.00    | Horizontal | Horizontal | Pass    |

RSE-H&V n41 BW100 CH518598




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 682.907         | -55.15       | 37.59       | -25.0          | -30.15          | 113.00    | Horizontal | Vertical | Pass    |
| 1393.900        | -43.82       | 44.80       | -25.0          | -18.82          | 267.00    | Horizontal | Vertical | Pass    |
| 2611.600        | -0.93        | 47.20       | -25.0          | 24.07           | 295.00    | Horizontal | Vertical | N/A     |
| 6998.800        | -47.64       | 13.53       | -25.0          | -22.64          | 360.00    | Horizontal | Vertical | Pass    |
| 10708.175       | -44.57       | 17.93       | -25.0          | -19.57          | 115.00    | Horizontal | Vertical | Pass    |
| 19322.175       | -39.45       | 27.88       | -25.0          | -14.45          | 209.00    | Horizontal | Vertical | Pass    |

RSE-V&V n41 BW100 CH518598



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 386.960         | -61.90       | 32.14       | -25.0          | -36.90          | 144.00    | Vertical | Vertical | Pass    |
| 1299.900        | -43.24       | 44.88       | -25.0          | -18.24          | 165.00    | Vertical | Vertical | Pass    |
| 2598.000        | 3.79         | 46.84       | -25.0          | 28.79           | 103.00    | Vertical | Vertical | N/A     |
| 6690.400        | -47.97       | 12.52       | -25.0          | -22.97          | 244.00    | Vertical | Vertical | Pass    |
| 11256.724       | -44.29       | 18.47       | -25.0          | -19.29          | 123.00    | Vertical | Vertical | Pass    |
| 17398.088       | -38.81       | 22.67       | -25.0          | -13.81          | 272.00    | Vertical | Vertical | Pass    |

RSE-V&H n41 BW100 CH518598




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|------------|---------|
| 655.844         | -55.67       | 37.21       | -25.0          | -30.67          | 284.00    | Vertical | Horizontal | Pass    |
| 1395.000        | -43.51       | 44.82       | -25.0          | -18.51          | 169.00    | Vertical | Horizontal | Pass    |
| 2606.600        | 0.93         | 46.79       | -25.0          | 25.93           | 80.00     | Vertical | Horizontal | N/A     |
| 5147.800        | -50.32       | 10.55       | -25.0          | -25.32          | 250.00    | Vertical | Horizontal | Pass    |
| 9448.637        | -44.80       | 17.72       | -25.0          | -19.80          | 258.00    | Vertical | Horizontal | Pass    |
| 17425.125       | -39.21       | 22.52       | -25.0          | -14.21          | 111.00    | Vertical | Horizontal | Pass    |

32 n66

32.1 n66 BW5, Middle Channel


RSE-H&H n66 BW5 CH429000



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|------------|---------|
| 164.490         | -67.22       | 25.82       | -25.0          | -42.22          | 258.00    | Horizontal | Horizontal | Pass    |
| 1745.300        | 18.45        | 44.29       | -25.0          | 43.45           | 160.00    | Horizontal | Horizontal | N/A     |
| 2679.800        | -37.34       | 47.44       | -25.0          | -12.34          | 149.00    | Horizontal | Horizontal | Pass    |
| 6997.200        | -47.35       | 13.51       | -25.0          | -22.35          | 39.00     | Horizontal | Horizontal | Pass    |
| 9443.174        | -45.28       | 17.58       | -25.0          | -20.28          | 150.00    | Horizontal | Horizontal | Pass    |
| 18828.751       | -39.44       | 24.43       | -25.0          | -14.44          | 12.00     | Horizontal | Horizontal | Pass    |




RSE-H&V n66 BW5 CH429000




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 398.794         | -61.83       | 31.77       | -25.0          | -36.83          | 41.00     | Horizontal | Vertical | Pass    |
| 1744.100        | 11.31        | 44.22       | -25.0          | 36.31           | 112.00    | Horizontal | Vertical | N/A     |
| 2529.100        | -37.95       | 46.97       | -25.0          | -12.95          | 0.00      | Horizontal | Vertical | Pass    |
| 6685.400        | -47.68       | 12.60       | -25.0          | -22.68          | 184.00    | Horizontal | Vertical | Pass    |
| 10985.900       | -43.95       | 18.93       | -25.0          | -18.95          | 147.00    | Horizontal | Vertical | Pass    |
| 17416.200       | -39.36       | 22.66       | -25.0          | -14.36          | 355.00    | Horizontal | Vertical | Pass    |

RSE-V&V n66 BW5 CH429000



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 379.054         | -62.22       | 32.16       | -25.0          | -37.22          | 143.00    | Vertical | Vertical | Pass    |
| 1744.900        | 12.17        | 44.30       | -25.0          | 37.17           | 146.00    | Vertical | Vertical | N/A     |
| 2378.100        | -38.83       | 47.15       | -25.0          | -13.83          | 168.00    | Vertical | Vertical | Pass    |
| 6997.400        | -47.68       | 13.51       | -25.0          | -22.68          | 7.00      | Vertical | Vertical | Pass    |
| 10719.388       | -43.88       | 17.96       | -25.0          | -18.88          | 243.00    | Vertical | Vertical | Pass    |
| 17416.724       | -39.24       | 22.66       | -25.0          | -14.24          | 93.00     | Vertical | Vertical | Pass    |


RSE-V&H n66 BW5 CH429000




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|------------|---------|
| 184.618         | -68.58       | 26.36       | -25.0          | -43.58          | 266.00    | Vertical | Horizontal | Pass    |
| 1745.200        | 16.41        | 44.30       | -25.0          | 41.41           | 82.00     | Vertical | Horizontal | N/A     |
| 2270.000        | -39.39       | 47.49       | -25.0          | -14.39          | 324.00    | Vertical | Horizontal | Pass    |
| 6977.800        | -47.38       | 13.93       | -25.0          | -22.38          | 164.00    | Vertical | Horizontal | Pass    |
| 14358.600       | -39.86       | 22.06       | -25.0          | -14.86          | 170.00    | Vertical | Horizontal | Pass    |
| 19323.875       | -38.80       | 27.85       | -25.0          | -13.80          | 318.00    | Vertical | Horizontal | Pass    |

### 32.2 n66 BW20, Middle Channel

RSE-H&H n66 BW20 CH429000




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|------------|---------|
| 418.000         | -61.08       | 31.61       | -25.0          | -36.08          | 360.00    | Horizontal | Horizontal | Pass    |
| 1744.400        | 12.75        | 44.25       | -25.0          | 37.75           | 38.00     | Horizontal | Horizontal | N/A     |
| 2138.800        | -39.04       | 46.75       | -25.0          | -14.04          | 206.00    | Horizontal | Horizontal | N/A     |
| 5179.400        | -50.12       | 10.70       | -25.0          | -25.12          | 119.00    | Horizontal | Horizontal | Pass    |
| 9446.912        | -45.19       | 17.68       | -25.0          | -20.19          | 187.00    | Horizontal | Horizontal | Pass    |
| 17892.375       | -39.88       | 22.78       | -25.0          | -14.88          | 62.00     | Horizontal | Horizontal | Pass    |




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 444.142         | -61.20       | 32.77       | -25.0          | -36.20          | 97.00     | Horizontal | Vertical | Pass    |
| 1744.900        | 12.34        | 44.30       | -25.0          | 37.34           | 316.00    | Horizontal | Vertical | N/A     |
| 2795.900        | -37.13       | 48.21       | -25.0          | -12.13          | 57.00     | Horizontal | Vertical | Pass    |
| 6680.800        | -47.65       | 12.20       | -25.0          | -22.65          | 212.00    | Horizontal | Vertical | Pass    |
| 10931.562       | -44.30       | 19.33       | -25.0          | -19.30          | 7.00      | Horizontal | Vertical | Pass    |
| 19329.401       | -39.48       | 27.77       | -25.0          | -14.48          | 152.00    | Horizontal | Vertical | Pass    |

RSE-V&V n66 BW20 CH429000



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 374.205         | -62.51       | 31.98       | -25.0          | -37.51          | 348.00    | Vertical | Vertical | Pass    |
| 1742.400        | 8.43         | 44.07       | -25.0          | 33.43           | 64.00     | Vertical | Vertical | N/A     |
| 2432.300        | -38.88       | 47.03       | -25.0          | -13.88          | 0.00      | Vertical | Vertical | Pass    |
| 5161.200        | -50.18       | 10.48       | -25.0          | -25.18          | 126.00    | Vertical | Vertical | Pass    |
| 9445.188        | -44.99       | 17.63       | -25.0          | -19.99          | 304.00    | Vertical | Vertical | Pass    |
| 17404.649       | -39.38       | 22.70       | -25.0          | -14.38          | 306.00    | Vertical | Vertical | Pass    |


RSE-V&H n66 BW20 CH429000



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|------------|---------|
| 377.309         | -62.36       | 32.05       | -25.0          | -37.36          | 29.00     | Vertical | Horizontal | Pass    |
| 1743.000        | 9.13         | 44.11       | -25.0          | 34.13           | 130.00    | Vertical | Horizontal | N/A     |
| 2150.800        | -39.66       | 46.95       | -25.0          | -14.66          | 143.00    | Vertical | Horizontal | Pass    |
| 5201.800        | -50.47       | 10.41       | -25.0          | -25.47          | 173.00    | Vertical | Horizontal | Pass    |
| 10860.550       | -43.59       | 19.39       | -25.0          | -18.59          | 298.00    | Vertical | Horizontal | Pass    |
| 17896.051       | -39.36       | 22.82       | -25.0          | -14.36          | 267.00    | Vertical | Horizontal | Pass    |

### 32.3 n66 BW40, Middle Channel


RSE-H&H n66 BW40 CH429000



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|------------|---------|
| 385.796         | -60.77       | 32.17       | -25.0          | -35.77          | 361.00    | Horizontal | Horizontal | Pass    |
| 1333.500        | -43.61       | 44.48       | -25.0          | -18.61          | 338.00    | Horizontal | Horizontal | Pass    |
| 1747.900        | 12.25        | 44.14       | -25.0          | 37.25           | 82.00     | Horizontal | Horizontal | N/A     |
| 6993.000        | -47.83       | 13.56       | -25.0          | -22.83          | 136.00    | Horizontal | Horizontal | Pass    |
| 11097.162       | -43.88       | 18.05       | -25.0          | -18.88          | 349.00    | Horizontal | Horizontal | Pass    |
| 19330.677       | -39.09       | 27.75       | -25.0          | -14.09          | 68.00     | Horizontal | Horizontal | Pass    |




RSE-H&V n66 BW40 CH429000




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 183.018         | -67.23       | 26.48       | -25.0          | -42.23          | 363.00    | Horizontal | Vertical | Pass    |
| 1744.600        | 9.75         | 44.27       | -25.0          | 34.75           | 313.00    | Horizontal | Vertical | N/A     |
| 2302.400        | -38.97       | 47.42       | -25.0          | -13.97          | 247.00    | Horizontal | Vertical | Pass    |
| 5143.000        | -50.34       | 10.52       | -25.0          | -25.34          | 342.00    | Horizontal | Vertical | Pass    |
| 10431.025       | -44.63       | 18.89       | -25.0          | -19.63          | 43.00     | Horizontal | Vertical | Pass    |
| 17906.287       | -39.01       | 22.71       | -25.0          | -14.01          | 151.00    | Horizontal | Vertical | Pass    |

RSE-V&V n66 BW40 CH429000



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 390.549         | -62.41       | 32.09       | -25.0          | -37.41          | 249.00    | Vertical | Vertical | Pass    |
| 1744.200        | 6.44         | 44.23       | -25.0          | 31.44           | 61.00     | Vertical | Vertical | N/A     |
| 2277.600        | -39.36       | 47.64       | -25.0          | -14.36          | 184.00    | Vertical | Vertical | Pass    |
| 5168.800        | -50.18       | 10.63       | -25.0          | -25.18          | 37.00     | Vertical | Vertical | Pass    |
| 10927.250       | -44.06       | 19.43       | -25.0          | -19.06          | 295.00    | Vertical | Vertical | Pass    |
| 17418.562       | -39.25       | 22.66       | -25.0          | -14.25          | 127.00    | Vertical | Vertical | Pass    |

RSE-V&H n66 BW40 CH429000




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|------------|---------|
| 370.373         | -62.58       | 31.77       | -25.0          | -37.58          | 309.00    | Vertical | Horizontal | Pass    |
| 1740.600        | 11.63        | 43.96       | -25.0          | 36.63           | 50.00     | Vertical | Horizontal | N/A     |
| 2282.400        | -39.28       | 47.25       | -25.0          | -14.28          | 179.00    | Vertical | Horizontal | Pass    |
| 6995.000        | -47.46       | 13.49       | -25.0          | -22.46          | 237.00    | Vertical | Horizontal | Pass    |
| 10939.325       | -44.33       | 19.16       | -25.0          | -19.33          | 0.00      | Vertical | Horizontal | Pass    |
| 17420.663       | -39.31       | 22.64       | -25.0          | -14.31          | 362.00    | Vertical | Horizontal | Pass    |

33 DC\_5A\_n7A


33.1 DC\_5A\_n7A BW10(LTE)+BW5(NR)

RSE-H&H DC\_5A\_n7A BW10(LTE)+BW5(NR)




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|------------|---------|
| 832.142         | 3.93         | 40.69       | -25.0          | 28.93           | 17.00     | Horizontal | Horizontal | N/A     |
| 881.321         | -42.70       | 40.95       | -25.0          | -17.70          | 174.00    | Horizontal | Horizontal | N/A     |
| 2534.900        | 17.30        | 46.65       | -25.0          | 42.30           | 158.00    | Horizontal | Horizontal | N/A     |
| 3681.400        | -56.28       | 4.90        | -25.0          | -31.28          | 360.00    | Horizontal | Horizontal | Pass    |
| 6999.400        | -47.61       | 13.53       | -25.0          | -22.61          | 4.00      | Horizontal | Horizontal | Pass    |
| 17422.238       | -39.24       | 22.60       | -25.0          | -14.24          | 203.00    | Horizontal | Horizontal | Pass    |

RSE-H&V DC\_5A\_n7A BW10(LTE)+BW5(NR)




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 832.093         | -3.94        | 40.69       | -25.0          | 21.06           | 200.00    | Horizontal | Vertical | N/A     |
| 881.708         | -38.84       | 40.96       | -25.0          | -13.84          | 97.00     | Horizontal | Vertical | N/A     |
| 2535.000        | 16.34        | 46.65       | -25.0          | 41.34           | 134.00    | Horizontal | Vertical | N/A     |
| 3629.400        | -56.75       | 4.12        | -25.0          | -31.75          | 152.00    | Horizontal | Vertical | Pass    |
| 6998.200        | -46.84       | 13.53       | -25.0          | -21.84          | 250.00    | Horizontal | Vertical | Pass    |
| 17423.550       | -39.30       | 22.56       | -25.0          | -14.30          | 244.00    | Horizontal | Vertical | Pass    |

RSE-V&V DC\_5A\_n7A BW10(LTE)+BW5(NR)



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 832.044         | 1.09         | 40.69       | -25.0          | 26.09           | 56.00     | Vertical | Vertical | N/A     |
| 881.806         | -44.49       | 40.97       | -25.0          | -19.49          | 171.00    | Vertical | Vertical | N/A     |
| 2534.400        | 11.52        | 46.67       | -25.0          | 36.52           | 79.00     | Vertical | Vertical | N/A     |
| 3673.600        | -56.31       | 4.68        | -25.0          | -31.31          | 273.00    | Vertical | Vertical | Pass    |
| 6999.800        | -47.22       | 13.53       | -25.0          | -22.22          | 214.00    | Vertical | Vertical | Pass    |
| 17401.500       | -39.52       | 22.71       | -25.0          | -14.52          | 114.00    | Vertical | Vertical | Pass    |


RSE-V&H DC\_5A\_n7A BW10(LTE)+BW5(NR)



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|------------|---------|
| 832.093         | 1.37         | 40.69       | -25.0          | 26.37           | 293.00    | Vertical | Horizontal | N/A     |
| 881.951         | -44.90       | 40.97       | -25.0          | -19.90          | 212.00    | Vertical | Horizontal | N/A     |
| 2535.400        | -1.70        | 46.65       | -25.0          | 23.30           | 140.00    | Vertical | Horizontal | N/A     |
| 3798.200        | -56.32       | 5.20        | -25.0          | -31.32          | 65.00     | Vertical | Horizontal | Pass    |
| 6999.000        | -47.63       | 13.53       | -25.0          | -22.63          | 94.00     | Vertical | Horizontal | Pass    |
| 17582.100       | -39.53       | 22.17       | -25.0          | -14.53          | 276.00    | Vertical | Horizontal | Pass    |

### 33.2 DC\_5A\_n7A BW10(LTE)+BW15(NR)


RSE-H&H DC\_5A\_n7A BW10(LTE)+BW15(NR)



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|------------|---------|
| 832.142         | 5.16         | 40.69       | -25.0          | 30.16           | 217.00    | Horizontal | Horizontal | N/A     |
| 877.150         | -36.80       | 41.02       | -25.0          | -11.80          | 286.00    | Horizontal | Horizontal | N/A     |
| 2536.100        | 15.02        | 46.76       | -25.0          | 40.02           | 115.00    | Horizontal | Horizontal | N/A     |
| 3692.000        | -56.86       | 5.18        | -25.0          | -31.86          | 326.00    | Horizontal | Horizontal | Pass    |
| 6996.000        | -47.90       | 13.47       | -25.0          | -22.90          | 147.00    | Horizontal | Horizontal | Pass    |
| 17293.875       | -39.02       | 21.13       | -25.0          | -14.02          | 314.00    | Horizontal | Horizontal | Pass    |




RSE-H&V DC\_5A\_n7A BW10(LTE)+BW15(NR)




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 832.190         | -4.91        | 40.69       | -25.0          | 20.09           | 285.00    | Horizontal | Vertical | N/A     |
| 882.048         | -40.05       | 40.97       | -25.0          | -15.05          | 106.00    | Horizontal | Vertical | N/A     |
| 2535.900        | 12.36        | 46.73       | -25.0          | 37.36           | 122.00    | Horizontal | Vertical | N/A     |
| 3671.600        | -56.80       | 4.58        | -25.0          | -31.80          | 34.00     | Horizontal | Vertical | Pass    |
| 6998.200        | -47.93       | 13.53       | -25.0          | -22.93          | 109.00    | Horizontal | Vertical | Pass    |
| 17318.812       | -39.13       | 21.08       | -25.0          | -14.13          | 316.00    | Horizontal | Vertical | Pass    |

RSE-V&V DC\_5A\_n7A BW10(LTE)+BW15(NR)



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 832.093         | 0.92         | 40.69       | -25.0          | 25.92           | 301.00    | Vertical | Vertical | N/A     |
| 880.108         | -42.99       | 40.90       | -25.0          | -17.99          | 145.00    | Vertical | Vertical | N/A     |
| 2537.100        | 8.77         | 46.93       | -25.0          | 33.77           | 277.00    | Vertical | Vertical | N/A     |
| 3674.600        | -56.78       | 4.71        | -25.0          | -31.78          | 81.00     | Vertical | Vertical | Pass    |
| 6995.400        | -47.96       | 13.47       | -25.0          | -22.96          | 65.00     | Vertical | Vertical | Pass    |
| 17306.474       | -38.93       | 21.12       | -25.0          | -13.93          | 251.00    | Vertical | Vertical | Pass    |


RSE-V&H DC\_5A\_n7A BW10(LTE)+BW15(NR)



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|------------|---------|
| 832.142         | -1.84        | 40.69       | -25.0          | 23.16           | 310.00    | Vertical | Horizontal | N/A     |
| 884.085         | -41.39       | 41.22       | -25.0          | -16.39          | 287.00    | Vertical | Horizontal | N/A     |
| 2536.200        | -7.48        | 46.78       | -25.0          | 17.52           | 231.00    | Vertical | Horizontal | N/A     |
| 3685.000        | -55.90       | 4.99        | -25.0          | -30.90          | 360.00    | Vertical | Horizontal | Pass    |
| 6998.200        | -48.13       | 13.53       | -25.0          | -23.13          | 104.00    | Vertical | Horizontal | Pass    |
| 17303.849       | -38.80       | 21.13       | -25.0          | -13.80          | 318.00    | Vertical | Horizontal | Pass    |


### 33.3 DC\_5A\_n7A BW10(LTE)+BW20(NR)

RSE-H&H DC\_5A\_n7A BW10(LTE)+BW20(NR)




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|------------|---------|
| 254.749         | -66.19       | 26.75       | -25.0          | -41.19          | 210.00    | Horizontal | Horizontal | Pass    |
| 832.142         | 14.01        | 40.69       | -25.0          | 39.01           | 86.00     | Horizontal | Horizontal | N/A     |
| 881.417         | -39.05       | 40.95       | -25.0          | -14.05          | 105.00    | Horizontal | Horizontal | N/A     |
| 2536.900        | 9.90         | 46.89       | -25.0          | 34.90           | 160.00    | Horizontal | Horizontal | N/A     |
| 6997.800        | -47.38       | 13.52       | -25.0          | -22.38          | 230.00    | Horizontal | Horizontal | Pass    |
| 14349.412       | -39.54       | 22.17       | -25.0          | -14.54          | 306.00    | Horizontal | Horizontal | Pass    |

RSE-H&V DC\_5A\_n7A BW10(LTE)+BW20(NR)




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 196.646         | -66.42       | 25.43       | -25.0          | -41.42          | 129.00    | Horizontal | Vertical | Pass    |
| 832.093         | 3.91         | 40.69       | -25.0          | 28.91           | 203.00    | Horizontal | Vertical | N/A     |
| 881.612         | -39.44       | 40.96       | -25.0          | -14.44          | -1.00     | Horizontal | Vertical | N/A     |
| 2537.500        | 10.18        | 46.98       | -25.0          | 35.18           | 135.00    | Horizontal | Vertical | N/A     |
| 6983.000        | -47.57       | 13.91       | -25.0          | -22.57          | 120.00    | Horizontal | Vertical | Pass    |
| 17297.551       | -39.39       | 21.13       | -25.0          | -14.39          | 282.00    | Horizontal | Vertical | Pass    |

RSE-V&V DC\_5A\_n7A BW10(LTE)+BW20(NR)



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 88.879          | -67.39       | 19.46       | -25.0          | -42.39          | 131.00    | Vertical | Vertical | Pass    |
| 832.093         | 11.96        | 40.69       | -25.0          | 36.96           | 284.00    | Vertical | Vertical | N/A     |
| 881.127         | -43.48       | 40.94       | -25.0          | -18.48          | 355.00    | Vertical | Vertical | N/A     |
| 2536.400        | 5.83         | 46.81       | -25.0          | 30.83           | 84.00     | Vertical | Vertical | N/A     |
| 6999.000        | -47.19       | 13.53       | -25.0          | -22.19          | 232.00    | Vertical | Vertical | Pass    |
| 17422.238       | -39.36       | 22.60       | -25.0          | -14.36          | 156.00    | Vertical | Vertical | Pass    |

RSE-V&H DC\_5A\_n7A BW10(LTE)+BW20(NR)




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|------------|---------|
| 181.417         | -67.78       | 26.52       | -25.0          | -42.78          | 62.00     | Vertical | Horizontal | Pass    |
| 832.142         | 8.48         | 40.69       | -25.0          | 33.48           | -1.00     | Vertical | Horizontal | N/A     |
| 881.999         | -44.97       | 40.97       | -25.0          | -19.97          | 288.00    | Vertical | Horizontal | N/A     |
| 2537.200        | -6.89        | 46.94       | -25.0          | 18.11           | 77.00     | Vertical | Horizontal | N/A     |
| 6998.800        | -47.75       | 13.53       | -25.0          | -22.75          | 19.00     | Vertical | Horizontal | Pass    |
| 17420.925       | -38.58       | 22.63       | -25.0          | -13.58          | 280.00    | Vertical | Horizontal | Pass    |

34 DC\_7A\_n5A

34.1 DC\_7A\_n5A BW20(LTE)+BW5(NR)


RSE-H&H DC\_7A\_n5A BW20(LTE)+BW5(NR)



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|------------|---------|
| 153.044         | -68.97       | 25.79       | -25.0          | -43.97          | 360.00    | Horizontal | Horizontal | Pass    |
| 836.894         | -2.01        | 40.81       | -25.0          | 22.99           | 360.00    | Horizontal | Horizontal | N/A     |
| 880.496         | -46.88       | 40.92       | -25.0          | -21.88          | 270.00    | Horizontal | Horizontal | N/A     |
| 2526.200        | 15.32        | 46.99       | -25.0          | 40.32           | 97.00     | Horizontal | Horizontal | N/A     |
| 2654.600        | -36.47       | 47.00       | -25.0          | -11.47          | 197.00    | Horizontal | Horizontal | N/A     |
| 17035.051       | -39.40       | 20.64       | -25.0          | -14.40          | 66.00     | Horizontal | Horizontal | Pass    |




RSE-H&V DC\_7A\_n5A BW20(LTE)+BW5(NR)




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 184.909         | -68.53       | 26.33       | -25.0          | -43.53          | 107.00    | Horizontal | Vertical | Pass    |
| 836.070         | -7.89        | 40.81       | -25.0          | 17.11           | 163.00    | Horizontal | Vertical | N/A     |
| 881.321         | -43.01       | 40.95       | -25.0          | -18.01          | 17.00     | Horizontal | Vertical | N/A     |
| 2526.100        | 7.17         | 46.98       | -25.0          | 32.17           | 203.00    | Horizontal | Vertical | N/A     |
| 6989.600        | -47.01       | 13.41       | -25.0          | -22.01          | 124.00    | Horizontal | Vertical | Pass    |
| 17313.825       | -39.43       | 21.10       | -25.0          | -14.43          | 294.00    | Horizontal | Vertical | Pass    |

RSE-V&V DC\_7A\_n5A BW20(LTE)+BW5(NR)



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 189.710         | -68.89       | 25.63       | -25.0          | -43.89          | 337.00    | Vertical | Vertical | Pass    |
| 837.428         | -1.33        | 40.81       | -25.0          | 23.67           | 101.00    | Vertical | Vertical | N/A     |
| 882.145         | -50.38       | 40.98       | -25.0          | -25.38          | 31.00     | Vertical | Vertical | N/A     |
| 2526.200        | 14.75        | 46.99       | -25.0          | 39.75           | 131.00    | Vertical | Vertical | N/A     |
| 6680.600        | -48.23       | 12.20       | -25.0          | -23.23          | 359.00    | Vertical | Vertical | Pass    |
| 17303.589       | -39.60       | 21.13       | -25.0          | -14.60          | 139.00    | Vertical | Vertical | Pass    |


RSE-V&H DC\_7A\_n5A BW20(LTE)+BW5(NR)



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|------------|---------|
| 181.272         | -68.56       | 26.52       | -25.0          | -43.56          | 113.00    | Vertical | Horizontal | Pass    |
| 837.234         | -9.97        | 40.81       | -25.0          | 15.03           | 87.00     | Vertical | Horizontal | N/A     |
| 881.272         | -51.18       | 40.95       | -25.0          | -26.18          | 331.00    | Vertical | Horizontal | N/A     |
| 2526.500        | 1.82         | 47.00       | -25.0          | 26.82           | 45.00     | Vertical | Horizontal | N/A     |
| 6682.000        | -47.81       | 12.28       | -25.0          | -22.81          | 289.00    | Vertical | Horizontal | Pass    |
| 14331.037       | -39.33       | 22.08       | -25.0          | -14.33          | 361.00    | Vertical | Horizontal | Pass    |


### 34.2 DC\_7A\_n5A BW20(LTE)+BW15(NR)

RSE-H&H DC\_7A\_n5A BW20(LTE)+BW15(NR)




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|------------|---------|
| 289.718         | -65.15       | 29.00       | -25.0          | -40.15          | 216.00    | Horizontal | Horizontal | Pass    |
| 838.010         | -4.34        | 40.79       | -25.0          | 20.66           | 272.00    | Horizontal | Horizontal | N/A     |
| 875.404         | -43.05       | 41.01       | -25.0          | -18.05          | 104.00    | Horizontal | Horizontal | N/A     |
| 2526.400        | 16.19        | 47.00       | -25.0          | 41.19           | 101.00    | Horizontal | Horizontal | N/A     |
| 2655.100        | -37.07       | 47.01       | -25.0          | -12.07          | 183.00    | Horizontal | Horizontal | N/A     |
| 17376.301       | -39.78       | 22.09       | -25.0          | -14.78          | 216.00    | Horizontal | Horizontal | Pass    |

RSE-H&V DC\_7A\_n5A BW20(LTE)+BW15(NR)




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 197.034         | -64.64       | 25.40       | -25.0          | -39.64          | 121.00    | Horizontal | Vertical | Pass    |
| 838.495         | -9.29        | 40.77       | -25.0          | 15.71           | 183.00    | Horizontal | Vertical | N/A     |
| 876.180         | -44.37       | 41.04       | -25.0          | -19.37          | 0.00      | Horizontal | Vertical | N/A     |
| 2526.200        | 7.73         | 46.99       | -25.0          | 32.73           | 12.00     | Horizontal | Vertical | N/A     |
| 6997.400        | -47.49       | 13.51       | -25.0          | -22.49          | 294.00    | Horizontal | Vertical | Pass    |
| 19284.775       | -39.53       | 26.93       | -25.0          | -14.53          | 203.00    | Horizontal | Vertical | Pass    |

RSE-V&V DC\_7A\_n5A BW20(LTE)+BW15(NR)



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 197.034         | -66.91       | 25.40       | -25.0          | -41.91          | 198.00    | Vertical | Vertical | Pass    |
| 838.883         | -10.98       | 40.76       | -25.0          | 14.02           | 78.00     | Vertical | Vertical | N/A     |
| 875.840         | -50.24       | 41.05       | -25.0          | -25.24          | 332.00    | Vertical | Vertical | N/A     |
| 2526.300        | 14.38        | 46.99       | -25.0          | 39.38           | 83.00     | Vertical | Vertical | N/A     |
| 6999.200        | -47.38       | 13.53       | -25.0          | -22.38          | 360.00    | Vertical | Vertical | Pass    |
| 17405.176       | -39.31       | 22.70       | -25.0          | -14.31          | 11.00     | Vertical | Vertical | Pass    |


RSE-V&H DC\_7A\_n5A BW20(LTE)+BW15(NR)



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|------------|---------|
| 144.460         | -69.64       | 24.67       | -25.0          | -44.64          | 178.00    | Vertical | Horizontal | Pass    |
| 837.865         | -10.16       | 40.79       | -25.0          | 14.84           | 35.00     | Vertical | Horizontal | N/A     |
| 1666.600        | -43.71       | 44.15       | -25.0          | -18.71          | 258.00    | Vertical | Horizontal | Pass    |
| 2526.100        | -1.45        | 46.98       | -25.0          | 23.55           | 165.00    | Vertical | Horizontal | N/A     |
| 6999.000        | -47.32       | 13.53       | -25.0          | -22.32          | 295.00    | Vertical | Horizontal | Pass    |
| 14311.349       | -39.45       | 22.21       | -25.0          | -14.45          | 11.00     | Vertical | Horizontal | Pass    |

### 34.3 DC\_7A\_n5A BW20(LTE)+BW20(NR)


RSE-H&H DC\_7A\_n5A BW20(LTE)+BW20(NR)



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|------------|---------|
| 180.496         | -67.02       | 26.56       | -25.0          | -42.02          | 81.00     | Horizontal | Horizontal | Pass    |
| 839.756         | -5.03        | 40.75       | -25.0          | 19.97           | 10.00     | Horizontal | Horizontal | N/A     |
| 873.706         | -47.67       | 40.80       | -25.0          | -22.67          | 264.00    | Horizontal | Horizontal | N/A     |
| 2526.400        | 15.24        | 47.00       | -25.0          | 40.24           | 24.00     | Horizontal | Horizontal | N/A     |
| 6994.200        | -47.99       | 13.54       | -25.0          | -22.99          | 355.00    | Horizontal | Horizontal | Pass    |
| 14318.701       | -39.88       | 22.12       | -25.0          | -14.88          | 352.00    | Horizontal | Horizontal | Pass    |




RSE-H&V DC\_7A\_n5A BW20(LTE)+BW20(NR)




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 183.939         | -67.84       | 26.41       | -25.0          | -42.84          | 11.00     | Horizontal | Vertical | Pass    |
| 839.368         | -12.50       | 40.74       | -25.0          | 12.50           | 194.00    | Horizontal | Vertical | N/A     |
| 873.803         | -43.96       | 40.81       | -25.0          | -18.96          | 11.00     | Horizontal | Vertical | N/A     |
| 2526.200        | 8.08         | 46.99       | -25.0          | 33.08           | 22.00     | Horizontal | Vertical | N/A     |
| 6991.800        | -47.94       | 13.47       | -25.0          | -22.94          | 160.00    | Horizontal | Vertical | Pass    |
| 14323.425       | -39.90       | 22.10       | -25.0          | -14.90          | 135.00    | Horizontal | Vertical | Pass    |

RSE-V&V DC\_7A\_n5A BW20(LTE)+BW20(NR)



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 184.958         | -67.79       | 26.33       | -25.0          | -42.79          | 237.00    | Vertical | Vertical | Pass    |
| 839.319         | -5.84        | 40.75       | -25.0          | 19.16           | 98.00     | Vertical | Vertical | N/A     |
| 1417.000        | -43.56       | 44.82       | -25.0          | -18.56          | 189.00    | Vertical | Vertical | Pass    |
| 2526.200        | 14.64        | 46.99       | -25.0          | 39.64           | 73.00     | Vertical | Vertical | N/A     |
| 6997.200        | -47.66       | 13.51       | -25.0          | -22.66          | 115.00    | Vertical | Vertical | Pass    |
| 17413.050       | -39.68       | 22.68       | -25.0          | -14.68          | 271.00    | Vertical | Vertical | Pass    |

RSE-V&H DC\_7A\_n5A BW20(LTE)+BW20(NR)




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|------------|---------|
| 388.754         | -61.56       | 32.17       | -25.0          | -36.56          | 140.00    | Vertical | Horizontal | Pass    |
| 838.786         | -11.28       | 40.76       | -25.0          | 13.72           | 74.00     | Vertical | Horizontal | N/A     |
| 874.239         | -49.59       | 40.86       | -25.0          | -24.59          | 181.00    | Vertical | Horizontal | N/A     |
| 2526.400        | -0.69        | 47.00       | -25.0          | 24.31           | 120.00    | Vertical | Horizontal | N/A     |
| 6978.400        | -47.34       | 13.98       | -25.0          | -22.34          | 23.00     | Vertical | Horizontal | Pass    |
| 14347.312       | -40.12       | 22.15       | -25.0          | -15.12          | 326.00    | Vertical | Horizontal | Pass    |

35 DC\_7A\_n66A


35.1 DC\_7A\_n66A BW20(LTE)+BW5(NR)

RSE-H&H DC\_7A\_n66A BW20(LTE)+BW5(NR)




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|------------|---------|
| 286.565         | -66.14       | 29.05       | -25.0          | -41.14          | 101.00    | Horizontal | Horizontal | Pass    |
| 1745.200        | 17.66        | 44.30       | -25.0          | 42.66           | 147.00    | Horizontal | Horizontal | N/A     |
| 2526.100        | 10.60        | 46.98       | -25.0          | 35.60           | 214.00    | Horizontal | Horizontal | N/A     |
| 2654.800        | -36.77       | 47.00       | -25.0          | -11.77          | 194.00    | Horizontal | Horizontal | N/A     |
| 6998.200        | -47.71       | 13.53       | -25.0          | -22.71          | 321.00    | Horizontal | Horizontal | Pass    |
| 17418.824       | -39.40       | 22.66       | -25.0          | -14.40          | 266.00    | Horizontal | Horizontal | Pass    |

RSE-H&V DC\_7A\_n66A BW20(LTE)+BW5(NR)




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 284.189         | -65.51       | 29.05       | -25.0          | -40.51          | 342.00    | Horizontal | Vertical | Pass    |
| 1745.000        | 16.03        | 44.30       | -25.0          | 41.03           | 147.00    | Horizontal | Vertical | N/A     |
| 2526.100        | 7.47         | 46.98       | -25.0          | 32.47           | 298.00    | Horizontal | Vertical | N/A     |
| 2655.200        | -35.95       | 47.01       | -25.0          | -10.95          | 112.00    | Horizontal | Vertical | N/A     |
| 6990.600        | -47.39       | 13.43       | -25.0          | -22.39          | 300.00    | Horizontal | Vertical | Pass    |
| 14321.588       | -39.62       | 22.10       | -25.0          | -14.62          | 118.00    | Horizontal | Vertical | Pass    |

RSE-V&V DC\_7A\_n66A BW20(LTE)+BW5(NR)



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 182.484         | -68.92       | 26.50       | -25.0          | -43.92          | 223.00    | Vertical | Vertical | Pass    |
| 1745.000        | 13.73        | 44.30       | -25.0          | 38.73           | 73.00     | Vertical | Vertical | N/A     |
| 2280.800        | -39.25       | 47.46       | -25.0          | -14.25          | 138.00    | Vertical | Vertical | Pass    |
| 2526.400        | 12.47        | 47.00       | -25.0          | 37.47           | 133.00    | Vertical | Vertical | N/A     |
| 6987.600        | -47.48       | 13.60       | -25.0          | -22.48          | 254.00    | Vertical | Vertical | Pass    |
| 17421.449       | -39.51       | 22.62       | -25.0          | -14.51          | 141.00    | Vertical | Vertical | Pass    |


RSE-V&H DC\_7A\_n66A BW20(LTE)+BW5(NR)



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|------------|---------|
| 427.506         | -61.70       | 32.19       | -25.0          | -36.70          | 168.00    | Vertical | Horizontal | Pass    |
| 1745.700        | 2.68         | 44.29       | -25.0          | 27.68           | 189.00    | Vertical | Horizontal | N/A     |
| 2526.200        | 8.84         | 46.99       | -25.0          | 33.84           | 125.00    | Vertical | Horizontal | N/A     |
| 2911.600        | -37.19       | 48.90       | -25.0          | -12.19          | 338.00    | Vertical | Horizontal | Pass    |
| 6999.000        | -47.22       | 13.53       | -25.0          | -22.22          | 239.00    | Vertical | Horizontal | Pass    |
| 17305.950       | -39.83       | 21.12       | -25.0          | -14.83          | 89.00     | Vertical | Horizontal | Pass    |

### 35.2 DC\_7A\_n66A BW20(LTE)+BW20(NR)


RSE-H&H DC\_7A\_n66A BW20(LTE)+BW20(NR)



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|------------|---------|
| 432.550         | -61.68       | 32.51       | -25.0          | -36.68          | 0.00      | Horizontal | Horizontal | Pass    |
| 1744.800        | 12.28        | 44.29       | -25.0          | 37.28           | 140.00    | Horizontal | Horizontal | N/A     |
| 2268.000        | -39.39       | 47.48       | -25.0          | -14.39          | 240.00    | Horizontal | Horizontal | Pass    |
| 2526.300        | 15.98        | 46.99       | -25.0          | 40.98           | 121.00    | Horizontal | Horizontal | N/A     |
| 6680.200        | -47.84       | 12.18       | -25.0          | -22.84          | 104.00    | Horizontal | Horizontal | Pass    |
| 14333.662       | -39.76       | 22.08       | -25.0          | -14.76          | 137.00    | Horizontal | Horizontal | Pass    |




RSE-H&V DC\_7A\_n66A BW20(LTE)+BW20(NR)




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 194.609         | -68.40       | 25.60       | -25.0          | -43.40          | 132.00    | Horizontal | Vertical | Pass    |
| 1745.000        | 9.19         | 44.30       | -25.0          | 34.19           | 153.00    | Horizontal | Vertical | N/A     |
| 2136.000        | -39.41       | 46.89       | -25.0          | -14.41          | 133.00    | Horizontal | Vertical | N/A     |
| 2526.300        | 9.01         | 46.99       | -25.0          | 34.01           | 288.00    | Horizontal | Vertical | N/A     |
| 6687.800        | -48.00       | 12.54       | -25.0          | -23.00          | 253.00    | Horizontal | Vertical | Pass    |
| 17418.824       | -39.40       | 22.66       | -25.0          | -14.40          | 292.00    | Horizontal | Vertical | Pass    |

RSE-V&V DC\_7A\_n66A BW20(LTE)+BW20(NR)



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 393.265         | -61.90       | 32.12       | -25.0          | -36.90          | 205.00    | Vertical | Vertical | Pass    |
| 1742.200        | 8.40         | 44.05       | -25.0          | 33.40           | 82.00     | Vertical | Vertical | N/A     |
| 2526.100        | 12.17        | 46.98       | -25.0          | 37.17           | 0.00      | Vertical | Vertical | N/A     |
| 2912.000        | -36.84       | 48.94       | -25.0          | -11.84          | 97.00     | Vertical | Vertical | Pass    |
| 6982.000        | -47.97       | 13.88       | -25.0          | -22.97          | 273.00    | Vertical | Vertical | Pass    |
| 17420.401       | -39.68       | 22.64       | -25.0          | -14.68          | 82.00     | Vertical | Vertical | Pass    |


RSE-V&H DC\_7A\_n66A BW20(LTE)+BW20(NR)



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|------------|---------|
| 179.720         | -68.32       | 26.54       | -25.0          | -43.32          | 252.00    | Vertical | Horizontal | Pass    |
| 1747.000        | -2.59        | 44.27       | -25.0          | 22.41           | 31.00     | Vertical | Horizontal | N/A     |
| 2526.300        | 8.27         | 46.99       | -25.0          | 33.27           | 148.00    | Vertical | Horizontal | N/A     |
| 2684.500        | -37.18       | 47.31       | -25.0          | -12.18          | 177.00    | Vertical | Horizontal | N/A     |
| 6995.000        | -47.98       | 13.49       | -25.0          | -22.98          | 28.00     | Vertical | Horizontal | Pass    |
| 14323.951       | -39.95       | 22.10       | -25.0          | -14.95          | 141.00    | Vertical | Horizontal | Pass    |


### 35.3 DC\_7A\_n66A BW20(LTE)+BW40(NR)

RSE-H&H DC\_7A\_n66A BW20(LTE)+BW40(NR)




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|------------|---------|
| 196.937         | -64.73       | 25.41       | -25.0          | -39.73          | 149.00    | Horizontal | Horizontal | Pass    |
| 1745.700        | 6.48         | 44.29       | -25.0          | 31.48           | 155.00    | Horizontal | Horizontal | N/A     |
| 2525.900        | 8.75         | 46.97       | -25.0          | 33.75           | 302.00    | Horizontal | Horizontal | N/A     |
| 2654.800        | -35.86       | 47.00       | -25.0          | -10.86          | 111.00    | Horizontal | Horizontal | N/A     |
| 5168.600        | -50.17       | 10.63       | -25.0          | -25.17          | 327.00    | Horizontal | Horizontal | Pass    |
| 17420.663       | -39.40       | 22.64       | -25.0          | -14.40          | 9.00      | Horizontal | Horizontal | Pass    |

RSE-H&V DC\_7A\_n66A BW20(LTE)+BW40(NR)




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 196.889         | -65.94       | 25.41       | -25.0          | -40.94          | 333.00    | Horizontal | Vertical | Pass    |
| 1745.100        | 7.72         | 44.30       | -25.0          | 32.72           | 149.00    | Horizontal | Vertical | N/A     |
| 2526.500        | 8.43         | 47.00       | -25.0          | 33.43           | 304.00    | Horizontal | Vertical | N/A     |
| 2655.200        | -36.67       | 47.01       | -25.0          | -11.67          | 132.00    | Horizontal | Vertical | N/A     |
| 7000.000        | -47.48       | 13.52       | -25.0          | -22.48          | 266.00    | Horizontal | Vertical | Pass    |
| 14190.338       | -40.13       | 22.12       | -25.0          | -15.13          | 194.00    | Horizontal | Vertical | Pass    |

RSE-V&V DC\_7A\_n66A BW20(LTE)+BW40(NR)



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 387.930         | -62.26       | 32.15       | -25.0          | -37.26          | 115.00    | Vertical | Vertical | Pass    |
| 1746.800        | 5.31         | 44.27       | -25.0          | 30.31           | 217.00    | Vertical | Vertical | N/A     |
| 1906.400        | -38.12       | 45.24       | -25.0          | -13.12          | 263.00    | Vertical | Vertical | N/A     |
| 2526.200        | 11.77        | 46.99       | -25.0          | 36.77           | 346.00    | Vertical | Vertical | N/A     |
| 6270.800        | -48.46       | 11.33       | -25.0          | -23.46          | 61.00     | Vertical | Vertical | Pass    |
| 17429.850       | -39.84       | 22.41       | -25.0          | -14.84          | 216.00    | Vertical | Vertical | Pass    |

RSE-V&H DC\_7A\_n66A BW20(LTE)+BW40(NR)




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|------------|---------|
| 427.118         | -61.00       | 32.16       | -25.0          | -36.00          | 248.00    | Vertical | Horizontal | Pass    |
| 1753.300        | 6.54         | 44.25       | -25.0          | 31.54           | 62.00     | Vertical | Horizontal | N/A     |
| 2170.600        | -39.98       | 47.08       | -25.0          | -14.98          | 163.00    | Vertical | Horizontal | Pass    |
| 2526.400        | 13.37        | 47.00       | -25.0          | 38.37           | 154.00    | Vertical | Horizontal | N/A     |
| 6682.200        | -47.84       | 12.30       | -25.0          | -22.84          | 25.00     | Vertical | Horizontal | Pass    |
| 17414.625       | -39.90       | 22.67       | -25.0          | -14.90          | 167.00    | Vertical | Horizontal | Pass    |

36 DC\_25A\_n41A

36.1 DC\_25A\_n41A BW20(LTE)+BW20(NR)


RSE-H&H DC\_25A\_n41A BW20(LTE)+BW20(NR)



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|------------|---------|
| 861.144         | -52.54       | 40.84       | -25.0          | -27.54          | 170.00    | Horizontal | Horizontal | Pass    |
| 1873.700        | 18.11        | 45.16       | -25.0          | 43.11           | 116.00    | Horizontal | Horizontal | N/A     |
| 1955.300        | -40.49       | 44.92       | -25.0          | -15.49          | 225.00    | Horizontal | Horizontal | N/A     |
| 2589.600        | 14.27        | 46.92       | -25.0          | 39.27           | 330.00    | Horizontal | Horizontal | N/A     |
| 5198.800        | -50.43       | 10.45       | -25.0          | -25.43          | 77.00     | Horizontal | Horizontal | Pass    |
| 17289.937       | -38.58       | 21.12       | -25.0          | -13.58          | 79.00     | Horizontal | Horizontal | Pass    |




RSE-H&V DC\_25A\_n41A BW20(LTE)+BW20(NR)




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 807.115         | -52.01       | 40.54       | -25.0          | -27.01          | 85.00     | Horizontal | Vertical | Pass    |
| 1873.600        | 13.50        | 45.15       | -25.0          | 38.50           | 164.00    | Horizontal | Vertical | N/A     |
| 1962.100        | -40.47       | 44.69       | -25.0          | -15.47          | 89.00     | Horizontal | Vertical | N/A     |
| 2589.700        | 2.02         | 46.90       | -25.0          | 27.02           | 198.00    | Horizontal | Vertical | N/A     |
| 5169.600        | -49.87       | 10.61       | -25.0          | -24.87          | 273.00    | Horizontal | Vertical | Pass    |
| 17305.162       | -38.51       | 21.12       | -25.0          | -13.51          | 331.00    | Horizontal | Vertical | Pass    |

RSE-V&V DC\_25A\_n41A BW20(LTE)+BW20(NR)



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 894.513         | -51.60       | 41.35       | -25.0          | -26.60          | 357.00    | Vertical | Vertical | Pass    |
| 1873.700        | 13.79        | 45.16       | -25.0          | 38.79           | 32.00     | Vertical | Vertical | N/A     |
| 2588.700        | 7.89         | 47.09       | -25.0          | 32.89           | 167.00    | Vertical | Vertical | N/A     |
| 3587.400        | -57.76       | 3.58        | -25.0          | -32.76          | 53.00     | Vertical | Vertical | Pass    |
| 6686.200        | -48.32       | 12.57       | -25.0          | -23.32          | 126.00    | Vertical | Vertical | Pass    |
| 17300.437       | -38.84       | 21.14       | -25.0          | -13.84          | 7.00      | Vertical | Vertical | Pass    |


RSE-V&H DC\_25A\_n41A BW20(LTE)+BW20(NR)



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|------------|---------|
| 794.942         | -53.12       | 40.41       | -25.0          | -28.12          | 358.00    | Vertical | Horizontal | Pass    |
| 1873.700        | 11.49        | 45.16       | -25.0          | 36.49           | 1.00      | Vertical | Horizontal | N/A     |
| 2595.400        | -1.38        | 46.98       | -25.0          | 23.62           | 39.00     | Vertical | Horizontal | N/A     |
| 3482.800        | -57.80       | 3.20        | -25.0          | -32.80          | 206.00    | Vertical | Horizontal | Pass    |
| 6995.400        | -47.95       | 13.47       | -25.0          | -22.95          | 0.00      | Vertical | Horizontal | Pass    |
| 17303.063       | -39.35       | 21.13       | -25.0          | -14.35          | 90.00     | Vertical | Horizontal | Pass    |


### 36.2 DC\_25A\_n41A BW20(LTE)+BW60(NR)

RSE-H&H DC\_25A\_n41A BW20(LTE)+BW60(NR)




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|------------|---------|
| 804.690         | -52.39       | 40.60       | -25.0          | -27.39          | 182.00    | Horizontal | Horizontal | Pass    |
| 1873.500        | 16.63        | 45.15       | -25.0          | 41.63           | 118.00    | Horizontal | Horizontal | N/A     |
| 1962.500        | -38.26       | 44.68       | -25.0          | -13.26          | 213.00    | Horizontal | Horizontal | N/A     |
| 2584.200        | 8.65         | 46.68       | -25.0          | 33.65           | 340.00    | Horizontal | Horizontal | N/A     |
| 5167.800        | -49.85       | 10.62       | -25.0          | -24.85          | 243.00    | Horizontal | Horizontal | Pass    |
| 17317.501       | -39.66       | 21.09       | -25.0          | -14.66          | 309.00    | Horizontal | Horizontal | Pass    |

RSE-H&V DC\_25A\_n41A BW20(LTE)+BW60(NR)




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 839.126         | -52.72       | 40.75       | -25.0          | -27.72          | 100.00    | Horizontal | Vertical | Pass    |
| 1873.400        | 13.80        | 45.14       | -25.0          | 38.80           | 178.00    | Horizontal | Vertical | N/A     |
| 1962.600        | -39.45       | 44.67       | -25.0          | -14.45          | 187.00    | Horizontal | Vertical | N/A     |
| 2594.000        | -2.63        | 46.92       | -25.0          | 22.37           | 124.00    | Horizontal | Vertical | N/A     |
| 5142.200        | -50.36       | 10.53       | -25.0          | -25.36          | 126.00    | Horizontal | Vertical | Pass    |
| 17402.812       | -39.58       | 22.71       | -25.0          | -14.58          | 100.00    | Horizontal | Vertical | Pass    |

RSE-V&V DC\_25A\_n41A BW20(LTE)+BW60(NR)



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 820.210         | -52.96       | 40.48       | -25.0          | -27.96          | 0.00      | Vertical | Vertical | Pass    |
| 1873.600        | 11.80        | 45.15       | -25.0          | 36.80           | 7.00      | Vertical | Vertical | N/A     |
| 2579.000        | 4.51         | 46.90       | -25.0          | 29.51           | 181.00    | Vertical | Vertical | N/A     |
| 3558.400        | -57.28       | 3.84        | -25.0          | -32.28          | 223.00    | Vertical | Vertical | Pass    |
| 6997.200        | -47.90       | 13.51       | -25.0          | -22.90          | 52.00     | Vertical | Vertical | Pass    |
| 17295.188       | -39.59       | 21.13       | -25.0          | -14.59          | 336.00    | Vertical | Vertical | Pass    |


RSE-V&H DC\_25A\_n41A BW20(LTE)+BW60(NR)



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|------------|---------|
| 797.513         | -53.32       | 40.53       | -25.0          | -28.32          | 33.00     | Vertical | Horizontal | Pass    |
| 1873.600        | 8.61         | 45.15       | -25.0          | 33.61           | 21.00     | Vertical | Horizontal | N/A     |
| 2578.600        | -6.00        | 46.92       | -25.0          | 19.00           | 21.00     | Vertical | Horizontal | N/A     |
| 3577.000        | -57.28       | 4.03        | -25.0          | -32.28          | 94.00     | Vertical | Horizontal | Pass    |
| 6686.800        | -47.33       | 12.56       | -25.0          | -22.33          | 235.00    | Vertical | Horizontal | Pass    |
| 17299.913       | -39.30       | 21.14       | -25.0          | -14.30          | 140.00    | Vertical | Horizontal | Pass    |

### 36.3 DC\_25A\_n41A BW20(LTE)+BW100(NR)


RSE-H&H DC\_25A\_n41A BW20(LTE)+BW100(NR)



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|------------|---------|
| 788.492         | -53.12       | 40.45       | -25.0          | -28.12          | 360.00    | Horizontal | Horizontal | Pass    |
| 1873.800        | 18.04        | 45.16       | -25.0          | 43.04           | 110.00    | Horizontal | Horizontal | N/A     |
| 1962.500        | -39.60       | 44.68       | -25.0          | -14.60          | 89.00     | Horizontal | Horizontal | N/A     |
| 2598.400        | 7.92         | 46.84       | -25.0          | 32.92           | 333.00    | Horizontal | Horizontal | N/A     |
| 5132.600        | -50.42       | 10.74       | -25.0          | -25.42          | 101.00    | Horizontal | Horizontal | Pass    |
| 17427.751       | -39.80       | 22.46       | -25.0          | -14.80          | 55.00     | Horizontal | Horizontal | Pass    |




RSE-H&V DC\_25A\_n41A BW20(LTE)+BW100(NR)




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 839.028         | -52.62       | 40.75       | -25.0          | -27.62          | 86.00     | Horizontal | Vertical | Pass    |
| 1873.600        | 15.10        | 45.15       | -25.0          | 40.10           | 156.00    | Horizontal | Vertical | N/A     |
| 1962.700        | -39.82       | 44.67       | -25.0          | -14.82          | 226.00    | Horizontal | Vertical | N/A     |
| 2596.700        | -0.96        | 46.86       | -25.0          | 24.04           | 121.00    | Horizontal | Vertical | N/A     |
| 5127.800        | -50.51       | 10.79       | -25.0          | -25.51          | 113.00    | Horizontal | Vertical | Pass    |
| 14318.437       | -39.44       | 22.13       | -25.0          | -14.44          | 57.00     | Horizontal | Vertical | Pass    |

RSE-V&V DC\_25A\_n41A BW20(LTE)+BW100(NR)



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 799.792         | -53.07       | 40.65       | -25.0          | -28.07          | 71.00     | Vertical | Vertical | Pass    |
| 1873.600        | 11.01        | 45.15       | -25.0          | 36.01           | 9.00      | Vertical | Vertical | N/A     |
| 2612.300        | 3.11         | 47.17       | -25.0          | 28.11           | 253.00    | Vertical | Vertical | N/A     |
| 3730.600        | -56.73       | 4.46        | -25.0          | -31.73          | 245.00    | Vertical | Vertical | Pass    |
| 6995.400        | -47.53       | 13.47       | -25.0          | -22.53          | 360.00    | Vertical | Vertical | Pass    |
| 19292.426       | -38.66       | 27.00       | -25.0          | -13.66          | 360.00    | Vertical | Vertical | Pass    |

RSE-V&H DC\_25A\_n41A BW20(LTE)+BW100(NR)




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|------------|---------|
| 803.478         | -52.16       | 40.56       | -25.0          | -27.16          | 207.00    | Vertical | Horizontal | Pass    |
| 1873.800        | 14.26        | 45.16       | -25.0          | 39.26           | 18.00     | Vertical | Horizontal | N/A     |
| 2606.300        | -5.65        | 46.81       | -25.0          | 19.35           | 29.00     | Vertical | Horizontal | N/A     |
| 3680.800        | -56.22       | 4.93        | -25.0          | -31.22          | 194.00    | Vertical | Horizontal | Pass    |
| 6685.800        | -48.34       | 12.59       | -25.0          | -23.34          | 216.00    | Vertical | Horizontal | Pass    |
| 18659.600       | -39.11       | 24.45       | -25.0          | -14.11          | 0.00      | Vertical | Horizontal | Pass    |

37 DC\_26A\_n41A


37.1 DC\_26A\_n41A BW15(LTE)+BW20(NR)

RSE-H&H DC\_26A\_n41A BW15(LTE)+BW20(NR)




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|------------|---------|
| 824.818         | 15.81        | 40.57       | -25.0          | 40.81           | 336.00    | Horizontal | Horizontal | N/A     |
| 871.087         | -30.79       | 40.86       | -25.0          | -5.79           | 102.00    | Horizontal | Horizontal | N/A     |
| 1919.600        | -41.88       | 45.15       | -25.0          | -16.88          | 359.00    | Horizontal | Horizontal | Pass    |
| 2584.200        | 16.95        | 46.68       | -25.0          | 41.95           | 313.00    | Horizontal | Horizontal | N/A     |
| 6999.600        | -47.28       | 13.53       | -25.0          | -22.28          | 247.00    | Horizontal | Horizontal | Pass    |
| 17418.824       | -39.29       | 22.66       | -25.0          | -14.29          | 362.00    | Horizontal | Horizontal | Pass    |

RSE-H&V DC\_26A\_n41A BW15(LTE)+BW20(NR)




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 824.866         | 6.07         | 40.56       | -25.0          | 31.07           | 195.00    | Horizontal | Vertical | N/A     |
| 874.288         | -27.75       | 40.87       | -25.0          | -2.75           | 362.00    | Horizontal | Vertical | N/A     |
| 2003.300        | -41.59       | 44.76       | -25.0          | -16.59          | 255.00    | Horizontal | Vertical | Pass    |
| 2584.200        | -1.49        | 46.68       | -25.0          | 23.51           | 266.00    | Horizontal | Vertical | N/A     |
| 6997.600        | -47.74       | 13.52       | -25.0          | -22.74          | 178.00    | Horizontal | Vertical | Pass    |
| 14337.863       | -39.78       | 22.07       | -25.0          | -14.78          | 0.00      | Horizontal | Vertical | Pass    |

RSE-V&V DC\_26A\_n41A BW15(LTE)+BW20(NR)



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 824.866         | 10.84        | 40.56       | -25.0          | 35.84           | 186.00    | Vertical | Vertical | N/A     |
| 882.727         | -35.27       | 41.05       | -25.0          | -10.27          | 148.00    | Vertical | Vertical | N/A     |
| 1956.400        | -42.02       | 44.94       | -25.0          | -17.02          | 265.00    | Vertical | Vertical | Pass    |
| 2592.500        | 11.41        | 46.73       | -25.0          | 36.41           | 199.00    | Vertical | Vertical | N/A     |
| 6991.400        | -47.67       | 13.44       | -25.0          | -22.67          | 106.00    | Vertical | Vertical | Pass    |
| 19325.575       | -39.45       | 27.83       | -25.0          | -14.45          | 78.00     | Vertical | Vertical | Pass    |


RSE-V&H DC\_26A\_n41A BW15(LTE)+BW20(NR)



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|------------|---------|
| 824.915         | 10.70        | 40.56       | -25.0          | 35.70           | 269.00    | Vertical | Horizontal | N/A     |
| 870.457         | -33.49       | 40.85       | -25.0          | -8.49           | 40.00     | Vertical | Horizontal | N/A     |
| 1912.800        | -42.29       | 45.47       | -25.0          | -17.29          | 107.00    | Vertical | Horizontal | Pass    |
| 2592.500        | 5.21         | 46.73       | -25.0          | 30.21           | 22.00     | Vertical | Horizontal | N/A     |
| 6995.400        | -47.59       | 13.47       | -25.0          | -22.59          | 129.00    | Vertical | Horizontal | Pass    |
| 14347.050       | -39.52       | 22.15       | -25.0          | -14.52          | 322.00    | Vertical | Horizontal | Pass    |

### 37.2 DC\_26A\_n41A BW15(LTE)+BW60(NR)


RSE-H&H DC\_26A\_n41A BW15(LTE)+BW60(NR)



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|------------|---------|
| 824.866         | 14.08        | 40.56       | -25.0          | 39.08           | 346.00    | Horizontal | Horizontal | N/A     |
| 879.041         | -31.62       | 40.95       | -25.0          | -6.62           | 143.00    | Horizontal | Horizontal | N/A     |
| 2070.300        | -40.75       | 46.03       | -25.0          | -15.75          | 78.00     | Horizontal | Horizontal | Pass    |
| 2572.200        | 18.58        | 46.99       | -25.0          | 43.58           | 335.00    | Horizontal | Horizontal | N/A     |
| 7000.000        | -47.12       | 13.52       | -25.0          | -22.12          | 40.00     | Horizontal | Horizontal | Pass    |
| 14320.800       | -39.74       | 22.10       | -25.0          | -14.74          | -1.00     | Horizontal | Horizontal | Pass    |




RSE-H&V DC\_26A\_n41A BW15(LTE)+BW60(NR)




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 824.866         | 7.17         | 40.56       | -25.0          | 32.17           | 179.00    | Horizontal | Vertical | N/A     |
| 877.247         | -27.91       | 41.02       | -25.0          | -2.91           | 362.00    | Horizontal | Vertical | N/A     |
| 2124.300        | -39.88       | 46.53       | -25.0          | -14.88          | 60.00     | Horizontal | Vertical | Pass    |
| 2564.100        | 7.45         | 46.88       | -25.0          | 32.45           | 126.00    | Horizontal | Vertical | N/A     |
| 6993.200        | -47.58       | 13.57       | -25.0          | -22.58          | 87.00     | Horizontal | Vertical | Pass    |
| 14351.776       | -39.47       | 22.15       | -25.0          | -14.47          | 202.00    | Horizontal | Vertical | Pass    |

RSE-V&V DC\_26A\_n41A BW15(LTE)+BW60(NR)



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 824.818         | 10.58        | 40.57       | -25.0          | 35.58           | 183.00    | Vertical | Vertical | N/A     |
| 873.609         | -36.38       | 40.79       | -25.0          | -11.38          | 63.00     | Vertical | Vertical | N/A     |
| 1888.200        | -42.26       | 45.37       | -25.0          | -17.26          | 248.00    | Vertical | Vertical | Pass    |
| 2564.500        | 11.42        | 46.90       | -25.0          | 36.42           | 193.00    | Vertical | Vertical | N/A     |
| 6998.000        | -47.46       | 13.52       | -25.0          | -22.46          | 276.00    | Vertical | Vertical | Pass    |
| 17311.199       | -38.89       | 21.11       | -25.0          | -13.89          | -1.00     | Vertical | Vertical | Pass    |


RSE-V&H DC\_26A\_n41A BW15(LTE)+BW60(NR)



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|------------|---------|
| 824.818         | 12.38        | 40.57       | -25.0          | 37.38           | 363.00    | Vertical | Horizontal | N/A     |
| 873.657         | -32.63       | 40.79       | -25.0          | -7.63           | 67.00     | Vertical | Horizontal | N/A     |
| 1353.700        | -43.30       | 44.52       | -25.0          | -18.30          | 63.00     | Vertical | Horizontal | Pass    |
| 2572.300        | 3.45         | 46.98       | -25.0          | 28.45           | 19.00     | Vertical | Horizontal | N/A     |
| 6682.400        | -47.87       | 12.31       | -25.0          | -22.87          | 186.00    | Vertical | Horizontal | Pass    |
| 14316.862       | -39.46       | 22.14       | -25.0          | -14.46          | 305.00    | Vertical | Horizontal | Pass    |


### 37.3 DC\_26A\_n41A BW15(LTE)+BW100(NR)

RSE-H&H DC\_26A\_n41A BW15(LTE)+BW100(NR)




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|------------|---------|
| 824.866         | 14.46        | 40.56       | -25.0          | 39.46           | 76.00     | Horizontal | Horizontal | N/A     |
| 872.300         | -29.47       | 40.84       | -25.0          | -4.47           | 254.00    | Horizontal | Horizontal | N/A     |
| 2052.300        | -41.24       | 45.64       | -25.0          | -16.24          | 252.00    | Horizontal | Horizontal | Pass    |
| 2552.700        | 19.74        | 46.76       | -25.0          | 44.74           | 123.00    | Horizontal | Horizontal | N/A     |
| 6993.800        | -47.69       | 13.57       | -25.0          | -22.69          | 232.00    | Horizontal | Horizontal | Pass    |
| 17301.225       | -38.63       | 21.14       | -25.0          | -13.63          | 349.00    | Horizontal | Horizontal | Pass    |

RSE-H&V DC\_26A\_n41A BW15(LTE)+BW100(NR)




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 824.915         | 7.58         | 40.56       | -25.0          | 32.58           | 171.00    | Horizontal | Vertical | N/A     |
| 880.738         | -27.34       | 40.93       | -25.0          | -2.34           | 363.00    | Horizontal | Vertical | N/A     |
| 1599.300        | -43.65       | 43.70       | -25.0          | -18.65          | 48.00     | Horizontal | Vertical | Pass    |
| 2543.700        | 3.68         | 46.91       | -25.0          | 28.68           | 39.00     | Horizontal | Vertical | N/A     |
| 6999.200        | -47.43       | 13.53       | -25.0          | -22.43          | 143.00    | Horizontal | Vertical | Pass    |
| 17407.011       | -39.09       | 22.70       | -25.0          | -14.09          | 78.00     | Horizontal | Vertical | Pass    |

RSE-V&V DC\_26A\_n41A BW15(LTE)+BW100(NR)



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 824.866         | 11.19        | 40.56       | -25.0          | 36.19           | 189.00    | Vertical | Vertical | N/A     |
| 883.018         | -35.43       | 41.08       | -25.0          | -10.43          | 5.00      | Vertical | Vertical | N/A     |
| 2277.700        | -38.73       | 47.64       | -25.0          | -13.73          | 339.00    | Vertical | Vertical | Pass    |
| 2552.200        | 12.89        | 46.77       | -25.0          | 37.89           | 251.00    | Vertical | Vertical | N/A     |
| 6998.800        | -46.31       | 13.53       | -25.0          | -21.31          | 317.00    | Vertical | Vertical | Pass    |
| 14198.213       | -39.12       | 22.34       | -25.0          | -14.12          | 173.00    | Vertical | Vertical | Pass    |

RSE-V&H DC\_26A\_n41A BW15(LTE)+BW100(NR)




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|------------|---------|
| 824.915         | 11.33        | 40.56       | -25.0          | 36.33           | 361.00    | Vertical | Horizontal | N/A     |
| 872.251         | -33.08       | 40.85       | -25.0          | -8.08           | 257.00    | Vertical | Horizontal | N/A     |
| 2171.200        | -39.78       | 47.05       | -25.0          | -14.78          | 323.00    | Vertical | Horizontal | Pass    |
| 2543.900        | 5.43         | 46.91       | -25.0          | 30.43           | 6.00      | Vertical | Horizontal | N/A     |
| 6997.000        | -47.69       | 13.50       | -25.0          | -22.69          | 180.00    | Vertical | Horizontal | Pass    |
| 14328.412       | -39.24       | 22.09       | -25.0          | -14.24          | 112.00    | Vertical | Horizontal | Pass    |

38 DC\_66A\_n7A

38.1 DC\_66A\_n7A BW20(LTE)+BW5(NR)


RSE-H&H DC\_66A\_n7A BW20(LTE)+BW5(NR)



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|------------|---------|
| 85.581          | -67.72       | 19.56       | -25.0          | -42.72          | 226.00    | Horizontal | Horizontal | Pass    |
| 1736.200        | 18.91        | 44.33       | -25.0          | 43.91           | 118.00    | Horizontal | Horizontal | N/A     |
| 2145.500        | -38.19       | 46.90       | -25.0          | -13.19          | 113.00    | Horizontal | Horizontal | N/A     |
| 2534.700        | 13.31        | 46.66       | -25.0          | 38.31           | 138.00    | Horizontal | Horizontal | N/A     |
| 6990.800        | -47.66       | 13.43       | -25.0          | -22.66          | 347.00    | Horizontal | Horizontal | Pass    |
| 17424.075       | -39.50       | 22.55       | -25.0          | -14.50          | 0.00      | Horizontal | Horizontal | Pass    |




RSE-H&V DC\_66A\_n7A BW20(LTE)+BW5(NR)




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 179.040         | -68.62       | 26.39       | -25.0          | -43.62          | 196.00    | Horizontal | Vertical | Pass    |
| 1736.100        | 17.00        | 44.33       | -25.0          | 42.00           | 295.00    | Horizontal | Vertical | N/A     |
| 2144.800        | -38.11       | 46.92       | -25.0          | -13.11          | 13.00     | Horizontal | Vertical | N/A     |
| 2535.500        | 12.83        | 46.66       | -25.0          | 37.83           | 0.00      | Horizontal | Vertical | N/A     |
| 6999.200        | -47.24       | 13.53       | -25.0          | -22.24          | 80.00     | Horizontal | Vertical | Pass    |
| 17877.676       | -39.14       | 22.58       | -25.0          | -14.14          | 114.00    | Horizontal | Vertical | Pass    |

RSE-V&V DC\_66A\_n7A BW20(LTE)+BW5(NR)



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 90.479          | -68.73       | 19.51       | -25.0          | -43.73          | 139.00    | Vertical | Vertical | Pass    |
| 1736.100        | 12.78        | 44.33       | -25.0          | 37.78           | 352.00    | Vertical | Vertical | N/A     |
| 2206.900        | -39.67       | 47.19       | -25.0          | -14.67          | 304.00    | Vertical | Vertical | Pass    |
| 2534.600        | 9.81         | 46.66       | -25.0          | 34.81           | 269.00    | Vertical | Vertical | N/A     |
| 6995.400        | -47.65       | 13.47       | -25.0          | -22.65          | 82.00     | Vertical | Vertical | Pass    |
| 17397.037       | -39.40       | 22.65       | -25.0          | -14.40          | 132.00    | Vertical | Vertical | Pass    |


RSE-V&H DC\_66A\_n7A BW20(LTE)+BW5(NR)



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|------------|---------|
| 87.812          | -64.33       | 19.42       | -25.0          | -39.33          | 152.00    | Vertical | Horizontal | Pass    |
| 1736.200        | 15.28        | 44.33       | -25.0          | 40.28           | 113.00    | Vertical | Horizontal | N/A     |
| 2146.000        | -39.88       | 46.89       | -25.0          | -14.88          | 358.00    | Vertical | Horizontal | Pass    |
| 2534.500        | -2.26        | 46.66       | -25.0          | 22.74           | 53.00     | Vertical | Horizontal | N/A     |
| 7000.000        | -47.72       | 13.52       | -25.0          | -22.72          | 224.00    | Vertical | Horizontal | Pass    |
| 14330.250       | -39.90       | 22.08       | -25.0          | -14.90          | 288.00    | Vertical | Horizontal | Pass    |

### 38.2 DC\_66A\_n7A BW20(LTE)+BW15(NR)


RSE-H&H DC\_66A\_n7A BW20(LTE)+BW15(NR)



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|------------|---------|
| 381.286         | -61.83       | 32.17       | -25.0          | -36.83          | 333.00    | Horizontal | Horizontal | Pass    |
| 1736.200        | 20.19        | 44.33       | -25.0          | 45.19           | 111.00    | Horizontal | Horizontal | N/A     |
| 2145.100        | -38.63       | 46.92       | -25.0          | -13.63          | 204.00    | Horizontal | Horizontal | N/A     |
| 2532.700        | 11.62        | 46.73       | -25.0          | 36.62           | 154.00    | Horizontal | Horizontal | N/A     |
| 6999.200        | -47.65       | 13.53       | -25.0          | -22.65          | 272.00    | Horizontal | Horizontal | Pass    |
| 17389.687       | -38.85       | 22.46       | -25.0          | -13.85          | 261.00    | Horizontal | Horizontal | Pass    |


RSE-H&V DC\_66A\_n7A BW20(LTE)+BW15(NR)

RSE (RF) \_FCC PART22&24&27 - 5G\_5G N7 & N41 30M-27GHz




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 84.611          | -66.07       | 19.84       | -25.0          | -41.07          | 215.00    | Horizontal | Vertical | Pass    |
| 1736.300        | 15.99        | 44.32       | -25.0          | 40.99           | 0.00      | Horizontal | Vertical | N/A     |
| 2145.300        | -36.89       | 46.91       | -25.0          | -11.89          | 155.00    | Horizontal | Vertical | N/A     |
| 2537.000        | 11.36        | 46.91       | -25.0          | 36.36           | 140.00    | Horizontal | Vertical | N/A     |
| 6997.200        | -47.74       | 13.51       | -25.0          | -22.74          | 276.00    | Horizontal | Vertical | Pass    |
| 14322.900       | -39.71       | 22.10       | -25.0          | -14.71          | 192.00    | Horizontal | Vertical | Pass    |

RSE-V&V DC\_66A\_n7A BW20(LTE)+BW15(NR)



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 79.567          | -63.61       | 20.98       | -25.0          | -38.61          | 101.00    | Vertical | Vertical | Pass    |
| 1736.200        | 13.39        | 44.33       | -25.0          | 38.39           | 227.00    | Vertical | Vertical | N/A     |
| 2155.900        | -40.03       | 46.96       | -25.0          | -15.03          | 258.00    | Vertical | Vertical | Pass    |
| 2533.100        | 7.54         | 46.71       | -25.0          | 32.54           | 264.00    | Vertical | Vertical | N/A     |
| 6997.000        | -47.45       | 13.50       | -25.0          | -22.45          | 120.00    | Vertical | Vertical | Pass    |
| 14323.687       | -39.53       | 22.10       | -25.0          | -14.53          | 0.00      | Vertical | Vertical | Pass    |


RSE-V&H DC\_66A\_n7A BW20(LTE)+BW15(NR)



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|------------|---------|
| 180.835         | -69.03       | 26.54       | -25.0          | -44.03          | 245.00    | Vertical | Horizontal | Pass    |
| 1736.400        | 14.38        | 44.31       | -25.0          | 39.38           | 120.00    | Vertical | Horizontal | N/A     |
| 2178.900        | -39.92       | 47.20       | -25.0          | -14.92          | 95.00     | Vertical | Horizontal | Pass    |
| 2537.200        | -5.98        | 46.94       | -25.0          | 19.02           | 179.00    | Vertical | Horizontal | N/A     |
| 5171.600        | -49.12       | 10.58       | -25.0          | -24.12          | 259.00    | Vertical | Horizontal | Pass    |
| 14313.713       | -39.71       | 22.18       | -25.0          | -14.71          | 361.00    | Vertical | Horizontal | Pass    |

### 38.3 DC\_66A\_n7A BW20(LTE)+BW20(NR)


RSE-H&H DC\_66A\_n7A BW20(LTE)+BW20(NR)



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|------------|---------|
| 180.010         | -68.27       | 26.60       | -25.0          | -43.27          | -1.00     | Horizontal | Horizontal | Pass    |
| 1735.900        | 19.38        | 44.34       | -25.0          | 44.38           | 109.00    | Horizontal | Horizontal | N/A     |
| 2145.400        | -39.06       | 46.91       | -25.0          | -14.06          | 127.00    | Horizontal | Horizontal | N/A     |
| 2530.600        | 9.89         | 46.85       | -25.0          | 34.89           | 161.00    | Horizontal | Horizontal | N/A     |
| 6991.000        | -47.50       | 13.43       | -25.0          | -22.50          | 152.00    | Horizontal | Horizontal | Pass    |
| 14329.987       | -39.47       | 22.08       | -25.0          | -14.47          | 362.00    | Horizontal | Horizontal | Pass    |




RSE-H&V DC\_66A\_n7A BW20(LTE)+BW20(NR)




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 391.082         | -61.25       | 32.05       | -25.0          | -36.25          | 267.00    | Horizontal | Vertical | Pass    |
| 1735.900        | 16.47        | 44.34       | -25.0          | 41.47           | 295.00    | Horizontal | Vertical | N/A     |
| 2144.600        | -36.48       | 46.93       | -25.0          | -11.48          | 136.00    | Horizontal | Vertical | N/A     |
| 2532.300        | 10.21        | 46.75       | -25.0          | 35.21           | 136.00    | Horizontal | Vertical | N/A     |
| 6996.400        | -47.49       | 13.48       | -25.0          | -22.49          | 187.00    | Horizontal | Vertical | Pass    |
| 17418.037       | -38.77       | 22.66       | -25.0          | -13.77          | 191.00    | Horizontal | Vertical | Pass    |

RSE-V&V DC\_66A\_n7A BW20(LTE)+BW20(NR)



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 184.036         | -67.48       | 26.40       | -25.0          | -42.48          | 144.00    | Vertical | Vertical | Pass    |
| 1736.000        | 12.88        | 44.33       | -25.0          | 37.88           | 148.00    | Vertical | Vertical | N/A     |
| 2206.300        | -39.55       | 47.25       | -25.0          | -14.55          | 253.00    | Vertical | Vertical | Pass    |
| 2535.000        | 5.70         | 46.65       | -25.0          | 30.70           | 235.00    | Vertical | Vertical | N/A     |
| 6999.600        | -47.21       | 13.53       | -25.0          | -22.21          | 54.00     | Vertical | Vertical | Pass    |
| 14324.475       | -40.01       | 22.10       | -25.0          | -15.01          | 316.00    | Vertical | Vertical | Pass    |

RSE-V&H DC\_66A\_n7A BW20(LTE)+BW20(NR)



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|------------|---------|
| 180.302         | -67.59       | 26.58       | -25.0          | -42.59          | 310.00    | Vertical | Horizontal | Pass    |
| 1736.100        | 14.25        | 44.33       | -25.0          | 39.25           | 118.00    | Vertical | Horizontal | N/A     |
| 2231.500        | -39.26       | 47.53       | -25.0          | -14.26          | 203.00    | Vertical | Horizontal | Pass    |
| 2537.500        | -8.56        | 46.98       | -25.0          | 16.44           | 308.00    | Vertical | Horizontal | N/A     |
| 6977.600        | -46.79       | 13.91       | -25.0          | -21.79          | 195.00    | Vertical | Horizontal | Pass    |
| 14314.762       | -39.84       | 22.17       | -25.0          | -14.84          | 349.00    | Vertical | Horizontal | Pass    |