

1 GHz to 18 GHz, ANT H 802.11ax20(SU) Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1343.200	40.63	-16.58	74.0	-33.37	Peak	155.00	150	Horizontal	Pass
1**	1343.200	28.82	-16.58	54.0	-25.18	AV	155.00	150	Horizontal	Pass
2	2409.700	105.87	-12.15	74.0	31.87	Peak	73.00	150	Horizontal	N/A
2**	2409.700	96.47	-12.15	54.0	42.47	AV	73.00	150	Horizontal	N/A
3	4820.500	50.67	0.73	74.0	-23.33	Peak	293.00	150	Horizontal	Pass
3**	4820.500	42.47	0.73	54.0	-11.53	AV	293.00	150	Horizontal	Pass
4	7910.250	53.81	2.78	74.0	-20.19	Peak	222.00	150	Horizontal	Pass
4**	7910.250	45.55	2.78	54.0	-8.45	AV	222.00	150	Horizontal	Pass
5	13584.500	54.61	4.72	74.0	-19.39	Peak	186.00	150	Horizontal	Pass
5**	13584.500	44.92	4.72	54.0	-9.08	AV	186.00	150	Horizontal	Pass
6	17095.999	52.83	3.60	74.0	-21.17	Peak	290.00	150	Horizontal	Pass
6**	17095.999	45.42	3.60	54.0	-8.58	AV	290.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1464.400	41.72	-16.54	74.0	-32.28	Peak	305.00	150	Vertical	Pass
1**	1464.400	30.14	-16.54	54.0	-23.86	AV	305.00	150	Vertical	Pass
2	2407.100	95.14	-12.21	74.0	21.14	Peak	339.00	150	Vertical	N/A
2**	2407.100	85.87	-12.21	54.0	31.87	AV	339.00	150	Vertical	N/A
3	4972.250	51.21	0.97	74.0	-22.79	Peak	360.00	150	Vertical	Pass
3**	4972.250	42.55	0.97	54.0	-11.45	AV	360.00	150	Vertical	Pass
4	7634.500	53.72	2.47	74.0	-20.28	Peak	43.00	150	Vertical	Pass
4**	7634.500	44.85	2.47	54.0	-9.15	AV	43.00	150	Vertical	Pass
5	13796.000	55.32	5.63	74.0	-18.68	Peak	19.00	150	Vertical	Pass
5**	13796.000	46.44	5.63	54.0	-7.56	AV	19.00	150	Vertical	Pass
6	17121.000	52.24	3.41	74.0	-21.76	Peak	346.00	150	Vertical	Pass
6**	17121.000	44.38	3.41	54.0	-9.62	AV	346.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) Channel 2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1534.000	40.54	-16.70	74.0	-33.46	Peak	1.00	150	Horizontal	Pass
1**	1534.000	29.81	-16.70	54.0	-24.19	AV	1.00	150	Horizontal	Pass
2	2422.400	106.23	-11.71	74.0	32.23	Peak	60.00	150	Horizontal	N/A
2**	2422.400	95.45	-11.71	54.0	41.45	AV	60.00	150	Horizontal	N/A
3	4904.000	50.55	0.33	74.0	-23.45	Peak	77.00	150	Horizontal	Pass
3**	4904.000	42.98	0.33	54.0	-11.02	AV	77.00	150	Horizontal	Pass
4	7003.250	54.44	1.99	74.0	-19.56	Peak	303.00	150	Horizontal	Pass
4**	7003.250	46.14	1.99	54.0	-7.86	AV	303.00	150	Horizontal	Pass
5	12007.999	53.63	2.39	74.0	-20.37	Peak	26.00	150	Horizontal	Pass
5**	12007.999	44.25	2.39	54.0	-9.75	AV	26.00	150	Horizontal	Pass
6	17818.499	53.52	2.27	74.0	-20.48	Peak	71.00	150	Horizontal	Pass
6**	17818.499	43.82	2.27	54.0	-10.18	AV	71.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1604.400	42.29	-16.85	74.0	-31.71	Peak	118.00	150	Vertical	Pass
1**	1604.400	28.55	-16.85	54.0	-25.45	AV	118.00	150	Vertical	Pass
2	2419.000	93.83	-11.89	74.0	19.83	Peak	296.00	150	Vertical	N/A
2**	2419.000	85.11	-11.89	54.0	31.11	AV	296.00	150	Vertical	N/A
3	4056.000	49.16	-1.80	74.0	-24.84	Peak	79.00	150	Vertical	Pass
3**	4056.000	38.53	-1.80	54.0	-15.47	AV	79.00	150	Vertical	Pass
4	7957.000	55.24	2.90	74.0	-18.76	Peak	339.00	150	Vertical	Pass
4**	7957.000	45.33	2.90	54.0	-8.67	AV	339.00	150	Vertical	Pass
5	11284.500	52.07	2.21	74.0	-21.93	Peak	335.00	150	Vertical	Pass
5**	11284.500	44.85	2.21	54.0	-9.15	AV	335.00	150	Vertical	Pass
6	17090.500	52.59	3.38	74.0	-21.41	Peak	292.00	150	Vertical	Pass
6**	17090.500	44.19	3.38	54.0	-9.81	AV	292.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1716.400	41.33	-16.32	74.0	-32.67	Peak	323.00	150	Horizontal	Pass
1**	1716.400	29.38	-16.32	54.0	-24.62	AV	323.00	150	Horizontal	Pass
2	2434.600	105.80	-12.00	74.0	31.80	Peak	45.00	150	Horizontal	N/A
2**	2434.600	96.97	-12.00	54.0	42.97	AV	45.00	150	Horizontal	N/A
3	4979.250	51.52	0.91	74.0	-22.48	Peak	114.00	150	Horizontal	Pass
3**	4979.250	42.39	0.91	54.0	-11.61	AV	114.00	150	Horizontal	Pass
4	7393.500	53.50	2.45	74.0	-20.50	Peak	55.00	150	Horizontal	Pass
4**	7393.500	44.72	2.45	54.0	-9.28	AV	55.00	150	Horizontal	Pass
5	13648.000	54.56	5.12	74.0	-19.44	Peak	38.00	150	Horizontal	Pass
5**	13648.000	46.15	5.12	54.0	-7.85	AV	38.00	150	Horizontal	Pass
6	17082.000	53.14	3.05	74.0	-20.86	Peak	175.00	150	Horizontal	Pass
6**	17082.000	43.59	3.05	54.0	-10.41	AV	175.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1815.100	41.70	-15.93	74.0	-32.30	Peak	326.00	150	Vertical	Pass
1**	1815.100	30.40	-15.93	54.0	-23.60	AV	326.00	150	Vertical	Pass
2	2432.000	94.26	-11.85	74.0	20.26	Peak	343.00	150	Vertical	N/A
2**	2432.000	85.68	-11.85	54.0	31.68	AV	343.00	150	Vertical	N/A
3	4992.250	50.77	0.68	74.0	-23.23	Peak	268.00	150	Vertical	Pass
3**	4992.250	41.76	0.68	54.0	-12.24	AV	268.00	150	Vertical	Pass
4	7472.000	53.62	1.82	74.0	-20.38	Peak	280.00	150	Vertical	Pass
4**	7472.000	44.40	1.82	54.0	-9.60	AV	280.00	150	Vertical	Pass
5	13362.000	54.46	5.15	74.0	-19.54	Peak	221.00	150	Vertical	Pass
5**	13362.000	45.64	5.15	54.0	-8.36	AV	221.00	150	Vertical	Pass
6	17086.500	52.39	3.22	74.0	-21.61	Peak	238.00	150	Vertical	Pass
6**	17086.500	43.82	3.22	54.0	-10.18	AV	238.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) Channel 10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1560.300	41.16	-16.77	74.0	-32.84	Peak	263.00	150	Horizontal	Pass
1**	1560.300	29.14	-16.77	54.0	-24.86	AV	263.00	150	Horizontal	Pass
2	2462.100	105.05	-11.56	74.0	31.05	Peak	59.00	150	Horizontal	N/A
2**	2462.100	95.69	-11.56	54.0	41.69	AV	59.00	150	Horizontal	N/A
3	4644.000	50.28	-1.09	74.0	-23.72	Peak	271.00	150	Horizontal	Pass
3**	4644.000	41.21	-1.09	54.0	-12.79	AV	271.00	150	Horizontal	Pass
4	7917.000	54.72	2.83	74.0	-19.28	Peak	199.00	150	Horizontal	Pass
4**	7917.000	45.58	2.83	54.0	-8.42	AV	199.00	150	Horizontal	Pass
5	11222.500	52.97	2.04	74.0	-21.03	Peak	335.00	150	Horizontal	Pass
5**	11222.500	43.28	2.04	54.0	-10.72	AV	335.00	150	Horizontal	Pass
6	17118.000	52.53	3.46	74.0	-21.47	Peak	305.00	150	Horizontal	Pass
6**	17118.000	44.60	3.46	54.0	-9.40	AV	305.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.500	41.61	-16.72	74.0	-32.39	Peak	74.00	150	Vertical	Pass
1**	1330.500	28.51	-16.72	54.0	-25.49	AV	74.00	150	Vertical	Pass
2	2456.000	91.73	-11.79	74.0	17.73	Peak	150.00	150	Vertical	N/A
2**	2456.000	82.12	-11.79	54.0	28.12	AV	150.00	150	Vertical	N/A
3	5113.750	51.20	0.15	74.0	-22.80	Peak	173.00	150	Vertical	Pass
3**	5113.750	42.36	0.15	54.0	-11.64	AV	173.00	150	Vertical	Pass
4	7637.000	54.29	2.55	74.0	-19.71	Peak	351.00	150	Vertical	Pass
4**	7637.000	44.43	2.55	54.0	-9.57	AV	351.00	150	Vertical	Pass
5	11271.999	53.12	2.05	74.0	-20.88	Peak	226.00	150	Vertical	Pass
5**	11271.999	43.70	2.05	54.0	-10.30	AV	226.00	150	Vertical	Pass
6	17112.001	52.81	3.56	74.0	-21.19	Peak	268.00	150	Vertical	Pass
6**	17112.001	44.88	3.56	54.0	-9.12	AV	268.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1492.600	40.68	-16.75	74.0	-33.32	Peak	235.00	150	Horizontal	Pass
1**	1492.600	28.81	-16.75	54.0	-25.19	AV	235.00	150	Horizontal	Pass
2	2467.200	105.56	-11.56	74.0	31.56	Peak	109.00	150	Horizontal	N/A
2**	2467.200	97.57	-11.56	54.0	43.57	AV	109.00	150	Horizontal	N/A
3	4786.250	50.70	0.92	74.0	-23.30	Peak	280.00	150	Horizontal	Pass
3**	4786.250	41.59	0.92	54.0	-12.41	AV	280.00	150	Horizontal	Pass
4	7638.250	53.78	2.44	74.0	-20.22	Peak	360.00	150	Horizontal	Pass
4**	7638.250	44.40	2.44	54.0	-9.60	AV	360.00	150	Horizontal	Pass
5	13642.500	55.11	5.07	74.0	-18.89	Peak	13.00	150	Horizontal	Pass
5**	13642.500	46.27	5.07	54.0	-7.73	AV	13.00	150	Horizontal	Pass
6	17084.000	52.36	3.12	74.0	-21.64	Peak	64.00	150	Horizontal	Pass
6**	17084.000	43.77	3.12	54.0	-10.23	AV	64.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1328.000	41.71	-16.67	74.0	-32.29	Peak	113.00	150	Vertical	Pass
1**	1328.000	33.25	-16.67	54.0	-20.75	AV	113.00	150	Vertical	Pass
2	2466.900	92.53	-11.57	74.0	18.53	Peak	339.00	150	Vertical	N/A
2**	2466.900	83.00	-11.57	54.0	29.00	AV	339.00	150	Vertical	N/A
3	4925.750	50.42	0.87	74.0	-23.58	Peak	282.00	150	Vertical	Pass
3**	4925.750	43.07	0.87	54.0	-10.93	AV	282.00	150	Vertical	Pass
4	7414.000	53.72	2.94	74.0	-20.28	Peak	43.00	150	Vertical	Pass
4**	7414.000	45.64	2.94	54.0	-8.36	AV	43.00	150	Vertical	Pass
5	13797.500	54.98	5.70	74.0	-19.02	Peak	19.00	150	Vertical	Pass
5**	13797.500	46.30	5.70	54.0	-7.70	AV	19.00	150	Vertical	Pass
6	17103.000	52.81	3.70	74.0	-21.19	Peak	54.00	150	Vertical	Pass
6**	17103.000	44.69	3.70	54.0	-9.31	AV	54.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1704.900	42.34	-16.57	74.0	-31.66	Peak	233.00	150	Horizontal	Pass
1**	1704.900	29.18	-16.57	54.0	-24.82	AV	233.00	150	Horizontal	Pass
2	2436.400	102.81	-12.09	74.0	28.81	Peak	37.00	150	Horizontal	N/A
2**	2436.400	95.06	-12.09	54.0	41.06	AV	37.00	150	Horizontal	N/A
3	4843.250	50.78	0.24	74.0	-23.22	Peak	209.00	150	Horizontal	Pass
3**	4843.250	41.98	0.24	54.0	-12.02	AV	209.00	150	Horizontal	Pass
4	7494.750	53.96	2.02	74.0	-20.04	Peak	55.00	150	Horizontal	Pass
4**	7494.750	44.32	2.02	54.0	-9.68	AV	55.00	150	Horizontal	Pass
5	13838.000	54.52	5.33	74.0	-19.48	Peak	124.00	150	Horizontal	Pass
5**	13838.000	45.30	5.33	54.0	-8.70	AV	124.00	150	Horizontal	Pass
6	17136.000	53.63	3.16	74.0	-20.37	Peak	347.00	150	Horizontal	Pass
6**	17136.000	43.91	3.16	54.0	-10.09	AV	347.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1754.500	41.39	-16.12	74.0	-32.61	Peak	287.00	150	Vertical	Pass
1**	1754.500	30.46	-16.12	54.0	-23.54	AV	287.00	150	Vertical	Pass
2	2424.200	90.86	-11.67	74.0	16.86	Peak	241.00	150	Vertical	N/A
2**	2424.200	81.68	-11.67	54.0	27.68	AV	241.00	150	Vertical	N/A
3	4824.500	50.76	0.49	74.0	-23.24	Peak	9.00	150	Vertical	Pass
3**	4824.500	41.32	0.49	54.0	-12.68	AV	9.00	150	Vertical	Pass
4	7917.000	54.06	2.83	74.0	-19.94	Peak	186.00	150	Vertical	Pass
4**	7917.000	45.41	2.83	54.0	-8.59	AV	186.00	150	Vertical	Pass
5	13339.000	54.10	4.85	74.0	-19.90	Peak	360.00	150	Vertical	Pass
5**	13339.000	45.08	4.85	54.0	-8.92	AV	360.00	150	Vertical	Pass
6	17077.500	53.52	2.87	74.0	-20.48	Peak	343.00	150	Vertical	Pass
6**	17077.500	43.81	2.87	54.0	-10.19	AV	343.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Channel 4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1469.400	40.40	-16.59	74.0	-33.60	Peak	189.00	150	Horizontal	Pass
1**	1469.400	28.60	-16.59	54.0	-25.40	AV	189.00	150	Horizontal	Pass
2	2431.600	102.96	-11.81	74.0	28.96	Peak	61.00	150	Horizontal	N/A
2**	2431.600	94.85	-11.81	54.0	40.85	AV	61.00	150	Horizontal	N/A
3	4131.500	48.87	-3.12	74.0	-25.13	Peak	292.00	150	Horizontal	Pass
3**	4131.500	39.95	-3.12	54.0	-14.05	AV	292.00	150	Horizontal	Pass
4	7916.250	53.65	2.84	74.0	-20.35	Peak	90.00	150	Horizontal	Pass
4**	7916.250	44.75	2.84	54.0	-9.25	AV	90.00	150	Horizontal	Pass
5	11941.500	53.12	2.58	74.0	-20.88	Peak	0.00	150	Horizontal	Pass
5**	11941.500	43.29	2.58	54.0	-10.71	AV	0.00	150	Horizontal	Pass
6	17086.500	52.46	3.22	74.0	-21.54	Peak	25.00	150	Horizontal	Pass
6**	17086.500	44.38	3.22	54.0	-9.62	AV	25.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Channel 4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1447.900	40.77	-16.55	74.0	-33.23	Peak	81.00	150	Vertical	Pass
1**	1447.900	30.50	-16.55	54.0	-23.50	AV	81.00	150	Vertical	Pass
2	2431.800	90.25	-11.84	74.0	16.25	Peak	171.00	150	Vertical	N/A
2**	2431.800	80.88	-11.84	54.0	26.88	AV	171.00	150	Vertical	N/A
3	4814.750	51.50	0.83	74.0	-22.50	Peak	116.00	150	Vertical	Pass
3**	4814.750	42.12	0.83	54.0	-11.88	AV	116.00	150	Vertical	Pass
4	7651.000	53.92	2.27	74.0	-20.08	Peak	0.00	150	Vertical	Pass
4**	7651.000	44.38	2.27	54.0	-9.62	AV	0.00	150	Vertical	Pass
5	11282.500	52.72	2.18	74.0	-21.28	Peak	349.00	150	Vertical	Pass
5**	11282.500	44.27	2.18	54.0	-9.73	AV	349.00	150	Vertical	Pass
6	17081.500	52.97	3.03	74.0	-21.03	Peak	278.00	150	Vertical	Pass
6**	17081.500	43.20	3.03	54.0	-10.80	AV	278.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Channel 5

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1666.800	40.89	-16.26	74.0	-33.11	Peak	54.00	150	Horizontal	Pass
1**	1666.800	29.49	-16.26	54.0	-24.51	AV	54.00	150	Horizontal	Pass
2	2445.600	103.24	-11.99	74.0	29.24	Peak	59.00	150	Horizontal	N/A
2**	2445.600	93.36	-11.99	54.0	39.36	AV	59.00	150	Horizontal	N/A
3	5072.250	51.55	0.28	74.0	-22.45	Peak	68.00	150	Horizontal	Pass
3**	5072.250	42.95	0.28	54.0	-11.05	AV	68.00	150	Horizontal	Pass
4	6778.250	54.80	1.07	74.0	-19.20	Peak	127.00	150	Horizontal	Pass
4**	6778.250	43.67	1.07	54.0	-10.33	AV	127.00	150	Horizontal	Pass
5	10785.500	52.38	1.71	74.0	-21.62	Peak	79.00	150	Horizontal	Pass
5**	10785.500	44.23	1.71	54.0	-9.77	AV	79.00	150	Horizontal	Pass
6	17099.000	52.51	3.71	74.0	-21.49	Peak	108.00	150	Horizontal	Pass
6**	17099.000	43.92	3.71	54.0	-10.08	AV	108.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Channel 5

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1403.300	42.09	-16.55	74.0	-31.91	Peak	360.00	150	Vertical	Pass
1**	1403.300	29.28	-16.55	54.0	-24.72	AV	360.00	150	Vertical	Pass
2	2433.300	90.57	-11.90	74.0	16.57	Peak	341.00	150	Vertical	N/A
2**	2433.300	81.76	-11.90	54.0	27.76	AV	341.00	150	Vertical	N/A
3	4078.750	48.06	-2.65	74.0	-25.94	Peak	351.00	150	Vertical	Pass
3**	4078.750	38.23	-2.65	54.0	-15.77	AV	351.00	150	Vertical	Pass
4	7107.750	53.52	2.06	74.0	-20.48	Peak	198.00	150	Vertical	Pass
4**	7107.750	44.43	2.06	54.0	-9.57	AV	198.00	150	Vertical	Pass
5	10056.500	51.99	2.48	74.0	-22.01	Peak	83.00	150	Vertical	Pass
5**	10056.500	43.39	2.48	54.0	-10.61	AV	83.00	150	Vertical	Pass
6	17091.000	52.31	3.40	74.0	-21.69	Peak	140.00	150	Vertical	Pass
6**	17091.000	43.94	3.40	54.0	-10.06	AV	140.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1597.500	40.65	-16.97	74.0	-33.35	Peak	338.00	150	Horizontal	Pass
1**	1597.500	28.69	-16.97	54.0	-25.31	AV	338.00	150	Horizontal	Pass
2	2435.900	104.68	-12.08	74.0	30.68	Peak	54.00	150	Horizontal	N/A
2**	2435.900	94.13	-12.08	54.0	40.13	AV	54.00	150	Horizontal	N/A
3	4975.250	50.71	0.94	74.0	-23.29	Peak	32.00	150	Horizontal	Pass
3**	4975.250	42.32	0.94	54.0	-11.68	AV	32.00	150	Horizontal	Pass
4	7797.000	53.64	2.63	74.0	-20.36	Peak	91.00	150	Horizontal	Pass
4**	7797.000	46.01	2.63	54.0	-7.99	AV	91.00	150	Horizontal	Pass
5	13563.500	54.86	4.73	74.0	-19.14	Peak	65.00	150	Horizontal	Pass
5**	13563.500	44.94	4.73	54.0	-9.06	AV	65.00	150	Horizontal	Pass
6	17086.500	52.70	3.22	74.0	-21.30	Peak	360.00	150	Horizontal	Pass
6**	17086.500	43.73	3.22	54.0	-10.27	AV	360.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1594.000	40.30	-16.97	74.0	-33.70	Peak	272.00	150	Vertical	Pass
1**	1594.000	29.37	-16.97	54.0	-24.63	AV	272.00	150	Vertical	Pass
2	2436.100	92.87	-12.08	74.0	18.87	Peak	334.00	150	Vertical	N/A
2**	2436.100	85.60	-12.08	54.0	31.60	AV	334.00	150	Vertical	N/A
3	4811.750	51.38	0.87	74.0	-22.62	Peak	199.00	150	Vertical	Pass
3**	4811.750	42.42	0.87	54.0	-11.58	AV	199.00	150	Vertical	Pass
4	7774.500	54.28	3.05	74.0	-19.72	Peak	0.00	150	Vertical	Pass
4**	7774.500	44.49	3.05	54.0	-9.51	AV	0.00	150	Vertical	Pass
5	13378.500	54.59	5.04	74.0	-19.41	Peak	20.00	150	Vertical	Pass
5**	13378.500	44.50	5.04	54.0	-9.50	AV	20.00	150	Vertical	Pass
6	17120.500	52.88	3.42	74.0	-21.12	Peak	209.00	150	Vertical	Pass
6**	17120.500	44.10	3.42	54.0	-9.90	AV	209.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Channel 7

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1388.700	41.01	-16.73	74.0	-32.99	Peak	275.00	150	Horizontal	Pass
1**	1388.700	28.77	-16.73	54.0	-25.23	AV	275.00	150	Horizontal	Pass
2	2446.000	102.66	-12.04	74.0	28.66	Peak	65.00	150	Horizontal	N/A
2**	2446.000	93.22	-12.04	54.0	39.22	AV	65.00	150	Horizontal	N/A
3	5064.250	51.14	0.14	74.0	-22.86	Peak	305.00	150	Horizontal	Pass
3**	5064.250	42.59	0.14	54.0	-11.41	AV	305.00	150	Horizontal	Pass
4	7899.750	54.43	2.21	74.0	-19.57	Peak	317.00	150	Horizontal	Pass
4**	7899.750	44.79	2.21	54.0	-9.21	AV	317.00	150	Horizontal	Pass
5	13342.000	54.70	4.95	74.0	-19.30	Peak	112.00	150	Horizontal	Pass
5**	13342.000	45.55	4.95	54.0	-8.45	AV	112.00	150	Horizontal	Pass
6	17133.000	53.33	3.21	74.0	-20.67	Peak	40.00	150	Horizontal	Pass
6**	17133.000	43.85	3.21	54.0	-10.15	AV	40.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Channel 7

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1333.400	42.21	-16.75	74.0	-31.79	Peak	133.00	150	Vertical	Pass
1**	1333.400	29.89	-16.75	54.0	-24.11	AV	133.00	150	Vertical	Pass
2	2433.900	89.57	-11.96	74.0	15.57	Peak	168.00	150	Vertical	N/A
2**	2433.900	79.73	-11.96	54.0	25.73	AV	168.00	150	Vertical	N/A
3	5016.000	51.24	0.12	74.0	-22.76	Peak	1.00	150	Vertical	Pass
3**	5016.000	41.56	0.12	54.0	-12.44	AV	1.00	150	Vertical	Pass
4	7935.250	53.94	3.23	74.0	-20.06	Peak	20.00	150	Vertical	Pass
4**	7935.250	46.40	3.23	54.0	-7.60	AV	20.00	150	Vertical	Pass
5	12612.500	53.91	2.70	74.0	-20.09	Peak	37.00	150	Vertical	Pass
5**	12612.500	43.87	2.70	54.0	-10.13	AV	37.00	150	Vertical	Pass
6	17076.500	52.57	2.83	74.0	-21.43	Peak	294.00	150	Vertical	Pass
6**	17076.500	43.93	2.83	54.0	-10.07	AV	294.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Channel 8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1479.300	40.70	-16.72	74.0	-33.30	Peak	334.00	150	Horizontal	Pass
1**	1479.300	29.29	-16.72	54.0	-24.71	AV	334.00	150	Horizontal	Pass
2	2458.300	102.38	-11.67	74.0	28.38	Peak	59.00	150	Horizontal	N/A
2**	2458.300	92.87	-11.67	54.0	38.87	AV	59.00	150	Horizontal	N/A
3	5322.000	51.56	0.50	74.0	-22.44	Peak	260.00	150	Horizontal	Pass
3**	5322.000	42.01	0.50	54.0	-11.99	AV	260.00	150	Horizontal	Pass
4	7915.000	54.03	2.91	74.0	-19.97	Peak	187.00	150	Horizontal	Pass
4**	7915.000	44.31	2.91	54.0	-9.69	AV	187.00	150	Horizontal	Pass
5	11224.500	53.03	2.02	74.0	-20.97	Peak	294.00	150	Horizontal	Pass
5**	11224.500	42.92	2.02	54.0	-11.08	AV	294.00	150	Horizontal	Pass
6	17114.500	52.23	3.51	74.0	-21.77	Peak	87.00	150	Horizontal	Pass
6**	17114.500	43.73	3.51	54.0	-10.27	AV	87.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Channel 8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1328.600	41.66	-16.61	74.0	-32.34	Peak	115.00	150	Vertical	Pass
1**	1328.600	31.01	-16.61	54.0	-22.99	AV	115.00	150	Vertical	Pass
2	2440.900	87.76	-12.22	74.0	13.76	Peak	144.00	150	Vertical	N/A
2**	2440.900	78.56	-12.22	54.0	24.56	AV	144.00	150	Vertical	N/A
3	4988.000	51.33	0.82	74.0	-22.67	Peak	329.00	150	Vertical	Pass
3**	4988.000	42.56	0.82	54.0	-11.44	AV	329.00	150	Vertical	Pass
4	7903.250	53.93	2.42	74.0	-20.07	Peak	222.00	150	Vertical	Pass
4**	7903.250	44.62	2.42	54.0	-9.38	AV	222.00	150	Vertical	Pass
5	13352.500	53.76	5.22	74.0	-20.24	Peak	83.00	150	Vertical	Pass
5**	13352.500	46.05	5.22	54.0	-7.95	AV	83.00	150	Vertical	Pass
6	17082.500	53.59	3.07	74.0	-20.41	Peak	65.00	150	Vertical	Pass
6**	17082.500	44.45	3.07	54.0	-9.55	AV	65.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1444.900	41.21	-16.64	74.0	-32.79	Peak	214.00	150	Horizontal	Pass
1**	1444.900	28.77	-16.64	54.0	-25.23	AV	214.00	150	Horizontal	Pass
2	2447.600	104.00	-11.99	74.0	30.00	Peak	62.00	150	Horizontal	N/A
2**	2447.600	94.03	-11.99	54.0	40.03	AV	62.00	150	Horizontal	N/A
3	4786.750	51.11	0.92	74.0	-22.89	Peak	104.00	150	Horizontal	Pass
3**	4786.750	42.24	0.92	54.0	-11.76	AV	104.00	150	Horizontal	Pass
4	7289.750	53.54	1.44	74.0	-20.46	Peak	104.00	150	Horizontal	Pass
4**	7289.750	43.98	1.44	54.0	-10.02	AV	104.00	150	Horizontal	Pass
5	13557.500	54.34	4.74	74.0	-19.66	Peak	175.00	150	Horizontal	Pass
5**	13557.500	44.83	4.74	54.0	-9.17	AV	175.00	150	Horizontal	Pass
6	17110.000	52.13	3.59	74.0	-21.87	Peak	0.00	150	Horizontal	Pass
6**	17110.000	44.85	3.59	54.0	-9.15	AV	0.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1822.000	42.42	-16.00	74.0	-31.58	Peak	43.00	150	Vertical	Pass
1**	1822.000	29.44	-16.00	54.0	-24.56	AV	43.00	150	Vertical	Pass
2	2443.900	91.17	-12.16	74.0	17.17	Peak	345.00	150	Vertical	N/A
2**	2443.900	80.64	-12.16	54.0	26.64	AV	345.00	150	Vertical	N/A
3	4779.250	50.52	0.60	74.0	-23.48	Peak	305.00	150	Vertical	Pass
3**	4779.250	41.30	0.60	54.0	-12.70	AV	305.00	150	Vertical	Pass
4	7788.250	54.51	3.13	74.0	-19.49	Peak	257.00	150	Vertical	Pass
4**	7788.250	45.30	3.13	54.0	-8.70	AV	257.00	150	Vertical	Pass
5	13635.500	54.87	5.01	74.0	-19.13	Peak	0.00	150	Vertical	Pass
5**	13635.500	45.04	5.01	54.0	-8.96	AV	0.00	150	Vertical	Pass
6	17095.000	51.91	3.56	74.0	-22.09	Peak	291.00	150	Vertical	Pass
6**	17095.000	43.87	3.56	54.0	-10.13	AV	291.00	150	Vertical	Pass

Aux. Antenna

1 GHz to 18 GHz, ANT H 802.11b Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1819.700	42.15	-16.02	74.0	-31.85	Peak	316.00	150	Horizontal	Pass
1**	1819.700	30.33	-16.02	54.0	-23.67	AV	316.00	150	Horizontal	Pass
2	2411.100	100.49	-12.15	74.0	26.49	Peak	78.00	150	Horizontal	N/A
2**	2411.100	98.45	-12.15	54.0	44.45	AV	78.00	150	Horizontal	N/A
3	4733.250	50.74	-0.61	74.0	-23.26	Peak	316.00	150	Horizontal	Pass
3**	4733.250	40.98	-0.61	54.0	-13.02	AV	316.00	150	Horizontal	Pass
4	7415.250	53.44	3.01	74.0	-20.56	Peak	140.00	150	Horizontal	Pass
4**	7415.250	44.78	3.01	54.0	-9.22	AV	140.00	150	Horizontal	Pass
5	12497.000	54.39	3.18	74.0	-19.61	Peak	152.00	150	Horizontal	Pass
5**	12497.000	44.30	3.18	54.0	-9.70	AV	152.00	150	Horizontal	Pass
6	17112.500	53.31	3.55	74.0	-20.69	Peak	291.00	150	Horizontal	Pass
6**	17112.500	43.93	3.55	54.0	-10.07	AV	291.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11b Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.300	41.73	-16.71	74.0	-32.27	Peak	126.00	150	Vertical	Pass
1**	1330.300	28.12	-16.71	54.0	-25.88	AV	126.00	150	Vertical	Pass
2	2411.100	85.65	-12.15	74.0	11.65	Peak	311.00	150	Vertical	N/A
2**	2411.100	83.07	-12.15	54.0	29.07	AV	311.00	150	Vertical	N/A
3	4788.000	50.30	0.84	74.0	-23.70	Peak	316.00	150	Vertical	Pass
3**	4788.000	42.45	0.84	54.0	-11.55	AV	316.00	150	Vertical	Pass
4	7779.750	53.88	3.16	74.0	-20.12	Peak	67.00	150	Vertical	Pass
4**	7779.750	45.79	3.16	54.0	-8.21	AV	67.00	150	Vertical	Pass
5	13813.000	54.18	5.65	74.0	-19.82	Peak	295.00	150	Vertical	Pass
5**	13813.000	46.06	5.65	54.0	-7.94	AV	295.00	150	Vertical	Pass
6	17078.500	52.74	2.91	74.0	-21.26	Peak	227.00	150	Vertical	Pass
6**	17078.500	43.94	2.91	54.0	-10.06	AV	227.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11b Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1691.400	41.45	-16.61	74.0	-32.55	Peak	89.00	150	Horizontal	Pass
1**	1691.400	29.56	-16.61	54.0	-24.44	AV	89.00	150	Horizontal	Pass
2	2437.800	99.80	-12.14	74.0	25.80	Peak	66.00	150	Horizontal	N/A
2**	2437.800	97.63	-12.14	54.0	43.63	AV	66.00	150	Horizontal	N/A
3	4781.500	50.53	0.80	74.0	-23.47	Peak	163.00	150	Horizontal	Pass
3**	4781.500	41.87	0.80	54.0	-12.13	AV	163.00	150	Horizontal	Pass
4	7781.250	54.90	3.20	74.0	-19.10	Peak	34.00	150	Horizontal	Pass
4**	7781.250	45.13	3.20	54.0	-8.87	AV	34.00	150	Horizontal	Pass
5	13642.000	54.06	5.06	74.0	-19.94	Peak	95.00	150	Horizontal	Pass
5**	13642.000	45.50	5.06	54.0	-8.50	AV	95.00	150	Horizontal	Pass
6	17130.000	52.63	3.26	74.0	-21.37	Peak	67.00	150	Horizontal	Pass
6**	17130.000	43.50	3.26	54.0	-10.50	AV	67.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11b Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1574.100	40.50	-16.68	74.0	-33.50	Peak	277.00	150	Vertical	Pass
1**	1574.100	29.49	-16.68	54.0	-24.51	AV	277.00	150	Vertical	Pass
2	2437.900	85.53	-12.14	74.0	11.53	Peak	123.00	150	Vertical	N/A
2**	2437.900	83.26	-12.14	54.0	29.26	AV	123.00	150	Vertical	N/A
3	4924.500	50.83	0.91	74.0	-23.17	Peak	360.00	150	Vertical	Pass
3**	4924.500	42.02	0.91	54.0	-11.98	AV	360.00	150	Vertical	Pass
4	7419.500	53.89	3.07	74.0	-20.11	Peak	278.00	150	Vertical	Pass
4**	7419.500	45.20	3.07	54.0	-8.80	AV	278.00	150	Vertical	Pass
5	13382.500	54.68	5.02	74.0	-19.32	Peak	1.00	150	Vertical	Pass
5**	13382.500	45.59	5.02	54.0	-8.41	AV	1.00	150	Vertical	Pass
6	17100.500	52.51	3.74	74.0	-21.49	Peak	336.00	150	Vertical	Pass
6**	17100.500	45.17	3.74	54.0	-8.83	AV	336.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11b Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1673.900	41.50	-16.44	74.0	-32.50	Peak	360.00	150	Horizontal	Pass
1**	1673.900	29.74	-16.44	54.0	-24.26	AV	360.00	150	Horizontal	Pass
2	2461.100	98.79	-11.56	74.0	24.79	Peak	65.00	150	Horizontal	N/A
2**	2461.100	97.73	-11.56	54.0	43.73	AV	65.00	150	Horizontal	N/A
3	4784.750	50.71	0.99	74.0	-23.29	Peak	138.00	150	Horizontal	Pass
3**	4784.750	42.08	0.99	54.0	-11.92	AV	138.00	150	Horizontal	Pass
4	7676.750	53.99	1.75	74.0	-20.01	Peak	150.00	150	Horizontal	Pass
4**	7676.750	44.40	1.75	54.0	-9.60	AV	150.00	150	Horizontal	Pass
5	13370.500	54.65	5.10	74.0	-19.35	Peak	67.00	150	Horizontal	Pass
5**	13370.500	45.85	5.10	54.0	-8.15	AV	67.00	150	Horizontal	Pass
6	17129.500	52.82	3.27	74.0	-21.18	Peak	138.00	150	Horizontal	Pass
6**	17129.500	44.99	3.27	54.0	-9.01	AV	138.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11b Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1593.200	42.02	-16.97	74.0	-31.98	Peak	360.00	150	Vertical	Pass
1**	1593.200	30.64	-16.97	54.0	-23.36	AV	360.00	150	Vertical	Pass
2	2461.100	83.66	-11.56	74.0	9.66	Peak	66.00	150	Vertical	N/A
2**	2461.100	82.32	-11.56	54.0	28.32	AV	66.00	150	Vertical	N/A
3	4783.750	50.31	0.95	74.0	-23.69	Peak	317.00	150	Vertical	Pass
3**	4783.750	41.26	0.95	54.0	-12.74	AV	317.00	150	Vertical	Pass
4	7794.000	53.82	2.86	74.0	-20.18	Peak	281.00	150	Vertical	Pass
4**	7794.000	46.09	2.86	54.0	-7.91	AV	281.00	150	Vertical	Pass
5	13372.000	54.64	5.09	74.0	-19.36	Peak	180.00	150	Vertical	Pass
5**	13372.000	46.31	5.09	54.0	-7.69	AV	180.00	150	Vertical	Pass
6	17117.000	52.32	3.47	74.0	-21.68	Peak	195.00	150	Vertical	Pass
6**	17117.000	43.94	3.47	54.0	-10.06	AV	195.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1651.300	41.34	-16.74	74.0	-32.66	Peak	49.00	150	Horizontal	Pass
1**	1651.300	29.53	-16.74	54.0	-24.47	AV	49.00	150	Horizontal	Pass
2	2408.000	102.27	-12.19	74.0	28.27	Peak	72.00	150	Horizontal	N/A
2**	2408.000	95.47	-12.19	54.0	41.47	AV	72.00	150	Horizontal	N/A
3	4912.500	51.47	0.79	74.0	-22.53	Peak	176.00	150	Horizontal	Pass
3**	4912.500	42.07	0.79	54.0	-11.93	AV	176.00	150	Horizontal	Pass
4	7928.750	53.87	3.10	74.0	-20.13	Peak	306.00	150	Horizontal	Pass
4**	7928.750	45.67	3.10	54.0	-8.33	AV	306.00	150	Horizontal	Pass
5	13618.500	54.91	4.87	74.0	-19.09	Peak	308.00	150	Horizontal	Pass
5**	13618.500	45.46	4.87	54.0	-8.54	AV	308.00	150	Horizontal	Pass
6	17103.000	52.84	3.70	74.0	-21.16	Peak	323.00	150	Horizontal	Pass
6**	17103.000	44.11	3.70	54.0	-9.89	AV	323.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1752.400	42.20	-16.08	74.0	-31.80	Peak	110.00	150	Vertical	Pass
1**	1752.400	29.69	-16.08	54.0	-24.31	AV	110.00	150	Vertical	Pass
2	2413.200	87.58	-12.04	74.0	13.58	Peak	76.00	150	Vertical	N/A
2**	2413.200	80.67	-12.04	54.0	26.67	AV	76.00	150	Vertical	N/A
3	4792.750	50.89	0.60	74.0	-23.11	Peak	79.00	150	Vertical	Pass
3**	4792.750	44.15	0.60	54.0	-9.85	AV	79.00	150	Vertical	Pass
4	7717.000	54.02	2.20	74.0	-19.98	Peak	209.00	150	Vertical	Pass
4**	7717.000	43.81	2.20	54.0	-10.19	AV	209.00	150	Vertical	Pass
5	13362.000	54.40	5.15	74.0	-19.60	Peak	349.00	150	Vertical	Pass
5**	13362.000	46.23	5.15	54.0	-7.77	AV	349.00	150	Vertical	Pass
6	17077.500	52.91	2.87	74.0	-21.09	Peak	66.00	150	Vertical	Pass
6**	17077.500	44.94	2.87	54.0	-9.06	AV	66.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Channel 2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1282.500	39.92	-16.91	74.0	-34.08	Peak	0.00	150	Horizontal	Pass
1**	1282.500	29.43	-16.91	54.0	-24.57	AV	0.00	150	Horizontal	Pass
2	2413.200	102.72	-12.04	74.0	28.72	Peak	84.00	150	Horizontal	N/A
2**	2413.200	96.09	-12.04	54.0	42.09	AV	84.00	150	Horizontal	N/A
3	4038.000	48.57	-2.89	74.0	-25.43	Peak	129.00	150	Horizontal	Pass
3**	4038.000	39.93	-2.89	54.0	-14.07	AV	129.00	150	Horizontal	Pass
4	7895.000	54.06	2.26	74.0	-19.94	Peak	211.00	150	Horizontal	Pass
4**	7895.000	44.14	2.26	54.0	-9.86	AV	211.00	150	Horizontal	Pass
5	13398.000	54.43	4.92	74.0	-19.57	Peak	223.00	150	Horizontal	Pass
5**	13398.000	45.52	4.92	54.0	-8.48	AV	223.00	150	Horizontal	Pass
6	17094.000	52.63	3.52	74.0	-21.37	Peak	240.00	150	Horizontal	Pass
6**	17094.000	43.50	3.52	54.0	-10.50	AV	240.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Channel 2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1374.700	40.69	-16.81	74.0	-33.31	Peak	311.00	150	Vertical	Pass
1**	1374.700	29.64	-16.81	54.0	-24.36	AV	311.00	150	Vertical	Pass
2	2413.400	87.42	-12.06	74.0	13.42	Peak	71.00	150	Vertical	N/A
2**	2413.400	81.58	-12.06	54.0	27.58	AV	71.00	150	Vertical	N/A
3	4659.000	50.08	-0.75	74.0	-23.92	Peak	0.00	150	Vertical	Pass
3**	4659.000	39.62	-0.75	54.0	-14.38	AV	0.00	150	Vertical	Pass
4	7929.750	53.62	3.10	74.0	-20.38	Peak	91.00	150	Vertical	Pass
4**	7929.750	44.64	3.10	54.0	-9.36	AV	91.00	150	Vertical	Pass
5	11946.500	53.64	2.62	74.0	-20.36	Peak	329.00	150	Vertical	Pass
5**	11946.500	44.93	2.62	54.0	-9.07	AV	329.00	150	Vertical	Pass
6	17076.500	52.27	2.83	74.0	-21.73	Peak	347.00	150	Vertical	Pass
6**	17076.500	43.60	2.83	54.0	-10.40	AV	347.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1337.100	41.06	-16.68	74.0	-32.94	Peak	358.00	150	Horizontal	Pass
1**	1337.100	28.63	-16.68	54.0	-25.37	AV	358.00	150	Horizontal	Pass
2	2441.100	101.85	-12.23	74.0	27.85	Peak	123.00	150	Horizontal	N/A
2**	2441.100	95.49	-12.23	54.0	41.49	AV	123.00	150	Horizontal	N/A
3	4811.750	50.53	0.87	74.0	-23.47	Peak	187.00	150	Horizontal	Pass
3**	4811.750	42.14	0.87	54.0	-11.86	AV	187.00	150	Horizontal	Pass
4	7780.750	55.13	3.21	74.0	-18.87	Peak	360.00	150	Horizontal	Pass
4**	7780.750	47.58	3.21	54.0	-6.42	AV	360.00	150	Horizontal	Pass
5	13435.000	54.09	4.48	74.0	-19.91	Peak	7.00	150	Horizontal	Pass
5**	13435.000	44.87	4.48	54.0	-9.13	AV	7.00	150	Horizontal	Pass
6	17100.500	53.20	3.74	74.0	-20.80	Peak	335.00	150	Horizontal	Pass
6**	17100.500	44.43	3.74	54.0	-9.57	AV	335.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1719.700	41.55	-16.39	74.0	-32.45	Peak	13.00	150	Vertical	Pass
1**	1719.700	29.85	-16.39	54.0	-24.15	AV	13.00	150	Vertical	Pass
2	2433.000	88.22	-11.85	74.0	14.22	Peak	130.00	150	Vertical	N/A
2**	2433.000	80.86	-11.85	54.0	26.86	AV	130.00	150	Vertical	N/A
3	4914.250	51.32	0.88	74.0	-22.68	Peak	45.00	150	Vertical	Pass
3**	4914.250	42.54	0.88	54.0	-11.46	AV	45.00	150	Vertical	Pass
4	7932.750	54.46	3.15	74.0	-19.54	Peak	45.00	150	Vertical	Pass
4**	7932.750	45.12	3.15	54.0	-8.88	AV	45.00	150	Vertical	Pass
5	13632.500	54.95	4.98	74.0	-19.05	Peak	26.00	150	Vertical	Pass
5**	13632.500	45.54	4.98	54.0	-8.46	AV	26.00	150	Vertical	Pass
6	17111.500	52.75	3.56	74.0	-21.25	Peak	125.00	150	Vertical	Pass
6**	17111.500	44.49	3.56	54.0	-9.51	AV	125.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1400.900	41.56	-16.44	74.0	-32.44	Peak	0.00	150	Horizontal	Pass
1**	1400.900	28.66	-16.44	54.0	-25.34	AV	0.00	150	Horizontal	Pass
2	2458.000	101.42	-11.64	74.0	27.42	Peak	72.00	150	Horizontal	N/A
2**	2458.000	95.11	-11.64	54.0	41.11	AV	72.00	150	Horizontal	N/A
3	4942.250	50.86	0.39	74.0	-23.14	Peak	104.00	150	Horizontal	Pass
3**	4942.250	41.04	0.39	54.0	-12.96	AV	104.00	150	Horizontal	Pass
4	7623.000	53.50	2.31	74.0	-20.50	Peak	116.00	150	Horizontal	Pass
4**	7623.000	44.84	2.31	54.0	-9.16	AV	116.00	150	Horizontal	Pass
5	13626.000	54.18	4.93	74.0	-19.82	Peak	281.00	150	Horizontal	Pass
5**	13626.000	45.99	4.93	54.0	-8.01	AV	281.00	150	Horizontal	Pass
6	17103.000	52.72	3.70	74.0	-21.28	Peak	359.00	150	Horizontal	Pass
6**	17103.000	45.10	3.70	54.0	-8.90	AV	359.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1260.700	41.44	-16.98	74.0	-32.56	Peak	118.00	150	Vertical	Pass
1**	1260.700	28.61	-16.98	54.0	-25.39	AV	118.00	150	Vertical	Pass
2	2457.900	86.87	-11.63	74.0	12.87	Peak	61.00	150	Vertical	N/A
2**	2457.900	80.13	-11.63	54.0	26.13	AV	61.00	150	Vertical	N/A
3	4810.500	50.28	0.72	74.0	-23.72	Peak	149.00	150	Vertical	Pass
3**	4810.500	41.36	0.72	54.0	-12.64	AV	149.00	150	Vertical	Pass
4	7797.000	53.67	2.63	74.0	-20.33	Peak	360.00	150	Vertical	Pass
4**	7797.000	45.49	2.63	54.0	-8.51	AV	360.00	150	Vertical	Pass
5	13642.500	54.49	5.07	74.0	-19.51	Peak	179.00	150	Vertical	Pass
5**	13642.500	45.64	5.07	54.0	-8.36	AV	179.00	150	Vertical	Pass
6	17097.500	52.50	3.65	74.0	-21.50	Peak	34.00	150	Vertical	Pass
6**	17097.500	44.78	3.65	54.0	-9.22	AV	34.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1688.900	41.63	-16.59	74.0	-32.37	Peak	244.00	150	Horizontal	Pass
1**	1688.900	29.46	-16.59	54.0	-24.54	AV	244.00	150	Horizontal	Pass
2	2415.200	102.05	-11.99	74.0	28.05	Peak	72.00	150	Horizontal	N/A
2**	2415.200	96.17	-11.99	54.0	42.17	AV	72.00	150	Horizontal	N/A
3	4799.000	50.67	0.35	74.0	-23.33	Peak	45.00	150	Horizontal	Pass
3**	4799.000	41.95	0.35	54.0	-12.05	AV	45.00	150	Horizontal	Pass
4	7777.750	54.17	3.20	74.0	-19.83	Peak	32.00	150	Horizontal	Pass
4**	7777.750	46.03	3.20	54.0	-7.97	AV	32.00	150	Horizontal	Pass
5	13808.500	54.47	5.70	74.0	-19.53	Peak	80.00	150	Horizontal	Pass
5**	13808.500	47.47	5.70	54.0	-6.53	AV	80.00	150	Horizontal	Pass
6	17096.500	52.24	3.61	74.0	-21.76	Peak	278.00	150	Horizontal	Pass
6**	17096.500	43.94	3.61	54.0	-10.06	AV	278.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1598.000	41.68	-16.93	74.0	-32.32	Peak	0.00	150	Vertical	Pass
1**	1598.000	29.45	-16.93	54.0	-24.55	AV	0.00	150	Vertical	Pass
2	2409.900	89.06	-12.15	74.0	15.06	Peak	84.00	150	Vertical	N/A
2**	2409.900	80.25	-12.15	54.0	26.25	AV	84.00	150	Vertical	N/A
3	4834.750	50.17	0.06	74.0	-23.83	Peak	235.00	150	Vertical	Pass
3**	4834.750	41.32	0.06	54.0	-12.68	AV	235.00	150	Vertical	Pass
4	7989.000	54.21	2.34	74.0	-19.79	Peak	258.00	150	Vertical	Pass
4**	7989.000	45.34	2.34	54.0	-8.66	AV	258.00	150	Vertical	Pass
5	13353.000	54.42	5.21	74.0	-19.58	Peak	154.00	150	Vertical	Pass
5**	13353.000	45.78	5.21	54.0	-8.22	AV	154.00	150	Vertical	Pass
6	17093.500	52.88	3.50	74.0	-21.12	Peak	281.00	150	Vertical	Pass
6**	17093.500	44.58	3.50	54.0	-9.42	AV	281.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1387.400	40.17	-16.79	74.0	-33.83	Peak	357.00	150	Horizontal	Pass
1**	1387.400	28.35	-16.79	54.0	-25.65	AV	357.00	150	Horizontal	Pass
2	2415.400	103.47	-11.98	74.0	29.47	Peak	80.00	150	Horizontal	N/A
2**	2415.400	95.10	-11.98	54.0	41.10	AV	80.00	150	Horizontal	N/A
3	5060.000	52.14	0.03	74.0	-21.86	Peak	68.00	150	Horizontal	Pass
3**	5060.000	41.74	0.03	54.0	-12.26	AV	68.00	150	Horizontal	Pass
4	7928.000	54.17	3.06	74.0	-19.83	Peak	45.00	150	Horizontal	Pass
4**	7928.000	45.08	3.06	54.0	-8.92	AV	45.00	150	Horizontal	Pass
5	11297.000	53.90	2.36	74.0	-20.10	Peak	244.00	150	Horizontal	Pass
5**	11297.000	44.01	2.36	54.0	-9.99	AV	244.00	150	Horizontal	Pass
6	17099.500	52.08	3.73	74.0	-21.92	Peak	227.00	150	Horizontal	Pass
6**	17099.500	43.94	3.73	54.0	-10.06	AV	227.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1288.600	40.74	-16.83	74.0	-33.26	Peak	183.00	150	Vertical	Pass
1**	1288.600	29.09	-16.83	54.0	-24.91	AV	183.00	150	Vertical	Pass
2	2416.300	87.53	-11.99	74.0	13.53	Peak	74.00	150	Vertical	N/A
2**	2416.300	81.50	-11.99	54.0	27.50	AV	74.00	150	Vertical	N/A
3	3900.000	48.28	-2.21	74.0	-25.72	Peak	0.00	150	Vertical	Pass
3**	3900.000	38.89	-2.21	54.0	-15.11	AV	0.00	150	Vertical	Pass
4	6931.250	54.28	1.38	74.0	-19.72	Peak	210.00	150	Vertical	Pass
4**	6931.250	43.96	1.38	54.0	-10.04	AV	210.00	150	Vertical	Pass
5	11190.000	52.72	1.95	74.0	-21.28	Peak	360.00	150	Vertical	Pass
5**	11190.000	43.30	1.95	54.0	-10.70	AV	360.00	150	Vertical	Pass
6	17107.500	52.52	3.63	74.0	-21.48	Peak	307.00	150	Vertical	Pass
6**	17107.500	43.45	3.63	54.0	-10.55	AV	307.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1329.500	41.15	-16.72	74.0	-32.85	Peak	182.00	150	Horizontal	Pass
1**	1329.500	29.86	-16.72	54.0	-24.14	AV	182.00	150	Horizontal	Pass
2	2433.200	101.85	-11.88	74.0	27.85	Peak	26.00	150	Horizontal	N/A
2**	2433.200	94.83	-11.88	54.0	40.83	AV	26.00	150	Horizontal	N/A
3	4786.000	50.31	0.93	74.0	-23.69	Peak	270.00	150	Horizontal	Pass
3**	4786.000	41.78	0.93	54.0	-12.22	AV	270.00	150	Horizontal	Pass
4	7398.250	54.50	2.41	74.0	-19.50	Peak	281.00	150	Horizontal	Pass
4**	7398.250	44.45	2.41	54.0	-9.55	AV	281.00	150	Horizontal	Pass
5	13642.500	54.53	5.07	74.0	-19.47	Peak	40.00	150	Horizontal	Pass
5**	13642.500	45.70	5.07	54.0	-8.30	AV	40.00	150	Horizontal	Pass
6	17110.000	52.44	3.59	74.0	-21.56	Peak	225.00	150	Horizontal	Pass
6**	17110.000	44.94	3.59	54.0	-9.06	AV	225.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1981.400	43.47	-14.42	74.0	-30.53	Peak	156.00	150	Vertical	Pass
1**	1981.400	32.25	-14.42	54.0	-21.75	AV	156.00	150	Vertical	Pass
2	2438.900	87.04	-12.18	74.0	13.04	Peak	127.00	150	Vertical	N/A
2**	2438.900	81.85	-12.18	54.0	27.85	AV	127.00	150	Vertical	N/A
3	4796.000	49.93	0.43	74.0	-24.07	Peak	162.00	150	Vertical	Pass
3**	4796.000	42.25	0.43	54.0	-11.75	AV	162.00	150	Vertical	Pass
4	7924.250	53.88	2.99	74.0	-20.12	Peak	269.00	150	Vertical	Pass
4**	7924.250	45.54	2.99	54.0	-8.46	AV	269.00	150	Vertical	Pass
5	13884.500	54.56	4.86	74.0	-19.44	Peak	179.00	150	Vertical	Pass
5**	13884.500	45.33	4.86	54.0	-8.67	AV	179.00	150	Vertical	Pass
6	17120.000	53.05	3.42	74.0	-20.95	Peak	360.00	150	Vertical	Pass
6**	17120.000	44.23	3.42	54.0	-9.77	AV	360.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1731.200	41.60	-16.51	74.0	-32.40	Peak	89.00	150	Horizontal	Pass
1**	1731.200	29.06	-16.51	54.0	-24.94	AV	89.00	150	Horizontal	Pass
2	2453.600	102.06	-11.88	74.0	28.06	Peak	131.00	150	Horizontal	N/A
2**	2453.600	95.72	-11.88	54.0	41.72	AV	131.00	150	Horizontal	N/A
3	4496.750	49.92	-1.32	74.0	-24.08	Peak	163.00	150	Horizontal	Pass
3**	4496.750	39.83	-1.32	54.0	-14.17	AV	163.00	150	Horizontal	Pass
4	7911.750	53.88	2.84	74.0	-20.12	Peak	151.00	150	Horizontal	Pass
4**	7911.750	44.46	2.84	54.0	-9.54	AV	151.00	150	Horizontal	Pass
5	10690.000	51.81	1.29	74.0	-22.19	Peak	82.00	150	Horizontal	Pass
5**	10690.000	42.35	1.29	54.0	-11.65	AV	82.00	150	Horizontal	Pass
6	17100.000	52.26	3.75	74.0	-21.74	Peak	48.00	150	Horizontal	Pass
6**	17100.000	44.46	3.75	54.0	-9.54	AV	48.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1394.900	40.32	-16.58	74.0	-33.68	Peak	352.00	100	Vertical	Pass
1**	1394.900	28.38	-16.58	54.0	-25.62	AV	352.00	100	Vertical	Pass
2	2452.400	87.72	-11.93	74.0	13.72	Peak	72.00	100	Vertical	N/A
2**	2452.400	81.00	-11.93	54.0	27.00	AV	72.00	100	Vertical	N/A
3	4987.500	52.52	0.87	74.0	-21.48	Peak	56.00	100	Vertical	Pass
3**	4987.500	41.92	0.87	54.0	-12.08	AV	56.00	100	Vertical	Pass
4	7915.500	53.67	2.90	74.0	-20.33	Peak	104.00	100	Vertical	Pass
4**	7915.500	44.74	2.90	54.0	-9.26	AV	104.00	100	Vertical	Pass
5	11953.000	51.93	2.64	74.0	-22.07	Peak	226.00	100	Vertical	Pass
5**	11953.000	44.81	2.64	54.0	-9.19	AV	226.00	100	Vertical	Pass
6	17109.500	52.34	3.60	74.0	-21.66	Peak	278.00	100	Vertical	Pass
6**	17109.500	42.90	3.60	54.0	-11.10	AV	278.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1590.500	41.35	-16.96	74.0	-32.65	Peak	300.00	150	Horizontal	Pass
1**	1590.500	28.98	-16.96	54.0	-25.02	AV	300.00	150	Horizontal	Pass
2	2460.800	101.24	-11.57	74.0	27.24	Peak	67.00	150	Horizontal	N/A
2**	2460.800	92.64	-11.57	54.0	38.64	AV	67.00	150	Horizontal	N/A
3	4780.500	50.99	0.72	74.0	-23.01	Peak	78.00	150	Horizontal	Pass
3**	4780.500	41.41	0.72	54.0	-12.59	AV	78.00	150	Horizontal	Pass
4	7107.250	53.53	2.14	74.0	-20.47	Peak	209.00	150	Horizontal	Pass
4**	7107.250	44.62	2.14	54.0	-9.38	AV	209.00	150	Horizontal	Pass
5	13807.500	54.32	5.72	74.0	-19.68	Peak	207.00	150	Horizontal	Pass
5**	13807.500	45.86	5.72	54.0	-8.14	AV	207.00	150	Horizontal	Pass
6	17091.500	53.14	3.42	74.0	-20.86	Peak	164.00	150	Horizontal	Pass
6**	17091.500	44.12	3.42	54.0	-9.88	AV	164.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1560.800	41.80	-16.77	74.0	-32.20	Peak	262.00	150	Vertical	Pass
1**	1560.800	29.00	-16.77	54.0	-25.00	AV	262.00	150	Vertical	Pass
2	2458.600	86.32	-11.66	74.0	12.32	Peak	67.00	150	Vertical	N/A
2**	2458.600	79.69	-11.66	54.0	25.69	AV	67.00	150	Vertical	N/A
3	4920.250	50.62	0.98	74.0	-23.38	Peak	246.00	150	Vertical	Pass
3**	4920.250	42.05	0.98	54.0	-11.95	AV	246.00	150	Vertical	Pass
4	7787.000	54.41	3.18	74.0	-19.59	Peak	352.00	150	Vertical	Pass
4**	7787.000	45.45	3.18	54.0	-8.55	AV	352.00	150	Vertical	Pass
5	13626.000	54.65	4.93	74.0	-19.35	Peak	267.00	150	Vertical	Pass
5**	13626.000	45.73	4.93	54.0	-8.27	AV	267.00	150	Vertical	Pass
6	17106.500	52.20	3.65	74.0	-21.80	Peak	40.00	150	Vertical	Pass
6**	17106.500	43.45	3.65	54.0	-10.55	AV	40.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1671.900	42.61	-16.34	74.0	-31.39	Peak	193.00	150	Horizontal	Pass
1**	1671.900	30.14	-16.34	54.0	-23.86	AV	193.00	150	Horizontal	Pass
2	2409.900	99.53	-12.15	74.0	25.53	Peak	77.00	150	Horizontal	N/A
2**	2409.900	92.60	-12.15	54.0	38.60	AV	77.00	150	Horizontal	N/A
3	4842.250	51.17	0.21	74.0	-22.83	Peak	117.00	150	Horizontal	Pass
3**	4842.250	42.65	0.21	54.0	-11.35	AV	117.00	150	Horizontal	Pass
4	7776.750	54.35	3.18	74.0	-19.65	Peak	352.00	150	Horizontal	Pass
4**	7776.750	45.23	3.18	54.0	-8.77	AV	352.00	150	Horizontal	Pass
5	13376.000	53.85	5.06	74.0	-20.15	Peak	196.00	150	Horizontal	Pass
5**	13376.000	46.13	5.06	54.0	-7.87	AV	196.00	150	Horizontal	Pass
6	17107.000	52.64	3.64	74.0	-21.36	Peak	359.00	150	Horizontal	Pass
6**	17107.000	44.66	3.64	54.0	-9.34	AV	359.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1460.000	40.53	-16.54	74.0	-33.47	Peak	271.00	150	Vertical	Pass
1**	1460.000	29.48	-16.54	54.0	-24.52	AV	271.00	150	Vertical	Pass
2	2411.500	84.66	-12.10	74.0	10.66	Peak	75.00	150	Vertical	N/A
2**	2411.500	77.85	-12.10	54.0	23.85	AV	75.00	150	Vertical	N/A
3	5072.000	51.96	0.27	74.0	-22.04	Peak	292.00	150	Vertical	Pass
3**	5072.000	42.49	0.27	54.0	-11.51	AV	292.00	150	Vertical	Pass
4	7862.750	53.95	2.52	74.0	-20.05	Peak	20.00	150	Vertical	Pass
4**	7862.750	44.23	2.52	54.0	-9.77	AV	20.00	150	Vertical	Pass
5	13338.500	54.55	4.83	74.0	-19.45	Peak	95.00	150	Vertical	Pass
5**	13338.500	46.47	4.83	54.0	-7.53	AV	95.00	150	Vertical	Pass
6	17095.500	52.40	3.58	74.0	-21.60	Peak	193.00	150	Vertical	Pass
6**	17095.500	44.76	3.58	54.0	-9.24	AV	193.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Channel 4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1551.200	40.99	-16.70	74.0	-33.01	Peak	36.00	150	Horizontal	Pass
1**	1551.200	29.18	-16.70	54.0	-24.82	AV	36.00	150	Horizontal	Pass
2	2439.700	99.80	-12.17	74.0	25.80	Peak	76.00	150	Horizontal	N/A
2**	2439.700	91.45	-12.17	54.0	37.45	AV	76.00	150	Horizontal	N/A
3	4787.250	50.86	0.93	74.0	-23.14	Peak	150.00	150	Horizontal	Pass
3**	4787.250	42.19	0.93	54.0	-11.81	AV	150.00	150	Horizontal	Pass
4	7800.000	53.99	2.63	74.0	-20.01	Peak	257.00	150	Horizontal	Pass
4**	7800.000	44.54	2.63	54.0	-9.46	AV	257.00	150	Horizontal	Pass
5	11994.500	53.43	2.63	74.0	-20.57	Peak	36.00	150	Horizontal	Pass
5**	11994.500	44.81	2.63	54.0	-9.19	AV	36.00	150	Horizontal	Pass
6	17134.500	52.52	3.19	74.0	-21.48	Peak	122.00	150	Horizontal	Pass
6**	17134.500	43.70	3.19	54.0	-10.30	AV	122.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Channel 4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2193.500	47.39	-12.13	74.0	-26.61	Peak	14.00	150	Vertical	Pass
1**	2193.500	35.78	-12.13	54.0	-18.22	AV	14.00	150	Vertical	Pass
2	2415.300	84.11	-11.99	74.0	10.11	Peak	217.00	150	Vertical	N/A
2**	2415.300	76.76	-11.99	54.0	22.76	AV	217.00	150	Vertical	N/A
3	5097.250	51.66	0.55	74.0	-22.34	Peak	21.00	150	Vertical	Pass
3**	5097.250	42.02	0.55	54.0	-11.98	AV	21.00	150	Vertical	Pass
4	7995.500	53.50	2.68	74.0	-20.50	Peak	340.00	150	Vertical	Pass
4**	7995.500	45.41	2.68	54.0	-8.59	AV	340.00	150	Vertical	Pass
5	11211.000	51.75	2.15	74.0	-22.25	Peak	49.00	150	Vertical	Pass
5**	11211.000	43.21	2.15	54.0	-10.79	AV	49.00	150	Vertical	Pass
6	17071.000	52.52	2.62	74.0	-21.48	Peak	100.00	150	Vertical	Pass
6**	17071.000	43.82	2.62	54.0	-10.18	AV	100.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1850.600	42.52	-15.68	74.0	-31.48	Peak	352.00	150	Horizontal	Pass
1**	1850.600	30.76	-15.68	54.0	-23.24	AV	352.00	150	Horizontal	Pass
2	2443.400	99.81	-12.19	74.0	25.81	Peak	111.00	150	Horizontal	N/A
2**	2443.400	93.43	-12.19	54.0	39.43	AV	111.00	150	Horizontal	N/A
3	4927.250	50.91	0.73	74.0	-23.09	Peak	185.00	150	Horizontal	Pass
3**	4927.250	42.11	0.73	54.0	-11.89	AV	185.00	150	Horizontal	Pass
4	7777.000	54.47	3.19	74.0	-19.53	Peak	185.00	150	Horizontal	Pass
4**	7777.000	45.99	3.19	54.0	-8.01	AV	185.00	150	Horizontal	Pass
5	13812.000	54.29	5.66	74.0	-19.71	Peak	35.00	150	Horizontal	Pass
5**	13812.000	46.04	5.66	54.0	-7.96	AV	35.00	150	Horizontal	Pass
6	17091.000	52.92	3.40	74.0	-21.08	Peak	178.00	150	Horizontal	Pass
6**	17091.000	44.26	3.40	54.0	-9.74	AV	178.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1597.300	43.04	-16.99	74.0	-30.96	Peak	0.00	150	Vertical	Pass
1**	1597.300	28.85	-16.99	54.0	-25.15	AV	0.00	150	Vertical	Pass
2	2447.200	87.02	-11.99	74.0	13.02	Peak	70.00	150	Vertical	N/A
2**	2447.200	78.43	-11.99	54.0	24.43	AV	70.00	150	Vertical	N/A
3	4925.750	51.19	0.87	74.0	-22.81	Peak	0.00	150	Vertical	Pass
3**	4925.750	42.49	0.87	54.0	-11.51	AV	0.00	150	Vertical	Pass
4	7790.750	54.24	3.05	74.0	-19.76	Peak	139.00	150	Vertical	Pass
4**	7790.750	45.48	3.05	54.0	-8.52	AV	139.00	150	Vertical	Pass
5	12906.500	54.92	3.70	74.0	-19.08	Peak	354.00	150	Vertical	Pass
5**	12906.500	45.03	3.70	54.0	-8.97	AV	354.00	150	Vertical	Pass
6	17109.500	52.81	3.60	74.0	-21.19	Peak	54.00	150	Vertical	Pass
6**	17109.500	44.13	3.60	54.0	-9.87	AV	54.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Channel 7

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1638.900	40.65	-16.83	74.0	-33.35	Peak	73.00	150	Horizontal	Pass
1**	1638.900	30.53	-16.83	54.0	-23.47	AV	73.00	150	Horizontal	Pass
2	2452.200	99.20	-11.93	74.0	25.20	Peak	73.00	150	Horizontal	N/A
2**	2452.200	91.89	-11.93	54.0	37.89	AV	73.00	150	Horizontal	N/A
3	5767.250	52.66	1.19	74.0	-21.34	Peak	234.00	150	Horizontal	Pass
3**	5767.250	43.66	1.19	54.0	-10.34	AV	234.00	150	Horizontal	Pass
4	7924.000	53.54	2.99	74.0	-20.46	Peak	292.00	150	Horizontal	Pass
4**	7924.000	45.72	2.99	54.0	-8.28	AV	292.00	150	Horizontal	Pass
5	11950.000	52.58	2.64	74.0	-21.42	Peak	31.00	150	Horizontal	Pass
5**	11950.000	44.15	2.64	54.0	-9.85	AV	31.00	150	Horizontal	Pass
6	17800.499	52.16	2.89	74.0	-21.84	Peak	31.00	150	Horizontal	Pass
6**	17800.499	43.73	2.89	54.0	-10.27	AV	31.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Channel 7

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1556.500	40.99	-16.71	74.0	-33.01	Peak	58.00	150	Vertical	Pass
1**	1556.500	29.01	-16.71	54.0	-24.99	AV	58.00	150	Vertical	Pass
2	2448.200	84.16	-11.99	74.0	10.16	Peak	75.00	150	Vertical	N/A
2**	2448.200	76.84	-11.99	54.0	22.84	AV	75.00	150	Vertical	N/A
3	4526.250	50.04	-1.54	74.0	-23.96	Peak	8.00	150	Vertical	Pass
3**	4526.250	40.18	-1.54	54.0	-13.82	AV	8.00	150	Vertical	Pass
4	7991.000	54.44	2.39	74.0	-19.56	Peak	221.00	150	Vertical	Pass
4**	7991.000	45.31	2.39	54.0	-8.69	AV	221.00	150	Vertical	Pass
5	11934.000	53.46	2.53	74.0	-20.54	Peak	345.00	150	Vertical	Pass
5**	11934.000	44.00	2.53	54.0	-10.00	AV	345.00	150	Vertical	Pass
6	17067.000	53.36	2.46	74.0	-20.64	Peak	17.00	150	Vertical	Pass
6**	17067.000	43.51	2.46	54.0	-10.49	AV	17.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Channel 8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1579.900	40.31	-16.86	74.0	-33.69	Peak	265.00	150	Horizontal	Pass
1**	1579.900	29.31	-16.86	54.0	-24.69	AV	265.00	150	Horizontal	Pass
2	2440.100	99.44	-12.20	74.0	25.44	Peak	121.00	150	Horizontal	N/A
2**	2440.100	91.90	-12.20	54.0	37.90	AV	121.00	150	Horizontal	N/A
3	5085.250	52.55	0.52	74.0	-21.45	Peak	245.00	150	Horizontal	Pass
3**	5085.250	42.25	0.52	54.0	-11.75	AV	245.00	150	Horizontal	Pass
4	7957.250	54.05	2.87	74.0	-19.95	Peak	282.00	150	Horizontal	Pass
4**	7957.250	44.86	2.87	54.0	-9.14	AV	282.00	150	Horizontal	Pass
5	10793.000	51.80	1.98	74.0	-22.20	Peak	347.00	150	Horizontal	Pass
5**	10793.000	44.08	1.98	54.0	-9.92	AV	347.00	150	Horizontal	Pass
6	17100.000	53.07	3.75	74.0	-20.93	Peak	295.00	150	Horizontal	Pass
6**	17100.000	44.48	3.75	54.0	-9.52	AV	295.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Channel 8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1597.400	40.82	-16.98	74.0	-33.18	Peak	9.00	150	Vertical	Pass
1**	1597.400	29.65	-16.98	54.0	-24.35	AV	9.00	150	Vertical	Pass
2	2450.000	84.79	-11.96	74.0	10.79	Peak	78.00	150	Vertical	N/A
2**	2450.000	77.86	-11.96	54.0	23.86	AV	78.00	150	Vertical	N/A
3	4589.750	49.32	-1.48	74.0	-24.68	Peak	246.00	150	Vertical	Pass
3**	4589.750	39.72	-1.48	54.0	-14.28	AV	246.00	150	Vertical	Pass
4	7938.500	53.27	3.28	74.0	-20.73	Peak	293.00	150	Vertical	Pass
4**	7938.500	45.39	3.28	54.0	-8.61	AV	293.00	150	Vertical	Pass
5	11989.000	53.63	2.63	74.0	-20.37	Peak	118.00	150	Vertical	Pass
5**	11989.000	43.69	2.63	54.0	-10.31	AV	118.00	150	Vertical	Pass
6	17073.500	52.71	2.71	74.0	-21.29	Peak	32.00	150	Vertical	Pass
6**	17073.500	43.55	2.71	54.0	-10.45	AV	32.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1346.800	40.49	-16.57	74.0	-33.51	Peak	89.00	150	Horizontal	Pass
1**	1346.800	29.49	-16.57	54.0	-24.51	AV	89.00	150	Horizontal	Pass
2	2444.400	100.03	-12.10	74.0	26.03	Peak	123.00	150	Horizontal	N/A
2**	2444.400	93.05	-12.10	54.0	39.05	AV	123.00	150	Horizontal	N/A
3	4730.750	50.61	-0.70	74.0	-23.39	Peak	117.00	150	Horizontal	Pass
3**	4730.750	40.60	-0.70	54.0	-13.40	AV	117.00	150	Horizontal	Pass
4	7776.000	54.09	3.06	74.0	-19.91	Peak	21.00	150	Horizontal	Pass
4**	7776.000	45.26	3.06	54.0	-8.74	AV	21.00	150	Horizontal	Pass
5	13398.000	53.85	4.92	74.0	-20.15	Peak	225.00	150	Horizontal	Pass
5**	13398.000	46.02	4.92	54.0	-7.98	AV	225.00	150	Horizontal	Pass
6	17112.500	52.39	3.55	74.0	-21.61	Peak	359.00	150	Horizontal	Pass
6**	17112.500	44.33	3.55	54.0	-9.67	AV	359.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1328.900	42.75	-16.65	74.0	-31.25	Peak	121.00	150	Vertical	Pass
1**	1328.900	28.35	-16.65	54.0	-25.65	AV	121.00	150	Vertical	Pass
2	2448.000	86.07	-11.99	74.0	12.07	Peak	63.00	150	Vertical	N/A
2**	2448.000	79.63	-11.99	54.0	25.63	AV	63.00	150	Vertical	N/A
3	4908.750	49.99	0.52	74.0	-24.01	Peak	20.00	150	Vertical	Pass
3**	4908.750	42.18	0.52	54.0	-11.82	AV	20.00	150	Vertical	Pass
4	7936.750	54.04	3.31	74.0	-19.96	Peak	56.00	150	Vertical	Pass
4**	7936.750	44.59	3.31	54.0	-9.41	AV	56.00	150	Vertical	Pass
5	12781.500	54.08	2.76	74.0	-19.92	Peak	107.00	150	Vertical	Pass
5**	12781.500	43.32	2.76	54.0	-10.68	AV	107.00	150	Vertical	Pass
6	17080.001	52.65	2.97	74.0	-21.35	Peak	179.00	150	Vertical	Pass
6**	17080.001	45.56	2.97	54.0	-8.44	AV	179.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ac20 Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1754.700	42.07	-16.11	74.0	-31.93	Peak	163.00	150	Horizontal	Pass
1**	1754.700	29.89	-16.11	54.0	-24.11	AV	163.00	150	Horizontal	Pass
2	2418.000	102.58	-11.96	74.0	28.58	Peak	72.00	150	Horizontal	N/A
2**	2418.000	94.42	-11.96	54.0	40.42	AV	72.00	150	Horizontal	N/A
3	4986.000	51.12	0.86	74.0	-22.88	Peak	174.00	150	Horizontal	Pass
3**	4986.000	42.41	0.86	54.0	-11.59	AV	174.00	150	Horizontal	Pass
4	7902.250	54.45	2.34	74.0	-19.55	Peak	163.00	150	Horizontal	Pass
4**	7902.250	44.42	2.34	54.0	-9.58	AV	163.00	150	Horizontal	Pass
5	13135.500	54.47	4.07	74.0	-19.53	Peak	278.00	150	Horizontal	Pass
5**	13135.500	45.07	4.07	54.0	-8.93	AV	278.00	150	Horizontal	Pass
6	17086.000	52.65	3.20	74.0	-21.35	Peak	122.00	150	Horizontal	Pass
6**	17086.000	44.52	3.20	54.0	-9.48	AV	122.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ac20 Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1594.800	41.95	-17.04	74.0	-32.05	Peak	262.00	150	Vertical	Pass
1**	1594.800	29.87	-17.04	54.0	-24.13	AV	262.00	150	Vertical	Pass
2	2411.200	87.49	-12.14	74.0	13.49	Peak	70.00	150	Vertical	N/A
2**	2411.200	81.63	-12.14	54.0	27.63	AV	70.00	150	Vertical	N/A
3	4862.000	50.70	0.08	74.0	-23.30	Peak	81.00	150	Vertical	Pass
3**	4862.000	41.95	0.08	54.0	-12.05	AV	81.00	150	Vertical	Pass
4	7924.750	54.01	3.00	74.0	-19.99	Peak	246.00	150	Vertical	Pass
4**	7924.750	46.06	3.00	54.0	-7.94	AV	246.00	150	Vertical	Pass
5	13373.000	54.33	5.08	74.0	-19.67	Peak	338.00	150	Vertical	Pass
5**	13373.000	45.43	5.08	54.0	-8.57	AV	338.00	150	Vertical	Pass
6	17095.500	52.54	3.58	74.0	-21.46	Peak	168.00	150	Vertical	Pass
6**	17095.500	44.36	3.58	54.0	-9.64	AV	168.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ac20 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1539.600	41.62	-16.73	74.0	-32.38	Peak	159.00	150	Horizontal	Pass
1**	1539.600	28.66	-16.73	54.0	-25.34	AV	159.00	150	Horizontal	Pass
2	2441.400	102.29	-12.22	74.0	28.29	Peak	72.00	150	Horizontal	N/A
2**	2441.400	95.43	-12.22	54.0	41.43	AV	72.00	150	Horizontal	N/A
3	4915.000	50.42	0.92	74.0	-23.58	Peak	45.00	150	Horizontal	Pass
3**	4915.000	42.01	0.92	54.0	-11.99	AV	45.00	150	Horizontal	Pass
4	7978.250	53.82	2.14	74.0	-20.18	Peak	352.00	150	Horizontal	Pass
4**	7978.250	44.78	2.14	54.0	-9.22	AV	352.00	150	Horizontal	Pass
5	13347.500	54.97	5.14	74.0	-19.03	Peak	255.00	150	Horizontal	Pass
5**	13347.500	45.83	5.14	54.0	-8.17	AV	255.00	150	Horizontal	Pass
6	17097.000	52.48	3.63	74.0	-21.52	Peak	237.00	150	Horizontal	Pass
6**	17097.000	44.78	3.63	54.0	-9.22	AV	237.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ac20 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.500	43.73	-16.74	74.0	-30.27	Peak	109.00	150	Vertical	Pass
1**	1331.500	28.34	-16.74	54.0	-25.66	AV	109.00	150	Vertical	Pass
2	2439.400	87.73	-12.17	74.0	13.73	Peak	109.00	150	Vertical	N/A
2**	2439.400	81.02	-12.17	54.0	27.02	AV	109.00	150	Vertical	N/A
3	4784.750	50.82	0.99	74.0	-23.18	Peak	327.00	150	Vertical	Pass
3**	4784.750	42.04	0.99	54.0	-11.96	AV	327.00	150	Vertical	Pass
4	7791.250	54.56	3.04	74.0	-19.44	Peak	351.00	150	Vertical	Pass
4**	7791.250	45.45	3.04	54.0	-8.55	AV	351.00	150	Vertical	Pass
5	13349.000	55.08	5.20	74.0	-18.92	Peak	19.00	150	Vertical	Pass
5**	13349.000	45.62	5.20	54.0	-8.38	AV	19.00	150	Vertical	Pass
6	17122.000	52.60	3.39	74.0	-21.40	Peak	174.00	150	Vertical	Pass
6**	17122.000	43.33	3.39	54.0	-10.67	AV	174.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ac20 Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1707.300	40.95	-16.59	74.0	-33.05	Peak	63.00	150	Horizontal	Pass
1**	1707.300	29.38	-16.59	54.0	-24.62	AV	63.00	150	Horizontal	Pass
2	2456.900	101.17	-11.70	74.0	27.17	Peak	63.00	150	Horizontal	N/A
2**	2456.900	94.22	-11.70	54.0	40.22	AV	63.00	150	Horizontal	N/A
3	4916.750	50.47	0.86	74.0	-23.53	Peak	210.00	150	Horizontal	Pass
3**	4916.750	41.68	0.86	54.0	-12.32	AV	210.00	150	Horizontal	Pass
4	7406.250	54.12	2.67	74.0	-19.88	Peak	210.00	150	Horizontal	Pass
4**	7406.250	44.96	2.67	54.0	-9.04	AV	210.00	150	Horizontal	Pass
5	12505.500	53.99	3.09	74.0	-20.01	Peak	329.00	150	Horizontal	Pass
5**	12505.500	44.66	3.09	54.0	-9.34	AV	329.00	150	Horizontal	Pass
6	17113.000	52.86	3.54	74.0	-21.14	Peak	278.00	150	Horizontal	Pass
6**	17113.000	44.85	3.54	54.0	-9.15	AV	278.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ac20 Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1558.400	41.20	-16.74	74.0	-32.80	Peak	204.00	150	Vertical	Pass
1**	1558.400	28.22	-16.74	54.0	-25.78	AV	204.00	150	Vertical	Pass
2	2454.800	86.58	-11.90	74.0	12.58	Peak	67.00	150	Vertical	N/A
2**	2454.800	79.79	-11.90	54.0	25.79	AV	67.00	150	Vertical	N/A
3	4900.750	51.07	0.27	74.0	-22.93	Peak	360.00	150	Vertical	Pass
3**	4900.750	42.06	0.27	54.0	-11.94	AV	360.00	150	Vertical	Pass
4	7780.750	54.33	3.21	74.0	-19.67	Peak	128.00	150	Vertical	Pass
4**	7780.750	45.50	3.21	54.0	-8.50	AV	128.00	150	Vertical	Pass
5	13624.500	54.95	4.92	74.0	-19.05	Peak	100.00	150	Vertical	Pass
5**	13624.500	46.63	4.92	54.0	-7.37	AV	100.00	150	Vertical	Pass
6	17119.000	53.05	3.44	74.0	-20.95	Peak	100.00	150	Vertical	Pass
6**	17119.000	44.08	3.44	54.0	-9.92	AV	100.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ac40 Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1595.200	42.55	-16.95	74.0	-31.45	Peak	332.00	150	Horizontal	Pass
1**	1595.200	29.34	-16.95	54.0	-24.66	AV	332.00	150	Horizontal	Pass
2	2410.900	100.22	-12.18	74.0	26.22	Peak	73.00	150	Horizontal	N/A
2**	2410.900	92.15	-12.18	54.0	38.15	AV	73.00	150	Horizontal	N/A
3	4979.000	50.53	0.93	74.0	-23.47	Peak	103.00	150	Horizontal	Pass
3**	4979.000	42.40	0.93	54.0	-11.60	AV	103.00	150	Horizontal	Pass
4	7780.000	53.95	3.19	74.0	-20.05	Peak	234.00	150	Horizontal	Pass
4**	7780.000	45.16	3.19	54.0	-8.84	AV	234.00	150	Horizontal	Pass
5	13597.500	54.17	4.71	74.0	-19.83	Peak	135.00	150	Horizontal	Pass
5**	13597.500	46.06	4.71	54.0	-7.94	AV	135.00	150	Horizontal	Pass
6	17116.000	52.22	3.49	74.0	-21.78	Peak	117.00	150	Horizontal	Pass
6**	17116.000	43.91	3.49	54.0	-10.09	AV	117.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ac40 Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1474.900	40.61	-16.64	74.0	-33.39	Peak	132.00	150	Vertical	Pass
1**	1474.900	29.45	-16.64	54.0	-24.55	AV	132.00	150	Vertical	Pass
2	2430.500	85.09	-11.73	74.0	11.09	Peak	127.00	150	Vertical	N/A
2**	2430.500	78.56	-11.73	54.0	24.56	AV	127.00	150	Vertical	N/A
3	4920.250	50.37	0.98	74.0	-23.63	Peak	32.00	150	Vertical	Pass
3**	4920.250	41.85	0.98	54.0	-12.15	AV	32.00	150	Vertical	Pass
4	7398.250	54.22	2.41	74.0	-19.78	Peak	280.00	150	Vertical	Pass
4**	7398.250	45.35	2.41	54.0	-8.65	AV	280.00	150	Vertical	Pass
5	14052.500	55.01	5.38	74.0	-18.99	Peak	158.00	150	Vertical	Pass
5**	14052.500	45.99	5.38	54.0	-8.01	AV	158.00	150	Vertical	Pass
6	17114.000	53.29	3.52	74.0	-20.71	Peak	0.00	150	Vertical	Pass
6**	17114.000	44.27	3.52	54.0	-9.73	AV	0.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ac40 Channel 4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1422.900	40.37	-16.62	74.0	-33.63	Peak	0.00	150	Horizontal	Pass
1**	1422.900	29.54	-16.62	54.0	-24.46	AV	0.00	150	Horizontal	Pass
2	2413.300	100.34	-12.04	74.0	26.34	Peak	0.00	150	Horizontal	N/A
2**	2413.300	91.82	-12.04	54.0	37.82	AV	0.00	150	Horizontal	N/A
3	5235.000	52.19	0.27	74.0	-21.81	Peak	11.00	150	Horizontal	Pass
3**	5235.000	42.03	0.27	54.0	-11.97	AV	11.00	150	Horizontal	Pass
4	7993.500	54.08	2.53	74.0	-19.92	Peak	353.00	150	Horizontal	Pass
4**	7993.500	45.81	2.53	54.0	-8.19	AV	353.00	150	Horizontal	Pass
5	12442.500	53.21	2.60	74.0	-20.79	Peak	358.00	150	Horizontal	Pass
5**	12442.500	44.49	2.60	54.0	-9.51	AV	358.00	150	Horizontal	Pass
6	17094.000	52.18	3.52	74.0	-21.82	Peak	324.00	150	Horizontal	Pass
6**	17094.000	43.68	3.52	54.0	-10.32	AV	324.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ac40 Channel 4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1495.600	41.19	-16.73	74.0	-32.81	Peak	100.00	150	Vertical	Pass
1**	1495.600	28.97	-16.73	54.0	-25.03	AV	100.00	150	Vertical	Pass
2	2415.700	84.66	-11.97	74.0	10.66	Peak	71.00	150	Vertical	N/A
2**	2415.700	77.59	-11.97	54.0	23.59	AV	71.00	150	Vertical	N/A
3	5379.500	51.08	1.19	74.0	-22.92	Peak	8.00	150	Vertical	Pass
3**	5379.500	42.08	1.19	54.0	-11.92	AV	8.00	150	Vertical	Pass
4	7909.500	53.71	2.68	74.0	-20.29	Peak	115.00	150	Vertical	Pass
4**	7909.500	44.84	2.68	54.0	-9.16	AV	115.00	150	Vertical	Pass
5	11299.000	53.20	2.39	74.0	-20.80	Peak	106.00	150	Vertical	Pass
5**	11299.000	45.02	2.39	54.0	-8.98	AV	106.00	150	Vertical	Pass
6	17079.500	52.21	2.95	74.0	-21.79	Peak	329.00	150	Vertical	Pass
6**	17079.500	44.03	2.95	54.0	-9.97	AV	329.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ac40 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1642.600	41.00	-16.76	74.0	-33.00	Peak	184.00	150	Horizontal	Pass
1**	1642.600	28.19	-16.76	54.0	-25.81	AV	184.00	150	Horizontal	Pass
2	2447.200	100.03	-11.99	74.0	26.03	Peak	116.00	150	Horizontal	N/A
2**	2447.200	92.53	-11.99	54.0	38.53	AV	116.00	150	Horizontal	N/A
3	4969.250	51.39	1.03	74.0	-22.61	Peak	186.00	150	Horizontal	Pass
3**	4969.250	41.89	1.03	54.0	-12.11	AV	186.00	150	Horizontal	Pass
4	7774.250	54.31	3.04	74.0	-19.69	Peak	210.00	150	Horizontal	Pass
4**	7774.250	46.78	3.04	54.0	-7.22	AV	210.00	150	Horizontal	Pass
5	13349.500	54.63	5.21	74.0	-19.37	Peak	261.00	150	Horizontal	Pass
5**	13349.500	46.25	5.21	54.0	-7.75	AV	261.00	150	Horizontal	Pass
6	17120.000	52.32	3.42	74.0	-21.68	Peak	20.00	150	Horizontal	Pass
6**	17120.000	43.95	3.42	54.0	-10.05	AV	20.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ac40 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1593.600	42.32	-16.95	74.0	-31.68	Peak	263.00	150	Vertical	Pass
1**	1593.600	29.65	-16.95	54.0	-24.35	AV	263.00	150	Vertical	Pass
2	2447.200	86.19	-11.99	74.0	12.19	Peak	84.00	150	Vertical	N/A
2**	2447.200	78.69	-11.99	54.0	24.69	AV	84.00	150	Vertical	N/A
3	4975.250	51.34	0.94	74.0	-22.66	Peak	352.00	150	Vertical	Pass
3**	4975.250	42.93	0.94	54.0	-11.07	AV	352.00	150	Vertical	Pass
4	7925.250	53.58	3.03	74.0	-20.42	Peak	352.00	150	Vertical	Pass
4**	7925.250	45.95	3.03	54.0	-8.05	AV	352.00	150	Vertical	Pass
5	13633.000	54.44	4.99	74.0	-19.56	Peak	168.00	150	Vertical	Pass
5**	13633.000	45.72	4.99	54.0	-8.28	AV	168.00	150	Vertical	Pass
6	17102.000	53.15	3.72	74.0	-20.85	Peak	13.00	150	Vertical	Pass
6**	17102.000	45.28	3.72	54.0	-8.72	AV	13.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ac40 Channel 7

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1420.600	40.51	-16.66	74.0	-33.49	Peak	25.00	150	Horizontal	Pass
1**	1420.600	30.29	-16.66	54.0	-23.71	AV	25.00	150	Horizontal	Pass
2	2445.400	99.96	-11.99	74.0	25.96	Peak	118.00	150	Horizontal	N/A
2**	2445.400	93.13	-11.99	54.0	39.13	AV	118.00	150	Horizontal	N/A
3	5072.750	51.32	0.29	74.0	-22.68	Peak	256.00	150	Horizontal	Pass
3**	5072.750	42.47	0.29	54.0	-11.53	AV	256.00	150	Horizontal	Pass
4	7948.500	53.71	3.16	74.0	-20.29	Peak	126.00	150	Horizontal	Pass
4**	7948.500	44.26	3.16	54.0	-9.74	AV	126.00	150	Horizontal	Pass
5	10767.000	52.18	1.07	74.0	-21.82	Peak	330.00	150	Horizontal	Pass
5**	10767.000	43.44	1.07	54.0	-10.56	AV	330.00	150	Horizontal	Pass
6	17085.500	52.41	3.18	74.0	-21.59	Peak	312.00	150	Horizontal	Pass
6**	17085.500	45.10	3.18	54.0	-8.90	AV	312.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ac40 Channel 7

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1477.400	41.21	-16.73	74.0	-32.79	Peak	145.00	150	Vertical	Pass
1**	1477.400	28.72	-16.73	54.0	-25.28	AV	145.00	150	Vertical	Pass
2	2449.400	84.72	-11.96	74.0	10.72	Peak	77.00	150	Vertical	N/A
2**	2449.400	77.80	-11.96	54.0	23.80	AV	77.00	150	Vertical	N/A
3	5151.250	51.39	-0.06	74.0	-22.61	Peak	80.00	150	Vertical	Pass
3**	5151.250	42.80	-0.06	54.0	-11.20	AV	80.00	150	Vertical	Pass
4	9323.000	51.65	2.17	74.0	-22.35	Peak	289.00	150	Vertical	Pass
4**	9323.000	43.12	2.17	54.0	-10.88	AV	289.00	150	Vertical	Pass
5	13425.000	53.91	4.60	74.0	-20.09	Peak	99.00	150	Vertical	Pass
5**	13425.000	44.60	4.60	54.0	-9.40	AV	99.00	150	Vertical	Pass
6	17105.000	52.03	3.67	74.0	-21.97	Peak	255.00	150	Vertical	Pass
6**	17105.000	43.25	3.67	54.0	-10.75	AV	255.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ac40 Channel 8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1265.500	40.58	-17.04	74.0	-33.42	Peak	0.00	150	Horizontal	Pass
1**	1265.500	28.95	-17.04	54.0	-25.05	AV	0.00	150	Horizontal	Pass
2	2449.100	98.87	-11.97	74.0	24.87	Peak	74.00	150	Horizontal	N/A
2**	2449.100	91.81	-11.97	54.0	37.81	AV	74.00	150	Horizontal	N/A
3	4645.500	50.48	-1.09	74.0	-23.52	Peak	341.00	150	Horizontal	Pass
3**	4645.500	40.73	-1.09	54.0	-13.27	AV	341.00	150	Horizontal	Pass
4	7918.000	54.03	2.91	74.0	-19.97	Peak	128.00	150	Horizontal	Pass
4**	7918.000	45.52	2.91	54.0	-8.48	AV	128.00	150	Horizontal	Pass
5	11287.000	52.68	2.24	74.0	-21.32	Peak	169.00	150	Horizontal	Pass
5**	11287.000	43.63	2.24	54.0	-10.37	AV	169.00	150	Horizontal	Pass
6	17096.500	52.88	3.61	74.0	-21.12	Peak	99.00	150	Horizontal	Pass
6**	17096.500	43.84	3.61	54.0	-10.16	AV	99.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ac40 Channel 8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1328.800	41.64	-16.63	74.0	-32.36	Peak	125.00	150	Vertical	Pass
1**	1328.800	28.45	-16.63	54.0	-25.55	AV	125.00	150	Vertical	Pass
2	2451.000	83.69	-11.97	74.0	9.69	Peak	73.00	150	Vertical	N/A
2**	2451.000	76.33	-11.97	54.0	22.33	AV	73.00	150	Vertical	N/A
3	4924.250	50.91	0.92	74.0	-23.09	Peak	55.00	150	Vertical	Pass
3**	4924.250	41.84	0.92	54.0	-12.16	AV	55.00	150	Vertical	Pass
4	7904.250	53.48	2.41	74.0	-20.52	Peak	31.00	150	Vertical	Pass
4**	7904.250	44.61	2.41	54.0	-9.39	AV	31.00	150	Vertical	Pass
5	11876.500	52.94	2.12	74.0	-21.06	Peak	207.00	150	Vertical	Pass
5**	11876.500	45.05	2.12	54.0	-8.95	AV	207.00	150	Vertical	Pass
6	17095.000	52.30	3.56	74.0	-21.70	Peak	207.00	150	Vertical	Pass
6**	17095.000	44.41	3.56	54.0	-9.59	AV	207.00	150	Vertical	Pass