

1 GHz to 18 GHz, ANT H 802.11ac40 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1333.100	40.94	-16.76	74.0	-33.06	Peak	190.00	150	Horizontal	Pass
1**	1333.100	29.56	-16.76	54.0	-24.44	AV	190.00	150	Horizontal	Pass
2	2439.800	104.20	-12.18	74.0	30.20	Peak	53.00	150	Horizontal	N/A
2**	2439.800	98.30	-12.18	54.0	44.30	AV	53.00	150	Horizontal	N/A
3	4573.250	50.12	-1.12	74.0	-23.88	Peak	246.00	150	Horizontal	Pass
3**	4573.250	40.62	-1.12	54.0	-13.38	AV	246.00	150	Horizontal	Pass
4	7993.250	53.78	2.51	74.0	-20.22	Peak	151.00	150	Horizontal	Pass
4**	7993.250	44.83	2.51	54.0	-9.17	AV	151.00	150	Horizontal	Pass
5	11947.500	53.80	2.62	74.0	-20.20	Peak	255.00	150	Horizontal	Pass
5**	11947.500	44.61	2.62	54.0	-9.39	AV	255.00	150	Horizontal	Pass
6	17100.500	52.77	3.74	74.0	-21.23	Peak	169.00	150	Horizontal	Pass
6**	17100.500	44.17	3.74	54.0	-9.83	AV	169.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ac40 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1443.500	41.49	-16.60	74.0	-32.51	Peak	360.00	150	Vertical	Pass
1**	1443.500	29.76	-16.60	54.0	-24.24	AV	360.00	150	Vertical	Pass
2	2430.000	93.55	-11.70	74.0	19.55	Peak	309.00	150	Vertical	N/A
2**	2430.000	87.43	-11.70	54.0	33.43	AV	309.00	150	Vertical	N/A
3	5220.750	51.60	0.40	74.0	-22.40	Peak	245.00	150	Vertical	Pass
3**	5220.750	42.16	0.40	54.0	-11.84	AV	245.00	150	Vertical	Pass
4	7972.500	53.09	2.18	74.0	-20.91	Peak	280.00	150	Vertical	Pass
4**	7972.500	45.80	2.18	54.0	-8.20	AV	280.00	150	Vertical	Pass
5	13674.500	53.72	4.40	74.0	-20.28	Peak	106.00	150	Vertical	Pass
5**	13674.500	44.78	4.40	54.0	-9.22	AV	106.00	150	Vertical	Pass
6	17791.001	52.93	2.50	74.0	-21.07	Peak	175.00	150	Vertical	Pass
6**	17791.001	43.61	2.50	54.0	-10.39	AV	175.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ac40 Channel 7

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1317.300	40.43	-16.49	74.0	-33.57	Peak	255.00	150	Horizontal	Pass
1**	1317.300	28.67	-16.49	54.0	-25.33	AV	255.00	150	Horizontal	Pass
2	2448.700	103.69	-11.99	74.0	29.69	Peak	118.00	150	Horizontal	N/A
2**	2448.700	96.26	-11.99	54.0	42.26	AV	118.00	150	Horizontal	N/A
3	5075.250	51.37	0.32	74.0	-22.63	Peak	0.00	150	Horizontal	Pass
3**	5075.250	42.25	0.32	54.0	-11.75	AV	0.00	150	Horizontal	Pass
4	7708.000	53.66	2.47	74.0	-20.34	Peak	102.00	150	Horizontal	Pass
4**	7708.000	44.03	2.47	54.0	-9.97	AV	102.00	150	Horizontal	Pass
5	11028.000	52.87	1.52	74.0	-21.13	Peak	227.00	150	Horizontal	Pass
5**	11028.000	42.61	1.52	54.0	-11.39	AV	227.00	150	Horizontal	Pass
6	17095.500	52.56	3.58	74.0	-21.44	Peak	295.00	150	Horizontal	Pass
6**	17095.500	43.90	3.58	54.0	-10.10	AV	295.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ac40 Channel 7

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1592.800	42.10	-16.98	74.0	-31.90	Peak	0.00	150	Vertical	Pass
1**	1592.800	28.66	-16.98	54.0	-25.34	AV	0.00	150	Vertical	Pass
2	2428.600	89.44	-11.67	74.0	15.44	Peak	170.00	150	Vertical	N/A
2**	2428.600	81.39	-11.67	54.0	27.39	AV	170.00	150	Vertical	N/A
3	5119.500	51.66	0.23	74.0	-22.34	Peak	329.00	150	Vertical	Pass
3**	5119.500	42.34	0.23	54.0	-11.66	AV	329.00	150	Vertical	Pass
4	7914.500	53.72	2.86	74.0	-20.28	Peak	352.00	150	Vertical	Pass
4**	7914.500	46.08	2.86	54.0	-7.92	AV	352.00	150	Vertical	Pass
5	11197.500	52.55	2.18	74.0	-21.45	Peak	360.00	150	Vertical	Pass
5**	11197.500	44.15	2.18	54.0	-9.85	AV	360.00	150	Vertical	Pass
6	17119.500	53.06	3.43	74.0	-20.94	Peak	152.00	150	Vertical	Pass
6**	17119.500	43.99	3.43	54.0	-10.01	AV	152.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ac40 Channel 8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1328.000	40.53	-16.67	74.0	-33.47	Peak	162.00	150	Horizontal	Pass
1**	1328.000	28.46	-16.67	54.0	-25.54	AV	162.00	150	Horizontal	Pass
2	2449.200	103.17	-11.97	74.0	29.17	Peak	63.00	150	Horizontal	N/A
2**	2449.200	96.57	-11.97	54.0	42.57	AV	63.00	150	Horizontal	N/A
3	4893.500	50.65	0.24	74.0	-23.35	Peak	188.00	150	Horizontal	Pass
3**	4893.500	41.53	0.24	54.0	-12.47	AV	188.00	150	Horizontal	Pass
4	7789.500	53.90	3.12	74.0	-20.10	Peak	294.00	150	Horizontal	Pass
4**	7789.500	45.46	3.12	54.0	-8.54	AV	294.00	150	Horizontal	Pass
5	11297.500	52.36	2.37	74.0	-21.64	Peak	260.00	150	Horizontal	Pass
5**	11297.500	44.21	2.37	54.0	-9.79	AV	260.00	150	Horizontal	Pass
6	17117.500	52.51	3.46	74.0	-21.49	Peak	101.00	150	Horizontal	Pass
6**	17117.500	43.96	3.46	54.0	-10.04	AV	101.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ac40 Channel 8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1327.800	42.54	-16.69	74.0	-31.46	Peak	75.00	150	Vertical	Pass
1**	1327.800	29.48	-16.69	54.0	-24.52	AV	75.00	150	Vertical	Pass
2	2449.800	88.96	-11.94	74.0	14.96	Peak	69.00	150	Vertical	N/A
2**	2449.800	82.18	-11.94	54.0	28.18	AV	69.00	150	Vertical	N/A
3	5096.750	51.14	0.56	74.0	-22.86	Peak	282.00	150	Vertical	Pass
3**	5096.750	42.38	0.56	54.0	-11.62	AV	282.00	150	Vertical	Pass
4	7769.500	53.90	2.73	74.0	-20.10	Peak	360.00	150	Vertical	Pass
4**	7769.500	44.50	2.73	54.0	-9.50	AV	360.00	150	Vertical	Pass
5	11307.500	52.33	2.19	74.0	-21.67	Peak	89.00	150	Vertical	Pass
5**	11307.500	43.90	2.19	54.0	-10.10	AV	89.00	150	Vertical	Pass
6	17078.500	52.42	2.91	74.0	-21.58	Peak	262.00	150	Vertical	Pass
6**	17078.500	43.60	2.91	54.0	-10.40	AV	262.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ac40 Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1185.800	40.26	-17.47	74.0	-33.74	Peak	0.00	150	Horizontal	Pass
1**	1185.800	27.36	-17.47	54.0	-26.64	AV	0.00	150	Horizontal	Pass
2	2454.800	104.06	-11.90	74.0	30.06	Peak	20.00	150	Horizontal	N/A
2**	2454.800	96.64	-11.90	54.0	42.64	AV	20.00	150	Horizontal	N/A
3	4793.250	50.57	0.60	74.0	-23.43	Peak	341.00	150	Horizontal	Pass
3**	4793.250	41.56	0.60	54.0	-12.44	AV	341.00	150	Horizontal	Pass
4	7946.250	53.79	3.20	74.0	-20.21	Peak	151.00	150	Horizontal	Pass
4**	7946.250	45.50	3.20	54.0	-8.50	AV	151.00	150	Horizontal	Pass
5	11301.500	53.17	2.36	74.0	-20.83	Peak	261.00	150	Horizontal	Pass
5**	11301.500	43.99	2.36	54.0	-10.01	AV	261.00	150	Horizontal	Pass
6	17083.000	53.35	3.09	74.0	-20.65	Peak	193.00	150	Horizontal	Pass
6**	17083.000	43.67	3.09	54.0	-10.33	AV	193.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ac40 Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1488.100	40.78	-16.55	74.0	-33.22	Peak	26.00	150	Vertical	Pass
1**	1488.100	28.79	-16.55	54.0	-25.21	AV	26.00	150	Vertical	Pass
2	2456.800	93.52	-11.73	74.0	19.52	Peak	314.00	150	Vertical	N/A
2**	2456.800	85.71	-11.73	54.0	31.71	AV	314.00	150	Vertical	N/A
3	4670.000	50.04	-0.58	74.0	-23.96	Peak	34.00	150	Vertical	Pass
3**	4670.000	41.45	-0.58	54.0	-12.55	AV	34.00	150	Vertical	Pass
4	7941.750	53.90	3.30	74.0	-20.10	Peak	105.00	150	Vertical	Pass
4**	7941.750	44.79	3.30	54.0	-9.21	AV	105.00	150	Vertical	Pass
5	11274.000	52.51	2.08	74.0	-21.49	Peak	64.00	150	Vertical	Pass
5**	11274.000	43.23	2.08	54.0	-10.77	AV	64.00	150	Vertical	Pass
6	17597.999	53.23	1.23	74.0	-20.77	Peak	358.00	150	Vertical	Pass
6**	17597.999	42.57	1.23	54.0	-11.43	AV	358.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1399.500	40.51	-16.52	74.0	-33.49	Peak	0.00	150	Horizontal	Pass
1**	1399.500	30.00	-16.52	54.0	-24.00	AV	0.00	150	Horizontal	Pass
2	2414.400	110.00	-12.09	74.0	36.00	Peak	45.00	150	Horizontal	N/A
2**	2414.400	100.00	-12.09	54.0	46.00	AV	45.00	150	Horizontal	N/A
3	5081.500	51.80	0.45	74.0	-22.20	Peak	257.00	150	Horizontal	Pass
3**	5081.500	42.15	0.45	54.0	-11.85	AV	257.00	150	Horizontal	Pass
4	7789.750	54.25	3.09	74.0	-19.75	Peak	69.00	150	Horizontal	Pass
4**	7789.750	45.16	3.09	54.0	-8.84	AV	69.00	150	Horizontal	Pass
5	13350.000	54.96	5.23	74.0	-19.04	Peak	98.00	150	Horizontal	Pass
5**	13350.000	46.13	5.23	54.0	-7.87	AV	98.00	150	Horizontal	Pass
6	17831.999	52.79	1.80	74.0	-21.21	Peak	150.00	150	Horizontal	Pass
6**	17831.999	43.45	1.80	54.0	-10.55	AV	150.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1317.700	40.30	-16.47	74.0	-33.70	Peak	115.00	150	Vertical	Pass
1**	1317.700	28.96	-16.47	54.0	-25.04	AV	115.00	150	Vertical	Pass
2	2413.100	97.94	-12.05	74.0	23.94	Peak	277.00	150	Vertical	N/A
2**	2413.100	89.43	-12.05	54.0	35.43	AV	277.00	150	Vertical	N/A
3	4782.250	50.79	0.84	74.0	-23.21	Peak	161.00	150	Vertical	Pass
3**	4782.250	42.58	0.84	54.0	-11.42	AV	161.00	150	Vertical	Pass
4	7653.000	53.58	2.29	74.0	-20.42	Peak	336.00	150	Vertical	Pass
4**	7653.000	44.32	2.29	54.0	-9.68	AV	336.00	150	Vertical	Pass
5	13143.500	54.59	4.20	74.0	-19.41	Peak	21.00	150	Vertical	Pass
5**	13143.500	44.45	4.20	54.0	-9.55	AV	21.00	150	Vertical	Pass
6	17143.000	52.95	3.05	74.0	-21.05	Peak	331.00	150	Vertical	Pass
6**	17143.000	43.01	3.05	54.0	-10.99	AV	331.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) Channel 2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1420.200	41.16	-16.66	74.0	-32.84	Peak	360.00	150	Horizontal	Pass
1**	1420.200	29.25	-16.66	54.0	-24.75	AV	360.00	150	Horizontal	Pass
2	2419.100	108.30	-11.88	74.0	34.30	Peak	73.00	150	Horizontal	N/A
2**	2419.100	100.38	-11.88	54.0	46.38	AV	73.00	150	Horizontal	N/A
3	4983.750	50.81	0.84	74.0	-23.19	Peak	279.00	150	Horizontal	Pass
3**	4983.750	42.79	0.84	54.0	-11.21	AV	279.00	150	Horizontal	Pass
4	7799.750	53.74	2.65	74.0	-20.26	Peak	304.00	150	Horizontal	Pass
4**	7799.750	45.91	2.65	54.0	-8.09	AV	304.00	150	Horizontal	Pass
5	11047.500	51.94	1.95	74.0	-22.06	Peak	260.00	150	Horizontal	Pass
5**	11047.500	42.84	1.95	54.0	-11.16	AV	260.00	150	Horizontal	Pass
6	17110.500	52.85	3.58	74.0	-21.15	Peak	140.00	150	Horizontal	Pass
6**	17110.500	44.30	3.58	54.0	-9.70	AV	140.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1383.700	41.50	-16.82	74.0	-32.50	Peak	75.00	150	Vertical	Pass
1**	1383.700	28.43	-16.82	54.0	-25.57	AV	75.00	150	Vertical	Pass
2	2418.200	95.48	-11.96	74.0	21.48	Peak	75.00	150	Vertical	N/A
2**	2418.200	87.15	-11.96	54.0	33.15	AV	75.00	150	Vertical	N/A
3	4793.500	50.48	0.56	74.0	-23.52	Peak	352.00	150	Vertical	Pass
3**	4793.500	42.02	0.56	54.0	-11.98	AV	352.00	150	Vertical	Pass
4	7932.250	54.61	3.20	74.0	-19.39	Peak	176.00	150	Vertical	Pass
4**	7932.250	45.38	3.20	54.0	-8.62	AV	176.00	150	Vertical	Pass
5	10707.500	51.87	1.42	74.0	-22.13	Peak	259.00	150	Vertical	Pass
5**	10707.500	42.76	1.42	54.0	-11.24	AV	259.00	150	Vertical	Pass
6	17091.500	52.55	3.42	74.0	-21.45	Peak	171.00	150	Vertical	Pass
6**	17091.500	44.48	3.42	54.0	-9.52	AV	171.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1378.700	40.27	-16.77	74.0	-33.73	Peak	174.00	150	Horizontal	Pass
1**	1378.700	28.59	-16.77	54.0	-25.41	AV	174.00	150	Horizontal	Pass
2	2439.200	110.38	-12.17	74.0	36.38	Peak	26.00	150	Horizontal	N/A
2**	2439.200	100.77	-12.17	54.0	46.77	AV	26.00	150	Horizontal	N/A
3	4783.000	50.66	0.90	74.0	-23.34	Peak	302.00	150	Horizontal	Pass
3**	4783.000	42.10	0.90	54.0	-11.90	AV	302.00	150	Horizontal	Pass
4	7397.250	54.55	2.46	74.0	-19.45	Peak	0.00	150	Horizontal	Pass
4**	7397.250	45.55	2.46	54.0	-8.45	AV	0.00	150	Horizontal	Pass
5	12027.500	52.68	1.81	74.0	-21.32	Peak	193.00	150	Horizontal	Pass
5**	12027.500	43.99	1.81	54.0	-10.01	AV	193.00	150	Horizontal	Pass
6	17119.000	53.05	3.44	74.0	-20.95	Peak	210.00	150	Horizontal	Pass
6**	17119.000	43.81	3.44	54.0	-10.19	AV	210.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.000	43.13	-16.72	74.0	-30.87	Peak	120.00	150	Vertical	Pass
1**	1330.000	31.32	-16.72	54.0	-22.68	AV	120.00	150	Vertical	Pass
2	2437.700	98.13	-12.14	74.0	24.13	Peak	314.00	150	Vertical	N/A
2**	2437.700	88.92	-12.14	54.0	34.92	AV	314.00	150	Vertical	N/A
3	4893.750	51.16	0.22	74.0	-22.84	Peak	0.00	150	Vertical	Pass
3**	4893.750	42.57	0.22	54.0	-11.43	AV	0.00	150	Vertical	Pass
4	7927.500	54.18	3.02	74.0	-19.82	Peak	317.00	150	Vertical	Pass
4**	7927.500	46.35	3.02	54.0	-7.65	AV	317.00	150	Vertical	Pass
5	12921.500	53.97	3.68	74.0	-20.03	Peak	360.00	150	Vertical	Pass
5**	12921.500	45.01	3.68	54.0	-8.99	AV	360.00	150	Vertical	Pass
6	17810.500	52.94	2.55	74.0	-21.06	Peak	116.00	150	Vertical	Pass
6**	17810.500	43.93	2.55	54.0	-10.07	AV	116.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) Channel 10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1572.900	41.16	-16.76	74.0	-32.84	Peak	0.00	150	Horizontal	Pass
1**	1572.900	29.75	-16.76	54.0	-24.25	AV	0.00	150	Horizontal	Pass
2	2457.900	109.38	-11.63	74.0	35.38	Peak	20.00	150	Horizontal	N/A
2**	2457.900	100.89	-11.63	54.0	46.89	AV	20.00	150	Horizontal	N/A
3	4649.750	49.96	-1.12	74.0	-24.04	Peak	352.00	150	Horizontal	Pass
3**	4649.750	41.22	-1.12	54.0	-12.78	AV	352.00	150	Horizontal	Pass
4	7791.500	53.65	3.00	74.0	-20.35	Peak	360.00	150	Horizontal	Pass
4**	7791.500	46.52	3.00	54.0	-7.48	AV	360.00	150	Horizontal	Pass
5	11222.000	52.71	2.05	74.0	-21.29	Peak	203.00	150	Horizontal	Pass
5**	11222.000	43.40	2.05	54.0	-10.60	AV	203.00	150	Horizontal	Pass
6	16209.500	51.98	0.89	74.0	-22.02	Peak	237.00	150	Horizontal	Pass
6**	16209.500	42.36	0.89	54.0	-11.64	AV	237.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1365.600	40.95	-16.77	74.0	-33.05	Peak	254.00	150	Vertical	Pass
1**	1365.600	28.96	-16.77	54.0	-25.04	AV	254.00	150	Vertical	Pass
2	2448.800	95.59	-11.98	74.0	21.59	Peak	69.00	150	Vertical	N/A
2**	2448.800	85.42	-11.98	54.0	31.42	AV	69.00	150	Vertical	N/A
3	4786.500	50.47	0.92	74.0	-23.53	Peak	197.00	150	Vertical	Pass
3**	4786.500	42.08	0.92	54.0	-11.92	AV	197.00	150	Vertical	Pass
4	7659.250	53.98	2.08	74.0	-20.02	Peak	67.00	150	Vertical	Pass
4**	7659.250	43.93	2.08	54.0	-10.07	AV	67.00	150	Vertical	Pass
5	10790.500	52.39	1.89	74.0	-21.61	Peak	313.00	150	Vertical	Pass
5**	10790.500	42.56	1.89	54.0	-11.44	AV	313.00	150	Vertical	Pass
6	17095.500	52.71	3.58	74.0	-21.29	Peak	142.00	150	Vertical	Pass
6**	17095.500	44.31	3.58	54.0	-9.69	AV	142.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1363.800	40.31	-16.75	74.0	-33.69	Peak	231.00	150	Horizontal	Pass
1**	1363.800	28.72	-16.75	54.0	-25.28	AV	231.00	150	Horizontal	Pass
2	2464.100	108.43	-11.52	74.0	34.43	Peak	37.00	150	Horizontal	N/A
2**	2464.100	99.62	-11.52	54.0	45.62	AV	37.00	150	Horizontal	N/A
3	5072.500	51.87	0.29	74.0	-22.13	Peak	0.00	150	Horizontal	Pass
3**	5072.500	43.08	0.29	54.0	-10.92	AV	0.00	150	Horizontal	Pass
4	7785.250	54.05	3.17	74.0	-19.95	Peak	81.00	150	Horizontal	Pass
4**	7785.250	45.79	3.17	54.0	-8.21	AV	81.00	150	Horizontal	Pass
5	13337.500	53.92	4.79	74.0	-20.08	Peak	47.00	150	Horizontal	Pass
5**	13337.500	45.18	4.79	54.0	-8.82	AV	47.00	150	Horizontal	Pass
6	17094.500	52.96	3.54	74.0	-21.04	Peak	31.00	150	Horizontal	Pass
6**	17094.500	44.22	3.54	54.0	-9.78	AV	31.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1317.700	41.30	-16.47	74.0	-32.70	Peak	99.00	150	Vertical	Pass
1**	1317.700	29.29	-16.47	54.0	-24.71	AV	99.00	150	Vertical	Pass
2	2463.100	96.92	-11.53	74.0	22.92	Peak	316.00	150	Vertical	N/A
2**	2463.100	88.53	-11.53	54.0	34.53	AV	316.00	150	Vertical	N/A
3	4923.000	51.61	0.92	74.0	-22.39	Peak	279.00	150	Vertical	Pass
3**	4923.000	41.80	0.92	54.0	-12.20	AV	279.00	150	Vertical	Pass
4	7957.000	53.92	2.90	74.0	-20.08	Peak	360.00	150	Vertical	Pass
4**	7957.000	45.67	2.90	54.0	-8.33	AV	360.00	150	Vertical	Pass
5	12418.500	52.86	2.35	74.0	-21.14	Peak	177.00	150	Vertical	Pass
5**	12418.500	44.44	2.35	54.0	-9.56	AV	177.00	150	Vertical	Pass
6	17084.000	52.80	3.12	74.0	-21.20	Peak	39.00	150	Vertical	Pass
6**	17084.000	44.31	3.12	54.0	-9.69	AV	39.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1227.700	39.32	-17.15	74.0	-34.68	Peak	14.00	150	Horizontal	Pass
1**	1227.700	27.56	-17.15	54.0	-26.44	AV	14.00	150	Horizontal	Pass
2	2415.700	105.27	-11.97	74.0	31.27	Peak	66.00	150	Horizontal	N/A
2**	2415.700	97.56	-11.97	54.0	43.56	AV	66.00	150	Horizontal	N/A
3	4789.250	50.69	0.82	74.0	-23.31	Peak	188.00	150	Horizontal	Pass
3**	4789.250	41.98	0.82	54.0	-12.02	AV	188.00	150	Horizontal	Pass
4	7978.500	54.29	2.11	74.0	-19.71	Peak	224.00	150	Horizontal	Pass
4**	7978.500	44.46	2.11	54.0	-9.54	AV	224.00	150	Horizontal	Pass
5	11269.500	52.95	2.02	74.0	-21.05	Peak	150.00	150	Horizontal	Pass
5**	11269.500	44.12	2.02	54.0	-9.88	AV	150.00	150	Horizontal	Pass
6	17112.500	52.05	3.55	74.0	-21.95	Peak	202.00	150	Horizontal	Pass
6**	17112.500	44.51	3.55	54.0	-9.49	AV	202.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.900	40.92	-16.88	74.0	-33.08	Peak	8.00	150	Vertical	Pass
1**	1599.900	29.12	-16.88	54.0	-24.88	AV	8.00	150	Vertical	Pass
2	2424.900	95.33	-11.64	74.0	21.33	Peak	318.00	150	Vertical	N/A
2**	2424.900	87.06	-11.64	54.0	33.06	AV	318.00	150	Vertical	N/A
3	4811.500	51.01	0.85	74.0	-22.99	Peak	255.00	150	Vertical	Pass
3**	4811.500	41.73	0.85	54.0	-12.27	AV	255.00	150	Vertical	Pass
4	7950.750	54.34	3.08	74.0	-19.66	Peak	103.00	150	Vertical	Pass
4**	7950.750	45.23	3.08	54.0	-8.77	AV	103.00	150	Vertical	Pass
5	11996.000	52.93	2.63	74.0	-21.07	Peak	261.00	150	Vertical	Pass
5**	11996.000	43.74	2.63	54.0	-10.26	AV	261.00	150	Vertical	Pass
6	17082.000	52.15	3.05	74.0	-21.85	Peak	279.00	150	Vertical	Pass
6**	17082.000	43.95	3.05	54.0	-10.05	AV	279.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Channel 4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1423.100	40.39	-16.61	74.0	-33.61	Peak	220.00	150	Horizontal	Pass
1**	1423.100	27.91	-16.61	54.0	-26.09	AV	220.00	150	Horizontal	Pass
2	2429.400	105.80	-11.64	74.0	31.80	Peak	60.00	150	Horizontal	N/A
2**	2429.400	96.96	-11.64	54.0	42.96	AV	60.00	150	Horizontal	N/A
3	4781.750	50.79	0.81	74.0	-23.21	Peak	138.00	150	Horizontal	Pass
3**	4781.750	42.10	0.81	54.0	-11.90	AV	138.00	150	Horizontal	Pass
4	7999.250	53.45	2.86	74.0	-20.55	Peak	291.00	150	Horizontal	Pass
4**	7999.250	46.23	2.86	54.0	-7.77	AV	291.00	150	Horizontal	Pass
5	11288.500	53.72	2.26	74.0	-20.28	Peak	244.00	150	Horizontal	Pass
5**	11288.500	43.13	2.26	54.0	-10.87	AV	244.00	150	Horizontal	Pass
6	17104.500	53.23	3.68	74.0	-20.77	Peak	330.00	150	Horizontal	Pass
6**	17104.500	44.16	3.68	54.0	-9.84	AV	330.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Channel 4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1594.200	41.35	-16.99	74.0	-32.65	Peak	258.00	150	Vertical	Pass
1**	1594.200	29.79	-16.99	54.0	-24.21	AV	258.00	150	Vertical	Pass
2	2418.500	92.97	-11.94	74.0	18.97	Peak	72.00	150	Vertical	N/A
2**	2418.500	83.37	-11.94	54.0	29.37	AV	72.00	150	Vertical	N/A
3	5114.250	51.55	0.15	74.0	-22.45	Peak	352.00	150	Vertical	Pass
3**	5114.250	42.69	0.15	54.0	-11.31	AV	352.00	150	Vertical	Pass
4	7923.250	53.83	2.98	74.0	-20.17	Peak	128.00	150	Vertical	Pass
4**	7923.250	45.10	2.98	54.0	-8.90	AV	128.00	150	Vertical	Pass
5	11305.500	52.85	2.24	74.0	-21.15	Peak	223.00	150	Vertical	Pass
5**	11305.500	43.97	2.24	54.0	-10.03	AV	223.00	150	Vertical	Pass
6	17086.500	52.43	3.22	74.0	-21.57	Peak	13.00	150	Vertical	Pass
6**	17086.500	43.96	3.22	54.0	-10.04	AV	13.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Channel 5

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1683.800	41.50	-16.65	74.0	-32.50	Peak	8.00	150	Horizontal	Pass
1**	1683.800	29.33	-16.65	54.0	-24.67	AV	8.00	150	Horizontal	Pass
2	2434.000	105.62	-11.96	74.0	31.62	Peak	62.00	150	Horizontal	N/A
2**	2434.000	97.19	-11.96	54.0	43.19	AV	62.00	150	Horizontal	N/A
3	4644.000	49.86	-1.09	74.0	-24.14	Peak	210.00	150	Horizontal	Pass
3**	4644.000	40.64	-1.09	54.0	-13.36	AV	210.00	150	Horizontal	Pass
4	7928.500	53.89	3.08	74.0	-20.11	Peak	317.00	150	Horizontal	Pass
4**	7928.500	45.14	3.08	54.0	-8.86	AV	317.00	150	Horizontal	Pass
5	12456.500	53.96	2.75	74.0	-20.04	Peak	30.00	150	Horizontal	Pass
5**	12456.500	43.61	2.75	54.0	-10.39	AV	30.00	150	Horizontal	Pass
6	17076.500	52.97	2.83	74.0	-21.03	Peak	48.00	150	Horizontal	Pass
6**	17076.500	44.72	2.83	54.0	-9.28	AV	48.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Channel 5

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1596.200	41.70	-16.96	74.0	-32.30	Peak	0.00	150	Vertical	Pass
1**	1596.200	29.89	-16.96	54.0	-24.11	AV	0.00	150	Vertical	Pass
2	2426.300	93.00	-11.59	74.0	19.00	Peak	168.00	150	Vertical	N/A
2**	2426.300	83.10	-11.59	54.0	29.10	AV	168.00	150	Vertical	N/A
3	4654.250	50.11	-1.07	74.0	-23.89	Peak	32.00	150	Vertical	Pass
3**	4654.250	40.82	-1.07	54.0	-13.18	AV	32.00	150	Vertical	Pass
4	7850.000	54.12	2.62	74.0	-19.88	Peak	305.00	150	Vertical	Pass
4**	7850.000	44.39	2.62	54.0	-9.61	AV	305.00	150	Vertical	Pass
5	11288.500	52.19	2.26	74.0	-21.81	Peak	294.00	150	Vertical	Pass
5**	11288.500	43.95	2.26	54.0	-10.05	AV	294.00	150	Vertical	Pass
6	17119.000	52.15	3.44	74.0	-21.85	Peak	156.00	150	Vertical	Pass
6**	17119.000	44.38	3.44	54.0	-9.62	AV	156.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1329.700	40.89	-16.72	74.0	-33.11	Peak	319.00	150	Horizontal	Pass
1**	1329.700	28.36	-16.72	54.0	-25.64	AV	319.00	150	Horizontal	Pass
2	2438.400	105.91	-12.16	74.0	31.91	Peak	42.00	150	Horizontal	N/A
2**	2438.400	98.09	-12.16	54.0	44.09	AV	42.00	150	Horizontal	N/A
3	5013.750	51.08	0.19	74.0	-22.92	Peak	149.00	150	Horizontal	Pass
3**	5013.750	41.20	0.19	54.0	-12.80	AV	149.00	150	Horizontal	Pass
4	7905.000	53.87	2.48	74.0	-20.13	Peak	67.00	150	Horizontal	Pass
4**	7905.000	45.02	2.48	54.0	-8.98	AV	67.00	150	Horizontal	Pass
5	13403.500	53.93	4.86	74.0	-20.07	Peak	261.00	150	Horizontal	Pass
5**	13403.500	44.87	4.86	54.0	-9.13	AV	261.00	150	Horizontal	Pass
6	17079.500	52.56	2.95	74.0	-21.44	Peak	175.00	150	Horizontal	Pass
6**	17079.500	44.60	2.95	54.0	-9.40	AV	175.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1342.400	40.97	-16.57	74.0	-33.03	Peak	360.00	150	Vertical	Pass
1**	1342.400	28.84	-16.57	54.0	-25.16	AV	360.00	150	Vertical	Pass
2	2440.100	95.34	-12.20	74.0	21.34	Peak	290.00	150	Vertical	N/A
2**	2440.100	86.72	-12.20	54.0	32.72	AV	290.00	150	Vertical	N/A
3	4421.250	49.12	-1.64	74.0	-24.88	Peak	305.00	150	Vertical	Pass
3**	4421.250	39.15	-1.64	54.0	-14.85	AV	305.00	150	Vertical	Pass
4	7917.000	54.06	2.83	74.0	-19.94	Peak	0.00	150	Vertical	Pass
4**	7917.000	45.21	2.83	54.0	-8.79	AV	0.00	150	Vertical	Pass
5	11886.500	52.58	2.19	74.0	-21.42	Peak	272.00	150	Vertical	Pass
5**	11886.500	43.34	2.19	54.0	-10.66	AV	272.00	150	Vertical	Pass
6	17111.500	53.70	3.56	74.0	-20.30	Peak	150.00	150	Vertical	Pass
6**	17111.500	43.02	3.56	54.0	-10.98	AV	150.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Channel 7

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1556.900	40.29	-16.74	74.0	-33.71	Peak	345.00	150	Horizontal	Pass
1**	1556.900	28.75	-16.74	54.0	-25.25	AV	345.00	150	Horizontal	Pass
2	2434.500	105.23	-11.98	74.0	31.23	Peak	30.00	150	Horizontal	N/A
2**	2434.500	96.54	-11.98	54.0	42.54	AV	30.00	150	Horizontal	N/A
3	5150.250	51.00	-0.10	74.0	-23.00	Peak	8.00	150	Horizontal	Pass
3**	5150.250	41.56	-0.10	54.0	-12.44	AV	8.00	150	Horizontal	Pass
4	7993.000	53.56	2.49	74.0	-20.44	Peak	32.00	150	Horizontal	Pass
4**	7993.000	45.30	2.49	54.0	-8.70	AV	32.00	150	Horizontal	Pass
5	11961.000	52.47	2.64	74.0	-21.53	Peak	141.00	150	Horizontal	Pass
5**	11961.000	43.84	2.64	54.0	-10.16	AV	141.00	150	Horizontal	Pass
6	17095.000	53.06	3.56	74.0	-20.94	Peak	90.00	150	Horizontal	Pass
6**	17095.000	45.55	3.56	54.0	-8.45	AV	90.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Channel 7

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1570.400	41.62	-16.80	74.0	-32.38	Peak	0.00	150	Vertical	Pass
1**	1570.400	29.35	-16.80	54.0	-24.65	AV	0.00	150	Vertical	Pass
2	2445.200	90.45	-12.01	74.0	16.45	Peak	82.00	150	Vertical	N/A
2**	2445.200	82.18	-12.01	54.0	28.18	AV	82.00	150	Vertical	N/A
3	5213.000	52.37	0.32	74.0	-21.63	Peak	71.00	150	Vertical	Pass
3**	5213.000	44.97	0.32	54.0	-9.03	AV	71.00	150	Vertical	Pass
4	7890.500	54.41	2.38	74.0	-19.59	Peak	281.00	150	Vertical	Pass
4**	7890.500	44.95	2.38	54.0	-9.05	AV	281.00	150	Vertical	Pass
5	12475.000	53.91	2.95	74.0	-20.09	Peak	31.00	150	Vertical	Pass
5**	12475.000	43.64	2.95	54.0	-10.36	AV	31.00	150	Vertical	Pass
6	17112.001	52.92	3.56	74.0	-21.08	Peak	99.00	150	Vertical	Pass
6**	17112.001	43.87	3.56	54.0	-10.13	AV	99.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Channel 8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1596.500	40.87	-16.98	74.0	-33.13	Peak	241.00	150	Horizontal	Pass
1**	1596.500	28.77	-16.98	54.0	-25.23	AV	241.00	150	Horizontal	Pass
2	2449.000	105.42	-11.98	74.0	31.42	Peak	57.00	150	Horizontal	N/A
2**	2449.000	96.15	-11.98	54.0	42.15	AV	57.00	150	Horizontal	N/A
3	3897.500	47.98	-2.22	74.0	-26.02	Peak	0.00	150	Horizontal	Pass
3**	3897.500	39.94	-2.22	54.0	-14.06	AV	0.00	150	Horizontal	Pass
4	6729.750	53.81	1.33	74.0	-20.19	Peak	210.00	150	Horizontal	Pass
4**	6729.750	44.02	1.33	54.0	-9.98	AV	210.00	150	Horizontal	Pass
5	11300.000	51.96	2.40	74.0	-22.04	Peak	99.00	150	Horizontal	Pass
5**	11300.000	44.34	2.40	54.0	-9.66	AV	99.00	150	Horizontal	Pass
6	17072.000	53.11	2.65	74.0	-20.89	Peak	325.00	150	Horizontal	Pass
6**	17072.000	43.94	2.65	54.0	-10.06	AV	325.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Channel 8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1462.900	40.70	-16.53	74.0	-33.30	Peak	227.00	150	Vertical	Pass
1**	1462.900	29.49	-16.53	54.0	-24.51	AV	227.00	150	Vertical	Pass
2	2442.100	91.51	-12.21	74.0	17.51	Peak	170.00	150	Vertical	N/A
2**	2442.100	82.03	-12.21	54.0	28.03	AV	170.00	150	Vertical	N/A
3	4983.000	51.19	0.89	74.0	-22.81	Peak	340.00	150	Vertical	Pass
3**	4983.000	42.23	0.89	54.0	-11.77	AV	340.00	150	Vertical	Pass
4	7001.250	54.51	1.95	74.0	-19.49	Peak	138.00	150	Vertical	Pass
4**	7001.250	44.27	1.95	54.0	-9.73	AV	138.00	150	Vertical	Pass
5	12000.500	53.37	2.62	74.0	-20.63	Peak	158.00	150	Vertical	Pass
5**	12000.500	44.01	2.62	54.0	-9.99	AV	158.00	150	Vertical	Pass
6	17106.000	52.75	3.65	74.0	-21.25	Peak	313.00	150	Vertical	Pass
6**	17106.000	43.96	3.65	54.0	-10.04	AV	313.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1449.600	40.38	-16.53	74.0	-33.62	Peak	0.00	150	Horizontal	Pass
1**	1449.600	29.71	-16.53	54.0	-24.29	AV	0.00	150	Horizontal	Pass
2	2444.500	106.30	-12.09	74.0	32.30	Peak	28.00	150	Horizontal	N/A
2**	2444.500	97.53	-12.09	54.0	43.53	AV	28.00	150	Horizontal	N/A
3	5101.750	51.21	0.47	74.0	-22.79	Peak	316.00	150	Horizontal	Pass
3**	5101.750	43.10	0.47	54.0	-10.90	AV	316.00	150	Horizontal	Pass
4	7922.250	54.15	2.99	74.0	-19.85	Peak	117.00	150	Horizontal	Pass
4**	7922.250	45.52	2.99	54.0	-8.48	AV	117.00	150	Horizontal	Pass
5	11202.500	52.60	2.23	74.0	-21.40	Peak	253.00	150	Horizontal	Pass
5**	11202.500	44.05	2.23	54.0	-9.95	AV	253.00	150	Horizontal	Pass
6	17115.500	53.30	3.50	74.0	-20.70	Peak	288.00	150	Horizontal	Pass
6**	17115.500	43.62	3.50	54.0	-10.38	AV	288.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1317.900	40.61	-16.48	74.0	-33.39	Peak	119.00	150	Vertical	Pass
1**	1317.900	28.99	-16.48	54.0	-25.01	AV	119.00	150	Vertical	Pass
2	2446.200	95.83	-12.07	74.0	21.83	Peak	307.00	150	Vertical	N/A
2**	2446.200	85.62	-12.07	54.0	31.62	AV	307.00	150	Vertical	N/A
3	4988.500	51.52	0.75	74.0	-22.48	Peak	163.00	150	Vertical	Pass
3**	4988.500	41.69	0.75	54.0	-12.31	AV	163.00	150	Vertical	Pass
4	7923.250	54.29	2.98	74.0	-19.71	Peak	127.00	150	Vertical	Pass
4**	7923.250	45.54	2.98	54.0	-8.46	AV	127.00	150	Vertical	Pass
5	11278.000	52.85	2.13	74.0	-21.15	Peak	174.00	150	Vertical	Pass
5**	11278.000	44.95	2.13	54.0	-9.05	AV	174.00	150	Vertical	Pass
6	17095.500	51.92	3.58	74.0	-22.08	Peak	312.00	150	Vertical	Pass
6**	17095.500	43.69	3.58	54.0	-10.31	AV	312.00	150	Vertical	Pass

A.7 Band Edge (Restricted-band band-edge)

Test Data

Note¹: The lowest and highest channels are tested to verify the band edge emissions. Please refer to the following the plots for emissions values.


Note²: The test data all are tested in the vertical and horizontal antenna which the trace is max hold. So these plots have shown the worst case.

Note³: According the ANSI C63.10-2013, where limits are specified for both average and peak (or quasi-peak) detector functions, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement.

Test plots


Main Antenna

802.11b CHANNEL 1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	52.55	-1.85	74.0	-21.45	Peak	14.00	150	Horizontal	Pass
1**	2390.000	42.33	-1.85	54.0	-11.67	AV	14.00	150	Horizontal	Pass
2	2366.833	54.29	-1.80	74.0	-19.71	Peak	15.00	150	Horizontal	Pass
2**	2366.833	42.10	-1.80	54.0	-11.90	AV	15.00	150	Horizontal	Pass

802.11b CHANNEL 11




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	53.25	-1.28	74.0	-20.75	Peak	15.00	150	Horizontal	Pass
1**	2483.500	43.06	-1.28	54.0	-10.94	AV	15.00	150	Horizontal	Pass
2	2485.450	54.49	-1.33	74.0	-19.51	Peak	4.00	150	Horizontal	Pass
2**	2485.450	42.84	-1.33	54.0	-11.16	AV	4.00	150	Horizontal	Pass

802.11g CHANNEL 1



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	61.54	-1.85	74.0	-12.46	Peak	10.00	150	Horizontal	Pass
1**	2390.000	48.03	-1.85	54.0	-5.97	AV	10.00	150	Horizontal	Pass
2	2389.833	62.01	-1.84	74.0	-11.99	Peak	15.00	150	Horizontal	Pass
2**	2389.833	47.96	-1.84	54.0	-6.04	AV	15.00	150	Horizontal	Pass

802.11g CHANNEL 2




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	59.57	-1.85	74.0	-14.43	Peak	9.00	150	Horizontal	Pass
1**	2390.000	46.46	-1.85	54.0	-7.54	AV	9.00	150	Horizontal	Pass
2	2389.667	60.58	-1.84	74.0	-13.42	Peak	2.00	150	Horizontal	Pass
2**	2389.667	46.43	-1.84	54.0	-7.57	AV	2.00	150	Horizontal	Pass

802.11g CHANNEL 11



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	62.82	-1.28	74.0	-11.18	Peak	12.00	150	Horizontal	Pass
1**	2483.500	50.58	-1.28	54.0	-5.02	AV	12.00	150	Horizontal	Pass
2	2483.850	63.71	-1.28	74.0	-10.29	Peak	1.00	150	Horizontal	Pass
2**	2483.850	50.09	-1.28	54.0	-5.41	AV	1.00	150	Horizontal	Pass


802.11n20 CHANNEL 1



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	61.42	-1.85	74.0	-12.58	Peak	8.00	150	Horizontal	Pass
1**	2390.000	48.44	-1.85	54.0	-5.56	AV	8.00	150	Horizontal	Pass
2	2388.833	61.78	-1.80	74.0	-12.22	Peak	9.00	150	Horizontal	Pass
2**	2388.833	47.82	-1.80	54.0	-6.18	AV	9.00	150	Horizontal	Pass

802.11n20 CHANNEL 2


Bandedge_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	59.78	-1.85	74.0	-14.22	Peak	1.00	150	Horizontal	Pass
1**	2390.000	45.84	-1.85	54.0	-8.16	AV	1.00	150	Horizontal	Pass


802.11n20 CHANNEL 10

Bandedge_2.4G_Right




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	56.47	-1.28	74.0	-17.53	Peak	8.00	150	Horizontal	Pass
1**	2483.500	46.06	-1.28	54.0	-7.94	AV	8.00	150	Horizontal	Pass
2	2485.350	57.70	-1.32	74.0	-16.30	Peak	10.00	150	Horizontal	Pass
2**	2485.350	45.37	-1.32	54.0	-8.63	AV	10.00	150	Horizontal	Pass

802.11n20 CHANNEL 11




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	61.91	-1.28	74.0	-12.09	Peak	10.00	150	Horizontal	Pass
1**	2483.500	48.86	-1.28	54.0	-5.14	AV	10.00	150	Horizontal	Pass
2	2483.750	62.50	-1.28	74.0	-11.50	Peak	8.00	150	Horizontal	Pass
2**	2483.750	48.54	-1.28	54.0	-5.46	AV	8.00	150	Horizontal	Pass

802.11n40 CHANNEL 3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	59.05	-1.85	74.0	-14.95	Peak	8.00	150	Horizontal	Pass
1**	2390.000	48.36	-1.85	54.0	-5.64	AV	8.00	150	Horizontal	Pass
2	2389.667	60.54	-1.84	74.0	-13.46	Peak	2.00	150	Horizontal	Pass
2**	2389.667	48.15	-1.84	54.0	-5.85	AV	2.00	150	Horizontal	Pass

802.11n40 CHANNEL 4




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	61.43	-1.85	74.0	-12.57	Peak	15.00	150	Horizontal	Pass
1**	2390.000	48.98	-1.85	54.0	-5.02	AV	15.00	150	Horizontal	Pass
2	2389.833	62.02	-1.84	74.0	-11.98	Peak	1.00	150	Horizontal	Pass
2**	2389.833	48.77	-1.84	54.0	-5.23	AV	1.00	150	Horizontal	Pass

802.11n40 CHANNEL 6




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	59.41	-1.28	74.0	-14.59	Peak	4.00	150	Horizontal	Pass
1**	2483.500	47.41	-1.28	54.0	-6.59	AV	4.00	150	Horizontal	Pass
2	2484.050	60.12	-1.28	74.0	-13.88	Peak	5.00	150	Horizontal	Pass
2**	2484.050	47.05	-1.28	54.0	-6.95	AV	5.00	150	Horizontal	Pass

802.11n40 CHANNEL 7




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	60.57	-1.28	74.0	-13.43	Peak	5.00	150	Horizontal	Pass
1**	2483.500	48.81	-1.28	54.0	-5.19	AV	5.00	150	Horizontal	Pass
2	2485.000	61.00	-1.31	74.0	-13.00	Peak	3.00	150	Horizontal	Pass
2**	2485.000	48.19	-1.31	54.0	-5.81	AV	3.00	150	Horizontal	Pass

802.11n40 CHANNEL 8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	59.14	-1.28	74.0	-14.86	Peak	14.00	150	Horizontal	Pass
1**	2483.500	48.81	-1.28	54.0	-5.19	AV	14.00	150	Horizontal	Pass
2	2484.100	60.74	-1.28	74.0	-13.26	Peak	0.00	150	Horizontal	Pass
2**	2484.100	48.66	-1.28	54.0	-5.34	AV	0.00	150	Horizontal	Pass

802.11n40 CHANNEL 9



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	58.13	-1.28	74.0	-15.87	Peak	12.00	150	Horizontal	Pass
1**	2483.500	48.96	-1.28	54.0	-5.04	AV	12.00	150	Horizontal	Pass
2	2484.300	60.40	-1.29	74.0	-13.60	Peak	7.00	150	Horizontal	Pass
2**	2484.300	48.63	-1.29	54.0	-5.37	AV	7.00	150	Horizontal	Pass


802.11ac20 CHANNEL 1



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	61.90	-1.85	74.0	-12.10	Peak	0.00	150	Horizontal	Pass
1**	2390.000	47.91	-1.85	54.0	-6.09	AV	0.00	150	Horizontal	Pass


802.11ac20 CHANNEL 11

Bandedge_2.4G_Right




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	63.31	-1.28	74.0	-10.69	Peak	2.00	150	Horizontal	Pass
1**	2483.500	49.93	-1.28	54.0	-5.07	AV	2.00	150	Horizontal	Pass
2	2483.850	63.43	-1.28	74.0	-10.57	Peak	7.00	150	Horizontal	Pass
2**	2483.850	49.60	-1.28	54.0	-5.40	AV	7.00	150	Horizontal	Pass

802.11ac40 CHANNEL 3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	60.64	-1.85	74.0	-13.36	Peak	9.00	150	Horizontal	Pass
1**	2390.000	48.94	-1.85	54.0	-5.06	AV	9.00	150	Horizontal	Pass
2	2389.500	62.25	-1.83	74.0	-11.75	Peak	7.00	150	Horizontal	Pass
2**	2389.500	48.60	-1.83	54.0	-5.40	AV	7.00	150	Horizontal	Pass

802.11ac40 CHANNEL 4



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	63.38	-1.85	74.0	-10.62	Peak	8.00	150	Horizontal	Pass
1**	2390.000	48.64	-1.85	54.0	-5.36	AV	8.00	150	Horizontal	Pass

802.11ac40 CHANNEL 6




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	58.53	-1.28	74.0	-15.47	Peak	8.00	150	Horizontal	Pass
1**	2483.500	47.40	-1.28	54.0	-6.60	AV	8.00	150	Horizontal	Pass
2	2483.600	60.11	-1.28	74.0	-13.89	Peak	1.00	150	Horizontal	Pass
2**	2483.600	47.53	-1.28	54.0	-6.47	AV	1.00	150	Horizontal	Pass

802.11ac40 CHANNEL 7




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	60.08	-1.28	74.0	-13.92	Peak	13.00	150	Horizontal	Pass
1**	2483.500	48.87	-1.28	54.0	-5.13	AV	13.00	150	Horizontal	Pass
2	2483.750	61.87	-1.28	74.0	-12.13	Peak	8.00	150	Horizontal	Pass
2**	2483.750	48.98	-1.28	54.0	-5.02	AV	8.00	150	Horizontal	Pass

802.11ac40 CHANNEL 8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	58.40	-1.28	74.0	-15.60	Peak	4.00	150	Horizontal	Pass
1**	2483.500	48.68	-1.28	54.0	-5.32	AV	4.00	150	Horizontal	Pass
2	2485.300	60.19	-1.32	74.0	-13.81	Peak	15.00	150	Horizontal	Pass
2**	2485.300	47.78	-1.32	54.0	-6.22	AV	15.00	150	Horizontal	Pass

802.11ac40 CHANNEL 9




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	58.73	-1.28	74.0	-15.27	Peak	3.00	150	Horizontal	Pass
1**	2483.500	49.00	-1.28	54.0	-5.00	AV	3.00	150	Horizontal	Pass
2	2484.250	59.51	-1.29	74.0	-14.49	Peak	14.00	150	Horizontal	Pass
2**	2484.250	48.54	-1.29	54.0	-5.46	AV	14.00	150	Horizontal	Pass

802.11ax20 CHANNEL 1



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	62.48	-1.85	74.0	-11.52	Peak	10.00	150	Horizontal	Pass
1**	2390.000	48.56	-1.85	54.0	-5.44	AV	10.00	150	Horizontal	Pass
2	2388.500	63.74	-1.78	74.0	-10.26	Peak	10.00	150	Horizontal	Pass
2**	2388.500	47.86	-1.78	54.0	-6.14	AV	10.00	150	Horizontal	Pass


802.11ax20 CHANNEL 2



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	60.49	-1.85	74.0	-13.51	Peak	5.00	150	Horizontal	Pass
1**	2390.000	46.92	-1.85	54.0	-7.08	AV	5.00	150	Horizontal	Pass
2	2389.333	62.88	-1.82	74.0	-11.12	Peak	13.00	150	Horizontal	Pass
2**	2389.333	46.85	-1.82	54.0	-7.15	AV	13.00	150	Horizontal	Pass


802.11ax20 CHANNEL 10

Bandedge_2.4G_Right




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	61.46	-1.28	74.0	-12.54	Peak	12.00	150	Horizontal	Pass
1**	2483.500	47.16	-1.28	54.0	-6.84	AV	12.00	150	Horizontal	Pass
2	2484.150	64.22	-1.28	74.0	-9.78	Peak	14.00	150	Horizontal	Pass
2**	2484.150	46.75	-1.28	54.0	-7.25	AV	14.00	150	Horizontal	Pass

802.11ax20 CHANNEL 11




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	61.78	-1.28	74.0	-12.22	Peak	15.00	150	Horizontal	Pass
1**	2483.500	48.94	-1.28	54.0	-5.06	AV	15.00	150	Horizontal	Pass
2	2484.000	63.98	-1.28	74.0	-10.02	Peak	13.00	150	Horizontal	Pass
2**	2484.000	48.72	-1.28	54.0	-5.28	AV	13.00	150	Horizontal	Pass

802.11ax40 CHANNEL 3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	62.83	-1.85	74.0	-11.17	Peak	2.00	150	Horizontal	Pass
1**	2390.000	48.27	-1.85	54.0	-5.73	AV	2.00	150	Horizontal	Pass
2	2389.667	66.27	-1.84	74.0	-7.73	Peak	5.00	150	Horizontal	Pass
2**	2389.667	48.12	-1.84	54.0	-5.88	AV	5.00	150	Horizontal	Pass

802.11ax40 CHANNEL 4




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	61.03	-1.85	74.0	-12.97	Peak	7.00	150	Horizontal	Pass
1**	2390.000	47.93	-1.85	54.0	-6.07	AV	7.00	150	Horizontal	Pass
2	2389.667	64.28	-1.84	74.0	-9.72	Peak	10.00	150	Horizontal	Pass
2**	2389.667	47.71	-1.84	54.0	-6.29	AV	10.00	150	Horizontal	Pass

802.11ax40 CHANNEL 5




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	59.18	-1.85	74.0	-14.82	Peak	2.00	150	Horizontal	Pass
1**	2390.000	45.65	-1.85	54.0	-8.35	AV	2.00	150	Horizontal	Pass

802.11ax40 CHANNEL 6




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	59.50	-1.28	74.0	-14.50	Peak	10.00	150	Horizontal	Pass
1**	2483.500	47.78	-1.28	54.0	-6.22	AV	10.00	150	Horizontal	Pass
2	2483.800	61.53	-1.28	74.0	-12.47	Peak	15.00	150	Horizontal	Pass
2**	2483.800	47.68	-1.28	54.0	-6.32	AV	15.00	150	Horizontal	Pass

802.11ax40 CHANNEL 7




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	60.05	-1.28	74.0	-13.95	Peak	15.00	150	Horizontal	Pass
1**	2483.500	47.82	-1.28	54.0	-6.18	AV	15.00	150	Horizontal	Pass
2	2484.850	60.56	-1.31	74.0	-13.44	Peak	9.00	150	Horizontal	Pass
2**	2484.850	47.28	-1.31	54.0	-6.72	AV	9.00	150	Horizontal	Pass

802.11ax40 CHANNEL 8



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	59.45	-1.28	74.0	-14.55	Peak	14.00	150	Horizontal	Pass
1**	2483.500	48.45	-1.28	54.0	-5.55	AV	14.00	150	Horizontal	Pass
2	2484.550	60.14	-1.30	74.0	-13.86	Peak	12.00	150	Horizontal	Pass
2**	2484.550	47.75	-1.30	54.0	-6.25	AV	12.00	150	Horizontal	Pass


802.11ax40 CHANNEL 9



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	58.88	-1.28	74.0	-15.12	Peak	8.00	150	Horizontal	Pass
1**	2483.500	48.53	-1.28	54.0	-5.47	AV	8.00	150	Horizontal	Pass
2	2484.500	60.95	-1.29	74.0	-13.05	Peak	12.00	150	Horizontal	Pass
2**	2484.500	48.10	-1.29	54.0	-5.90	AV	12.00	150	Horizontal	Pass

Aux. Antenna


802.11b CHANNEL 1



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	52.46	-1.85	74.0	-21.54	Peak	6.00	150	Horizontal	Pass
1**	2390.000	42.14	-1.85	54.0	-11.86	AV	6.00	150	Horizontal	Pass
2	2325.667	54.62	-1.42	74.0	-19.38	Peak	7.00	150	Horizontal	Pass
2**	2325.667	42.19	-1.42	54.0	-11.81	AV	7.00	150	Horizontal	Pass


802.11b CHANNEL 11

Bandedge_2.4G_Right




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	51.98	-1.28	74.0	-22.02	Peak	12.00	150	Horizontal	Pass
1**	2483.500	42.70	-1.28	54.0	-11.30	AV	12.00	150	Horizontal	Pass
2	2487.350	54.51	-1.42	74.0	-19.49	Peak	1.00	150	Horizontal	Pass
2**	2487.350	42.47	-1.42	54.0	-11.53	AV	1.00	150	Horizontal	Pass

802.11g CHANNEL 1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	62.13	-1.85	74.0	-11.87	Peak	10.00	150	Horizontal	Pass
1**	2390.000	48.80	-1.85	54.0	-5.20	AV	10.00	150	Horizontal	Pass
2	2389.667	62.27	-1.84	74.0	-11.73	Peak	4.00	150	Horizontal	Pass
2**	2389.667	48.31	-1.84	54.0	-5.69	AV	4.00	150	Horizontal	Pass

802.11g CHANNEL 2




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	60.37	-1.85	74.0	-13.63	Peak	9.00	150	Horizontal	Pass
1**	2390.000	47.44	-1.85	54.0	-6.56	AV	9.00	150	Horizontal	Pass
2	2389.500	60.50	-1.83	74.0	-13.50	Peak	8.00	150	Horizontal	Pass
2**	2389.500	46.86	-1.83	54.0	-7.14	AV	8.00	150	Horizontal	Pass

802.11g CHANNEL 11




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	59.84	-1.28	74.0	-14.16	Peak	14.00	150	Horizontal	Pass
1**	2483.500	46.70	-1.28	54.0	-7.30	AV	14.00	150	Horizontal	Pass

802.11n20 CHANNEL 1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	60.04	-1.85	74.0	-13.96	Peak	15.00	150	Horizontal	Pass
1**	2390.000	47.16	-1.85	54.0	-6.84	AV	15.00	150	Horizontal	Pass

802.11n20 CHANNEL 2




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	58.15	-1.85	74.0	-15.85	Peak	5.00	150	Horizontal	Pass
1**	2390.000	46.76	-1.85	54.0	-7.24	AV	5.00	150	Horizontal	Pass
2	2388.333	58.85	-1.76	74.0	-15.15	Peak	11.00	150	Horizontal	Pass
2**	2388.333	45.28	-1.76	54.0	-8.72	AV	11.00	150	Horizontal	Pass

802.11n20 CHANNEL 10




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	54.16	-1.28	74.0	-19.84	Peak	11.00	150	Horizontal	Pass
1**	2483.500	43.76	-1.28	54.0	-10.24	AV	11.00	150	Horizontal	Pass
2	2484.000	55.59	-1.28	74.0	-18.41	Peak	5.00	150	Horizontal	Pass
2**	2484.000	43.72	-1.28	54.0	-10.28	AV	5.00	150	Horizontal	Pass

802.11n20 CHANNEL 11




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	58.86	-1.28	74.0	-15.14	Peak	1.00	150	Horizontal	Pass
1**	2483.500	47.69	-1.28	54.0	-6.31	AV	1.00	150	Horizontal	Pass
2	2484.100	59.60	-1.28	74.0	-14.40	Peak	15.00	150	Horizontal	Pass
2**	2484.100	47.12	-1.28	54.0	-6.88	AV	15.00	150	Horizontal	Pass

802.11n40 CHANNEL 3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	59.99	-1.85	74.0	-14.01	Peak	14.00	150	Horizontal	Pass
1**	2390.000	46.91	-1.85	54.0	-7.09	AV	14.00	150	Horizontal	Pass
2	2389.167	60.98	-1.81	74.0	-13.02	Peak	13.00	150	Horizontal	Pass
2**	2389.167	46.39	-1.81	54.0	-7.61	AV	13.00	150	Horizontal	Pass

802.11n40 CHANNEL 4



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	61.49	-1.85	74.0	-12.51	Peak	4.00	150	Horizontal	Pass
1**	2390.000	48.03	-1.85	54.0	-5.97	AV	4.00	150	Horizontal	Pass
2	2389.500	63.40	-1.83	74.0	-10.60	Peak	15.00	150	Horizontal	Pass
2**	2389.500	47.67	-1.83	54.0	-6.33	AV	15.00	150	Horizontal	Pass


802.11n40 CHANNEL 6



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	57.11	-1.28	74.0	-16.89	Peak	9.00	150	Horizontal	Pass
1**	2483.500	45.82	-1.28	54.0	-8.18	AV	9.00	150	Horizontal	Pass
2	2484.100	57.98	-1.28	74.0	-16.02	Peak	0.00	150	Horizontal	Pass
2**	2484.100	45.29	-1.28	54.0	-8.71	AV	0.00	150	Horizontal	Pass


802.11n40 CHANNEL 7

Bandedge_2.4G_Right




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	58.58	-1.28	74.0	-15.42	Peak	15.00	150	Horizontal	Pass
1**	2483.500	47.97	-1.28	54.0	-6.03	AV	15.00	150	Horizontal	Pass
2	2484.700	60.11	-1.30	74.0	-13.89	Peak	12.00	150	Horizontal	Pass
2**	2484.700	46.68	-1.30	54.0	-7.32	AV	12.00	150	Horizontal	Pass

802.11n40 CHANNEL 8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	58.10	-1.28	74.0	-15.90	Peak	0.00	150	Horizontal	Pass
1**	2483.500	47.72	-1.28	54.0	-6.28	AV	0.00	150	Horizontal	Pass
2	2484.200	60.14	-1.28	74.0	-13.86	Peak	3.00	150	Horizontal	Pass
2**	2484.200	47.45	-1.28	54.0	-6.55	AV	3.00	150	Horizontal	Pass

802.11n40 CHANNEL 9



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	59.22	-1.28	74.0	-14.78	Peak	8.00	150	Horizontal	Pass
1**	2483.500	48.23	-1.28	54.0	-5.77	AV	8.00	150	Horizontal	Pass
2	2485.450	60.37	-1.33	74.0	-13.63	Peak	0.00	150	Horizontal	Pass
2**	2485.450	47.07	-1.33	54.0	-6.93	AV	0.00	150	Horizontal	Pass


802.11ac20 CHANNEL 1



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	62.24	-1.85	74.0	-11.76	Peak	9.00	150	Horizontal	Pass
1**	2390.000	49.26	-1.85	54.0	-5.14	AV	9.00	150	Horizontal	Pass
2	2389.500	63.59	-1.83	74.0	-10.41	Peak	2.00	150	Horizontal	Pass
2**	2389.500	48.59	-1.83	54.0	-5.41	AV	2.00	150	Horizontal	Pass


802.11ac20 CHANNEL 11

Bandedge_2.4G_Right




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	58.41	-1.28	74.0	-15.59	Peak	6.00	150	Horizontal	Pass
1**	2483.500	47.43	-1.28	54.0	-6.57	AV	6.00	150	Horizontal	Pass
2	2484.300	59.90	-1.29	74.0	-14.10	Peak	12.00	150	Horizontal	Pass
2**	2484.300	46.34	-1.29	54.0	-7.66	AV	12.00	150	Horizontal	Pass

802.11ac40 CHANNEL 3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	63.15	-1.85	74.0	-10.85	Peak	9.00	150	Horizontal	Pass
1**	2390.000	48.83	-1.85	54.0	-5.17	AV	9.00	150	Horizontal	Pass

802.11ac40 CHANNEL 4




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	60.18	-1.85	74.0	-13.82	Peak	8.00	150	Horizontal	Pass
1**	2390.000	47.56	-1.85	54.0	-6.44	AV	8.00	150	Horizontal	Pass
2	2388.333	61.11	-1.76	74.0	-12.89	Peak	11.00	150	Horizontal	Pass
2**	2388.333	46.36	-1.76	54.0	-7.64	AV	11.00	150	Horizontal	Pass

802.11ac40 CHANNEL 6



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	56.37	-1.28	74.0	-17.63	Peak	0.00	150	Horizontal	Pass
1**	2483.500	45.80	-1.28	54.0	-8.20	AV	0.00	150	Horizontal	Pass
2	2483.700	57.56	-1.28	74.0	-16.44	Peak	11.00	150	Horizontal	Pass
2**	2483.700	45.50	-1.28	54.0	-8.50	AV	11.00	150	Horizontal	Pass


802.11ac40 CHANNEL 7



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	59.12	-1.28	74.0	-14.88	Peak	15.00	150	Horizontal	Pass
1**	2483.500	47.14	-1.28	54.0	-6.86	AV	15.00	150	Horizontal	Pass


802.11ac40 CHANNEL 8

Bandedge_2.4G_Right




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	58.97	-1.28	74.0	-15.03	Peak	3.00	150	Horizontal	Pass
1**	2483.500	47.31	-1.28	54.0	-6.69	AV	3.00	150	Horizontal	Pass
2	2484.950	59.74	-1.31	74.0	-14.26	Peak	2.00	150	Horizontal	Pass
2**	2484.950	46.50	-1.31	54.0	-7.50	AV	2.00	150	Horizontal	Pass

802.11ac40 CHANNEL 9




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	58.38	-1.28	74.0	-15.62	Peak	15.00	150	Horizontal	Pass
1**	2483.500	48.16	-1.28	54.0	-5.84	AV	15.00	150	Horizontal	Pass
2	2485.000	59.43	-1.31	74.0	-14.57	Peak	15.00	150	Horizontal	Pass
2**	2485.000	47.58	-1.31	54.0	-6.42	AV	15.00	150	Horizontal	Pass

802.11ax20 CHANNEL 1



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	60.63	-1.85	74.0	-13.37	Peak	9.00	150	Horizontal	Pass
1**	2390.000	46.93	-1.85	54.0	-7.07	AV	9.00	150	Horizontal	Pass
2	2389.833	61.35	-1.84	74.0	-12.65	Peak	10.00	150	Horizontal	Pass
2**	2389.833	46.58	-1.84	54.0	-7.42	AV	10.00	150	Horizontal	Pass


802.11ax20 CHANNEL 2



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	60.67	-1.85	74.0	-13.33	Peak	6.00	150	Horizontal	Pass
1**	2390.000	47.69	-1.85	54.0	-6.31	AV	6.00	150	Horizontal	Pass
2	2389.000	61.65	-1.81	74.0	-12.35	Peak	11.00	150	Horizontal	Pass
2**	2389.000	46.94	-1.81	54.0	-7.06	AV	11.00	150	Horizontal	Pass


802.11ax20 CHANNEL 10

Bandedge_2.4G_Right




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	57.39	-1.28	74.0	-16.61	Peak	7.00	150	Horizontal	Pass
1**	2483.500	44.81	-1.28	54.0	-9.19	AV	7.00	150	Horizontal	Pass

802.11ax20 CHANNEL 11




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	60.12	-1.28	74.0	-13.88	Peak	15.00	150	Horizontal	Pass
1**	2483.500	48.12	-1.28	54.0	-5.88	AV	15.00	150	Horizontal	Pass
2	2484.900	60.50	-1.31	74.0	-13.50	Peak	1.00	150	Horizontal	Pass
2**	2484.900	46.58	-1.31	54.0	-7.42	AV	1.00	150	Horizontal	Pass

802.11ax40 CHANNEL 3



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	62.29	-1.85	74.0	-11.71	Peak	12.00	150	Horizontal	Pass
1**	2390.000	47.19	-1.85	54.0	-6.81	AV	12.00	150	Horizontal	Pass
2	2389.667	63.93	-1.84	74.0	-10.07	Peak	15.00	150	Horizontal	Pass
2**	2389.667	46.90	-1.84	54.0	-7.10	AV	15.00	150	Horizontal	Pass


802.11ax40 CHANNEL 4



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	62.71	-1.85	74.0	-11.29	Peak	5.00	150	Horizontal	Pass
1**	2390.000	47.86	-1.85	54.0	-6.14	AV	5.00	150	Horizontal	Pass
2	2389.333	63.09	-1.82	74.0	-10.91	Peak	2.00	150	Horizontal	Pass
2**	2389.333	47.60	-1.82	54.0	-6.40	AV	2.00	150	Horizontal	Pass


802.11ax40 CHANNEL 5

Bandedge_2.4G_Left




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	57.61	-1.85	74.0	-16.39	Peak	14.00	150	Horizontal	Pass
1**	2390.000	45.27	-1.85	54.0	-8.73	AV	14.00	150	Horizontal	Pass
2	2389.333	59.61	-1.82	74.0	-14.39	Peak	15.00	150	Horizontal	Pass
2**	2389.333	45.07	-1.82	54.0	-8.93	AV	15.00	150	Horizontal	Pass

802.11ax40 CHANNEL 6



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	56.49	-1.28	74.0	-17.51	Peak	15.00	150	Horizontal	Pass
1**	2483.500	45.64	-1.28	54.0	-8.36	AV	15.00	150	Horizontal	Pass
2	2484.300	57.96	-1.29	74.0	-16.04	Peak	5.00	150	Horizontal	Pass
2**	2484.300	45.10	-1.29	54.0	-8.90	AV	5.00	150	Horizontal	Pass


802.11ax40 CHANNEL 7



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	60.03	-1.28	74.0	-13.97	Peak	1.00	150	Horizontal	Pass
1**	2483.500	47.32	-1.28	54.0	-6.68	AV	1.00	150	Horizontal	Pass
2	2483.700	62.17	-1.28	74.0	-11.83	Peak	1.00	150	Horizontal	Pass
2**	2483.700	47.20	-1.28	54.0	-6.80	AV	1.00	150	Horizontal	Pass


802.11ax40 CHANNEL 8

Bandedge_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	60.75	-1.28	74.0	-13.25	Peak	14.00	150	Horizontal	Pass
1**	2483.500	47.46	-1.28	54.0	-6.54	AV	14.00	150	Horizontal	Pass


802.11ax40 CHANNEL 9



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	61.56	-1.28	74.0	-12.44	Peak	6.00	150	Horizontal	Pass
1**	2483.500	47.87	-1.28	54.0	-6.13	AV	6.00	150	Horizontal	Pass
2	2484.500	63.91	-1.29	74.0	-10.09	Peak	5.00	150	Horizontal	Pass
2**	2484.500	47.27	-1.29	54.0	-6.73	AV	5.00	150	Horizontal	Pass


MIMO

802.11b CHANNEL 1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	52.76	-1.85	74.0	-21.24	Peak	8.00	150	Horizontal	Pass
1**	2390.000	42.43	-1.85	54.0	-11.57	AV	8.00	150	Horizontal	Pass
2	2357.000	53.99	-1.68	74.0	-20.01	Peak	4.00	150	Horizontal	Pass
2**	2357.000	41.97	-1.68	54.0	-12.03	AV	4.00	150	Horizontal	Pass

802.11b CHANNEL 11




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	52.26	-1.28	74.0	-21.74	Peak	11.00	150	Horizontal	Pass
1**	2483.500	42.91	-1.28	54.0	-11.09	AV	11.00	150	Horizontal	Pass
2	2493.850	54.76	-1.37	74.0	-19.24	Peak	12.00	150	Horizontal	Pass
2**	2493.850	42.34	-1.37	54.0	-11.66	AV	12.00	150	Horizontal	Pass

802.11g CHANNEL 1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	62.86	-1.85	74.0	-11.14	Peak	0.00	150	Horizontal	Pass
1**	2390.000	48.43	-1.85	54.0	-5.57	AV	0.00	150	Horizontal	Pass

802.11g CHANNEL 2




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	61.41	-1.85	74.0	-12.59	Peak	8.00	150	Horizontal	Pass
1**	2390.000	47.38	-1.85	54.0	-6.62	AV	8.00	150	Horizontal	Pass

802.11g CHANNEL 11



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	60.59	-1.28	74.0	-13.41	Peak	14.00	150	Horizontal	Pass
1**	2483.500	48.32	-1.28	54.0	-5.68	AV	14.00	150	Horizontal	Pass
2	2486.350	61.72	-1.36	74.0	-12.28	Peak	13.00	150	Horizontal	Pass
2**	2486.350	47.20	-1.36	54.0	-6.80	AV	13.00	150	Horizontal	Pass

802.11n20 CHANNEL 1



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	60.97	-1.85	74.0	-13.03	Peak	6.00	150	Horizontal	Pass
1**	2390.000	48.20	-1.85	54.0	-5.80	AV	6.00	150	Horizontal	Pass
2	2389.333	61.76	-1.82	74.0	-12.24	Peak	15.00	150	Horizontal	Pass
2**	2389.333	47.53	-1.82	54.0	-6.47	AV	15.00	150	Horizontal	Pass