

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1572.300	39.31	-15.88	74.0	-34.69	Peak	317.00	150	Horizontal	Pass
1**	1572.300	28.19	-15.88	54.0	-25.81	AV	317.00	150	Horizontal	Pass
2	4039.000	47.04	-2.84	74.0	-26.96	Peak	292.00	150	Horizontal	Pass
2**	4039.000	38.26	-2.84	54.0	-15.74	AV	292.00	150	Horizontal	Pass
3	5771.750	88.70	1.15	--	-250.30	Peak	339.00	150	Horizontal	N/A
3**	5771.750	81.31	1.15	--	81.31	AV	339.00	150	Horizontal	N/A
4	7396.500	52.91	2.48	74.0	-21.09	Peak	303.00	150	Horizontal	Pass
4**	7396.500	45.74	2.48	54.0	-8.26	AV	303.00	150	Horizontal	Pass
5	11271.088	52.90	2.04	74.0	-21.10	Peak	220.00	150	Horizontal	Pass
5**	11271.088	44.26	2.04	54.0	-9.74	AV	220.00	150	Horizontal	Pass
6	15753.525	51.97	1.13	74.0	-22.03	Peak	234.00	150	Horizontal	Pass
6**	15753.525	42.55	1.13	54.0	-11.45	AV	234.00	150	Horizontal	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.100	41.83	-15.46	74.0	-32.17	Peak	69.00	150	Vertical	Pass
1**	1330.100	33.74	-15.46	54.0	-20.26	AV	69.00	150	Vertical	Pass
2	4007.750	47.58	-3.06	74.0	-26.42	Peak	80.00	150	Vertical	Pass
2**	4007.750	37.89	-3.06	54.0	-16.11	AV	80.00	150	Vertical	Pass
3	5787.000	88.00	1.00	--	55.00	Peak	33.00	150	Vertical	N/A
3**	5787.000	81.59	1.00	--	81.59	AV	33.00	150	Vertical	N/A
4	7601.500	53.49	2.04	74.0	-20.51	Peak	92.00	150	Vertical	Pass
4**	7601.500	44.58	2.04	54.0	-9.42	AV	92.00	150	Vertical	Pass
5	11299.588	53.32	2.40	74.0	-20.68	Peak	169.00	150	Vertical	Pass
5**	11299.588	44.25	2.40	54.0	-9.75	AV	169.00	150	Vertical	Pass
6	15957.750	51.29	0.93	74.0	-22.71	Peak	334.00	150	Vertical	Pass
6**	15957.750	42.82	0.93	54.0	-11.18	AV	334.00	150	Vertical	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1596.100	39.72	-15.82	74.0	-34.28	Peak	22.00	150	Horizontal	Pass
1**	1596.100	30.50	-15.82	54.0	-23.50	AV	22.00	150	Horizontal	Pass
2	3749.250	47.40	-2.80	74.0	-26.60	Peak	292.00	150	Horizontal	Pass
2**	3749.250	38.30	-2.80	54.0	-15.70	AV	292.00	150	Horizontal	Pass
3	5750.500	96.72	1.25	--	52.72	Peak	44.00	150	Horizontal	N/A
3**	5750.500	88.14	1.25	--	88.14	AV	44.00	150	Horizontal	N/A
4	7422.250	52.43	2.97	74.0	-21.57	Peak	151.00	150	Horizontal	Pass
4**	7422.250	44.65	2.97	54.0	-9.35	AV	151.00	150	Horizontal	Pass
5	11186.062	53.47	1.84	74.0	-20.53	Peak	324.00	150	Horizontal	Pass
5**	11186.062	43.61	1.84	54.0	-10.39	AV	324.00	150	Horizontal	Pass
6	15734.625	51.73	0.95	74.0	-22.27	Peak	3.00	150	Horizontal	Pass
6**	15734.625	42.25	0.95	54.0	-11.75	AV	3.00	150	Horizontal	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.600	42.88	-15.49	74.0	-31.12	Peak	125.00	150	Vertical	Pass
1**	1330.600	28.47	-15.49	54.0	-25.53	AV	125.00	150	Vertical	Pass
2	3898.500	47.01	-2.24	74.0	-26.99	Peak	185.00	150	Vertical	Pass
2**	3898.500	37.58	-2.24	54.0	-16.42	AV	185.00	150	Vertical	Pass
3	5746.250	95.85	1.13	--	-101.15	Peak	197.00	150	Vertical	N/A
3**	5746.250	87.08	1.13	--	87.08	AV	197.00	150	Vertical	N/A
4	7405.500	53.92	2.65	74.0	-20.08	Peak	352.00	150	Vertical	Pass
4**	7405.500	44.39	2.65	54.0	-9.61	AV	352.00	150	Vertical	Pass
5	11195.800	52.89	2.13	74.0	-21.11	Peak	290.00	150	Vertical	Pass
5**	11195.800	44.18	2.13	54.0	-9.82	AV	290.00	150	Vertical	Pass
6	15939.112	51.44	0.88	74.0	-22.56	Peak	249.00	150	Vertical	Pass
6**	15939.112	42.64	0.88	54.0	-11.36	AV	249.00	150	Vertical	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.400	39.48	-15.50	74.0	-34.52	Peak	31.00	150	Horizontal	Pass
1**	1332.400	29.21	-15.50	54.0	-24.79	AV	31.00	150	Horizontal	Pass
2	2803.500	44.60	-6.76	74.0	-29.40	Peak	349.00	150	Horizontal	Pass
2**	2803.500	35.43	-6.76	54.0	-18.57	AV	349.00	150	Horizontal	Pass
3	4033.750	48.21	-3.21	74.0	-25.79	Peak	138.00	150	Horizontal	Pass
3**	4033.750	38.62	-3.21	54.0	-15.38	AV	138.00	150	Horizontal	Pass
4	5783.250	95.72	1.08	--	75.72	Peak	20.00	150	Horizontal	N/A
4**	5783.250	87.23	1.08	--	87.23	AV	20.00	150	Horizontal	N/A
5	7396.500	53.60	2.48	74.0	-20.40	Peak	162.00	150	Horizontal	Pass
5**	7396.500	43.94	2.48	54.0	-10.06	AV	162.00	150	Horizontal	Pass
6	11447.550	53.12	1.55	74.0	-20.88	Peak	185.00	150	Horizontal	Pass
6**	11447.550	43.18	1.55	54.0	-10.82	AV	185.00	150	Horizontal	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1327.600	41.79	-15.46	74.0	-32.21	Peak	122.00	150	Vertical	Pass
1**	1327.600	28.87	-15.46	54.0	-25.13	AV	122.00	150	Vertical	Pass
2	2793.800	44.47	-6.86	74.0	-29.53	Peak	219.00	150	Vertical	Pass
2**	2793.800	35.35	-6.86	54.0	-18.65	AV	219.00	150	Vertical	Pass
3	4126.000	47.76	-3.01	74.0	-26.24	Peak	138.00	150	Vertical	Pass
3**	4126.000	38.69	-3.01	54.0	-15.31	AV	138.00	150	Vertical	Pass
4	5782.750	95.70	1.07	--	-66.30	Peak	162.00	150	Vertical	N/A
4**	5782.750	85.90	1.07	--	85.90	AV	162.00	150	Vertical	N/A
5	7409.750	52.85	2.76	74.0	-21.15	Peak	79.00	150	Vertical	Pass
5**	7409.750	43.84	2.76	54.0	-10.16	AV	79.00	150	Vertical	Pass
6	12018.500	53.53	2.08	74.0	-20.47	Peak	134.00	150	Vertical	Pass
6**	12018.500	45.25	2.08	54.0	-8.75	AV	134.00	150	Vertical	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1592.400	39.00	-15.79	74.0	-35.00	Peak	332.00	150	Horizontal	Pass
1**	1592.400	28.72	-15.79	54.0	-25.28	AV	332.00	150	Horizontal	Pass
2	2838.600	44.93	-7.55	74.0	-29.07	Peak	12.00	150	Horizontal	Pass
2**	2838.600	35.26	-7.55	54.0	-18.74	AV	12.00	150	Horizontal	Pass
3	4261.000	49.04	-2.28	74.0	-24.96	Peak	0.00	150	Horizontal	Pass
3**	4261.000	39.17	-2.28	54.0	-14.83	AV	0.00	150	Horizontal	Pass
4	5825.750	96.08	1.81	--	75.08	Peak	21.00	150	Horizontal	N/A
4**	5825.750	85.78	1.81	--	85.78	AV	21.00	150	Horizontal	N/A
5	7497.250	53.40	1.96	74.0	-20.60	Peak	0.00	150	Horizontal	Pass
5**	7497.250	43.86	1.96	54.0	-10.14	AV	0.00	150	Horizontal	Pass
6	11916.613	53.54	2.41	74.0	-20.46	Peak	13.00	150	Horizontal	Pass
6**	11916.613	43.86	2.41	54.0	-10.14	AV	13.00	150	Horizontal	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1329.900	41.86	-15.43	74.0	-32.14	Peak	319.00	150	Vertical	Pass
1**	1329.900	30.65	-15.43	54.0	-23.35	AV	319.00	150	Vertical	Pass
2	3900.750	46.99	-2.32	74.0	-27.01	Peak	316.00	150	Vertical	Pass
2**	3900.750	37.56	-2.32	54.0	-16.44	AV	316.00	150	Vertical	Pass
3	5830.250	94.92	1.78	--	-68.08	Peak	163.00	150	Vertical	N/A
3**	5830.250	85.94	1.78	--	85.94	AV	163.00	150	Vertical	N/A
4	9329.050	51.30	2.17	74.0	-22.70	Peak	360.00	150	Vertical	Pass
4**	9329.050	42.19	2.17	54.0	-11.81	AV	360.00	150	Vertical	Pass
5	11951.762	51.70	2.64	74.0	-22.30	Peak	355.00	150	Vertical	Pass
5**	11951.762	44.00	2.64	54.0	-10.00	AV	355.00	150	Vertical	Pass
6	15807.863	51.52	0.83	74.0	-22.48	Peak	335.00	150	Vertical	Pass
6**	15807.863	41.91	0.83	54.0	-12.09	AV	335.00	150	Vertical	Pass

11ax40(SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1329.900	39.22	-15.43	74.0	-34.78	Peak	33.00	150	Horizontal	Pass
1**	1329.900	30.15	-15.43	54.0	-23.85	AV	33.00	150	Horizontal	Pass
2	2851.600	45.61	-7.32	74.0	-28.39	Peak	220.00	150	Horizontal	Pass
2**	2851.600	35.70	-7.32	54.0	-18.30	AV	220.00	150	Horizontal	Pass
3	4217.000	48.42	-2.38	74.0	-25.58	Peak	93.00	150	Horizontal	Pass
3**	4217.000	38.76	-2.38	54.0	-15.24	AV	93.00	150	Horizontal	Pass
4	5746.250	93.37	1.13	--	60.37	Peak	33.00	150	Horizontal	N/A
4**	5746.250	84.96	1.13	--	84.96	AV	33.00	150	Horizontal	N/A
5	9320.263	52.60	2.18	74.0	-21.40	Peak	83.00	150	Horizontal	Pass
5**	9320.263	42.96	2.18	54.0	-11.04	AV	83.00	150	Horizontal	Pass
6	15975.862	52.11	0.82	74.0	-21.89	Peak	292.00	150	Horizontal	Pass
6**	15975.862	42.59	0.82	54.0	-11.41	AV	292.00	150	Horizontal	Pass

11ax40(SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1328.800	41.61	-15.39	74.0	-32.39	Peak	121.00	150	Vertical	Pass
1**	1328.800	28.78	-15.39	54.0	-25.22	AV	121.00	150	Vertical	Pass
2	4056.750	47.37	-1.84	74.0	-26.63	Peak	115.00	150	Vertical	Pass
2**	4056.750	38.59	-1.84	54.0	-15.41	AV	115.00	150	Vertical	Pass
3	5759.500	92.75	1.35	--	-69.25	Peak	162.00	150	Vertical	N/A
3**	5759.500	85.58	1.35	--	85.58	AV	162.00	150	Vertical	N/A
4	7388.000	53.55	2.34	74.0	-20.45	Peak	268.00	150	Vertical	Pass
4**	7388.000	45.05	2.34	54.0	-8.95	AV	268.00	150	Vertical	Pass
5	11311.700	53.10	2.07	74.0	-20.90	Peak	218.00	150	Vertical	Pass
5**	11311.700	43.39	2.07	54.0	-10.61	AV	218.00	150	Vertical	Pass
6	15938.062	51.45	0.87	74.0	-22.55	Peak	105.00	150	Vertical	Pass
6**	15938.062	42.73	0.87	54.0	-11.27	AV	105.00	150	Vertical	Pass

11ax40(SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.100	40.18	-15.47	74.0	-33.82	Peak	165.00	150	Horizontal	Pass
1**	1332.100	28.61	-15.47	54.0	-25.39	AV	165.00	150	Horizontal	Pass
2	3898.250	47.16	-2.23	74.0	-26.84	Peak	163.00	150	Horizontal	Pass
2**	3898.250	38.07	-2.23	54.0	-15.93	AV	163.00	150	Horizontal	Pass
3	5792.000	92.82	0.99	--	-259.18	Peak	352.00	150	Horizontal	Pass
3**	5792.000	84.10	0.99	--	84.10	AV	352.00	150	Horizontal	N/A
4	7412.250	54.06	2.89	74.0	-19.94	Peak	211.00	150	Horizontal	Pass
4**	7412.250	45.14	2.89	54.0	-8.86	AV	211.00	150	Horizontal	Pass
5	11270.850	52.88	2.04	74.0	-21.12	Peak	322.00	150	Horizontal	Pass
5**	11270.850	44.09	2.04	54.0	-9.91	AV	322.00	150	Horizontal	Pass
6	15769.012	51.52	1.08	74.0	-22.48	Peak	120.00	150	Horizontal	Pass
6**	15769.012	42.56	1.08	54.0	-11.44	AV	120.00	150	Horizontal	Pass

11ax40(SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1593.600	41.02	-15.81	74.0	-32.98	Peak	267.00	150	Vertical	Pass
1**	1593.600	31.73	-15.81	54.0	-22.27	AV	267.00	150	Vertical	Pass
2	3898.000	47.32	-2.23	74.0	-26.68	Peak	163.00	150	Vertical	Pass
2**	3898.000	38.65	-2.23	54.0	-15.35	AV	163.00	150	Vertical	Pass
3	5794.250	92.74	0.97	--	-140.26	Peak	233.00	150	Vertical	N/A
3**	5794.250	83.97	0.97	--	83.97	AV	233.00	150	Vertical	N/A
4	9466.800	51.84	1.50	74.0	-22.16	Peak	151.00	150	Vertical	Pass
4**	9466.800	42.57	1.50	54.0	-11.43	AV	151.00	150	Vertical	Pass
5	11971.713	53.83	2.64	74.0	-20.17	Peak	169.00	150	Vertical	Pass
5**	11971.713	44.03	2.64	54.0	-9.97	AV	169.00	150	Vertical	Pass
6	15730.425	51.54	0.90	74.0	-22.46	Peak	76.00	150	Vertical	Pass
6**	15730.425	42.79	0.90	54.0	-11.21	AV	76.00	150	Vertical	Pass

11ax80(SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1594.200	38.35	-15.80	74.0	-35.65	Peak	332.00	150	Horizontal	Pass
1**	1594.200	29.34	-15.80	54.0	-24.66	AV	332.00	150	Horizontal	Pass
2	3896.250	47.44	-2.23	74.0	-26.56	Peak	31.00	150	Horizontal	Pass
2**	3896.250	38.36	-2.23	54.0	-15.64	AV	31.00	150	Horizontal	Pass
3	5771.000	91.46	1.14	--	-247.54	Peak	339.00	150	Horizontal	N/A
3**	5771.000	80.71	1.14	--	80.71	AV	339.00	150	Horizontal	N/A
4	7605.250	53.76	2.05	74.0	-20.24	Peak	303.00	150	Horizontal	Pass
4**	7605.250	44.25	2.05	54.0	-9.75	AV	303.00	150	Horizontal	Pass
5	12008.526	52.84	2.38	74.0	-21.16	Peak	0.00	150	Horizontal	Pass
5**	12008.526	44.44	2.38	54.0	-9.56	AV	0.00	150	Horizontal	Pass
6	15810.487	51.40	0.79	74.0	-22.60	Peak	321.00	150	Horizontal	Pass
6**	15810.487	42.36	0.79	54.0	-11.64	AV	321.00	150	Horizontal	Pass

11ax80(SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.200	42.91	-15.48	74.0	-31.09	Peak	69.00	150	Vertical	Pass
1**	1330.200	29.02	-15.48	54.0	-24.98	AV	69.00	150	Vertical	Pass
2	4049.000	47.16	-1.97	74.0	-26.84	Peak	65.00	150	Vertical	Pass
2**	4049.000	39.27	-1.97	54.0	-14.73	AV	65.00	150	Vertical	Pass
3	5784.000	89.91	1.08	--	59.91	Peak	30.00	150	Vertical	N/A
3**	5784.000	80.45	1.08	--	80.45	AV	30.00	150	Vertical	N/A
4	7394.750	53.36	2.39	74.0	-20.64	Peak	101.00	150	Vertical	Pass
4**	7394.750	44.36	2.39	54.0	-9.64	AV	101.00	150	Vertical	Pass
5	11184.638	52.90	1.79	74.0	-21.10	Peak	254.00	150	Vertical	Pass
5**	11184.638	44.08	1.79	54.0	-9.92	AV	254.00	150	Vertical	Pass
6	15769.538	52.26	1.08	74.0	-21.74	Peak	177.00	150	Vertical	Pass
6**	15769.538	43.44	1.08	54.0	-10.56	AV	177.00	150	Vertical	Pass

A.6.2 Band Edge (Restricted-band)

Test Band	Mode	Channel	Verdict
U-NII-1	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass
	802.11ac(VHT160)	Middle	Pass
	802.11ax(HE20)-SU	Low	Pass
		High	Pass
802.11ax(HE40)-SU	Low	Pass	
	High	Pass	
802.11ax(HE80)-SU	Middle	Pass	
802.11ax(HE160)-SU	Middle	Pass	
U-NII-2A	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass
	802.11ax(HE20)-SU	Low	Pass
High		Pass	
802.11ax(HE40)-SU	Low	Pass	
	High	Pass	
802.11ax(HE80)-SU	Middle	Pass	
U-NII-2C	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
High		Pass	
802.11ac(VHT40)	Low	Pass	


		High	Pass
	802.11ac(VHT80)	Low	Pass
		High	Pass
	802.11ac(VHT160)	Middle	Pass
	802.11ax(HE20)-SU	Low	Pass
		High	Pass
	802.11ax(HE40)-SU	Low	Pass
		High	Pass
802.11ax(HE80)-SU	Low	Pass	
	High	Pass	
802.11ax(HE160)-SU	Middle	Pass	
U-NII-3	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass
	802.11ax(HE20)-SU	Low	Pass
		High	Pass
	802.11ax(HE40)-SU	Low	Pass
High		Pass	
802.11ax(HE80)-SU	Middle	Pass	

Note 1: All the configurations were pre tested, only the worst configuration has been reported in this report.

Test Plots


Main Antenna

U-NII-1 11a CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.49	3.16	74.0	-17.51	Peak	10.00	150	Horizontal	Pass
1**	5150.000	45.70	3.16	54.0	-8.30	AV	10.00	150	Horizontal	Pass
2	5147.400	56.89	3.29	74.0	-17.11	Peak	2.00	150	Horizontal	Pass
2**	5147.400	45.79	3.29	54.0	-8.21	AV	2.00	150	Horizontal	Pass

U-NII-1 11a CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.94	2.59	74.0	-19.06	Peak	7.00	150	Horizontal	Pass
1**	5350.000	45.37	2.59	54.0	-8.63	AV	7.00	150	Horizontal	Pass
2	5378.050	56.60	2.64	74.0	-17.40	Peak	5.00	150	Horizontal	Pass
2**	5378.050	45.30	2.64	54.0	-8.70	AV	5.00	150	Horizontal	Pass

U-NII-1 11n20 CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.47	3.16	74.0	-19.53	Peak	14.00	150	Horizontal	Pass
1**	5150.000	45.76	3.16	54.0	-8.24	AV	14.00	150	Horizontal	Pass
2	5147.400	57.02	3.29	74.0	-16.98	Peak	5.00	150	Horizontal	Pass
2**	5147.400	45.79	3.29	54.0	-8.21	AV	5.00	150	Horizontal	Pass

U-NII-1 11n20 CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.06	2.59	74.0	-18.94	Peak	1.00	150	Horizontal	Pass
1**	5350.000	45.24	2.59	54.0	-8.76	AV	1.00	150	Horizontal	Pass
2	5381.350	57.16	2.68	74.0	-16.84	Peak	7.00	150	Horizontal	Pass
2**	5381.350	45.42	2.68	54.0	-8.58	AV	7.00	150	Horizontal	Pass

U-NII-1 11n40 CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.74	3.16	74.0	-18.26	Peak	14.00	150	Horizontal	Pass
1**	5150.000	46.59	3.16	54.0	-7.41	AV	14.00	150	Horizontal	Pass
2	5142.200	56.55	2.82	74.0	-17.45	Peak	12.00	150	Horizontal	Pass
2**	5142.200	45.61	2.82	54.0	-8.39	AV	12.00	150	Horizontal	Pass

U-NII-1 11n40 CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.86	2.59	74.0	-18.14	Peak	12.00	150	Horizontal	Pass
1**	5350.000	45.24	2.59	54.0	-8.76	AV	12.00	150	Horizontal	Pass
2	5379.700	57.19	2.66	74.0	-16.81	Peak	5.00	150	Horizontal	Pass
2**	5379.700	45.40	2.66	54.0	-8.60	AV	5.00	150	Horizontal	Pass

U-NII-1 11ac20 CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.95	3.16	74.0	-19.05	Peak	9.00	150	Horizontal	Pass
1**	5150.000	45.59	3.16	54.0	-8.41	AV	9.00	150	Horizontal	Pass
2	5137.000	55.89	3.00	74.0	-18.11	Peak	9.00	150	Horizontal	Pass
2**	5137.000	45.87	3.00	54.0	-8.13	AV	9.00	150	Horizontal	Pass

U-NII-1 11ac20 CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.60	2.59	74.0	-19.40	Peak	11.00	150	Horizontal	Pass
1**	5350.000	45.25	2.59	54.0	-8.75	AV	11.00	150	Horizontal	Pass
2	5376.217	56.60	2.37	74.0	-17.40	Peak	5.00	150	Horizontal	Pass
2**	5376.217	44.96	2.37	54.0	-9.04	AV	5.00	150	Horizontal	Pass

U-NII-1 11ac40 CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.03	3.16	74.0	-18.97	Peak	4.00	150	Horizontal	Pass
1**	5150.000	46.44	3.16	54.0	-7.56	AV	4.00	150	Horizontal	Pass
2	5148.050	56.52	3.20	74.0	-17.48	Peak	15.00	150	Horizontal	Pass
2**	5148.050	46.46	3.20	54.0	-7.54	AV	15.00	150	Horizontal	Pass

U-NII-1 11ac40 CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.47	2.59	74.0	-19.53	Peak	15.00	150	Horizontal	Pass
1**	5350.000	45.21	2.59	54.0	-8.79	AV	15.00	150	Horizontal	Pass
2	5395.833	57.04	2.84	74.0	-16.96	Peak	0.00	150	Horizontal	Pass
2**	5395.833	45.35	2.84	54.0	-8.65	AV	0.00	150	Horizontal	Pass

U-NII-1 11ac80 CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.02	3.16	74.0	-17.98	Peak	5.00	150	Horizontal	Pass
1**	5150.000	46.66	3.16	54.0	-7.34	AV	5.00	150	Horizontal	Pass
2	5144.475	57.83	3.09	74.0	-16.17	Peak	4.00	150	Horizontal	Pass
2**	5144.475	46.74	3.09	54.0	-7.26	AV	4.00	150	Horizontal	Pass

U-NII-1 11ac80 CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.23	2.59	74.0	-18.77	Peak	13.00	150	Horizontal	Pass
1**	5350.000	45.13	2.59	54.0	-8.87	AV	13.00	150	Horizontal	Pass
2	5382.817	57.18	2.76	74.0	-16.82	Peak	6.00	150	Horizontal	Pass
2**	5382.817	45.42	2.76	54.0	-8.58	AV	6.00	150	Horizontal	Pass

U-NII-1 11ac160 CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.43	3.16	74.0	-18.57	Peak	11.00	150	Horizontal	Pass
1**	5150.000	47.17	3.16	54.0	-6.83	AV	11.00	150	Horizontal	Pass
2	5116.525	58.10	2.20	74.0	-15.90	Peak	5.00	150	Horizontal	Pass
2**	5116.525	46.28	2.20	54.0	-7.72	AV	5.00	150	Horizontal	Pass

U-NII-1 11ac160 CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.57	2.59	74.0	-16.43	Peak	4.00	150	Horizontal	Pass
1**	5350.000	47.43	2.59	54.0	-6.57	AV	4.00	150	Horizontal	Pass
2	5362.100	59.01	2.18	74.0	-14.99	Peak	9.00	150	Horizontal	Pass
2**	5362.100	47.14	2.18	54.0	-6.86	AV	9.00	150	Horizontal	Pass

U-NII-1 11ax20(SU) CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.24	3.16	74.0	-17.76	Peak	1.00	150	Horizontal	Pass
1**	5150.000	45.96	3.16	54.0	-8.04	AV	1.00	150	Horizontal	Pass
2	5138.300	56.64	2.94	74.0	-17.36	Peak	14.00	150	Horizontal	Pass
2**	5138.300	45.61	2.94	54.0	-8.39	AV	14.00	150	Horizontal	Pass

U-NII-1 11ax20(SU) CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.88	2.59	74.0	-19.12	Peak	11.00	150	Horizontal	Pass
1**	5350.000	45.07	2.59	54.0	-8.93	AV	11.00	150	Horizontal	Pass
2	5388.317	56.77	2.65	74.0	-17.23	Peak	11.00	150	Horizontal	Pass
2**	5388.317	45.26	2.65	54.0	-8.74	AV	11.00	150	Horizontal	Pass

U-NII-1 11ax40(SU) CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.62	3.16	74.0	-18.38	Peak	1.00	150	Horizontal	Pass
1**	5150.000	46.59	3.16	54.0	-7.41	AV	1.00	150	Horizontal	Pass
2	5145.125	56.72	3.18	74.0	-17.28	Peak	5.00	150	Horizontal	Pass
2**	5145.125	46.15	3.18	54.0	-7.85	AV	5.00	150	Horizontal	Pass

U-NII-1 11ax40(SU) CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.74	2.59	74.0	-19.26	Peak	6.00	150	Horizontal	Pass
1**	5350.000	45.12	2.59	54.0	-8.88	AV	6.00	150	Horizontal	Pass
2	5391.617	57.20	2.72	74.0	-16.80	Peak	14.00	150	Horizontal	Pass
2**	5391.617	45.26	2.72	54.0	-8.74	AV	14.00	150	Horizontal	Pass

U-NII-1 11ax80(SU) CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.02	3.16	74.0	-17.98	Peak	1.00	150	Horizontal	Pass
1**	5150.000	47.18	3.16	54.0	-6.82	AV	1.00	150	Horizontal	Pass
2	5140.575	57.61	3.02	74.0	-16.39	Peak	3.00	150	Horizontal	Pass
2**	5140.575	46.59	3.02	54.0	-7.41	AV	3.00	150	Horizontal	Pass

U-NII-1 11ax80(SU) CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.98	2.59	74.0	-19.02	Peak	7.00	150	Horizontal	Pass
1**	5350.000	45.21	2.59	54.0	-8.79	AV	7.00	150	Horizontal	Pass
2	5386.300	56.72	2.74	74.0	-17.28	Peak	11.00	150	Horizontal	Pass
2**	5386.300	45.28	2.74	54.0	-8.72	AV	11.00	150	Horizontal	Pass

U-NII-1 11ax160(SU) CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.18	3.16	74.0	-16.82	Peak	0.00	150	Horizontal	Pass
1**	5150.000	47.37	3.16	54.0	-6.63	AV	0.00	150	Horizontal	Pass
2	5148.375	57.68	3.16	74.0	-16.32	Peak	0.00	150	Horizontal	Pass
2**	5148.375	47.14	3.16	54.0	-6.86	AV	0.00	150	Horizontal	Pass

U-NII-1 11ax160(SU) CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.53	2.59	74.0	-16.47	Peak	6.00	150	Horizontal	Pass
1**	5350.000	47.30	2.59	54.0	-6.70	AV	6.00	150	Horizontal	Pass
2	5350.917	59.08	2.52	74.0	-14.92	Peak	13.00	150	Horizontal	Pass
2**	5350.917	47.46	2.52	54.0	-6.54	AV	13.00	150	Horizontal	Pass

U-NII-2A 11a CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5149.350	56.00	3.11	74.0	-18.00	Peak	14.00	150	Horizontal	Pass
1**	5149.350	45.67	3.11	54.0	-8.33	AV	14.00	150	Horizontal	Pass
2	4898.450	56.15	2.13	74.0	-17.85	Peak	11.00	150	Horizontal	Pass
2**	4898.450	44.69	2.13	54.0	-9.31	AV	11.00	150	Horizontal	Pass

U-NII-2A 11a CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.23	2.59	74.0	-19.77	Peak	5.00	150	Horizontal	Pass
1**	5350.000	45.09	2.59	54.0	-8.91	AV	5.00	150	Horizontal	Pass
2	5363.750	56.29	2.08	74.0	-17.71	Peak	12.00	150	Horizontal	Pass
2**	5363.750	44.78	2.08	54.0	-9.22	AV	12.00	150	Horizontal	Pass

U-NII-2A 11n20 CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.56	3.16	74.0	-19.44	Peak	0.00	150	Horizontal	Pass
1**	5150.000	45.80	3.16	54.0	-8.20	AV	0.00	150	Horizontal	Pass
2	5146.425	56.70	3.33	74.0	-17.30	Peak	9.00	150	Horizontal	Pass
2**	5146.425	46.28	3.33	54.0	-7.72	AV	9.00	150	Horizontal	Pass

U-NII-2A 11n20 CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.23	2.59	74.0	-19.77	Peak	13.00	150	Horizontal	Pass
1**	5350.000	45.23	2.59	54.0	-8.77	AV	13.00	150	Horizontal	Pass
2	5350.000	54.23	2.59	74.0	-19.77	Peak	13.00	150	Horizontal	Pass
2**	5350.000	45.23	2.59	54.0	-8.77	AV	13.00	150	Horizontal	Pass

U-NII-2A 11n40 CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.51	3.16	74.0	-18.49	Peak	12.00	150	Horizontal	Pass
1**	5150.000	45.88	3.16	54.0	-8.12	AV	12.00	150	Horizontal	Pass
2	5135.050	57.20	2.94	74.0	-16.80	Peak	11.00	150	Horizontal	Pass
2**	5135.050	45.50	2.94	54.0	-8.50	AV	11.00	150	Horizontal	Pass

U-NII-2A 11n40 CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.18	2.59	74.0	-17.82	Peak	7.00	150	Horizontal	Pass
1**	5350.000	45.66	2.59	54.0	-8.34	AV	7.00	150	Horizontal	Pass
2	5382.817	57.22	2.76	74.0	-16.78	Peak	5.00	150	Horizontal	Pass
2**	5382.817	45.34	2.76	54.0	-8.66	AV	5.00	150	Horizontal	Pass

U-NII-2A 11ac20 CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.74	3.16	74.0	-19.26	Peak	0.00	150	Horizontal	Pass
1**	5150.000	45.78	3.16	54.0	-8.22	AV	0.00	150	Horizontal	Pass
2	5133.750	56.82	2.84	74.0	-17.18	Peak	3.00	150	Horizontal	Pass
2**	5133.750	45.87	2.84	54.0	-8.13	AV	3.00	150	Horizontal	Pass

U-NII-2A 11ac20 CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.32	2.59	74.0	-19.68	Peak	2.00	150	Horizontal	Pass
1**	5350.000	45.07	2.59	54.0	-8.93	AV	2.00	150	Horizontal	Pass
2	5365.400	56.71	2.03	74.0	-17.29	Peak	2.00	150	Horizontal	Pass
2**	5365.400	44.56	2.03	54.0	-9.44	AV	2.00	150	Horizontal	Pass

U-NII-2A 11ac40 CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.32	3.16	74.0	-18.68	Peak	12.00	150	Horizontal	Pass
1**	5150.000	46.21	3.16	54.0	-7.79	AV	12.00	150	Horizontal	Pass
2	5116.525	56.52	2.20	74.0	-17.48	Peak	14.00	150	Horizontal	Pass
2**	5116.525	44.89	2.20	54.0	-9.11	AV	14.00	150	Horizontal	Pass

U-NII-2A 11ac40 CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.17	2.59	74.0	-18.83	Peak	15.00	150	Horizontal	Pass
1**	5350.000	45.59	2.59	54.0	-8.41	AV	15.00	150	Horizontal	Pass
2	5393.267	57.32	2.71	74.0	-16.68	Peak	2.00	150	Horizontal	Pass
2**	5393.267	45.12	2.71	54.0	-8.88	AV	2.00	150	Horizontal	Pass

U-NII-2A 11ac80 CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.23	3.16	74.0	-19.77	Peak	4.00	150	Horizontal	Pass
1**	5150.000	45.65	3.16	54.0	-8.35	AV	4.00	150	Horizontal	Pass
2	5122.375	56.31	2.37	74.0	-17.69	Peak	11.00	150	Horizontal	Pass
2**	5122.375	45.20	2.37	54.0	-8.80	AV	11.00	150	Horizontal	Pass

U-NII-2A 11ac80 CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.13	2.59	74.0	-17.87	Peak	7.00	150	Horizontal	Pass
1**	5350.000	46.18	2.59	54.0	-7.82	AV	7.00	150	Horizontal	Pass
2	5364.116	57.41	2.07	74.0	-16.59	Peak	10.00	150	Horizontal	Pass
2**	5364.116	45.63	2.07	54.0	-8.37	AV	10.00	150	Horizontal	Pass

U-NII-2A 11ax20(SU) CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.15	3.16	74.0	-19.85	Peak	12.00	150	Horizontal	Pass
1**	5150.000	45.46	3.16	54.0	-8.54	AV	12.00	150	Horizontal	Pass
2	5049.250	56.94	2.34	74.0	-17.06	Peak	3.00	150	Horizontal	Pass
2**	5049.250	45.26	2.34	54.0	-8.74	AV	3.00	150	Horizontal	Pass

U-NII-2A 11ax20(SU) CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.27	2.59	74.0	-18.73	Peak	14.00	150	Horizontal	Pass
1**	5350.000	45.05	2.59	54.0	-8.95	AV	14.00	150	Horizontal	Pass
2	5384.834	56.68	2.75	74.0	-17.32	Peak	2.00	150	Horizontal	Pass
2**	5384.834	45.27	2.75	54.0	-8.73	AV	2.00	150	Horizontal	Pass

U-NII-2A 11ax40(SU) CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.74	3.16	74.0	-19.26	Peak	12.00	150	Horizontal	Pass
1**	5150.000	45.84	3.16	54.0	-8.16	AV	12.00	150	Horizontal	Pass
2	5041.775	57.02	2.49	74.0	-16.98	Peak	3.00	150	Horizontal	Pass
2**	5041.775	45.18	2.49	54.0	-8.82	AV	3.00	150	Horizontal	Pass

U-NII-2A 11ax40(SU) CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.21	2.59	74.0	-18.79	Peak	6.00	150	Horizontal	Pass
1**	5350.000	45.78	2.59	54.0	-8.22	AV	6.00	150	Horizontal	Pass
2	5354.033	56.98	2.37	74.0	-17.02	Peak	10.00	150	Horizontal	Pass
2**	5354.033	45.40	2.37	54.0	-8.60	AV	10.00	150	Horizontal	Pass

U-NII-2A 11ax80(SU) CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.15	3.16	74.0	-18.85	Peak	13.00	150	Horizontal	Pass
1**	5150.000	45.96	3.16	54.0	-8.04	AV	13.00	150	Horizontal	Pass
2	5140.575	56.25	3.02	74.0	-17.75	Peak	2.00	150	Horizontal	Pass
2**	5140.575	45.46	3.02	54.0	-8.54	AV	2.00	150	Horizontal	Pass

U-NII-2A 11ax80(SU) CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.367	56.05	2.56	74.0	-17.95	Peak	15.00	150	Horizontal	Pass
1**	5350.367	46.40	2.56	54.0	-7.60	AV	15.00	150	Horizontal	Pass
2	5358.800	57.42	2.42	74.0	-16.58	Peak	1.00	150	Horizontal	Pass
2**	5358.800	46.25	2.42	54.0	-7.75	AV	1.00	150	Horizontal	Pass

U-NII-2C 11a CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	55.77	2.52	74.0	-18.23	Peak	8.00	150	Horizontal	Pass
1**	5460.000	44.97	2.52	54.0	-9.03	AV	8.00	150	Horizontal	Pass
2	5470.000	54.41	2.52	68.2	-13.79	Peak	11.00	150	Horizontal	Pass
2**	5470.000	45.45	2.52	--	45.45	AV	11.00	150	Horizontal	N/A
3	5467.600	56.31	2.41	68.2	-11.89	Peak	9.00	150	Horizontal	Pass
3**	5467.600	44.92	2.41	--	44.92	AV	9.00	150	Horizontal	N/A
4	5385.600	57.16	2.75	74.0	-16.84	Peak	5.00	150	Horizontal	Pass
4**	5385.600	45.15	2.75	54.0	-8.85	AV	5.00	150	Horizontal	Pass

U-NII-2C 11a CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.13	3.12	68.2	-12.07	Peak	6.00	150	Horizontal	Pass
2	5778.334	57.08	3.14	68.2	-11.12	Peak	6.00	150	Horizontal	Pass

U-NII-2C 11n20 CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	54.59	2.52	68.2	-13.61	Peak	6.00	150	Horizontal	Pass
1**	5470.000	45.06	2.52	--	45.06	AV	6.00	150	Horizontal	N/A
2	5465.400	56.19	2.49	68.2	-12.01	Peak	2.00	150	Horizontal	Pass
2**	5465.400	44.98	2.49	--	44.98	AV	2.00	150	Horizontal	N/A
3	5431.200	56.42	2.84	74.0	-17.58	Peak	3.00	150	Horizontal	Pass
3**	5431.200	45.10	2.84	54.0	-8.90	AV	3.00	150	Horizontal	Pass
4	5460.000	56.66	2.52	74.0	-17.34	Peak	10.00	150	Horizontal	Pass
4**	5460.000	45.15	2.52	54.0	-8.85	AV	10.00	150	Horizontal	Pass

U-NII-2C 11n20 CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.08	3.12	68.2	-12.12	Peak	11.00	150	Horizontal	Pass
2	5778.125	57.55	3.15	68.2	-10.65	Peak	7.00	150	Horizontal	Pass

U-NII-2C 11n40 CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	54.07	2.52	74.0	-19.93	Peak	4.00	150	Horizontal	Pass
1**	5460.000	45.06	2.52	54.0	-8.94	AV	4.00	150	Horizontal	Pass
2	5470.000	55.74	2.52	68.2	-12.46	Peak	14.00	150	Horizontal	Pass
2**	5470.000	45.14	2.52	--	45.14	AV	14.00	150	Horizontal	N/A
3	5463.000	56.27	2.48	68.2	-11.93	Peak	14.00	150	Horizontal	Pass
3**	5463.000	44.97	2.48	--	44.97	AV	14.00	150	Horizontal	N/A
4	5458.000	56.77	2.71	74.0	-17.23	Peak	5.00	150	Horizontal	Pass
4**	5458.000	45.10	2.71	54.0	-8.90	AV	5.00	150	Horizontal	Pass

U-NII-2C 11n40 CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.98	3.12	68.2	-12.22	Peak	2.00	150	Horizontal	Pass
2	5804.167	57.81	3.56	68.2	-10.39	Peak	11.00	150	Horizontal	Pass

U-NII-2C 11ac20 CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	55.82	2.52	74.0	-18.18	Peak	1.00	150	Horizontal	Pass
1**	5460.000	45.05	2.52	54.0	-8.95	AV	1.00	150	Horizontal	Pass
2	5470.000	54.71	2.52	68.2	-13.49	Peak	12.00	150	Horizontal	Pass
2**	5470.000	45.27	2.52	--	45.27	AV	12.00	150	Horizontal	N/A
3	5464.200	55.91	2.50	68.2	-12.29	Peak	3.00	150	Horizontal	Pass
3**	5464.200	45.14	2.50	--	45.14	AV	3.00	150	Horizontal	N/A
4	5449.400	57.22	2.35	74.0	-16.78	Peak	4.00	150	Horizontal	Pass
4**	5449.400	44.64	2.35	54.0	-9.36	AV	4.00	150	Horizontal	Pass

U-NII-2C 11ac20 CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.61	3.12	68.2	-12.59	Peak	4.00	150	Horizontal	Pass
2	5730.417	57.97	3.25	68.2	-10.23	Peak	14.00	150	Horizontal	Pass

U-NII-2C 11ac40 CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	54.94	2.52	74.0	-19.06	Peak	6.00	150	Horizontal	Pass
1**	5460.000	44.97	2.52	54.0	-9.03	AV	6.00	150	Horizontal	Pass
2	5470.000	55.51	2.52	68.2	-12.69	Peak	9.00	150	Horizontal	Pass
2**	5470.000	45.09	2.52	--	45.09	AV	9.00	150	Horizontal	N/A
3	5461.000	56.72	2.43	68.2	-11.48	Peak	5.00	150	Horizontal	Pass
3**	5461.000	44.91	2.43	--	44.91	AV	5.00	150	Horizontal	N/A
4	5434.800	56.33	2.94	74.0	-17.67	Peak	15.00	150	Horizontal	Pass
4**	5434.800	45.05	2.94	54.0	-8.95	AV	15.00	150	Horizontal	Pass

U-NII-2C 11ac40 CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.07	3.12	68.2	-13.13	Peak	6.00	150	Horizontal	Pass
2	5752.083	57.55	3.32	68.2	-10.65	Peak	0.00	150	Horizontal	Pass

U-NII-2C 11ac80 CH108




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	54.70	2.52	74.0	-19.30	Peak	11.00	150	Horizontal	Pass
1**	5460.000	44.94	2.52	54.0	-9.06	AV	11.00	150	Horizontal	Pass
2	5470.000	56.44	2.52	68.2	-11.76	Peak	1.00	150	Horizontal	Pass
2**	5470.000	45.07	2.52	--	45.07	AV	1.00	150	Horizontal	N/A
3	5379.000	57.22	2.68	74.0	-16.78	Peak	6.00	150	Horizontal	Pass
3**	5379.000	45.25	2.68	54.0	-8.75	AV	6.00	150	Horizontal	Pass
4	5467.000	57.65	2.43	68.2	-10.55	Peak	3.00	150	Horizontal	Pass
4**	5467.000	44.97	2.43	--	44.97	AV	3.00	150	Horizontal	N/A

U-NII-2C 11ac80 CH122




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.54	3.12	68.2	-12.66	Peak	10.00	150	Horizontal	Pass
2	5753.750	57.86	3.21	68.2	-10.34	Peak	13.00	150	Horizontal	Pass

U-NII-2C 11ac160 CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	55.39	2.52	74.0	-18.61	Peak	7.00	150	Horizontal	Pass
1**	5460.000	45.52	2.52	54.0	-8.48	AV	7.00	150	Horizontal	Pass
2	5470.000	55.52	2.52	68.2	-12.68	Peak	1.00	150	Horizontal	Pass
2**	5470.000	45.71	2.52	--	45.71	AV	1.00	150	Horizontal	N/A
3	5467.200	57.37	2.42	68.2	-10.83	Peak	13.00	150	Horizontal	Pass
3**	5467.200	45.40	2.42	--	45.40	AV	13.00	150	Horizontal	N/A
4	5445.200	57.25	2.47	74.0	-16.75	Peak	14.00	150	Horizontal	Pass
4**	5445.200	45.33	2.47	54.0	-8.67	AV	14.00	150	Horizontal	Pass

U-NII-2C 11ac160 CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.18	3.12	68.2	-12.02	Peak	11.00	150	Horizontal	Pass
2	5733.750	57.71	3.28	68.2	-10.49	Peak	9.00	150	Horizontal	Pass

U-NII-2C 11ax20(SU) CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	54.82	2.52	68.2	-13.38	Peak	4.00	150	Horizontal	Pass
1**	5470.000	45.14	2.52	--	45.14	AV	4.00	150	Horizontal	N/A
2	5460.000	54.14	2.52	74.0	-19.86	Peak	7.00	150	Horizontal	Pass
2**	5460.000	44.94	2.52	54.0	-9.06	AV	7.00	150	Horizontal	Pass
3	5462.800	56.71	2.47	68.2	-11.49	Peak	9.00	150	Horizontal	Pass
3**	5462.800	45.05	2.47	--	45.05	AV	9.00	150	Horizontal	N/A
4	5428.600	56.90	2.72	74.0	-17.10	Peak	0.00	150	Horizontal	Pass
4**	5428.600	44.86	2.72	54.0	-9.14	AV	0.00	150	Horizontal	Pass

U-NII-2C 11ax20(SU) CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.50	3.12	68.2	-12.70	Peak	7.00	150	Horizontal	Pass
2	5771.459	57.69	3.08	68.2	-10.51	Peak	11.00	150	Horizontal	Pass

U-NII-2C 11ax40(SU) CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	55.02	2.52	74.0	-18.98	Peak	8.00	150	Horizontal	Pass
1**	5460.000	44.99	2.52	54.0	-9.01	AV	8.00	150	Horizontal	Pass
2	5470.000	55.32	2.52	68.2	-12.88	Peak	3.00	150	Horizontal	Pass
2**	5470.000	45.10	2.52	--	45.10	AV	3.00	150	Horizontal	N/A
3	5469.000	56.17	2.46	68.2	-12.03	Peak	11.00	150	Horizontal	Pass
3**	5469.000	45.04	2.46	--	45.04	AV	11.00	150	Horizontal	N/A
4	5458.200	57.04	2.69	74.0	-16.96	Peak	9.00	150	Horizontal	Pass
4**	5458.200	45.16	2.69	54.0	-8.84	AV	9.00	150	Horizontal	Pass

U-NII-2C 11ax40(SU) CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.60	3.12	68.2	-12.60	Peak	1.00	150	Horizontal	Pass
2	5755.209	57.18	3.11	68.2	-11.02	Peak	10.00	150	Horizontal	Pass

U-NII-2C 11ax80(SU) CH108




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	55.37	2.52	68.2	-12.83	Peak	8.00	150	Horizontal	Pass
1**	5470.000	45.04	2.52	--	45.04	AV	8.00	150	Horizontal	N/A
2	5460.000	54.84	2.52	74.0	-19.16	Peak	10.00	150	Horizontal	Pass
2**	5460.000	45.02	2.52	54.0	-8.98	AV	10.00	150	Horizontal	Pass
3	5467.800	56.11	2.41	68.2	-12.09	Peak	13.00	150	Horizontal	Pass
3**	5467.800	45.08	2.41	--	45.08	AV	13.00	150	Horizontal	N/A
4	5454.200	57.02	2.52	74.0	-16.98	Peak	9.00	150	Horizontal	Pass
4**	5454.200	44.90	2.52	54.0	-9.10	AV	9.00	150	Horizontal	Pass

U-NII-2C 11ax80(SU) CH122




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.52	3.12	68.2	-12.68	Peak	1.00	150	Horizontal	Pass
2	5794.584	57.72	3.25	68.2	-10.48	Peak	2.00	150	Horizontal	Pass

U-NII-2C 11ax160(SU) CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	56.19	2.52	68.2	-12.01	Peak	6.00	150	Horizontal	Pass
1**	5470.000	45.89	2.52	--	45.89	AV	6.00	150	Horizontal	N/A
2	5460.000	56.47	2.52	74.0	-17.53	Peak	2.00	150	Horizontal	Pass
2**	5460.000	45.70	2.52	54.0	-8.30	AV	2.00	150	Horizontal	Pass
3	5467.000	57.42	2.43	68.2	-10.78	Peak	7.00	150	Horizontal	Pass
3**	5467.000	45.71	2.43	--	45.71	AV	7.00	150	Horizontal	N/A
4	5430.800	58.53	2.83	74.0	-15.47	Peak	10.00	150	Horizontal	Pass
4**	5430.800	45.80	2.83	54.0	-8.20	AV	10.00	150	Horizontal	Pass
4*	5452.400	47.986	4.30	54.0	-6.014	AV	106.00	100	Vertical	Pass

U-NII-2C 11ax160(SU) CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.48	3.12	68.2	-11.72	Peak	10.00	150	Horizontal	Pass
2	5730.625	57.82	3.27	68.2	-10.38	Peak	13.00	150	Horizontal	Pass

U-NII-3 11a CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.66	2.83	68.2	-12.54	Peak	11.00	150	Horizontal	Pass
2	5639.792	57.59	2.74	68.2	-10.61	Peak	15.00	150	Horizontal	Pass

U-NII-3 11a CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.27	2.81	68.2	-11.93	Peak	5.00	150	Horizontal	Pass
2	5977.750	57.35	3.44	68.2	-10.85	Peak	3.00	150	Horizontal	Pass

U-NII-3 11n20 CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	54.77	2.83	68.2	-13.43	Peak	13.00	150	Horizontal	Pass
2	5641.250	57.90	2.69	68.2	-10.30	Peak	7.00	150	Horizontal	Pass

U-NII-3 11n20 CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	55.77	2.81	68.2	-12.43	Peak	7.00	150	Horizontal	Pass
2	5925.750	57.00	2.84	68.2	-11.20	Peak	12.00	150	Horizontal	Pass

U-NII-3 11n40 CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.67	2.83	68.2	-12.53	Peak	2.00	150	Horizontal	Pass
2	5646.875	57.52	2.77	68.2	-10.68	Peak	5.00	150	Horizontal	Pass

U-NII-3 11n40 CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	55.57	2.81	68.2	-12.63	Peak	4.00	150	Horizontal	Pass
2	5928.500	56.80	2.79	68.2	-11.40	Peak	14.00	150	Horizontal	Pass

U-NII-3 11ac20 CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	54.70	2.83	68.2	-13.50	Peak	1.00	150	Horizontal	Pass
2	5635.417	57.24	3.00	68.2	-10.96	Peak	9.00	150	Horizontal	Pass

U-NII-3 11ac20 CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	55.06	2.81	68.2	-13.14	Peak	1.00	150	Horizontal	Pass
2	5968.250	58.31	3.30	68.2	-9.89	Peak	4.00	150	Horizontal	Pass

U-NII-3 11ac40 CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.16	2.83	68.2	-13.04	Peak	10.00	150	Horizontal	Pass
2	5636.458	57.36	2.99	68.2	-10.84	Peak	6.00	150	Horizontal	Pass

U-NII-3 11ac40 CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	55.55	2.81	68.2	-12.65	Peak	12.00	150	Horizontal	Pass
2	5929.500	56.74	2.81	68.2	-11.46	Peak	6.00	150	Horizontal	Pass

U-NII-3 11ac80 CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.00	2.83	68.2	-13.20	Peak	15.00	150	Horizontal	Pass
2	5627.083	57.43	2.77	68.2	-10.77	Peak	5.00	150	Horizontal	Pass

U-NII-3 11ac80 CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	55.82	2.81	68.2	-12.38	Peak	8.00	150	Horizontal	Pass
2	5989.250	57.53	3.65	68.2	-10.67	Peak	15.00	150	Horizontal	Pass

U-NII-3 11ax20(SU) CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.19	2.83	68.2	-13.01	Peak	3.00	150	Horizontal	Pass
2	5636.042	57.47	3.00	68.2	-10.73	Peak	14.00	150	Horizontal	Pass

U-NII-3 11ax20(SU) CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	55.80	2.81	68.2	-12.40	Peak	3.00	150	Horizontal	Pass
2	5957.750	57.09	3.22	68.2	-11.11	Peak	8.00	150	Horizontal	Pass

U-NII-3 11ax40(SU) CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.27	2.83	68.2	-12.93	Peak	10.00	150	Horizontal	Pass
2	5635.833	56.79	3.00	68.2	-11.41	Peak	2.00	150	Horizontal	Pass

U-NII-3 11ax40(SU) CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	55.07	2.81	68.2	-13.13	Peak	13.00	150	Horizontal	Pass
2	5968.750	56.97	3.34	68.2	-11.23	Peak	12.00	150	Horizontal	Pass

U-NII-3 11ax80(SU) CH155



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.26	2.83	68.2	-12.94	Peak	1.00	150	Horizontal	Pass
2	5649.375	56.55	2.81	68.2	-11.65	Peak	0.00	150	Horizontal	Pass

U-NII-3 11ax80(SU) CH155



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	55.01	2.81	68.2	-13.19	Peak	15.00	150	Horizontal	Pass
2	5943.250	56.67	2.90	68.2	-11.53	Peak	1.00	150	Horizontal	Pass


Aux. Antenna

U-NII-1 11a CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.36	3.16	74.0	-19.64	Peak	9.00	150	Horizontal	Pass
1**	5150.000	45.67	3.16	54.0	-8.33	AV	9.00	150	Horizontal	Pass
2	5146.100	56.25	3.29	74.0	-17.75	Peak	0.00	150	Horizontal	Pass
2**	5146.100	45.76	3.29	54.0	-8.24	AV	0.00	150	Horizontal	Pass

U-NII-1 11a CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.84	2.59	74.0	-19.16	Peak	1.00	150	Horizontal	Pass
1**	5350.000	45.20	2.59	54.0	-8.80	AV	1.00	150	Horizontal	Pass
2	5383.367	56.75	2.76	74.0	-17.25	Peak	13.00	150	Horizontal	Pass
2**	5383.367	45.24	2.76	54.0	-8.76	AV	13.00	150	Horizontal	Pass

U-NII-1 11n20 CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.91	3.16	74.0	-19.09	Peak	2.00	150	Horizontal	Pass
1**	5150.000	45.73	3.16	54.0	-8.27	AV	2.00	150	Horizontal	Pass
2	5129.200	56.20	2.91	74.0	-17.80	Peak	10.00	150	Horizontal	Pass
2**	5129.200	45.63	2.91	54.0	-8.37	AV	10.00	150	Horizontal	Pass

U-NII-1 11n20 CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.35	2.59	74.0	-19.65	Peak	7.00	150	Horizontal	Pass
1**	5350.000	45.07	2.59	54.0	-8.93	AV	7.00	150	Horizontal	Pass
2	5386.483	57.12	2.74	74.0	-16.88	Peak	11.00	150	Horizontal	Pass
2**	5386.483	45.30	2.74	54.0	-8.70	AV	11.00	150	Horizontal	Pass

U-NII-1 11n40 CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.58	3.16	74.0	-19.42	Peak	8.00	150	Horizontal	Pass
1**	5150.000	45.84	3.16	54.0	-8.16	AV	8.00	150	Horizontal	Pass
2	5147.075	57.17	3.33	74.0	-16.83	Peak	12.00	150	Horizontal	Pass
2**	5147.075	46.35	3.33	54.0	-7.65	AV	12.00	150	Horizontal	Pass

U-NII-1 11n40 CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.18	2.59	74.0	-18.82	Peak	15.00	150	Horizontal	Pass
1**	5350.000	45.16	2.59	54.0	-8.84	AV	15.00	150	Horizontal	Pass
2	5398.767	57.19	2.74	74.0	-16.81	Peak	15.00	150	Horizontal	Pass
2**	5398.767	45.19	2.74	54.0	-8.81	AV	15.00	150	Horizontal	Pass

U-NII-1 11ac20 CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.65	3.16	74.0	-19.35	Peak	1.00	150	Horizontal	Pass
1**	5150.000	45.87	3.16	54.0	-8.13	AV	1.00	150	Horizontal	Pass
2	5129.525	56.80	2.94	74.0	-17.20	Peak	15.00	150	Horizontal	Pass
2**	5129.525	45.70	2.94	54.0	-8.30	AV	15.00	150	Horizontal	Pass

U-NII-1 11ac20 CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.39	2.59	74.0	-18.61	Peak	11.00	150	Horizontal	Pass
1**	5350.000	45.15	2.59	54.0	-8.85	AV	11.00	150	Horizontal	Pass
2	5354.584	57.38	2.35	74.0	-16.62	Peak	13.00	150	Horizontal	Pass
2**	5354.584	44.82	2.35	54.0	-9.18	AV	13.00	150	Horizontal	Pass

U-NII-1 11ac40 CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.63	3.16	74.0	-17.37	Peak	1.00	150	Horizontal	Pass
1**	5150.000	46.38	3.16	54.0	-7.62	AV	1.00	150	Horizontal	Pass
2	5141.225	56.99	2.94	74.0	-17.01	Peak	4.00	150	Horizontal	Pass
2**	5141.225	45.80	2.94	54.0	-8.20	AV	4.00	150	Horizontal	Pass

U-NII-1 11ac40 CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.10	2.59	74.0	-18.90	Peak	10.00	150	Horizontal	Pass
1**	5350.000	45.11	2.59	54.0	-8.89	AV	10.00	150	Horizontal	Pass
2	5394.366	56.76	2.77	74.0	-17.24	Peak	8.00	150	Horizontal	Pass
2**	5394.366	45.32	2.77	54.0	-8.68	AV	8.00	150	Horizontal	Pass

U-NII-1 11ac80 CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.03	3.16	74.0	-17.97	Peak	5.00	150	Horizontal	Pass
1**	5150.000	46.58	3.16	54.0	-7.42	AV	5.00	150	Horizontal	Pass
2	5147.400	57.26	3.29	74.0	-16.74	Peak	8.00	150	Horizontal	Pass
2**	5147.400	46.75	3.29	54.0	-7.25	AV	8.00	150	Horizontal	Pass

U-NII-1 11ac80 CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.27	2.59	74.0	-18.73	Peak	9.00	150	Horizontal	Pass
1**	5350.000	45.20	2.59	54.0	-8.80	AV	9.00	150	Horizontal	Pass
2	5398.033	56.51	2.81	74.0	-17.49	Peak	5.00	150	Horizontal	Pass
2**	5398.033	45.43	2.81	54.0	-8.57	AV	5.00	150	Horizontal	Pass

U-NII-1 11ac160 CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.12	3.16	74.0	-17.88	Peak	13.00	150	Horizontal	Pass
1**	5150.000	46.53	3.16	54.0	-7.47	AV	13.00	150	Horizontal	Pass
2	5069.075	57.27	2.67	74.0	-16.73	Peak	3.00	150	Horizontal	Pass
2**	5069.075	45.80	2.67	54.0	-8.20	AV	3.00	150	Horizontal	Pass

U-NII-1 11ac160 CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.38	2.59	74.0	-16.62	Peak	11.00	150	Horizontal	Pass
1**	5350.000	46.84	2.59	54.0	-7.16	AV	11.00	150	Horizontal	Pass
2	5364.116	59.22	2.07	74.0	-14.78	Peak	2.00	150	Horizontal	Pass
2**	5364.116	46.75	2.07	54.0	-7.25	AV	2.00	150	Horizontal	Pass

U-NII-1 11ax20(SU) CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.94	3.16	74.0	-19.06	Peak	10.00	150	Horizontal	Pass
1**	5150.000	45.55	3.16	54.0	-8.45	AV	10.00	150	Horizontal	Pass
2	5145.450	56.44	3.22	74.0	-17.56	Peak	7.00	150	Horizontal	Pass
2**	5145.450	45.97	3.22	54.0	-8.03	AV	7.00	150	Horizontal	Pass

U-NII-1 11ax20(SU) CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.39	2.59	74.0	-19.61	Peak	8.00	150	Horizontal	Pass
1**	5350.000	45.18	2.59	54.0	-8.82	AV	8.00	150	Horizontal	Pass
2	5389.416	57.98	2.62	74.0	-16.02	Peak	12.00	150	Horizontal	Pass
2**	5389.416	45.25	2.62	54.0	-8.75	AV	12.00	150	Horizontal	Pass

U-NII-1 11ax40(SU) CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.14	3.16	74.0	-18.86	Peak	8.00	150	Horizontal	Pass
1**	5150.000	46.07	3.16	54.0	-7.93	AV	8.00	150	Horizontal	Pass
2	5146.750	57.01	3.37	74.0	-16.99	Peak	14.00	150	Horizontal	Pass
2**	5146.750	46.70	3.37	54.0	-7.30	AV	14.00	150	Horizontal	Pass

U-NII-1 11ax40(SU) CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.34	2.59	74.0	-18.66	Peak	10.00	150	Horizontal	Pass
1**	5350.000	44.98	2.59	54.0	-9.02	AV	10.00	150	Horizontal	Pass
2	5383.917	57.55	2.75	74.0	-16.45	Peak	0.00	150	Horizontal	Pass
2**	5383.917	45.34	2.75	54.0	-8.66	AV	0.00	150	Horizontal	Pass

U-NII-1 11ax80(SU) CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.94	3.16	74.0	-18.06	Peak	15.00	150	Horizontal	Pass
1**	5150.000	47.06	3.16	54.0	-6.94	AV	15.00	150	Horizontal	Pass
2	5144.475	57.07	3.09	74.0	-16.93	Peak	4.00	150	Horizontal	Pass
2**	5144.475	47.05	3.09	54.0	-6.95	AV	4.00	150	Horizontal	Pass

U-NII-1 11ax80(SU) CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.39	2.59	74.0	-18.61	Peak	3.00	150	Horizontal	Pass
1**	5350.000	45.16	2.59	54.0	-8.84	AV	3.00	150	Horizontal	Pass
2	5377.683	57.19	2.59	74.0	-16.81	Peak	10.00	150	Horizontal	Pass
2**	5377.683	45.17	2.59	54.0	-8.83	AV	10.00	150	Horizontal	Pass

U-NII-1 11ax160(SU) CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.28	3.16	74.0	-17.72	Peak	14.00	150	Horizontal	Pass
1**	5150.000	46.77	3.16	54.0	-7.23	AV	14.00	150	Horizontal	Pass
2	5137.650	57.30	2.97	74.0	-16.70	Peak	0.00	150	Horizontal	Pass
2**	5137.650	46.51	2.97	54.0	-7.49	AV	0.00	150	Horizontal	Pass

U-NII-1 11ax160(SU) CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.24	2.59	74.0	-17.76	Peak	15.00	150	Horizontal	Pass
1**	5350.000	46.85	2.59	54.0	-7.15	AV	15.00	150	Horizontal	Pass
2	5381.167	58.66	2.67	74.0	-15.34	Peak	0.00	150	Horizontal	Pass
2**	5381.167	47.16	2.67	54.0	-6.84	AV	0.00	150	Horizontal	Pass

U-NII-2A 11a CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.21	3.16	74.0	-18.79	Peak	1.00	150	Horizontal	Pass
1**	5150.000	45.56	3.16	54.0	-8.44	AV	1.00	150	Horizontal	Pass
2	5145.125	56.33	3.18	74.0	-17.67	Peak	2.00	150	Horizontal	Pass
2**	5145.125	45.61	3.18	54.0	-8.39	AV	2.00	150	Horizontal	Pass

U-NII-2A 11a CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.89	2.59	74.0	-19.11	Peak	0.00	150	Horizontal	Pass
1**	5350.000	45.16	2.59	54.0	-8.84	AV	0.00	150	Horizontal	Pass
2	5402.617	57.14	2.71	74.0	-16.86	Peak	5.00	150	Horizontal	Pass
2**	5402.617	45.09	2.71	54.0	-8.91	AV	5.00	150	Horizontal	Pass

U-NII-2A 11n20 CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.18	3.16	74.0	-19.82	Peak	2.00	150	Horizontal	Pass
1**	5150.000	45.67	3.16	54.0	-8.33	AV	2.00	150	Horizontal	Pass
2	5135.375	56.01	2.97	74.0	-17.99	Peak	3.00	150	Horizontal	Pass
2**	5135.375	45.52	2.97	54.0	-8.48	AV	3.00	150	Horizontal	Pass

U-NII-2A 11n20 CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.57	2.59	74.0	-19.43	Peak	0.00	150	Horizontal	Pass
1**	5350.000	45.00	2.59	54.0	-9.00	AV	0.00	150	Horizontal	Pass
2	5388.683	56.64	2.63	74.0	-17.36	Peak	5.00	150	Horizontal	Pass
2**	5388.683	45.16	2.63	54.0	-8.84	AV	5.00	150	Horizontal	Pass

U-NII-2A 11n40 CH54



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.93	3.16	74.0	-18.07	Peak	11.00	150	Horizontal	Pass
1**	5150.000	45.75	3.16	54.0	-8.25	AV	11.00	150	Horizontal	Pass
2	4950.450	56.45	2.12	74.0	-17.55	Peak	13.00	150	Horizontal	Pass
2**	4950.450	44.92	2.12	54.0	-9.08	AV	13.00	150	Horizontal	Pass

U-NII-2A 11n40 CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.78	2.59	74.0	-18.22	Peak	8.00	150	Horizontal	Pass
1**	5350.000	45.67	2.59	54.0	-8.33	AV	8.00	150	Horizontal	Pass
2	5358.433	56.41	2.41	74.0	-17.59	Peak	3.00	150	Horizontal	Pass
2**	5358.433	45.16	2.41	54.0	-8.84	AV	3.00	150	Horizontal	Pass

U-NII-2A 11ac20 CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.30	3.16	74.0	-19.70	Peak	2.00	150	Horizontal	Pass
1**	5150.000	45.46	3.16	54.0	-8.54	AV	2.00	150	Horizontal	Pass
2	5081.100	56.37	2.22	74.0	-17.63	Peak	14.00	150	Horizontal	Pass
2**	5081.100	44.99	2.22	54.0	-9.01	AV	14.00	150	Horizontal	Pass

U-NII-2A 11ac20 CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.43	2.59	74.0	-18.57	Peak	0.00	150	Horizontal	Pass
1**	5350.000	45.04	2.59	54.0	-8.96	AV	0.00	150	Horizontal	Pass
2	5380.250	57.62	2.64	74.0	-16.38	Peak	4.00	150	Horizontal	Pass
2**	5380.250	45.15	2.64	54.0	-8.85	AV	4.00	150	Horizontal	Pass

U-NII-2A 11ac40 CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.01	3.16	74.0	-18.99	Peak	15.00	150	Horizontal	Pass
1**	5150.000	45.67	3.16	54.0	-8.33	AV	15.00	150	Horizontal	Pass
2	5131.150	56.39	2.84	74.0	-17.61	Peak	8.00	150	Horizontal	Pass
2**	5131.150	45.53	2.84	54.0	-8.47	AV	8.00	150	Horizontal	Pass

U-NII-2A 11ac40 CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.65	2.59	74.0	-18.35	Peak	12.00	150	Horizontal	Pass
1**	5350.000	45.72	2.59	54.0	-8.28	AV	12.00	150	Horizontal	Pass
2	5350.000	55.65	2.59	74.0	-18.35	Peak	12.00	150	Horizontal	Pass
2**	5350.000	45.72	2.59	54.0	-8.28	AV	12.00	150	Horizontal	Pass

U-NII-2A 11ac80 CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.14	3.16	74.0	-18.86	Peak	15.00	150	Horizontal	Pass
1**	5150.000	45.81	3.16	54.0	-8.19	AV	15.00	150	Horizontal	Pass
2	5141.225	57.08	2.94	74.0	-16.92	Peak	8.00	150	Horizontal	Pass
2**	5141.225	45.80	2.94	54.0	-8.20	AV	8.00	150	Horizontal	Pass

U-NII-2A 11ac80 CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.50	2.59	74.0	-18.50	Peak	13.00	150	Horizontal	Pass
1**	5350.000	45.99	2.59	54.0	-8.01	AV	13.00	150	Horizontal	Pass
2	5362.100	57.25	2.18	74.0	-16.75	Peak	3.00	150	Horizontal	Pass
2**	5362.100	45.54	2.18	54.0	-8.46	AV	3.00	150	Horizontal	Pass

U-NII-2A 11ax20(SU) CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.34	3.16	74.0	-19.66	Peak	13.00	150	Horizontal	Pass
1**	5150.000	45.86	3.16	54.0	-8.14	AV	13.00	150	Horizontal	Pass
2	5147.725	56.30	3.24	74.0	-17.70	Peak	8.00	150	Horizontal	Pass
2**	5147.725	45.73	3.24	54.0	-8.27	AV	8.00	150	Horizontal	Pass

U-NII-2A 11ax20(SU) CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.40	2.59	74.0	-18.60	Peak	13.00	150	Horizontal	Pass
1**	5350.000	45.06	2.59	54.0	-8.94	AV	13.00	150	Horizontal	Pass
2	5385.933	56.97	2.74	74.0	-17.03	Peak	2.00	150	Horizontal	Pass
2**	5385.933	45.39	2.74	54.0	-8.61	AV	2.00	150	Horizontal	Pass

U-NII-2A 11ax40(SU) CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.61	3.16	74.0	-19.39	Peak	11.00	150	Horizontal	Pass
1**	5150.000	45.91	3.16	54.0	-8.09	AV	11.00	150	Horizontal	Pass
2	5039.500	58.01	2.57	74.0	-15.99	Peak	11.00	150	Horizontal	Pass
2**	5039.500	45.48	2.57	54.0	-8.52	AV	11.00	150	Horizontal	Pass

U-NII-2A 11ax40(SU) CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.92	2.59	74.0	-18.08	Peak	10.00	150	Horizontal	Pass
1**	5350.000	45.88	2.59	54.0	-8.12	AV	10.00	150	Horizontal	Pass
2	5377.317	56.66	2.54	74.0	-17.34	Peak	11.00	150	Horizontal	Pass
2**	5377.317	45.07	2.54	54.0	-8.93	AV	11.00	150	Horizontal	Pass

U-NII-2A 11ax80(SU) CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.73	3.16	74.0	-19.27	Peak	11.00	150	Horizontal	Pass
1**	5150.000	45.71	3.16	54.0	-8.29	AV	11.00	150	Horizontal	Pass
2	5139.600	56.22	3.00	74.0	-17.78	Peak	3.00	150	Horizontal	Pass
2**	5139.600	45.55	3.00	54.0	-8.45	AV	3.00	150	Horizontal	Pass

U-NII-2A 11ax80(SU) CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.67	2.59	74.0	-17.33	Peak	0.00	150	Horizontal	Pass
1**	5350.000	46.24	2.59	54.0	-7.76	AV	0.00	150	Horizontal	Pass
2	5366.867	57.24	1.95	74.0	-16.76	Peak	6.00	150	Horizontal	Pass
2**	5366.867	45.46	1.95	54.0	-8.54	AV	6.00	150	Horizontal	Pass

U-NII-2C 11a CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	55.74	2.52	68.2	-12.46	Peak	13.00	150	Horizontal	Pass
1**	5470.000	44.99	2.52	--	44.99	AV	13.00	150	Horizontal	N/A
N2	5460.000	54.89	2.52	74.0	-19.11	Peak	1.00	150	Horizontal	Pass
2**	5460.000	45.08	2.52	54.0	-8.92	AV	1.00	150	Horizontal	Pass
3	5465.600	55.73	2.49	68.2	-12.47	Peak	1.00	150	Horizontal	Pass
3**	5465.600	45.05	2.49	--	45.05	AV	1.00	150	Horizontal	N/A
4	5450.600	56.57	2.42	74.0	-17.43	Peak	15.00	150	Horizontal	Pass
4**	5450.600	44.69	2.42	54.0	-9.31	AV	15.00	150	Horizontal	Pass

U-NII-2C 11a CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.51	3.12	68.2	-12.69	Peak	11.00	150	Horizontal	Pass
2	5742.500	55.93	3.54	68.2	-12.27	Peak	3.00	150	Horizontal	Pass

U-NII-2C 11n20 CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	54.88	2.52	74.0	-19.12	Peak	4.00	150	Horizontal	Pass
1**	5460.000	44.92	2.52	54.0	-9.08	AV	4.00	150	Horizontal	Pass
2	5470.000	55.04	2.52	68.2	-13.16	Peak	11.00	150	Horizontal	Pass
2**	5470.000	45.02	2.52	--	45.02	AV	11.00	150	Horizontal	N/A
3	5459.600	56.51	2.56	74.0	-17.49	Peak	10.00	150	Horizontal	Pass
3**	5459.600	45.09	2.56	54.0	-8.91	AV	10.00	150	Horizontal	Pass
4	5468.200	56.70	2.43	68.2	-11.50	Peak	0.00	150	Horizontal	Pass
4**	5468.200	44.88	2.43	--	44.88	AV	0.00	150	Horizontal	N/A

U-NII-2C 11n20 CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.19	3.12	68.2	-13.01	Peak	3.00	150	Horizontal	Pass
2	5727.709	57.06	3.06	68.2	-11.14	Peak	6.00	150	Horizontal	Pass

U-NII-2C 11n40 CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	54.92	2.52	74.0	-19.08	Peak	9.00	150	Horizontal	Pass
1**	5460.000	45.12	2.52	54.0	-8.88	AV	9.00	150	Horizontal	Pass
2	5470.000	55.42	2.52	68.2	-12.78	Peak	8.00	150	Horizontal	Pass
2**	5470.000	45.17	2.52	--	45.17	AV	8.00	150	Horizontal	N/A
3	5457.400	56.35	2.77	74.0	-17.65	Peak	2.00	150	Horizontal	Pass
3**	5457.400	45.29	2.77	54.0	-8.71	AV	2.00	150	Horizontal	Pass
4	5467.400	57.68	2.41	68.2	-10.52	Peak	12.00	150	Horizontal	Pass
4**	5467.400	44.95	2.41	--	44.95	AV	12.00	150	Horizontal	N/A

U-NII-2C 11n40 CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.84	3.12	68.2	-11.36	Peak	8.00	150	Horizontal	Pass
2	5753.750	57.80	3.21	68.2	-10.40	Peak	11.00	150	Horizontal	Pass

U-NII-2C 11ac20 CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	55.13	2.52	74.0	-18.87	Peak	0.00	150	Horizontal	Pass
1**	5460.000	44.96	2.52	54.0	-9.04	AV	0.00	150	Horizontal	Pass
2	5418.800	56.66	2.31	74.0	-17.34	Peak	8.00	150	Horizontal	Pass
2**	5418.800	44.64	2.31	54.0	-9.36	AV	8.00	150	Horizontal	Pass
3	5470.000	55.57	2.52	68.2	-12.63	Peak	11.00	150	Horizontal	Pass
3**	5470.000	44.89	2.52	--	44.89	AV	11.00	150	Horizontal	N/A
4	5462.800	56.17	2.47	68.2	-12.03	Peak	8.00	150	Horizontal	Pass
4**	5462.800	44.90	2.47	--	44.90	AV	8.00	150	Horizontal	N/A

U-NII-2C 11ac20 CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.24	3.12	68.2	-12.96	Peak	2.00	150	Horizontal	Pass
2	5767.917	57.41	3.18	68.2	-10.79	Peak	5.00	150	Horizontal	Pass

U-NII-2C 11ac40 CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	55.06	2.52	68.2	-13.14	Peak	1.00	150	Horizontal	Pass
1**	5470.000	45.12	2.52	--	45.12	AV	1.00	150	Horizontal	N/A
2	5460.000	55.07	2.52	74.0	-18.93	Peak	11.00	150	Horizontal	Pass
2**	5460.000	45.10	2.52	54.0	-8.90	AV	11.00	150	Horizontal	Pass
3	5464.200	56.62	2.50	68.2	-11.58	Peak	6.00	150	Horizontal	Pass
3**	5464.200	45.15	2.50	--	45.15	AV	6.00	150	Horizontal	N/A
4	5434.000	56.60	2.84	74.0	-17.40	Peak	5.00	150	Horizontal	Pass
4**	5434.000	45.01	2.84	54.0	-8.99	AV	5.00	150	Horizontal	Pass

U-NII-2C 11ac40 CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.59	3.12	68.2	-12.61	Peak	11.00	150	Horizontal	Pass
2	5727.917	57.36	3.07	68.2	-10.84	Peak	9.00	150	Horizontal	Pass

U-NII-2C 11ac80 CH108




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	54.78	2.52	74.0	-19.22	Peak	15.00	150	Horizontal	Pass
1**	5460.000	45.12	2.52	54.0	-8.88	AV	15.00	150	Horizontal	Pass
2	5470.000	55.08	2.52	68.2	-13.12	Peak	1.00	150	Horizontal	Pass
2**	5470.000	45.23	2.52	--	45.23	AV	1.00	150	Horizontal	N/A
3	5468.800	56.57	2.45	68.2	-11.63	Peak	15.00	150	Horizontal	Pass
3**	5468.800	45.15	2.45	--	45.15	AV	15.00	150	Horizontal	N/A
4	5427.000	56.41	2.58	74.0	-17.59	Peak	11.00	150	Horizontal	Pass
4**	5427.000	44.93	2.58	54.0	-9.07	AV	11.00	150	Horizontal	Pass

U-NII-2C 11ac80 CH122




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.98	3.12	68.2	-12.22	Peak	11.00	150	Horizontal	Pass
2	5758.125	57.34	3.12	68.2	-10.86	Peak	8.00	150	Horizontal	Pass

U-NII-2C 11ac160 CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	55.84	2.52	74.0	-18.16	Peak	11.00	150	Horizontal	Pass
1**	5460.000	45.14	2.52	54.0	-8.86	AV	11.00	150	Horizontal	Pass
2	5470.000	55.23	2.52	68.2	-12.97	Peak	8.00	150	Horizontal	Pass
2**	5470.000	45.22	2.52	--	45.22	AV	8.00	150	Horizontal	N/A
3	5469.600	56.39	2.48	68.2	-11.81	Peak	14.00	150	Horizontal	Pass
3**	5469.600	45.37	2.48	--	45.37	AV	14.00	150	Horizontal	N/A
4	5384.000	57.41	2.75	74.0	-16.59	Peak	4.00	150	Horizontal	Pass
4**	5384.000	45.44	2.75	54.0	-8.56	AV	4.00	150	Horizontal	Pass

U-NII-2C 11ac160 CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.67	3.12	68.2	-12.53	Peak	10.00	150	Horizontal	Pass
2	5738.334	58.03	3.51	68.2	-10.17	Peak	1.00	150	Horizontal	Pass

U-NII-2C 11ax20(SU) CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	54.41	2.52	68.2	-13.79	Peak	15.00	150	Horizontal	Pass
1**	5470.000	44.99	2.52	--	44.99	AV	15.00	150	Horizontal	N/A
2	5468.600	56.85	2.44	68.2	-11.35	Peak	4.00	150	Horizontal	Pass
2**	5468.600	44.94	2.44	--	44.94	AV	4.00	150	Horizontal	N/A
3	5460.000	55.05	2.52	74.0	-18.95	Peak	12.00	150	Horizontal	Pass
3**	5460.000	45.03	2.52	54.0	-8.97	AV	12.00	150	Horizontal	Pass
4	5438.800	56.72	2.85	74.0	-17.28	Peak	11.00	150	Horizontal	Pass
4**	5438.800	44.95	2.85	54.0	-9.05	AV	11.00	150	Horizontal	Pass

U-NII-2C 11ax20(SU) CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.75	3.12	68.2	-12.45	Peak	15.00	150	Horizontal	Pass
2	5730.417	57.52	3.25	68.2	-10.68	Peak	13.00	150	Horizontal	Pass

U-NII-2C 11ax40(SU) CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	55.31	2.52	68.2	-12.89	Peak	7.00	150	Horizontal	Pass
1**	5470.000	45.13	2.52	--	45.13	AV	7.00	150	Horizontal	N/A
2	5463.200	56.54	2.49	68.2	-11.66	Peak	11.00	150	Horizontal	Pass
2**	5463.200	45.13	2.49	--	45.13	AV	11.00	150	Horizontal	N/A
3	5460.000	54.55	2.52	74.0	-19.45	Peak	2.00	150	Horizontal	Pass
3**	5460.000	44.94	2.52	54.0	-9.06	AV	2.00	150	Horizontal	Pass
4	5437.800	56.63	2.96	74.0	-17.37	Peak	5.00	150	Horizontal	Pass
4**	5437.800	45.15	2.96	54.0	-8.85	AV	5.00	150	Horizontal	Pass

U-NII-2C 11ax40(SU) CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.87	3.12	68.2	-12.33	Peak	11.00	150	Horizontal	Pass
2	5824.375	58.87	3.23	68.2	-9.33	Peak	2.00	150	Horizontal	Pass

U-NII-2C 11ax80(SU) CH108




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	56.34	2.52	74.0	-17.66	Peak	10.00	150	Horizontal	Pass
1**	5460.000	45.19	2.52	54.0	-8.81	AV	10.00	150	Horizontal	Pass
2	5470.000	55.42	2.52	68.2	-12.78	Peak	12.00	150	Horizontal	Pass
2**	5470.000	45.48	2.52	--	45.48	AV	12.00	150	Horizontal	N/A
3	5462.800	56.18	2.47	68.2	-12.02	Peak	15.00	150	Horizontal	Pass
3**	5462.800	45.14	2.47	--	45.14	AV	15.00	150	Horizontal	N/A
4	5457.600	57.12	2.75	74.0	-16.88	Peak	15.00	150	Horizontal	Pass
4**	5457.600	45.30	2.75	54.0	-8.70	AV	15.00	150	Horizontal	Pass

U-NII-2C 11ax80(SU) CH122




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	54.66	3.12	68.2	-13.54	Peak	10.00	150	Horizontal	Pass
2	5740.625	57.25	3.60	68.2	-10.95	Peak	8.00	150	Horizontal	Pass

U-NII-2C 11ax160(SU) CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	55.16	2.52	74.0	-18.84	Peak	5.00	150	Horizontal	Pass
1**	5460.000	45.16	2.52	54.0	-8.84	AV	5.00	150	Horizontal	Pass
2	5470.000	54.85	2.52	68.2	-13.35	Peak	0.00	150	Horizontal	Pass
2**	5470.000	45.32	2.52	--	45.32	AV	0.00	150	Horizontal	N/A
3	5460.800	56.14	2.45	68.2	-12.06	Peak	13.00	150	Horizontal	Pass
3**	5460.800	45.27	2.45	--	45.27	AV	13.00	150	Horizontal	N/A
4	5440.600	56.64	2.68	74.0	-17.36	Peak	12.00	150	Horizontal	Pass
4**	5440.600	45.12	2.68	54.0	-8.88	AV	12.00	150	Horizontal	Pass
4*	5452.400	47.986	4.30	54.0	-6.014	AV	106.00	100	Vertical	Pass

U-NII-2C 11ax160(SU) CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.53	3.12	68.2	-11.67	Peak	0.00	150	Horizontal	Pass
2	5747.083	57.65	3.40	68.2	-10.55	Peak	11.00	150	Horizontal	Pass

U-NII-3 11a CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	54.54	2.83	68.2	-13.66	Peak	8.00	150	Horizontal	Pass
2	5629.583	56.75	2.77	68.2	-11.45	Peak	6.00	150	Horizontal	Pass

U-NII-3 11a CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	55.87	2.81	68.2	-12.33	Peak	15.00	150	Horizontal	Pass
2	5931.000	56.92	2.89	68.2	-11.28	Peak	6.00	150	Horizontal	Pass

U-NII-3 11n20 CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.00	2.83	68.2	-13.20	Peak	12.00	100	Horizontal	Pass
2	5622.917	56.24	2.64	68.2	-11.96	Peak	13.00	100	Horizontal	Pass

U-NII-3 11n20 CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	55.24	2.81	68.2	-12.96	Peak	5.00	150	Horizontal	Pass
2	5961.250	57.09	3.03	68.2	-11.11	Peak	10.00	150	Horizontal	Pass

U-NII-3 11n40 CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	54.84	2.83	68.2	-13.36	Peak	12.00	150	Horizontal	Pass
2	5624.792	56.64	2.55	68.2	-11.56	Peak	5.00	150	Horizontal	Pass

U-NII-3 11n40 CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.51	2.81	68.2	-11.69	Peak	13.00	150	Horizontal	Pass
2	5999.500	57.66	3.99	68.2	-10.54	Peak	10.00	150	Horizontal	Pass

U-NII-3 11ac20 CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.92	2.83	68.2	-12.28	Peak	8.00	150	Horizontal	Pass
2	5647.917	56.94	2.78	68.2	-11.26	Peak	12.00	150	Horizontal	Pass

U-NII-3 11ac20 CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	55.24	2.81	68.2	-12.96	Peak	10.00	150	Horizontal	Pass
2	5995.750	57.29	3.90	68.2	-10.91	Peak	4.00	150	Horizontal	Pass

U-NII-3 11ac40 CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	54.76	2.83	68.2	-13.44	Peak	0.00	150	Horizontal	Pass
2	5640.000	56.75	2.73	68.2	-11.45	Peak	4.00	150	Horizontal	Pass

U-NII-3 11ac40 CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	55.22	2.81	68.2	-12.98	Peak	9.00	150	Horizontal	Pass
2	5945.250	57.68	3.06	68.2	-10.52	Peak	9.00	150	Horizontal	Pass

U-NII-3 11ac80 CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.89	2.83	68.2	-12.31	Peak	0.00	150	Horizontal	Pass
2	5600.834	56.92	2.97	68.2	-11.28	Peak	7.00	150	Horizontal	Pass

U-NII-3 11ac80 CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.31	2.81	68.2	-11.89	Peak	8.00	150	Horizontal	Pass
2	5992.250	57.12	3.81	68.2	-11.08	Peak	0.00	150	Horizontal	Pass

U-NII-3 11ax20(SU) CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.03	2.83	68.2	-13.17	Peak	12.00	150	Horizontal	Pass
2	5636.250	56.75	2.99	68.2	-11.45	Peak	1.00	150	Horizontal	Pass

U-NII-3 11ax20(SU) CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.47	2.81	68.2	-11.73	Peak	7.00	150	Horizontal	Pass
2	5995.500	57.78	3.90	68.2	-10.42	Peak	8.00	150	Horizontal	Pass

U-NII-3 11ax40(SU) CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.83	2.83	68.2	-12.37	Peak	8.00	150	Horizontal	Pass
2	5646.250	57.10	2.77	68.2	-11.10	Peak	4.00	150	Horizontal	Pass

U-NII-3 11ax40(SU) CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	55.23	2.81	68.2	-12.97	Peak	6.00	150	Horizontal	Pass
2	5956.750	57.65	3.24	68.2	-10.55	Peak	10.00	150	Horizontal	Pass

U-NII-3 11ax80(SU) CH155



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.40	2.83	68.2	-12.80	Peak	6.00	150	Horizontal	Pass
2	5601.250	57.13	2.97	68.2	-11.07	Peak	8.00	150	Horizontal	Pass


U-NII-3 11ax80(SU) CH155



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	54.79	2.81	68.2	-13.41	Peak	9.00	150	Horizontal	Pass
2	5958.500	57.38	3.20	68.2	-10.82	Peak	7.00	150	Horizontal	Pass


MIMO

U-NII-1 11a CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.16	3.16	74.0	-18.84	Peak	1.00	150	Horizontal	Pass
1**	5150.000	45.98	3.16	54.0	-8.02	AV	1.00	150	Horizontal	Pass
2	5124.975	56.49	2.56	74.0	-17.51	Peak	2.00	150	Horizontal	Pass
2**	5124.975	45.05	2.56	54.0	-8.95	AV	2.00	150	Horizontal	Pass

U-NII-1 11a CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.74	2.59	74.0	-18.26	Peak	13.00	150	Horizontal	Pass
1**	5350.000	45.02	2.59	54.0	-8.98	AV	13.00	150	Horizontal	Pass
2	5382.633	57.22	2.76	74.0	-16.78	Peak	6.00	150	Horizontal	Pass
2**	5382.633	45.29	2.76	54.0	-8.71	AV	6.00	150	Horizontal	Pass

U-NII-1 11n20 CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.39	3.16	74.0	-18.61	Peak	3.00	150	Horizontal	Pass
1**	5150.000	45.70	3.16	54.0	-8.30	AV	3.00	150	Horizontal	Pass
2	5077.850	57.34	2.45	74.0	-16.66	Peak	10.00	150	Horizontal	Pass
2**	5077.850	45.29	2.45	54.0	-8.71	AV	10.00	150	Horizontal	Pass

U-NII-1 11n20 CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.92	2.59	74.0	-18.08	Peak	11.00	150	Horizontal	Pass
1**	5350.000	45.04	2.59	54.0	-8.96	AV	11.00	150	Horizontal	Pass
2	5383.000	56.61	2.76	74.0	-17.39	Peak	11.00	150	Horizontal	Pass
2**	5383.000	45.11	2.76	54.0	-8.89	AV	11.00	150	Horizontal	Pass

U-NII-1 11n40 CH38



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.98	3.16	74.0	-18.02	Peak	13.00	150	Horizontal	Pass
1**	5150.000	46.44	3.16	54.0	-7.56	AV	13.00	150	Horizontal	Pass
2	5143.175	57.73	2.88	74.0	-16.27	Peak	9.00	150	Horizontal	Pass
2**	5143.175	46.44	2.88	54.0	-7.56	AV	9.00	150	Horizontal	Pass

U-NII-1 11n40 CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.18	2.59	74.0	-18.82	Peak	13.00	150	Horizontal	Pass
1**	5350.000	45.10	2.59	54.0	-8.90	AV	13.00	150	Horizontal	Pass
2	5356.600	57.24	2.34	74.0	-16.76	Peak	2.00	150	Horizontal	Pass
2**	5356.600	44.89	2.34	54.0	-9.11	AV	2.00	150	Horizontal	Pass

U-NII-1 11ac20 CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.78	3.16	74.0	-19.22	Peak	5.00	150	Horizontal	Pass
1**	5150.000	45.79	3.16	54.0	-8.21	AV	5.00	150	Horizontal	Pass
2	5064.200	56.48	2.48	74.0	-17.52	Peak	9.00	150	Horizontal	Pass
2**	5064.200	45.72	2.48	54.0	-8.28	AV	9.00	150	Horizontal	Pass

U-NII-1 11ac20 CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.49	2.59	74.0	-18.51	Peak	15.00	150	Horizontal	Pass
1**	5350.000	45.14	2.59	54.0	-8.86	AV	15.00	150	Horizontal	Pass
2	5397.850	56.81	2.83	74.0	-17.19	Peak	6.00	150	Horizontal	Pass
2**	5397.850	45.11	2.83	54.0	-8.89	AV	6.00	150	Horizontal	Pass

U-NII-1 11ac40 CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.30	3.16	74.0	-18.70	Peak	8.00	150	Horizontal	Pass
1**	5150.000	46.41	3.16	54.0	-7.59	AV	8.00	150	Horizontal	Pass
2	5145.775	56.87	3.25	74.0	-17.13	Peak	3.00	150	Horizontal	Pass
2**	5145.775	46.73	3.25	54.0	-7.27	AV	3.00	150	Horizontal	Pass

U-NII-1 11ac40 CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.31	2.59	74.0	-18.69	Peak	11.00	150	Horizontal	Pass
1**	5350.000	45.07	2.59	54.0	-8.93	AV	11.00	150	Horizontal	Pass
2	5372.183	56.68	2.19	74.0	-17.32	Peak	9.00	150	Horizontal	Pass
2**	5372.183	44.70	2.19	54.0	-9.30	AV	9.00	150	Horizontal	Pass

U-NII-1 11ac80 CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.19	3.16	74.0	-17.81	Peak	12.00	150	Horizontal	Pass
1**	5150.000	47.19	3.16	54.0	-6.81	AV	12.00	150	Horizontal	Pass
2	5141.875	58.77	2.86	74.0	-15.23	Peak	8.00	150	Horizontal	Pass
2**	5141.875	47.74	2.86	54.0	-6.26	AV	8.00	150	Horizontal	Pass

U-NII-1 11ac80 CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.21	2.59	74.0	-18.79	Peak	3.00	150	Horizontal	Pass
1**	5350.000	45.21	2.59	54.0	-8.79	AV	3.00	150	Horizontal	Pass
2	5400.050	56.71	2.67	74.0	-17.29	Peak	6.00	150	Horizontal	Pass
2**	5400.050	45.06	2.67	54.0	-8.94	AV	6.00	150	Horizontal	Pass

U-NII-1 11ac160 CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.47	3.16	74.0	-17.53	Peak	11.00	150	Horizontal	Pass
1**	5150.000	47.25	3.16	54.0	-6.75	AV	11.00	150	Horizontal	Pass
2	5132.450	58.94	2.79	74.0	-15.06	Peak	14.00	150	Horizontal	Pass
2**	5132.450	47.89	2.79	54.0	-6.11	AV	14.00	150	Horizontal	Pass

U-NII-1 11ac160 CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.88	2.59	74.0	-17.12	Peak	15.00	150	Horizontal	Pass
1**	5350.000	46.05	2.59	54.0	-7.95	AV	15.00	150	Horizontal	Pass
2	5382.266	59.89	2.74	74.0	-14.11	Peak	0.00	150	Horizontal	Pass
2**	5382.266	48.24	2.74	54.0	-5.76	AV	0.00	150	Horizontal	Pass

U-NII-1 11ax20(SU) CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.90	3.16	74.0	-19.10	Peak	1.00	150	Horizontal	Pass
1**	5150.000	45.89	3.16	54.0	-8.11	AV	1.00	150	Horizontal	Pass
2	4981.975	56.43	2.06	74.0	-17.57	Peak	14.00	150	Horizontal	Pass
2**	4981.975	44.49	2.06	54.0	-9.51	AV	14.00	150	Horizontal	Pass

U-NII-1 11ax20(SU) CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	53.92	2.59	74.0	-20.08	Peak	5.00	150	Horizontal	Pass
1**	5350.000	45.00	2.59	54.0	-9.00	AV	5.00	150	Horizontal	Pass
2	5379.334	57.80	2.67	74.0	-16.20	Peak	3.00	150	Horizontal	Pass
2**	5379.334	45.32	2.67	54.0	-8.68	AV	3.00	150	Horizontal	Pass

U-NII-1 11ax40(SU) CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.49	3.16	74.0	-18.51	Peak	9.00	150	Horizontal	Pass
1**	5150.000	46.52	3.16	54.0	-7.48	AV	9.00	150	Horizontal	Pass
2	5147.400	57.19	3.29	74.0	-16.81	Peak	5.00	150	Horizontal	Pass
2**	5147.400	46.25	3.29	54.0	-7.75	AV	5.00	150	Horizontal	Pass

U-NII-1 11ax40(SU) CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.99	2.59	74.0	-18.01	Peak	8.00	150	Horizontal	Pass
1**	5350.000	45.19	2.59	54.0	-8.81	AV	8.00	150	Horizontal	Pass
2	5372.733	57.07	2.15	74.0	-16.93	Peak	2.00	150	Horizontal	Pass
2**	5372.733	44.83	2.15	54.0	-9.17	AV	2.00	150	Horizontal	Pass

U-NII-1 11ax80(SU) CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.98	3.16	74.0	-18.02	Peak	0.00	150	Horizontal	Pass
1**	5150.000	47.04	3.16	54.0	-6.96	AV	0.00	150	Horizontal	Pass
2	5142.850	58.50	2.83	74.0	-15.50	Peak	8.00	150	Horizontal	Pass
2**	5142.850	47.96	2.83	54.0	-6.04	AV	8.00	150	Horizontal	Pass

U-NII-1 11ax80(SU) CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.98	2.59	74.0	-19.02	Peak	5.00	150	Horizontal	Pass
1**	5350.000	45.16	2.59	54.0	-8.84	AV	5.00	150	Horizontal	Pass
2	5393.083	57.53	2.71	74.0	-16.47	Peak	15.00	150	Horizontal	Pass
2**	5393.083	45.12	2.71	54.0	-8.88	AV	15.00	150	Horizontal	Pass

U-NII-1 11ax160(SU) CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.53	3.16	74.0	-17.47	Peak	8.00	150	Horizontal	Pass
1**	5150.000	47.60	3.16	54.0	-6.40	AV	8.00	150	Horizontal	Pass
2	5140.250	58.60	3.03	74.0	-15.40	Peak	3.00	150	Horizontal	Pass
2**	5140.250	47.49	3.03	54.0	-6.51	AV	3.00	150	Horizontal	Pass

U-NII-1 11ax160(SU) CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.45	2.59	74.0	-18.55	Peak	12.00	150	Horizontal	Pass
1**	5350.000	46.04	2.59	54.0	-7.96	AV	12.00	150	Horizontal	Pass
2	5353.850	60.28	2.38	74.0	-13.72	Peak	5.00	150	Horizontal	Pass
2**	5353.850	48.69	2.38	54.0	-5.31	AV	5.00	150	Horizontal	Pass

U-NII-2A 11a CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.66	3.16	74.0	-19.34	Peak	14.00	150	Horizontal	Pass
1**	5150.000	45.42	3.16	54.0	-8.58	AV	14.00	150	Horizontal	Pass
2	5127.900	56.62	2.78	74.0	-17.38	Peak	13.00	150	Horizontal	Pass
2**	5127.900	45.19	2.78	54.0	-8.81	AV	13.00	150	Horizontal	Pass

U-NII-2A 11a CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.57	2.59	74.0	-19.43	Peak	15.00	150	Horizontal	Pass
1**	5350.000	44.94	2.59	54.0	-9.06	AV	15.00	150	Horizontal	Pass
2	5389.416	56.83	2.62	74.0	-17.17	Peak	15.00	150	Horizontal	Pass
2**	5389.416	45.29	2.62	54.0	-8.71	AV	15.00	150	Horizontal	Pass

U-NII-2A 11n20 CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.45	3.16	74.0	-19.55	Peak	11.00	150	Horizontal	Pass
1**	5150.000	45.63	3.16	54.0	-8.37	AV	11.00	150	Horizontal	Pass
2	5080.125	56.53	2.27	74.0	-17.47	Peak	15.00	150	Horizontal	Pass
2**	5080.125	44.73	2.27	54.0	-9.27	AV	15.00	150	Horizontal	Pass

U-NII-2A 11n20 CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.95	2.59	74.0	-19.05	Peak	8.00	150	Horizontal	Pass
1**	5350.000	45.02	2.59	54.0	-8.98	AV	8.00	150	Horizontal	Pass
2	5380.250	56.98	2.64	74.0	-17.02	Peak	4.00	150	Horizontal	Pass
2**	5380.250	45.07	2.64	54.0	-8.93	AV	4.00	150	Horizontal	Pass

U-NII-2A 11n40 CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.92	3.16	74.0	-19.08	Peak	7.00	150	Horizontal	Pass
1**	5150.000	45.56	3.16	54.0	-8.44	AV	7.00	150	Horizontal	Pass
2	5103.200	56.05	2.12	74.0	-17.95	Peak	15.00	150	Horizontal	Pass
2**	5103.200	44.61	2.12	54.0	-9.39	AV	15.00	150	Horizontal	Pass

U-NII-2A 11n40 CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.87	2.59	74.0	-19.13	Peak	5.00	150	Horizontal	Pass
1**	5350.000	45.56	2.59	54.0	-8.44	AV	5.00	150	Horizontal	Pass
2	5437.266	56.55	2.99	74.0	-17.45	Peak	3.00	150	Horizontal	Pass
2**	5437.266	45.34	2.99	54.0	-8.66	AV	3.00	150	Horizontal	Pass

U-NII-2A 11ac20 CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.34	3.16	74.0	-19.66	Peak	15.00	150	Horizontal	Pass
1**	5150.000	45.56	3.16	54.0	-8.44	AV	15.00	150	Horizontal	Pass
2	5141.875	57.00	2.86	74.0	-17.00	Peak	4.00	150	Horizontal	Pass
2**	5141.875	45.39	2.86	54.0	-8.61	AV	4.00	150	Horizontal	Pass

U-NII-2A 11ac20 CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.61	2.59	74.0	-18.39	Peak	6.00	150	Horizontal	Pass
1**	5350.000	45.06	2.59	54.0	-8.94	AV	6.00	150	Horizontal	Pass
2	5385.567	56.68	2.75	74.0	-17.32	Peak	14.00	150	Horizontal	Pass
2**	5385.567	45.19	2.75	54.0	-8.81	AV	14.00	150	Horizontal	Pass

U-NII-2A 11ac40 CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.27	3.16	74.0	-18.73	Peak	5.00	150	Horizontal	Pass
1**	5150.000	45.82	3.16	54.0	-8.18	AV	5.00	150	Horizontal	Pass
2	5065.175	56.32	2.45	74.0	-17.68	Peak	2.00	150	Horizontal	Pass
2**	5065.175	45.58	2.45	54.0	-8.42	AV	2.00	150	Horizontal	Pass

U-NII-2A 11ac40 CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.01	2.59	74.0	-16.99	Peak	9.00	150	Horizontal	Pass
1**	5350.000	45.54	2.59	54.0	-8.46	AV	9.00	150	Horizontal	Pass
2	5353.117	57.98	2.42	74.0	-16.02	Peak	8.00	150	Horizontal	Pass
2**	5353.117	46.09	2.42	54.0	-7.91	AV	8.00	150	Horizontal	Pass

U-NII-2A 11ac80 CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.74	3.16	74.0	-19.26	Peak	4.00	150	Horizontal	Pass
1**	5150.000	46.03	3.16	54.0	-7.97	AV	4.00	150	Horizontal	Pass
2	5147.400	56.40	3.29	74.0	-17.60	Peak	7.00	150	Horizontal	Pass
2**	5147.400	45.91	3.29	54.0	-8.09	AV	7.00	150	Horizontal	Pass

U-NII-2A 11ac80 CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.31	2.59	74.0	-17.69	Peak	10.00	150	Horizontal	Pass
1**	5350.000	45.89	2.59	54.0	-8.11	AV	10.00	150	Horizontal	Pass
2	5352.933	59.76	2.42	74.0	-14.24	Peak	6.00	150	Horizontal	Pass
2**	5352.933	47.71	2.42	54.0	-6.29	AV	6.00	150	Horizontal	Pass

U-NII-2A 11ax20(SU) CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.73	3.16	74.0	-19.27	Peak	9.00	150	Horizontal	Pass
1**	5150.000	45.73	3.16	54.0	-8.27	AV	9.00	150	Horizontal	Pass
2	5149.025	57.41	3.09	74.0	-16.59	Peak	4.00	150	Horizontal	Pass
2**	5149.025	45.56	3.09	54.0	-8.44	AV	4.00	150	Horizontal	Pass

U-NII-2A 11ax20(SU) CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.90	2.59	74.0	-18.10	Peak	7.00	150	Horizontal	Pass
1**	5350.000	45.03	2.59	54.0	-8.97	AV	7.00	150	Horizontal	Pass
2	5398.033	57.02	2.81	74.0	-16.98	Peak	8.00	150	Horizontal	Pass
2**	5398.033	45.24	2.81	54.0	-8.76	AV	8.00	150	Horizontal	Pass

U-NII-2A 11ax40(SU) CH54



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.83	3.16	74.0	-19.17	Peak	9.00	150	Horizontal	Pass
1**	5150.000	45.82	3.16	54.0	-8.18	AV	9.00	150	Horizontal	Pass
2	5136.675	57.97	3.01	74.0	-16.03	Peak	1.00	150	Horizontal	Pass
2**	5136.675	46.03	3.01	54.0	-7.97	AV	1.00	150	Horizontal	Pass

U-NII-2A 11ax40(SU) CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.90	2.59	74.0	-16.10	Peak	15.00	150	Horizontal	Pass
1**	5350.000	45.71	2.59	54.0	-8.29	AV	15.00	150	Horizontal	Pass

U-NII-2A 11ax80(SU) CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.58	3.16	74.0	-19.42	Peak	0.00	150	Horizontal	Pass
1**	5150.000	45.54	3.16	54.0	-8.46	AV	0.00	150	Horizontal	Pass
2	4791.850	56.35	1.68	74.0	-17.65	Peak	12.00	150	Horizontal	Pass
2**	4791.850	44.04	1.68	54.0	-9.96	AV	12.00	150	Horizontal	Pass

U-NII-2A 11ax80(SU) CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.26	2.59	74.0	-17.74	Peak	13.00	150	Horizontal	Pass
1**	5350.000	45.85	2.59	54.0	-8.15	AV	13.00	150	Horizontal	Pass
2	5352.750	60.00	2.43	74.0	-14.00	Peak	14.00	150	Horizontal	Pass
2**	5352.750	48.49	2.43	54.0	-5.51	AV	14.00	150	Horizontal	Pass

U-NII-2C 11a CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	54.92	2.52	74.0	-19.08	Peak	1.00	150	Horizontal	Pass
1**	5460.000	44.95	2.52	54.0	-9.05	AV	1.00	150	Horizontal	Pass
2	5470.000	55.61	2.52	68.2	-12.59	Peak	10.00	150	Horizontal	Pass
2**	5470.000	45.12	2.52	--	45.12	AV	10.00	150	Horizontal	N/A
3	5467.600	56.59	2.41	68.2	-11.61	Peak	13.00	150	Horizontal	Pass
3**	5467.600	44.83	2.41	--	44.83	AV	13.00	150	Horizontal	N/A
4	5440.800	56.77	2.67	74.0	-17.23	Peak	0.00	150	Horizontal	Pass
4**	5440.800	44.87	2.67	54.0	-9.13	AV	0.00	150	Horizontal	Pass

U-NII-2C 11a CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.95	3.12	68.2	-12.25	Peak	7.00	150	Horizontal	Pass
2	5786.250	57.65	2.97	68.2	-10.55	Peak	2.00	150	Horizontal	Pass

U-NII-2C 11n20 CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	55.78	2.52	74.0	-18.22	Peak	4.00	150	Horizontal	Pass
1**	5460.000	44.91	2.52	54.0	-9.09	AV	4.00	150	Horizontal	Pass
2	5470.000	54.78	2.52	68.2	-13.42	Peak	0.00	150	Horizontal	Pass
2**	5470.000	45.11	2.52	--	45.11	AV	0.00	150	Horizontal	N/A
3	5466.000	56.57	2.47	68.2	-11.63	Peak	12.00	150	Horizontal	Pass
3**	5466.000	45.12	2.47	--	45.12	AV	12.00	150	Horizontal	N/A
4	5350.800	56.95	2.53	74.0	-17.05	Peak	12.00	150	Horizontal	Pass
4**	5350.800	44.95	2.53	54.0	-9.05	AV	12.00	150	Horizontal	Pass

U-NII-2C 11n20 CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.44	3.12	68.2	-12.76	Peak	11.00	150	Horizontal	Pass
2	5741.875	57.66	3.59	68.2	-10.54	Peak	11.00	150	Horizontal	Pass

U-NII-2C 11n40 CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	54.53	2.52	74.0	-19.47	Peak	12.00	150	Horizontal	Pass
1**	5460.000	44.91	2.52	54.0	-9.09	AV	12.00	150	Horizontal	Pass
2	5470.000	54.60	2.52	68.2	-13.60	Peak	8.00	150	Horizontal	Pass
2**	5470.000	44.94	2.52	--	44.94	AV	8.00	150	Horizontal	N/A
3	5468.200	56.46	2.43	68.2	-11.74	Peak	3.00	150	Horizontal	Pass
3**	5468.200	44.83	2.43	--	44.83	AV	3.00	150	Horizontal	N/A
4	5432.400	56.60	2.83	74.0	-17.40	Peak	9.00	150	Horizontal	Pass
4**	5432.400	44.87	2.83	54.0	-9.13	AV	9.00	150	Horizontal	Pass

U-NII-2C 11n40 CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.56	3.12	68.2	-12.64	Peak	3.00	150	Horizontal	Pass
2	5814.167	57.26	3.48	68.2	-10.94	Peak	3.00	150	Horizontal	Pass

U-NII-2C 11ac20 CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	54.74	2.52	74.0	-19.26	Peak	14.00	150	Horizontal	Pass
1**	5460.000	44.96	2.52	54.0	-9.04	AV	14.00	150	Horizontal	Pass
2	5470.000	55.05	2.52	68.2	-13.15	Peak	8.00	150	Horizontal	Pass
2**	5470.000	45.11	2.52	--	45.11	AV	8.00	150	Horizontal	N/A
3	5466.800	56.71	2.44	68.2	-11.49	Peak	8.00	150	Horizontal	Pass
3**	5466.800	44.92	2.44	--	44.92	AV	8.00	150	Horizontal	N/A
4	5453.200	57.02	2.43	74.0	-16.98	Peak	6.00	150	Horizontal	Pass
4**	5453.200	44.50	2.43	54.0	-9.50	AV	6.00	150	Horizontal	Pass

U-NII-2C 11ac20 CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.03	3.12	68.2	-12.17	Peak	5.00	150	Horizontal	Pass
2	5802.083	57.83	3.40	68.2	-10.37	Peak	11.00	150	Horizontal	Pass

U-NII-2C 11ac40 CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	55.33	2.52	74.0	-18.67	Peak	1.00	150	Horizontal	Pass
1**	5460.000	44.85	2.52	54.0	-9.15	AV	1.00	150	Horizontal	Pass
2	5470.000	54.95	2.52	68.2	-13.25	Peak	15.00	150	Horizontal	Pass
2**	5470.000	45.10	2.52	--	45.10	AV	15.00	150	Horizontal	N/A
3	5465.600	55.81	2.49	68.2	-12.39	Peak	14.00	150	Horizontal	Pass
3**	5465.600	44.94	2.49	--	44.94	AV	14.00	150	Horizontal	N/A
4	5396.800	57.16	2.85	74.0	-16.84	Peak	6.00	150	Horizontal	Pass
4**	5396.800	45.20	2.85	54.0	-8.80	AV	6.00	150	Horizontal	Pass

U-NII-2C 11ac40 CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.70	3.12	68.2	-12.50	Peak	6.00	150	Horizontal	Pass
2	5729.584	57.76	3.15	68.2	-10.44	Peak	7.00	150	Horizontal	Pass

U-NII-2C 11ac80 CH108




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	55.93	2.52	74.0	-18.07	Peak	3.00	150	Horizontal	Pass
1**	5460.000	45.59	2.52	54.0	-8.41	AV	3.00	150	Horizontal	Pass
2	5470.000	55.11	2.52	68.2	-13.09	Peak	11.00	150	Horizontal	Pass
2**	5470.000	45.59	2.52	--	45.59	AV	11.00	150	Horizontal	N/A
3	5461.000	56.65	2.43	68.2	-11.55	Peak	15.00	150	Horizontal	Pass
3**	5461.000	45.42	2.43	--	45.42	AV	15.00	150	Horizontal	N/A
4	5421.400	57.23	2.23	74.0	-16.77	Peak	11.00	150	Horizontal	Pass
4**	5421.400	44.70	2.23	54.0	-9.30	AV	11.00	150	Horizontal	Pass

U-NII-2C 11ac80 CH122




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.33	3.12	68.2	-11.87	Peak	9.00	150	Horizontal	Pass
2	5826.250	57.58	3.33	68.2	-10.62	Peak	4.00	150	Horizontal	Pass

U-NII-2C 11ac160 CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	55.10	2.52	74.0	-18.90	Peak	15.00	150	Horizontal	Pass
1**	5460.000	45.47	2.52	54.0	-8.53	AV	15.00	150	Horizontal	Pass
2	5470.000	55.37	2.52	68.2	-12.83	Peak	10.00	150	Horizontal	Pass
2**	5470.000	45.66	2.52	--	45.66	AV	10.00	150	Horizontal	N/A
3	5469.000	56.92	2.46	68.2	-11.28	Peak	8.00	150	Horizontal	Pass
3**	5469.000	45.64	2.46	--	45.64	AV	8.00	150	Horizontal	N/A
4	5395.200	56.81	2.82	74.0	-17.19	Peak	8.00	150	Horizontal	Pass
4**	5395.200	45.62	2.82	54.0	-8.38	AV	8.00	150	Horizontal	Pass

U-NII-2C 11ac160 CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.90	3.12	68.2	-12.30	Peak	6.00	150	Horizontal	Pass
2	5731.666	58.21	3.32	68.2	-9.99	Peak	1.00	150	Horizontal	Pass

U-NII-2C 11ax20(SU) CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	54.42	2.52	74.0	-19.58	Peak	14.00	150	Horizontal	Pass
1**	5460.000	45.00	2.52	54.0	-9.00	AV	14.00	150	Horizontal	Pass
2	5470.000	55.26	2.52	68.2	-12.94	Peak	3.00	150	Horizontal	Pass
2**	5470.000	44.97	2.52	--	44.97	AV	3.00	150	Horizontal	N/A
3	5461.000	56.54	2.43	68.2	-11.66	Peak	15.00	150	Horizontal	Pass
3**	5461.000	44.90	2.43	--	44.90	AV	15.00	150	Horizontal	N/A
4	5436.200	56.90	3.03	74.0	-17.10	Peak	0.00	150	Horizontal	Pass
4**	5436.200	45.11	3.03	54.0	-8.89	AV	0.00	150	Horizontal	Pass

U-NII-2C 11ax20(SU) CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.05	3.12	68.2	-13.15	Peak	14.00	150	Horizontal	Pass
2	5816.041	57.30	3.29	68.2	-10.90	Peak	2.00	150	Horizontal	Pass

U-NII-2C 11ax40(SU) CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	54.81	2.52	74.0	-19.19	Peak	15.00	150	Horizontal	Pass
1**	5460.000	44.86	2.52	54.0	-9.14	AV	15.00	150	Horizontal	Pass
2	5470.000	54.72	2.52	68.2	-13.48	Peak	8.00	150	Horizontal	Pass
2**	5470.000	45.12	2.52	--	45.12	AV	8.00	150	Horizontal	N/A
3	5467.400	56.21	2.41	68.2	-11.99	Peak	10.00	150	Horizontal	Pass
3**	5467.400	45.17	2.41	--	45.17	AV	10.00	150	Horizontal	N/A
4	5380.000	57.13	2.65	74.0	-16.87	Peak	15.00	150	Horizontal	Pass
4**	5380.000	45.14	2.65	54.0	-8.86	AV	15.00	150	Horizontal	Pass

U-NII-2C 11ax40(SU) CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.38	3.12	68.2	-12.82	Peak	5.00	150	Horizontal	Pass
2	5802.083	57.43	3.40	68.2	-10.77	Peak	12.00	150	Horizontal	Pass

U-NII-2C 11ax80(SU) CH108




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	55.60	2.52	74.0	-18.40	Peak	15.00	150	Horizontal	Pass
1**	5460.000	45.42	2.52	54.0	-8.58	AV	15.00	150	Horizontal	Pass
2	5470.000	55.62	2.52	68.2	-12.58	Peak	15.00	150	Horizontal	Pass
2**	5470.000	45.69	2.52	--	45.69	AV	15.00	150	Horizontal	N/A
3	5466.800	57.22	2.44	68.2	-10.98	Peak	0.00	150	Horizontal	Pass
3**	5466.800	45.30	2.44	--	45.30	AV	0.00	150	Horizontal	N/A
4	5356.000	57.23	2.34	74.0	-16.77	Peak	9.00	150	Horizontal	Pass
4**	5356.000	44.76	2.34	54.0	-9.24	AV	9.00	150	Horizontal	Pass

U-NII-2C 11ax80(SU) CH122




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.29	3.12	68.2	-12.91	Peak	5.00	150	Horizontal	Pass
2	5831.875	57.74	3.47	68.2	-10.46	Peak	3.00	150	Horizontal	Pass

U-NII-2C 11ax160(SU) CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	55.52	2.52	74.0	-18.48	Peak	0.00	150	Horizontal	Pass
1**	5460.000	45.56	2.52	54.0	-8.44	AV	0.00	150	Horizontal	Pass
2	5470.000	56.11	2.52	68.2	-12.09	Peak	14.00	150	Horizontal	Pass
2**	5470.000	45.70	2.52	--	45.70	AV	14.00	150	Horizontal	N/A
3	5465.200	57.43	2.50	68.2	-10.77	Peak	14.00	150	Horizontal	Pass
3**	5465.200	45.12	2.50	--	45.12	AV	14.00	150	Horizontal	N/A
4	5399.000	57.60	2.72	74.0	-16.40	Peak	1.00	150	Horizontal	Pass
4**	5399.000	45.28	2.72	54.0	-8.72	AV	1.00	150	Horizontal	Pass

U-NII-2C 11ax160(SU) CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.95	3.12	68.2	-12.25	Peak	6.00	150	Horizontal	Pass
2	5741.250	58.21	3.60	68.2	-9.99	Peak	3.00	150	Horizontal	Pass

U-NII-3 11a CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.83	2.83	68.2	-12.37	Peak	1.00	150	Horizontal	Pass
2	5636.875	56.91	2.98	68.2	-11.29	Peak	4.00	150	Horizontal	Pass

U-NII-3 11a CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	55.43	2.81	68.2	-12.77	Peak	2.00	150	Horizontal	Pass
2	5932.500	57.03	2.87	68.2	-11.17	Peak	12.00	150	Horizontal	Pass

U-NII-3 11n20 CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	54.69	2.83	68.2	-13.51	Peak	8.00	150	Horizontal	Pass
2	5638.125	56.33	2.91	68.2	-11.87	Peak	8.00	150	Horizontal	Pass

U-NII-3 11n20 CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	55.45	2.81	68.2	-12.75	Peak	12.00	150	Horizontal	Pass
2	5972.500	57.11	3.20	68.2	-11.09	Peak	9.00	150	Horizontal	Pass

U-NII-3 11n40 CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.13	2.83	68.2	-13.07	Peak	14.00	150	Horizontal	Pass
2	5635.209	56.51	2.98	68.2	-11.69	Peak	2.00	150	Horizontal	Pass

U-NII-3 11n40 CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	55.17	2.81	68.2	-13.03	Peak	4.00	150	Horizontal	Pass
2	5990.250	57.37	3.72	68.2	-10.83	Peak	11.00	150	Horizontal	Pass

U-NII-3 11ac20 CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.29	2.83	68.2	-12.91	Peak	15.00	150	Horizontal	Pass
2	5636.875	57.03	2.98	68.2	-11.17	Peak	8.00	150	Horizontal	Pass

U-NII-3 11ac20 CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.83	2.81	68.2	-11.37	Peak	4.00	150	Horizontal	Pass
2	5998.750	57.21	4.00	68.2	-10.99	Peak	8.00	150	Horizontal	Pass

U-NII-3 11ac40 CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.08	2.83	68.2	-13.12	Peak	4.00	150	Horizontal	Pass
2	5633.333	56.92	2.85	68.2	-11.28	Peak	3.00	150	Horizontal	Pass

U-NII-3 11ac40 CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	55.09	2.81	68.2	-13.11	Peak	15.00	150	Horizontal	Pass
2	5992.750	57.28	3.82	68.2	-10.92	Peak	3.00	150	Horizontal	Pass

U-NII-3 11ac80 CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	54.98	2.83	68.2	-13.22	Peak	0.00	150	Horizontal	Pass
2	5635.625	56.59	3.00	68.2	-11.61	Peak	13.00	150	Horizontal	Pass

U-NII-3 11ac80 CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	55.23	2.81	68.2	-12.97	Peak	1.00	150	Horizontal	Pass
2	5999.750	57.41	3.99	68.2	-10.79	Peak	13.00	150	Horizontal	Pass

U-NII-3 11ax20(SU) CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.00	2.83	68.2	-13.20	Peak	1.00	150	Horizontal	Pass
2	5637.500	56.72	2.97	68.2	-11.48	Peak	8.00	150	Horizontal	Pass

U-NII-3 11ax20(SU) CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	54.76	2.81	68.2	-13.44	Peak	1.00	150	Horizontal	Pass
2	5998.250	57.36	3.98	68.2	-10.84	Peak	9.00	150	Horizontal	Pass

U-NII-3 11ax40(SU) CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.03	2.83	68.2	-13.17	Peak	10.00	150	Horizontal	Pass
2	5638.125	56.49	2.91	68.2	-11.71	Peak	6.00	150	Horizontal	Pass

U-NII-3 11ax40(SU) CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	54.63	2.81	68.2	-13.57	Peak	0.00	150	Horizontal	Pass
2	5996.000	57.17	3.91	68.2	-11.03	Peak	10.00	150	Horizontal	Pass

U-NII-3 11ax80(SU) CH155



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.53	2.83	68.2	-12.67	Peak	15.00	150	Horizontal	Pass
2	5636.250	57.11	2.99	68.2	-11.09	Peak	11.00	150	Horizontal	Pass

U-NII-3 11ax80(SU) CH155



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	54.48	2.81	68.2	-13.72	Peak	4.00	150	Horizontal	Pass
2	5953.750	57.53	2.87	68.2	-10.67	Peak	0.00	150	Horizontal	Pass

ANNEX B TEST SETUP PHOTOS

Please refer the document "BL-SZ2190589-AR.PDF".

ANNEX C EUT EXTERNAL PHOTOS

Please refer the document "BL-SZ2190589-AW.PDF".

ANNEX D EUT INTERNAL PHOTOS

Please refer the document "BL-SZ2190589-AI.PDF".

--END OF REPORT--